iVY

SRC®

Economic & Popular

KEEPS THE WORLD MOVING



www.jyotiarch.in

Part Numbering System

IV	2	A	–	Z	A5	–	01	D	–	100	–	21	1
SRC	SRC			Fork Assembly	Series		Fastening	Brake Assy.		Wheel Dia		Wheel Material	Bearing Model

Fork Assembly



Z = (Zinc Plated)



B = (Black color painted)

Series No.

A1

A2

A3

A5

Fastening



04 - Fix



01 - Swivel



01D - Swivel + Brake



02 - Thread Stem



02D - Thread + Brake



E - Single brake (Plastic)

Wheel Material

12 = Polyolefin (round tread)

16 = Hi-tech Polyurethane (round tread)

20 = Polyurethane (flat tread)

21 = Polyurethane (round tread)

27 = Hi-tech PU (FL+C.I.)

Bearing Model



1 = Central precision ball bearing



2 = Double ball bearing



3 = Derlin bearing



4 = Plain bore (bushing)

Wheel and material introduction



Wheel Structure

Plain bore bearing PP wheel
Size : 25/38/50/63/75 mm



IV-2A-ZA1-04-50-124



IV-2A-ZA1-01-63-124



IV-2A-ZA1-01E-75-124



IV-2A-ZA1-02-63-124



IV-2A-ZA1-02E-75-124

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	Bearing	No. Model
25 MM (1")	13	7	POLY PROPYLENE (PP)	35	25	46	(A) 30X24 (B) 38X33 (D) 4.3	(A) 29X13 (B) 36X20	PLAIN BORE	IV-2A-ZA1-04-25-124 IV-2A-ZA1-01-25-124 IV-2A-ZA1-01E-25-124
38 MM (1.5")	18	16	POLY PROPYLENE (PP)	50.5	36	56	(A) 36X20 (B) 46X38 (D) 5.3	(A) 36X15 (B) 46X25	PLAIN BORE	IV-2A-ZA1-04-38-124 IV-2A-ZA1-01-38-124 IV-2A-ZA1-01E-38-124
50 MM (2")	22	25	POLY PROPYLENE (PP)	65	48	71	(A) 46X35 (B) 59X47 (D) 6.5	(A) 45X25 (B) 58X40 Thread M8X20	PLAIN BORE	IV-2A-ZA1-04-50-124 IV-2A-ZA1-01-50-124 IV-2A-ZA1-01E-50-124 IV-2A-ZA1-02-50-124 IV-2A-ZA1-02E-50-124
63 MM (2.5")	28	35	POLY PROPYLENE (PP)	82	60	86	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47 Thread M12X25	PLAIN BORE	IV-2A-ZA1-04-63-124 IV-2A-ZA1-01-63-124 IV-2A-ZA1-01E-63-124 IV-2A-ZA1-02-63-124 IV-2A-ZA1-02E-63-124
75 MM (3")	28	45	POLY PROPYLENE (PP)	93	66	90	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B)70X47 Thread M12x25	PLAIN BORE	IV-2A-ZA1-04-75-124 IV-2A-ZA1-01-75-124 IV-2A-ZA1-01E-75-124 IV-2A-ZA1-02-75-124 IV-2A-ZA1-02E-75-124



IV-2A-ZA2-04-75-121


IV-2A-ZA2-01-100-121


IV-2A-ZA2-01D-125-121


IV-2A-ZA2-02-75-121


IV-2A-ZA2-02D-100-121


Wheel Structure

Single ball bearing
PP wheel
Size : 75/100/125mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Thread size (mm)	Bearing	NO. Model
75 MM (3")	28	70	POLY PROPYLENE (PP)	104 102	69	93	(A)75 x 44 (B)91 x 63 (C)71 x 44 (D) 9	M 12 x 25	Single Ball Bearing	IV-2A-ZA2-04-75-121 IV-2A-ZA2-01-75-121 IV-2A-ZA2-01D-75-121 IV-2A-ZA2-02-75-121 IV-2A-ZA2-02D-75-121
100 MM (4")	28	80	POLY PROPYLENE (PP)	129 127	85	100	(A)75 x 44 (B)91 x 63 (C)71 x 44 (D)9	M 12 x 25	Single Ball Bearing	IV-2A-ZA2-04-100-121 IV-2A-ZA2-01-100-121 IV-2A-ZA2-01D-100-121 IV-2A-ZA2-02-100-121 IV-2A-ZA2-02D-100-121
125 MM (5")	28	90	POLY PROPYLENE (PP)	155 153	104	110	(A)75 x 44 (B)91 x 63 (C)71 x 44 (D)9	M 12 x 25	Single Ball Bearing	IV-2A-ZA2-04-125-121 IV-2A-ZA2-01-125-121 IV-2A-ZA2-01D-125-121 IV-2A-ZA2-02-125-121 IV-2A-ZA2-02D-125-121


IV-2A-BA1-04-50-214


IV-2A-BA1-01-63-214


IV-2A-BA1-01E-75-214


IV-2A-BA1-02-50-214


IV-2A-BA1-02E-75-214


Wheel Structure

Plain bore bearing
PU wheel
Size : 50/63/75mm

Wheel dia (mm)	Tread width (mm)	Load capacity (kg.) Per Pc.	Wheel material	Loading hight (mm)	Swivel radius (mm)	Brake swivel radius (mm)	Plate size (mm)	Plate size (mm)	Bearing	NO. Model
50 MM (2")	22	22	Poly Urethane (PU)	65	46	71	(A) 46X35 (B) 59X47 (D) 6.5	(A) 45X25 (B) 58X40 Thread M8X20	PLAIN BORE	IV-2A-BA1-04-50-214 IV-2A-BA1-01-50-214 IV-2A-BA1-01E-50-214 IV-2A-BA1-02-50-214 IV-2A-BA1-02E-50-214
63 MM (2.5")	28	30	Poly Urethane (PU)	82	57	83	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B) 70X47 Thread M12X25	PLAIN BORE	IV-2A-BA1-04-63-214 IV-2A-BA1-01-63-214 IV-2A-BA1-01E-63-214 IV-2A-BA1-02-63-214 IV-2A-BA1-02E-63-214
75 MM (3")	28	40	Poly Urethane (PU)	93	63	87	(A) 55X42 (B) 70X58 (D) 8.5	(A) 55X28 (B)70X47 Thread M12x25	PLAIN BORE	IV2A-BA1-04-75-214 IV2A-BA1-01-75-214 IV2A-BA1-01E-75-214 IV2A-BA1-02-75-214 IV2A-BA1-02E-75-214

PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading hight (mm)	Swivel radius (mm)	(A) (B) (C) (D)	Bearing	NO. Model
 IV-2A-BA3-04-75-211	63 (2.5")	32	65	Polyurethane (PU)	93.5 / 91	67.5	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6	Single Ball Bearing / Thread Stem M12x25	IV-2A-BA3-04-63-211 IV-2A-BA3-01-63-211 IV-2A-BA3-01D-63-211 IV-2A-BA3-02-63-211 IV-2A-BA3-02D-63-211 IV-2A-A3-63x32-211-WH
 IV-2A-BA3-01-100-211	75 (3")	32	90	Polyurethane (PU)	105.5 / 103	74	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6		IV-2A-BA3-04-75-211 IV-2A-BA3-01-75-211 IV-2A-BA3-01D-75-211 IV-2A-BA3-02-75-211 IV-2A-BA3-02D-75-211 IV-2A-A3-75x32-211-WH
 IV-2A-BA3-01D-125-211	100 (4")	32	120	Polyurethane (PU)	130 / 127.5	86	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6		IV-2A-BA3-04-100-211 IV-2A-BA3-01-100-211 IV-2A-BA3-01D-100-211 IV-2A-BA3-02-100-211 IV-2A-BA3-02D-100-211 IV-2A-A3-100x32-211-WH
 IV-2A-BA3-02-100-211	125 (5")	32	130	Polyurethane (PU)	154.5 / 152	99	(A) 78x45 (B) 95x66 (C) 71x45 (D) 8.6		IV-2A-BA3-04-125-211 IV-2A-BA3-01-125-211 IV-2A-BA3-01D-125-211 IV-2A-BA3-02-125-211 IV-2A-BA3-02D-125-211 IV-2A-A3-125x32-211-WH

Polyurethane Wheel with C.I. Core Double Ball Bearing


PRODUCT	Wheel dia (mm)	Tread width (mm)	Load capacity (kg)	Wheel material	Loading hight (mm)	Swivel radius (mm)	(A) (B) (C) (D)	Bearing	NO. Model
 IV-2A-ZA5-04-100-272	100 (4")	50	280	Polyurethane (PU) C.I. Core	143	87	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-100-272 IV-2A-ZA5-01-100-272 IV-2A-ZA5-01D-100-272 IV-2A-A5-100X50-272-WH
 IV-2A-ZA5-01-150-272	125 (5")	50	380	Polyurethane (PU) C.I. Core	164	105	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-125-272 IV-2A-ZA5-01-125-272 IV-2A-ZA5-01D-125-272 IV-2A-A5-125X50-272-WH
 IV-2A-ZA5-01D-150-272	150 (6")	50	430	Polyurethane (PU) C.I. Core	190	121	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-150-272 IV-2A-ZA5-01-150-272 IV-2A-ZA5-01D-150-272 IV-2A-A5-150X50-272-WH
	200 (8")	50	500	Polyurethane (PU) C.I. Core	240	160	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-200-272 IV-2A-ZA5-01-200-272 IV-2A-ZA5-01D-200-272 IV-2A-A5-200X50-272-WH

PRODUCT	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg)	Loading hight (mm)	Swivel radius (mm)		Bearing	NO. Model
 IV-2A-ZA5-04-100-212	100 (4″)	45	Poly Urethane (PU)	200	143	87	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-100-212 IV-2A-ZA5-01-100-212 IV-2A-ZA5-01D-100-212 IV-2A-A5-100X45-212-WH
 IV-2A-ZA5-01-150-212	125 (5″)	45	Poly Urethane (PU)	270	164	105	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-125-212 IV-2A-ZA5-01-125-212 IV-2A-ZA5-01D-125-212 IV-2A-A5-125X45-212-WH
 IV-2A-ZA5-01D-150-212	150 (6″)	45	Poly Urethane (PU)	330	190	121	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-150-212 IV-2A-ZA5-01-150-212 IV-2A-ZA5-01D-150-212 IV-2A-A5-150X45-212-WH
	200 (8″)	45	Poly Urethane (PU)	360	240	160	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-200-212 IV-2A-ZA5-01-200-212 IV-2A-ZA5-01D-200-212 IV-2A-A5-200X45-212-WH

PRODUCT	Wheel dia (mm)	Tread width (mm)	Wheel material	Load capacity (kg)	Loading hight (mm)	Swivel radius (mm)		Bearing	NO. Model
 IV-2A-ZA5-04-125-212	100 (4″)	45	Poly proplene (PP)	280	143	87	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-100-212 IV-2A-ZA5-01-100-212 IV-2A-ZA5-01D-100-212 IV-2A-A5-100X45-212-WH
 IV-2A-ZA5-01-150-212	125 (5″)	45	Poly proplene (PP)	340	164	105	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-125-212 IV-2A-ZA5-01-125-212 IV-2A-ZA5-01D-125-212 IV-2A-A5-125X45-212-WH
 IV-2A-ZA5-01D-200-212	150 (6″)	45	Poly proplene (PP)	400	190	121	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-150-212 IV-2A-ZA5-01-150-212 IV-2A-ZA5-01D-150-212 IV-2A-A5-150X45-212-WH
	200 (8″)	45	Poly proplene (PP)	440	240	160	(A) 92x67 (B) 115x100 (C) 76x76 (D) 11	Double Ball Bearing	IV-2A-ZA5-04-200-212 IV-2A-ZA5-01-200-212 IV-2A-ZA5-01D-200-212 IV-2A-A5-200X45-212-WH


PLATE DIMENSIONS : FIX CASTER

ZA1




25mm 38mm 50mm 63mm/75mm

BA1




50mm




63mm/75mm

ZA2



75mm/100mm/125mm

BA3




63mm/75mm/100mm/125mm

NOTE

Sorry Please ignore this for correct dimensions please refer respective catalogue pages.


ZA5



100mm/125mm/150mm/200mm


PLATE DIMENSIONS : SWIVEL PLATE CASTER

ZA1




25mm 38mm 50mm 63mm/75mm

BA1




50mm 63mm/75mm

ZA2




75mm/100mm/125mm

BA3



63mm/75mm/100mm/125mm

ZA5




100mm/125mm/150mm/200mm

SRC®

Economic & Popular





JAPPL™

TOTAL SOLUTION FOR YOU

Jyoti Architectural Products Pvt. Ltd.

A-111, Sagar Tech Plaza, M. V. Road, Saki Naka Junction
Andheri (E), Mumbai - 400 0072

T +91 22 42421000 **Telefax**: +91 22 42421050

M +91 93208 92981

E salessupport1@jyotiarch.in / salessupport7@jyotiarch.in

W www.jyotiarch.in

CATALOGUE 10/2016

NOTE

Sorry, please ignore this for correct dimensions refer respective catalogue pages.