

SIDE WALL PARTITION GIRTS ALONG AXIS-GL.E

(TOWARDS GRID LINE D. SIDE)



SIDEWALL PARTITION SHEETING ALONG AXIS-E

(TOWARDS GRID LINE D. SIDE)



CROSS SECTION 5



CROSS SECTION 13

GENERAL NOTES:

1.All dimensions are in mm unless noted otherwise.

2.Bracing is to be installed as per the erection drawings and must remain tight during the life of the building. Do not remove any bracing without the written consent of the Engineering Department at KIRBY BUILDING SYSTEMS INDIA LTD.

3.Placing permanent bracing and temporarily guying the structure during erection prior to placing sheeting / cladding is extremely important. The removal of permanent bracing and/or providing insufficient temporary guy lines may cause the collapse of the building during or after erection which will be the Contractor's / Owner's responsibility.

4.Gusset plates for flange braces are welded on both sides of the column and rafter, however flange braces are required at one side(unless noted otherwise). For aesthetic reasons, it is preferable to install them all at the same side of column and rafter. The side chosen depending on erection sequence.

5.Start erection at the braced bay.

6.Use temporary guy wires and ratchet pullers for stability.

7.Install permanent bracing i.e. cables,rods, angles, and flange braces.

8.Guy wires should be attached to an immovable object such as cast in anchor bolts, or heavy object.

9.Plumb & align the first bay before proceeding.

10.Use high strength bolts(A325) where indicated.

11. Tighten all high strength bolts after final alignment of the building.

12.Frame alignment should be within 1:300 tolerance.

13. Use temporary supports to align girts before fixing sheets.

14.Do not apply any live loads to purlins before roof sheeting is complete.

FOR CONSTRUCTION

BUILDING MUST BE ERECTED IN STRICT ACCORDANCE WITH THESE DRAWINGS. ANY DEVIATION MUST HAVE PRIOR APPROVAL FROM K B S I L.

K B S I L. WILL NOT ACCEPT RESPONSIBILITY FOR ANY VARIATIONS OR OMISSIONS WHICH DO NOT HAVE THEIR WRITTEN CONSENT.



DETAIL-U



DETAIL-T



PANEL END LAP DETAILS



SECTION THRU' F.O JAMB
WALL INSULATION DETAILS



SECTION THRU' F.O JAMB
WALL INSULATION DETAILS



BASE ANGLE EXPAN. BOLT PLAN
SECTION A-A



SECTION X - X



PARTITION WALL AT INTERMEDIATE
(AXIS - E)



SECTION THRU' F. O HEADER

REV. NO.	DESCRIPTION	DATE	DRN. BY	CHK. BY
5	RE-ISSUED FOR CONSTRUCTION	05.08.15	VGD	VSK
4	RE-ISSUED FOR CONSTRUCTION	23.03.15	KSK	VSK
3	RE-ISSUED FOR CONSTRUCTION	08.07.14	KSK	VSK
2	RE-ISSUED FOR CONSTRUCTION	10.10.14	VGD	VSK
1	RE-ISSUED FOR CONSTRUCTION	29.08.14	VGD	VSK
0	ISSUED FOR CONSTRUCTION	10.01.14	VGD	VSK

SUB CONTRACTOR	Kirby	KIRBY BUILDING SYSTEMS DRG.NO. E-14C	REV.NO. 5
DETAILED ENGINEERING CONSULTANT			
CLIENT-	ALSTOM BHARAT FORGE	ALSTOM BHARAT FORGE POWER LTD	
APPROVED BY		SIGN	DATE
PROJECT	PROPOSED FACILITY AT		

	SIGN	DATE		
DESIGNED BY			TITLE	PARTITION FRAMING & SHEETING DETAILS ALONG GL. E
DRAWN BY			DRG.NO.	34080/HY-03796 A1. FACTORY
CHECKED BY			SCALE	1:350 REV. 2
APPROVED BY			FILE	34080/HY-03796 A1. FACTORY