Albany

O

- Continued 4
- Discontinued 240
- Index 619

EN CHAPTER O 20160406 EN

Table of content

Albany

O

Continued


- RR 300 4
- RR 300 plus 21
- RR 355 42
- RR 392 65
- RR 3000 / GL 81
- RR 3000 ISO (2701) 97
- RR 3000 L 111
- RR 3000 R 123
- RR 3000 XXL / ISO 137
- RP 2000 157
- RP 300 171
- RP 300 Wide 183
- RR Clean 193
- RR Food 205
- RR 300 Retail (LCS) 217
- RR 300 Retail additional parts 218
- MCC 219
- MCS 231
- STV 232
- Actuators / Signals 232
- Control systems 236
- General add. Parts 238
- Rebuilding kits 239

Discontinued

- RP 100 240
- RR 290 / 320 Lip 253
- RR 290E 265
- RR 300 MP 277
- RR 320 Mini 289
- RR 320 MP 301
- RR 330 313
- RR 350 327
- RR 350E 341
- RR 400 / 400E / x2 344
- RR 420 363
- RR 450 / EX 451
- RR 600 479
- RR 660 501
- RR 910 565
- RR 3000 XL 593
- RT 750 607
- LC325-XL 617


EN CHAPTER O 20160406 EN

RR 300


2
1
X
X
4
5
3

RR 300 >> Side frame right (see drawing frame complete)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG226 439	RH column complete	M1		Steel	
D8220RG227 439	RH column complete	M1		A2	
D8220RG228 439	Side frame incl photocell RH	M1		complete Alu	2004-02 >
D4521RG124 439	Sideframe	M1	1	Steel	
D4621RG010 439	Sideframe	M1	1	A2	
D4721RG058 439	Sideframe	M1	1	Alu	2004-02 >
D4521RG217 439	Sideframe MCC MCS-FC (*)	M1	1	Steel	
D4621RG140 439	Sideframe MCC MCS-FC (*)	M1	1	A2	
D4721RG127 439	Sideframe MCC MCS-FC (*)	M1	1	Alu RH	
D4521V0016	Head plate non drive side RH	PCS	2	Steel	
D4621R0286	RH head plate drive side	PCS	2	A2	
D4521R2091	RH bottom plate	PCS	3	Steel	
D4621R0280	RH bottom plate	PCS	3	A2	2004-04 >
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4121R0209	Cap finished	PCS	5		


2
1
X
X
4
5
3

RR 300 >> Side frame left (see drawing frame complete)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG229 439	LH column complete	M1		Steel	
D8220RG230 439	LH column complete	M1		A2	
D8220RG231 439	Side frame incl photocell LH	M1		complete Alu	2004-02 >
D4521RG124 439	Sideframe	M1	1	Steel	
D4621RG010 439	Sideframe	M1	1	A2	
D4721RG060 439	Sideframe	M1	1	Alu	2004-02 >
D4521RG217 439	Sideframe MCC MCS-FC (*)	M1	1	Steel	
D4621RG140 439	Sideframe MCC MCS-FC (*)	M1	1	A2	
D4721RG126 439	Sideframe MCC MCS-FC (*)	M1	1	Alu LH	
D4521V0015	Head plate non drive side LH	PCS	2	Steel	
D4621R0287	LH head plate drive side	PCS	2	A2	
D4521R2092	LH bottom plate	PCS	3	Steel	
D4621R0281	LH bottom plate	PCS	3	A2	2004-04 >
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS		MCC	
D4121R0209	Cap finished	PCS	5		


1
3
2


RR 300 >> Side frame right(see drawing side frame light complete)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG247 439	Column complete RH	M1		light; non drive side drive side with photocell	
D8220RG247 439	Column complete RH	M1		light; non drive side drive side with photocell	
D4521RG166 439	Sideframe	M1	1	light	
D4521R0116	Bottom plate RH	PCS	2	Steel	2004-04 >
D4904R0001	Reflection photocell 8m cable	PCS	3	light without bracket	
D4904R0435	Reflection photocell 15m cable	PCS	3	light	
D4904R0044	Reflector light	PCS	3		


1
3
2


RR 300 >> Side frame left (see drawing frame light complete)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG248 447	LH column complete	M1		light; non drive side	
D8220RG248 446	LH column complete	M1		light drive side with photo-cell	
D4521RG167 439	Sideframe	M1	1	light	
D4521R0117	Bottom plate LH	PCS	2	Steel	2004-04 >
D4904R0001	Reflection photocell 8m cable	PCS	3	light without bracket	
D4904R0435	Reflection photocell 15m cable	PCS	3	light	
D4904R0044	Reflector light	PCS	3		


X
Y
4
5
2
Y
4
3
X
1

RR 300 >> Top roll with curtain


Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG058	Door blade PVC 1.4 w. stripes	PCS	1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed	
D8230RG312	Door blade Rolltex Plus	PCS	1	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	1	Base price	
D8230RG312 205	Rolltex Plus/RollTex Original	M2	1	Upcharge	
D8230RG312 203	Rolltex Original painted	M2	1	Upcharge	
D8230RG312 189	Nomatex	M2	1	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window	
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1	1	upcharge	
D8230RG327 209	Door blade Travitop 1.3	M2	1	without vision panel blue, red or grey not sealed	
D8230RG327 223	Door blade Travitop 1.3 with	M2	1	vision panel blue, red or grey not sealed	
D8230RG062 185	Door blade Travitop 0.8	M2	1	without vision panel blue or red	
D8230RG062 207	Door blade Travitop 0.8	M2	1	without vision panel special colour	
D8230RG062 186	Door blade Travitop 0.8	M2	1	with vision panel blue or red	
D8230RG062 208	Door blade Travitop 0.8	M2	1	with vision panel special colour	
D8240RG099	Top roll alu with bearing		2	shafts A2	
D8240RG099 111	Top roll alu with bearings	PCS	2	Base price	
D8240RG099 467	Top roll alu with bearings	M1	2	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D8240RG099 114	Top roll A2 with bearings	PCS	2	Base price	>2000-02
D8240RG099 463	Top roll stainless steel with	M1	2	shafts A2 Upcharge	
D8240RG101	Top roll alu with bearing and	PCS	3	door blade shaft galvanized	
D8140R0062	Flange bearing D 30	PCS	4	A2	
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive	
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany doorleaf	


X
Y
1
2
3
4
5
7
8
9
10
11
15
16
17
18
14
Flex Edge

RR 300 >> Bottom profile with safety edge


Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053	Bottom profile ASO complete	PCS		with coil cable	
D8550RG053 465	Bottom profile ASO complete	M1		with coil cable RR320	
D8550RG053 463	Bottom profile complete with	M1		coil cable stainless steel	
D8550RG042 459	Bottom profile alu complete	M1		with coil cable RR320 Mini	
D4121V0012	Sliding part cpl for	PCS	1	standard version RR320 no Crash	
D4121V0018	Sliding part complete for Mini	PCS	1	RR320 Mini	
D4121V0013	Sliding part cpl for	PCS	2	standard version RR320 Crash	
D4521R0133	Weight	PCS	3	Standard. Not sealed	
D4721RG057 459	Bottom beam pre-drilled	M1	4	MP RR320 Standard mot sealed Alu	
D4721RG069 459	Bottom beam pre-drilled 330	M1	4	RR30 RR320 Mini sealed	2006-01 >
D8250RG007 459	Profile for bottom profile va	M1	4	outside Control position RH	
D8250RG008 459	Profile for bottom profile va	M1	4	inside Control position LH	
D8550RG073 459	Rubber profile with integrated	M1	5	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	5	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D4721R0038	Plate for Crash sensor	PCS	7		
D4905V0044	Switch	PCS	8	Steel A2 Alu emergency egress	
D5105R0091	Rope 3.2 L=9500	PCS	9	Crash curtain tension RR350 RR320	1996-05 >
D4121R0039	PVC-washer	PCS	10	Crash / RR 320	
D4907R0038	Coil cable 5x0.75	PCS	11	Crash	2004-05 >
D4121R0314	Sealing rubber profile to	PCS	12	sideframe RR320	> 2012-04
D8550RG069	Bottom profile complete with		14	safety edge - Flex Edge Flex Edge compl.	
D8550RG069 111	Bottom profile complete with	PCS	14	safety edge - Flex Edge Base Price	
D8550RG069 459	Bottom profile complete with	M1	14	safety edge - Flex Edge Upcharge	
D4121R0515	Sliding part crash	PCS	15	For Flex Edge	
D4905R0248	Contact strip with 4.2m Cable	PCS	16	For Flex Edge	
D4904R0553	Wireless Safety system	PCS	17	Transmitter For Flex Edge	
D4909T0020	Battery for safety edge	PCS	18	wireless system For Flex Edge	
D4521R2240	Squared weight	PCS	19	For Flex Edge	

EN CHAPTER O 20160406 EN


2
5
1
8
in control system
6
11
4
10
7
Coil cable
Photocell
3
Photocell
Control
only for control cable >2.5m

RR 300 >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG076 232	Gear motor cpl.	PCS		No E-Connection	2006-01 >
D8410RG093 232	Gear motor with rubber profile	PCS		100 mm	> 2005-12
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D8910R0091	Gear motor	PCS	1	Drive Standard ACS50 60 80 without control H≤3900	2006-01 >
D6601R0160	Gear motor	PCS	1	Drive Standard ACS50 without control H>3900	2006-01 >
D6601V0001	Gear motor	PCS	1	Drive RR320 Mini ACS50 without control	2004-05 >
D6601R0021	Gear motor Mini	PCS	1	ACS25	
D8910R0076	Gear motor with MCC encoder	PCS	1	Drive Standard MCC H≤3900	
D6622R0031	Brake	PCS	2	Drive GfA ACS25	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D8570RG001 232	Terminal box with cable 9x0.75	PCS	3	Drive GfA	2003-04 >
D4905018	Limit switch section 6 switch.	PCS	4	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D4905R0105	Limit swich digital	PCS	4	Drive GfA ACS25	
D8110R0087	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control stainless steel	2000-03 >
D8110R0086	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control galvanized steel	2000-03 >
D8110R0089	Torque arm	PCS	5	Drive GfA ACS25 stainless steel	
D8110R0088	Torque arm	PCS	5	Drive GfA ACS25 galvanized steel	
D4801240	Cam drive GfA	PCS	6	ACS50 60 80 MCC without control	2007-03 >
D4521R1081	Crank 0.7m GfA	PCS	7	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D4521R0968	Crank 1.0m GfA	PCS	7	GfA 2000<H≤3000 ACS50 60 80 MCC without control without balancing	
D4521R1425	Crank 1.7m GfA	PCS	7	3000<H≤3500 ACS50 60 80 MCC without control without balancing	
D4521R2082	Crank 2.4m GfA	PCS	7	GfA H>3500 H≤4200 ACS50 60 80 MCC without control	
D4521R1140	Crank	PCS	7	GfA ACS25	
D4521R1281	Crank with cardan joint GfA	PCS	7		
D8800R0001	Relais with socket	PCS	8	ACS60/80FUSI/II/III	
D8903RG144	E-Connection ACS 50	PCS	9	without control	2003-03 >
D8830RG043	Control cable	PCS	9	ACS 60 80 GfA	
D8903RG145	E-Connection MCC	PCS	9		
D4907V0018	Control cable 4m	PCS	9	Drive Mini	
D4907V0022	Control cable 10m	PCS	9	Drive Mini	
D4907R0061	Control cable 5m	PCS	9	ACS25/40	
D4907R0062	Control cable 11m	PCS	9	ACS25/40	
D4905R0228	Emergency crank handle switch	PCS	10	ACS50 MCC without balancing	2008-07 >
D8410R0083	Electrical saving for crank	PCS	10	Drive Standard ACS50 60 80 MCC without control	> 2008-06
D8410R0080	Encoder MCC with bracket for	PCS	11	drive GfA MCC;drive GfA	2008-07 >
D8410R0068	Encoder with bracket	PCS	11	Drive Standard MCC	> 2008-06
D4909R0015	Rectifier	PCS	12	ACS25/40, or without control	



6
1
3
5
4
2

RR 300 >> Options

Art. No	Product description	Unit	Img	Fits to	Remark
D4521RG118 459	Top roll cover straight Steel	M1	1	Steel	
D4621RG019 459	Top roll cover straight A2	M1	1	A2	
D4721RG049 459	Top roll cover without bracket	M1	1	Alu std. and Mini	
D4621RG018 459	Top roll cover 30° drive LH	M1	1	Drive LH A2	
D4621RG017 459	Top roll cover 30° drive RH	M1	1	Drive RH A2	
D4621R0305	Bracket for Top roll cover	PCS	2	A2	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive	
D4521R1129	Bracket for Top roll cover	PCS	2	Steel Sideframe light	>2007-03
D8160R0103	Motor cover plasic grey cpl RH	PCS	3	MCS-R, ACS25,without control	
D8160R0104	Motor cover plasic grey cpl LH	PCS	3	MCS-R, ACS25,without control	
D8160R0105	Motor cover plasic grey MCC RH	PCS	3	complete MCC mounted on side frame; drive RH	
D8160R0106	Motor cover plasic grey MCC LH	PCS	3	complete MCC mounted on side frame; drive LH	
D8160R0107	Motor cover steel cpl RH	PCS	3	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	3	drive vertical RR320	
D8160R0109	Motor cover 30° inox cpl RH	PCS	3		
D8160R0110	Motor cover 30° inox cpl LH	PCS	3		
D32-4887-XX	Motor cover Mini RH	PCS	3	RR320 Mini	
D32-4888-XX	Motor cover Mini LH	PCS	3	RR320 Mini	
D4521R1491	Bracket motor cover RH	PCS	4	Motorcover plastic / steel drive vertical	
D4521R1488	Bracket motor cover LH	PCS	4	Motorcover plastic / steel drive vertical	
D4621R0456	Bracket motor cover RH	PCS	4	Motorcover A2	
D4621R0457	Bracket motor cover LH	PCS	4	Motorcover A2	
D4121R0222	Cover black	PCS	5		
D6403V0001	Albany Assa Abloy sign 210x100	PCS	6		
D4521RG170 232	Distance rod Steel	PCS	7	Steel	
D4621RG014 232	Distance rod A2	PCS	7	A2	
D4721RG056 232	Distance rod Alu	PCS	7	Alu not sealed	2004-02 >
D4904T0028	Wireless Safety system	PCS	8	Receiver Flex Edge MCC ACS 50	
D8830R0164	Cable wireless system MCC	PCS	9	Flex Edge MCC ACS 50	
D8830R0165	Cable wireless system ACS 50	PCS	10	Flex Edge MCC ACS 50	

RR 300 plus


EN CHAPTER O 20160406 EN


2
18
9
16
17
15
1
6
10
12
11
13
5
8
4
3
7
14
10
9

RR 300 plus >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG273 168	RH column complete	PCS		Steel	
D8220RG273 456	RH column complete	M1		Steel	
D8220RG273 114	RH column complete	PCS		A2	
D8220RG273 444	RH column complete	M1		A2	
D8220RG314 111	RH column complete	PCS		Alu not sealed	
D8220RG314 439	RH column complete	M1		Alu not sealed	
D8220RG335 111	RH column complete	PCS		Alu sealed	
D8220RG335 439	RH column complete	M1		Alu sealed	
D8220RG273 609	Extra price curtain tension	PCS		Steel	
D8220RG273 608	Extra price curtain tension	PCS		A2	
D8220RG314 180	Extra price curtain tension	PCS		Alu	
D8220RG273 508	Extra price light grid instead	PCS		photocell	
D4521RG265 439	Profile galv. for spring cover	M1	1	Steel	
D4621RG169 439	Profile inox, for spring cover	M1	1	A2	
D4721RG255 439	Column profile RH	M1	1	Alu	
D8120R0097	Gusset plate side of driveunit	PCS	2	galv. for drive Nord without crash (incl. torque arm) Steel	>2006-10
D8120R0098	Gusset plate side of driveunit	PCS	2	va for drive Nord without crash (incl. torque arm) A2	>2006-10
D4521R1203	Gusset plate side of driveunit	PCS	2	galv. for drive Nord with crash or drive GfA Steel, Alu	
D4621R0411	Gusset plate side of driveunit	PCS	2	va for drive Nord with crash or drive GfA A2	
D4521R1426	Gusset plate non drive unit	PCS	2	side galv. Steel	
D4621R0359	Gusset plate non drive unit	PCS	2	side, va A2	
D4521R1222	RH bottom plate	PCS	3	Steel Alu	
D4621R0378	RH bottom plate	PCS	3	A2	
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4904R0464	Light curtain Transmitter	PCS	4		
D4102R0003	Cap	PCS	5		
D4521RG264 439	Spring cover galv.	M1	6	Steel	
D4621RG168 439	Spring cover va	M1	6	A2	
D8220RG388 439	Cover profile with Bell mouth	M1	6	RH Alu	
D4521R1202	Spring suspension galv.	PCS	7	Steel	
D4621R0362	Spring suspension va	PCS	7	A2	
D4521R1904	Spring suspension RH	PCS	7	(multi funktional part) Alu	
D4621R0445	Spring suspension RH	PCS	7	Steel A2 Alu emergency egress	
D4521R1935	Spring bracket	PCS	7	Steel A2 Alu emergency egress	
D4905V0044	Switch	PCS	7	Steel A2 Alu emergency egress	
D4907R0133	Cable 2x0.75 L=10500	PCS	7	Steel A2 Alu emergency egress	
D8220RG284 232	Tension spring for counter-	PCS	8	balance 1 pc.	
D4802R0017	Tension spring for curtain	PCS	8	tension 4x28x341 with curtain tension, DH < 1670	
D4802R0016	Tension spring for curtain	PCS	8	tension 4x28x838 with curtain tension, 1670 ≤ DH ≤3500	
D4802R0021	Tension spring for curtain	PCS	8	tension 4x28x1083 with curtain tension, DH > 3500	
D4905R0082	Proxmity switch M8 10E	PCS	9	plugconnector Drive Nord, without crash without bracket	
D4521R1201	Bracket limit switch galv.	PCS	9	Steel drive Nord without crash	
D4621R0380	Bracket limit switch va	PCS	9	A2, drive Nord, without crash	
D8550RG055 232	Cable chain complete	PCS	10	Steel A2	
D8550RG064 232	Cable chain complete	PCS	10	Alu not sealed	
D8520R0001	Cable chain safety edge 900mm	PCS	10	DH≤1500 alu sealed	


Art. No	Product description	Unit	Img	Fits to	Remark
D8520R0007	Cable chain safety edge 1400mm	PCS	10	Alu sealed, 1500<DH≤2500	
D8520R0008	Cable chain safety edge 2160mm	PCS	10	Alu sealed, DH>2500	
D4521R1211	Bracket emergency lever galv.	PCS	11	Steel	>2007-01
D4621R0368	Bracket emergency lever va	PCS	11	A2	>2007-01
D8220R0052	Emergency lever complete	PCS	12		
D5005R0031	Emergency lever	PCS	12		
D8120R0048	Brush strip complete	PCS	13		
D5105R0091	Rope 3.2 L=9500	PCS	14	Crash curtain tension RR350 RR320	1996-05 >
D5003R0009	Pulley for curtain tension	PCS	14	curtain tension	1996-05 >
D8120R0112	Wheel bracket curtain tension	PCS	14	with screws, without pulleys Steel, A2	
D4521R1905	Wheel bracket curtain tension	PCS	14	Alu	
D8220RG301 232	Retrofit kit curtain tension	PCS	14	Steel A2	
D8220RG316 232	Curtain tension Alu	PCS	14	Alu, also as Retrofit	
D4521R1926	Stiffener	PCS	15	Alu	
D4121R0428	Bell mouth AL	PCS	16		
D4621R0477	Holding bracket for stroke	PCS	17	magnet Steel, A2, Alu;emergency egress	
D4521R1936	Bracket magnet	PCS	17	Steel A2 Alu emergency egress	
D4914R0028	Stroke magnet	PCS	17	Steel A2 Alu emergency egress	
D4907R0125	Connecting cable 4m with plug	PCS	17	Steel A2 Alu emergency egress	
D4721R0365	Sidecover	PCS	18	Steel Alu (if no top roll cover)	
D4621R0591	Sidecover, A2	PCS	18	A2 (if no top roll cover)	


2
18
9
16
17
15
1
6
10
12
11
13
5
8
4
3
7
14
10
9

RR 300 plus >> Side frame left (See drawing frame complete)


Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG274 168	LH column complete	PCS		Steel	
D8220RG274 456	LH column complete	M1		Steel	
D8220RG274 114	LH column complete	PCS		A2	
D8220RG274 444	LH column complete	M1		A2	
D8220RG315 111	LH column complete	PCS		Alu not sealed	
D8220RG315 439	LH column complete	M1		Alu not sealed	
D8220RG336 111	LH column complete	PCS		Alu sealed	
D8220RG336 439	LH column complete	M1		Alu sealed	
D8220RG273 609	Extra price curtain tension	PCS		Steel	
D8220RG273 608	Extra price curtain tension	PCS		A2	
D8220RG315 180	Extra price curtain tension	PCS		Alu	
D8220RG273 508	Extra price light grid instead	PCS		photocell	
D4521RG265 439	Profile galv. for spring cover	M1	1	Steel	
D4621RG169 439	Profile inox, for spring cover	M1	1	A2	
D4721RG256 439	Column profile LH	M1	1	Alu	
D8120R0097	Gusset plate side of driveunit	PCS	2	galv. for drive Nord without crash (incl. torque arm) Steel	>2006-10
D8120R0098	Gusset plate side of driveunit	PCS	2	va for drive Nord without crash (incl. torque arm) A2	>2006-10
D4521R1203	Gusset plate side of driveunit	PCS	2	galv. for drive Nord with crash or drive GfA Steel, Alu	
D4621R0411	Gusset plate side of driveunit	PCS	2	va for drive Nord with crash or drive GfA A2	
D4521R1426	Gusset plate non drive unit	PCS	2	side galv. Steel	
D4621R0359	Gusset plate non drive unit	PCS	2	side, va A2	
D4521R1223	LH bottom plate galv.	PCS	3	Steel Alu	
D4621R0379	LH bottom plate va	PCS	3	A2	
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4904R0465	Light curtain Receiver	PCS	4		
D4102R0003	Cap	PCS	5		
D4521RG264 439	Spring cover galv.	M1	6	Steel	
D4621RG168 439	Spring cover va	M1	6	A2	
D8220RG389 439	Cover profile w. Bell mouth LH	M1	6	Alu	
D4521R1202	Spring suspension galv.	PCS	7	Steel	
D4621R0362	Spring suspension va	PCS	7	A2	
D4521R1932	Spring suspension LH	PCS	7	(multi funktional part) Alu	
D4621R0446	Spring suspension LH	PCS	7	Steel A2 Alu emergency egress	
D4521R1935	Spring bracket	PCS	7	Steel A2 Alu emergency egress	
D4905V0044	Switch	PCS	7	Steel A2 Alu emergency egress	
D4907R0133	Cable 2x0.75 L=10500	PCS	7	Steel A2 Alu emergency egress	
D8220RG284 232	Tension spring for counter-	PCS	8	balance 1 pc.	
D4802R0017	Tension spring for curtain	PCS	8	tension 4x28x341 with curtain tension, DH < 1670	
D4802R0016	Tension spring for curtain	PCS	8	tension 4x28x838 with curtain tension, 1670 ≤ DH ≤3500	
D4802R0021	Tension spring for curtain	PCS	8	tension 4x28x1083 with curtain tension, DH > 3500	
D4905R0082	Proxmity switch M8 10E	PCS	9	plugconnector Drive Nord, without crash without bracket	
D4521R1201	Bracket limit switch galv.	PCS	9	Steel drive Nord without crash	
D4621R0380	Bracket limit switch va	PCS	9	A2, drive Nord, without crash	
D8550RG055 232	Cable chain complete	PCS	10	Steel A2	
D8550RG064 232	Cable chain complete	PCS	10	Alu not sealed	
D8520R0001	Cable chain safety edge 900mm	PCS	10	DH≤1500 alu sealed	

Art. No	Product description	Unit	Img	Fits to	Remark
D8520R0007	Cable chain safety edge 1400mm	PCS	10	Alu sealed, 1500<DH≤2500	
D8520R0008	Cable chain safety edge 2160mm	PCS	10	Alu sealed, DH>2500	
D4521R1211	Bracket emergency lever galv.	PCS	11	Steel	>2007-01
D4621R0368	Bracket emergency lever va	PCS	11	A2	>2007-01
D8220R0052	Emergency lever complete	PCS	12		
D5005R0031	Emergency lever	PCS	12		
D8120R0048	Brush strip complete	PCS	13		
D5105R0091	Rope 3.2 L=9500	PCS	14	Crash curtain tension RR350 RR320	1996-05 >
D5003R0009	Pulley for curtain tension	PCS	14	curtain tension	1996-05 >
D8120R0112	Wheel bracket curtain tension	PCS	14	with screws, without pulleys Steel, A2	
D4521R1905	Wheel bracket curtain tension	PCS	14	Alu	
D8220RG301 232	Retrofit kit curtain tension	PCS	14	Steel A2	
D8220RG316 232	Curtain tension Alu	PCS	14	Alu, also as Retrofit	
D4521R1926	Stiffener	PCS	15	Alu	
D4121R0428	Bell mouth AL	PCS	16		
D4621R0477	Holding bracket for stroke	PCS	17	magnet Steel, A2, Alu;emergency egress	
D4521R1936	Bracket magnet	PCS	17	Steel A2 Alu emergency egress	
D4914R0028	Stroke magnet	PCS	17	Steel A2 Alu emergency egress	
D4907R0125	Connecting cable 4m with plug	PCS	17	Steel A2 Alu emergency egress	
D4721R0365	Sidecover	PCS	18	Steel Alu (if no top roll cover)	
D4621R0591	Sidecover, A2	PCS	18	A2 (if no top roll cover)	


X
5
4
6
Y
2
8
Y
X
3
1

RR 300 plus >> Top roll with curtain


Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG058	Door blade PVC 1.4 w. stripes	PCS	1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG449	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Alu sealed	
D8230RG449 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG456	Door blade PVC 1.8 w. stripes		1	DW > 4000 or DH > 4200 Not sealed	
D8230RG456 144	Door blade PVC 1.8 w. stripes	PCS	1	DW > 4000 or DH > 4200 Base price PVC standard	
D8230RG456 143	Door blade PVC 1.8 w. stripes	PCS		DW > 4000 or DH > 4200 Base price PVC special	
D8230RG456 142	Door blade PVC 1.8 w. stripes	PCS		DW > 4000 or DH > 4200 Base price PVC silicone free	
D8230RG456 191	Door blade PVC	M2		Upcharge PVC 1.8	
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed	
D8230RG449 196	Stripes blue or red	M2	1	Upcharge PVC sealed	
D8230RG449 193	Door blade PVC with stripes	M2	1	Upcharge PVC sealed	
D8230RG312	Door blade Rolltex Plus	PCS	1	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	1	Base price	
D8230RG312 204	Rolltex Plus / RollTex	M2	1	grey original Upcharge	
D8230RG312 189	Nomatex	M2	1	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1	1	upcharge	
D8230RG450	Door blade		1	Rolltex Plus / Nomatex Alu sealed	
D8230RG450 111	Door blade	PCS	1	Rolltex Plus / Nomatex Base price	
D8230RG450 204	Rolltex Plus	M2		Upcharge sealed	
D8230RG450 189	Nomatex	M2		Upcharge sealed	
D8230RG450 625	Window vertical / horizontal	PCS		Upcharge window	
D8230RG450 619	Vision area for Nomatex	M1		Upcharge vision panel	
D8230RG327 209	Door blade Travitop 1.3	M2	1	without vision panel blue, red or grey not sealed	
D8230RG327 223	Door blade Travitop 1.3 with	M2	1	vision panel blue, red or grey not sealed	
D8230RG448 209	Door blade Travitop 1.3	M2	1	without vision panel blue, red or grey Alu sealed	
D8230RG448 223	Door blade Travitop 1.3 with	M2	1	vision panel blue, red or grey Alu sealed	
D8240RG109 467	Top roll alu with bearing belt	M1	2	and spring suspension Alu-tube, shaft galvanized	
D8240RG109 432	Top roll alu with bearing belt	M1	2	and spring suspension Alu-tube, shaft A2	
D8240RG109 488	Top roll alu with bearing belt	M1	2	and spring suspension Steel-tube	
D8240RG110	Top roll alu with bearing belt	PCS	3	and door blade	
D8140R0062	Flange bearing D 30	PCS	4	A2	
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive	
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf	
D8140R0069	Belt 25mm L=4200 with rivets	PCS	6		
D5003R0009	Pulley for curtain tension	PCS	8	curtain tension	1996-05 >


X
Y
1
10
2
1
9
8
7
11
5
3
11
10
2
1
4
X
Y
6
15
14
17
18
15
16
16
Flex Edge

RR 300 plus >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG056 465	Bottom profile complete	M1		without cable chain Alu not sealed	
D8550RG056 463	Bottom profile complete	M1		without cable chain Stain-less steel	
D8550RG099 465	Bottom profile complete	M1		without cable chain Alu, low, sealed	
D4121R0302	Sliding part complete for	PCS	1	Version without crash / not sealed / only non drive side	>2007-03
D4121R0302	Sliding part complete for	PCS	1	Version without crash / not sealed / only non drive side	>2007-03
D4121R0518	Sliding part complete for	PCS	1	version without crash / sea-led	
D4121R0253	Sliding part complete for	PCS	1	crash-version Crash	
D8120R0074	Sliding part cpl.	PCS	2	Steel A2	
D8120R0109	Guiding element complete, Alu	PCS	2	Alu not sealed	
D4621R0478	Bracket fall protection RH	PCS	2	Steel A2 emergency egress drive side RH	
D4521R1937	Bracket fall protection RH	PCS	2	Alu	
D4621R0479	Bracket fall protection LH	PCS	2	Steel A2 emergency egress drive side LH	
D4521R1938	Bracket fall protection LH	PCS	2	Alu	
D8150R0072	Switch plate right galv. With	PCS	3	sliding part Steel, without crash, only drive side	>2007-03
D8150R0073	Switch plate left galv. With	PCS	3	sliding part Steel, without crash, only drive side	>2007-03
D8150R0070	Switch plate right va with	PCS	3	sliding part A2, without crash, only drive side	>2007-03
D8150R0071	Switch plate left va with	PCS	3	sliding part A2, without crash, only drive side	>2007-03
D4521R0133	Weight	PCS	4	Standard. Not sealed	
D4521V0144	Weight low bottom beam profile	PCS	4	Alu sealed	
D4721RG057 459	Bottom beam pre-drilled	M1	5	MP RR320 Standard mot sealed Alu	
D4721RG069 459	Bottom beam pre-drilled 330	M1	5	RR30 RR320 Mini sealed	2006-01 >
D8250RG013 459	Profile for bottom profile va	M1	5	A2	
D4421RG036 459	Rubber profile with integrated	M1	6	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	6	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D8550RG073 459	Rubber profile with integrated	M1	6	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	6	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D4721R0038	Plate for Crash sensor	PCS	7		
D4905V0044	Switch	PCS	8	Steel A2 Alu emergency egress	
D5105R0091	Rope 3.2 L=9500	PCS	9	Crash curtain tension RR350 RR320	1996-05 >
D4121R0039	PVC-washer	PCS	10	Crash / RR 320	
D4907R0038	Coil cable 5x0.75	PCS	11	Crash	2004-05 >
D4910V0013	Cable connection UR2	PCS	12	safety edge	
D4121R0314	Sealing rubber profile to	PCS	13	sideframe RR320	> 2012-04
D8550RG069	Bottom profile complete with	PCS	14	safety edge - Flex Edge Flex Edge compl.	
D8550RG069 111	Bottom profile complete with	PCS	14	safety edge - Flex Edge Base Price	
D8550RG069 459	Bottom profile complete with	M1	14	safety edge - Flex Edge Upcharge	
D4121R0515	Sliding part crash	PCS	15	For Flex Edge	
D4905R0248	Contact strip with 4.2m Cable	PCS	16	For Flex Edge	
D4904R0553	Wireless Safety system	PCS	17	Transmitter For Flex Edge	
D4909T0020	Battery for safety edge	PCS	18	wireless system For Flex Edge	

Art. No	Product description	Unit	Img	Fits to	Remark
D4521R2240	Squared weight	PCS	19	For Flex Edge	




Pos. 3. 7 and 9 not shown

RR 300 plus >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG085	Gear motor complete drive GfA	PCS		(no E-Connection) ACS50, MCC, without control;drive GfA	2006-01 >
D8410RG085 387	Gear motor complete drive GfA	PCS		corp. (without control cable) ACS 50 without control; fail safe brake	
D8410RG085 388	Gear motor complete drive GfA	PCS		corp. (without control cable) ACS 50 without con-trol;open circuit brake	
D8410RG085 402	Gear motor complete drive GfA	PCS		corp. (without control cable) MCC;fail safe brake	
D8410RG085 403	Gear motor complete drive GfA	PCS		corp. (without control cable) MCC open circuit brake	
D8410RG086 232	Retrofit drive Nord corp.to	PCS		GfA corp. fail safe brake ACS 50 60	
D8410RG087 232	Retrofit drive Nord corp. to	PCS		GfA corp. fail safe brake MCC	
D8410RG088 232	Retrofit drive Nord corp. to	PCS		GfA corp. circuit brake ACS 50 60	
D8410RG089 232	Retrofit drive Nord corp. to	PCS		GfA corp., circuit brake MCC	
D8910R0089	Gear motor with fail safe	PCS	1	brake (standard), GfA corp. ACS50, without con-trol;drive GfA	
D6601R0093	Gear motor with failsafe brake	PCS	1	(standard), Nord corp. ACS50	2006-01 > >2007-02
D8910R0090	Gear motor with open circuit	PCS	1	brake, GfA corp. ACS50, without control; drive GfA	
D8910R0071	Gear motor with fail safe	PCS	1	brake (standard) with incre-mental encoder ACS60, 80; drive Nord	
D8910R0101	Gear motor with fail safe	PCS	1	brake (standard), GfA corp., with MCC encoder MCC;drive GfA with balance system	
D8910R0075	Gear motor with fail safe	PCS	1	brake (standard), Nord corp., with MCC encoder MCC;drive Nord	2006-01 > >2007-02
D8910R0083	Gear motor with open circuit	PCS	1	brake, GfA corp., with MCC encoder MCC;drive GfA	
D4905018	Limit switch section 6 switch.	PCS	2	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D4801240	Cam drive GfA	PCS	2	ACS50 60 80 MCC without control	2007-03 >
D4906R0053	Geared limit switch for drive	PCS	2	Nord With crash, drive Nord, ACS50 / MCC	2006-09 > > 2007-02
D4906R0054	Geared limit switch for drive	PCS	2	Nord With crash; MCC, ACS60,ACS80; drive Nord	
D8903RG144	E-Connection ACS 50	PCS	3	without control	2003-03 >
D8903RG145	E-Connection MCC	PCS	3		
D8830RG044	Control cable, for drive Nord	PCS	3	ACS50,60,80; without crash; drive Nord	
D8830RG046	Control cable, for drive Nord	PCS	3	MCC drive Nord	2006-01 > >2007-02
D8830RG047	Control cable, for drive Nord	PCS	3	ACS50 with crash drive Nord without control	2006-01 > >2007-02
D8410R0080	Encoder MCC with bracket for	PCS	4	drive GfA MCC;drive GfA	2008-07 >
D8410R0077	Encoder MCC with bracket for	PCS	4	drive Nord, fail safe brake (standard) MCC; drive Nord, fail safe brake	
D8410R0067	Encoder MCC with bracket for	PCS	4	drive Nord, open-cicrcuit brake MCC; drive Nord, open circuit brake	
D6622R0026	Brake 178V 9 Nm GfA	PCS	5	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D6622R0034	Brake (open circuit brake)	PCS	5	Drive GfA	
D6622R0030	Brake (open circuit brake)	PCS	5	Drive Nord	

EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to	Remark
D6625R0003	Brake release SG85 Model 14	PCS	6	without bowden cable LC-XL Drive GfA fail safe brake	
D4905R0019	Double proximity switch	PCS	7	ACS 60 80 FUS 400/E	
D8120R0097	Gusset plate side of driveunit	PCS	8	galv. for drive Nord without crash (incl. torque arm) Steel	>2006-10
D8120R0098	Gusset plate side of driveunit	PCS	8	va for drive Nord without crash (incl. torque arm) A2	>2006-10
D4521R1335	Torque arm galv.	PCS	8	Drive Nord; with crash	
D4621R0410	Torque arm va	PCS	8	Drive Nord; with crash	
D8110R0086	Torque arm	PCS	8	Drive GfA ACS50 60 80 MCC without control galva-nized steel	2000-03 >
D8110R0087	Torque arm	PCS	8	Drive GfA ACS50 60 80 MCC without control stain-less steel	2000-03 >
D4421R0038	Damper	PCS	9	Drive Nord without crash	2006-01 > >2006-08
D5004R0041	Vibration absorber	PCS	9	not with chain drive	2006-09 > >2007-02
D4121R0210	Damper	PCS	9	chain drive Drive GfA	
D8930RG082 232	Gearbox heating	PCS	10	For all GfA Drive units	
D4915R0007	Heating resistor 50W	PCS	10	emergency egress	
D4805029	RC-component for open circuit	PCS	11	brake ACS 50	



1
8
10
9
4
6
5
3
2
7

RR 300 plus >> Options

Art. No	Product description	Unit	Img	Fits to	Remark
D4521RG195 459	Top roll cover straight Steel	M1	1	for spring cover on both sides Steel standard, also for emerg. egress DH>3700	
D4621RG138 459	Top roll cover straight A2 for	M1	1	spring cover on both sides A2 standard, also for emerg. egress DH>3700	
D4721RG260 459	Top roll cover Alu	M1	1	Alu not sealed DH≤4200 + emerg.egress DH>3700	
D4721RG312 459	Top roll cover Alu	M1	1	Alu not sealed, DH>4200	
D4721RG281 459	Top roll cover Alu	M1	1	Alu sealed	
D4521RG248 459	Top roll cover straight Steel	M1	1	for spring cover right Steel RH, not emerg.egress	
D4621RG152 459	Top roll cover straight A2 for	M1	1	spring cover right A2 RH, not emerg.egress	
D4521RG249 459	Top roll cover straight Steel	M1	1	for spring cover left Steel LH, not emerg.egress	
D4621RG153 459	Top roll cover straight A2 for	M1	1	spring cover left A2 LH, not emerg.egress	
D4621RG136 459	Top roll cover 30° drive RH	M1	1	Drive RH A2 standard + emerg.egress DH>3700	
D4621RG137 459	Top roll cover 30° drive LH	M1	1	Drive LH A2 standard + emerg.egress DH>3700	
D4521RG299 459	Top roll cover straight Steel	M1	1	Steel emerg.egress DH≤3700	
D4621RG172 459	Top roll cover straight A2	M1	1	A2, emerg.egress DH≤3700	
D4721RG261 459	Top roll cover Alu emergency	M1	1	egress Alu, emerg.egress DH≤3700	
D4621RG170 459	Top roll cover 30° drive RH	M1	1	RH A2 emerg.egress DH≤3700	
D4621RG171 459	Top roll cover 30° drive LH	M1	1	LH, A2, emerg.egress DH≤3700	
D4521R1129	Bracket for Top roll cover	PCS	2	Steel Sideframe light	>2007-03
D4721R0277	Sidecover	PCS	3	(for Top roll cover Alu) Alu DH≤4200	
D4721R0322	Sidecover	PCS	3	(for Top roll cover Alu) Alu DH>4200	
D4621R0313	Sidecover drive RH	PCS	3	(for Top roll cover 30°, A2), drive RH Drive RH A2	
D4621R0312	Sidecover drive LH	PCS	3	(for Top roll cover 30°, A2), drive LH Drive LH A2	
D8160R0103	Motor cover plasic grey cpl RH	PCS	4	MCS-R, ACS25,without control	
D8160R0104	Motor cover plasic grey cpl LH	PCS	4	MCS-R, ACS25,without control	
D8160R0105	Motor cover plasic grey MCC RH	PCS	4	complete MCC mounted on side frame; drive RH	
D8160R0106	Motor cover plasic grey MCC LH	PCS	4	complete MCC mounted on side frame; drive LH	
D8160R0107	Motor cover steel cpl RH	PCS	4	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	4	drive vertical RR320	
D8160R0109	Motor cover 30° inox cpl RH	PCS	4		
D8160R0110	Motor cover 30° inox cpl LH	PCS	4		
D4521R1491	Bracket motor cover RH	PCS	5	Motorcover plastic / steel drive vertical	
D4521R1488	Bracket motor cover LH	PCS	5	Motorcover plastic / steel drive vertical	
D4621R0456	Bracket motor cover RH	PCS	5	Motorcover A2	
D4621R0457	Bracket motor cover LH	PCS	5	Motorcover A2	
D4121R0222	Cover black	PCS	6		
D8170RG022 232	2. emergency lever galv.	PCS	7	Steel / Alu	
D8170R0346	Emergency lever opposite side	PCS	7	A2 with balancing system	
D6403V0001	Albany Assa Abloy sign 210x100	PCS	8		
D4521RG170 232	Distance rod Steel	PCS	9	Steel	
D4621RG014 232	Distance rod A2	PCS	9	A2	
D4721RG056 232	Distance rod Alu	PCS	9	Alu not sealed	2004-02 >
D8220RG332 232	Lintel profile complete	PCS	9	Alu sealed	2011-11 >

Art. No	Product description	Unit	Img	Fits to	Remark
D4904R0519	Radar-motion detector	PCS	10	emergency egress	
D4904T0028	Wireless Safety system	PCS	11	Receiver Flex Edge MCC ACS 50	
D8830R0164	Cable wireless system MCC	PCS	12	Flex Edge MCC ACS 50	
D8830R0165	Cable wireless system ACS 50	PCS	13	Flex Edge MCC ACS 50	

RR 355


5
3
4
1
9
20
18
17
2
7
19
15
8
13
16
21
10
15
12
14
17
11
2
6


RR 355 >> RH column

Art. No	Product description	Unit	Img	Fits to
D8520003	RH column complete ‹1500			
D8520003 133	RH column complete «1500	PCS		Base price drive side
D8520003 139	RH column complete <1500	PCS		Base price non drive side
D8520003 439	RH column complete ›1500	M1		upcharge height
D8520003 424	RH column complete »1500	PCS		upcharge LED-Stripe
D8120015	RH console f. bearing complete	PCS	1	
D8120012	Rope pulley with screw >1250	PCS	2	
D8120068	Bell mouth small <1250	PCS	3	
D8120017	Bell mouth great ≥ 1500	PCS	4	
D8120022	RH bell mouth ≤ 1500	PCS	5	
D8120013	RH ground plate w. rope pulley	PCS	6	
D8220018 439	RH support profile	M1	7	
D8220017 439	RH front cover	M1	8	
D8120018	Covering cap	PCS	9	
D8220R0055	Emergency lever complete	PCS	10	Driveside 450/600/600G
D8220015	Curtain tension / weight		11	counterbalance complete
D8220015 243	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=1594mm
D8220015 244	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=2034mm
D8220015 247	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=2750mm
D4610183	Tension spring 8mm, L0=1594mm	PCS	12	without assembly
D4610186	Tension spring 8mm, L0=2034mm	PCS	12	without assembly
D4610R0001	Tension spring 8mm, L0=2750mm	PCS	12	without assembly
D8120011	Superior spring acceptance	PCS	13	
D8470R0026	Photocell transm./rec. with	PCS	14	bracket RH + LH
D4904R0547	Photocell transmitter without	PCS	14	bracket - blue RH not for pre-run
D4907R0024	Connecting cable 4000mm	PCS	15	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	15	
D4907R0030	Connecting cable 8000mm	PCS	15	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	15	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	15	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E

EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to
D4907R0031	Connecting cable 14000mm M8	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D4907R0074	Connecting cable 4000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0075	Connecting cable 6000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0076	Connecting cable 8000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0077	Connecting cable 10000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D8520040	Flexible cable duct	PCS	16	Driveside DH≤2700
D8520041	Flexible cable duct	PCS	16	Driveside DH>2700No Driveside DH+DW≤2700
D8520042	Flexible cable duct	PCS	16	No Driveside DH+DW≤6500
D8520043	Flexible cable duct	PCS	16	No Driveside DH+DW>6500
D8520044	Flexible cable duct crash	PCS	16	Driveside DH≤2700
D8520045	Flexible cable duct crash	PCS	16	Driveside DH>2700No Driveside DH+DW≤2700
D8520046	Flexible cable duct crash	PCS	16	No Driveside DH+DW≤6500
D8520047	Flexible cable duct crash	PCS	16	No Driveside DH+DW>6500
D8420003	Proximity switch with	PCS	17	bracket bottom Driveside
D4905R0082	Proxmity switch M8 10E	PCS	17	plugconnector Drive Nord, without crash without bracket
D4907R0082	Connecting cable 2m with 2 M8	PCS	18	plugs Drive side FUS PLS-GT MPS MCC ACS50 ACS80
D4907R0024	Connecting cable 4000mm	PCS	18	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0024	Connecting cable 4000mm	PCS	19	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	19	
D4907R0030	Connecting cable 8000mm	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500

Art. No	Product description	Unit	Img	Fits to
D4907R0032	Connecting cable 10m	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0024	Connecting cable 4000mm	PCS	19	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500
D4907R0029	Connecting cable 6m	PCS	19	
D4907R0030	Connecting cable 8000mm	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4701253 439	Chamber profile RH	M1	20	



5
3
4
1
9
20
18
17
2
7
19
15
8
13
16
21
10
15
12
14
17
11
2
6

RR 355 >> LH column (See drawing side frame RH)

Art. No	Product description	Unit	Img	Fits to
D8520004	LH column cpl			
D8520004 133	LH column cpl	PCS		Base price drive side
D8520004 139	LH column cpl	PCS		Base price non drive side
D8520004 439	LH column cpl	M1		upcharge height
D8520004 424	LH column cpl	PCS		upcharge LED-Stripe
D8120016	LH console for bearing with	PCS	1	rope pulleys and
D8120012	Rope pulley with screw	PCS	2	
D8120068	Bell mouth small	PCS	3	
D8120017	Bell mouth great	PCS	4	
D8120023	RH bell mouths	PCS	5	
D8120014	LH ground plate	PCS	6	
D8220019 439	LH support profile	M1	7	
D8220016 439	LH front cover	M1	8	
D8120018	Covering cap	PCS	9	
D8220R0055	Emergency lever complete	PCS	10	Driveside 450/600/600G
D8220015	Curtain tension / weight		11	counterbalance complete
D8220015 243	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=1594mm
D8220015 244	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=2034mm
D8220015 247	Curtain tension / weight	PCS	11	w.tension spring 8mm L0=2750mm
D4610183	Tension spring 8mm, L0=1594mm	PCS	12	without assembly
D4610186	Tension spring 8mm, L0=2034mm	PCS	12	without assembly
D4610R0001	Tension spring 8mm, L0=2750mm	PCS	12	without assembly
D8120011	Superior spring acceptance	PCS	13	
D8470R0026	Photocell transm./rec. with	PCS	14	bracket RH + LH
D4904R0548	Photocell receiver without	PCS	14	bracket - black LH not for pre-run snow proof
D4907R0024	Connecting cable 4000mm	PCS	15	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	15	
D4907R0030	Connecting cable 8000mm	PCS	15	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	15	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	15	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E


Art. No	Product description	Unit	Img	Fits to
D4907R0031	Connecting cable 14000mm M8	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D4907R0074	Connecting cable 4000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0075	Connecting cable 6000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0076	Connecting cable 8000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0077	Connecting cable 10000mm crash	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D8520040	Flexible cable duct	PCS	16	Driveside DH≤2700
D8520041	Flexible cable duct	PCS	16	Driveside DH>2700No Driveside DH+DW≤2700
D8520042	Flexible cable duct	PCS	16	No Driveside DH+DW≤6500
D8520043	Flexible cable duct	PCS	16	No Driveside DH+DW>6500
D8520044	Flexible cable duct crash	PCS	16	Driveside DH≤2700
D8520045	Flexible cable duct crash	PCS	16	Driveside DH>2700No Driveside DH+DW≤2700
D8520046	Flexible cable duct crash	PCS	16	No Driveside DH+DW≤6500
D8520047	Flexible cable duct crash	PCS	16	No Driveside DH+DW>6500
D8420004	Proximity switch with	PCS	17	bracket bottom (only drive side)
D4905R0082	Proxmity switch M8 10E	PCS	17	plugconnector Drive Nord, without crash without bracket
D4907R0082	Connecting cable 2m with 2 M8	PCS	18	plugs Drive side FUS PLS-GT MPS MCC ACS50 ACS80
D4907R0024	Connecting cable 4000mm	PCS	18	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0024	Connecting cable 4000mm	PCS	19	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	19	
D4907R0030	Connecting cable 8000mm	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500

Art. No	Product description	Unit	Img	Fits to
D4907R0032	Connecting cable 10m	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0024	Connecting cable 4000mm	PCS	19	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500
D4907R0029	Connecting cable 6m	PCS	19	
D4907R0030	Connecting cable 8000mm	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	19	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4701256 439	Chamber profile LH	M1	20	


A
7
4
3
2
1
2
3
6
5
5
4
A

RR 355 >> Toproll with curtain

Art. No	Product description	Unit	Img	Fits to
D8240089	Toproll with curtain			
D8240089 111	Base price	PCS		
D8240089 459	Barrel	M1		upcharge
D8240089 185	Door blade PVC with stripes	PCS		additional per m² blue or red
D8240089 207	Door blade PVC with stripes	M2		additional per m² special color
D8240089 212	Doorblade top without window	M2		additional per m² blue or red
D8240089 210	Doorblade top without window	M2		additional per m² special color
D8240089 213	Doorblade top with window	M2		blue or red
D8240089 211	Doorblade top with window	M2		special color
D8240089 201	Doorblade RollTex	M2		additional per m² blue, orange, grey
D8240089 625	Window horizontal/vertikal	PCS		
D8240089 625	Window horizontal/vertikal	PCS		
D8240090 459	Top roll Alu	M1	1	only for export
D4721046	Rope pulley Ø150	PCS	2	
D8140R0005	Flange bearing D 30	PCS	3	Steel Alu chain drive
D8140002	Bracket for bearing	PCS	4	
D5105R0035	Rope d=5mm L=24000mm	PCS	5	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392
D5105R0080	Rope d=4.55mm L=24000 yellow	PCS	5	only with plastic pulley RR 355 / old modell
D8110064	Chain weel	PCS	6	
D8130R0009	Windbreaktap (12 pcs.)	PCS	7	Windnodes for Albany door-leaf
D8230RG070	Doorblade Plast 1,4	M2	8	blue or red only for export
D8230RG070 185	Door blade PVC with stripes	M2	8	additional per m² blue or red
D8230RG070 194	Door blade PVC with stripes	M2	8	additional per m² special color
D8230RG072 212	Doorblade Top0,5 ohne Fenster	M2	8	blue or red only for export
D8230RG071 213	Doorblade Top0,5 mit Fenster	M2	8	blue or red only for export
D8230308 201	Doorblade Rolltex Plus	M2	8	blue, orange, grey only for export
D8230308 625	Window horizontal/vertikal	PCS	8	
D8230308 625	Window horizontal/vertikal	PCS	8	



4
5
2
1
3
6
8
9
10
7
14
12
6
10
9
8
7
15
13


RR 355 >> Bottom profil


Notes:
Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos. 14, 15)

Art. No	Product description	Unit	Img	Fits to	Remark
D8550011 459	Bottom profil complete	M1		pre -running photocell	
D8550RG061 459	Bottom profil complete	M1		integrated safety edge	
D4701275 459	Bottom profile cut-to-size	M1	1		
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	2		
D8550RG073 459	Rubber profile with integrated	M1	3	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	3	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D8550RG075 459	Rubber profile for prerunning	M1	3	photocell, integrated sea-ling to sideframe / not MP doors 450/600	
D8550RG076 459	Rubber profile for prerunning	M1	3	photocell, elongated sea-ling-lip integrated sealing to sideframe 450/600	
D8150R0087	Sliding part left for	PCS	4	safety edge, LH	
D8450R0017	LH sliding piece complete	PCS	4	pre running photocell LH (**)	>2011-08 See Pos: (14, 15) 2011-09 > also single
D8450R0018	RH sliding piece complete	PCS	5	pre running photocell RH (**)	>2011-08 See Pos: (14, 15) 2011-09 > also single
D8150R0086	Sliding part right for	PCS	5	safety edge, RH	
D4615023	Switch pin	PCS	6		
D4721R0217	Guide rails	PCS	7		
D4421r0034	Damper	PCS	8		
D4399306	Guide profil	PCS	9		
D4399537	Sliding piece	PCS	10		
D4521R1091	Plate	PCS	11		
D4701093	Bracket pre-running photocell	PCS	12	LH	
D4701090	Bracket pre-running photocell	PCS	13	RH	
D8420R0022	Transmitter pre-runing	PCS	14	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	14	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0024	Receiver pre-running photocell	PCS	15	with bracket RH (**) (*)	>2011-08 just in pair 2011-09 > also single
D4904R0546	Safety photocell receiver	PCS	15	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single

EN CHAPTER O 20160406 EN


2
4
1
4
3
5
5



16
15
13
14
8
7
11
9
12


13
15
16
6
8
10
14
11
12

RR 355 >> Bottom profile crash

Notes:
Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos. 6, 7)


Art. No	Product description	Unit	Img	Fits to	Remark
D8550005 459	Bottom profile with rubber	M1	1	rubber without sliding part Schwert	
D4701275 459	Bottom profile cut-to-size	M1	1		
D4421RG013 459	Rubber profile cut-to-size	M1	1	prerunning photocell	
D4421RG014 459	Rubber profile pre-running	M1	1	Photocell elongated sea-ling-lip for MP doors	
D8450R0015	LH sliding part crash	PCS	2		>2011-08 See Pos: 6, 7 2011-09 > also sin-gle
D8450R0016	RH sliding part crash	PCS	3		>2011-08 See Pos: 6, 7 2011-09 > also sin-gle
D4701263	Tappet top	PCS	4		
D4609080	Tappet down	PCS	5		
D8420R0022	Transmitter pre-runing	PCS	6	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	6	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0024	Receiver pre-running photocell	PCS	7	with bracket RH (**) (*)	>2011-08 just in pair 2011-09 > also single
D4904R0546	Safety photocell receiver	PCS	7	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D8450007	Proximity switch	PCS	8	crash 450/600	
D4604691	Bracket pre-running photocell	PCS	9	LH	
D4604690	Bracket pre-running photocell	PCS	10	RH	
D4615023	Switch pin	PCS	11		
D5003107	Swiveling roller	PCS	12		
D4621R0329	Locking disk	PCS	13		
D4399306	Guide profil	PCS	14		
D4803R0004	Comprssion spring	PCS	15		
D4910R0032	Y-adapter RH	PCS	16	450/600	
D4910R0033	Y-adapter LH	PCS	17	450/600	


5
11
7
6
1
4
9
2
3
10

RR 355 >> Drive Unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8410062	Drive unit cpl		1	No E-Connection	2001-12>
D8410062 389	for control ACS 50, PLS G	PCS	1	and GT	
D8410062 391	for control FUS and ACS 80	PCS	1		
D8410062 401	for control ACS 60 and MCC	PCS	1		
D8410RG080 232	Retrofit drive unit motors	PCS	1	Flenders to Bonfiglioli Drive Flender	>2001-12
D8910R0039	Gear motor	PCS	1	Brake 6622R0017PLS-G, PLS-GT, 50Hz	2002-01>
D8910R0040	Gear motor	PCS	1	Brake 6622R0018PLS-G, PLS-GT, 230V/400V, 60 HzSPS, no control, 230V, 60Hz	2002-01>
D8910R0041	Gear motor	PCS	1	Brake 6622R0017PLS-GT, SPS, no control, 400V, 50Hz	2002-01>
D8910R0050	Gear motor	PCS	1	Brake 6622R0017, FUSII, ACS60/80	2002-01>
D8910R0049	Gear motor	PCS	1	Brake 6622R0019FUSI	2002-01>
D8910R0057	Gear motor	PCS	1	Brake 6622R0017,ACS50, 50Hz	2002-01>
D8910R0058	Gear motor	PCS	1	Brake 6622R0018,ACS50, 60Hz	2002-01>
D8910R0042	Gear motor	PCS	1	Brake 6622R0018SPS, no control, 400V, 60 Hz	2002-01>
D8910R0077	Gear motor	PCS	1	Brake 6622R0017MCC	2007-01>
D8910R0045	Gear motor	PCS	1	Brake 6622R0017,drive BonfiglioliPLS-G, 230/400V 50Hz,PLS-GT, SPS, no control, 230V, 50 Hz	>2001-12
D8910R0046	Gear motor	PCS	1	Brake 6622R0017,drive BonfiglioliPLS-GT, SPS, no control 400V, 50Hz	>2001-12
D8910R0055	Gear motor	PCS	1	Brake 6622R0019,drive Bonfiglioli, FUSI, 230V/ 400V, 50/60Hz	>2001-12
D8910R0056	Gear motor	PCS	1	Brake 6622R0017,drive Bonfiglioli,FUSII, ACS60/ 80, 230V/400V, 50/60 Hz	>2001-12
D6622R0017	Brake 10Nm 196V DC HL	PCS	2	look at drive 400/E	2002-01>
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D6622R0019	Brake 10Nm 96V DC HL	PCS	2	look at drive400/E	2002-01>
D4902050	Brake BP10 NH 196V DC	PCS	2	for 4901235,4901244, 6601003, 6601010, 6601016, 6601017	>2001-12
D4902051	Brake BP10 NH 96V DC	PCS	2	for 4901236,6601004	>2001-12
D6622001	Manual lifting for brake	PCS	2	el) for 4901001,4901236, 4901244,6601003, 6601004,6601010	>2001-12
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904369	Incremental shaft encoder	PCS	3	FUS	>2001-12
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4801242	Microswitch	PCS	4	Flender	>2001-12
D6621R0002	Microswitch	PCS	4	400/E Bonfiglioli	2002-01>
D4521R0776	Torque arm	PCS	5		
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D4521R0034	Adapter	PCS	7		
D8903RG144	E-Connection ACS 50		8	without control	2003-03 >
D8830032	Control cable		8	ACS 50 60 80 400/E MPS	
D8903RG145	E-Connection MCC		8		
D4802R0004	Spring 2.2x11x48	PCS	9		
D6621R0008	Fan cowl	PCS	10	For Drive 6601R0064	
D6621R0010	Fan cowl	PCS	10	For Drive 6601R0063,6601R0067	
D4802071	Junctionbox 7plug 6m cable	PCS	11		
D4802076	Junctionbox 7plug 11m cable	PCS	11		

Art. No	Product description	Unit	Img	Fits to	Remark
D4802077	Junctionbox 7plug 21m cable	PCS	11		
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	11	(*) SL≤5m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	11	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	11	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	11	(*) 20m<SL≤30m	
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	12	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	12	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	12	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	12	20m<SL≤30m	


6
1
4
2
5
3

RR 355 >> Drive unit chain


Art. No	Product description	Unit	Img	Fits to
D8410066	Chaindrive cpl	PCS		
D8410066 092	for control ACS 50	PCS		
D8410066 512	for control FUS, ACS 60/80	PCS		and MCC
D8410066 552	for control PLS G / GT	PCS		
D5101105	Chain weel	PCS	1	chain drive
D4721114	Cover chain outside LH	PCS	2	
D4721113	Cover chain outside RH	PCS	2	
D4721116	Cover chain inside LH	PCS	3	
D4721115	Cover chain inside RH	PCS	3	
D8110076	Roller chain complete	PCS	4	chain drive
D4521564	Motorbracket LH	PCS	5	LH Driveside
D4521551	Motorbracket RH	PCS	5	RH Driveside
D4521554	Shaft	PCS	6	
D8140052	Shaft with chain wheel	PCS	6	


2
1
5
3
6
4

RR 355 >> Options

Art. No	Product description	Unit	Img	Fits to
D8260003 459	Top roll cover	M1	1	
D8160R0078	Motorcover plastic grey RH	PCS	2	
D8160R0079	Motorcover plastic grey LH	PCS	2	
D8160R0084	Motorcover plastic grey RH	PCS	2	MCC mounted on side frame
D8160R0085	Motorcover plastic grey LH	PCS	2	MCC mounted on side frame
D8160R0005	Motorcover chain drive RH	PCS	2	Chain drive
D8160R0004	Motorcover chain drive LH	PCS	2	Chain drive
D4521778	Bracket motor cover	PCS	3	
D8170RG022 232	2. emergency lever galv.	PCS	4	Steel / Alu
D4701298 459	U-Profile Cut	M1	5	
D4614120	U-Profile Cut	PCS	6	


RR 392


9
4
24
23
13
17
12
1
2
6
2
15
7
19
21
8
20
14
26
27
20
16
18
A
3
11
A
2
25
4
22
5

RR 392 >> Side frame right


Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG197	Sideframe complete				
D8220RG197 111	Sideframe complete	PCS		Base price	
D8220RG197 439	Sideframe complete	M1		Upcharge	
D8220RG197 424	Sideframe complete	PCS		upcharge LED-Stripe	
D8520RG008 439	RH support profile	M1	1		> 2004-03
D8520RG006 439	RH support profile	M1	1		2004-04 >
D4121R0032	Sliding rail 3000 mm long	PCS	2		
D8120R0029	RH bottom plate	PCS	3		
D5003R0001	Rope pulley	PCS	4		
D8220RG234 439	Cover profile with middleprof.	M1	5	RH	> 2004-03
D8220RG232 439	Cover profile with middleprof.	M1	5	RH	2004-04>
D4521RG140 232	RH Catching device	PCS	6		2004-04 >
D8220R0055	Emergency lever complete	PCS	7 + 8	Driveside 450/600/600G	
D8120R0031	RH head plate for door blade	PCS	9	without segments	
D8120R0027	RH head plate for door blade	PCS	9	with segments	
D8470R0025	Photocell transm./rec.	PCS	10	With bracket RH + LH	
D4904R0547	Photocell transmitter without	PCS	11	bracket - blue RH not for pre-run	
D4521R0150	Upper cover for standard drive	PCS	12		
D4521R0850	Upper cover for chain drive	PCS	13		
D8120R0008	Deflection spring	PCS	14		
D4802R0003	Spring d=5mm	PCS	15		
D8120R0034	Weight with distance spacer	PCS	16		
D5105R0010	Rope d=7mm L=5100mm	PCS	17	DH≤4500 with balancing system	
D5105R0011	Rope d=7mm L=5100mm	PCS	17	DH>4500	
D5105R0030	Rope d=5mm, L=4000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0031	Rope d=5mm, L=8000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0032	Rope d=5mm, L=12000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0033	Rope d=5mm, L=16000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0034	Rope d=5mm, L=20000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0035	Rope d=5mm L=24000mm	PCS	18	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392	
D4521R1056	Stiffening	PCS	19		2004-04 >
D4521R1056	Stiffening	PCS	19		2004-04 >
D4121R0033	Distance spacer	PCS	20		
D4521RG134 232	Middelprofile for RH support	PCS	21	profile	
D4521RG081 232	Middelprofile for RH front	PCS	22	cover	
D4121R0025	Bell mouth Segment door blade	PCS	23		
D4121R0391	Bell mouth RH Plast door blade	PCS	23		
D4121R0024	Bell mouth back	PCS	24		
D8520RG009 232	Cable chain with Cable	PCS	25		
D4907R0029	Connecting cable 6m	PCS	26		
D4907R0032	Connecting cable 10m	PCS	26	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	

EN CHAPTER O 20160406 EN


9
4
24
23
13
17
12
1
2
6
2
15
7
19
21
8
14
20
26
27
20
16
18
A
3
11
A
2
25
4
22
5


RR 392 >> Side frame left (See drawing side frame ri)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG198	Side frame complete				
D8220RG198 111	Side frame complete	PCS		Base price	
D8220RG198 439	Side frame complete	M1		Upcharge	
D8220RG198 424	Side frame complete	PCS		upcharge LED-Stripe	
D8520RG007 439	LH support profile	M1	1		> 2004-03
D8520RG005 439	LH support profile	M1	1		2004-04 >
D4121R0032	Sliding rail 3000 mm long	PCS	2		
D8120R0030	LH bottom plate	PCS	3		
D5003R0001	Rope pulley	PCS	4		
D8220RG235 439	Cover profile with middleprof.	M1	5	LH	> 2004-03
D8220RG233 439	Cover profile with middleprof.	M1	5	LH	2004-04 >
D4521RG142 232	LH Catching device	PCS	6		
D8120R0032	LH head plate for curtain	PCS	9	without segments	
D8120R0028	LH head plate for curtain	PCS	9	with segments	
D8470R0025	Photocell transm./rec.	PCS	10	With bracket RH + LH	
D4904R0548	Photocell receiver without	PCS	11	bracket - black LH not for pre-run snow proof	
D4521R0150	Upper cover for standard drive	PCS	12		
D4521R0851	Upper cover for chain drive	PCS	13		
D8120R0008	Deflection spring	PCS	14		
D4802R0003	Spring d=5mm	PCS	15		
D8120R0038	Weight with distance spacer	PCS	16		
D5105R0010	Rope d=7mm L=5100mm	PCS	17	DH≤4500 with balancing system	
D5105R0011	Rope d=7mm L=5100mm	PCS	17	DH>4500	
D5105R0030	Rope d=5mm, L=4000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0031	Rope d=5mm, L=8000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0032	Rope d=5mm, L=12000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0033	Rope d=5mm, L=16000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0034	Rope d=5mm, L=20000mm	PCS	18	L= 4 x DH-500 L= B+2660	
D5105R0035	Rope d=5mm L=24000mm	PCS	18	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392	
D4521R1056	Stiffening	PCS	19		2004-04 >
D4521R1056	Stiffening	PCS	19		2004-04 >
D4121R0033	Distance spacer	PCS	20		
D4521RG135 232	Middelprofile for LH support	PCS	21	profile	
D4521RG082 232	Middelprofile for LH front	PCS	22	cover	
D4121R0025	Bell mouth Segment door blade	PCS	23		
D4121R0392	Bell mouth LH Plast door blade	PCS	23		
D4121R0024	Bell mouth back	PCS	24		
D8520RG009 232	Cable chain with Cable	PCS	25		
D4907R0029	Connecting cable 6m	PCS	26		
D4907R0032	Connecting cable 10m	PCS	26	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-troIDH≤8500 non drive side 6500<(H+W)≤8500	


A
6
1
2
3
4
5
7
A


RR 392 >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8240RG007	Top roll with curtain		1	
D8240RG007 162	Base price	PCS	1	DW ≤ 4500
D8240RG007 134	Base price	PCS	1	DW > 4500
D8240RG007 459	Barrel	M1	1	upcharge
D8240RG007 185	PVC additional per m²	M2	1	blue or red
D8240RG007 207	PVC additional per m²	M2	1	special colour
D8240RG007 201	RollTex Plus additional per m²	M2	1	
D8240RG007 625	RollTex Plus window vertical/	PCS	1	horizontal
D8230RG015 185	Curtain PVC	m2	1	blue or redonly for export
D8230RG015 207	Curtain PVC	m2	1	special colouronly for export
D8230310 201	RollTex-Plus without window	m2	1	grey orange blue not for 450EX/600EX only for export
D8230310 625	Window	PCS	1	grey orange blue not for 450EX/600EX only for export
D4701R0228	Rope pulley d=130mm	PCS	2	DH≤4500mm curtain tension 450/600 450EX/600EX
D4701R0229	Rope pulley d=125mm	PCS	2	DH>4500mm curtain tension 600 450EX/600EX
D4701R0224	Rope pulley d=50mm	PCS	3	DH≤4500 mm for weight with balancing system
D4721R0003	Rope pulley d=65mm	PCS	3	DH>4500 mmfor weight
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive
D5101R0091	Chain wheel	PCS	5	chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	6	Windnodes for Albany doorleaf
D4521R0162	Bracket, bearing attachment	PCS	7	


6
Spiralkabel / Coily cable
4
1
5
2
4
Kabelschlepp / Cable chain


RR 392 >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG051 459	Bottom profile cpl std with	M1		coil cable / cable chain	
D4721RG031 459	Bottom profile cut-to-size	M1	1	standard-version	
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	2	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D4721R0026	Sliding part complete for	PCS	4	standard-version	
D4907R0038	Coil cable 5x0.75	PCS	5	Crash	2004-05 >
D8250R0001	Coil cable with cable gland	PCS	6		


A
7
5
4
8
6
A
1
4
5
7
2


RR 392 >> Bottom profile w. safety edge crash

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG052 459	Bottom profile complete -crash	M1		with coil cable	
D4721RG032 459	Bottom profile cut-to-size	M1	1	crash-version	
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	2	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D8150R0054	Sliding part outside for	PCS	4	crash-version	
D4721R0025	Sliding part inside for crash-	PCS	5	version	
D4907R0038	Coil cable 5x0.75	PCS	6	Crash	2004-05 >
D4905R0017	Proximity switch	PCS	7		
D8250R0001	Coil cable with cable gland	PCS	8		


Photocell
Coil Cable
1
2
3
4
5
6
7
8
9

RR 392 >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG071 389	Drive unit complete	PCS		ACS 50, PLS-G, PLS-GT	
D8410RG071 401	Drive unit complete	PCS		ACS 60, 80, MCC	
D8910R0058	Gear motor	PCS	1	Brake 6622R0018,ACS50, 60Hz	2002-01>
D8910R0059	Gear motor	PCS	1	ACS50, 60Hz	
D8910R0048	Gear motor	PCS	1	Brake 6622R0018 ACS60/ ACS80	2002-01>
D8910R0078	Gear motor	PCS	1	Brake 6622R0018 MCC	
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R0776	Torque arm	PCS	4		
D8410R0004	Limit switch complete for	PCS	5	drive unit standard ACS 50, 60, 80, MCC	
D8410R0069	Limit switch complete for	PCS	5	drive unit standard without control	
D4906R0007	Limit switch	PCS	6	ACS 50 60 80 MCC	
D4906R0067	Limit switch	PCS	6	without control	
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D5004R0041	Vibration absorber	PCS	9	not with chain drive	2006-09 > >2007-02
D8903RG144	E-Connection ACS 50		10	without control	2003-03 >
D8830RG002	Control cable		10	ACS 60, 80	
D8903RG145	E-Connection MCC		10		


Coil Cable
Photocell
9
3
8
7
14
1
6
5
4
12
2
11
10

RR 392 >> Drive unit chain

Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG070 232	Drive unit chain complete	PCS			
D8910R0058	Gear motor	PCS	1	Brake 6622R0018,ACS50, 60Hz	2002-01>
D8910R0059	Gear motor	PCS	1	ACS50, 60Hz	
D8910R0048	Gear motor	PCS	1	Brake 6622R0018 ACS60/ ACS80	2002-01>
D8910R0078	Gear motor	PCS	1	Brake 6622R0018 MCC	
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4521R0817	Cover chain outside RH	PCS	3		
D4521R0819	Cover chain outside LH	PCS	3		
D8110R0079	Roller chain complete	PCS	4	chain drive	
D4521R0837	Shaft with drive pinion	PCS	5	Drive unit	
D4521R0818	Cover chain inside RH	PCS	6		
D4521R0820	Cover chain inside LH	PCS	6		
D4521R0834	Motorbracket RH	PCS	7		
D4521R0833	Motorbracket LH	PCS	7		
D8410R0055	Limit switch complete for	PCS	8	chain drive ACS 50, 60, 80, MCC	
D8410R0070	Limit switch complete for	PCS	8	chain drive without control	
D4906R0007	Limit switch	PCS	9	ACS 50 60 80 MCC	
D4906R0067	Limit switch	PCS	9	without control	
D4905R0019	Double proximity switch	PCS	10	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	10	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	10	bracket MCC	
D6621R0002	Microswitch	PCS	11	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	12		
D8903RG144	E-Connection ACS 50		13	without control	2003-03 >
D8830RG002	Control cable		13	ACS 60, 80	
D8903RG145	E-Connection MCC		13		
D4521R0206	Shaft with sprocket	PCS	14	Limit switch RD	


EN CHAPTER O 20160406 EN


3
4
1
2
5

RR 392 >> Options

Art. No	Product description	Unit	Img	Fits to
D8160R0024	Motor cover RH, galvanized for	PCS	1	chain drive
D8160R0025	Motor cover LH, galvanized for	PCS	1	chain drive
D8160R0091	Motorcover plastic grey LH	PCS	2	
D8160R0090	Motorcover plastic grey RH	PCS	2	
D8160R0095	Motorcover plastic grey LH	PCS	2	MCC mounted on side frame
D8160R0094	Motorcover plastic grey RH	PCS	2	MCC mounted on side frame
D8260RG001 459	Top roll cover, galvanized	M1	3	
D4521R0168	Bracket LH	PCS	3	
D4521R0167	Bracket RH	PCS	3	
D8270RG001 459	Lintel sealing	M1	4	
D8170RG022 232	2. emergency lever galv.	PCS	5	Steel / Alu

RR 3000 / GL



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
A
A
1:5
X
X

RR 3000 / GL >> Side frame right Side frame left (mirror image)

Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8220RG215 232	Side frame RH compl.	PCS	1	
D8220RG215 424	Side frame RH compl.	PCS	1	
D8220RG216 232	Side frame LH compl.	PCS	1	
D8220RG216 424	Side frame LH compl.	PCS	1	
D4521RG151 232	Guide cover top RH	PCS	2	
D4521RG152 232	Guide cover top LH	PCS	2	
D4521R1101	Guide cover bottom RH	PCS	3	
D4521R1102	Guide cover bottom LH	PCS	3	
D4521RG159 232	Guide cover RH	PCS	3	H<2375
D4521RG160 232	Guide cover LH	PCS	3	H<2375
D4521RG149 232	Gusset cover top RH	PCS	4	
D4521RG150 232	Gusset cover top LH	PCS	4	
D4521R1099	Gusset cover bottom RH	PCS	5	
D4521R1100	Gusset cover bottom LH	PCS	5	
D4521RG163 232	Gusset cover RH	PCS	5	H<2375
D4521RG164 232	Gusset cover LH	PCS	5	H<2375
D4521R0957	Spring cover top	PCS	6	
D4521RG109 232	Spring cover middle	PCS	7	H>3000
D4521R0974	Spring cover bottom	PCS	8	(side of bearing) H>3000
D4521RG111 232	Spring cover bottom (side of	PCS	8	(side of bearing) H≤3000
D4521R0972	Spring cover bottom RH	PCS	8	(side of unit) H>3000
D4521R0973	Spring cover bottom LH	PCS	8	(side of unit) H>3000
D4521RG113 232	Spring cover bottom RH (side	PCS	8	(side of of unit) H≤3000
D4521RG115 232	Spring cover bottom LH (side	PCS	8	(side of unit) H≤3000
D4802R0009	Tension spring short L=976mm	PCS	9	2000≤H<3000
D4802R0007	Tension spring middle L=1397mm	PCS	9	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D4802R0008	Tension spring long L=2193mm	PCS	9	(H≥4200) or (3500 <H 5300) H≥4000
D8220R0050	Spring suspension top complete	PCS	10	3-hole
D5105R0081	Belt (blue) L=6000	PCS	11	door type A
D8120RG046 232	Redirection rope with cable	PCS	13	
D5105R0031	Rope d=5mm, L=8000mm	PCS	14	L= 4 x DH-500 L= B+2660
D8220RG218 232	Emergency lever	PCS	15	
D4521R1064	Bottomplate RH	PCS	19	
D4521R1065	Bottomplate LH	PCS	19	
D8520RG013 232	Cable Chain complete	PCS	20	drive unit side (*)
D8520RG014 232	Cable Chain complete	PCS	20	non drive unit side (*)
D4907R0024	Connecting cable 4000mm	PCS	20	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	20	
D4907R0030	Connecting cable 8000mm	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500

Art. No	Product description	Unit	Img	Fits to
D4907R0032	Connecting cable 10m	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	20	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	20	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D8120R0092	Belt receptacle	PCS	21	
D4905R0082	Proxmity switch M8 10E	PCS	22	plugconnector Drive Nord, without crash without brac- ket
D4907R0044	Connecting cable 2m with 2 M8	PCS	22	plugs drive side Stromag
D4904R0547	Photocell transmitter without	PCS	23	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	23	bracket - black LH not for pre-run snow proof
D8120R0049	Cable Duct complete	PCS	24	L=2000
D4521R1090	Spring Suspension	PCS	25	
D4121R0335	Sliding rail L=3000	PCS	26	
D5003R0001	Rope pulley	PCS	27	
D6403R0009	Label emergancy lever	PCS	28	
D6403RG002	Door label	PCS	29	
D4721RG102 232	Guide cable chain compl.	PCS	30	L=H/2 - 100
D8120R0006	Cover stat. Photo cell	PCS	31	


18
20
1
Y
9
2
5
10
3
6
11
7
12
4
X
13
19
8
X
DH>3250
X
DH<=3250
14
16
Y
17
15
23
22
21


RR 3000 / GL >> Panel Door Blade Type 1

Notes:
Inclusive lamella seal (position 17), clamping plate (position 14) and screws Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.21)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG387	Top lamella with intel sealing		1		
D8230RG387 493	without isolation	M1	1		
D8230RG387 481	isolation with Polystyrol	M1	1		
D8230RG387 482	isolation with Polystyrol	M1	1	Upcharge powder coated	
D8230RG415	Lamella 1 with extension piece		2	1s - short (*)	
D8230RG415 493	without isolation	M1	2		
D8230RG415 481	isolation with Polystyrol	M1	2		
D8230RG415 482	isolation with Polystyrol	M1	2	Upcharge powder coated	
D8230RG385	Lamella 2 with extension piece		3	2s - middle (*)	
D8230RG385 493	without isolation	M1	3		
D8230RG385 481	isolation with Polystyrol	M1	3		
D8230RG385 482	isolation with Polystyrol	M1	3	Upcharge powder coated	
D8230RG386	Lamella 3 with extension piece		4	3s - long (*)	
D8230RG386 493	without isolation	M1	4		
D8230RG386 481	isolation with Polystyrol	M1	4		
D8230RG386 482	Lamella 3 with extension piece	M1	4	Upcharge powder coated	
D8230RG440 459	Window lamella W1 with	M1	5	extension piece W1 - short (*)	
D8230RG440 482	Window lamella W1 with	M1	5	Upcharge powder coated	
D8230RG441 459	Window lamella W2 w. extension	M1	6	piece W2 - middle (*)	
D8230RG441 482	Window lamella W2 with	M1	6	Upcharge powder coated	
D8230RG442 459	Window lamella W3 with	M1	7	extension piece W3 - long (*)	
D8230RG442 482	Window lamella W3 with	M1	7	Upcharge powder coated	
D8230RG391	Bottom lamella with rubber		8.1	profile; without extension piece 4s pre running photocell; without clamp lug	
D8230RG391 493	Bottom lamella with rubber	M1	8.1	profile without extension piece 4 W ≤ 5000 (pre running photo cell)	
D8230RG391 480	isolation with Polystyrol	M1	8.1		
D8230RG391 482	Bottom lamella with rubber	M1	8.1	Upcharge powder coated	
D8230RG437	Lamella bottom type 4a (with	M1	8.2	rubber profile, without extension piece 4s) W > 5000 (pre running photo cell)	
D8230RG437 493	Lamella bottom type 4a with	M1	8.2	rubber profile, without extension piece 4 W > 5000 (pre running photo cell)	
D8230RG437 481	isolation with Polystyrol	M1	8.2		
D8230RG437 482	Lamella bottom with electr.	M1	8.2	Upcharge powder coated	
D8230RG392	Lamella bottom with electr.		8.3	safety edge (without extension piece 5s) electr. safety edge	
D8230RG392 493	Lamella bottom with electr.	M1	8.3	safety edge without extension piece 5 electr. safety edge	
D8230RG392 481	isolation with Polystyrol	M1	8.3		
D8230RG392 482	Lamella bottom with electr.	M1	8.3	Upcharge powder coated	
D8230RG393	Lamella bottom with electr.		8.4	safety edge and ext. seal (without extension piece 5s) electr. safety edge	
D8230RG393 493	Lamella bottom with electr.	M1	8.4	safety edge and ext. seal without extension piece 5 electr. safety edge	
D8230RG393 481	isolation with Polystyrol	M1	8.4		
D8230RG393 482	Lamella bottom with electr.	M1	8.4	Upcharge powder coated	
D4521R1697	Extension piece 1s, short	PCS	9	Standard lamella	2010-02 >
D4521R1999	Extension piece W1, short	PCS	9	Window lamella	
D4521R1698	Extension piece 2s, middle	PCS	10	Standard lamella	2010-02 >
D4521R2000	Extension piece W2, middle	PCS	10	Window lamella	
D4521R1699	Extension piece 3s, long	PCS	11	Standard lamella	2010-02 >
D4521R2001	Extension piece W3, long	PCS	11	Window lamella	

EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to	Remark
D8150R0103	Extension piece 5s rh, for	PCS	12	bottom lamella el. safety edge, RH	
D8150R0112	Extension piece 4s RH for	PCS	12	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0113	Extension piece 4s LH for	PCS	13	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0104	Extension piece 5s lh, for	PCS	13	bottom lamella el. safety edge, LH	
D4521R0966	Clamping lug standard	PCS	14	Standard lamella	
D4521R1915	Clamping lug Window lamella GL	PCS	14		
D4521R1028	Clamping lug adapter bottom	PCS	15	H>3250 set=4pcs	
D4521R1069	Connecting lug extension	PCS	16	piece 4 H≤3250	
D4402RG005 459	Lamella sealing	M1	17		
D4101R0034	Sealing top lamella type 1	PCS	18	L = 6100 mm	
D4402RG006 459	Bottom rubber profile	M1	19	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	19	sealing lip cut-to-size pre running photocell	2011-01 >
D4421RG043 459	Rubber profile with integrated	M1	19	safety edge	
D4421RG044 459	Rubber profile elongated	M1	19	sealing-lip el. safety edge	
D8240R0020	Flat belt complete Assembly	PCS	20	RR3000 applicable for all door sizes (RH + LH)	
D8240R0024	Add on belt 3000 set	PCS	20	retrofit old doors	>2010-12
D4121R0299	Flat belt L=6000	PCS	20	not f. compl. belt exchange	
D4904R0546	Safety photocell receiver	PCS	21	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	21	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R0943	Bracket pre running photocell	PCS	22	RH	
D4521R1023	Bracket pre running photocell	PCS	22	LH	
D4521R0981	Activator proximity switch	PCS	23	RH	
D4521R0982	Activator proximity switch	PCS	23	LH	
D4721R0291	Edge cover window C	PCS	24	2pc. for window lamella	
D8130R0011	Flat belt repair-kit	PCS	25	2 belts (1000mm) with clamping parts	



19
19
1
C
2
3
B
4
9
12
5
13
A
10
15
22
21
20
18
A
1:5
17
6
14
16
7
C
1:5
11
14
8
B
1:5

RR 3000 / GL >> Panel Door Blade Type 3

Notes:
Inclusive lamella seal (position 16), clamping plate (position 14) and screws Doors manufactured before end of 2011/08 needs a pair of Transmitter/ Receiver (Pos.20)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG443	Top lamella GL a, with lintel		1	sealing (*)	
D8230RG443 111	Top lamella GL a with lintel	PCS	1	Base price	
D8230RG443 493	without isolation	M1	1	Upcharge	
D8230RG417 493	Lamella GL 1a compl., with	M1	2	adapter 1 - short (*) Type RR3000 GL	
D8230RG418 493	Lamella GL 2a compl., with	M1	3	adapter 2 - middle (*) Type RR3000 GL	
D8230RG419 493	Lamella GL 3a compl., with	M1	4	adatper 3 - long (*) Type RR3000 GL	
D8230RG391	Bottom lamella with rubber		5	profile; without extension piece 4s pre running photo-cell; without clamp lug	
D8230RG391 493	Bottom lamella with rubber	M1	5	profile without extension piece 4 W ≤ 5000 (pre running photo cell)	
D8230RG391 480	isolation with Polystyrol	M1	5		
D8230RG391 482	Bottom lamella with rubber	M1	5	Upcharge powder coated	
D4521R1916	Adapter GL top	PCS	6		
D4521R1912	Adapter GL 1a, short	PCS	7		
D4521R1913	Adapter GL 2a, middle	PCS	8		
D4521R1914	Adapter GL 3a, long	PCS	9		
D4721R0293	Edge cover window a GL	PCS	10	2 per lamelle	
D5403R0397	Screw M6x25ISO4762-10.9FLZNNC	PCS	11	4 per lamella	
D8150R0112	Extension piece 4s RH for	PCS	12	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0113	Extension piece 4s LH for	PCS	13	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.21 2011-09 > also single
D4521R1915	Clamping lug Window lamella GL	PCS	14		
D4521R1028	Clamping lug adapter bottom	PCS	15	H>3250 set=4pcs	
D4402RG005 459	Lamella sealing	M1	16		
D4101R0034	Sealing top lamella type 1	PCS	17	L = 6100 mm	
D4101R0017	Sealing top lamella type 2	M1	17	L=DW-20	
D5006T0004	Retainer seal	M1	17	L=DW-20	
D4402RG006 459	Bottom rubber profile	M1	18	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	18	sealing lip cut-to-size pre running photocell	2011-01 >
D4421RG043 459	Rubber profile with integrated	M1	18	safety edge	
D4421RG044 459	Rubber profile elongated	M1	18	sealing-lip el. safety edge	
D8240RG153	Flat belt GL a compl. RH	PCS	19	RH	
D8240RG154	Flat belt GL a compl. LH	PCS	19	LH	
D4904R0546	Safety photocell receiver	PCS	20	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	20	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R0943	Bracket pre running photocell	PCS	21	RH	
D4521R1023	Bracket pre running photocell	PCS	21	LH	
D4521R0981	Activator proximity switch	PCS	22	RH	
D4521R0982	Activator proximity switch	PCS	22	LH	
D8130R0011	Flat belt repair-kit	PCS		2 belts (1000mm) with clamping parts	


EN CHAPTER O 20160406 EN


7
4
6
5
8
9
10
1
2
3

RR 3000 / GL >> Barrel complete with Door blade


Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG169	Top roll with door blade			RR3000 complete (*) Transport pallet cpl. included	
D8240RG169 111	Top roll w. door blade RR3000	PCS		Base price	
D8240RG169 199	Top roll w. door blade RR3000	M2		Upcharge	
D8240RG169 501	Top roll w. door blade RR3000	M1		Upcharge powder coated total lamella length	
D8240RG172	Top roll with door blade			RR3000GL complete (*) Transport pallet cpl. included	
D8240RG172 111	Top roll w. door blade RR3000	PCS		Base price	
D8240RG172 199	Top roll w. door blade RR3000	M2		Upcharge	
D8240RG134 248	Barrel 1 complete (*)	PCS		H≤3250	
D8240RG134 249	Barrel 1 complete (*)	PCS		H>3250	2010-01 >
D8240RG140 248	Barrel 1b complete (*)	PCS		H≤3250	>2010-01
D8240RG140 249	Barrel 1b complete (*)	PCS		H>3250	>2010-01
D8240RG139 248	Barrel 1c complete (*)	PCS		H≤3250	
D8240RG139 249	Barrel 1c complete (*)	PCS		H>3250	
D4521R0940	Spiral disk 1	PCS	1		>2010-01
D4521R1801	Spiral disk 1a	PCS	1	H≤5000	2010-01 >
D4521R0939	Spiral disk 2	PCS	2		>2010-01
D4521R1803	Spiral disk 2	PCS	2	H≤5000	2010-01 >
D4521R1048	Spiral disk 3 LH	PCS	3	H>3250	>2010-01
D4521R1047	Spiral disk 3 RH	PCS	3	H>3250	>2010-01
D4521R1804	Spiral disk 3	PCS	3	H>3250 H≤5000	2010-01 >
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4		
D8140R0060	Bearing d 35	PCS	5		
D4521R0953	Bracket belt	PCS	6		
D4521R0941	Winding plate	PCS	7		
D4521R1179	Angel disc 1 cpl.	PCS	8		>2010-01
D4521R1167	Bracket disc 3	PCS	9		>2010-01
D5103R0082	Locking element pinion	PCS	11	only chain drive	
D5402R0378	Hexagon screw M8x20 Scotch	PCS	12	grip	>2010-01
D5101R0119	Pinion chain drive, barrel	PCS	13		


10
1
5
6
4
7
8
2
3

RR 3000 / GL >> Drive unit complete


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0060	Gear motor	PCS	1	H>4000and chain drive, ACS 80	
D8910R0061	Gear motor	PCS	1	H≤4000, ACS 80	
D8910R0079	Gear motor (**) 220-230/400-	PCS	1	415V MCC W > 5000 and H ≤ 4700 4700 < H ≤ 5000	>2010-01
D8910R0080	Gear motor (**) 220-230/400-	PCS	1	415 V, MCC W ≤ 5000 and H ≤ 4700 (not with chain drive)	2010-01>
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R1490	Torque Arm	PCS	4	(not with chain drive)	
D4521R1096	Motor plate	PCS	5	not with chain drive	
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	9	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	9	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	9	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	9	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	10	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	10	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	10	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	10	(*) SL≤5m	
D8830RG042	Control cable		11	ACS 80	
D8903RG145	E-Connection MCC		11		
D4521R1360	Drive shaft with pinion	PCS	12	only Chain drive	
D8120R0072	Roller chain	PCS	13	only Chain drive	
D5504002	Chain spray 400ml	PCS	14	only Chain drive	


4
1
2
3

RR 3000 / GL >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG039 232	Top roll cover 1	PCS	1	W≤2500
D8260RG040	Top roll cover 2		1	W>2500
D8260RG040 111	Top roll cover 2	PCS	1	Base price
D8260RG040 459	Top roll cover 2	M1	1	Upcharge
D8260RG071	Top roll cover for chain drive	PCS	1	only for Chain drive
D8160R0123	Motor cover complete RH	PCS	2	Alu
D8160R0124	Motor cover complete LH	PCS	2	Alu
D8160R0147	Motor cover 1 chain drive rh	PCS	2	with top roll cover
D8160R0148	Motor cover 1 chain drive lh	PCS	2	with top roll cover
D8160R0152	Motor cover 2 chain drive rh	PCS	2	without top roll cover
D8160R0153	Motor cover 2 chain drive lh	PCS	2	without top roll cover
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D8220RG240 459	Lintel profile complete	M1	4	RR 3000 GL
D4521RG104 232	Lintel profile	PCS	4	RR 3000
D8270RG031	Transport pallet	PCS	5	for dismountling top roll
D8270RG031 111	Transport pallet	PCS	5	base price
D8270RG031 486	Transport pallet	M1	5	upcharge standard
D8270RG031 487	Transport pallet	M1	5	upcharge DW>4000
D8270RG031 477	Transport pallet	M1	5	upcharge gas treated
D8270RG031 478	Transport pallet	M1	5	upcharge gas treated DW>4000

RR 3000 ISO (2701)


15
1
11
6
16
26
3
20
5
23
9
24
22
8
25
12
17
2
7
21
18
4
16
19
10
14
13


RR 3000 ISO (2701) >> Side frame right (**) Side frame left (mirror image)

Notes:
Data of W, H, door type and drive side are necessary

Art. No	Product description	Unit	Img	Fits to
D8220RG356	Side frame A right complete	PCS	1	door type A max 8 springs
D8220RG356 111	Side frame A RH complete	PCS	1	Base price
D8220RG356 439	Side frame A RH complete	M1	1	Upcharge height
D8220RG356 424	Side frame A RH complete	PCS	1	LED-Stripe
D8220RG356 508	Side frame A RH complete	PCS	1	Light curtain
D8220RG357	Side frame A left complete	PCS	1	door type A max 8 springs
D8220RG357 111	Side frame A LH complete	PCS	1	Base price
D8220RG357 439	Side frame A LH complete	M1	1	Upcharge height
D8220RG357 424	Side frame A LH complete	PCS	1	LED-Stripe
D8220RG357 508	Side frame A LH complete	PCS	1	Light curtain
D8220RG358	Side frame B right complete	PCS	1	door type B max 10 springs
D8220RG358 111	Side frame B RH complete	PCS	1	Base price
D8220RG358 439	Side frame B RH complete	M1	1	Upcharge height
D8220RG358 424	Side frame B RH complete	PCS	1	LED-Stripe
D8220RG358 508	Side frame B RH complete	PCS	1	Light curtain
D8220RG359	Side frame B left complete	PCS	1	door type B max 10 springs
D8220RG359 111	Side frame B LH complete	PCS	1	Base price
D8220RG359 439	Side frame B LH complete	M1	1	Upcharge height
D8220RG359 424	Side frame B LH complete	PCS	1	LED-Stripe
D8220RG359 508	Side frame B LH complete	PCS	1	Light curtain
D8220RG369	Side frame C right complete	PCS	1	door type C max 15 springs
D8220RG369 111	Side frame C RH complete	PCS	1	Base price
D8220RG369 439	Side frame C RH complete	M1	1	Upcharge height
D8220RG369 424	Side frame C RH complete	PCS	1	LED-Stripe
D8220RG369 508	Side frame C RH complete	PCS	1	Light curtain
D8220RG370	Side frame C left complete	PCS	1	door type C max 15 springs
D8220RG370 111	Side frame C LH complete	PCS	1	Base price
D8220RG370 439	Side frame C LH complete	M1	1	Upcharge height
D8220RG370 424	Side frame C LH complete	PCS	1	LED-Stripe
D8220RG370 508	Side frame C LH complete	PCS	1	Light curtain
D8120R0127	Guiding cover 1 bottom rh	PCS	2	compl. H>3000
D8120R0128	Guiding cover 1 bottom lh	PCS	2	compl. H>3000
D8220RG354 232	Guiding cover 2 bottom rh	PCS	2	compl. H≤3000
D8220RG355 232	Guiding cover 2 bottom lh	PCS	2	compl. H≤3000
D8120R0129	Guiding cover middle rh compl.	PCS	3	H>4900
D8120R0130	Guiding cover middle lh compl.	PCS	3	H>4900
D8220RG352 232	Guiding cover top rh compl.	PCS	3	H>3000
D8220RG353 232	Guiding cover top lh compl.	PCS	3	H>3000
D4521R2173	Side frame cover 1 rh	PCS	4	H>3000 no hand lever
D4521R2174	Side frame cover 1 lh	PCS	4	H>3000 no hand lever
D4521R2175	Side frame cover 2 rh	PCS	4	H>3000 with hand lever
D4521R2176	Side frame cover 2 lh	PCS	4	H>3000 with hand lever
D4521RG403 232	Side frame cover 3 rh	PCS	4	H≤3000 no hand lever
D4521RG404 232	Side frame cover 3 lh	PCS	4	H≤3000 no hand lever
D4521RG415 232	Side frame cover 4 rh	PCS	4	H≤3000 with hand lever
D4521RG416 232	Side frame cover 4 lh	PCS	4	H≤3000 with hand lever
D4521RG403 232	Side frame cover 3 rh	PCS	5	H≤3000 no hand lever
D4521RG404 232	Side frame cover 3 lh	PCS	5	H≤3000 no hand lever
D4521R2185	Cover A spring box (top)	PCS	6	door type A
D4521R2186	Cover B spring box (top)	PCS	6	door type B,C
D4802R0009	Tension spring short L=976mm	PCS	7	2000≤H<3000
D4802R0007	Tension spring middle L=1397mm	PCS	7	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D4802R0008	Tension spring long L=2193mm	PCS	7	(H≥4200) or (3500 <H 5300) H≥4000
D8220R0050	Spring suspension top complete	PCS	8	3-hole
D8220R0051	Spring suspension top complete	PCS	8	4-hole
D8220R0058	Spring suspension top complete	PCS	8	3/5-hole
D5105R0081	Belt (blue) L=6000	PCS	9	door type A
D5105R0104	Belt (black), L=7500	PCS	9	> 16 springs
D4521R2179	Spring bracket 8	PCS	10	door type A
D4521R2180	Spring bracket 10	PCS	10	door type B,C

Art. No	Product description	Unit	Img	Fits to
D8120R0131	Belt idler 1 compl.	PCS	11	Plastic-role
D8220RG259 232	Emergency lever	PCS	12	
D4521R2177	Bottom plate	PCS	13	
D8520RG016 232	Cable Chain complete	PCS	14	elec. safety edge
D8120R0134	Limit switch 2 rh compl.	PCS	15	H>3000, drive rh
D8120R0135	Limit switch 2 lh compl.	PCS	15	H>3000, drive lh
D8120R0140	Limit switch 3 rh compl.	PCS	15	H≤3000, drive rh
D8120R0141	Limit switch 3 lh compl.	PCS	15	H≤3000, drive lh
D4905R0082	Proxmity switch M8 10E	PCS	15	plugconnector Drive Nord, without crash without bracket
D4907R0044	Connecting cable 2m with 2 M8	PCS	15	plugs drive side Stromag
D4904R0547	Photocell transmitter without	PCS	16	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	16	bracket - black LH not for pre-run snow proof
D4912R0039	LED-stripe red/green, 24V DC	PCS	17	
D8940R0042	Safety light grid tr. + re.	PCS	18	2555mm H>2500
D8940R0043	Safety light grid tr. + re.	PCS	18	2425mm H=2500
D4521R2332	Bracket light curtain	PCS	19	
D8120R0049	Cable Duct complete	PCS	20	L=2000
D4907R0024	Connecting cable 4000mm	PCS	21	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	21	
D4907R0030	Connecting cable 8000mm	PCS	21	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	21	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without control DH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	21	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	21	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	22	MCC
D4907R0157	Connecting cable LED 30m	PCS	22	
D4907R0074	Connecting cable 4000mm crash	PCS	23	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0075	Connecting cable 6000mm crash	PCS	23	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash

Art. No	Product description	Unit	Img	Fits to
D4907R0076	Connecting cable 8000mm crash	PCS	23	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0077	Connecting cable 10000mm crash	PCS	23	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash
D4907R0079	Connecting cable 12m-light	PCS	23	grid crash
D4907R0173	Adapter cable light grid 200mm	PCS	23	LH, W < 3500
D6403R0009	Label emergancy lever	PCS	24	
D6403RG002	Door label	PCS	25	
D4121R0335	Sliding rail L=3000	PCS	26	
D4521R2371	Service bracket	PCS	27	H>3000


T
1:10
22
23
24
1
14
T
2
3
4
5
6
7
R
8
9
11
10
S
12
13
R
1:10
21
20
19
18
25
S
1:10
15
17
16


RR 3000 ISO (2701) >> Panel Door Blade A-1

Notes:
Incl. Clamping plates, End caps, Coiling pieces, Sliding blocks, Clamping blocks (Pos.17-22) and Lamella sealings (Pos.25) Data of W, H, door type and drive side are necessary. See also the last page.


Art. No	Product description	Unit	Img	Fits to
D8230RG475	Top lamella, with intel		1	sealing (*)
D8230RG475 459	Top lamella w.intel sealing(*)	M1	1	base meter price
D8230RG475 651	Top lamella w.intel sealing(*)	M1	1	painted one side
D8230RG475 652	Top lamella w.intel sealing(*)	M1	1	painted both sides
D4421RG047 459	Bottom sealing profile	M1	1	pre run. Photocell
D4101R0034	Sealing top lamella type 1	PCS	1	L = 6100 mm
D8230RG468	Lamella 1a (*)		2	
D8230RG468 459	Lamella 1a (*)	M1	2	base meter price
D8230RG468 651	Lamella 1a (*)	M1	2	painted one side
D8230RG468 652	Lamella 1a (*)	M1	2	painted both sides
D8230RG471 459	Window lamella 1a (*)	M1	3	
D8230RG470	Lamella 3a (*)		4	H<3800
D8230RG470 459	Lamella 3a (*)	M1	4	base meter price
D8230RG470 651	Lamella 3a (*)	M1	4	painted one side
D8230RG470 652	Lamella 3a (*)	M1	4	painted both sides
D8230RG473 459	Window lamella 3a (*)	M1	5	H<3800
D8230RG479	Lamella 1b (*)		6	H>3300
D8230RG479 459	Lamella 1b (*)	M1	6	base meter price
D8230RG479 651	Lamella 1b (*)	M1	6	painted one side
D8230RG479 652	Lamella 1b (*)	M1	6	painted both sides
D8230RG489 459	Window lamella 1b (*)	M1	7	H>3300
D8230RG469	Lamella 2 (*)		8	H>3900
D8230RG469 459	Lamella 2 (*)	M1	8	base meter price
D8230RG469 651	Lamella 2 (*)	M1	8	painted one side
D8230RG469 652	Lamella 2 (*)	M1	8	painted both sides
D8230RG472 459	Window lamella 2 (*)	M1	9	H>3900
D8230RG480	Lamella 3b (*)		10	
D8230RG480 459	Lamella 3b (*)	M1	10	base meter price
D8230RG480 651	Lamella 3b (*)	M1	10	painted one side
D8230RG480 652	Lamella 3b (*)	M1	10	painted both sides
D8230RG490 459	Window lamella 3b (*)	M1	11	
D8230RG474	Bottom lamella compl. (*)		12	
D8230RG474 459	Bottom lamella compl. (*)	M1	12	base meter price
D8230RG474 651	Bottom lamella compl. (*)	M1	12	painted one side
D8230RG474 652	Bottom lamella compl. (*)	M1	12	painted both sides
D8230RG492	Bottom lamella with		12	safety efge compl. (*)
D8230RG492 459	Bottom lamella w. safety edge	M1	12	base meter price
D8230RG492 651	Bottom lamella w. safety edge	M1	12	painted one side
D8230RG492 652	Bottom lamella w. safety edge	M1	12	painted both sides
D8230RG491 459	Bottom sealing compl.	PCS	13	L=W+50, light grid
D8230RG493 459	Bottom profile safety edge	PCS	13	compl. L=W+50, safety edge
D8940RG013 459	Safety contact edge	PCS	13	L=W+20, safety edge
D8240R0061	Flat belt A 33-200 spare part	PCS	14	compl. always both sides
D4121R0454	Flat belt P100 L=3600	PCS	14	Not for complete belt exchange
D8130R0046	Activator proxilimity switch	PCS	15	compl. lamella 4, drive side
D8150R0128	Catching hook rh compl.	PCS	16	RH
D8150R0129	Catching hook lh compl.	PCS	16	LH
D4521R2214	Clamping plate lamella 3	PCS	17	lamella 3 and bottom
D4721R0324	End cap panel	PCS	18	2 per lamella
D4721R0319	Coiling piece 1	PCS	19	2 per lamella
D4721R0381	Coiling piece 2	PCS	20	4 per lamella (1a,1b, top)
D4121R0543	Sliding block coiling piece 2	PCS	21	2 per lamella (1a / 1b / top)
D8130R0043	Clamping block 1 - flat belt	PCS	22	2 per lamella (1a,1b, top)
D8130R0044	Clamping block 2 - flat belt	PCS	22	2 per lamella (type 2)
D8130R0045	Distance web compl.	PCS	23	4 per lamelle (top, 1, 2)
D4402R0107	Dampener 2 for disks L=6000mm	PCS	24	
D4402RG013 459	Lamella sealing 1 + 2	PCS	25	L=W+50

EN CHAPTER O 20160406 EN


Wickelwelle 3a.b / Barrel 3a.b



Wickelwelle 3c / Barrel 3c




Kettenantrieb / Chain drive



RR 3000 ISO (2701) >> Barrel complete with Door blade


Art. No	Product description	Unit	Img	Fits to
D8240RG204	Top roll with door blade			complete (*) Transport pallet included
D8240RG204 111	Top roll with door blade	PCS		Base price
D8240RG204 199	Top roll with door blade	M2		Upcharge
D8240RG204 653	Top roll with door blade	M2		painted one side
D8240RG204 654	Top roll with door blade	M2		painted both sides
D8240RG192 232	Barrel 3a complete (*)	PCS	1	H ≤ 4700 and W≤5000
D8240RG193 232	Barrel 3b complete (*)	PCS	1	H > 4700 and W>5000
D8240RG194 232	Barrel 3c complete (*)	PCS	1	chain drive
D8240RG200 232	Barrel 3d complete (*)	PCS	1	door type C (°)
D4521R2205	Spiral disk 1a	PCS	2	inside
D4521R2206	Spiral disk 1b	PCS	3	outside
D4521R2204	Winding plate	PCS	4	
D8240R0001	Flange bearing rh compl.	PCS	5	RH
D8240R0002	Flange bearing lh compl.	PCS	5	LH
D4402R0107	Dampener 2 for disks L=6000mm	PCS	6	
D4521R2209	Bracket belt	PCS	7	
D5409R0063	Feather key 10x8x120	PCS	8	barrel 3a
D5409R0069	Feather key 10x8x140	PCS	8	barrel 3b - 3d
D8140RG002	Asynchronus spring system	PCS	9	> 10 springs
D5412R0060	Circlip 35x1,5DIN471	PCS	10	
D4521R2309	Clamping plate shaft C	PCS	11	only door type C
D5101R0119	Pinion chain drive, barrel	PCS	12	
D5103R0082	Locking element pinion	PCS	13	only chain drive
D8130R0049	Rubber spring top sealing	PCS	14	flex. top sealing
D8140R0079	Guiding plate top sealing	PCS	15	compl. flex. top sealing



1
10
5
6
4
7
8
2
3
14
16
15
1:10

RR 3000 ISO (2701) >> Drive unit complete

Notes:
Data of W, H, door type, chain drive and drive side are necessary


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0080	Gear motor (**) 220-230/400-	PCS	1	415 V, MCC W ≤ 5000 and H ≤ 4700 (not with chain drive)	2010-01>
D8910R0079	Gear motor (**) 220-230/400-	PCS	1	415V MCC W > 5000 and H ≤ 4700 4700 < H ≤ 5000	>2010-01
D8910R0088	Gear motor (**) 220-230/400-	PCS	1	415 V, MCC H > 5000 (not with chain drive) 3000XXL	
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R1490	Torque Arm	PCS	4	(not with chain drive)	
D4521R1096	Motor plate	PCS	5	not with chain drive	
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	9	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	9	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	9	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	9	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	10	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	10	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	10	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	10	(*) SL≤5m	
D8903RG145	E-Connection MCC		11		
D8410R0102	KNH Hand chain operator cpl	PCS	14	Option	
D6625R0007	KNH shift cable, (2x4m)	PCS	15	red+green handle	
D6625R0006	KNH chain extension with plug	PCS	16	4m H>5200	


1
13
12


1:10
14
15
16

RR 3000 ISO (2701) >> Chain Drive unit complete


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0079	Gear motor (**) 220-230/400-	PCS	1	415V MCC W > 5000 and H ≤ 4700 4700 < H ≤ 5000	>2010-01
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	9	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	9	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	9	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	9	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	10	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	10	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	10	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	10	(*) SL≤5m	
D8903RG145	E-Connection MCC		11		
D4521R1360	Drive shaft with pinion	PCS	12	only Chain drive	
D8120R0072	Roller chain	PCS	13	only Chain drive	
D8410R0102	KNH Hand chain operator cpl	PCS	14	Option	
D6625R0007	KNH shift cable, (2x4m)	PCS	15	red+green handle	
D6625R0006	KNH chain extension with plug	PCS	16	4m H>5200	
D5504002	Chain spray 400ml	PCS	17	only Chain drive	


1
2
3
4

RR 3000 ISO (2701) >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG075 459	Top roll cover A	M1	1	H≤ 4700 and W≤6000
D8260RG076 459	Top roll cover B	M1	1	H>4700 or DW>6000
D8260RG083 232	Top roll cover C	PCS	1	door surface > 36m2
D8260RG082 459	Top roll cover A, chain drive	M1	1	Chain drive
D8160R0158	Motor cover 3 RH complete	PCS	2	Chain drive: NOKNH: NO
D8160R0159	Motor cover 3 LH complete	PCS	2	Chain drive: NOKNH: NO
D8160R0167	Motor cover 3 RH, KNH complete	PCS	2	Chain drive: NOKNH: YES
D8160R0168	Motor cover 3 LH, KNH complete	PCS	2	Chain drive: NOKNH: YES
D8160R0169	Motor cover 4 complete	PCS	2	Chain drive: YESTop roll cover: YES
D8160R0170	Motor cover 4, KNH complete	PCS	2	Chain drive: YESTop roll cover: YES
D8160R0171	Motor cover 4 RH complete	PCS	2	Chain drive: YESKNH: NOTop roll cover: NO
D8160R0172	Motor cover 4 LH complete	PCS	2	Chain drive: YESKNH: NOTop roll cover: NO
D8160R0173	Motor cover 4 RH, KNH complete	PCS	2	Chain drive: YESKNH: YES Top roll cover: NO
D8160R0174	Motor cover 4 LH, KNH complete	PCS	2	Chain drive: YESKNH: YES Top roll cover: NO
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D8220RG350 232	Lintel profile A	PCS	4	H≤4700 and W≤6000
D8220RG351 232	Lintel profile B	PCS	4	H>4700 or W>6000
D4101R0034	Sealing top lamella type 1	PCS	4	L = 6100 mm
D8270RG042	Transport pallet	PCS	5	for dismountling top roll
D8270RG042 111	Transport pallet	PCS	5	base price
D8270RG042 486	Transport pallet	M1	5	upcharge standard
D8270RG042 487	Transport pallet	M1	5	upcharge DW>4500
D8270RG042 477	Transport pallet	M1	5	upcharge gas treated
D8270RG042 478	Transport pallet	M1	5	upcharge gas treated DW>4500


RR 3000 L


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
A
A
1:5
X
X

RR 3000 L >> Side frame right Side frame left (mirror image)

Notes:
Data of W, H [mm] and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8220RG215 232	Side frame RH compl.	PCS	1	
D8220RG215 424	Side frame RH compl.	PCS		
D8220RG216 232	Side frame LH compl.	PCS	1	
D8220RG216 424	Side frame LH compl.	PCS		
D4521RG151 232	Guide cover top RH	PCS	2	
D4521RG152 232	Guide cover top LH	PCS	2	
D4521R1101	Guide cover bottom RH	PCS	3	
D4521R1102	Guide cover bottom LH	PCS	3	
D4521RG159 232	Guide cover RH	PCS	3	H<2375
D4521RG160 232	Guide cover LH	PCS	3	H<2375
D4521RG149 232	Gusset cover top RH	PCS	4	
D4521RG150 232	Gusset cover top LH	PCS	4	
D4521R1099	Gusset cover bottom RH	PCS	5	
D4521R1100	Gusset cover bottom LH	PCS	5	
D4521RG163 232	Gusset cover RH	PCS	5	H<2375
D4521RG164 232	Gusset cover LH	PCS	5	H<2375
D4521R0957	Spring cover top	PCS	6	
D4521RG109 232	Spring cover middle	PCS	7	H>3000
D4521R0974	Spring cover bottom	PCS	8	(side of bearing) H>3000
D4521RG111 232	Spring cover bottom (side of	PCS	8	(side of bearing) H≤3000
D4521R0972	Spring cover bottom RH	PCS	8	(side of unit) H>3000
D4521R0973	Spring cover bottom LH	PCS	8	(side of unit) H>3000
D4521RG113 232	Spring cover bottom RH (side	PCS	8	(side of of unit) H≤3000
D4521RG115 232	Spring cover bottom LH (side	PCS	8	(side of unit) H≤3000
D4802R0010	Tension spring short L=600mm	PCS	9	H<2000
D4802R0009	Tension spring short L=976mm	PCS	9	2000≤H<3000
D4802R0007	Tension spring middle L=1397mm	PCS	9	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D4802R0008	Tension spring long L=2193mm	PCS	9	(H≥4200) or (3500 <H 5300) H≥4000
D8220R0050	Spring suspension top complete	PCS	10	3-hole
D5105R0081	Belt (blue) L=6000	PCS	11	door type A
D8120RG046 232	Redirection rope with cable	PCS	13	
D5105R0031	Rope d=5mm, L=8000mm	PCS	14	L= 4 x DH-500 L= B+2660
D8220RG218 232	Emergency lever	PCS	15	
D4521R1064	Bottomplate RH	PCS	19	
D4521R1065	Bottomplate LH	PCS	19	



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
A
A
1:5
X
X

RR 3000 L >> Side frame right Side frame left (mirror image)

Notes:
Data of W, H [mm] and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8520RG013 232	Cable Chain complete	PCS	20	drive unit side (*)
D8520RG014 232	Cable Chain complete	PCS	20	non drive unit side (*)
D4907R0024	Connecting cable 4000mm	PCS	20	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500
D4907R0029	Connecting cable 6m	PCS	20	
D4907R0030	Connecting cable 8000mm	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	20	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	20	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D8120R0092	Belt receptacle	PCS	21	
D4905R0082	Proxmity switch M8 10E	PCS	22	plugconnector Drive Nord, without crash without brac- ket
D4907R0044	Connecting cable 2m with 2 M8	PCS	22	plugs drive side Stromag
D4904R0547	Photocell transmitter without	PCS	23	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	23	bracket - black LH not for pre-run snow proof
D8120R0049	Cable Duct complete	PCS	24	L=2000
D4521R1090	Spring Suspension	PCS	25	
D4121R0335	Sliding rail L=3000	PCS	26	
D5003R0001	Rope pulley	PCS	27	
D6403R0009	Label emergancy lever	PCS	28	
D6403RG002	Door label	PCS	29	
D4721RG102 232	Guide cable chain compl.	PCS	30	L=H/2 - 100


EN CHAPTER O 20160406 EN


16
27
1
13
5
8
2
24
18
25
1
23
5
26
2
X Backside
3
20
21
4
11
Y
19
Y
7
22
Z
X
9
12
6
3
10
14
4
Z
15
17
7

RR 3000 L >> Panel Door Blade Type 2

Notes:
Description RH and/or LH see legend With clamping plates (position 13) and screws Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)


Art. No	Product description	Unit	Img	Fits to	Remark
D8330RG007 459	Top lamella with intel sealing	M1	1		
D8330RG002 459	Lamella L 1 with extension	M1	2	piece 1 - short (*)	
D8330RG003 459	Lamella L 2A with extension	M1	3	piece 2 - middle (*)	
D8330RG004 459	Lamella L 3A with extension	M1	4	pieece 3 - long (*)	
D8330RG005 459	PVC Keder Section	M1	5	transparent/grey	
D4021RG001 459	Sealinglamella L	M1	6	L=W+50	
D8330RG008 459	Bottom lamella with	M1	7	rubber profile, without extension piece 4 (*) pre running photocell	>2010-12
D8330RG008 476	Bottom lamella with rubber	M1	7	Upcharge extend. Sealing lip	
D8230RG331 459	Lamella bottom with	M1	7	safety edge el. safety edge	
D8230RG331 482	Lamella bottom w. safety edge	M1	7	Upcharge powder coated	
D8230RG332 493	Lamella bottom with	M1	7	safety edge, elong. sealing-lilp el. safety edge	
D8230RG332 482	Lamella bottom with safety	M1	7	Upcharge powder coated	
D4521R1141	Extension piece 1L, short	PCS	8		
D4521R1142	Extension piece 2L, middle	PCS	9		
D4521R1143	Extension piece 3L, long	PCS	10		
D8150R0114	Extension piece 4L re	PCS	11	bottom lamella pre running photocell RH (**)	
D8150R0076	Extension piece 5L re		11	bottom lamella el. safety edge RH	
D8150R0115	Extension piece 4L li	PCS	12	bottom lamella pre running photocell LH (**)	
D8150R0077	Extension piece 5L li		12	bottom lamella el. safety edge LH	
D4521R0966	Clamping lug standard	PCS	13	Standard lamella	
D4521R1028	Clamping lug adapter bottom	PCS	14	H>3250 set=4pcs	
D4521R1069	Connecting lug extension	PCS	15	piece 4 H≤3250	
D4101R0034	Sealing top lamella type 1	PCS	16	L = 6100 mm	
D8330RG008 459	Bottom lamella with	M1	17	rubber profile, without extension piece 4 (*) pre running photocell	>2010-12
D4402RG006 459	Bottom rubber profile	M1	17	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	17	sealing lip cut-to-size pre running photocell	2011-01 >
D4421RG043 459	Rubber profile with integrated	M1	17	safety edge	
D4421RG044 459	Rubber profile elongated	M1	17	sealing-lip el. safety edge	
D8240R0020	Flat belt complete Assembly	PCS	18	RR3000 applicable for all door sizes (RH + LH)	
D8240R0024	Add on belt 3000 set	PCS	18	retrofit old doors	>2010-12
D4121R0299	Flat belt L=6000	PCS	18	not f. compl. belt exchange	
D4904R0546	Safety photocell receiver	PCS	19	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	19	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R0943	Bracket pre running photocell	PCS	20	RH	
D4521R1023	Bracket pre running photocell	PCS	20	LH	
D4521R0981	Activator proximity switch	PCS	21	RH	
D4521R0982	Activator proximity switch	PCS	21	LH	
D4521R1195	Support plate belt	PCS	22	H>3250	
D4521R1190	Support sheet 250mm	PCS	23	W>3600	
D4521R1189	Support sheet 500mm	PCS	24	W>3600	
D4721R0169	Clamp plate	PCS	25	W>3600	
D5413R0280	Blind rivet 4,8x10 DIN 7737	PCS	26	W>3600	
D8130R0010	End piece cpl.	PCS	27		
D8130R0011	Flat belt repair-kit	PCS	28	2 belts (1000mm) with clamping parts	


3
7
2
12
13
1
6
8
5
10
9
11
4

RR 3000 L >> Barrel complete with Door blade

Notes:
Description RH and/or LH see legend Data of W, H [mm] and drive side is necessary


Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG171	Top roll with door blade	PCS		RR3000L complete (*) Transport pallet cpl. included	
D8240RG171 111	Top roll w. door blade RR3000L	PCS		Base price	
D8240RG171 199	Top roll w. door blade RR3000L	m2		Upcharge	
D8240RG141	Barrel L1 complete (*)				
D8240RG141 248	Barrel L1 complete (*)	PCS		W < 3250	
D8240RG141 249	Barrel L1 complete (*)	PCS		W > 3250	
D8240RG142	Barrel L1c complete (*)			Chain drive	
D8240RG142 248	Barrel L1c complete (*)	PCS		W < 3250	
D8240RG142 249	Barrel L1c complete (*)	PCS		W > 3250	
D4521R1157	Spiral disk 1L	PCS	1		>2010-01
D4521R1806	Spiral disk 1L	PCS	1		2010-01 >
D4521R1158	Spiral disk 2L	PCS	2		>2010-01
D4521R1807	Spiral disk 2L	PCS	2		2010-01 >
D4521R1184	Spiral disk 3L LH	PCS	3	H>3250	>2010-01
D4521R1183	Spiral disk 3L RH	PCS	3	H>3250	>2010-01
D4521R1808	Spiral disk 3L	PCS	3		2010-01 >
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4		
D8140R0060	Bearing d 35	PCS	5		
D4521R0953	Bracket belt	PCS	6		
D4521R0941	Winding plate	PCS	7		
D4521R1179	Angel disc 1 cpl.	PCS	8		>2010-01
D4521R1167	Bracket disc 3	PCS	9		>2010-01
D5402R0378	Hexagon screw M8x20 Scotch	PCS	11	grip	>2010-01
D4721R0207	Center plate	PCS	12		
D5003R0011	Distance sleeve	PCS	13		
D5103R0082	Locking element pinion	PCS	14	only chain drive	


10
1
5
6
4
7
8
2
3

RR 3000 L >> Drive unit complete

Notes:
SL= control line H, L => [mm]

Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0061	Gear motor	PCS	1	H≤4000, ACS 80	
D8910R0080	Gear motor (**) 220-230/400-	PCS		415 V, MCC W ≤ 5000 and H ≤ 4700 (not with chain drive)	2010-01>
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R1490	Torque Arm	PCS	4	(not with chain drive)	
D4521R1096	Motor plate	PCS	5	not with chain drive	
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	9	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	9	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	9	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	9	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	10	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	10	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	10	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	10	(*) SL≤5m	
D8830RG042	Control cable		11	ACS 80	
D8930RG145	Control cable	PCS	11	MCC	
D4521R1360	Drive shaft with pinion	PCS	12	only Chain drive	
D8120R0072	Roller chain	PCS	13	only Chain drive	
D5504002	Chain spray 400ml	PCS	14	only Chain drive	



4
1
2
3

RR 3000 L >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG039 232	Top roll cover 1	PCS	1	W≤2500
D8260RG040	Top roll cover 2		1	W>2500
D8260RG040 111	Top roll cover 2	PCS	1	Base price
D8260RG040 459	Top roll cover 2	M1	1	Upcharge
D8260RG071	Top roll cover for chain drive	PCS	1	only for Chain drive
D8160R0123	Motor cover complete RH	PCS	2	Alu
D8160R0124	Motor cover complete LH	PCS	2	Alu
D8160R0147	Motor cover 1 chain drive rh	PCS	2	with top roll cover
D8160R0148	Motor cover 1 chain drive lh	PCS	2	with top roll cover
D8160R0152	Motor cover 2 chain drive rh	PCS	2	without top roll cover
D8160R0153	Motor cover 2 chain drive lh	PCS	2	without top roll cover
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D8220RG240 459	Lintel profile complete	M1	4	RR 3000 GL
D8270RG031	Transport pallet	PCS	5	for dismountling top roll
D8270RG031 111	Transport pallet	PCS	5	base price
D8270RG031 486	Transport pallet	M1	5	upcharge standard
D8270RG031 487	Transport pallet	M1	5	upcharge DW>4000
D8270RG031 477	Transport pallet	M1	5	upcharge gas treated
D8270RG031 478	Transport pallet	M1	5	upcharge gas treated DW>4000

RR 3000 R

EN CHAPTER O 20160406 EN



1 DW<=3800
1 DW>3800
immer Antriebsseite;
zusätzlich Lagerseite
wenn DW>3800
always drive side;
additionally non drive side
if DW>3800

RR 3000 R >> Side frame right Side frame left (mirror image)

Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8220RG255 232	Side frame RH compl.	PCS	1	
D8220RG255 424	Side frame RH compl.	PCS	1	
D8220RG256 232	Side frame LH compl.	PCS	1	
D8220RG256 424	Side frame LH compl.	PCS	1	
D8220RG261 232	Guide cover RH	PCS	2	
D8220RG260 232	Guide cover LH	PCS	2	
D4521R1323	Stiffener guiding cover	PCS	3	
D4521R1326	Spring cover top	PCS	4	W>3800
D4521RG213 232	Spring cover bottom (side of	PCS	5	bearing)
D4521RG214 232	Spring cover RH (side of	PCS	5	drive unit)
D4521RG215 232	Spring cover LH (side of unit)	PCS	5	
D4802R0010	Tension spring short L=600mm	PCS	6	H<2000
D4802R0009	Tension spring short L=976mm	PCS	6	2000≤H<3000
D4802R0007	Tension spring middle L=1397mm	PCS	6	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D8220R0050	Spring suspension top complete	PCS	7	3-hole
D8220R0051	Spring suspension top complete	PCS	7	4-hole
D5105R0081	Belt (blue) L=6000	PCS	8	door type A
D8120RG046 232	Redirection rope with cable	PCS	10	
D5105R0031	Rope d=5mm, L=8000mm	PCS	11	L= 4 x DH-500 L= B+2660
D8220RG259	Emergency lever	PCS	12	
D4521R1321	Bottomplate RH	PCS	16	
D4521R1320	Bottomplate LH	PCS	16	
D8520RG013 232	Cable Chain complete	PCS	17	drive unit side (*)
D8520RG014 232	Cable Chain complete	PCS	17	non drive unit side (*)
D4907R0024	Connecting cable 4000mm	PCS	17	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500
D4907R0029	Connecting cable 6m	PCS	17	
D4907R0030	Connecting cable 8000mm	PCS	17	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	17	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	17	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	17	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E

Art. No	Product description	Unit	Img	Fits to
D8120R0057	Belt shaft compl.	PCS	18	
D4905R0082	Proxmity switch M8 10E	PCS	19	plugconnector Drive Nord, without crash without bracket
D4907R0082	Connecting cable 2m with 2 M8	PCS	19	plugs Drive side FUS PLS-GT MPS MCC ACS50 ACS80
D4904R0547	Photocell transmitter without	PCS	20	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	20	bracket - black LH not for pre-run snow proof
D8120R0049	Cable Duct complete	PCS	21	L=2000
D4521R1266	Spring Suspension	PCS	22	
D4121R0335	Sliding rail L=3000	PCS	23	
D5003R0001	Rope pulley	PCS	24	
D6403R0009	Label emergancy lever	PCS	25	
D6403RG002 232	Door label	PCS	26	
D8120R0060	Roller chain	PCS	27	
D4721RG102 232	Guide cable chain compl.	PCS	28	L=H/2 - 100
D4121R0336	Sleeve stopper	PCS	29	Drive side



18
Z
Z
1-5
9
11
12
20
1
2
10
3
4
17
15
1
2
5
Y
1-5
Y
3
6
13
X
A
7
4
8
19
14
22
23
16
A
1-5
X
1-5
21

RR 3000 R >> Panel Door Blade R, Type 1

Notes:
Description RH and/or LH see legend Inclusive lamella seal (position 17), clamping lug (pos.15) and screws Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.21)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG390	Top lamella R, with top		1	sealing (*)	
D8230RG390 493	without isolation	M1	1		
D8230RG390 481	isolation with Polystyrol	M1	1		
D8230RG390 482	Top lamella R w.top sealing(*)	M1	1	Upcharge powder coated	
D8230RG454	Lamella R1 reinforced w.		2	extension piece 1s R-short (*)	
D8230RG454 493	without isolation	M1	2		
D8230RG454 481	isolation with Polystyrol	M1	2		
D8230RG454 482	Lamella R1 reinforced w.	M1	2	Upcharge powder coated	
D8230RG389	Lamella R2 with extension		3	piece 2s R - middle (*)	
D8230RG389 493	without isolation	M1	3		
D8230RG389 481	isolation with Polystyrol	M1	3		
D8230RG389 482	Lamella R2 w. extension piece	M1	3	Upcharge powder coated	
D8230RG386	Lamella 3 with extension piece		4	3s - long (*)	
D8230RG386 493	without isolation	M1	4		
D8230RG386 481	isolation with Polystyrol	M1	4		
D8230RG386 482	Lamella 3 with extension piece	M1	4	Upcharge powder coated	
D8230RG440 459	Window lamella W1 with	M1	5	extension piece W1 - short (*)	
D8230RG440 482	Window lamella W1 with	M1	5	Upcharge powder coated	
D8230RG441 459	Window lamella W2 w. extension	M1	6	piece W2 - middle (*)	
D8230RG441 482	Window lamella W2 with	M1	6	Upcharge powder coated	
D8230RG442 459	Window lamella W3 with	M1	7	extension piece W3 - long (*)	
D8230RG442 482	Window lamella W3 with	M1	7	Upcharge powder coated	
D8230RG391	Bottom lamella with rubber		8.1	profile; without extension piece 4s pre running photo-cell; without clamp lug	
D8230RG391 493	Bottom lamella with rubber	M1	8.1	profile without extension piece 4 W ≤ 5000 (pre running photo cell)	
D8230RG391 480	isolation with Polystyrol	M1	8.1		
D8230RG391 482	Bottom lamella with rubber	M1	8.1	Upcharge powder coated	
D8230RG437	Lamella bottom type 4a (with		8.2	rubber profile, without extension piece 4s) W > 5000 (pre running photo cell)	
D8230RG437 493	Lamella bottom type 4a with	M1	8.2	rubber profile, without extension piece 4 W > 5000 (pre running photo cell)	
D8230RG437 481	isolation with Polystyrol	M1	8.2		
D8230RG437 482	Lamella bottom with electr.	M1	8.2	Upcharge powder coated	
D8230RG392	Lamella bottom with electr.		8.3	safety edge (without extension piece 5s) electr. safety edge	
D8230RG392 493	Lamella bottom with electr.	M1	8.3	safety edge without extension piece 5 electr. safety edge	
D8230RG392 481	isolation with Polystyrol	M1	8.3		
D8230RG392 482	Lamella bottom with electr.	M1	8.3	Upcharge powder coated	
D8230RG393	Lamella bottom with electr.		8.4	safety edge and ext. seal (without extension piece 5s) electr. safety edge	
D8230RG393 493	Lamella bottom with electr.	M1	8.4	safety edge and ext. seal without extension piece 5 electr. safety edge	
D8230RG393 481	isolation with Polystyrol	M1	8.4		
D8230RG393 482	Lamella bottom with electr.	M1	8.4	Upcharge powder coated	
D4521R1701	Extension piece 1s R, short	PCS	9	Standard lamella	2010-02 >
D4521R1999	Extension piece W1, short	PCS	9	Window lamella	
D4521R1702	Extension piece 2s R, middle	PCS	11	Standard lamella	2010-02 >
D4521R2000	Extension piece W2, middle	PCS	11	Window lamella	
D4521R1699	Extension piece 3s, long	PCS	12	Standard lamella	2010-02 >
D4521R2001	Extension piece W3, long	PCS	12	Window lamella	

Art. No	Product description	Unit	Img	Fits to	Remark
D8150R0103	Extension piece 5s rh, for	PCS	13	bottom lamella el. safety edge, RH	
D8150R0112	Extension piece 4s RH for	PCS	13	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0113	Extension piece 4s LH for	PCS	14	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0104	Extension piece 5s lh, for	PCS	14	bottom lamella el. safety edge, LH	
D4521R0966	Clamping lug standard	PCS	15	Standard lamella	
D4521R1915	Clamping lug Window lamella GL	PCS	15		
D4521R1028	Clamping lug adapter bottom	PCS	16	H>3250 set=4pcs	
D4402RG005 459	Lamella sealing	M1	17		
D4101R0034	Sealing top lamella type 1	PCS	18	L = 6100 mm	
D4402RG006 459	Bottom rubber profile	M1	19	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	19	sealing lip cut-to-size pre running photocell	2011-01 >
D4421RG043 459	Rubber profile with integrated	M1	19	safety edge	
D4421RG044 459	Rubber profile elongated	M1	19	sealing-lip el. safety edge	
D8240R0021	Flat belt set 3000R compl.	PCS	20	2 compl. belts (rh / lh)for all door sizes	
D8240R0025	Add on belt 3000R set	PCS	20	retrofit old doors	>2010-12
D4121R0299	Flat belt L=6000	PCS	20	not f. compl. belt exchange	
D4904R0546	Safety photocell receiver	PCS	21	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	21	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R0943	Bracket pre running photocell	PCS	22	RH	
D4521R1023	Bracket pre running photocell	PCS	22	LH	
D4521R0981	Activator proxilimity switch	PCS	23	RH	
D4521R0982	Activator proxilimity switch	PCS	23	LH	
D4721R0291	Edge cover window C	PCS	24	2pc. for window lamella	
D8130R0011	Flat belt repair-kit	PCS	25	2 belts (1000mm) with clamping parts	
D8130R0042	Adapter kit top 3000R	PCS	26		



5
4
6
9
7
8
3
2
1
10

RR 3000 R >> Barrel complete with Door blade

Notes:
Description RH and/or LH see legend Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG170	Top roll with door blade			RR3000R complete (*) Transport pallet cpl. included	
D8240RG170 111	Top roll w. door blade RR3000R	PCS		Base price	
D8240RG170 199	Top roll w. door blade RR3000R	M2		Upcharge	
D8240RG170 501	Top roll w. door blade RR3000R	M1		Upcharge powder coated total lamella length	
D8240RG113	Barrel complete				
D8240RG113 111	Barrel complete	PCS		Base price	
D8240RG113 459	Barrel complete	M1		Upcharge	
D4521R1242	Spiral disk R1	PCS	1		
D4521R1243	Spiral disk R2	PCS	2		
D4521R1318	Spiral disk R3 LH	PCS	3	H>1875	
D4521R1319	Spiral disk R3 RH	PCS	3	H>1875	
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4		
D8140R0065	Bearing d30	PCS	5		
D4521R1271	Winding plate R	PCS	6		
D4521R1179	Angel disc 1 cpl.	PCS	7		>2010-01
D4521R1167	Bracket disc 3	PCS	8		>2010-01
D5402R0378	Hexagon screw M8x20 Scotch	PCS	9	grip	>2010-01


EN CHAPTER O 20160406 EN


6
1
7
2
8
3
9
4
5

RR 3000 R >> Drive unit complete

Notes:
SL = control cable length


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0054	Gear motor	PCS	1	ACS 80	
D8910R0081	Gear motor	PCS		MCC	
D6622R0017	Brake 10Nm 196V DC HL	PCS	2	look at drive 400/E	2002-01>
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D8410R0066	Encoder 50 pulses compl. with	PCS	4	bracket MCC	
D4904R0450	Encoder 50 pulses only	PCS	5	electronic part MCC	
D4521R1290	Motor plate	PCS	6		
D5004R0041	Vibration absorber	PCS	7	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	8	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	9		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	10	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	10	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	10	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	10	20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	11	(*) SL≤5m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	11	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	11	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	11	(*) 20m<SL≤30m	
D8830RG042	Control cable		12	ACS 80	
D8903RG145	E-Connection MCC		12		
D5504002	Chain spray 400ml	PCS	13	only Chain drive	


4
1
2
3

RR 3000 R >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG006	Top roll cover		1	
D8260RG006 111	Top roll cover	PCS	1	Base price
D8260RG006 459	Top roll cover	M1	1	Upcharge
D8160R0052	Motor cover RH	PCS	2	ACS 80,MCC wall mounted
D8160R0051	Motor cover LH	PCS	2	ACS 80,MCC wall mounted
D8160R0067	Motor cover RH	PCS	2	MCC side frame mounted
D8160R0068	Motor cover LH	PCS	2	MCC side frame mounted
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D4521RG104 232	Lintel profile	PCS	4	RR 3000
D8270RG032	Transport pallet cpl.			for dismountling top roll
D8270RG032 111	Transport pallet cpl.	PCS		base price
D8270RG032 459	Transport pallet cpl.	M1		upcharge
D8270RG033	Transport pallet cpl. special			gas treated; for dismount-ling top roll
D8270RG033 111	Transport pallet cpl. special	PCS		base price
D8270RG033 459	Transport pallet cpl. special	M1		upcharge

RR 3000 XXL / ISO



20
1
11
19
27
6
2
4
22
7
3
24
5b
8b
10
3
25
5a
26
28
12
8a.b
9
A
17
21
18
A
23
16
• DH>4750

RR 3000 XXL / ISO >> Side frame right Side frame left (mirror image)

Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8220RG295 111	Side frame rh XXL complete	PCS	1	
D8220RG295 439	Side frame rh XXL complete	M1	1	
D8220RG295 424	Side frame rh XXL complete	PCS	1	
D8220RG296 111	Side frame lh XXL complete	PCS	1	
D8220RG296 439	Side frame lh XXL complete	M1	1	
D8220RG296 424	Side frame lh XXL complete	PCS	1	
D8220RG299 232	Guide cover top rh XXL	PCS	2	
D8220RG300 232	Guide cover top lh XXL	PCS	2	
D8120R0085	Guide cover bottom rh XXL	PCS	3	
D8120R0086	Guide cover bottom lh XXL	PCS	3	
D4521RG301 232	Gusset top cover rh XXL	PCS	4	
D4521RG302 232	Gusset top cover lh XXL	PCS	4	
D4521R1708	Gusset bottom cover rh XXL	PCS	5a	
D4521R1709	Gusset middle compl. XXL	PCS	5b	
D4521R1671	Spring cover top XXL	PCS	6	
D4521RG275 232	Spring cover middle 2	PCS	7	non drive side, drive side without hand lever, H>3000
D4521RG276 232	Spring cover middle 2 RH	PCS	7	drive side RH, H ≤ 3000
D4521RG277 232	Spring cover middle 2 LH	PCS	7	drive side LH, H ≤ 3000
D4521T0207	Spring cover bottom RH XXL	PCS	8a	(side of unit) H > 3000, RH
D4521T0208	Spring cover bottom LH XXL	PCS	8a	(side of unit) H > 3000, LH
D4521T0206	Spring cover bottom XXL	PCS	8b	(side of bearing) H > 3000
D4802R0009	Tension spring short L=976mm	PCS	9	2000≤H<3000
D4802R0007	Tension spring middle L=1397mm	PCS	9	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D4802R0008	Tension spring long L=2193mm	PCS	9	(H≥4200) or (3500 <H 5300) H≥4000
D8220R0050	Spring suspension top complete	PCS	10	3-hole
D8220R0058	Spring suspension top complete	PCS	10	3/5-hole
D8220R0051	Spring suspension top complete	PCS	10	4-hole
D5105R0081	Belt (blue) L=6000	PCS	11	door type A
D8220TG010 232	Emergency lever	PCS	12	
D4521R1622	Bottomplate RH XXL	PCS	16	
D4521R1623	Bottomplate LH XXL	PCS	16	
D8520RG013 232	Cable Chain complete	PCS	17	drive unit side (*)
D8520RG014 232	Cable Chain complete	PCS	17	non drive unit side (*)
D4907R0024	Connecting cable 4000mm	PCS	18	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	18	
D4907R0030	Connecting cable 8000mm	PCS	18	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	18	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without control DH≤8500 non drive side 6500<(H+W)≤8500

Art. No	Product description	Unit	Img	Fits to
D4907R0023	Connecting cable 12000mm	PCS	18	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	18	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D8120R0047	Belt receptacle	PCS	19	
D4905R0082	Proxmity switch M8 10E	PCS	20	plugconnector Drive Nord, without crash without bracket
D4907R0044	Connecting cable 2m with 2 M8	PCS	20	plugs drive side Stromag
D4904R0547	Photocell transmitter without	PCS	21	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	21	bracket - black LH not for pre-run snow proof
D8120R0049	Cable Duct complete	PCS	22	L=2000
D4521R1090	Spring Suspension	PCS	23	
D4521T0256	Spring Suspension XL	PCS	23	only if more than 14 springs
D4121R0335	Sliding rail L=3000	PCS	24	
D6403R0009	Label emergancy lever	PCS	25	
D6403RG002	Door label	PCS	26	



1
9
2
5
10
3
6
11
4.1
7
12
4.2
13
8
16
17
18
14a
14b
21
15
1:5
19
1:5
20

RR 3000 XXL / ISO >> Panel Door Blade XXL

Notes:
Inclusive lamella seal (pos. 15), clamping plate (pos. 14a) and wind shackle (pos. 14b) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG348	Top lamella XXL, with intel	PCS	1	sealing (*)	
D8230RG348 493	without isolation	M1	1		
D8230RG348 481	isolation with Polystyrol	M1	1		
D8230RG348 482	Top lamella XXL with intel	M1	1		
D8230RG349	Lamella 1 XXL with extension	PCS	2	piece 1 (*) n=13	
D8230RG349 493	without isolation	M1	2		
D8230RG349 481	isolation with Polystyrol	M1	2		
D8230RG349 482	Lamella 1 XXL with extension	M1			
D8230RG350	Lamella 2 XXL with extension	PCS	3	piece 2 (*) n=15	
D8230RG350 493	without isolation	M1	3		
D8230RG350 481	isolation with Polystyrol	M1	3		
D8230RG350 482	Lamella 2 XXL with extension	M1			
D8230RG351	Lamella 3 XXL with extension	PCS	4.1	piece 3 (*)	
D8230RG351 493	without isolation	M1	4.1		
D8230RG351 481	isolation with Polystyrol	M1	4.1		
D8230RG351 482	Lamella 3 XXL with extension	M1			
D8230RG439	Lamella type 4c (*)	PCS	4.2	W > 6000 (pre running photo cell)	
D8230RG439 493	without isolation	M1	4.2		
D8230RG439 481	isolation with Polystyrol	M1	4.2		
D8230RG439 482	Lamella type 4c (*)	M1	4.2		
D8230RG352 493	Windowlamella 1 XXL with	M1	5	extension piece 1 (*)	
D8230RG352 482	Windowlamella 1 XXL with	M1	5		
D8230RG353 493	Windowlamella 2 XXL with	M1	6	extension piece 2 (*)	
D8230RG353 482	Windowlamella 2 XXL with	M1	6		
D8230RG354 493	Windowlamella 3 XXL with	M1	7	extension piece 3 (*)	
D8230RG354 482	Windowlamella 3 XXL with	M1	7		
D8230RG391 493	Bottom lamella with rubber	M1	8.1	profile without extension piece 4 W ≤ 5000 (pre running photo cell)	
D8230RG391 482	Bottom lamella with rubber	M1	8.1	Upcharge powder coated	
D8230RG437 493	Lamella bottom type 4a with	M1	8.2	rubber profile, without extension piece 4 W > 5000 (pre running photo cell)	
D8230RG437 482	Lamella bottom with electr.	M1	8.2	Upcharge powder coated	
D8230RG392 493	Lamella bottom with electr.	M1	8.3	safety edge without extension piece 5 electr. safety edge	
D8230RG392 482	Lamella bottom with electr.	M1	8.3	Upcharge powder coated	
D8230RG393 493	Lamella bottom with electr.	M1	8.4	safety edge and ext. seal without extension piece 5 electr. safety edge	
D8230RG393 482	Lamella bottom with electr.	M1	8.4	Upcharge powder coated	
D4521R1805	Extension piece 1 ISO	PCS	9	top lamella	
D4521R1653	Extension piece 1 XXL	PCS	9		
D4521R1654	Extension piece 2 XXL	PCS	10		
D4521R1655	Extension piece 3 XXL	PCS	11		
D8150R0110	Extension piece 5 rh, for	PCS	12	bottom lamella el. safety edge, RH	
D8150R0116	Extension piece 4a rh, for	PCS	12	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.19 2011-09 > also single
D8150R0117	Extension piece 4a lh, for	PCS	13	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.19 2011-09 > also single
D8150R0111	Extension piece 5s for	PCS	13	bottom lamella el. safety edge, LH	
D4521R1652	Clamping lug standard	PCS	14a		
D4521R1651	Wind shackle	PCS	14b		
D4402RG005 459	Lamella sealing	M1	15		
D4101R0034	Sealing top lamella type 1	PCS	16	L = 6100 mm	
D4402RG006 459	Bottom rubber profile	M1	17	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	17	sealing lip cut-to-size pre running photocell	2011-01 >
D4421RG043 459	Rubber profile with integrated	M1	17	safety edge	
D4421RG044 459	Rubber profile elongated	M1	17	sealing-lip el. safety edge	

Art. No	Product description	Unit	Img	Fits to	Remark
D8240R0028	Flat belt-set 3000XXL-ISO cpl.	M1	18		
D4904R0546	Safety photocell receiver	PCS	19	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	19	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R0943	Bracket pre running photocell	PCS	20	RH	
D4521R1023	Bracket pre running photocell	PCS	20	LH	
D4521R0981	Activator proxilimity switch	PCS	21	RH	
D4521R0982	Activator proxilimity switch	PCS	21	LH	
D8130R0011	Flat belt repair-kit	PCS	22	2 belts (1000mm) with clamping parts	



1
9
2
5
10
3
6
11
4
7
12
13
8
17
16
24
1:5
15
23
22
14b
14a
18
21
20
19
1:5

RR 3000 XXL / ISO >> Panel Door Blade ISO

Notes:
Inclusive lamella seal (pos. 15), clamping plate (pos. 14a) and wind shackle (pos. 14b) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)


Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG372 481	Top lamella ISO, with intel	M1	1	sealing (*)	
D8230RG372 482	Top lamella ISO with intel	M1	1		
D8230RG369 481	Lamella 1 ISO with extension	M1	2	piece 1 (*)	
D8230RG369 482	Lamella 1 ISO with extension	M1	2		
D8230RG370 481	Lamella 2 ISO with extension	M1	3	piece 2 (*)	
D8230RG370 482	Lamella 2 ISO with extension	M1	3		
D8230RG371 481	Lamella 3 ISO with extension	M1	4	piece 3 (*)	
D8230RG371 482	Lamella 3 ISO with extension	M1	4		
D8230RG361 459	Windowlamella 1ISO with	M1	5	extension piece 1 (*)	
D8230RG361 482	Windowlamella 1ISO with	M1	5		
D8230RG362 459	Windowlamella 2 ISO with	M1	6	extension piece 2 (*)	
D8230RG362 482	Windowlamella 2 ISO with	M1	6		
D8230RG363 459	Windowlamella 3 ISO with	M1	7	extension piece 3 (*)	
D8230RG363 482	Windowlamella 3 ISO with	M1	7		
D8230RG373 481	Bottom lamella ISO with rubber	M1	8.1	profile without extension piece 4b W ≤ 5000 (pre running photo cell)	
D8230RG373 476	Bottom lamella ISO with rubber	M1	8.1		
D8230RG373 482	Bottom lamella ISO with rubber	M1	8.1		
D8230RG438 481	Lamella bottom type 4b (with	M1	8.2	rubber profile, without extension piece 4b) W > 5000 (pre running photo cell)	
D8230RG438 476	Lamella bottom type 4b	M1	8.2		
D8230RG438 482	Lamella bottom type 4b	M1	8.2		
D8230RG435 459	Lamella bottom with electr.	M1	8.3	safety edge (without extension piece 5) el. safety edge	
D8230RG435 482	Lamella bottom with electr.	M1	8.3		
D8230RG436 459	Lamella bottom with electr.	M1	8.4	safety edge and ext. seal (without extension piece 5) el. safety edge	
D8230RG436 482	Lamella bottom with electr.	M1	8.4		
D4521R1805	Extension piece 1 ISO	PCS	9	top lamella	
D4521R1653	Extension piece 1 XXL	PCS	9		
D4521R1654	Extension piece 2 XXL	PCS	10		
D4521R1655	Extension piece 3 XXL	PCS	11		
D8150R0110	Extension piece 5 rh, for	PCS	12	bottom lamella el. safety edge, RH	
D8150R0118	Extension piece 4b rh, for	PCS	12	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.19 2011-09 > also single
D8150R0119	Extension piece 4b lh, for	PCS	13	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.19 2011-09 > also single
D8150R0111	Extension piece 5s for	PCS	13	bottom lamella el. safety edge, LH	
D4521R1652	Clamping lug standard	PCS	14a		
D4521R1651	Wind shackle	PCS	14b		
D4402RG012 459	Lamella sealing ISO	M1	15		
D4101R0034	Sealing top lamella type 1	PCS	16	L = 6100 mm	
D4402RG006 459	Bottom rubber profile	M1	17	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	17	sealing lip cut-to-size pre running photocell	2011-01 >
D8240R0028	Flat belt-set 3000XXL-ISO cpl.	M1	18		
D4904R0546	Safety photocell receiver	PCS	19	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	19	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R1658	Bracket pre running photocell	PCS	20	RH	
D4521R1690	Bracket pre running photocell	PCS	20	LH	
D4521R0981	Activator proximity switch	PCS	21	RH	
D4521R0982	Activator proximity switch	PCS	21	LH	
D4121RG034 232	PVC cover profile	PCS	22	L=W+45	
D4121R0398	Isolation L=1000	PCS	23		
D4721R0281	End cap lamella ISO	PCS	24	2x per Lamella	

Art. No	Product description	Unit	Img	Fits to	Remark
D8130R0011	Flat belt repair-kit	PCS	25	2 belts (1000mm) with clamping parts	


3
4
2
1
6
5
9
8
10
7

RR 3000 XXL / ISO >> Barrel XXL complete with Door blade


Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG173	Top roll with door blade			RR3000 XXL complete (*) Transport pallet cpl. included	
D8240RG173 111	Top roll w. door blade RR3000	PCS		Base price	
D8240RG173 199	Top roll w. door blade RR3000	M2		Upcharge	
D8240RG173 501	Top roll w. door blade RR3000	M1		Upcharge powder coated total lamella length	
D8240RG133 232	Barrel complete	PCS		H≤5000	
D8240RG137 232	Barrel complete	PCS		H > 5000	
D4521R1801	Spiral disk 1a	PCS	1	H≤5000	2010-01 >
D4521R1606	Spiral disk XXL 1a	PCS	1	H > 5000	
D4521R1802	Spiral disk 1b	PCS	1	H≤5000	
D4521R1609	Spiral disk XXL 1b	PCS	1	H > 5000	
D4521R1803	Spiral disk 2	PCS	2	H≤5000	2010-01 >
D4521R1607	Spiral disk XXL 2	PCS	2	H > 5000	
D4521R1804	Spiral disk 3	PCS	3	H>3250 H≤5000	2010-01 >
D4521R1608	Spiral disk XXL 3	PCS	3	H > 5000	
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4		
D8140R0060	Bearing d 35	PCS	5		
D4521R0953	Bracket belt	PCS	6		
D4521R1610	Winding plate	PCS	7	H > 5000	
D4521R1611	Winding plate	PCS	7	H≤5000	
D4521R1612	Distance tube	PCS	8		
D8140R0076	Asynchronus spring system	PCS	10	W > 5500	


3
4
2
1
6
5
9
8
10
7

RR 3000 XXL / ISO >> Barrel ISO complete with Door blade


Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8240RG174	Top roll with door blade			RR3000 ISO complete (*) Transport pallet cpl. included
D8240RG174 111	Top roll w. door blade RR3000	PCS		Base price
D8240RG174 199	Top roll w. door blade RR3000	M2		Upcharge
D8240RG174 501	Top roll w. door blade RR3000	M2		Upcharge powder coated total lamella length
D8240RG138 232	Barrel 2 complete ISO (*)	PCS		
D8240RG162 232	Barrel 2c complete ISO (*)	PCS		only chain drive
D4521R1601	Spiral disk ISO 1a	PCS	1	
D4521R1604	Spiral disk ISO 1b	PCS	1	
D4521R1602	Spiral disk ISO 2	PCS	2	
D4521R1603	Spiral disk ISO 3	PCS	3	
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4	
D8140R0060	Bearing d 35	PCS	5	
D4521R0953	Bracket belt	PCS	6	
D4521R1611	Winding plate	PCS	7	H≤5000
D4521R1611	Winding plate	PCS	7	H≤5000
D5103R0082	Locking element pinion	PCS	8	only chain drive
D8120R0072	Roller chain	PCS	9	only Chain drive


10
1
5
6
4
7
8
2
3

RR 3000 XXL / ISO >> Drive unit complete


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0088	Gear motor (**) 220-230/400-	PCS	1	415 V, MCC H > 5000 (not with chain drive) 3000XXL	
D8910R0079	Gear motor (**) 220-230/400-	PCS	1	415V MCC W > 5000 and H ≤ 4700 4700 < H ≤ 5000	>2010-01
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R1490	Torque Arm	PCS	4	(not with chain drive)	
D4521R1096	Motor plate	PCS	5	not with chain drive	
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	9	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	9	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	9	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	9	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	10	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	10	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	10	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	10	(*) SL≤5m	
D8903RG145	E-Connection MCC		11		
D4521R1360	Drive shaft with pinion	PCS	12	only Chain drive	
D8120R0072	Roller chain	PCS	13	only Chain drive	
D5504002	Chain spray 400ml	PCS	14	only Chain drive	


1
4
2
3

RR 3000 XXL / ISO >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG035 232	Top roll cover 1	PCS	1	DW ≤ 2500
D8260RG036 232	Top roll cover 2	PCS	1	2500<DW≤5000
D8260RG034 232	Top roll cover 3	PCS	1	DW > 5000
D8260RG071	Top roll cover for chain drive	PCS	1	only for Chain drive
D8160R0123	Motor cover complete RH	PCS	2	Alu
D8160R0124	Motor cover complete LH	PCS	2	Alu
D8160R0154	Motor cover 3 chain drive RH	PCS	2	with top roll cover, chain drive
D8160R0155	Motor cover 3 chain drive LH	PCS	2	with top roll cover, chain drive
D8160R0156	Motor cover 4 chain drive RH	PCS	2	without top roll cover, chain drive
D8160R0157	Motor cover 4 chain drive LH	PCS	2	without top roll cover, chain drive
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D4521RG297 232	Lintel profile	PCS	4	
D8270RG031	Transport pallet	PCS	4	for dismountling top roll
D8270RG031 111	Transport pallet	PCS	4	base price
D8270RG031 486	Transport pallet	M1	4	upcharge standard
D8270RG031 487	Transport pallet	M1	4	upcharge DW>4000
D8270RG031 477	Transport pallet	M1	4	upcharge gas treated
D8270RG031 478	Transport pallet	M1	4	upcharge gas treated DW>4000

RP 2000



22
18
6
2
5
21
25
20
13
14
4
12
9
16
3
19
8
15
7
11
24
17
23
10

RP 2000 >> Side frame

Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG293	Side frame compl. RH	PCS	1	(without limit switch)	
D8220RG293 111	Side frame compl. RH	PCS	1	Base price	
D8220RG293 439	Side frame compl. RH	M1	1	Upcharge heigth	
D8220RG293 405	Side frame compl. RH	PCS	1	Upcharge Photocell	
D8220RG293 424	Side frame compl. RH	PCS	1	Upcharge LED-stripe	
D8220RG294	Side frame compl. LH	PCS	1	(without limit switch)	
D8220RG294 111	Side frame compl. LH	PCS	1	Base price	
D8220RG294 439	Side frame compl. LH	M1	1	Upcharge heigth	
D8220RG294 405	Side frame compl. LH	PCS	1	Upcharge Photocell	
D8220RG294 424	Side frame compl. LH	PCS	1	Upcharge LED-stripe	
D4521RG282 232	Cover RH	PCS	5		
D4521RG283 232	Cover LH	PCS	5		
D4521R1639	Bracket cover	PCS	6		
D4802R0010	Tension spring short L=600mm	PCS	7	H<2000	
D4802R0009	Tension spring short L=976mm	PCS	7	2000≤H<3000	
D4802R0007	Tension spring middle L=1397mm	PCS	7	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000	
D8220R0050	Spring suspension top complete	PCS	8	3-hole	
D5105R0081	Belt (blue) L=6000	PCS	9	door type A	
D4521R1526	Bottom plate	PCS	10	For RH and LH	
D8520RG013 232	Cable Chain complete	PCS	11	drive unit side (*)	
D8520RG014 232	Cable Chain complete	PCS	11	non drive unit side (*)	
D4907R0024	Connecting cable 4000mm	PCS	11	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	11		
D4907R0030	Connecting cable 8000mm	PCS	11	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	11	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0023	Connecting cable 12000mm	PCS	11	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E	
D4907R0031	Connecting cable 14000mm M8	PCS	11	For photocell and limit swit- chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E	
D8120R0084	Belt pulley cpl	PCS	12	H ≥ 1500	
D4521R1327	Bracket proximity switch RH	PCS	13		
D4521R1328	Bracket proximity switch LH	PCS	13		

Art. No	Product description	Unit	Img	Fits to	Remark
D4905R0082	Proxmity switch M8 10E	PCS	14	plugconnector Drive Nord, without crash without bracket	
D4907R0044	Connecting cable 2m with 2 M8	PCS	14	plugs drive side Stromag	
D4904R0547	Photocell transmitter without	PCS	15	bracket - blue RH not for pre-run	
D4904R0548	Photocell receiver without	PCS	15	bracket - black LH not for pre-run snow proof	
D8120R0049	Cable Duct complete	PCS	16	L=2000	
D4521R1546	Spring Suspension	PCS	17		
D4121R0335	Sliding rail L=3000	PCS	18		
D6403R0008	Label emergancy lever	PCS	19		
D6403RG002	Door label	PCS	20		
D4121R0458	Strap black L=3100	PCS	21		
D8120R0107	Belt pulley RH	PCS	22	H < 1500	
D8120R0115	Belt pulley LH	PCS	22	H < 1500	
D4521R2065	X-level plate RH	PCS	23	only if X-level	>2012-05
D4521R2089	X-level plate LH	PCS	23	only if X-level	>2012-05
D4905R0222	Magnet sensor Schmersal	PCS	24	Schmersal	2008-11 >



18
1
3
6
7
11
12
4
2
16
15
X
9
5
17
8
21
10
X
1:5
19
20
14
13
1:5

RP 2000 >> Panel Door Blade Typ1

Notes:
Inclusive Clamp plate, Hinge profile (pos. 11, 13, 14)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG341 459	Lamella 1 (*)	M1	1		
D8230RG341 482	Lamella 1 (*)	M1		Upcharge powder coated	
D8230RG342 459	Lamella 2 (*)	M1	2		
D8230RG342 482	Lamella 2 (*)	M1		Upcharge powder coated	
D8230RG343 459	Window lamella 1 (*)	M1	3		
D8230RG343 482	Window lamella 1 (*)	M1		Upcharge powder coated	
D8230RG344 459	Window lamella 2 (*)	M1	4		
D8230RG344 482	Window lamella 2 (*)	M1		Upcharge powder coated	
D8230RG345 459	Bottom lamella with rubber	M1	5	profile (without extension piece 4)	
D8230RG345 482	Bottom lamella with rubber	M1		Upcharge powder coated	
D4521R1557	Adapter long	PCS	6		
D4521R1477	Adapter short	PCS	7		
D8150R0120	Adapter bottom RH compl.	PCS	8		
D8150R0121	Adapter bottom LH compl.	PCS	9		
D4121R0225	Slider	PCS	10		
D4521R1535	Clamp plate	PCS	11		
D4102RG004 232	Window pane	PCS	12		
D4521R1028	Clamping lug adapter bottom	PCS	13	H>3250 set=4pcs	
D4102RG005 232	Hinge profile	PCS	14		
D4402R0103	Rubber cable L=500	PCS	15		
D8230RG347 439	Distance profile cpl	M1	16		
D4421RG047 459	Bottom sealing profile	M1	17	pre run. Photocell	
D4421RG036 459	Rubber profile with integrated	M1	17	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	17	safety edge elongated sealing-lip. With curtain tension. ACS50 / MCC	
D4121R0454	Flat belt P100 L=3600	PCS	18	Not for complete belt exchange	
D4904R0545	Safety photocell receiver RH	PCS	19	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	19	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R1629	Bracket pre running photoc. RH	PCS	20		
D4521R1562	Bracket pre running photoc. LH	PCS	20		
D4521R1640	Activator Proximitityswitch RH	PCS	21		
D4521R1641	Activator Proximitityswitch LH	PCS	21		
D4905R0223	Magnet Schmersal	PCS		See Options Pos.8	2008-11 >

EN CHAPTER O 20160406 EN



18
1
2
6
7
11
3
16
15
9
X
5
17
8
21
10
19
20
X
1:5
14
13
1:5

RP 2000 >> Panel Door Blade Typ 2 (Laser)

Notes:
Inclusive Clamp plate, Hinge profile (pos. 11, 13, 14)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG425 459	Lamella 1 laser (*)	M1	1	(*) Just as top lamella	
D8230RG425 482	Lamella 1 laser (*)	M1	1	Upcharge powder coated	
D8230RG425 459	Lamella 1 laser (*)	M1	2	(*) Just as top lamella	
D8230RG425 482	Lamella 1 laser (*)	M1	2	Upcharge powder coated	
D8230RG426 459	Lamella 2 laser (*)	M1	3		
D8230RG426 482	Lamella 2 laser (*)	M1	3	Upcharge powder coated	
D8230RG427 459	Bottom lamella laser	M1	5	(without extension piece 4)	
D8230RG427 482	Bottom lamella laser	M1	5	Upcharge powder coated	
D4521R1557	Adapter long	PCS	6		
D4521R1477	Adapter short	PCS	7		
D8150R0120	Adapter bottom RH compl.	PCS	8		
D8150R0121	Adapter bottom LH compl.	PCS	9		
D4121R0225	Slider	PCS	10		
D4521R1535	Clamp plate	PCS	11		
D4521R1028	Clamping lug adapter bottom	PCS	13	H>3250 set=4pcs	
D4102RG005 232	Hinge profile	PCS	14		
D4402R0103	Rubber cable L=500	PCS	15		
D8230RG347 439	Distance profile cpl	M1	16		
D4402RG009 232	Rubber sealing L=1000	PCS	17		
D4421RG036 459	Rubber profile with integrated	M1	17	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	17	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4121R0454	Flat belt P100 L=3600	PCS	18	Not for complete belt exchange	
D4904R0545	Safety photocell receiver RH	PCS	19	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	19	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521R1629	Bracket pre running photoc. RH	PCS	20		
D4521R1562	Bracket pre running photoc. LH	PCS	20		
D4521R1640	Activator Proximilityswitch RH	PCS	21		
D4521R1641	Activator Proximilityswitch LH	PCS	21		
D4905R0223	Magnet Schmersal	PCS		See Options Pos.8	2008-11 >


EN CHAPTER O 20160406 EN


6
4
2
3
5

RP 2000 >> Barrel complete with Door blade


Notes:
Data of W, H and drive side is necessary

Art. No	Product description	Unit	Img	Fits to
D8240RG167	Top roll with doorblade RP2000			Typ1 complete (*) Transport pallet cpl. included
D8240RG168	Top roll with doorblade RP2000			Typ2 (Laser) cpl (*) Transport pallet cpl. included
D8240RG124 232	Barrel complete (*)	PCS	1	
D4521R1523	Spiral disk	PCS	2	
D4521R1524	Support disc	PCS	3	
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4	
D8140R0065	Bearing d30	PCS	5	
D4521R1560	U-Bracket	PCS	6	


6
9
8
3
4
2
7
5

RP 2000 >> Drive unit complete


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0081	Gear motor	PCS	1	MCC	
D6622R0017	Brake 10Nm 196V DC HL	PCS	2	look at drive 400/E	2002-01>
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4904R0450	Encoder 50 pulses only	PCS	4	electronic part MCC	
D4521R1545	Torque Arm	PCS	5		
D4521R1547	Motor plate	PCS	6		
D5004R0041	Vibration absorber	PCS	7	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	8	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	9		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	10	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	10	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	10	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	10	20m<SL≤30m	
D8903RG145	E-Connection MCC	PCS	11		


10
1
2
5
3
9
4
X
12
7
8
X
1:5
14
6
11

RP 2000 >> Options

Art. No	Product description	Unit	Img	Fits to	Remark
D8260RG032 471	Top roll cover	M1	1	withouth back cover	
D8260RG032 472	Top roll cover	M1	1	with back cover	
D4721RG193	Back cover		2		
D4721RG193 111	Back cover	PCS	2	Base price	
D4721RG193 459	Back cover	M1	2	Upcharge	
D4521R1028	Clamping lug adapter bottom	PCS	2	H>3250 set=4pcs	
D8160R0125	Motor cover plastic RH	PCS	3	Plastic grey RH	
D8160R0126	Motor cover plastic LH	PCS	3	Plastic grey LH	
D8160R0127	Motor cover steel RH	PCS	3	Steel grey RH	
D8160R0128	Motor cover steel LH	PCS	3	Steel grey LH	
D8170RG022 232	2. emergency lever galv.	PCS	4	Steel / Alu	
D4521RG284 232	Lintel profile	PCS	5		
D8470R0014	Safety switch Schmersal RH cpl	PCS	6		
D8470R0015	Safety switch Schmersal LH cpl	PCS	6		
D4905R0222	Magnet sensor Schmersal	PCS	7	Schmersal	2008-11 >
D4905R0223	Magnet Schmersal	PCS	8	See Options Pos.8	2008-11 >
D8230R0313	Cable emergency lever	PCS	9		
D8270RG040	Transport pallet cpl.	PCS	10	for dismantling top roll	
D8120R0078	Brace RH	PCS	11		
D8120R0079	Brace LH	PCS	12		
D4914R0030	Control unit SRB 301MC	PCS	13	only for Schmersal	
D4907V0019	Cable Schmersal switch 15m +	PCS	14	sign Schmersal	2003-11 >


RP 300


X
19
S
20
21
Z
X
22
Z
2
1
U
6
4
5
7
T
23
9
8
S
T
R
24
25
26
V
10
13
12
Y
U
3
17
16
15
18
R
V
W
W
14
11

RP 300 >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG297 439	Side frame incl.photocell R	M1	1	without limit switch	
D8220RG297 554	Side frame incl.photocell R	PCS	1	prepared for limit switch	
D8220RG297 606	Side frame incl.photocell RH	PCS	1	and Telemechanik limit switch CAT3/SIL3	
D8220RG297 606	Side frame incl.photocell RH	PCS	1	and Telemechanik limit switch CAT3/SIL3	
D8220RG297 605	Side frame incl.photocell R	PCS	1	and Schmersal limit switch	
D8220RG297 604	Upcharge cover for switch	PCS	1		
D4721RG194 232	Frame profile ri pre-drilled	PCS	2	Base price	
D4721RG194 439	upcharge	M1	2		
D4721RG196 439	Cover profile ri	M1	3		
D8470R0021	Photocell cpl transm./rec.	PCS	4	with 2 cables	
D4904R0547	Photocell transmitter without	PCS	5	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D4521R1682	Bracket photocell	PCS	7		
D8520R0001	Cable chain safety edge 900mm	PCS	8	DH≤1500 alu sealed	
D8520R0002	Cablechain f. safety edge cpl	PCS	8	L=1400mm 1500<DH≤2500	
D8520R0003	Cablechain f. safety edge cpl	PCS	8	L=1900mm DH>2500	
D8520R0004	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=900mm DH≤1500	
D8520R0005	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=1400mm 1500<DH≤2500	
D8520R0006	Cablechain f.pre-run.photocell	PCS	8	cpl, L=1900mm DH>2500	
D4521R1683	Bracket cable chain	PCS	9		
D4621R0484	Bracket Schmersal switch	PCS	10	Schmersal	
D4521R1685	Bracket Telemecanique switch	PCS	11	Telemecanique	
D4905R0222	Magnet sensor Schmersal	PCS	12	Schmersal	2008-11 >
D4907V0019	Cable Schmersal switch 15m +	PCS	13	sign Schmersal	2003-11 >
D8810R0067	Switch Telemecanique	PCS	14	Telemecanique	
D4521R1710	Bracket damper	PCS	15		
D4402R0082	Rubber damper	PCS	16	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	17		
D4521R0116	Bottom plate RH	PCS	18	Steel	2004-04 >
D4121R0320	Clip	PCS	19		
D8170R0338	Cable fixation set	PCS	20		
D4121R0428	Bell mouth AL	PCS	21		
D4521R1686	Stiffening	PCS	22		
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	23	plug for traffic light DH ≤ 1500	
D4905R0265	Safety switch	PCS	24	Allen Bradley	
D4621R1881	Retaining plate for switch	PCS	25	Allen Bradley	
D4907R0174	Cable 15m w. 1 connector M12x1	PCS	26	Allen Bradley	
D4521V0016	Head plate non drive side RH	PCS		Steel	


EN CHAPTER O 20160406 EN


X
19
S
20
21
Z
X
22
Z
2
1
U
6
4
5
7
T
23
9
8
S
T
R
24
25
26
V
10
13
12
Y
U
3
17
16
15
18
R
V
W
W
14
11

RP 300 >> Side frame left


Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG298 439	Side frame left incl.photocell	M1	1	without limit switch	
D8220RG298 554	Side frame left incl.photocell	PCS	1	prepared for limit switch	
D8220RG298 606	Side frame inc.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 LH/RH	
D8220RG298 606	Side frame inc.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 LH/RH	
D8220RG298 605	Side left right incl.photocell	PCS	1	and Schmersal limit switch CAT3/SIL3	
D8220RG298 604	Upcharge cover for switch	PCS	1		
D4721RG195 232	Frame profile le pre-drilled	PCS	2	Base price	
D4721RG195 439	upcharge	M1			
D4721RG197 439	Cover profile le	M1	3		
D8470R0021	Photocell cpl transm./rec.	PCS	4	with 2 cables	
D4904R0548	Photocell receiver without	PCS	5	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D4521R1682	Bracket photocell	PCS	7		
D8520R0001	Cable chain safety edge 900mm	PCS	8	DH≤1500 alu sealed	
D8520R0002	Cablechain f. safety edge cpl	PCS	8	L=1400mm 1500<DH≤2500	
D8520R0003	Cablechain f. safety edge cpl	PCS	8	L=1900mm DH>2500	
D8520R0004	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=900mm DH≤1500	
D8520R0005	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=1400mm 1500<DH≤2500	
D8520R0006	Cablechain f.pre-run.photocell	PCS	8	cpl, L=1900mm DH>2500	
D4521R1683	Bracket cable chain	PCS	9		
D4621R0484	Bracket Schmersal switch	PCS	10	Schmersal	
D4521R1685	Bracket Telemecanique switch	PCS	11	Telemecanique	
D4905R0222	Magnet sensor Schmersal	PCS	12	Schmersal	2008-11 >
D4907V0019	Cable Schmersal switch 15m +	PCS	13	sign Schmersal	2003-11 >
D8810R0067	Switch Telemecanique	PCS	14	Telemecanique	
D4521R1710	Bracket damper	PCS	15		
D4402R0082	Rubber damper	PCS	16	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	17		
D4521R0117	Bottom plate LH	PCS	18	Steel	2004-04 >
D4121R0320	Clip	PCS	19		
D8170R0338	Cable fixation set	PCS	20		
D4121R0428	Bell mouth AL	PCS	21		
D4521R1686	Stiffening	PCS	22		
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	23	plug for traffic light DH ≤ 1500	
D4905R0265	Safety switch	PCS	24	Allen Bradley	
D4621R1881	Retaining plate for switch	PCS	25	Allen Bradley	
D4907R0174	Cable 15m w. 1 connector M12x1	PCS	26	Allen Bradley	
D4521V0015	Head plate non drive side LH	PCS		Steel	

EN CHAPTER O 20160406 EN


X
Y
4
5
2
Y
4
3
X
1

RP 300 >> Top roll / curtain

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG058	Door blade PVC 1.4 w. stripes		1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed	
D8230RG359	Door blade Rolltex Plus /		1	Original / NomaTex	
D8230RG359 111	Base price	PCS	1	Base price	
D8230RG359 204	Rolltex Plus/RollTex original	M2	1	Upcharge	
D8230RG359 203	Rolltex Original painted	M2	1	Upcharge	
D8230RG359 189	Nomatex	M2	1	Upcharge	
D8230RG359 625	Window horizontal / vertikal	PCS	1	Upcharge	
D8230RG359 619	Vision panel	M1	1	Upcharge	
D8230RG062a	Door blade Travitop 0.8	M2		without vision panel blue or red	
D8230RG062b	Door blade Travitop 0.8	M2		without vision panel special colour	
D8230RG062c	Door blade Travitop 0.8	M2		with vision panel blue or red	
D8230RG062d	Door blade Travitop 0.8	M2		with vision panel special colour	
D8240RG099 467	Top roll alu with bearings	M1	2	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D8240RG101	Top roll alu with bearing and	PCS	3	door blade shaft galvanized	
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive	
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf	



Pre-running Photocell
Safety edge
X
Y
4
10
8
9
6
7
5
16
17
18
19
12
11
13
1
3
14
2
15


RP 300 >> Bottom profile

Notes:
Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.6/7)

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG062	Bottom beam complete		1		
D8550RG062 111	Base price	PCS	1	Base price	
D8550RG062 492	Rubber profile	M1	1	Upcharge	
D8550RG062 474	Rubber profile, elongated	M1	1	sealing-lip Upcharge	
D4721RG057 459	Bottom beam pre-drilled	M1	2	MP RR320 Standard mot sealed Alu	
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	3	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4421RG013 459	Rubber profile cut-to-size	M1	3	prerunning photocell	
D8150R0097	Sliding guide ri/le pre.-run.	PCS	4	photocell / safety edge	
D8450R0007	Prenunning photocell RH/LH	PCS	5	without sliding part prerun-ning photocell without crash	
D4904R0544	Safety photocell transmitter	PCS	6	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0545	Safety photocell receiver RH	PCS	7	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4621R0483	Bracket pre-running safetybeam	PCS	8		
D4621R0486	Distance plate pre-running	PCS	9	safety beam	
D4050R0057	Buffer pre-running safety beam	PCS	10		
D8450R0008	Bracket with magnet cpl	PCS	11	Schmersal	
D4621R0485	Bracket magnet	PCS	12	Schmersal	
D4905R0223	Magnet Schmersal	PCS	13	See Options Pos.8	2008-11 >
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	14		
D6403V0009	Sign yellow/black	PCS	15		
D4121R0523	Sliding part (finger guard)	PCS	16		


EN CHAPTER O 20160406 EN


6
2
3
1
7
7a
8
4


Antrieb Kette / Chain drive
25
20
22
26
23
24
28
27
21
23
1

RP 300 >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0091	Gear motor	PCS	1	Drive Standard ACS50 60 80 without control H≤3900	2006-01 >
D8910R0076	Gear motor with MCC encoder	PCS	1	Drive Standard MCC H≤3900	
D8910R0104	UL-drive unit GfA, i=15 with	PCS	1	encoder MCC UL 208-240V	2015-05 >
D8910R0105	UL-drive unit GfA, i=15 with	PCS	1	encoder MCC UL 460-480V	2015-05 >
D8910R0106	UL-drive unit GfA, i=15	PCS	1	without encoder ACS 50 UL,without control UL	2015-05 >
D8410RG096	Chain drive cpl	PCS	1	chain drive	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D6622R0033	Brake GfA for UL motor	PCS	2	for UL motor	2015-05 >
D8110R0086	Torque arm	PCS	3	Drive GfA ACS50 60 80 MCC without control galva-nized steel	2000-03 >
D4905R0228	Emergency crank handle switch	PCS	4	ACS50 MCC without balan-cing	2008-07 >
D8903RG144	E-Connection ACS 50	PCS	5	without control	2003-03 >
D8903RG145	E-Connection MCC	PCS	5		
D4521R1081	Crank 0.7m GfA	PCS	6	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D4521R0968	Crank 1.0m GfA	PCS	6	GfA 2000<H≤3000 ACS50 60 80 MCC without control without balancing	
D4521R1425	Crank 1.7m GfA	PCS	6	3000<H≤3500 ACS50 60 80 MCC without control wit-hout balancing	
D4521R1281	Crank with cardan joint GfA	PCS	6		
D4905018	Limit switch section 6 switch.	PCS	7	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D4801240	Cam drive GfA	PCS	7a	ACS50 60 80 MCC without control	2007-03 >
D8410R0080	Encoder MCC with bracket for	PCS	8	drive GfA MCC;drive GfA	2008-07 >
D4909R0004	Full wave brake rectifier 196V	PCS	9	(230/400V) without control	2015-05 >
D4909R0049	Half wave rectifier UL 480V	PCS	9	without control	2015-05 >
D4909R0050	Full wave rectifier UL 230V	PCS	9	without control	2015-05 >
D4521R1643	Bush	PCS	20	chain drive	
D8140R0005	Flange bearing D 30	PCS	21	Steel Alu chain drive	
D4521R1598	Shaft	PCS	22	chain drive	
D5101R0091	Chain wheel	PCS	23	chain drive	
D8110R0079	Roller chain complete	PCS	24	chain drive	
D4521R1645	Chain protection	PCS	25	chain drive	
D4121R0210	Damper	PCS	26	chain drive Drive GfA	
D4121R0429	Chain adjuster chain drive	PCS	27		
D4802R0039	Tension spring 1,5x12x77	PCS	28	chain drive	


4
5
8
1
2
3
7
6

RP 300 >> Options

Art. No	Product description	Unit	Img	Fits to	Remark
D4721RG049 459	Top roll cover without bracket	M1	1	Alu std. and Mini	
D4721RG198 459	Top roll cover without bracket	M1	1	chain drive,drive side right	
D4721RG199 459	Top roll cover without bracket	M1	1	chain drive,drive side left	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive	
D8520RG010 459	Top roll felt seal 300	M1	3	RR320	
D8160R0107	Motor cover steel cpl RH	PCS	4	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	4	drive vertical RR320	
D8160R0129	Motor cover steel vario/chain	PCS	4	drive cpl	
D4521R1491	Bracket motor cover RH	PCS	5	Motorcover plastic / steel drive vertical	
D4521R1488	Bracket motor cover LH	PCS	5	Motorcover plastic / steel drive vertical	
D4121R0222	Cover black	PCS	6		
D4721RG056 232	Distance rod Alu	PCS	7	Alu not sealed	2004-02 >
D6403V0001	Albany Assa Abloy sign 210x100	PCS	8		
D4914R0031	Safety relay SRB301 24 VDC	PCS	9	Schmersal	2009-07 >
D4914R0024	Safety relay SRB200 24 VDC	PCS	9	Telemecanique	2009-07 >
D8220RG311	Column cpl.		10	LH+RH (2.pcs.)	
D8220RG311 398	Column	PCS	10	l = 2350mm	
D8220RG311 399	Column	PCS	10	l = 2900mm	
D8220RG311 400	Column	PCS	10	l = 3450 mm	


RP 300 Wide


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
R
R
S
S
T
T
U
U

RP 300 Wide >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG337 111	Side frame R incl.photocell	PCS	1	without limit switch Base price	
D8220RG337 439	Side frame R incl.photocell	M1	1	upcharge	
D8220RG337 554	Side frame R incl.photocell	PCS	1	prepared for limit switch prepared for switch	
D8220RG337 606	Side frame R incl.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 with tele-mecanique	
D8220RG337 606	Side frame R incl.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 with tele-mecanique	
D8220RG337 605	Side frame R incl.photocell	PCS	1	and Schmersal limit switch with Schmersal	
D8220RG337 173	Side frame R incl.photocell	PCS	1	upcharge cable chain	
D8220RG337 178	Side frame R incl.photocell	PCS	1	upcharge crank	
D4721RG297 232	Frame profile ri pre-drilled	PCS	2	Base price	
D4721RG297 439	Frame profile ri pre-drilled	M1	2	upcharge	
D4721RG299 232	Cover profile ri	PCS	3	Base price	
D4721RG299 439	Cover profile ri	M1	3	upcharge	
D8470R0021	Photocell cpl transm./rec.	PCS	4	with 2 cables	
D4904R0547	Photocell transmitter without	PCS	5	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D4521R1682	Bracket photocell	PCS	7		
D8520R0001	Cable chain safety edge 900mm	PCS	8	DH≤1500 alu sealed	
D8520R0002	Cablechain f. safety edge cpl	PCS	8	L=1400mm 1500<DH≤2500	
D8520R0003	Cablechain f. safety edge cpl	PCS	8	L=1900mm DH>2500	
D8520R0018	Cable chain f.safety edge cpl.	PCS	8	L=3000mm DH>3500	
D8520R0004	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=900mm DH≤1500	
D8520R0005	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=1400mm 1500<DH≤2500	
D8520R0006	Cablechain f.pre-run.photocell	PCS	8	cpl, L=1900mm DH>2500	
D8520R0019	Cable chain f. pre-run.	PCS	8	photocell cpl, L=3000mm DH>3500	
D4521R1683	Bracket cable chain	PCS	9		
D4621R0484	Bracket Schmersal switch	PCS	10	Schmersal	
D4521R1685	Bracket Telemecanique switch	PCS	11	Telemecanique	
D4905R0222	Magnet sensor Schmersal	PCS	12	Schmersal	2008-11 >
D4907V0019	Cable Schmersal switch 15m +	PCS	13	sign Schmersal	2003-11 >
D4907R0159	Cable Schmersal switch 30m	PCS	13		
D8810R0067	Switch Telemecanique	PCS	14	Telemecanique	
D8810R0069	Switch Telemecanique 30m	PCS	14	Telemecanique	
D4521R1710	Bracket damper	PCS	15		
D4402R0082	Rubber damper	PCS	16	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	17		
D4521R0116	Bottom plate RH	PCS	18	Steel	2004-04 >
D8170R0338	Cable fixation set	PCS	19		
D4121R0428	Bell mouth AL	PCS	20		
D4521R1686	Stiffening	PCS	21		
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	22	plug for traffic light DH ≤ 1500	
D4121R0320	Clip	PCS	23		


EN CHAPTER O 20160406 EN


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
R
S
T
U

RP 300 Wide >> Side frame left


Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG338 111	Side frame left incl.photocell	PCS	1	without limit switch Base price	
D8220RG338 439	Side frame left incl.photocell	M1	1	upcharge	
D8220RG338 554	Side frame left incl.photocell	PCS	1	prepared for limit switch prepared for switch	
D8220RG338 606	Side frame right inc.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 with tele-mecanique LH/RH	
D8220RG338 606	Side frame right inc.photocell	PCS	1	and Telemechanik limit switch CAT3/SIL3 with tele-mecanique LH/RH	
D8220RG338 605	Side left right incl.photocell	PCS	1	I and Schmersal limit switch CAT3/SIL3 with schmersal	
D8220RG338 173	Side left right incl.photocell	PCS	1	upcharge cable chain	
D8220RG338 178	Side left right incl.photocell	PCS	1	upcharge crank	
D4721RG298 232	Frame profile le pre-drilled	PCS	2	Base price	
D4721RG298 439	Frame profile le pre-drilled	M1		upcharge	
D4721RG300 232	Cover profile le	PCS	3	Base price	
D4721RG300 439	Cover profile le	M1		upcharge	
D8470R0021	Photocell cpl transm./rec.	PCS	4	with 2 cables	
D4904R0548	Photocell receiver without	PCS	5	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D4521R1682	Bracket photocell	PCS	7		
D8520R0001	Cable chain safety edge 900mm	PCS	8	DH≤1500 alu sealed	
D8520R0002	Cablechain f. safety edge cpl	PCS	8	L=1400mm 1500<DH≤2500	
D8520R0003	Cablechain f. safety edge cpl	PCS	8	L=1900mm DH>2500	
D8520R0018	Cable chain f.safety edge cpl.	PCS	8	L=3000mm DH>3500	
D8520R0004	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=900mm DH≤1500	
D8520R0005	Cablechain f.pre-run.Photocell	PCS	8	cpl, L=1400mm 1500<DH≤2500	
D8520R0006	Cablechain f.pre-run.photocell	PCS	8	cpl, L=1900mm DH>2500	
D8520R0019	Cable chain f. pre-run.	PCS	8	photocell cpl, L=3000mm DH>3500	
D4521R1683	Bracket cable chain	PCS	9		
D4621R0484	Bracket Schmersal switch	PCS	10	Schmersal	
D4521R1685	Bracket Telemecanique switch	PCS	11	Telemecanique	
D4905R0222	Magnet sensor Schmersal	PCS	12	Schmersal	2008-11 >
D4907V0019	Cable Schmersal switch 15m +	PCS	13	sign Schmersal	2003-11 >
D4907R0159	Cable Schmersal switch 30m	PCS	13		
D8810R0067	Switch Telemecanique	PCS	14	Telemecanique	
D8810R0069	Switch Telemecanique 30m	PCS	14	Telemecanique	
D4521R1710	Bracket damper	PCS	15		
D4402R0082	Rubber damper	PCS	16	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	17		
D4521R0117	Bottom plate LH	PCS	18	Steel	2004-04 >
D8170R0338	Cable fixation set	PCS	19		
D4121R0428	Bell mouth AL	PCS	20		
D4521R1686	Stiffening	PCS	21		
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	22	plug for traffic light DH ≤ 1500	
D4121R0320	Clip	PCS	23		

EN CHAPTER O 20160406 EN


X
1:2
Y
1:5
5
4
2
3
Y
1
X

RP 300 Wide >> Top roll / curtain


Art. No	Product description	Unit	Img	Fits to
D8230RG455	Door blade PVC 1,8 w. stripes		1	
D8230RG455 142	Door blade PVC	PCS	1	Base price
D8230RG455 144	Stripes blue or red	PCS	1	Upcharge
D8230RG455 143	Stripes in special colour	PCS	1	Upcharge
D8230RG457	Door blade Rolltex Plus /		1	Original / NomaTex
D8230RG457 154	Doorblade	PCS	1	Base price Rolltex
D8230RG457 137	Doorblade	PCS	1	Base price Nomatex
D8230RG457 201	Rolltex Plus / RollTex	M2	1	original Upcharge Rolltex
D8230RG457 189	Nomatex	M2	1	Upcharge Nomatex
D8230RG457 625	Window horizontal / vertikal	PCS	1	
D8230RG062a	Door blade Travitop 0.8	M2		without vision panel blue or red
D8230RG062b	Door blade Travitop 0.8	M2		without vision panel special colour
D8230RG062c	Door blade Travitop 0.8	M2		with vision panel blue or red
D8230RG062d	Door blade Travitop 0.8	M2		with vision panel special colour
D8240RG183 459	Top roll alu D=140 w. bearing	M1	2	Alu-tube Steel shaft galvanized
D8240RG184	Top roll alu D=140 w. bearing	PCS	3	and door blade Alu-tube Steel shaft galvanized
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf


Safety edge
Pre-running photocell
R
S
10
8
9
6
7
5
16
4
13
12
11
S
R
1
3
14
2
15

RP 300 Wide >> Bottom profile

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG078	Bottom beam H=160 complete		1		
D8550RG078 157	Base price	PCS	1	Base priceSafety edge	
D8550RG078 140	Base price	PCS	1	Base pricePreFC	
D8550RG078 485	Rubber profile	M1	1	UpchargeSafety edge	
D8550RG078 483	Rubber profile	M1	1	UpchargePreFC	
D8550RG078 230	Rubber profile, elongated	PCS	1	sealing-lip Upcharge	
D4721RG301 459	Bottom beam H=160 pre-drilled	M1	2		
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	3	safety edge elongated sealing-lip. With curtain tension. ACS50 / MCC	
D8550RG073 459	Rubber profile with integrated	M1	3	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	3	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D4421RG013 459	Rubber profile cut-to-size	M1	3	prerunning photocell	
D4421RG014 459	Rubber profile pre-running	M1	3	Photocell elongated sealing-lip for MP doors	
D8550RG075 459	Rubber profile for prerunning	M1	3	photocell, integrated sealing to sideframe / not MP doors 450/600	
D8550RG076 459	Rubber profile for prerunning	M1	3	photocell, elongated sealing-lip integrated sealing to sideframe 450/600	
D8150R0125	Sliding guide ri/le, pre.-run.	PCS	4	photocell / safety edge	
D8450R0007	Prenunning photocell RH/LH	PCS	5	without sliding part prerunning photocell without crash	
D4904R0544	Safety photocell transmitter	PCS	6	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0545	Safety photocell receiver RH	PCS	7	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4621R0483	Bracket pre-running safetybeam	PCS	8		
D4621R0486	Distance plate pre-running	PCS	9	safety beam	
D4050R0057	Buffer pre-running safety beam	PCS	10		
D8450R0008	Bracket with magnet cpl	PCS	11	Schmersal	
D4621R0485	Bracket magnet	PCS	12	Schmersal	
D4905R0223	Magnet Schmersal	PCS	13	See Options Pos.8	2008-11 >
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	14		
D6403V0009	Sign yellow/black	PCS	15		
D4121R0583	Finger protection	PCS	16	for MP doors	

EN CHAPTER O 20160406 EN


2
3
1
4
8
7


RP 300 Wide >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0102	Drive unit cpl GfA	PCS	1	ACS50,without control	
D8910R0103	Gear motor with MCC encoder	PCS	1	MCC	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D8110R0102	Torque arm	PCS	3		
D4905R0228	Emergency crank handle switch	PCS	4	ACS50 MCC without balancing	2008-07 >
D8903RG144	E-Connection ACS 50		5	without control	2003-03 >
D8903RG145	E-Connection MCC		5		
D4521R1081	Crank 0.7m GfA	PCS	6	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D4521R0968	Crank 1.0m GfA	PCS	6	GfA 2000<H≤3000 ACS50 60 80 MCC without control without balancing	
D4521R1425	Crank 1.7m GfA	PCS	6	3000<H≤3500 ACS50 60 80 MCC without control without balancing	
D4521R2082	Crank 2.4m GfA	PCS	6	GfA H>3500 H≤4200 ACS50 60 80 MCC without control	
D4521R2099	Crank 3,3m GfA	PCS	6	H>4200	
D4521R1281	Crank with cardan joint GfA	PCS	6		
D4905018	Limit switch section 6 switch.	PCS	7	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D8410R0080	Encoder MCC with bracket for	PCS	8	drive GfA MCC;drive GfA	2008-07 >

RP 300 Wide >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D4721RG302 459	Top roll cover without bracket	M1	1		
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive	
D8160R0149	Motor cover steel cpl RH	PCS	3		
D8160R0150	Motor cover steel cpl LH	PCS	3		
D4521R1491	Bracket motor cover RH	PCS	4	Motorcover plastic / steel drive vertical	
D4521R1488	Bracket motor cover LH	PCS	4	Motorcover plastic / steel drive vertical	
D4121R0222	Cover black	PCS	5		
D4721RG056 232	Distance rod Alu	PCS	6	Alu not sealed	2004-02 >
D6403V0001	Albany Assa Abloy sign 210x100	PCS	7		
D4914R0031	Safety relay SRB301 24 VDC	PCS	8	Schmersal	2009-07 >
D4914R0024	Safety relay SRB200 24 VDC	PCS		Telemecanique	2009-07 >

RR Clean


7
2
6
1:5
11
9
10
1:5
1
5
8
1:5
4
3


RR Clean >> Side frame righ (see drawing side frame left)

Art. No	Product description	Unit	Img	Fits to
D8220RG312	RH side frame complete	PCS		
D8220RG312 167	RH side frame complete	PCS		Base Inox
D8220RG312 168	RH side frame complete	PCS		Base galv steel
D8220RG312 455	RH side frame complete	M1		Upcharge height inox
D8220RG312 456	RH side frame complete	M1		Upcharge height galv steel
D8220RG312 612	RH side frame complete	PCS		Upcharge Magic switch
D4621RG191 439	RH side frame cover	M1	1	A2
D4521RG342 439	RH side frame cover	M1	1	Steel
D4621R0286	RH head plate drive side	PCS	2	A2
D4621R0490	RH bottom plate	PCS	3	A2
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC
D4907R0030	Connecting cable 8000mm	PCS	4	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D8520R0001	Cable chain safety edge 900mm	PCS	5	DH≤1500 alu sealed
D8520R0007	Cable chain safety edge 1400mm	PCS	5	Alu sealed, 1500<DH≤2500
D8520R0008	Cable chain safety edge 2160mm	PCS	5	Alu sealed, DH>2500
D8520R0011	Cable chain prerunning photoc.	PCS	5	900mm DH≤1500
D8520R0009	Cable chain prerunning photoc.	PCS	5	1400mm 1500<DH≤2500
D8520R0010	Cable chain prerunning photoc.	PCS	5	2160mm DH>2500
D4905V0056	Foil key MCC display	PCS	6	integrated MCC DH≥1730
D4907R0141	Display cable 0,2m	PCS	6	MCC; DH≥1730
D4402RG009 232	Rubber sealing L=1000	PCS	7	
D4401R0035	Foam sealing L=1000	PCS	7	
D8410R0092	Main switch	PCS	8	MCC
D4904R0497	Magic Switch UP 12-24VAC/DC	PCS	9	50/60Hz Special apl. Integrated actuator flush mounted
D4121R0478	Plate activator	PCS	9	integrated actuator
D4907R0149	Number cable 3x0,75 without PE	PCS	9	L=7000 integrated actuator
D8420R0018	Terminal box cpl. with LED	PCS	10	USV
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	11	plug for traffic light DH ≤ 1500


7
2
6
1:5
11
9
10
1:5
1
5
8
1:5
4
3


RR Clean >> Side frame left

Art. No	Product description	Unit	Img	Fits to
D8220RG313	LH side frame complete	PCS		
D8220RG313 167	LH side frame complete	PCS		Base Inox
D8220RG313 168	LH side frame complete	PCS		Base galv steel
D8220RG313 455	LH side frame complete	M1		Upcharge height inox
D8220RG313 456	LH side frame complete	M1		Upcharge height galv steel
D8220RG313 612	LH side frame complete	PCS		Upcharge Magic switch
D4621RG192 439	LH side frame cover	M1	1	A2
D4521RG343 439	LH side frame cover	M1	1	Steel
D4621R0287	LH head plate drive side	PCS	2	A2
D4621R0491	LH bottom plate	PCS	3	
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC
D4907R0030	Connecting cable 8000mm	PCS	4	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D8520R0001	Cable chain safety edge 900mm	PCS	5	DH≤1500 alu sealed
D8520R0007	Cable chain safety edge 1400mm	PCS	5	Alu sealed, 1500<DH≤2500
D8520R0008	Cable chain safety edge 2160mm	PCS	5	Alu sealed, DH>2500
D8520R0011	Cable chain prerunning photoc.	PCS	5	900mm DH≤1500
D8520R0009	Cable chain prerunning photoc.	PCS	5	1400mm 1500<DH≤2500
D8520R0010	Cable chain prerunning photoc.	PCS	5	2160mm DH>2500
D4905V0056	Foil key MCC display	PCS	6	integrated MCC DH≥1730
D4907R0141	Display cable 0,2m	PCS	6	MCC; DH≥1730
D4402RG009 232	Rubber sealing L=1000	PCS	7	
D4401R0035	Foam sealing L=1000	PCS	7	
D8410R0092	Main switch	PCS	8	MCC
D4904R0497	Magic Switch UP 12-24VAC/DC	PCS	9	50/60Hz Special apl. Integrated actuator flush mounted
D4121R0478	Plate activator	PCS	9	integrated actuator
D4907R0149	Number cable 3x0,75 without PE	PCS	9	L=7000 integrated actuator
D8420R0018	Terminal box cpl. with LED	PCS	10	USV
D4907R0131	Cable 3x0,25 10m with 1 M8	PCS	11	plug for traffic light DH ≤ 1500


4
2
1
3
5
1-2

RR Clean >> Top roll with curtain


Art. No	Product description	Unit	Img	Fits to
D8230RG416	Door blade PVC with stripes		1	white
D8230RG416 141	Door blade PVC with stripes	PCS	1	Base price
D8230RG416 196	Reinforcement stripes white	M2	1	Upcharge
D8230RG416 193	Reinforcement stripes in	M2	1	special colours Upcharge
D8240RG099 432	Top roll alu with bearing	M1	2	shaft A2
D8240RG146	Top roll alu with va shafts	PCS	3	with bearings and door blade
D8140R0062	Flange bearing D 30	PCS	4	A2
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf


2
1
3
4
5
7
2
3
6
3

RR Clean >> Bottom profile with safety edge

Notes:
Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.3)


Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG063 484	Bottom profile complete	M1		prerunning photocell	
D8550RG063 470	Bottom profile complete	M1		safety edge	
D4121R0461	Sliding part safety edge	PCS	1		
D4121R0462	Sliding part prerunning RH	PCS	2	photocell	
D4121R0469	Sliding part prerunning LH	PCS	2	photocell	
D8450R0007	Prenunning photocell RH/LH	PCS	3	without sliding part prerun-ning photocell without crash	
D4121R0468	Guiding photocell	PCS	3	prerunning photocell	
D4904R0544	Safety photocell transmitter	PCS	3	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0545	Safety photocell receiver RH	PCS	3	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4521R1901	Weight	PCS	4		
D4621RG188 459	Half profile for bottom prof.	M1	5	va A2	
D4521RG337 459	Half profile for bottom prof.	M1	5	galv. steel Steel	
D4421RG036 459	Rubber profile with integrated	M1	6	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG013 459	Rubber profile cut-to-size	M1	6	prerunning photocell	
D4910V0013	Cable connection UR2	PCS	7	safety edge	



Pos. 3 and 8 not shown

RR Clean >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG076 232	Gear motor cpl.	PCS		No E-Connection	2006-01 >
D8910R0091	Gear motor	PCS	1	Drive Standard ACS50 60 80 without control H≤3900	2006-01 >
D8910R0076	Gear motor with MCC encoder	PCS		Drive Standard MCC H≤3900	
D6601R0151	Gear motor without MCC encoder	PCS		, UL-version UL-version	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4906R0095	Terminal box w. mounting rail	PCS	3	MCC	
D4905018	Limit switch section 6 switch.	PCS	4	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D8110R0087	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control stain-less steel	2000-03 >
D8110R0086	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control galva-nized steel	2000-03 >
D4801240	Cam drive GfA	PCS	6	ACS50 60 80 MCC without control	2007-03 >
D4521R1081	Crank 0.7m GfA	PCS	7	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D8903RG144	E-Connection ACS 50		8	without control	2003-03 >
D8903RG145	E-Connection MCC		8		
D8410R0083	Electrical saving for crank	PCS	9	Drive Standard ACS50 60 80 MCC without control	> 2008-06
D8410R0080	Encoder MCC with bracket for	PCS	10	drive GfA MCC;drive GfA	2008-07 >


6
8
1
2
5
10
9
7
1
4
3

RR Clean >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D8260RG041 459	Top roll cover with cap, drive	M1	1	side RH A2	
D8260RG042 459	Top roll cover with cap, drive	M1	1	side LH A2	
D8260RG043 459	Top roll cover with cap, drive	M1	1	side RH Steel	
D8260RG044 459	Top roll cover with cap drive	M1	1	side LH Steel	
D4621RG190 459	Sealing sheet for lintel	M1	1		
D4521R1920	Cap for top roll cover, drive	PCS	1	side RH Steel	
D4521R1921	Cap for top roll cover, drive	PCS	1	side LH Steel	
D4121R0475	Sealing	PCS	2		
D4521R1900	Bracket for cover	PCS	3		
D4521RG318 459	Sealing plate for drive side	M1	4	RH MCC	
D4521RG319 459	Sealing plate for drive side	M1	4	LH MCC	
D4521RG338 459	Sealing plate ACS50	M1	4	ACS50	
D4402RG009 232	Rubber sealing L=1000	PCS	5		
D4401R0035	Foam sealing L=1000	PCS	5		
D4621R0552	Motor cover 6°, RH	PCS	6		
D4621R0553	Motor cover 6°, LH	PCS	6		
D4621R0554	Wall plate motor cover RH	PCS	7	A2	
D4621R0555	Wall plate motor cover LH	PCS	7	A2	
D4906R0095	Terminal box w. mounting rail	PCS	8	MCC	
D8160R0132	Cable entry frame with sleeve	PCS	9	with motor cover	
D8220RG317 459	Lintel profile with sealing	M1	10		>2011-10
D8220RG332 232	Lintel profile complete	PCS	10	Alu sealed	2011-11 >
D8880R0005	Integrated traffic light/	PCS	11	flash light	
D4907R0074	Connecting cable 4000mm crash	PCS	11	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0075	Connecting cable 6000mm crash	PCS	11	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0076	Connecting cable 8000mm crash	PCS	11	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	

RR Food


12
13
7
2
1
8
6
9
5
6
10
11
3
4

RR Food >> Side frame right


Art. No	Product description	Unit	Img	Fits to
D8220RG318 439	RH side frame complete	M1		
D4621RG195 439	RH cover profile	M1	1	with easy open
D4621RG205 439	RH cover profile easy open	M1	1	with easy open
D4621R0519	Head plate drive side LH/RH	PCS	2	drive side right
D4621R0520	Head plate non drive side LH/RH	PCS	2	drive side left
D4621R0511	RH bottom plate	PCS	3	A2
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC
D8520R0001	Cable chain safety edge 900mm	PCS	5	DH≤1500 alu sealed
D8520R0007	Cable chain safety edge 1400mm	PCS	5	Alu sealed, 1500<DH≤2500
D8520R0008	Cable chain safety edge 2160mm	PCS	5	Alu sealed, DH>2500
D8520R0011	Cable chain prerunning photoc.	PCS	5	900mm DH≤1500
D8520R0009	Cable chain prerunning photoc.	PCS	5	1400mm 1500<DH≤2500
D8520R0010	Cable chain prerunning photoc.	PCS	5	2160mm DH>2500
D8520R0017	Cable chain crash 900mm	PCS	5	DH≤1500
D8520R0015	Cable chain crash 1400mm	PCS	5	1500<DH≤2500
D8520R0016	Cable chain crash 2160mm	PCS	5	DH>2500
D8220R0098	Weight Food 1 cpl. = 43.8 kg	PCS	6	with balancing system
D8220R0099	Weight Food 2 cpl. = 50.3 kg	PCS	6	with balancing system
D8220R0101	Weight Food 3 cpl. = 26 kg	PCS	6	with balancing system
D8220R0102	Weight Food 4 cpl. = 34.9 kg	PCS	6	with balancing system
D4421R0054	Rubber bumper	PCS	6	With balancing system
D4121R0500	Slider for weight	PCS	6	with balancing system
D5003R0013	Deflection pulley	PCS	7	with balancing system
D4621R0510	Stiffening complete	PCS	8	without easy open
D4621R0508	Stiffening	PCS	8	with easy open
D4621R0536	Level interlocking	PCS	9	with easy open
D4621R0534	Operating locking system	PCS	9	with easy open
D8120R0113	Slider right cpl.	PCS	9	with prerunning photocell and crash
D4402R0082	Rubber damper	PCS	11	Pre-running photocell Schmersal
D4905R0082	Proxmity switch M8 10E	PCS	12	plugconnector Drive Nord, without crash without bracket
D4121R0428	Bell mouth AL	PCS	13	
D4621RG226 246	Guide cable chain cpl.	PCS	14	L 2500mm
D4621RG226 252	Guide cable chain cpl.	PCS		L 4000mm



1:10


RR Food >> Side frame left

Art. No	Product description	Unit	Img	Fits to
D8220RG319 439	LH side frame complete	M1		
D4621RG196 439	LH cover profile	M1	1	with easy open
D4621RG206 439	LH cover profile easy open	M1	1	with easy open
D4621R0519	Head plate drive side LH/RH	PCS	2	drive side right
D4621R0520	Head plate non drive side LH/RH	PCS	2	drive side left
D4621R0512	LH bottom plate	PCS	3	A2
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC
D8520R0001	Cable chain safety edge 900mm	PCS	5	DH≤1500 alu sealed
D8520R0007	Cable chain safety edge 1400mm	PCS	5	Alu sealed, 1500<DH≤2500
D8520R0008	Cable chain safety edge 2160mm	PCS	5	Alu sealed, DH>2500
D8520R0011	Cable chain prerunning photoc.	PCS	5	900mm DH≤1500
D8520R0009	Cable chain prerunning photoc.	PCS	5	1400mm 1500<DH≤2500
D8520R0010	Cable chain prerunning photoc.	PCS	5	2160mm DH>2500
D8520R0017	Cable chain crash 900mm	PCS	5	DH≤1500
D8520R0015	Cable chain crash 1400mm	PCS	5	1500<DH≤2500
D8520R0016	Cable chain crash 2160mm	PCS	5	DH>2500
D8220R0098	Weight Food 1 cpl. = 43.8 kg	PCS	6	with balancing system
D8220R0099	Weight Food 2 cpl. = 50.3 kg	PCS		with balancing system
D8220R0101	Weight Food 3 cpl. = 26 kg	PCS		with balancing system
D8220R0102	Weight Food 4 cpl. = 34.9 kg	PCS		with balancing system
D4421R0054	Rubber bumper	PCS		With balancing system
D4121R0500	Slider for weight	PCS		with balancing system
D5003R0013	Deflection pulley	PCS	7	with balancing system
D4621R0510	Stiffening complete	PCS	8	without easy open
D4621R0508	Stiffening	PCS	8	with easy open
D4621R0536	Level interlocking	PCS	9	with easy open
D4621R0534	Operating locking system	PCS	9	with easy open
D8120R0114	Slider left cpl.	PCS	9	with prerunning photocell and crash
D4402R0082	Rubber damper	PCS	11	Pre-running photocell Schmersal
D4905R0082	Proxmity switch M8 10E	PCS	12	plugconnector Drive Nord, without crash without bracket
D4121R0428	Bell mouth AL	PCS	13	
D4621RG226 246	Guide cable chain cpl.	PCS	14	L 2500mm
D4621RG226 252	Guide cable chain cpl.	PCS		L 4000mm


X
Pos. 6 not displayed/ nicht dargestellt
7
2
5
3
Y
X
1
4
Y


RR Food >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8230RG422	Door blade PVC with stripes		1	white
D8230RG422 141	Door blade PVC with stripes	PCS	1	Base price
D8230RG422 196	Reinforcement stripes blue or	M2	1	red Upcharge
D8230RG422 193	Reinforcement stripes in	M2	1	special colours Upcharge
D8230RG422d	Door blade PVC with stripes	M2	1	FDA white
D8230RG423 209	Door blade Travitop 1.3	M2	1	without vision panel blue, red or grey
D8230RG423 223	Door blade Travitop 1.3 with	M2	1	vision panel blue, red or grey
D8240RG158	Top roll alu with va shafts	M1	2	with bearings
D8240RG157	Top roll alu with va shafts		3	with bearings and door blade
D8140R0062	Flange bearing D 30	PCS	4	A2
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf
D5105R0010	Rope d=7mm L=5100mm	PCS	6	DH≤4500 with balancing system
D4701R0224	Rope pulley d=50mm	PCS	7	DH≤4500 mm for weight with balancing system
D4721R0289	Rope pulley D=42	PCS	7	with balancing system


4
3
6
7
1
5
2
6


RR Food >> Bottom profile

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG065	Bottom profile complete	M1		A2	
D4621RG189 459	Half profile for bottomprofile	M1	1	A2	
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	2	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D8550RG075 459	Rubber profile for prerunning	M1	2	photocell, integrated sealing to sideframe / not MP doors 450/600	
D8550RG076 459	Rubber profile for prerunning	M1	2	photocell, elongated sealing-lip integrated sealing to sideframe 450/600	
D4121R0483	Sliding part safety edge	PCS	3	safety edge	
D4121R0466	Sliding part prerunning RH	PCS	4	photocell without crash	
D4121R0467	Sliding part prerunning LH	PCS	4	photocell without crash	
D4121R0494	Sliding part prerunning	PCS	5	photocell with crash	
D8450R0007	Prenunning photocell RH/LH	PCS	6	without sliding part prerunning photocell without crash	
D4904R0544	Safety photocell transmitter	PCS	6	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0545	Safety photocell receiver RH	PCS	6	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D8220R0100	Weight	PCS	7		






Pos.7 not displyed/ nicht dargestellt



RR Food >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG097	Gear motor cpl.			No E-Connection	
D6601R0139	Gear motor	PCS	1	without balance system and with ACS50 or without control	
D8910R0092	Gear motor with MCC encoder	PCS	1	without balance system and with MCC	
D6601R0138	Gear motor	PCS	1	with balance system and with ACS50 or without control	
D8910R0101	Gear motor with fail safe	PCS	1	brake (standard), GfA corp., with MCC encoder MCC;drive GfA with balance system	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D8570RG001 232	Terminal box with cable 9x0.75	PCS	3	Drive GfA	2003-04 >
D4905018	Limit switch section 6 switch.	PCS	4	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D8110R0087	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control stainless steel	2000-03 >
D4801240	Cam drive GfA	PCS	6	ACS50 60 80 MCC without control	2007-03 >
D8903RG144	E-Connection ACS 50		7	without control	2003-03 >
D8903RG145	E-Connection MCC		7		
D8410R0093	Encoder with bracket	PCS	8	MCC	
D4521R1081	Crank 0.7m GfA	PCS	9	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D4521R0968	Crank 1.0m GfA	PCS	9	GfA 2000<H≤3000 ACS50 60 80 MCC without control without balancing	
D4521R1425	Crank 1.7m GfA	PCS	9	3000<H≤3500 ACS50 60 80 MCC without control without balancing	
D4905R0228	Emergency crank handle switch	PCS	10	ACS50 MCC without balancing	2008-07 >

EN CHAPTER O 20160406 EN


2
5
3
1
6
4
7

RR Food >> Options

Art. No	Product description	Unit	Img	Fits to
D8260RG050 459	Top roll cover with cap drive	M1	1	side RH A2
D8260RG051 459	Top roll cover with cap drive	M1	1	side LH A2
D4621R0513	Cap for top roll cover drive	PCS	1	side RH A2
D4621R0514	Cap for top roll cover drive	PCS	1	side LH A2
D4621R0558	Motor cover 6° RH	PCS	2	A2
D4621R0559	Motor cover 6° LH	PCS	2	A2
D4621R0554	Wall plate motor cover RH	PCS	3	A2
D4621R0555	Wall plate motor cover LH	PCS	3	A2
D8110R0100	Bowden cable compl. A2	PCS	4	with balancing system
D8170R0346	Emergency lever opposite side	PCS	4	A2 with balancing system
D8160R0132	Cable entry frame with sleeve	PCS	5	with motor cover
D4621RG199 232	Distance profile	PCS	6	(lintel profile) A2
D8100R0013	Cable tray L=3000	PCS	7	A2

RR 300 Retail (LCS)

RR 300 Retail (LCS) >> Side frame

Notes:
* delivery time depends on color / dimension

Art. No	Product description	Unit	Img	Fits to
D8220RG304 232	Side frame right and left cpl.	PCS		LCS
D4521R1867	Head plate drive side with	PCS	1	counterbalance
D4521R1879	Head plate	PCS	2	
D8120R0096	Pulley 1 compl	PCS	3	
D4904R0531	Light curtain transm/rec. T/R	PCS	4	Sitron
D4904R0528	Light curtain Micro T+R compl.	PCS	4	set with cables CEDES
D4904R0537	Light curtain T+R 630mm cpl.	PCS	4	Strack
D8940R0039	Photocell Transmitter/Receiver	PCS	5	
D4907R0162	Cable Rx 5 m with M8 plug	PCS	6	receiver CEDES
D4907R0164	Cable Tx 5 m with M8 plug	PCS	7	transmitter CEDES

RR 300 Retail (LCS) >> Barrel with curtain

Notes:
* delivery time depends on color / dimension

Art. No	Product description	Unit	Img	Fits to
D8240RG150	Top roll LCS cpl with curtain	PCS		
D8240RG150 148	Base price	PCS		
D8240RG150 596	Without reinforcement	PCS		
D8240RG150 594	With reinforcement	PCS		
D8240RG150 593	With print	PCS		
D8240RG150 595	With window	PCS		
D8240RG130 232	Top roll LCS cpl (incl. 2 3 4)	PCS	1	
D5103R0095	Bearing UCFL205	PCS	2	
D8140R0078	Belt 25 mm (3.5 m)	PCS	3	
D4521R1872	Adapter for weight	PCS	4	
D8230RG378	Curtain LCS reinforced	PCS	5	Labex/Stricker
D8230RG378 596	Without reinforcement	PCS	5	
D8230RG378 594	With reinforcement	PCS	5	
D8230RG378 593	With print	PCS	5	
D8230RG378 595	With window	PCS	5	
D8130R0048	Windbreak tap riveted cpl	PCS	6	Stricker set 8pcs

RR 300 Retail (LCS) >> Drive / Control unit complete

Art. No	Product description	Unit	Img	Fits to	Remark
D8410R0110	Retrofit LCS Drive for TST FUS	PCS	1	without cables For TST FUS	
D6601R0185	Drive unit SE50 3.5.120-25	PCS	1	no cable For MCS-FC	
D8903R0002	Control system TST FUS-1-CN Li	PCS	2		
D8930R0251	Retrofit TST FUS to MCS for	PCS	2	LCS For TST FUS	
D8930R0246	MCS-R control system in box	PCS	2	without CEE-plug, with instruction manual Control unit MCS-R and base for MCS-FC	

Art. No	Product description	Unit	Img	Fits to	Remark
D8930R0244	MCS-FC frequency converter	PCS	2	1.1 kW (without control system and cables)	2016-02 >
D8930R0247	Retrofit kit MCS-FC frequency	PCS	2	converter 1.1 kW with 5m cables (inclusive MCS-R control system)	>2016-01
D8930R0248	Retrofit kit MCS-FC frequency	PCS	2	converter 1.1 kW with 11m cables (inclusive MCS-R control system)	>2016-01
D4905R0105	Limit swich digital	PCS	3	Drive GfA ACS25	
D4909R0048	Brake rectifier KEB	PCS	4	For TST FUS	
D4908R0017	Fine-wire fuse for TST FUS	PCS	5	For TST FUS 1 set = 10 pcs	
D4908R0020	Micro fuse 5x20mm 100mAmT 230V	PCS	5	for MCS-FC	
D4907R0150	Control cable 7 m between	PCS	6	control and drive unit For TST FUS	
D4907R0167	Motor cable MCS-FC 1m	PCS	6		>2016-01
D4907R0176	Motor cable MCS-FC L=1m	PCS	6		2016-02 >
D4907R0168	Control cable MCS-FC 5m	PCS	6		>2016-01
D4907R0177	Control cable MCS-FC L=5m	PCS	6		2016-02 >
D4907R0169	Control cable MCS-FC 11m	PCS	6		>2016-01
D4907R0178	Control cable MCS-FCL=11m	PCS	6		2016-02 >
D4907R0179	Motor cable MCS-FC L=1m	PCS	6	for MCS-FC	2016-02 >
D4907R0180	Motor cable MCS-FC L=1m	PCS	6	and MCS-R	
D4907R0175	Net connection cable 1,3m with	PCS	6	3 pole, blue CEE plug for MCS-FC (1~ 230V)	
D8930R0249	Additional power supply MCS	PCS	7	compl. 420mA, 24VDC MCS-R and MCS-FC	

RR 300 Retail (LCS) >> Options

Notes:
* delivery time depends on color

Art. No	Product description	Unit	Img	Fits to
D8260RG078 232	Top roll cover steel LCS MCS	PCS		cpl.
D4521R2221	Weight 340 mm cpl	PCS	2	
D4521R1863	Weight 480 mm cpl	PCS	2	
D4521R1864	Weight 620 mm cpl	PCS	2	
D4521R1829	Additional weight	PCS	3	
D8670R0002	Impact protection 1 set = 2 St	PCS	4	(RAL 5010)
D8670R0004	Impact protection 1 set = 2 St	PCS	4	(RAL 7016)
D8670R0011	Impact protection 1 set = 2 St	PCS	4	(RAL 7045)
D8670R0007	Impact protection 1 set = 2 St	PCS	4	(RAL 8014)
D8670R0008	Impact protection 1 set = 2 St	PCS	4	(RAL 9006)
D8670R0012	Impact protection 1 set = 2 St	PCS	4	(RAL 9010)
D8670RG002 232	Impact protection 1 set = 2 St	PCS	4	special color

RR 300 Retail additional parts

RR 300 Retail additional parts >> Actuator

Art. No	Product description	Unit	Img	Fits to
D4905R0243	Mushroom button	PCS	1	
D4905R0255	Key switch wall mounted	PCS	2	
D4905R0256	Key switch flush mounted	PCS	3	
D4904R0563	Combined detector radar + IR	PCS	4	<4m, IP54
D4721R0376	Bracket combined detector	PCS	5	
D4904R0497	Magic Switch UP 12-24VAC/DC	PCS	6	50/60Hz Special apl. Integrated actuator flush mounted
D4904R0543	surface mounting box for Magic	PCS	7	switch
D4904R0558	Magic switch flush mounted	PCS	8	print "Backen"
D4904R0559	Magic switch flush mounted	PCS	9	print "Pfand"
D4904R0560	Junction box	PCS	10	
D4904R0562	Emergency open switch	PCS	11	green
D4904R0561	Emergency open box	PCS	12	grey
D4904R0566	Spare glas f. emergency switch	PCS	13	
D6403R0145	Label emergency exit	PCS	14	
D8940R0026	Label emergency exit w. plate	PCS	15	
D4904R0567	Spare key for emergency switch	PCS	16	


Art. No	Product description	Unit	Img	Fits to
D4905R0260	Transponder free 15 compl	PCS	17	
D4905R0261	Transponder Free T radio	PCS	18	
D4905R0264	Transponder Free THT with	PCS	19	bracelet
D4912R0038	Light orange LED 24V	PCS	20	steady/flashing low-cost
D8540R0215	Pull switch ceiling 2 m rope	PCS	21	
D8540R0216	Pull switch ceiling 4 m rope	PCS	22	
D5105R0093	Rope for pull switch 4 m compl	PCS	23	
D4521R1859	Arm 450 compl. white RAL 9010	PCS	24	
D4521R1860	Arm 900 compl. white RAL 9010	PCS	25	
D4521R1861	Arm 1500 compl. white RAL 9010	PCS	26	
D4521R1862	Arm 2400 compl. white RAL 9010	PCS	27	
D4521R1940	Arm 450 compl. white RAL 5010	PCS	28	
D4521R1942	Arm 900 compl. white RAL 5010	PCS	29	
D4904R0528	Light curtain Micro T+R compl.	PCS	30	set with cables CEDES
D4904R0537	Light curtain T+R 630mm cpl.	PCS	31	Strack
D4904R0531	Light curtain transm/rec. T/R	PCS	32	Sitron
D4907R0162	Cable Rx 5 m with M8 plug	PCS	33	receiver CEDES
D4907R0164	Cable Tx 5 m with M8 plug	PCS	34	transmitter CEDES
D8940R0039	Photocell Transmitter/Receiver	PCS	35	
D8940R0036	Loop detector with 40m wire	PCS	36	bracket, control cable only for MCS(Slot BA2)
D8940R0047	Magnetic loop kit with box	PCS	36.1	40m MCS (BA2)
D4904R0580	Double loop detector	PCS	36.2	MCS (BA2)
D8940R0037	Traffic light module (BA3)	PCS	37	bracket and connection cable to control system MCS-R and MCS-FC
D8940R0038	Radio receiver 433MHz (BA4)	PCS	38	(4 channel) with bracket and connection cable to control system MCS-R and MCS-FC
D4904R0579	4-but. hand transm. MCS 433MHz	PCS	39	only for MCS
D4905R0267	Main switch, 4-pole	PCS	40	MCS
D8810R0071	Emergency stop button with	PCS	41	label, plug MCS MCS

RR 300 Retail additional parts >> Service equipment

Art. No	Product description	Unit	Img	Fits to
D4421R0042	Header black	M1	42	Stricker
D5105R0086	Rubber cable	M1	43	Stricker
D8130R0048	Windbreak tap riveted cpl	PCS	44	Stricker set 8pcs
D4121R0459	Flat belt 20mm F20HP	M1	45	Stricker
D4121R0456	Windbreak tab cpl. screwed	PCS	46	Stricker
D8130R0017	Windbreak tab cpl., riveted	PCS	47	mind. 50 Stück
D4907R0163	Cable 2x2x0,6 JY STY	M1	48	100 Meter
D8230RG378	Curtain LCS reinforced	PCS	49	Labex/Stricker
D8230RG378	Curtain LCS reinforced	PCS	50	Labex/Stricker


MCC

EN CHAPTER O 20160406 EN


7
22
10
14
21
2
3
1
13
12
11

MCC >> Control system MCC VectorControl


Art. No	Product description	Unit	Img	Fits to
D8930RG042 404	MCC control system with	PCS	1	housing, customer soft-ware and brake resistor (without endplate) (till 2m motor cable length) New
D8930RG042 408	MCC control system with	PCS	1	housing, customer soft-ware and brake resistor (without endplate) (till 2m motor cable length) General refurbished
D8930R0103	MCC netfilter in housing	PCS	2	Motor cable 2m < L < 30m
D8850R0003	Brake resistor 180 Ohm with	PCS	3	connection plug
D8820R0055	Endplate with 4xM16+8xM20holes	PCS	4	(with sealing and screws)
D8820R0069	Endplate without holes	PCS	4	(with sealing and screws)
D8930R0090	Endplate with integrated	PCS	4	junction box (incl. flat flexi-ble cable)
D5412V0002	Cover sealing	PCS	7	
D8870R0016	Complete plug set for MCC	PCS	9	(incl. plug for interface card)
D8170R0336	Bracket MCC side frame Zn	PCS	11	RR3000R
D8170R0335	Bracket MCC side frame Zn	PCS	12	RR3000/L/XL,RR3000XXL/ 01/2008 > ISO
D8170R0323	Bracket MCC side frame Zn	PCS	13	RR300, RR300Plus, RR355, RR392,RR450/ 600(G), RR420, RP2000
D8170R0324	Bracket MCC side frame VA	PCS	13	RR300, RR350E, RR300Plus, RR355, RR392, RR420, RR450/ 600(G)
D8170R0325	Bracket wall mounted MCC Zn	PCS	14	RR330, RR600,RR3000R, wall mounted
D8170R0326	Bracket wall mounted MCC VA	PCS	14	RR330, RR600, RR3000R,wall mounted
D4905R0116	Main switch external wall	PCS	15	mounted with red handle
D4905R0119	Main switch external wall	PCS	16	mounted with black handle
D8860000	CEE plug with 2 m cable	PCS	17	
D4908V0005	Fuse 12 A	PCS	18	
D4910R0070	Protection cap for M8 plug in	PCS	19	junction box
D4910R0069	Protection cap for M12 plug in	PCS	19	junction box
D8870R0019	Cable fitting set MCC	PCS	20	(universal)
D8170R0345	MCC wall bracket for netfilter	PCS	21	VA
D8170R0343	Bracket MCC and UPS for RR	PCS	22	clean


9
4
5
6
7
2
1
8
3
10

MCC >> Display + brackets


Art. No	Product description	Unit	Img	Fits to
D8820R0032	MCC display in small housing	PCS	1	wall / vägg
D8820R0036	MCC display in small housing	PCS	2	with wall mounted bracket Zn
D8820R0037	MCC display in small housing	PCS	2	with wall mounted bracket VA
D8820R0040	MCC display in small housing	PCS	3	with side frame bracket Zn RR300, RR355, RR392, RR450/600(G), RR3000R, RP2000
D8820R0041	MCC display in small housing	PCS	3	with side frame bracket VA RR300, RR350E, RR355, RR392, RR450/600(G), RR3000R, RP2000
D8820R0038	MCC display in small housing	PCS	4	with side frame bracket Zn RR3000/L/XL, RR3000XXL/ISO, RR300Plus
D8820R0039	MCC display in small housing	PCS	4	with side frame bracket VA RR3000/L/XL, RR3000XXL/ISO, RR300Plus
D8820R0065	MCC display in small housing	PCS	5	for mounting in side frame RR600
D4905V0056	Foil key MCC display	PCS	6	integrated MCC DH≥1730
D8170R0327	Wall mounting bracket Display	PCS	7	Zn
D8170R0328	Wall mounting bracket Display	PCS	7	VA
D8170R0329	Side frame bracket for display	PCS	8	Zn RR300, RR355, RR392, RR450/600(G), RR3000R, RP2000
D8170R0330	Side frame bracket for display	PCS	8	VA RR300, RR350E, RR355, RR392, RR450/600(G), RR3000R, RP2000
D8170R0331	Side frame bracket for display	PCS	9	Zn RR3000/L/XL, RR3000XXL/ISO, RR300Plus
D8170R0332	Side frame bracket for display	PCS	9	VA RR3000/L/XL, RR3000XXL/ISO, RR300Plus
D8170R0339	Bracket for display/mainswitch	PCS	10	RH Zn MCC
D8170R0340	Bracket for display/mainswitch	PCS	10	LH Zn MCC
D8170R0341	Bracket for display/mainswitch	PCS	10	RH VA MCC
D8170R0342	Bracket for display/mainswitch	PCS	10	LH VA MCC

EN CHAPTER O 20160406 EN


1
4
2
6
5
3


MCC >> Combibox plastic

Art. No	Product description	Unit	Img	Fits to
D8820R0042	Combibox with display	PCS	1	main switch and interface card (plastic 160x250x120mm)
D8820R0043	Combibox with display	PCS	1	main switch without interface card (plastic 160x250x120mm)
D8820R0044	Combibox without display	PCS	2	with main switch and interface card (plastic 160x250x120mm)
D8820R0045	Combibox without display	PCS	2	with main switch without interface card (plastic 160x250x120mm)
D8820R0046	Combibox without display	PCS	3	without main switch and with interface card (plastic 160x250x120mm)
D8820R0047	Combibox without display	PCS	3	without main switch without interface card (plastic 160x250x120mm)
D8820R0033	Combibox upper part with	PCS	4	mounted display and foil-keys (plastic 160x250x120mm)
D4905R0117	Main switch internal f.plastic	PCS	5	combibox mounting (red handler)
D8930R0061	Interface card for Combibox	PCS	6	plastic (with plugs)
D4906R0100	Quick-release lock set for	PCS	7	combibox


4
7
3
8
6
5
1
2

MCC >> Combibox metal

Art. No	Product description	Unit	Img	Fits to
D8820R0051	Combibox metal with display	PCS	1	main switch and interface card (200x300x155 mm) steel
D8820R0050	Combibox metal with display	PCS	1	main switch and without interface card (200x300x155 mm) steel
D8820R0060	Combibox stainless steel with	PCS	1	display, main switch and interface card (200x300x155 mm)
D8820R0059	Combibox stainless steel with	PCS	1	display, main switch and without interface card (200x300x155 mm)
D8820R0053	Combibox metal with display	PCS	1	main switch, interface and ASO card (200x300x155 mm) steel RR330
D8820R0052	Combibox metal without display	PCS	2	with main switch and with interface card (200x300x155 mm), steel
D8820R0049	Combibox metal without display	PCS	2	with main switch and without interface card (200x300x155 mm), steel
D8820R0061	Combibox stainless steel	PCS	2	without display, with main switch and interface card (200x300x155 mm)
D8820R0058	Combibox stainless steel	PCS	2	without display, with main switch and without interface card (200x300x155 mm)
D8820R0031	MCC display in small housing	PCS	3	for combibox metal MCC in cabinet Combibox metal/VA
D4905V0056	Foil key MCC display	PCS	4	integrated MCC DH≥1730
D8820R0062	Main switch internal for metal	PCS	5	combibox with elongation (red handle) Combibox metal
D8820R0064	Main switch for internal	PCS	5	mounting in Combibox MP-doors with elongation (black handler) Machine protection doors
D8930R0063	Interface card for combibox	PCS	6	metal (with plugs) MCC in cabinet Combibox metal
D8820R0054	ASO modul with bracket for	PCS	7	combibox MCC RR330
D4920V0016	ASO function card	PCS	8	RR330


4
3
2
1

MCC >> Combibox MP door

Art. No	Product description	Unit	Img	Fits to	
D8820R0034	Combibox without display	PCS	1	with black main switch and interface card (plastic 175x250x150 mm) Machine protection doors	
D8820R0063	Combibox empty with mainswitch	PCS	2	hole (plastic 175x250x150 mm) Machine protection doors	
D8820R0064	Main switch for internal	PCS	3	mounting in Combibox MP-doors with elongation (black handler) Machine protection doors	
D8930R0081	Interface card for MP-combibox	PCS	4	Machine protection doors	

MCC >> Interface card (without drawing)

Art. No	Product description	Unit	Img	Fits to
D8930R0056	Interface card for DIN-rail	PCS	1	mounting (with plug)

MCC >> Cables (without drawing)

Art. No	Product description	Unit	Img	Fits to	
D4907V0042	Display cable with plugs, 3m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D4907V0043	Display cable with plugs, 4,5m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D4907V0044	Display cable with plugs, 7m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D4907R0114	Display cable with plugs, 10m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D4907V0045	Display cable with plugs, 15m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D4907R0105	Display cable with plugs, 30m	PCS	1	Motor cable length; L ≤ 2m M12/RJ45	
D8830R0167	Displayc. MCC w. EMC-filter	PCS	2	1.5m, spare MCC+Display in same Cabinet	
D8830R0158	Display cable with plugs, 3m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D8830R0159	Display cable with plugs, 4,5m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D8830R0160	Display cable with plugs, 7m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D8830R0161	Display cable with plugs, 10m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D8830R0162	Display cable with plugs, 15m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D8830R0163	Display cable with plugs, 30m	PCS	2	Motor cable length: L > 2m Ferrite M12/RJ45	
D4907R0118	Display cable with plugs, 3m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >
D4907R0119	Display cable with plugs, 4,5m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >
D4907R0120	Display cable with plugs, 7m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >

Art. No	Product description	Unit	Img	Fits to	
D4907R0121	Display cable with plugs, 10m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >
D4907R0122	Display cable with plugs, 15m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >
D4907R0123	Display cable with plugs, 30m	PCS	3	RR355, RR450, RR600 (not SRD), RR600G,RP2000, RR3000/ L/R/XL,RR3000XXL/ISO MCC at side frame,M12/ M12	02/2009 >
D4907R0154	Cable MCC-Interfacecard L=1.2m	PCS	4	MCC+Interf.cardin same Cabinet	
D4907V0038	Interface card cable comp., 3m	PCS	4		
D4907V0039	Interface card cable comp.4,5m	PCS	4		
D4907V0040	Interface card cable comp., 7m	PCS	4		
D4907R0115	Interface card cable comp. 10m	PCS	4		
D4907V0041	Interface card cable comp. 15m	PCS	4		
D4907R0108	Interface card cable comp. 30m	PCS	4		
D8830R0137	Connection cable main switch	PCS	5	MCC, 10m	
D8830R0139	Connection cable main switch	PCS	5	MCC, 30m	
D4907R0116	Adapter cable for safety edge	PCS	6	connection to end plate with junction box MCC	
D8830RG057 232	Cable for airlock MCC	PCS	7		
D4920R0032	Clone cable, 5m	PCS	8		

MCC >> MCC extension

Art. No	Product description	Unit	Img	Fits to
D8820R0068	MCC extension cpl	PCS	1	Flat flexible cable (D4920R0035) additionally required
D8820R0072	MCC extension cpl, F+R	PCS	1	Emergency egress; flat flexible cable (D4920R0035) add. required
D4920R0035	Flat flexible cable	PCS	2	Add. required for MCC extension (D8820R0068, D8820R0072)
D4904R0511	Radio receiver 433MHz 1-chan.	PCS	3	
D4904R0512	Loop detector pluggable	PCS	4	1-channel
D4904R0513	Loop detector pluggable	PCS	4	2-channel
D4920R0031	MCC Extension card	PCS	5	

MCC >> Option UPS

Art. No	Product description	Unit	Img	Fits to
D8930RG059 409	UPS cpl (incl. Cables, manual	PCS	1	etc.) Steel, not f. RR Clean
D8930RG059 397	UPS cpl (incl. Cables manual	PCS	1	V2A, not f. RR Clean
D8930R0101	UPS system (800x200x120)	PCS	1	RR Clean, spare part
D4909R0037	UPS Batterie 12Ah LC-PA121P1	PCS	2	2 pc. necessary

MCC >> Option all Combiboxes

Art. No	Product description	Unit	Img	Fits to
D8850RG001 232	24V DC Power Supply	PCS	1	
D8820R0078	Kombibox MCC transf.	PCS	2	300x300x210 st

MCC >> Option bus connection

Art. No	Product description	Unit	Img	Fits to
D4920R0041	Profinet IO 2-port bus module	PCS	1	
D4920R0042	Profinet IO 1-port bus module	PCS	2	

Art. No	Product description	Unit	Img	Fits to
D4920R0043	Profibus bus interface module	PCS	3	
D4920R0044	Carrier board field bus module	PCS	4	
D4920R0045	Ribbon cable 10 wire, 250mm	PCS	5	
D4920R0046	PROFIBUS DSUB male con. 9-pole	PCS	6	
D4920R0047	PROFIBUS cable 0,5m,M12 male	PCS	7	con.
D4920R0048	PROFIBUS cab. 0,5m,M12 fem.	PCS	8	con.
D4920R0049	PROFINET cable 0,5m RJ45/M12	PCS	9	fem.
D4920R0056	EtherNet/ IP 1-port bus module	PCS	10	

MCC >> Different options

Art. No	Product description	Unit	Img	Fits to
D8930R0107	MCC EMC filter for cabinet	PCS	1	spare part
D8930RG082 232	Gearbox heating	PCS	2	For all GfA Drive units
D8930R0109	Heating resistor	PCS	3	For all GfA Drive units
D4904T0028	Wireless Safety system	PCS	4	Receiver Flex Edge MCC ACS 50
D8830R0164	Cable wireless system MCC	PCS	5	Flex Edge MCC ACS 50

MCS

MCS >> Control system Albany MCS

Art. No	Product description	Unit	Img	Fits to	Remark
D8930R0246	MCS-R control system in box	PCS	1	without CEE-plug, with instruction manual Control unit MCS-R and base for MCS-FC	
D8930R0247	Retrofit kit MCS-FC frequency	PCS	2	converter 1.1 kW with 5m cables (inclusive MCS-R control system)	>2016-01
D8930R0248	Retrofit kit MCS-FC frequency	PCS	2	converter 1.1 kW with 11m cables (inclusive MCS-R control system)	>2016-01
D8930R0244	MCS-FC frequency converter	PCS	2	1.1 kW (without control system and cables)	2016-02 >
D8170R0353	Bracket frequency converter	PCS	3	complete with screws (without frequency converter)	
D8930R0247	Retrofit kit MCS-FC frequency	PCS	4	converter 1.1 kW with 5m cables (inclusive MCS-R control system)	>2016-01
D8930R0248	Retrofit kit MCS-FC frequency	PCS	4	converter 1.1 kW with 11m cables (inclusive MCS-R control system)	>2016-01
D4908R0020	Micro fuse 5x20mm 100mAmT 230V	PCS	5	for MCS-FC	
D4908R0021	Micro fuse 5x20mm 80mAT 400V	PCS	6	for MCS-R	

MCS >> Cables (without drawing)

Art. No	Product description	Unit	Img	Fits to	Remark
D4907R0171	Net connection cable 1,3m with	PCS	1	5 pole, red CEE plug for MCS-R (3~ 400V)	
D4907R0175	Net connection cable 1,3m with	PCS	2	3 pole, blue CEE plug for MCS-FC (1~ 230V)	
D4907R0165	Motor cable MCS-R, L=5m	PCS	3	for MCS-R	
D4907R0166	Motor cable MCS-R, L=11m	PCS	3	for MCS-FC	
D4907R0168	Control cable MCS-FC 5m	PCS	4		>2016-01
D4907R0177	Control cable MCS-FC L=5m	PCS	4		2016-02 >
D4907R0169	Control cable MCS-FC 11m	PCS	5		>2016-01
D4907R0178	Control cable MCS-FCL=11m	PCS	5		2016-02 >
D4907R0167	Motor cable MCS-FC 1m	PCS	6		>2016-01
D4907R0176	Motor cable MCS-FC L=1m	PCS	6		2016-02 >
D4907R0179	Motor cable MCS-FC L=1m	PCS	7	for MCS-FC	2016-02 >
D4907R0180	Motor cable MCS-FC L=1m	PCS	7	and MCS-R	

MCS >> Modules

Art. No	Product description	Unit	Img	Fits to
D4904R0580	Double loop detector	PCS	1	MCS (BA2)

Art. No	Product description	Unit	Img	Fits to
D8940R0038	Radio receiver 433MHz (BA4)	PCS	2	(4 channel) with bracket and connection cable to control system MCS-R and MCS-FC
D4904R0579	4-but. hand transm. MCS 433MHz	PCS	3	only for MCS
D8940R0037	Traffic light module (BA3)	PCS	4	bracket and connection cable to control system MCS-R and MCS-FC
D8930R0249	Additional power supply MCS		5	compl. 420mA, 24VDC MCS-R and MCS-FC

STV

STV >> Mounting A/B/D

Art. No	Product description	Unit	Img	Fits to
D8130027	Pipe clamp A	PCS	1	
D8130004	Pipe clamp B	PCS	2	
D8130003	Pipe clamp D	PCS	3	
D8270019	Support cuff	PCS	4	
D4399006	Distance pipe L=31	PCS	5	
D4399007	Distance pipe L=62	PCS	5	
D4601019	Pipe connector	PCS	6	
D4399016	Dummy plug	PCS	7	
D8270017	Support cuff	PCS	8	
D4521224 181	Pipe 1"	M1	9	L=B-X

STV >> Mounting C

Art. No	Product description	Unit	Img	Fits to
D5003003	Roll wheels fixed	PCS	1	
D5003004	Roll wheels movable	PCS	1	
D8230053	Fastener with rope	PCS	2	
D8170165	Fastener for curves	PCS	2	
D4615027 181	Slide rail cut to size	M1	3	
D5003042	Slide rail curve R=610mm	PCS	3	
D8270019	Support cuff	PCS	4	
D5003070	Ceiling bracket 3pcs	PCS	5	
D5003035	Connector for slide rail	PCS	6	
D5003033	Wall bracket 1pcs	PCS	7	
D8130008	Wall bracket 3pcs	PCS	8	
D5003029	Wall bracket 2pcs	PCS	9	
D5003032	Ceiling bracket 1pcs	PCS	10	
D5003036	Ceiling bracket 2pcs	PCS	11	
D8130007	Endpiece sliding rail	PCS	12	
D4399006	Distance pipe L=31	PCS	13	
D4399007	Distance pipe L=62	PCS	13	
D4399016	Dummy plug	PCS	14	
D4601019	Pipe connector	PCS	15	
D8270017	Support cuff	PCS	16	
D4521224 181	Pipe 1"	M1	17	L=B-X

STV >> Mounting E

Art. No	Product description	Unit	Img	Fits to
D8270021 459	Profile cpl	M1	1	Zn
D8270022 181	Profile cpl	M1	1	VA

Actuators / Signals

Actuators / Signals >> Buttons / Switches

Art. No	Product description	Unit	Img	Fits to
D4905R0012	Mushroom button, color black	PCS	1.1	
D4905R0011	Push button (white with black-	PCS	1.2	arrow upwards)
D4905R0013	Push button & emergency stop	PCS	1.3	
D4905R0014	Push buttons Up-Stop-Down	PCS	1.4	
D4905R0083	Key-Switch "0-UP" for impulse	PCS	1.5	open

Art. No	Product description	Unit	Img	Fits to
D4905R0027	Mushroom button, black	PCS	1.6	
D4801076	Mushroom button black	PCS	1.7	EX 1NO/NC
D4801114	Open-Closed-STOP w. key. AP	PCS	1.8	
D4905R0093	Key switch 0-1	PCS	1.9	
D4905R0094	key switch surface mounting	PCS	1.1	
D8940R0014	Magic Switch with mounting box	PCS	1.11	
D4904R0497	Magic Switch UP 12-24VAC/DC	PCS	1.11a	50/60Hz Special apl. Integrated actuator flush mounted

Actuators / Signals >> Pullswitch

Art. No	Product description	Unit	Img	Fits to
D8540R0068	Pullswitch with bracket galv	PCS	6.1	
D8540R0069	Pullswitch with bracket inox	PCS	6.2	
D8540R0070	Pullswitch with console galv	PCS	6.3	1-1,7m
D8540R0072	Pullswitch with console Inox	PCS	6.4	1-1,7m
D8540R0071	Pullswitch with console galv	PCS	6.5	2-3,5m
D8540R0073	Pullswitch with console Inox	PCS	6.6	2-3,5m
D4905R0016	Pullswitch	PCS	6.x.1	
D8070R0002	Actuator rope 6m + accessories	PCS	6.x.2	
D4521r0201	Bracket galv	PCS	6.1.3	
D4621r0011	Bracket inox	PCS	6.2.3	
D4521V0129	Bracket 1-1,7m galv	PCS	6.3.3	
D4621V0034	Bracket 1-1,7m inox	PCS	6.4.3	
D4521V0130	Bracket 2-3,5m galv	PCS	6.5.3	
D4621V0035	Bracket 2-3,5m inox	PCS	6.6.3	
D8540R0117	Pullswitch with bracket galv	PCS	6.7	Ex
D4801073	Pullswitch	PCS	6.7.1	Ex

Actuators / Signals >> Radar

Art. No	Product description	Unit	Img	Fits to
D8540R0110	Radar with console 0,2-0,4m	PCS	7.1	galv H ≥3,5m
D8540R0074	Radar with console 1-1,7m galv	PCS	7.2	H ≥3,5m
D8540R0076	Radar with console 1-1,7m inox	PCS	7.3	H ≥3,5m
D4904V0018	Radar	PCS	7.4	H ≥3,5m
D4904R0434	Radar	PCS	7.5	H < 3,5m
D8170R0347	Console 0,2-0,4m complete	PCS	7.6	galvanized
D4521V0129	Bracket 1-1,7m galv	PCS	7.7	
D4621V0034	Bracket 1-1,7m inox	PCS	7.8	
D4904R0005	Remote control, universal	PCS	7.9	

Actuators / Signals >> Induction-loop

Art. No	Product description	Unit	Img	Fits to
D8540R0078	Induction-loop detector+wire	PCS	8.1	
D8540R0079	Induction-loop detector+wire+	PCS	8.2	casting compound
D4904R0035	Induction-loop detector	PCS	8.x.1	1-channel
D4907R0060	cable PVC	M1	8.x.2	100 Meter
D5599R0001	Casting compound, 2 kg package	PCS	8.x.3	
D4904R0467	Induction loop detector for	PCS	8.3	2 loops
D8540R0114	Double loop detector with wire	PCS	8.4	
D8540R0115	Double loop detector w.wire+	PCS	8.5	casting compound
D8940R0036	Loop detector with 40m wire	PCS	8.6	bracket, control cable only for MCS(Slot BA2)
D8940R0047	Magnetic loop kit with box	PCS	8.6.1	40m MCS (BA2)
D4904R0580	Double loop detector	PCS	8.6.2	MCS (BA2)

Actuators / Signals >> Radio

Art. No	Product description	Unit	Img	Fits to
D4904R0028	Radio receiver 433 MHz	PCS	9.1.2	(top-hat rail)
D4904R0551	Radio receiver 40MHz	PCS	9.1.3	(top-hat rail)
D4904330	Radio receiver 433MHz	PCS	9.1.4	wall mounted
D4904R0122	Socket	PCS	9.1.5	
D4904R0017	Transmitter for radio 433MHZ	PCS	9.2	1-command
D4904R0018	Transmitter for radio 433MHZ	PCS	9.3	2-command

Art. No	Product description	Unit	Img	Fits to
D4904R0019	Transmitter for radio 433MHZ	PCS	9.4	3-command
D4904R0020	Transmitter for radio 433MHZ	PCS	9.5	4-command
D4904342	Industry transmitter f. radio	PCS	9.6	40MHZ 1-command
D4904343	Industry transmitter f. radio	PCS	9.7	40MHZ 2-command
D4904344	Industry transmitter f. radio	PCS	9.8	40MHZ 3-command
D4904345	Industry transmitter f. radio	PCS	9.9	40MHZ 4-command
D4904R0021	Industry transmitter 1-command	PCS	9.1	433MHz
D4904R0022	Industry transmitter 2-command	PCS	9.11	433MHz
D4904R0023	Industry transmitter 3-command	PCS	9.12	433MHz
D4904R0024	Industry transmitter 4-command	PCS	9.13	433 MHz
D4904R0025	Industry transmitter 1-command	PCS	9.14	433MHz10-channel
D4904R0026	Industry transmitter 3-command	PCS	9.15	433 MHz10-channel
D4904R0045	Industry transmitter 1-command	PCS	9.16	40MHz10-channel
D4904R0048	Car transmitter 40 MHz	PCS	9.17	3 buttons, 1-10
D4904R0481	car transmitt 40MHz 3but.	PCS	9.18	1-10ch. battery
D4904V0074	Hand Transmitter 1-function	PCS	9.19	Dorma s43-1
D4904V0075	Hand Transmitter 2-functions	PCS	9.2	Dorma s43-2
D4904V0076	Hand Transmitter 3-functions	PCS	9.21	Dorma s43-3
D4904V0077	Hand Transmitter 4-functions	PCS	9.22	Dorma s43-4
D4904397	Hand Transmitter 8-functions	PCS	9.23	
D4904398	Rubber cap Hand Transmitter	PCS	9.24	
D8470R0003	Antenna 433 MHz 5m BNC	PCS	9.25	connection cable
D8470R0004	Antenna 40 MHz, 5m BNC-cable	PCS	9.26	mounting b
D8470R0005	Antenna 40 MHz, 5m BNC-cable	PCS	9.27	f.car
D4904R0458	Antenna 40 MHz without cable	PCS	9.28	BNC
D4904361	Mini Transmitter 433 MHz	PCS	9.29	
D4904R0579	4-but. hand transm. MCS 433MHz	PCS	9.3	only for MCS
D8940R0038	Radio receiver 433MHz (BA4)	PCS	9.31	(4 channel) with bracket and connection cable to control system MCS-R and MCS-FC

Actuators / Signals >> Active infrared sensor

Art. No	Product description	Unit	Img	Fits to
D8540R0087	Activ infrared sensor w.	PCS	10.2	console 0,2-0,4m DH<4m, IP54
D4904R0563	Combined detector radar + IR	PCS	10.2.1	<4m, IP54
D8170R0347	Console 0,2-0,4m complete	PCS	10.2.2	galvanized

Actuators / Signals >> Photocell

Art. No	Product description	Unit	Img	Fits to	Remark
D8540R0024	Photocell (reflection, Type I)	PCS	11.1	with bracket galv	
D8540R0025	Photocell (reflection, Type I)	PCS	11.2	with bracket inox	
D8540R0028	Photocell one way with bracket	PCS	11.3	(T+R), galv	
D8540R0029	Photocell one way with bracket	PCS	11.4	(T+R), inox	
D8170R0159	Bracket photocell galv	PCS	11.x.1		
D8170R0160	Bracket reflector galv	PCS	11.x.2		
D8170R0318	Bracket photocell inox	PCS	11.x.3		
D8170R0319	Bracket reflector inox	PCS	11.x.4		
D4904R0001	Reflection photocell 8m cable	PCS	11.x.5	light without bracket	
D4904R0002	Reflector	PCS	11.x.6	450EX/600EX	
D4904R0548	Photocell receiver without	PCS	11.x.7	bracket - black LH not for pre-run snow proof	
D4904R0547	Photocell transmitter without	PCS	11.x.8	bracket - blue RH not for pre-run	
D4904R0546	Safety photocell receiver	PCS	11.x.9	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0545	Safety photocell receiver RH	PCS	11.x.10	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	11.x.11	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	11.5	ACS 70	> 2005-12
D96-6413-95	Photocell amplifier Telco	PCS	11.6		
D96-6416-87	Fc.amplif.telco pa10b513 24vdc	PCS	11.7		

Actuators / Signals >> Light-curtain (beam distance 30mm)

Art. No	Product description	Unit	Img	Fits to
D8540R0030	Light-curtain 0,9m with	PCS	12.1	bracket galv wall door
D8540R0033	Light-curtain 0,9m with	PCS	12.2	bracket inox wall door
D8540R0031	Light-curtain 1,8m with	PCS	12.3	bracket galv wall door
D8540R0034	Light-curtain 1,8m with	PCS	12.4.1	bracket inox wall door
D8540R0032	Light-curtain 2,7m with	PCS	12.4.2	bracket inox wall door
D8540R0035	Light-curtain 2,7m with	PCS	12.4.3	bracket inox wall door
D8940R0009	Light-curtain 930mm	PCS	12.5	
D8940R0010	Light-curtain 1890mm	PCS	12.6	
D8940R0011	Light-curtain 2370mm	PCS	12.7	
D4904R0462	Bracket	PCS	12.8	
D4906R0041	Connection box	PCS	12.9	
D8170R0300	Bracket Light-curtain 930mm	PCS	12.1	galv wall door
D8170r0303	Bracket Light-curtain 930mm	PCS	12.11	inox wall door
D8170R0301	Bracket Light-curtain 1890mm	PCS	12.12	galv wall door
D8170R0304	Bracket Light-curtain 1890mm	PCS	12.13	inox wall door
D8170R0311	Bracket Light-curtain 2370mm	PCS	12.14	galv wall door
D8170R0314	Bracket Light-curtain 2370mm	PCS	12.15	inox wall door

Actuators / Signals >> Light-curtain (beam distance 92mm)

Art. No	Product description	Unit	Img	Fits to
D8540R0174	Light-curtain 1,8m with	PCS	13.1	bracket galv wall door
D8540R0175	Light-curtain 1,8m with	PCS	13.2	bracket inox wall door
D8940R0012	Light-curtain cpl(Transmitter-	PCS	13.3	Receiver, Brackets)
D4904R0464	Light curtain Transmitter	PCS	13.4	
D4904R0465	Light curtain Receiver	PCS	13.5	
D4906R0041	Connection box	PCS	13.6	
D8170R0301	Bracket Light-curtain 1890mm	PCS	13.7	galv wall door
D8170R0304	Bracket Light-curtain 1890mm	PCS	13.8	inox wall door

Actuators / Signals >> Combined detector

Art. No	Product description	Unit	Img	Fits to
D4904R0523	Combined detector radar + IR	PCS	14.1a	<6m, IP65
D4904R0563	Combined detector radar + IR	PCS	14.1b	<4m, IP54
D8940R0019	Combined detector w. console	PCS	14.2	0.2-0,4m zn
D8940R0020	Combined detector w. console	PCS	14.3	1-1,7m zn
D8940R0021	Combined detector w. console	PCS	14.4	1-1,7m inox
D4904R0005	Remote control, universal	PCS	14.5	

Actuators / Signals >> Laserscanner

Art. No	Product description	Unit	Img	Fits to
D4904R0538	Laserscanner LZR - i100	PCS	15.1	Detection 10x10m
D8940R0018	Laserscanner with bracket	PCS	15.2	
D4621R0560	Bracket laserscanner	PCS	15.2	

Actuators / Signals >> Change electrical drawings

Art. No	Product description	Unit	Img	Fits to
DR2000i	with retrofit of actuators	PCS	16.1	drives and safeties for standard doors
DR2000u	with retrofit for controls	PCS	16.2	traffic light
DR2000s	Retrofit of interlock, special	PCS	16.3	electrical drawings and PLC

Actuators / Signals >> Traffic lights / flashing lights

Art. No	Product description	Unit	Img	Fits to
D4912R0036	Traffic light LED red 24V	PCS	17.1	steady/flashing
D4912R0037	Traffic light LED green 24V	PCS	17.2	steady/flashing
D8880R0006	Traffic light red/green LED	PCS	17.3	24V cpl. Steady/flash
D4912R0035	Light LED orange 24V	PCS	17.4	steady/flashing
D8170R0348	Bracket zn for LED compl.	PCS	17.5	
D8170R0349	Bracket VA for LED compl.	PCS	17.6	Stainless steel
D4912R0038	Light orange LED 24V	PCS	17.7	steady/flashing low-cost
D4912R0012	Traffic light red/green compl.	PCS	17.8	200 mm
D4808003	Rotating yellow beacon 230V	PCS	17.9	

Art. No	Product description	Unit	Img	Fits to
D8880R0004	External traffic / flash light	PCS	17.1	complete, with inox housing and 14m plug-in cable connection Stainless steel
D4912R0039	LED-stripe red/green, 24V DC	PCS	17.11	
D8170R0350	Bracket LED trafficlight strip	PCS	17.12	
D8940R0022	LED traffic light strip for	PCS	17.13	upgrading
D8940R0037	Traffic light module (BA3)	PCS	17.14	bracket and connection cable to control system MCS-R and MCS-FC

Control systems

Control systems >> Control ACS 21/25/30/40

Art. No	Product description	Unit	Img	Fits to
D4903R0070	Control unit ACS25 (TS970)	PCS	1	
D4903R0054	Control unit ACS21 (TS961)	PCS	2	
D4903R0084	Control System ACS40 with	PCS	3	status module (TS981) RP100
D4903V0010	Control box ACS30, V2	PCS	4	RR220
D08-8811-00	A-pos. card ACS30	PCS	5	RR220
D08-8811-01	A-pos card with cable	PCS	6	ACS30-V1.1 RR220

Control systems >> Control ACS 50

Art. No	Product description	Unit	Img	Fits to	Remark
D4903R0001	Mainboard ACS50	PCS	1	(without function card)	
D4920T0001	ACS50-UL mainboard	PCS	1	(without function card) ASC50-UL	2015-05>
D4903R0002	Function card ACS50	PCS	2		
D4920V0021	One way brake rectifier	PCS	3	plugable in control system	
D4920V0022	Full wave brake rectifier	PCS	3	plugable in control system	
D4909R0004	Full wave brake rectifier 196V	PCS	3	(230/400V) without control	2015-05 >
D4909T0001	Brake rectifier ACS50-UL	PCS	3	plugable in control system ASC50-UL	2015-05>
D4920R0029	Brake relais plugable in	PCS	4	control system	
D8930R0036	Control unit ACS50 with brake	PCS	5	relais	
D8810R0061	Up/down button yellow	PCS	6	Telemecanique	
D8810R0060	Stop button	PCS	7	Telemecanique	
D4909R0004	Full wave brake rectifier 196V	PCS	9	(230/400V) without control	2015-05 >
D4909R0005	One way rectifier	PCS	10		
D8930RG082 232	Gearbox heating	PCS	11	For all GfA Drive units	
D8930R0109	Heating resistor	PCS	11	For all GfA Drive units	
D4904T0028	Wireless Safety system	PCS	12	Receiver Flex Edge MCC ACS 50	
D8830R0165	Cable wireless system ACS 50	PCS	13	Flex Edge MCC ACS 50	

Control systems >> control ACS 60

Art. No	Product description	Unit	Img	Fits to
D4903R0015	Bas control board ACS60	PCS	1	
D4903R0016	Functions card ACS60	PCS	2	
D4903R0017	Analysis terminal	PCS	3	
D4903R0018	Brake resistance	PCS	4	
D4920V0021	One way brake rectifier	PCS	6	plugable in control system
D8930R0033	Spare part frequenzcy	PCS	7	converter Note:Programming device required
D8810R0061	Up/down button yellow	PCS	8	Telemecanique
D8810R0060	Stop button	PCS	9	Telemecanique

Control systems >> Control ACS 70

Art. No	Product description	Unit	Img	Fits to
D4905R0107	Main switch type KG20A	PCS	1	
D08-8717-12	Terminal circuit board 'new'	PCS	2	
D08-8719-01	LCD display rear 88-34 Inside	PCS	3	control box
D08-8719-00	LCD-Display 88-14	PCS	4	
D08-8726-31	Control system 30 a - 485	PCS	5	nomadrive Note:Programming device required

Art. No	Product description	Unit	Img	Fits to
D08-8730-00	Photocell card 88-17	PCS	6	
D08-8731-00	Relay circuit board 88-16	PCS	7	nomadrive
D03-0120-25	Brake rectifier	PCS	8	
D08-8732-00	Declutch memory 88-15	PCS	9	
D96-8500-PC	Controlbox complete	PCS	10	
D8810R0068	Up/down button white	PCS	11	Telemecanique
D8810R0053	Emergency Stop Button, turn to	PCS	12	release

Control systems >> Control ACS 80

Art. No	Product description	Unit	Img	Fits to	Remark
D4903216	Control unit with Eprom	PCS	1	without plug till serial no. 3759 Note:Programming device required	>no.3759 >2003-12
D4903R0046	Control unit ACS80 with Eprom	PCS	1	without plug from serial no. 3760 Note:Programming device required	no.3760> 2003-12>
D4903R0044	Converter ACS80 with heatsink	PCS	2	and filter for control cable >10m and ≤ 30m, valid from serial no. 3760	no.3760> 2003-12>
D8930R0015	Converter ACS80 with heatsink	PCS	2	and filter for control cable >10m and ≤30m + Eprom V3.xx (for conversion converter till serial no.	>no.3759 >2003-12
D4903177	Universale module ACS 80	PCS	3	control	
D4920007	Brake reistor with cable	PCS	4	and plug	
D8870R0001	Plug (set) for ACS 80-controls	PCS	5		
D4916R0007	Eprom ACS 80 with software	PCS	7	version 1.xx Note:Programming device required	>no.3759 >2003-12
D4916R0005	Eprom (with current software	PCS	7	version) valid from serial no. 3760 Note:Programming device required	no.3760> 2003-12>
D4911R0043	Shieldet terminal for brake	PCS	8	encoder and airlock cable (ACS80 from serial number 1035)	no.1035> 2000-01>
D4920R0001	Control transformer	PCS	9		
D4903080	Foil key buttons with	PCS	10	connection cable MPS/ ACS80	
D4920009	Display	PCS	11		
D4910R0027	Airlock plug	PCS	13		

Control systems >> Main switch

Art. No	Product description	Unit	Img	Fits to
D8810R0038	Main switch Telemecanique cpl.	PCS	1	with handel ACS 50/60/80, PLS-GT
D4905R0217	Switching neutral terminal for	PCS	2	4801161
D4905027	Safety housing for switching	PCS	3	neutral terminal for 4906026
D4801210	Door locking for main switch	PCS	4	for main switch 8810R0038
D4801161	Main switch	PCS	5	FUSI
D4801115	Main switch	PCS	5	MPS
D4905034	Main swith	PCS	5	PLS-G with plastic box
D4801078	Main swith	PCS	5	PLS-GT,PLS-G with top hat rail
D4920002	Display	PCS	6	FUSI

Control systems >> E-connector

Art. No	Product description	Unit	Img	Fits to
D4907R0040	Cable for airlock	M1	1	ACS80

Control systems >> Control unit

Art. No	Product description	Unit	Img	Fits to
D4914R0009	Control unit Bircher	PCS	1	24V, DC
D4904180	Control unit Gelbau	PCS	2	Diode redundant
D4904R0478	Control unit ASO	PCS	3	
D4904R0432	Control unit Mayser	PCS	4	230V
D4904R0431	Control unit Mayser	PCS	4	24V

Control systems >> Additional parts

Art. No	Product description	Unit	Img	Fits to
D08-8756-99	UPS Beolux 1100W/SQI-RIT	PCS	1	steel
D4909R0029	UPS Beolux 1100W/SQI-RIT	PCS	1	stainless steel
D8850RG001 232	24V DC Power Supply	PCS	2	

General add. Parts

General add. Parts >> Ropes / Belts Cut to size

Art. No	Product description	Unit	Img	Fits to	Remark
D5105R0011	Rope d=7mm L=5100mm	PCS	1	DH>4500	
D5105R0035	Rope d=5mm L=24000mm	PCS	2	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392	
D5632206	Belt for curtain tension	PCS	3	L=10000 RR350 b=10	> 1996-05
D5105R0091	Rope 3.2 L=9500	PCS	4	Crash curtain tension RR350 RR320	1996-05 >
D5105R0080	Rope d=4.55mm L=24000 yellow	PCS	5	only with plastic pulley RR 355 / old modell	
D4421RG041 181	Rubberrope d=11, cut to size	M1	6	RR330	

General add. Parts >> On role

Art. No	Product description	Unit	Img	Fits to
D5105R0001	Rope d=5mm white, 100m	PCS	1	RR 355, 450, 390, 392
D5105R0002	Rope d=5mm white, 445m	PCS	1	RR 355, 450, 390, 392
D5105R0003	Rope d=3,2mm, 500m	PCS	2	RR 350
D5105R0049	Rope d=3,2mm, 100m	PCS	2	RR 350
D5105R0004	Belt b=10mm, 500m	PCS	3	RR 350
D5105R0005	Belt b=25mm, 100m	PCS	4	RR 350
D5105R0006	Rope yellow d=4,55mm, 100m	PCS	5	RR 355 alte Ausführung
D5105R0046	Rope yellow d=4,55mm, 500m	PCS	5	RR 355 alte Ausführung
D5105R0007	Rope b=35mm, 100m	PCS	6	RR 450
D5105R0008	Rubberrope blue d=8mm, 100m	PCS	7	RT 800
D5105R0047	Rope yellow d=7mm, 100m	PCS	8	
D5105R0052	Rubberrope d=11, length to 52m	M1	9	RR330

General add. Parts >> PVC-top material 0,5 mm

Art. No	Product description	Unit	Img	Fits to
D4402RG004	Silicone free PVC-material top		1	0.5mm Cut to size in different colors in accordance with RAL-No, blue / red 3002 / grey 7037 / yellow / orange 2001 / green 6018 / white 9010 / black 9005
D4402RG004 242	150mm width	M1	1	
D4402RG004 245	250mm width	M1	1	
D4402RG004 251	400mm width	M1	1	
D4402RG004 233	1050mm width	M1	1	
D4402RG004	Silicone free PVC-material top		2	0.5mm Cut to size in different colors in accordance with RAL-No, blue / red 3002 / grey 7037 / yellow / orange 2001 / green 6018 / white 9010 / black 9005
D4402RG004 242	150mm width	M1	2	
D4402RG004 245	250mm width	M1	2	
D4402RG004 251	400mm width	M1	2	
D4402RG004 233	1050mm width	M1	2	
D8030R0076	Top stripe blue 250x7000mm	PCS	3	
D8030R0077	Top stripe red 250x7000mm	PCS	3	

General add. Parts >> Miscellaneous

Art. No	Product description	Unit	Img	Fits to
D5501R0012	Glue SK2, 900g tin	PCS	1	
D5501R0001	Cleaner "travispray" 2,5l	PCS	2	spray
D8170R0320	Cleaner SR1 2,5l	PCS	3	

Art. No	Product description	Unit	Img	Fits to
D8130R0012	Repair kit PVC strip for lower	PCS	5	edge on Rolltex Original/ Plus, Nomatex door blade RP300, RR300/320/330
D4050R0055	PVC-Rope 8mm red 50m	PCS	6	
D4050R0058	PVC stripe f. strip lower edge	PCS	7	10m
D4904R0520	Contact strip Tapeswitch	PCS	8	25m role

Rebuilding kits

Rebuilding kits >> Retrofit to MCC FUSI/II/III, ACS60/70/80, MCC

Art. No	Product description	Unit	Img	Fits to
D8930RG048	Retrofit kit control system	PCS	1	MCC for door model RR 290 / 300 / 320
D8930RG049	Retrofit kit control system	PCS	1	MCC for door model RR 300 Plus, 300 SMD
D8930RG050	Retrofit kit control system	PCS	1	MCC for door model RR 330
D8930RG051	Retrofit kit control system	PCS	1	MCC for door model RR 350 / 350E
D8930RG052	Retrofit kit control system	PCS	1	MCC for door model RR 355
D8930RG053	Retrofit kit control system	PCS	1	MCC for door model RR 390 / 392
D8930RG054	Retrofit kit control system	PCS	1	MCC for door model RR 400 / 400E, RRX2 (520)
D8930RG055	Retrofit kit control system	PCS	1	MCC for door model RR 420 / 660
D8930RG056	Retrofit kit control system	PCS	1	MCC for door model RR 450/600/600G
D8930RG057	Retrofit kit control system	PCS	1	MCC for door model RR 3000 (L, R, XL)
D8930RG058	Retrofit kit control system	PCS	1	MCC for door model RT 800
D8410R0087	Encoder for Flendermotor M2C4	PCS	2	Drive 4901175 (RR450/600/ G), 4901194 (RR392/450/ 600), 4901197 (RR600G),4901208 (RR390/450/600), 4901214 (RR600chaindrive), 4901228 (RR450/ 600chaindrive)

Rebuilding kits >> Retrofit for ASR A 1.7


Art. No	Product description	Unit	Img	Fits to
D8930RG087	Retrofit ASR A 1.7 FC-controls	PCS	1	German Regulation ASR A 1.7 valid just for Ger- many(Not necessary for other Countries)
D8930RG094	Retrofit ASR A 1.7, contactor	PCS	2	controls German Regula- tion ASR A 1.7 valid just for Germany(Not necessary for other Countries)

Rebuilding kits >> Miscellaneous

Art. No	Product description	Unit	Img	Fits to
D8200010 232	Retrofit kit to crash version	PCS	1	without changing of wiring diagram. Bottom and rub- ber profile hat to be chan- ged on the spot PLS-GT, ACS 50, FUS II, FUS III, ACS 80 RR 450/600
D8320003 232	Retrofit belt to rope	PCS	2	RR 350
D8320004	Retrofit belt to rope	PCS	3	RR 350E
D8200011	Retrofit kit travelling wind		4	bar (daylight height will be reduced) RR 450/600/600G
D8200011 111	Retrofit kit travelling wind	PCS	4	bar (daylight height will be reduced) Base price


Art. No	Product description	Unit	Img	Fits to
D8200011 459	Retrofit kit travelling wind	M1	4	bar (daylight height will be reduced) upcharge
D8200RG006 439	Retrofit kit RR600 windclass	PCS	5	1 to 2 RR600
D8030RG076	Replacement set window	PCS	6	Rolltex Original/Plus, Nomatex
D8030RG076 111	Replacement set window	PCS	6	Base price
D8030RG076 103	Replacement set window	PCS	6	upcharge window Rolltex Original, Nomatex
D8030RG076 104	Replacement set window	PCS	6	upcharge window Rolltex Plus

RP 100


3
2
4
1
5
8
6
7


RP 100 >> Side frame right / left(see drawing Side frame right)

Art. No	Product description	Unit	Img	Fits to
D8220RG333 439	Column complete RH	M1		
D8220RG334 439	Column complete LH	M1		
D4521RG379 439	Sideframe RH/LH	M1	1	
D4521R2057	Head plate	PCS	2	
D4521R2058	Head plate chain drive RH	PCS	3	
D4521R2059	Head plate chain drive	PCS	3	
D4121R0385	Seal plug	PCS	4	
D8470R0024	Door line photocell compl.	PCS	5	
D4904R0001	Reflection photocell 8m cable	PCS	6	light without bracket
D8120R0039	Cable duct complete, L=2000	PCS	7	
D4904R0002	Reflector	PCS	8	450EX/600EX


2
4
6
3
X
5
X
1


RP 100 >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8230RG446 209	Doorblade Travitop 1.3 without	M2	1	vision panel blue, red or grey
D8230RG446 223	Doorblade Travitop 1.3 with	M2	1	vision panel blue, red or grey
D8240RG180 459	Top roll alu with bearings	M1	2	
D8240RG181	Top roll alu with bearing and	PCS	3	door blade
D8240RG181 459	Top roll alu with bearing and	M1	3	upcharge top roll
D8240RG181 209	Top roll alu with bearing and	M2	3	w/o vision panel
D8240RG181 223	Top roll alu with bearing and	M2	3	with vision panel
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany door-leaf
D5101105	Chain weel	PCS	6	chain drive


4
1
5
2
3


RP 100 >> Bottom profile

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG071	Bottom profile complete				
D8550RG071 494	Bottom profile	M1		no safety edge	
D8550RG071 496	Bottom profile	M1		with safety edge	
D4721RG282 459	Profile for bottom profile	M1	1		
D4421RG013 459	Rubber profile cut-to-size	M1	2	prerunning photocell	
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4907R0038	Coil cable 5x0.75	PCS	4	Crash	2004-05 >
D4121V0018	Sliding part complete for Mini	PCS	5	RR320 Mini	


4
3
1
2
7
5
6


RP 100 >> Drive unit / Control system

Art. No	Product description	Unit	Img	Fits to	Remark
D6601R0176	Gear motor	PCS	1	ACS25/40, or without control	
D6601R0175	Gear motor FC	PCS	1	ACS25/40 with Frequency Convert.	
D6601R0181	Gear motor	PCS	1	MCS-R	
D6601R0182	Gear motor FC	PCS	1	(Frequency Converter) MCS-FC	
D6622R0038	Brake 102 V 5 Nm	PCS	2	ACS25/40, or without control	
D6622R0039	Brake 102 V 9 Nm	PCS	2	ACS25/40 with Frequency Convert.	
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D8110R0088	Torque arm	PCS	3	Drive GfA ACS25 galvanized steel	
D8110R0101	Chain drive assembly-set	PCS	4	chain drive	
D5101105	Chain weel	PCS	5	chain drive	
D8110076	Roller chain complete	PCS	6	chain drive	
D4521R1140	Crank	PCS	7	GfA ACS25	
D4905R0105	Limit swich digital	PCS	8	Drive GfA ACS25	
D4907R0061	Control cable 5m	PCS	9	ACS25/40	
D4907R0062	Control cable 11m	PCS	9	ACS25/40	
D4909R0015	Rectifier	PCS	10	ACS25/40, or without control	
D4903R0070	Control unit ACS25 (TS970)	PCS	11		
D4903R0084	Control System ACS40 with	PCS	12	status module (TS981) RP100	


6
1
2
3
4
5
3
7

RP 100 >> Options Top roll/Motor cover


Art. No	Product description	Unit	Img	Fits to
D4521RG380 459	Top roll cover Steel	M1	1	Steel
D4521RG381 459	Top roll cover chain drive ST	M1	1	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive
D4521R2081	Bracket for Top roll cover	PCS	2	chain drive
D8160R0103	Motor cover plasic grey cpl RH	PCS	3	MCS-R, ACS25,without control
D8160R0104	Motor cover plasic grey cpl LH	PCS	3	MCS-R, ACS25,without control
D8160R0137	Motor cover steel cpl RH / LH	PCS	3	MCS-FC,ACS25-FC
D4521R2076	Motor cover steel RH / LH	PCS	3	ACS 50
D8160R0135	Motor cover steel cpl RH / LH	PCS	3	chain drive chain drive
D4521R1491	Bracket motor cover RH	PCS	4	Motorcover plastic / steel drive vertical
D4521R1488	Bracket motor cover LH	PCS	4	Motorcover plastic / steel drive vertical
D4521R2079	Bracket motor cover	PCS	4	Motorcover steel, not chain drive
D4121R0222	Cover black	PCS	5	
D6403V0001	Albany Assa Abloy sign 210x100	PCS	6	
D8260RG054 232	Cover X-Level	PCS	7	X-Level


12
18
10
11
9
8
14
20
16
13
19
20
15
17

RP 100 >> Options Bottom beam/Curtain


Art. No	Product description	Unit	Img	Fits to
D8250RG017 459	Bottom beam "curtain cutout"	PCS	8	rh/lh compl.
D8550RG072	Rubber prof. "curtain cutout"	M1	9	
D4121V0018	Sliding part complete for Mini	PCS	10	RR320 Mini
D4721RG288 232	Connector profile	PCS	11	curtain cutout
D8230RG447 232	Curtain cutout rh/lh compl.	PCS	12	curtain cutout
D8230RG451 232	Curtain cutout inside compl.LH	PCS	13	curtain cutout
D8230RG452 232	Curtain cutout inside compl.RH	PCS	14	curtain cutout
D8230RG453 232	Curtain cutout outside compl.	PCS	15	curtain cutout
D8250RG018	Bottom beam "curtain cutout"	PCS	16	inside compl.
D8250RG019	Bottom beam "curtain cutout"	PCS	17	outside compl.
D6403V0003	Albany Assa Abloy sign 100x40	PCS	18	
D4121R0522	Sliding part long	PCS	19	
D8550RG077	Rubber prof. "curtain cutout"	PCS	20	1 curtain cutout

RR 290 / 320 Lip


2
1
X
X
4
5
3


RR 290 / 320 Lip >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220025 451	Sideframe cpl RH	M1			> 2004-03
D8220025 445	Side frame incl photocell RH	M1		complete RR320	>2004-01
D8220RG236 451	Sideframe cpl RH	M1			2004-04 >
D8220RG236 445	Sideframe cpl RH	M1			
D8220027 439	Sideframe ST	M1	1	290	
D4721RG050 439	Sideframe RH AL	M1	1	RR 320 / Lip	>2004-01
D4604499	Head plate RH	PCS	2		
D8120106	Bottom plate RH	PCS	3		> 2004-03
D4521R0116	Bottom plate RH	PCS	3	Steel	2004-04 >
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4121R0209	Cap finished	PCS	5		


2
1
X
X
4
5
3


RR 290 / 320 Lip >> Side frame left(See drawing side frame right)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220026 439	Sideframe cpl LH	M1		complete RR320	> 2004-03
D8220RG237 439	Sideframe LH cpl	M1			2004-04 >
D8220027 439	Sideframe ST	M1	1	290	
D4721RG051 439	Sideframe LH AL	M1	1	RR 320 / Lip	>2004-01
D4604498	Head plate LH	PCS	2		
D8120107	Bottom plate LH	PCS	3		> 2004-03
D4521R0117	Bottom plate LH	PCS	3	Steel	2004-04 >
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4121R0209	Cap finished	PCS	5		


X
Y
4
5
2
Y
4
3
X
1


RR 290 / 320 Lip >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8230RG058	Door blade PVC 1.4 w. stripes		1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed
D8230016 185	Door blade Travitop 2x0.5	M2	1	without vision panel without barrel blue or red
D8230016 207	Door blade Travitop 2x0.5	M2	1	without vision panel without barrel special color
D8230013 186	Door blade Travitop 2x0.5 with	M2	1	vision panel / without barrel / blue or red
D8230013 208	Door blade Travitop 2x0.5 with	M2	1	vision panel / without barrel / special color
D8230RG312	Door blade Rolltex Plus		1	Original / NomaTex not sealed grey orange blue without barrel no window
D8230RG312 111	Portblad / Rolltex Plus /	PCS	1	Base price
D8230RG312 204	Rolltex Plus / RollTex	M2	1	grey original Upcharge
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window
D8240078 459	Top roll with bearing	M1	2	
D8240021	Top roll with bearing and	PCS	3	door blade
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany doorleaf


X
Y
1
9
7
9
10
2
8
11
1
10
4
Y
X
2
3
5


RR 290 / 320 Lip >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053	Bottom profile ASO complete	M1		with coil cable	
D4121V0012	Sliding part cpl for	PCS	1	standard version RR320 no Crash	
D4121V0013	Sliding part cpl for	PCS	2	standard version RR320 Crash	
D8150R0001	Weight	PCS	3		
D4701182 459	Profile for bottom profile	M1	4		
D4421RG036 459	Rubber profile with integrated	M1	5	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	5	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4721R0038	Plate for Crash sensor	PCS	7		
D4905V0044	Switch	PCS	8	Steel A2 Alu emergency egress	
D8450014 232	Crash sensor	PCS	8		
D5105R0091	Rope 3.2 L=9500	PCS	9	Crash curtain tension RR350 RR320	1996-05 >
D4121R0039	PVC-washer	PCS	10	Crash / RR 320	
D4907R0038	Coil cable 5x0.75	PCS	11	Crash	2004-05 >


2
5
1
8
in control system
6
11
4
10
7
Coil cable
Photocell
3
Photocell
Control
only for control cable >2.5m

RR 290 / 320 Lip >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8200RG001 232	Gear motor f. control ACS60/80	PCS	(*)	/FUSIII with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG002 232	Gear motor for control FUSI/II	PCS	(*)	(96V Brake)with rubber profile, torque arm, Crank, 2 cable for Photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG003 232	Gear motor for control PLS-G	PCS	(*)	/GT/GFwith rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable. Top roll d=140(50/60Hz)Drive D6601R0180Top roll d=115(50Hz) D6601R0139(60Hz) D6601R0126	> 2000-12 2001-01 > > 2003-03
D8200RG004 232	Gear motor for control ACS50	PCS	(*)	with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4902040	Breakfor gear motor 4901230	PCS	2	Drive 4901230 4901176	
D8570RG001 232	Terminal box with cable 9x0.75	PCS	3	Drive GfA	2003-04 >
D4801238	Limit switch sect. 7 switches	PCS	4	FUS, PLS-G,ACS50 with IP65	> 2000-03
D4905019	Limit switch sect. 7 switches	PCS	4	FUS	2000-03 >
D4905018	Limit switch section 6 switch.	PCS	4	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D8110R0086	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control galvanized steel	2000-03 >
D4604538	Torque arm	PCS	5		> 2000-02
D4801240	Cam drive GfA	PCS	6	ACS50 60 80 MCC without control	2007-03 >
D8110R0084	Crank	PCS	7	H>2000	
D8110R0085	Crank	PCS	7	H≤2000	
D8800R0001	Relais with socket	PCS	8	ACS60/80FUSI/II/III	
D8803004	Control cable		9	ACS 50 60 80	> 2003-03
D8803004 115	Control cable	PCS	9	Base price	
D8803004 498	Control cable	M1	9	Upcharge	
D8903RG144	E-Connection ACS 50		9	without control	2003-03 >
D8803004	Control cable		9	ACS 50 60 80	> 2003-03
D8803004 116	Control cable	PCS		ACS60 - Base price	
D8803004 117	Control cable	PCS		ACS60 - upcharge	
D8803004 499	Control cable	M1		ACS80 - Base price	
D8803004 500	Control cable	M1		ACS80 - upcharge	
D4905R0228	Emergency crank handle switch	PCS	10	ACS50 MCC without balancing	2008-07 >
D8410R0083	Electrical saving for crank	PCS	10	Drive Standard ACS50 60 80 MCC without control	> 2008-06


6
1
3
5
4
2

RR 290 / 320 Lip >> Options


Art. No	Product description	Unit	Img	Fits to
D8260004 459	Top roll cover with bracket	M1	1	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive
D8160R0104	Motor cover plasic grey cpl LH	PCS	3	MCS-R, ACS25,without control
D8160R0103	Motor cover plasic grey cpl RH	PCS	3	MCS-R, ACS25,without control
D6403V0001	Albany Assa Abloy sign 210x100	PCS	6	

RR 290E


2
1
X
3
X
4
5


RR 290E >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220084 439	column cpl. RH	M1		with/without photocell	> 2004-03
D8220084 439	column cpl. RH	M1		with/without photocell	> 2004-03
D8220RG238 439	RH column cpl.	M1		withphotocell	2004-04 >
D4604666 439	Sideframe	M1	1	without photocell	
D8220088 439	Sideframe	M1	1	for photocell	
D8120136	RH head plate non drive side	PCS	2		
D8120134	RH head plate drive side	PCS	2		
D8120108	RH bottom plate	PCS	3		> 2004-03
D4621R0280	RH bottom plate	PCS	3	A2	2004-04 >
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4121R0209	Cap finished	PCS	5		


2
1
X
X
4
5
3


RR 290E >> Side frame left (See drawing side frame right)

Art. No	Product description	Unit	Img	Fits to	Remark
D8220085 441	Column cpl. LH	M1		with/without photocell	
D8220085 441	Column cpl. LH	M1		with/without photocell	
D8220RG239 439	Column cpl. LH	M1		withphotocell	
D4604666 439	Sideframe	M1	1	without photocell	
D8220088 439	Sideframe	M1	1	for photocell	
D8120137	Head plate non drive side LH	PCS	2		
D8120135	Head plate drive side LH	PCS	2		
D8120109	Bottom plate LH	PCS	3		> 2004-03
D4621R0281	LH bottom plate	PCS	3	A2	2004-04 >
D4904R0548	Photocell receiver without	PCS	4	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	4	MCC	
D4121R0209	Cap finished	PCS	5		


X
Y
4
5
2
Y
4
3
X
1


RR 290E >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8230RG058	Door blade PVC 1.4 w. stripes		1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed
D8230016 185	Door blade Travitop 2x0.5	M2	1	without vision panel without barrel blue or red
D8230016 207	Door blade Travitop 2x0.5	M2	1	without vision panel without barrel special color
D8230013 186	Door blade Travitop 2x0.5 with	M2	1	vision panel / without barrel / blue or red
D8230013 208	Door blade Travitop 2x0.5 with	M2	1	vision panel / without barrel / special color
D8230RG312	Door blade Rolltex Plus		1	Original / NomaTex not sealed grey orange blue without barrel no window
D8230RG312 111	Portblad / Rolltex Plus /	PCS	1	Base price
D8230RG312 204	Rolltex Plus / RollTex	M2	1	grey original Upcharge
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window
D8240079 459	Top roll alu with bearing	M1	2	
D8240036	Top roll a2 with bearing		2	
D8240036 111	Top roll a2 with bearing	PCS	2	Base price
D8240036 459	Top roll a2 with bearing	M1	2	Upcharge
D8240035	Top roll a2 with bearing	PCS	3	and door blade
D8240035 111	Top roll a2 with bearing	PCS	3	and door blade Base price
D8240035 459	Top roll	M1	3	Upcharge
D8240035 192	Door blade PVC with stripes	M2	3	blue or red Upcharge
D8240035 194	Door blade PVC with stripes	M2	3	special colour Upcharge
D8240035 206	Doorblade RollTex Plus	M2	3	Upcharge
D8240035 625	Window for Rolltex Plus	PCS	3	Upcharge
D8240035 187	Doorblade top 2 x 0.5 mm	M2	3	Upcharge
D8240034	Top roll alu with bearing and	PCS	3	door blade
D8240034 111	Top roll alu with bearing and	PCS	3	Base price
D8240034 462	Top roll	M1		Upcharge
D8240034 192	Door blade PVC with stripes	M2	3	blue or red Upcharge
D8240034 194	Door blade PVC with stripes	M2	3	special colour Upcharge
D8240034 590	Doorblade RollTex Plus	M2	3	Upcharge
D8240035 625	Window for Rolltex Plus	PCS	3	Upcharge
D8240034 228	Doorblade top 2 x 0.5 mm	M2	3	Upcharge
D8140R0062	Flange bearing D 30	PCS	4	A2
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany doorleaf


X
Y
1
9
7
9
10
2
8
11
1
10
4
Y
X
2
3
5

RR 290E >> Bottom profile with safety edge


Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053 463	Bottom profile complete with	M1		coil cable stainless steel	
D4121V0012	Sliding part cpl for	PCS	1	standard version RR320 no Crash	
D4121V0013	Sliding part cpl for	PCS	2	standard version RR320 Crash	
D8150057	Weight	PCS	3		
D4604563 459	Profile f. bottom profile va	M1	4	outside	
D4621230 459	Profile f. bottom profile va L	M1	4	inside Drive	
D4604562 459	Profile f. bottom profile va R	M1	4	inside Drive	
D4421RG036 459	Rubber profile with integrated	M1	5	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	5	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4721R0038	Plate for Crash sensor	PCS	7		
D8450014 232	Crash sensor	PCS	8		
D5105R0091	Rope 3.2 L=9500	PCS	9	Crash curtain tension RR350 RR320	1996-05 >
D4121R0039	PVC-washer	PCS	10	Crash / RR 320	
D4907R0038	Coil cable 5x0.75	PCS	11	Crash	2004-05 >


2
5
1
8
in control system
6
11
4
10
7
Coil cable
Photocell
3
Photocell
Control
only for control cable >2.5m

RR 290E >> Drive unit

Notes:
New order: include D8903RG144 if required,up to 2009-11 with change of switching plan


Art. No	Product description	Unit	Img	Fits to	Remark
D8200RG001 232	Gear motor f. control ACS60/80	PCS	(*)	/FUSIII with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG002 232	Gear motor for control FUSI/II	PCS	(*)	(96V Brake)with rubber profile, torque arm, Crank, 2 cable for Photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG003 232	Gear motor for control PLS-G	PCS	(*)	/GT/GFwith rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable. Top roll d=140(50/60Hz)Drive D6601R0180Top roll d=115(50Hz) D6601R0139(60Hz) D6601R0126	> 2000-12 2001-01 > > 2003-03
D8200RG004 232	Gear motor for control ACS50	PCS	(*)	with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m. Without Motor-, Brake- and Controlcable.	> 2003-03
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D6622R0026	Brake 178V 9 Nm GfA	PCS	2	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4902040	Breakfor gear motor 4901230	PCS	2	Drive 4901230 4901176	
D4902040	Breakfor gear motor 4901230	PCS	2	Drive 4901230 4901176	
D8570RG001 232	Terminal box with cable 9x0.75	PCS	3	Drive GfA	2003-04 >
D4801238	Limit switch sect. 7 switches	PCS	4	FUS, PLS-G,ACS50 with IP65	> 2000-03
D4905019	Limit switch sect. 7 switches	PCS	4	FUS	2000-03 >
D4905018	Limit switch section 6 switch.	PCS	4	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D8110R0087	Torque arm	PCS	5	Drive GfA ACS50 60 80 MCC without control stainless steel	2000-03 >
D4604538	Torque arm	PCS	5		> 2000-02
D4801240	Cam drive GfA	PCS	6	ACS50 60 80 MCC without control	2007-03 >
D8110R0084	Crank	PCS	7	H>2000	
D8110R0085	Crank	PCS	7	H≤2000	
D8800R0001	Relais with socket	PCS	8	ACS60/80FUSI/II/III	
D8803004	Control cable	PCS	9	ACS 50 60 80	> 2003-03
D8803004 115	Control cable	PCS		Base price	
D8803004 498	Control cable	M1		Upcharge	
D8803004	Control cable	PCS	9	ACS 50 60 80	> 2003-03
D8803004 116	Control cable	PCS		ACS60 - Base price	
D8803004 117	Control cable	PCS		ACS60 - upcharge	
D8803004 499	Control cable	M1		ACS80 - Base price	
D8803004 500	Control cable	M1		ACS80 - upcharge	
D4905R0228	Emergency crank handle switch	PCS	10	ACS50 MCC without balancing	2008-07 >
D8410R0083	Electrical saving for crank	PCS	10	Drive Standard ACS50 60 80 MCC without control	> 2008-06


6
1
3
5
4
2

RR 290E >> Options


Art. No	Product description	Unit	Img	Fits to
D4621RG019 459	Top roll cover straight A2	M1	1	A2
D4621RG018 459	Top roll cover 30° drive LH	M1	1	Drive LH A2
D4621RG017 459	Top roll cover 30° drive RH	M1	1	Drive RH A2
D4621R0305	Bracket for Top roll cover	PCS	2	A2
D8160R0104	Motor cover plasic grey cpl LH	PCS	3	MCS-R, ACS25,without control
D8160R0103	Motor cover plasic grey cpl RH	PCS	3	MCS-R, ACS25,without control
D8160R0110	Motor cover 30° inox cpl LH	PCS	3	
D8160R0109	Motor cover 30° inox cpl RH	PCS	3	
D6403V0001	Albany Assa Abloy sign 210x100	PCS	6	

RR 300 MP


14
7
5
8
4
15
13
17
16
19
10
11
12
18
A
2
3
21
A


RR 300 MP >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG241 448	Side frame incl. photocell LH/RH	M1	1	without limit switch	
D8220RG241 449	Side frame incl. photocell LH/RH	M1	1	prepared for limit switch	
D8220RG241 453	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch	
D8220RG241 454	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch CAT3	
D8220RG241 452	Side frame incl. photocell LH/RH	M1	1	and Schmersal limit switch	
D8220RG249 439	Frame profile for switch	M1	2	predrilled + cover strip 300	2003-11 >
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0547	Photocell transmitter without	PCS	5	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		
D4621V0025	Distance	PCS	10		2003-11 >
D4621V0024	Bracket Schmersal switch	PCS	11	Schmersal	2003-11 >
D4507R0089	Bracket Telemecanique switch	PCS	12	Telemecanique	2003-11 >
D4905R0222	Magnet sensor Schmersal	PCS	13	Schmersal	2008-11 >
D4905V0046	Magnet sensor Schmersal	PCS	13	Schmersal	> 2008-10
D4907V0019	Cable Schmersal switch 15m +	PCS	14	sign Schmersal	2003-11 >
D4905V0041	Switch Telemecanique	PCS	15	Telemecanique	
D4507R0088	Bracket damper	PCS	16	Schmersal	
D4402R0082	Rubber damper	PCS	17	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	18		
D4521R0116	Bottom plate RH	PCS	19	Steel	2004-04 >
D4121R0320	Clip	PCS	21		
D4521V0016	Head plate non drive side RH	PCS	22	Steel	


14
7
5
8
4
15
13
17
16
19
10
11
12
18
A
2
3
21
A


RR 300 MP >> Side frame left

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG241 448	Side frame incl. photocell LH/RH	M1	1	without limit switch	
D8220RG241 449	Side frame incl. photocell LH/RH	M1	1	prepared for limit switch	
D8220RG241 453	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch	
D8220RG241 454	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch CAT3	
D8220RG241 452	Side frame incl. photocell LH/RH	M1	1	and Schmersal limit switch	
D8220RG250 439	Frame profile for switch	M1	2	predrilled + cover strip 300	2003-11 >
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0548	Photocell receiver without	PCS	6	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		
D4621V0025	Distance	PCS	10		2003-11 >
D4621V0024	Bracket Schmersal switch	PCS	11	Schmersal	2003-11 >
D4507R0089	Bracket Telemecanique switch	PCS	12	Telemecanique	2003-11 >
D4905R0222	Magnet sensor Schmersal	PCS	13	Schmersal	2008-11 >
D4905V0046	Magnet sensor Schmersal	PCS	13	Schmersal	> 2008-10
D4907V0019	Cable Schmersal switch 15m +	PCS	14	sign Schmersal	2003-11 >
D4905V0041	Switch Telemecanique	PCS	15	Telemecanique	
D4507R0088	Bracket damper	PCS	16	Schmersal	
D4402R0082	Rubber damper	PCS	17	Pre-running photocell Schmersal	
D4121V0014	Cover for side frame	PCS	18		
D4521R0117	Bottom plate LH	PCS	20	Steel	2004-04 >
D4121R0320	Clip	PCS	21		
D4521V0015	Head plate non drive side LH	PCS	22	Steel	


X
Y
4
5
2
Y
4
3
X
1


RR 300 MP >> Top roll / curtain

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG058	Door blade PVC 1.4 w. stripes		1	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	1	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	1	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	1	special colour upcharge PVC 1.4 not sealed	
D8230RG312	Door blade Rolltex Plus		1	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	1	Base price	
D8230RG312 204	Rolltex Plus / RollTex	M2	1	grey original Upcharge	
D8230RG312 203	Rolltex Original painted	M2	1	Upcharge	
D8230RG312 189	Nomatex	M2	1	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	1	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1	1	upcharge	
D8230RG062a	Door blade Travitop 0.8	M2		without vision panel blue or red	
D8230RG062b	Door blade Travitop 0.8	M2		without vision panel special colour	
D8230RG062c	Door blade Travitop 0.8	M2		with vision panel blue or red	
D8230RG062d	Door blade Travitop 0.8	M2		with vision panel special colour	
D8240RG099	Top roll alu with bearing		2	shafts A2	
D8240RG099 467	Top roll alu with bearings	M1	2	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D8240RG099 432	Top roll alu with bearing	M1	2	shaft A2	
D8240RG099	Top roll alu with bearing		2	shafts A2	
D8240RG099 114	Top roll A2 with bearings	PCS	2	Base price	>2000-02
D8240RG099 463	Top roll stainless steel with	M1	2	shafts A2 Upcharge	
D8240RG101	Top roll alu with bearing and	PCS	3	door blade shaft galvanized	
D8140R0062	Flange bearing D 30	PCS	4	A2	
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive	
D8130R0009	Windbreaktap (12 pcs.)	PCS	5	Windnodes for Albany doorleaf	


11
10
9
5
X
7
12
6
2
8
13
X
3


RR 300 MP >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053 465	Bottom profile ASO complete	M1	1	with coil cable RR320	
D4721RG057 459	Bottom beam pre-drilled	M1	2	MP RR320 Standard mot sealed Alu	
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4121V0012	Sliding part cpl for	PCS	5	standard version RR320 no Crash	
D4910V0013	Cable connection UR2	PCS	6	safety edge	
D4907R0038	Coil cable 5x0.75	PCS	7	Crash	2004-05 >
D8830R0054	Coil cable with connector and	PCS	7	socket housing cpl Harting	
D8830R0045	Coil cable w. 4-pole connector	PCS	7	or Harting	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	8		
D4621V0023	Bracket magnet	PCS	9	Schmersal	2003-11 >
D4905R0223	Magnet Schmersal	PCS	10	See Options Pos.8	2008-11 >
D4905V0076	Magnet	PCS	10	Schmersal	> 2008-10
D4121R0257	Actuator for switch	PCS	11	Telemecanique	
D4121R0258	Sliding part	PCS	12		
D6403V0009	Sign yellow/black	PCS	13		
D4121R0314	Sealing rubber profile to	PCS	14	sideframe RR320	> 2012-04


8
9
4
5
3
7
6
2
1

RR 300 MP >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D32-9315-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS70 RR320	2000-03 >
D32-9325-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS50 RR320	2000-03 > > 2004-10
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D8910R0091	Gear motor	PCS	1	Drive Standard ACS50 60 80 without control H≤3900	2006-01 >
D8910R0076	Gear motor with MCC encoder	PCS	1	Drive Standard MCC H≤3900	
D6610V0002	Gear box Tvraj 5 xb14/80	PCS	2	K-14 i=29:2 ACS70, RR320	2000-03 >
D00-9235-25	Gear box Tvraj 5 xb14/80	PCS	2	OKIT14 i=29:2 ACS50	2000-03 > > 2004-10
D6622V0002	Brake 8Nm Ovitor	PCS	3	ACS50+70, add. f. Ovitor8, RR320	
D6622R0037	Ovitor brake disc with	PCS	3	hexagonal hub and key ACS50 + 70	
D6622R0026	Brake 178V 9 Nm GfA	PCS	3	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4904V0068	Inductive sensor M8 NO NON	PCS	4	with 2m cable ACS70, RR320	
D6611V0005	Clutch complete Ovitor gearbox	PCS	5	motor RR320	
D4905V0077	Limit switch crank Ovitor	PCS	6	RR320 ACS 50 w.o. MSO/ ASO	> 2005-12
D4521V0107	Bracket crank switch	PCS	7	ACS50 RR320 w.o. MSO/ ASO	> 2005-12
D32-9328-XX	Torque arm drive unit size 5	PCS	8	and 8 complete RR320	
D8110R0086	Torque arm	PCS	8	Drive GfA ACS50 60 80 MCC without control galvanized steel	2000-03 >
D5004V0001	Rubber bush	PCS	9	not for GfA	
D4905R0228	Emergency crank handle switch	PCS	10	ACS50 MCC without balancing	2008-07 >
D8410R0083	Electrical saving for crank	PCS	10	Drive Standard ACS50 60 80 MCC without control	> 2008-06
D97-6920-PC 515	E-Connection	M1	11	ACS70, RR320	
D8903RG144	E-Connection ACS 50		11	without control	2003-03 >
D8903RG145	E-Connection MCC		11		
D8410R0080	Encoder MCC with bracket for	PCS	12	drive GfA MCC;drive GfA	2008-07 >
D8410R0068	Encoder with bracket	PCS	12	Drive Standard MCC	> 2008-06


8
1
4
6
5
3
2
7

RR 300 MP >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D4721RG049 459	Top roll cover without bracket	M1	1	Alu std. and Mini	
D4521R0906	Bracket for top roll cover	PCS	2	Standard / steel / chain drive	
D8520RG010 459	Top roll felt seal 300	M1	3	RR320	
D8160R0107	Motor cover steel cpl RH	PCS	4	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	4	drive vertical RR320	
D4521R1491	Bracket motor cover RH	PCS	5	Motorcover plastic / steel drive vertical	
D4521R1488	Bracket motor cover LH	PCS	5	Motorcover plastic / steel drive vertical	
D4121R0222	Cover black	PCS	6		
D00-9125-04	Crank 0.5m Bonfiglioli	PCS	7	w.o MSO/ASO RR320	> 2005-12
D00-9125-01	Crank 1.0m Bonfiglioli	PCS	7	w.o MSO/ASO RR320	> 2005-12
D00-9125-02	Crank 1.5m Bonfiglioli	PCS	7	w.o MSO/ASO RR320	> 2005-12
D00-9125-03	Crank 2.0m Bonfiglioli	PCS	7	w.o MSO/ASO RR320	> 2005-12
D4521R1081	Crank 0.7m GfA	PCS	7	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D4521R0968	Crank 1.0m GfA	PCS	7	GfA 2000<H≤3000 ACS50 60 80 MCC without control without balancing	
D4521R1425	Crank 1.7m GfA	PCS	7	3000<H≤3500 ACS50 60 80 MCC without control without balancing	
D4521R1281	Crank with cardan joint GfA	PCS	7		
D6403V0001	Albany Assa Abloy sign 210x100	PCS	8		
D4521RG170 232	Distance rod Steel	PCS	9	Steel	
D4621RG014 232	Distance rod A2	PCS	9	A2	
D4721RG056 232	Distance rod Alu	PCS	9	Alu not sealed	2004-02 >
D4914R0031	Safety relay SRB301 24 VDC	PCS	10	Schmersal	2009-07 >
D4914R0024	Safety relay SRB200 24 VDC	PCS	10	Telemecanique	2009-07 >
D4914V0014	Safety relay AZR 31 T2 24VDC	PCS	10	Schmersal	> 2009-06
D4908R0004	Safety relay AZR 31 R2 24VDC	PCS	10	Telemecanique	> 2009-06

RR 320 Mini


9
1
2
3
7
8
5
7
8
6
4


RR 320 Mini >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220025 445	Side frame incl photocell RH	M1	1	complete RR320	>2004-01
D8220RG252 457	Side frame incl photocell	M1	1	complete RR320 Mini LH/ RH	>2004-01
D8220RG228 439	Side frame incl photocell RH	M1	1	complete Alu	2004-02 >
D4721RG050 439	Sideframe RH AL	M1	2	RR 320 / Lip	>2004-01
D4721RG058 439	Sideframe	M1	2	Alu	2004-02 >
D4050RG013 439	Cover strip yellow	M1	3		>2004-01
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0547	Photocell transmitter without	PCS	5	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		


9
1
2
3
7
8
5
7
8
6
4


RR 320 Mini >> Side frame left

Art. No	Product description	Unit	Img	Fits to	Remark
D8220026 439	Sideframe cpl LH	M1	9	complete RR320	> 2004-03
D8220RG252 457	Side frame incl photocell	M1	9	complete RR320 Mini LH/ RH	>2004-01
D8220RG231 439	Side frame incl photocell LH	M1	9	complete Alu	2004-02 >
D4721RG051 439	Sideframe LH AL	M1	2	RR 320 / Lip	>2004-01
D4721RG060 439	Sideframe	M1	2	Alu	2004-02 >
D4050RG013 439	Cover strip yellow	M1	3		>2004-01
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0548	Photocell receiver without	PCS	6	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		


5
4
1
6
8
3
2
7


RR 320 Mini >> Top roll / curtain

Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG101	Top roll alu with bearing and	PCS		door blade shaft galvanized	
D8240RG099 114	Top roll A2 with bearings	PCS	1	Base price	>2000-02
D8240RG099 114	Top roll A2 with bearings	PCS	1	Base price	>2000-02
D8240RG099a	Top roll w. 20mm shaft Becker	PCS	1	complete RR320 Mini	>2004-03
D8240RG099 114	Top roll A2 with bearings	PCS	1	Base price	>2000-02
D4521R1280	Shaft 30mm drive side Ovitor	PCS	2	szie 8 RR320	>2000-02
D4521V0104	Shaft 28mm drive side Ovitor	PCS	2	size 5 RR320	2000-03 >
D4521R1300	Shaft 20mm drive side Becker	PCS	2	RR320 Mini	>2004-03
D4521R0846	Shaft 30mm drive side GfA	PCS	2		2004-04 >
D5409R0070	Key 8x7x56mm	PCS	3	RR320	>2004-03
D5409052	Key 6x6x70mm	PCS	3	RR320 Mini	>2004-03
D5409R0018	Key 8x7x50mm	PCS	3		2004-04 >
D4521R0845	Shaft 30mm non drive side	PCS	4		
D8140R0005	Flange bearing D 30	PCS	5	Steel Alu chain drive	
D8230RG058	Door blade PVC 1.4 w. stripes		6	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	6	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	6	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	6	special colour upcharge PVC 1.4 not sealed	
D8230RG312	Door blade Rolltex Plus		6	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	6	Base price	
D8230RG312 204	Rolltex Plus / RollTex	M2	6	grey original Upcharge	
D8230RG312 203	Rolltex Original painted	M2	6	Upcharge	
D8230RG312 189	Nomatex	M2	6	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	6	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1	6	upcharge	
D8130R0009	Windbreaktap (12 pcs.)	PCS	7	Windnodes for Albany doorleaf	
D4721RG056 232	Distance rod Alu	PCS	8	Alu not sealed	2004-02 >


5
6
7
1
3
2
5
9
10
4

RR 320 Mini >> Bottom profile with safety edge


Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053 465	Bottom profile ASO complete	M1	1	with coil cable RR320	
D8550RG042 459	Bottom profile alu complete	M1	1	with coil cable RR320 Mini	
D4721RG057 459	Bottom beam pre-drilled	M1	2	MP RR320 Standard mot sealed Alu	
D4721RG069 459	Bottom beam pre-drilled 330	M1	2	RR30 RR320 Mini sealed	2006-01 >
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG037 459	Rubber profile with integrated	M1	3	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4121V0012	Sliding part cpl for	PCS	5	standard version RR320 no Crash	
D4121V0013	Sliding part cpl for	PCS	5	standard version RR320 Crash	
D4121V0018	Sliding part complete for Mini	PCS	5	RR320 Mini	
D4910V0013	Cable connection UR2	PCS	6	safety edge	
D4907R0038	Coil cable 5x0.75	PCS	7	Crash	2004-05 >
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	8		
D4121R0039	PVC-washer	PCS	9	Crash / RR 320	
D5105R0091	Rope 3.2 L=9500	PCS	10	Crash curtain tension RR350 RR320	1996-05 >
D4121R0314	Sealing rubber profile to	PCS	11	sideframe RR320	> 2012-04


8
9
4
5
3
7
6
2
1

RR 320 Mini >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D32-9310-XX	Drive unit 1.1 kW gear box	PCS	1	size 8 ACS70 RR320	>2000-02
D32-9320-XX	Drive unit 1.1 kW gear box	PCS	1	size 8 ACS50 RR320	>2000-02
D32-9315-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS70 RR320	2000-03 >
D32-9325-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS50 RR320	2000-03 > > 2004-10
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D3203V0002	Drive unit cpl Becker	PCS	1	ACS50 / RR320 Mini	>2004-04
D6601V0001	Gear motor	PCS	1	Drive RR320 Mini ACS50 without control	2004-05 >
D00-9210-25	Gear box Tvraj 8 xb14/80	PCS	2	K-14 i=66:4 ACS70 RR320	>2000-02
D00-9230-25	Gear box Tvraj 8 xb14/80	PCS	2	OKIT-14 i=53:2 ACS50 RR320	>2000-02
D6610V0002	Gear box Tvraj 5 xb14/80	PCS	2	K-14 i=29:2 ACS70, RR320	2000-03 >
D00-9235-25	Gear box Tvraj 5 xb14/80	PCS	2	OKIT14 i=29:2 ACS50	2000-03 > > 2004-10
D6622V0002	Brake 8Nm Ovitor	PCS	3	ACS50+70, add. f. Ovitor8, RR320	
D00-2462-25	Brake plate for Ovitor size 8	PCS	3	ACS50+70 add. f. Ovitor8 RR320	>1998-01
D6622R0037	Ovitor brake disc with	PCS	3	hexagonal hub and key ACS50 + 70	
D6622R0026	Brake 178V 9 Nm GfA	PCS	3	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4904V0068	Inductive sensor M8 NO NON	PCS	4	with 2m cable ACS70, RR320	
D6611V0005	Clutch complete Ovitor gearbox	PCS	5	motor RR320	
D4905V0077	Limit switch crank Ovitor	PCS	6	RR320 ACS 50 w.o. MSO/ ASO	> 2005-12
D4521V0107	Bracket crank switch	PCS	7	ACS50 RR320 w.o. MSO/ ASO	> 2005-12
D32-9328-XX	Torque arm drive unit size 5	PCS	8	and 8 complete RR320	
D4521V0117	Torque arm Becker	PCS	8	RR320 Mini	
D8110R0086	Torque arm	PCS	8	Drive GfA ACS50 60 80 MCC without control galvanized steel	2000-03 >
D5004V0001	Rubber bush	PCS	9	not for GfA	
D97-6920-PC 515	E-Connection	M1		ACS70, RR320	


EN CHAPTER O 20160406 EN


1
3
2
4
6
7

RR 320 Mini >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D8520RG010 459	Top roll felt seal 300	M1	1	RR320	
D8160R0107	Motor cover steel cpl RH	PCS	2	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	2	drive vertical RR320	
D32-4887-XX	Motor cover Mini RH	PCS	2	RR320 Mini	
D32-4888-XX	Motor cover Mini LH	PCS	2	RR320 Mini	
D4721RG049 459	Top roll cover without bracket	M1	3	Alu std. and Mini	
D4521R0906	Bracket for top roll cover	PCS	3	Standard / steel / chain drive	
D00-9125-01	Crank 1.0m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-02	Crank 1.5m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-03	Crank 2.0m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-04	Crank 0.5m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D4521R1081	Crank 0.7m GfA	PCS	4	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D6403V0001	Albany Assa Abloy sign 210x100	PCS	5		

RR 320 MP


1
9
3
2
7
8
5
4
18
17
16
6
14
13
19
20
10
11
12
15


RR 320 MP >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG241 448	Side frame incl. photocell LH/RH	M1	1	without limit switch	
D8220RG241 449	Side frame incl. photocell LH/RH	M1	1	prepared for limit switch	
D8220RG241 453	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch	
D8220RG241 454	Side frame incl. photocell LH/RH	M1	1	and Telemechanik limit switch CAT3	
D8220RG241 452	Side frame incl. photocell LH/RH	M1	1	and Schmersal limit switch	
D4721RG118 439	Frame profile for switch	M1	2	predrilled + cover strip 320	>2003-10
D8220RG249 439	Frame profile for switch	M1	2	predrilled + cover strip 300	2003-11 >
D4050RG013 439	Cover strip yellow	M1	3		>2004-01
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0547	Photocell transmitter without	PCS	5	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		
D4621V0025	Distance	PCS	10		2003-11 >
D4621V0024	Bracket Schmersal switch	PCS	11	Schmersal	2003-11 >
D4507R0089	Bracket Telemecanique switch	PCS	12	Telemecanique	2003-11 >
D4905V0046	Magnet sensor Schmersal	PCS	13	Schmersal	> 2008-10
D4907V0019	Cable Schmersal switch 15m +	PCS	14	sign Schmersal	2003-11 >
D4905V0041	Switch Telemecanique	PCS	15	Telemecanique	
D8120R0067	Bracket with damper	PCS	16.17	Schmersal	
D4121V0014	Cover for side frame	PCS	18		
D4521R0116	Bottom plate RH	PCS	19	Steel	2004-04 >


1
9
3
2
7
8
5
4
18
17
16
6
14
13
19
20
10
11
12
15


RR 320 MP >> Side frame left

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG241 448	Side frame incl. photocell LH/RH	M1	9	without limit switch	
D8220RG241 449	Side frame incl. photocell LH/RH	M1	9	prepared for limit switch	
D8220RG241 453	Side frame incl. photocell LH/RH	M1	9	and Telemechanik limit switch	
D8220RG241 454	Side frame incl. photocell LH/RH	M1	9	and Telemechanik limit switch CAT3	
D8220RG241 452	Side frame incl. photocell LH/RH	M1	9	and Schmersal limit switch	
D4721RG119 439	Frame profile for switch	M1	2	predrilled + cover strip 320	>2003-10
D8220RG250 439	Frame profile for switch	M1	2	predrilled + cover strip 300	2003-11 >
D4050RG013 439	Cover strip yellow	M1	3		>2004-01
D4050RG014 439	Cover strip wide yellow	M1	3	L=DH+170	2004-02 >
D8470R0006	Stat. Photocell trans/rec cpl.	PCS	4	with 2x bracket/cable	
D4904R0548	Photocell receiver without	PCS	6	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	7	MCC	
D4707R0041	Bracket photocell	PCS	8		
D4621V0025	Distance	PCS	10		2003-11 >
D4621V0024	Bracket Schmersal switch	PCS	11	Schmersal	2003-11 >
D4507R0089	Bracket Telemecanique switch	PCS	12	Telemecanique	2003-11 >
D4905V0046	Magnet sensor Schmersal	PCS	13	Schmersal	> 2008-10
D4907V0019	Cable Schmersal switch 15m +	PCS	14	sign Schmersal	2003-11 >
D4905V0041	Switch Telemecanique	PCS	15	Telemecanique	
D8120R0067	Bracket with damper	PCS	16.17	Schmersal	
D4121V0014	Cover for side frame	PCS	18		
D4521R0117	Bottom plate LH	PCS	20	Steel	2004-04 >


X
Y
5
2
3
7
1
Y
4
X
6


RR 320 MP >> Top roll / curtain

Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG101	Top roll alu with bearing and	PCS		door blade shaft galvanized	
D8240RG099 467	Top roll alu with bearings	M1	1	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D8240RG099 467	Top roll alu with bearings	M1	1	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D8240RG099 467	Top roll alu with bearings	M1	1	Shaft 28/30 galvanized size 5 size 8 Upcharge	>2000-02
D4521R1280	Shaft 30mm drive side Ovitor	PCS	2	szie 8 RR320	>2000-02
D4521V0104	Shaft 28mm drive side Ovitor	PCS	2	size 5 RR320	2000-03 >
D4521R0846	Shaft 30mm drive side GfA	PCS	2		2004-04 >
D5409R0070	Key 8x7x56mm	PCS	3	RR320	>2004-03
D5409R0018	Key 8x7x50mm	PCS	3		2004-04 >
D4521R0845	Shaft 30mm non drive side	PCS	4		
D8140R0005	Flange bearing D 30	PCS	5	Steel Alu chain drive	
D8230RG058	Door blade PVC 1.4 w. stripes		6	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	6	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	6	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	6	special colour upcharge PVC 1.4 not sealed	
D8230RG312	Door blade Rolltex Plus		6	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	6	Base price	
D8230RG312 204	Rolltex Plus / RollTex	M2	6	grey original Upcharge	
D8230RG312 203	Rolltex Original painted	M2	6	Upcharge	
D8230RG312 189	Nomatex	M2	6	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	6	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1		upcharge	
D8130R0009	Windbreaktap (12 pcs.)	PCS	7	Windnodes for Albany doorleaf	
D4721RG056 232	Distance rod Alu	PCS	8	Alu not sealed	2004-02 >


1
7
6
11
2
8
9
10
5
3


RR 320 MP >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG053 465	Bottom profile ASO complete	M1	1	with coil cable RR320	
D4721RG057 459	Bottom beam pre-drilled	M1	2	MP RR320 Standard mot sealed Alu	
D4421RG036 459	Rubber profile with integrated	M1	3	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4121V0012	Sliding part cpl for	PCS	5	standard version RR320 no Crash	
D4910V0013	Cable connection UR2	PCS	6	safety edge	
D4907R0038	Coil cable 5x0.75	PCS	7	Crash	2004-05 >
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	8		
D4621V0023	Bracket magnet	PCS	9	Schmersal	2003-11 >
D4905V0076	Magnet	PCS	10	Schmersal	> 2008-10
D4121R0257	Actuator for switch	PCS	11	Telemecanique	
D4121R0314	Sealing rubber profile to	PCS	12	sideframe RR320	> 2012-04


8
9
4
5
3
7
6
2
1

RR 320 MP >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D32-9310-XX	Drive unit 1.1 kW gear box	PCS	1	size 8 ACS70 RR320	>2000-02
D32-9320-XX	Drive unit 1.1 kW gear box	PCS	1	size 8 ACS50 RR320	>2000-02
D32-9315-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS70 RR320	2000-03 >
D32-9325-XX	Drive unit 1.1 kW gear box	PCS	1	size 5 ACS50 RR320	2000-03 > > 2004-10
D8200RG005 232	Gear motor with rubber profile	PCS	1	100 mm Drive Standard ACS50 60 80 RR320 without control	2003-04 >
D00-9210-25	Gear box Tvraj 8 xb14/80	PCS	2	K-14 i=66:4 ACS70 RR320	>2000-02
D00-9230-25	Gear box Tvraj 8 xb14/80	PCS	2	OKIT-14 i=53:2 ACS50 RR320	>2000-02
D6610V0002	Gear box Tvraj 5 xb14/80	PCS	2	K-14 i=29:2 ACS70, RR320	2000-03 >
D00-9235-25	Gear box Tvraj 5 xb14/80	PCS	2	OKIT14 i=29:2 ACS50	2000-03 > > 2004-10
D6622V0002	Brake 8Nm Ovitor	PCS	3	ACS50+70, add. f. Ovitor8, RR320	
D00-2462-25	Brake plate for Ovitor size 8	PCS	3	ACS50+70 add. f. Ovitor8 RR320	>1998-01
D6622R0037	Ovitor brake disc with	PCS	3	hexagonal hub and key ACS50 + 70	
D6622R0026	Brake 178V 9 Nm GfA	PCS	3	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4904V0068	Inductive sensor M8 NO NON	PCS	4	with 2m cable ACS70, RR320	
D6611V0005	Clutch complete Ovitor gearbox	PCS	5	motor RR320	
D4905V0077	Limit switch crank Ovitor	PCS	6	RR320 ACS 50 w.o. MSO/ ASO	> 2005-12
D4521V0107	Bracket crank switch	PCS	7	ACS50 RR320 w.o. MSO/ ASO	> 2005-12
D32-9328-XX	Torque arm drive unit size 5	PCS	8	and 8 complete RR320	
D8110R0086	Torque arm	PCS	8	Drive GfA ACS50 60 80 MCC without control galvanized steel	2000-03 >
D5004V0001	Rubber bush	PCS	9	not for GfA	
D97-6920-PC 515	E-Connection	M1		ACS70, RR320	


1
3
2
4
6
7

RR 320 MP >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D8520RG010 459	Top roll felt seal 300	M1	1	RR320	
D8160R0107	Motor cover steel cpl RH	PCS	2	drive vertical RR 320	
D8160R0108	Motor cover steel cpl LH	PCS	2	drive vertical RR320	
D4721RG049 459	Top roll cover without bracket	M1	3	Alu std. and Mini	
D4521R0906	Bracket for top roll cover	PCS	3	Standard / steel / chain drive	
D00-9125-01	Crank 1.0m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-02	Crank 1.5m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-03	Crank 2.0m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D00-9125-04	Crank 0.5m Bonfiglioli	PCS	4	w.o MSO/ASO RR320	> 2005-12
D4521R1081	Crank 0.7m GfA	PCS	4	H≤2000 ACS50 60 80 MCC without control without balancing	2004-04 >
D6403V0001	Albany Assa Abloy sign 210x100	PCS	5		

RR 330


7
2
1
10
8
11
9
6
4
5
7


RR 330 >> Side frame right

Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG253	Side frame 330 RH				> 2005-12
D8220RG253 111	Side frame 330 RH	PCS		Base price	
D8220RG253 439	Side frame 330 RH	M1		Upcharge	
D8220RG253 119	Extra balance system	PCS		Balance system	
D8220RG242	Side frame 330 RH				2006-01 >
D8220RG242 111	Side frame 330 RH	PCS		Base price	
D8220RG242 439	Side frame 330 RH	M1		Upcharge	
D8220RG242 119	Extra balance system	PCS		Balance system	
D4721RG147 439	Frame profile pre-drilled 330	M1	1		> 2003-01
D4721RG120 439	Frame profile pre-drilled 330	M1	1		2003-02 > > 2005-12
D4721RG113 439	Frame profile pre-drilled 330	M1	1		2006-01 >
D4050RG014 439	Cover strip wide yellow	M1	2	L=DH+170	2004-02 >
D4121V0007	Decoration strip yellow for	PCS	2	Profile MSO/ASO L=5500	
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	3	ACS 70	> 2005-12
D4904R0547	Photocell transmitter without	PCS	4	bracket - blue RH not for pre-run	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D5003R0008	Pulley 330	PCS	7		
D8120R0058	Ratio in frame	PCS	8	curtain Tension	
D4721RG151 439	Cover profile side frame	M1	9	MSO/ASO in front	> 2003-01
D4721RG152 439	Cover profile side frame	M1	9	MSO/ASO sideward	> 2003-01
D4721RG115 439	Cover profile side frame	M1	9	MSO/ASO (incl. brackets)	2003-02 >
D8120R0059	Ratio MSO/ASO cpl	PCS	10		
D4421RG038 439	Rubber cord MSO/ASO	M1	11		


7
2
1
10
8
11
9
6
4
5
7


RR 330 >> Side frame left standard


Art. No	Product description	Unit	Img	Fits to	Remark
D8220RG254	Side frame 330 LH				> 2005-12
D8220RG254 111	Side frame 330 LH	PCS		Base price	
D8220RG254 439	Side frame 330 LH	M1		Upcharge	
D8220RG254 119	Extra balance system	PCS		Balance system	
D8220RG243	Side frame 330 LH				2006-01 >
D8220RG243 111	Side frame 330 LH	PCS		Base price	
D8220RG243 439	Side frame 330 LH	M1		Upcharge	
D8220RG243 119	Extra balance system	PCS		Balance system	
D4721RG148 439	Frame profile pre-drilled 330	M1	1		>2003-01
D4721RG121 439	Frame profile pre-drilled 330	M1	1		2003-02 > > 2005-12
D4721RG114 439	Frame profile pre-drilled 330	M1	1		2006-01 >
D4050RG014 439	Cover strip wide yellow	M1	2	L=DH+170	2004-02 >
D4121V0007	Decoration strip yellow for	PCS	2	Profile MSO/ASO L=5500	
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	3	ACS 70	> 2005-12
D4904R0548	Photocell receiver without	PCS	5	bracket - black LH not for pre-run snow proof	
D4907R0035	Cable photocell 13.5m 3x0.25	PCS	6	MCC	
D5003R0008	Pulley 330	PCS	7		
D8120R0058	Ratio in frame	PCS	8	curtain Tension	
D4721RG151 439	Cover profile side frame	M1	9	MSO/ASO in front	> 2003-01
D4721RG152 439	Cover profile side frame	M1	9	MSO/ASO sideward	> 2003-01
D4721RG116 439	Cover profile side frame	M1	9	MSO/ASO (incl. brackets)	2003-02 >
D8120R0059	Ratio MSO/ASO cpl	PCS	10		
D4421RG038 439	Rubber cord MSO/ASO	M1	11		


X
Y
Z
6
4
3
2
8
7
1
Z
3
2
Y
4
X
5

RR 330 >> Top roll / curtain


Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG107 459	Top roll 330 cpl	M1	1	ACS 50/70	2003-02 > > 2005-12
D8240RG107 459	Top roll 330 cpl	M1	1	ACS 50/70	2003-02 > > 2005-12
D8240RG101	Top roll alu with bearing and	PCS	1	door blade shaft galvanized	
D5105R0031	Rope d=5mm, L=8000mm	PCS	2	L= 4 x DH-500 L= B+2660	
D4721V0008	Rope drum single	PCS	3	curtain tension	
D4721V0009	Rope drum double	PCS	3	MSO/ASOin front	
D8140R0005	Flange bearing D 30	PCS	4	Steel Alu chain drive	
D8230RG058	Door blade PVC 1.4 w. stripes		5	blue or red DW≤ 4000 and DH≤ 4200 Not sealed	
D8230RG058 141	Door blade PVC 1.4 w. stripes	PCS	5	DW≤ 4000 and DH≤ 4200 Base price	
D8230RG058 196	Door blade PVC with stripes	M2	5	blue or red Upcharge PVC 1.4 not sealed	
D8230RG058 193	Door blade PVC with stripes	M2	5	special colour upcharge PVC 1.4 not sealed	
D8230RG312	Door blade Rolltex Plus		5	Original / NomaTex not sealed grey orange blue without barrel no window	
D8230RG312 111	Portblad / Rolltex Plus /	PCS	5	Base price	
D8230RG312 204	Rolltex Plus / RollTex	M2	5	grey original Upcharge	
D8230RG312 203	Rolltex Original painted	M2	5	Upcharge	
D8230RG312 189	Nomatex	M2	5	Upcharge not sealed	
D8230RG312 625	Window vertical / horizontal	PCS	5	upcharge door blade Rolltex plus with window	
D8230RG312 619	Vision panel Nomatex	M1	5	upcharge	
D8230RG062 185	Door blade Travitop 0.8	M2	5	without vision panel blue or red	
D8230RG062 207	Door blade Travitop 0.8	M2	5	without vision panel special colour	
D8230RG062 186	Door blade Travitop 0.8	M2	5	with vision panel blue or red	
D8230RG062 208	Door blade Travitop 0.8	M2	5	with vision panel special colour	
D8130R0009	Windbreaktap (12 pcs.)	PCS	6	Windnodes for Albany doorleaf	
D4721RG056 232	Distance rod Alu	PCS	7	Alu not sealed	2004-02 >
D8140R0066	Stub axle MSO/ASO	PCS	8	(new side frame required) retrofit kit	> 2003-01


6
7
4
1
8
X
2


5
4
7
X


RR 330 >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D8550RG042 459	Bottom profile alu complete	M1		with coil cable RR320 Mini	
D4721RG124 459	Bottom beam pre-drilled 330	M1	1		> 2005-12
D4721RG069 459	Bottom beam pre-drilled 330	M1	1	RR30 RR320 Mini sealed	2006-01 >
D4421RG036 459	Rubber profile with integrated	M1	2	safety edge. With curtain tension. ACS50 / MCC with SRD	
D4421RG048 459	Rubber profile with	M1	2	integrated safety edge ACS70 ACS 70	
D4421RG037 459	Rubber profile with integrated	M1	2	safety edge elongated sea-ling-lip. With curtain ten-sion. ACS50 / MCC	
D4121V0006	Sliding guide 330	PCS	4		
D4121R0264	Sliding guide SRD 330	PCS	4		
D4910V0013	Cable connection UR2	PCS	5	safety edge	
D96-6105-96	Coil cable 3x0.75	PCS	6	(Pneumatic)	> 2004-04
D4907R0038	Coil cable 5x0.75	PCS	6	Crash	2004-05 >
D4421RG039 439	Rubber cord	M1	7		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	8		


4
1
12
13

RR 330 >> Drive unit ACS 50/70


Art. No	Product description	Unit	Img	Fits to	Remark
D96-9312-XX	Drive unit Nomadrive 1.1kW	PCS	1	Swedrive cpl ACS 70 x2	
D3202V0001	Drive unit ACS 50 0.75kW	PCS	1	Swedrive cpl ACS 50	> 2005-12
D03-9001-25	Gearbox Swedrive standard	PCS	2	ACS 50 ACS 70	> 2005-12
D03-9001-25	Gearbox Swedrive standard	PCS	2	ACS 50 ACS 70	> 2005-12
D03-0702-25	Motor t80 1.10 kw 220-240v bf	PCS	3	ACS70 1.1 kW	
D6620V0005	Motor SKH 80-6B 0.75kW B14	PCS	3	ACS 50	> 2005-12
D03-0133-25	Brake 14Nm 24VDC	PCS	4	ASO	> 2003-12
D03-0132-25	Brake 14 nm 5ue010252s11cb	PCS	4	ACS70 1.1 kW + 1.5 kW	
D6622V0001	Brake 8Nm 200VDC	PCS	4	ACS 50	> 2005-12
D03-0095-25	Coupling bowex j19 19/19	PCS	5	ACS70 1.1 kW	> 2005-12
D03-0095-25	Coupling bowex j19 19/19	PCS	5	ACS70 1.1 kW	> 2005-12
D4905V0077	Limit switch crank Ovitor	PCS	6	RR320 ACS 50 w.o. MSO/ ASO	> 2005-12
D4905V0077	Limit switch crank Ovitor	PCS	6	RR320 ACS 50 w.o. MSO/ ASO	> 2005-12
D4521V0107	Bracket crank switch	PCS	7	ACS50 RR320 w.o. MSO/ ASO	> 2005-12
D4521V0107	Bracket crank switch	PCS	7	ACS50 RR320 w.o. MSO/ ASO	> 2005-12
D3201V0003	Inductive sensor for	PCS	8	zero pulse 330 cpl ACS 70	
D4904V0069	Inductive sensor M12 NO PNP	PCS	9	with 5m cable ACS 70	
D4904V0063	A-pos RH with 5 m cable green	PCS	10	ACS50 / DH≤3.5	> 2006-08
D4904V0065	A-pos LH with 5 m cable red	PCS	10	ACS50 / DH≤3.5	> 2006-08
D4904V0058	A-pos 15 turn w. 10m cable RH	PCS	10	ACS50 / DH>3.5	> 2006-08
D4904V0057	A-pos 15 turn w. 10m cable LH	PCS	10	ACS50 / DH>3.5	> 2006-08
D96-4830-91	Vibration damper ra100-b+bolt	PCS	11	ACS 70 ACS 50	> 2005-12
D96-4830-91	Vibration damper ra100-b+bolt	PCS	11	ACS 70 ACS 50	> 2005-12


4
1
12
13

RR 330 >> Drive unit ACS 50 / MCC 2006-01 ►

Art. No	Product description	Unit	Img	Fits to	Remark
D8410RG085	Gear motor complete drive GfA			(no E-Connection) ACS50, MCC, without control;drive GfA	2006-01 >
D8410RG085 387	Gear motor complete drive GfA	PCS		corp. (without control cable) ACS 50 without control; fail safe brake	
D8410RG085 388	Gear motor complete drive GfA	PCS		corp. (without control cable) ACS 50 without con-trol;open circuit brake	
D8410RG085 402	Gear motor complete drive GfA	PCS		corp. (without control cable) MCC;fail safe brake	
D8410RG085 403	Gear motor complete drive GfA	PCS		corp. (without control cable) MCC open circuit brake	
D8910R0084	Gear motor 0,75 kW GfA	PCS	1	ACS50, without control; drive GfA	2007-03 >
D8910R0086	Gear motor 0,75 kW GfA	PCS	1	MCC;drive GfA	2007-03 >
D6601R0093	Gear motor with failsafe brake	PCS	1	(standard), Nord corp. ACS50	2006-01 > >2007-02
D8910R0075	Gear motor with fail safe	PCS	1	brake (standard), Nord corp., with MCC encoder MCC;drive Nord	2006-01 > >2007-02
D8410RG094 232	Retrofit drive Nord corp. to	PCS	1	GfA corp. ACS50	2006-01 > >2007-02
D8410R0084	Retrofit drive Nord corp. to	PCS	1	GfA corp. MCC	2006-09 > >2007-02
D6622R0026	Brake 178V 9 Nm GfA	PCS	4	MCS-R, MCS-FC ACS 50 without control 6601R0008 6601R01115	2004-11 >
D4904V0063	A-pos RH with 5 m cable green	PCS	10	ACS50 / DH≤3.5	> 2006-08
D4904V0065	A-pos LH with 5 m cable red	PCS	10	ACS50 / DH≤3.5	> 2006-08
D4904V0058	A-pos 15 turn w. 10m cable RH	PCS	10	ACS50 / DH>3.5	> 2006-08
D4904V0057	A-pos 15 turn w. 10m cable LH	PCS	10	ACS50 / DH>3.5	> 2006-08
D4421R0038	Damper	PCS	11	Drive Nord without crash	2006-01 > >2006-08
D5004R0041	Vibration absorber	PCS	11	not with chain drive	2006-09 > >2007-02
D4906R0053	Geared limit switch for drive	PCS	12	Nord With crash, drive Nord, ACS50 / MCC	2006-09 > > 2007-02
D4905018	Limit switch section 6 switch.	PCS	12	Drive GfA ACS50 60 80 MCC without control	2000-03 >
D4801240	Cam drive GfA	PCS	12	ACS50 60 80 MCC without control	2007-03 >
D8410R0080	Encoder MCC with bracket for	PCS	13	drive GfA MCC;drive GfA	2008-07 >
D8903RG144	E-Connection ACS 50	PCS	14	without control	2003-03 >
D8903RG145	E-Connection MCC	PCS	14		
D8830RG046	Control cable, for drive Nord	PCS	14	MCC drive Nord	2006-01 > >2007-02
D8830RG047	Control cable, for drive Nord	PCS	14	ACS50 with crash drive Nord without control	2006-01 > >2007-02


EN CHAPTER O 20160406 EN


2
7
5
4
3
6
1

RR 330 >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D8170RG022 232	2. emergency lever galv.	PCS	1	Steel / Alu	
D8170RG041 232	Emergency lever ACS70	PCS	1		
D8160R0111	Motor cover cpl RH	PCS	2		
D8160R0112	Motor cover cpl LH	PCS	2		
D4521R1495	Bracket motor cover RH	PCS	3		2008-04 >
D4521R1496	Bracket motor cover LH	PCS	3		2008-04 >
D4121R0222	Cover black	PCS	4		
D8260RG030 459	Top roll cover 330 cpl	M1	5		> 2003-01
D8260RG004 459	Top roll cover 330 cpl	M1	5		2003-02 >
D00-9125-01	Crank 1.0m Bonfiglioli	PCS	6	w.o MSO/ASO RR320	> 2005-12
D00-9125-02	Crank 1.5m Bonfiglioli	PCS	6	w.o MSO/ASO RR320	> 2005-12
D00-9125-03	Crank 2.0m Bonfiglioli	PCS	6	w.o MSO/ASO RR320	> 2005-12
D00-9125-04	Crank 0.5m Bonfiglioli	PCS	6	w.o MSO/ASO RR320	> 2005-12
D6403V0001	Albany Assa Abloy sign 210x100	PCS	7		

RR 350


1
18
10
13
11
2
3
14
12
7
6
15
8
16
6
5
4
17
9
9

RR 350 >> Sideframe RH


Art. No	Product description	Unit	Img	Fits to	Remark
D8520024	Sideframe RH complete				
D8520024 232	Base price	PCS		Base price	
D8520024 439	Pro m1 Height	M1		upcharge	
D8420029	Bearing bracket RH complete	PCS	1		
D4399460	Pulley	PCS	2		
D4604432	Bracket cover profile	PCS	3		
D8120072	Bottom plate RH	PCS	4		
D8470R0025	Photocell transm./rec.	PCS	5	With bracket RH + LH	
D4907R0024	Connecting cable 4000mm	PCS	5	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	5		
D8120071	Curtain tensioncomplete	PCS	6		
D4610152	Spring curtain tension	PCS	7		
D8120070	Deflection spring with pulley	PCS	8		
D5003R0009	Pulley for curtain tension	PCS	9	curtain tension	1996-05 >
D4399394	Belt roller curtain tension	PCS	9		> 1996-05
D8420028	Proximity switch with bracket	PCS	10		
D4801065	Proximity switch	PCS	11		
D8220127 439	Cover profile with bellmouth	M1	12		
D8220RG223 439	Cover profile with bellmouth	M1	12		1996-08 >
D4399400	Bellmouth LH	PCS	13		
D4399399	Bellmouth RH	PCS	13		
D8220R0054	Emergency lever	PCS	14		
D8520023 232	Trailing chain with cable	PCS	15		
D4907R0024	Connecting cable 4000mm	PCS	15	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	15		
D4801170	Proximity switch with 6m cabl	PCS	16	NO only no control	
D4801132	Proximity switch with 6m cabl	PCS	17	NC only PLS-G/ACS50/ no control	
D5103078	Bearing housing	PCS	18		


1
15
11
2
13
10
7
6
8
9
4
6
5
12
14
9

RR 350 >> Sideframe LH

Art. No	Product description	Unit	Img	Fits to	Remark
D8520026	Sideframe LH complete				
D8520026 232	Base price	PCS		Base price	
D8520026 439	Pro m1 Height	M1		upcharge	
D8120077	Bearing bracket LH complete	PCS	1		
D4399460	Pulley	PCS	2		
D4604432	Bracket cover profile	PCS	3		
D8120076	Bottom plate LH	PCS	4		
D8470R0025	Photocell transm./rec.	PCS	5	With bracket RH + LH	
D4907R0029	Connecting cable 6m	PCS	5		
D4907R0030	Connecting cable 8000mm	PCS	5	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	5	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D8120071	Curtain tensioncomplete	PCS	6		
D4610152	Spring curtain tension	PCS	7		
D8120070	Deflection spring with pulley	PCS	8		
D5003R0009	Pulley for curtain tension	PCS	9	curtain tension	1996-05 >
D4399394	Belt roller curtain tension	PCS	9		> 1996-05
D8220130 439	Cover profile with bellmouth	M1	10		
D8220RG224 439	Cover profile with bellmouth	M1	10		1996-08 >
D4399400	Bellmouth LH	PCS	11		
D4399399	Bellmouth RH	PCS	11		
D8520025 232	Trailing chain with cable	PCS	12		
D4907R0029	Connecting cable 6m	PCS	12		
D4907R0030	Connecting cable 8000mm	PCS	12	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	12	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D8120073	Guide pulley with bracket	PCS	13	For counterblalance	
D8220131	Counterbalance Spring /		14	adapter	
D8220131 341	For spring d=5mm	PCS	14		
D8220131 342	For spring d=6,5mm	PCS	14		
D8220131 359	For spring d=7,5mm	PCS	14		
D5103078	Bearing housing	PCS	15		


EN CHAPTER O 20160406 EN


1
5
3
4
5
6
7
8
2
9

RR 350 >> Toproll with curtain


Art. No	Product description	Unit	Img	Fits to	Remark
D8240069	Top roll with curtain				
D8240069 232	Base price	PCS		Base price	
D8240069 459	Barrel	M1			
D8240069 556	PVC	M2		blue or red	
D8240069 195	PVC	M2		Special colour	
D8240069 206	RollTex-Plus without window	M2		grey,orange,blue	
D8240069 623	Window horizontal/vertikal	PCS			
D8240069 623	Window horizontal/vertikal	PCS			
D8240069 187	Curtain Top (2 x 0,5) mm	M2		Without window	
D8240069 617	Curtain Top (2 x 0,5) mm	PCS		With window	
D8240070 459	Top roll with rope and belt	M1	1	only for export	
D8230076 556	Curtain PVC without top roll	M2	2	only for export	
D8230077 187	Curtain Top 0.5 without window	M2	2	without top roll only for export	
D8230078 187	Curtain Top 0.5 with window	M2	2	without top roll only for export	
D8230311 206	Curtain Rolltex Plus	M2	2	Without window, without toproll only for export	
D8230311 625	Window horizontal/vertikal	PCS	2		
D8230311 625	Window horizontal/vertikal	PCS	2		
D5103077	Flange bearing	PCS	3		
D5101093	Toothed belt z=41 B=30 AT10	PCS	4	PLS-G/ACS50	
D5101092	Toothed belt z=36 B=30 AT10	PCS	4	FUS/MPS	
D4399435	Pulley	PCS	5		1996-05 >
D5632093	Belt roller	PCS	5		> 1996-05
D5406R0025	Threaded pin	PCS	6		
D5105R0091	Rope 3.2 L=9500	PCS	7	Crash curtain tension RR350 RR320	1996-05 >
D5632206	Belt for curtain tension	PCS	7	L=10000 RR350 b=10	> 1996-05
D5105003	Belt L=3500mm	PCS	8	For counterbalance	
D4399299	Belt roller for counterbalance	PCS	8		
D8130R0009	Windbreaktap (12 pcs.)	PCS	9	Windnodes for Albany door-leaf	
D4050R0042	Intermediate plates blue	PCS	9		
D4050R0043	Intermediate plates red	PCS	9		

EN CHAPTER O 20160406 EN


8
3
1
2
7
6
4
5


RR 350 >> Bottom profile with pre-running safety beam

Art. No	Product description	Unit	Img	Fits to	Remark
D8550028 459	Bottom profile complete	M1			
D4701183 459	Bottom profile cut-to-size	M1	1		
D8450RG046 232	Sliding part complete for RH	PCS	2	RH (*)	
D8450R0021	Sliding part pre- photocell LH	PCS	3	LH (*)	
D4421RG013 459	Rubber profile cut-to-size	M1	4	prerunning photocell	
D4421RG014 459	Rubber profile pre-running	M1	4	Photocell elongated sea-ling-lip for MP doors	
D8420R0022	Transmitter pre-runing	PCS	5	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	5	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0023	Prer.photoc.receiver w.fix.mat	PCS	6	with bracket LH (*)	
D4904R0545	Safety photocell receiver RH	PCS	6	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4604430	Sliding part RH	PCS	7		
D4604431	Sliding part LH	PCS	8		


3
1
5
2
6
4

RR 350 >> Bottom profile with safety edge


Art. No	Product description	Unit	Img	Fits to
D8550029 459	Bottom profile complete	M1		
D4701183 459	Bottom profile cut-to-size	M1	1	
D8450038 232	Sliding part RH complete	PCS	2	
D8450036	Sliding part LH complete	PCS	3	
D4421RG043 459	Rubber profile with integrated	M1	4	safety edge
D4421RG044 459	Rubber profile elongated	M1	4	sealing-lip el. safety edge
D4603059	Activator for switch	PCS	6	FUS/MPS
D4604452	Activator for switch	PCS	6	PLS-G/GT


3
2
4
7
1
5
6

RR 350 >> Drive Unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410036	Drive unit complete		1		
D8410036 516	Drive unit	PCS	1	MPS	
D8410036 549	Drive unit	PCS	1	PLS-G 50+60Hz IP54	
D8410036 417	Drive unit	PCS	1	FUS,ACS80,IP54	
D8410036 418	Drive unit	PCS	1	FUS,ACS80 IP65	
D8410036 548	Drive unit	PCS	1	PLS-GT,ACS50,400V,IP65	
D8410036 547	Drive unit	PCS	1	PLS-GT ACS50 230V IP65 50+60Hz	
D8410036 547	Drive unit	PCS	1	PLS-GT ACS50 230V IP65 50+60Hz	
D4901192	Drive unit IP54	PCS	1	PLS-G 50+60Hz Brake 4902044	
D4901193	Drive unit IP54	PCS	1	FUS ACS60/80 Brake 4902044	
D4901220	Drive unit IP65	PCS	1	FUS ACS60/80 Brake 4902047	
D6601054	Drive unit IP65	PCS	1	PLS-GT ACS50 400V Brake 4902047	
D4901219	Drive unit IP65	PCS	1	PLS-G 50+60Hz Brake 4902047	
D6601055	Drive unit IP65	PCS	1	PLS-GT ACS50 230V Brake 4902047	
D5102069	Toothed belt AT10, b=20	PCS	2		1996-08 >
D5102042	Toothed belt AT10, b=25	PCS	2		> 1996-07
D5101096	Toothed belt z=35 b=30 AT10	PCS	3	PLS-G, 50Hz	
D5101095	Toothed belt z=40 b=30 AT10	PCS	3	FUS/MPS	
D5101094	Toothed belt z=29 b=30 AT10	PCS	3	PLS-G 60Hz	
D8110063	Motor console	PCS	4		
D4902044	Brake 96V DC	PCS	5	For drive 4901149 4901192 4901193	> 2001-12
D4902047	Brake 96V DC	PCS	5	For drive 4901219 4901220	
D6622013	Brake 196V DC	PCS	5	For drive 6601054 6601055	
D4905005	Microswitch	PCS	6	400/E Flender	
D8830023	Control cable		7	PLS-G/GT FUS	
D8830023 112	Motor console/Control cable	PCS	7	Base Price	
D8830023 434	Motor console/Control cable	M1	7	Upcharge	
D8903RG144	E-Connection ACS 50		7	without control	2003-03 >
D8830023	Control cable		7	PLS-G/GT FUS	
D8830023 113	Motor console/Control cable	PCS	7	Base Price	
D8830023 435	Motor console/Control cable	M1	7	Upcharge	

EN CHAPTER O 20160406 EN


1
2
A
A
3

RR 350 >> Options

Art. No	Product description	Unit	Img	Fits to
D8260019 459	Top roll cover	M1	1	
D8160R0027	Motor cover galvanized	PCS	2	
D8220125 232	2. emergency lever	PCS	3	
D8320003 232	Retrofit belt to rope	PCS		RR 350

RR 350E

RR 350E >> Sideframe RH

Art. No	Product description	Unit	Img	Fits to	Remark
D8520021 232	Sideframe RH complete	PCS		Base price	
D8520021 439	Sideframe RH complete	M1		Upcharge	
D8420017	Bearing bracket cpl RH	PCS	1		
D8120062	Pulley for Curtain tension	PCS	2		
D4604519	Bracket cover profile	PCS	3		
D8120063	Bottom plate RH	PCS	4		
D8470R0025	Photocell transm./rec.	PCS	5	With bracket RH + LH	
D4907R0024	Connecting cable 4000mm	PCS	5	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	5		
D8120059	Curtain tension complete	PCS	6		
D4610152	Spring curtain tension	PCS	7		
D8120060	Deflection spring with pulley	PCS	8		
D8120058	Pulley curtain tension	PCS	9		1996-05 >
D4399394	Belt roller curtain tension	PCS	9		> 1996-05
D8420018	Proximity switch with bracket	PCS	10		
D4801132	Proximity switch with 6m cabl	PCS	11	NC only PLS-G/ACS50/ no control	
D8220098 439	Cover profile with bellmouth	M1	12		
D8220RG221 439	Cover profile with bellmouth	M1	12		1996-08 >
D4399400	Bellmouth LH	PCS	13		
D4399399	Bellmouth RH	PCS	13		
D8220104 232	Emergency operation	PCS	14		
D8520019 232	Trailing chain with cable	PCS	15		
D4907R0024	Connecting cable 4000mm	PCS	15	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	15		
D4801170	Proximity switch with 6m cabl	PCS	16	NO only no control	
D4801132	Proximity switch with 6m cabl	PCS	17	NC only PLS-G/ACS50/ no control	
D5103072	Bearing housing	PCS	18		

RR 350E >> Sideframe LH

Art. No	Product description	Unit	Img	Fits to	Remark
D8520022 232	Sideframe LH complete	PCS		Base price	
D8520022 439	Sideframe LH complete	M1		Upcharge	
D8120061	Bearing bracket LH kpl	PCS	1		
D8120062	Pulley for Curtain tension	PCS	2		
D4604519	Bracket cover profile	PCS	3		
D8120065	Bottom plate LH	PCS	4		
D8470R0025	Photocell transm./rec.	PCS	5	With bracket RH + LH	
D4907R0029	Connecting cable 6m	PCS	5		

Art. No	Product description	Unit	Img	Fits to	Remark
D4907R0030	Connecting cable 8000mm	PCS	5	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	5	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500	
D8120059	Curtain tension complete	PCS	6		
D4610152	Spring curtain tension	PCS	7		
D8120060	Deflection spring with pulley	PCS	8		
D8120058	Pulley curtain tension	PCS	9		1996-05 >
D4399394	Belt roller curtain tension	PCS	9		> 1996-05
D8220099 439	Cover profile with bellmouth	M1	10		
D8220RG222 439	Cover profile with bellmouth	M1	10		1996-08 >
D4399400	Bellmouth LH	PCS	11		
D4399399	Bellmouth RH	PCS	11		
D8520020 232	Trailing chain with cable	PCS	12		
D4907R0029	Connecting cable 6m	PCS	12		
D4907R0030	Connecting cable 8000mm	PCS	12	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	12	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500	
D8120057	Guide pulley with bracket	PCS	13		
D8220092	Counterbalance Spring with		14	adapter	
D8220092 341	For spring d=5mm	PCS	14		
D8220092 342	For spring d=6,5mm	PCS	14		
D8220092 359	Ror spring d=7,5mm	PCS	14		
D5103072	Bearing housing	PCS	15		

RR 350E >> Toproll with curtain

Art. No	Product description	Unit	Img	Fits to	Remark
D8240032 118	Top roll Alu with curtain	PCS		base price	1996-05 >
D8240030 114	Top roll VA with curtain	PCS		base price	1996-05 >
D8240030 459	Barrel Alu	M1		barrel	
D8240032 556	PVC	M2		blue or red	
D8240032 195	PVC	M2		special colour	
D8240032 206	RollTex-Plus without window	M2		grey,orange,blue	
D8240030 625	Window horizontal/vertikal	PCS			
D8240030 625	Window horizontal/vertikal	PCS			
D8240032 187	Curtain Top (2 x 0,5) mm	M2		without window	
D8240032 617	Curtain Top (2 x 0,5) mm	M2		with window	
D8240033 459	Top roll with rope and belt AL	M1	1	only for export	

Art. No	Product description	Unit	Img	Fits to	Remark
D8240031	Top roll VA with rope and belt		1	only for export	
D8240031 111	Top roll VA with rope and belt	PCS	1	base price	
D8240031 459	Top roll VA with rope and belt	M1	1	barrel	
D8230076 556	Curtain PVC without top roll	M2	2	only for export	
D8230077 187	Curtain Top 0.5 without window	M2	2	without top roll only for export	
D8230078 187	Curtain Top 0.5 with window	M2	2	without top roll only for export	
D8230311	Curtain Rolltex Plus, without	M2	2	indow, without toproll only for export	
D8230311 625	Window horizontal/vertikal	PCS	2		
D8230311 625	Window horizontal/vertikal	PCS	2		
D5103071	Flange bearing	PCS	3		
D5101093	Toothed belt z=41 B=30 AT10	PCS	4	PLS-G/ACS50	
D5101092	Toothed belt z=36 B=30 AT10	PCS	4	FUS/MPS	
D4399435	Pulley	PCS	5		1996-05 >
D5632206	Belt for curtain tension	PCS	5	L=10000 RR350 b=10	> 1996-05
D5406031	Threaded pin	PCS	6		
D5105R0091	Rope 3.2 L=9500	PCS	7	Crash curtain tension RR350 RR320	1996-05 >
D5632206	Belt for curtain tension	PCS	7	L=10000 RR350 b=10	> 1996-05
D5105003	Belt L=3500mm	PCS	8	For counterbalance	
D4399299	Belt roller for counterbalance	PCS	8		
D8130R0009	Windbreaktap (12 pcs.)	PCS	9	Windnodes for Albany door-leaf	
D4050R0042	Intermediate plates blue	PCS	9		
D4050R0043	Intermediate plates red	PCS	9		

RR 350E >> Bottom profile with pre-running safety beam

Notes:
(*) A pair of Transmitter/Receiver (Pos.5/6) needed

Art. No	Product description	Unit	Img	Fits to	Remark
D8550024 459	Bottom profile Alu	M1		powdercoated complete	
D8550025 459	Bottom profile VA complete	M1			
D4701174 459	Bottom profile Alu	M1	1	powdercoated cut-to-size	
D8250028 459	Bottom profile VA cut-to-size	M1	1		
D8450RG047 232	Sliding part complete for RH	PCS	2	Alu bottom beam	
D8450RG048 232	Sliding part complete for RH	PCS	2	VA bottom beam	
D8450R0026	Sliding part complete for LH	PCS	3	Alu bottom beam	
D8450R0028	Sliding part complete for LH	PCS	3	VA bottom beam	
D4421RG013 459	Rubber profile cut-to-size	M1	4	prerunning photocell	
D4421RG014 459	Rubber profile pre-running	M1	4	Photocell elongated sea-ling-lip for MP doors	
D8420R0022	Transmitter pre-runing	PCS	5	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	5	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0023	Prer.photoc.receiver w.fix.mat	PCS	6	with bracket LH (*)	
D4904R0545	Safety photocell receiver RH	PCS	6	yellow (**) without bracket LH (*)	>2011-08 just in pair 2011-09 > also single
D4604530	Sliding part RH	PCS	7		
D4604529	Sliding part LH	PCS	8		

RR 350E >> Bottom profile with safety edge

Art. No	Product description	Unit	Img	Fits to
D8550026 459	Bottom profile Alu	M1		powdercoated complete
D4701174 459	Bottom profile Alu	M1	1	powdercoated cut-to-size
D8450031 232	Sliding part RH complete	PCS	2	
D8450032	Sliding part LH complete	PCS	3	
D4421RG043 459	Rubber profile with integrated	M1	4	safety edge
D4421RG044 459	Rubber profile elongated	M1	4	sealing-lip el. safety edge
D4603059	Activator for switch	PCS	6	FUS/MPS
D4604452	Activator for switch	PCS	6	PLS-G/GT


RR 350E >> Drive Unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410031	Drive unit complete		1		
D8410031 516	Drive unit complete	PCS	1	MPS	
D8410031 549	Drive unit complete	PCS	1	PLS-G 50+60HzIP54	
D8410031 417	Drive unit complete	PCS	1	MCC, FUS, ACS80 IP54	
D8410031 418	Drive unit complete	PCS	1	MCC, FUS, ACS80 IP65	
D8410031 547	Drive unit complete	PCS	1	PLS-GT,ACS50,400V,IP65	
D8410031 550	Drive unit complete	PCS	1	PLS-G,50+60HzIP65	
D8410031 547	Drive unit complete	PCS	1	PLS-GT,ACS50,400V,IP65	
D4901192	Drive unit IP54	PCS	1	PLS-G 50+60Hz Brake 4902044	
D4901193	Drive unit IP54	PCS	1	FUS ACS60/80 Brake 4902044	
D4901220	Drive unit IP65	PCS	1	FUS ACS60/80 Brake 4902047	
D6601054	Drive unit IP65	PCS	1	PLS-GT ACS50 400V Brake 4902047	
D4901219	Drive unit IP65	PCS	1	PLS-G 50+60Hz Brake 4902047	
D6601055	Drive unit IP65	PCS	1	PLS-GT ACS50 230V Brake 4902047	
D5102069	Toothed belt AT10, b=20	PCS	2		1996-08 >
D5102042	Toothed belt AT10, b=25	PCS			> 1996-07
D5101096	Toothed belt z=35 b=30 AT10	PCS	3	PLS-G, 50Hz	
D5101095	Toothed belt z=40 b=30 AT10	PCS	3	FUS/MPS	
D5101094	Toothed belt z=29 b=30 AT10	PCS	3	PLS-G 60Hz	
D8110062	Motor console	PCS	4		
D4902044	Brake 96V DC	PCS	5	For drive 4901149 4901192 4901193	> 2001-12
D4902047	Brake 96V DC	PCS	5	For drive 4901219 4901220	
D6622013	Brake 196V DC	PCS	5	For drive 6601054 6601055	
D4905005	Microswitch	PCS	6	400/E Flender	
D8830023	Control cable		7	PLS-G/GT FUS	
D8830023 112	Motor console/Control cable	PCS	7	Base Price	
D8830023 434	Motor console/Control cable	M1	7	Upcharge	
D8830023	Control cable		7	PLS-G/GT FUS	
D8830023 113	Motor console/Control cable	PCS	7	Base Price	
D8830023 435	Motor console/Control cable	M1	7	Upcharge	
D8903RG144	E-Connection ACS 50		7	without control	2003-03 >
D8903RG145	E-Connection MCC		7		

RR 350E >> Options


Art. No	Product description	Unit	Img	Fits to
D8260018 459	Top roll cover	M1	1	
D8160029	Motor cover VA	PCS	2	
D8220105 232	2. emergency lever	PCS	3	
D8320004	Retrofit belt to rope	PCS		RR 350E

RR 400 / 400E / x2


7
A
B
3
B
4
2
A
1
6
5


RR 400 / 400E / x2 >> Side frame right (See drawing side complete)

Art. No	Product description	Unit	Img	Fits to
D8520006 232	RH sideframe complete	PCS		400
D8520014 232	RH sideframe complete	PCS		400E
D8520012 232	RH sideframe complete	PCS		x2
D4614144	RH bottom plate	PCS	1	400/x2
D4614207	RH bottom plate	PCS	1	400E
D8220037 439	RH support profile	M1	2	400
D8220072 439	RH support profile	M1	2	400E
D8220062 439	RH support profile, without	M1	2	photocell x2
D8470R0025	Photocell transm./rec.	PCS	3	With bracket RH + LH
D8220040 439	Frontcover with brake lever	M1	4	400
D8220066 439	Frontcover with brake lever	M1	4	x2
D8220073 439	Frontcover with brake lever	M1	4	400E
D8220036 232	Emergencey lever	PCS	5	400/x2
D8220071 232	Emergencey lever	PCS	5	400E
D5005R0023	Brake lever	PCS	6	
D4907R0024	Connecting cable 4000mm	PCS	7	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	7	
D4907R0030	Connecting cable 8000mm	PCS	7	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	7	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	7	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	7	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E


7
A
B
3
B
4
2
A
1
6
5


RR 400 / 400E / x2 >> Side frame left (See drawing side complete)

Art. No	Product description	Unit	Img	Fits to
D8520007 232	LH sideframe complete	PCS		400
D8520015 232	LH sideframe complete	PCS		400E
D8520013 232	LH sideframe complete	PCS		x2
D4614145	LH bottom plate	PCS	1	400/x2
D4614208	LH bottom plate	PCS	1	400E
D8220042 439	LH support profile	M1	2	400
D8220076 439	LH support profile	M1	2	400E
D8220061 439	LH support profile, without	M1	2	photocell x2
D8470R0025	Photocell transm./rec.	PCS	3	With bracket RH + LH
D8220043 439	Frontcover	M1	4	400
D8220065 439	Frontcover	M1	4	x2
D8220075 439	Frontcover	M1	4	400E
D8220036 232	Emergencey lever	PCS	5	400/x2
D8220071 232	Emergencey lever	PCS	5	400E
D5005R0023	Brake lever	PCS	6	
D4907R0024	Connecting cable 4000mm	PCS	7	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500
D4907R0029	Connecting cable 6m	PCS	7	
D4907R0030	Connecting cable 8000mm	PCS	7	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	7	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without controlDH≤8500 non drive side 6500<(H+W)≤8500
D4907R0023	Connecting cable 12000mm	PCS	7	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	7	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E


2
4
1
3


RR 400 / 400E / x2 >> Top roll with curtain

Art. No	Product description	Unit	Img	Fits to
D8240022 439	Barrel complete	M1	1	400/x2
D8240029 439	Barrel complete	M1	1	400E
D8140022	Bearing top	PCS	2	400/x2
D8140035	Bearing top	PCS	2	400E
D8140023	Bearing bottom	PCS	3	400/x2
D8140036	Bearing bottom	PCS	3	400E
D8030022 185	Door blade	M2	4	blue or red
D8030022 207	Door blade	M2	4	special colour


2
3
1
1


RR 400 / 400E / x2 >> Bottom profile with safety edge RH

Art. No	Product description	Unit	Img	Fits to
D8550014 439	Bottom profile complete	M1		400
D8550017 439	Bottom profile complete	M1		x2
D8550019 439	Bottom profile complete Alu	M1		powder coated 400E
D8550006 439	Bottom profile complete VA	M1		400E
D4701159 439	Profile for bottom profile RH	M1	1	400
D8250009 439	Profile for bottom profile RH	M1	1	x2
D4701185 439	Profile for bottom profile RH	M1	1	powder coated 400E
D8150038	Driver RH	PCS	2	400/x2
D8150036	Driver RH	PCS	2	400E
D8550RG066 439	Safety edge cut-to-size	M1	3	pass piece


2
3
1
1


RR 400 / 400E / x2 >> Bottom profile with safety edge LH

Art. No	Product description	Unit	Img	Fits to
D8550015 439	Bottom profile complete	M1		400
D8550018 439	Bottom profile complete	M1		x2
D8550020 439	Bottom profile complete Alu	M1		powder coated 400E
D8550007 439	Bottom profile complete VA	M1		400E
D4701160 439	Profile for bottom profile LH	M1	1	400
D8250010 439	Profile for bottom profile LH	M1	1	x2
D4701185 439	Profile for bottom profile RH	M1	1	powder coated 400E
D8150039	Driver LH	PCS	2	400/x2
D8150037	Driver LH	PCS	2	400E
D8550RG067 439	Safety edge cut-to-size	M1	3	end piece


5
4
7
1
2
6
3


RR 400 / 400E / x2 >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410067	Drive unit complete			400, with8110024,4521539	
D8410067 551	for control ACS 50 / PLS-G /	PCS		PLS-GT	
D8410067 416	for control ACS 60/80, FUS I	PCS		/ II / III	
D8410068	Drive unit complete			400E, with8110024,4621091	
D8410068 551	for control ACS 50 / PLS-G /	PCS		PLS-GT	
D8410068 416	for control ACS 60/80, FUS I	PCS		/ II / III	
D96-9312-XX	Drive unit Nomadrive 1.1kW	PCS		Swedrive cpl ACS 70 x2	
D8910R0039	Gear motor	PCS	1	Brake 6622R0017PLS-G, PLS-GT, 50Hz	2002-01>
D8910R0040	Gear motor	PCS	1	Brake 6622R0018PLS-G, PLS-GT, 230V/400V, 60 HzSPS, no control, 230V, 60Hz	2002-01>
D8910R0041	Gear motor	PCS	1	Brake 6622R0017PLS-GT, SPS, no control, 400V, 50Hz	2002-01>
D8910R0050	Gear motor	PCS	1	Brake 6622R0017, FUSII, ACS60/80	2002-01>
D8910R0049	Gear motor	PCS	1	Brake 6622R0019FUSI	2002-01>
D8910R0057	Gear motor	PCS	1	Brake 6622R0017,ACS50, 50Hz	2002-01>
D8910R0058	Gear motor	PCS	1	Brake 6622R0018,ACS50, 60Hz	2002-01>
D8910R0042	Gear motor	PCS	1	Brake 6622R0018SPS, no control, 400V, 60 Hz	2002-01>
D6622R0017	Brake 10Nm 196V DC HL	PCS	2	look at drive 400/E	2002-01>
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D6622R0019	Brake 10Nm 96V DC HL	PCS	2	look at drive400/E	2002-01>
D6622003	Brake BP5/4 NH 196V, DC	PCS	2	400/E for drive6601020,6601022	> 2001-12
D6622004	Brake BP5/4 GH 196V, DC	PCS	2	400/E for drive6601021,6601023,6601032	> 2001-12
D4902043	Brake P5/NH, 103V DC	PCS	2	400/E for drive 4901196	> 2001-12


5
4
7
1
2
6
3

RR 400 / 400E / x2 >> Drive unit


Art. No	Product description	Unit	Img	Fits to	Remark
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4621090	Motor console	PCS	4	400/400E	2002-01 >
D4614304	Motor console	PCS	4	x2	
D5101087	Chain wheel	PCS	5		
D4905005	Microswitch	PCS	6	400/E Flender	
D6621R0002	Microswitch	PCS	6	400/E Bonfiglioli	2002-01>
D8830032	Control cable		7	ACS 50 60 80 400/E MPS	
D8830032 115	Control cable	PCS	7	Base Price	
D8830032 498	Control cable	M1	7	Upcharge	
D8830032	Control cable		7	ACS 50 60 80 400/E MPS	
D8830032 117	Control cable	PCS	7	Base Price	
D8830032 500	Control cable	M1	7	Upcharge	


11
5
13
9
12
17
16
15
22
10
20
19
18
3
7
8
14
ALBANY
A
19
18
A
2
1
21
1
4
2
4
5

RR 400 / 400E / x2 >> Drive cross bar

Art. No	Product description	Unit	Img	Fits to
D8110014	Rope pulley with bracket RH	PCS	1	400/x2
D8110038	Rope pulley with bracket RH	PCS	1	400E
D8110013	Rope pulley with bracket LH	PCS	1	400/x2
D8110039	Rope pulley with bracket LH	PCS	1	400E
D8110016	Track adjuster	PCS	2	400/x2
D8110041	Track adjuster	PCS	2	400E
D8110015	Curtain tension complete	PCS	3	400/x2
D8110040	Curtain tension complete	PCS	3	400E
D8210003 459	Chain	M1	4	
D8110017	Rope pulley unit RH	PCS	5	400/x2
D8110042	Rope pulley unit RH	PCS	5	400E
D8110018	Rope pulley unit LH	PCS	6	400/x2
D8110043	Rope pulley unit LH	PCS	6	400E
D8110019	Bracket front cover RH	PCS	7	400/x2
D8110044	Bracket front cover RH	PCS	7	400E
D8110020	Bracket front cover LH	PCS	8	400/x2
D8110045	Bracket front cover LH	PCS	8	400E
D8110021	Bracket aperture	PCS	9	400/x2
D8110046	Bracket aperture	PCS	9	400E
D8110022	Cover sheet RH	PCS	10	400/x2
D8110047	Cover sheet RH	PCS	10	400E
D8110023	Cover sheet LH	PCS	11	400/x2
D8110048	Cover sheet LH	PCS	11	400E
D8210001 459	Aperture RH complete	M1	12	400
D8210009 181	Aperture RH complete	M1	12	x2
D8210002 459	Aperture LH complete	M1	13	400/x2
D8260013 459	Aperture complete 30°	M1	14	400E
D8210015 459	Aperture complete straight	M1	14	400E
D8410009 232	Proximity switch with bracket	PCS	15	400
D8410018 232	Proximity switch with bracket	PCS	15	400E
D8410015 232	Proximity switch with bracket	PCS	15	x2
D4905R0082	Proxmity switch M8 10E	PCS	16	plugconnector Drive Nord, without crash without bracket
D8210006 232	Trailing chain RH w.h. cable	PCS	17	400/x2, RH
D8210007 232	Trailing chain LH w.h. cable	PCS	17	400/x2, LH
D8210018 232	Trailing chain RH w.h. cable	PCS	17	400E, RH
D8210019 232	Trailing chain LH w.h. cable	PCS	17	400E, LH
D8110025	Runner RH w.swivelling rollers	PCS	18	400/x2
D8110056	Runner RH w.swivelling rollers	PCS	18	400E
D8110032	Runner LH w.swivelling rollers	PCS	19	400/x2
D8110057	Runner LH w.swivelling rollers	PCS	19	400E
D5003095	Swivelling roller D20	PCS	20	
D5105R0030	Rope d=5mm, L=4000mm	PCS	21	L= 4 x DH-500 L= B+2660
D5105R0031	Rope d=5mm, L=8000mm	PCS	21	L= 4 x DH-500 L= B+2660
D5105R0032	Rope d=5mm, L=12000mm	PCS	21	L= 4 x DH-500 L= B+2660
D5105R0033	Rope d=5mm, L=16000mm	PCS	21	L= 4 x DH-500 L= B+2660
D5105R0034	Rope d=5mm, L=20000mm	PCS	21	L= 4 x DH-500 L= B+2660
D5105R0035	Rope d=5mm L=24000mm	PCS	21	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392
D4521549	Drive shaft	PCS	22	



1
A


A
2

RR 400 / 400E / x2 >> Options


Art. No	Product description	Unit	Img	Fits to
D8160068	Motorcover	PCS	1	400
D8160R0001	Motorcover	PCS	1	400E
D8220050 232	Second emergency lever	PCS	2	400
D8220080 232	Second emergency lever	PCS	2	400E
D8220068 232	Second emergency lever	PCS	2	x2

RR 420


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24


RR 420 >> Side quadrant Right

Art. No	Product description	Unit	Img	Fits to
D42-4000-PC 439	Side quadrant cmpl. RH	M1		Excluding spring / steel cable / pulley bracket
D42-4106-95	Hinge 420 door RH	PCS	14	
D5006V0002	Side seal 420 door	PCS	7	
D42-4500-00	Bottom plate mod 2000 RH	PCS	20	
D42-4510-00	Locking bracket f.bottom plate	PCS	22	
D42-4610-95	Wall bracket RH	PCS	8	
D42-4638-95	Door stop	PCS	13	
D42-4704-95	Bearing bracket	PCS	9	
D42-4706-95	Square washer bearing bracket	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	18	
D4721RG181 181	Bracket f.superseal d.420 door	M1	5	
D4121V0021	Cable pulley with 2 bearings	PCS	21	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	23	
D4402RG009 232	Rubber sealing L=1000	PCS	11	
D96-4632-95	Pulley wheel bracket	PCS	12	Fixing brackets for frame work
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	4	Curled (PE-core)
D97-6891-94	Rubber inlet 55-005-25	PCS	17	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24


RR 420 >> Side quadrant Left

Art. No	Product description	Unit	Img	Fits to
D42-4001-PC 439	Side quadrant cmpl.	M1		Excluding spring / steel cable / pulley bracket
D42-4107-95	Hinge 420 LH	PCS	1	
D5006V0002	Side seal 420 door	PCS	7	
D42-4501-00	Bottom plate mod 2000 LH	PCS	24	
D42-4510-00	Locking bracket f.bottom plate	PCS	22	
D42-4611-95	Wall bracket LH	PCS	2	
D42-4638-95	Door stop	PCS	13	
D42-4704-95	Bearing bracket	PCS	9	
D42-4706-95	Square washer bearing bracket	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	18	
D4721RG181 181	Bracket f.superseal d.420 door	M1	5	
D4121V0021	Cable pulley with 2 bearings	PCS	21	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	23	
D4402RG009 232	Rubber sealing L=1000	PCS	11	
D96-4632-95	Pulley wheel bracket	PCS	12	Fixing brackets for frame work
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	4	Curled (PE-core)
D97-6891-94	Rubber inlet 55-005-25	PCS	17	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25


RR 420 >> Side quadrant 422 SRD R

Art. No	Product description	Unit	Img	Fits to
D42-4005-PC 439	Side quadrant 422 SRD cmpl.RH	M1		Excluding spring / steel cable / pulley bracket
D42-4106-95	Hinge 420 door RH	PCS	15	
D5006V0002	Side seal 420 door	PCS	7	
D42-4500-00	Bottom plate mod 2000 RH	PCS	20	
D42-4510-00	Locking bracket f.bottom plate	PCS	22	
D42-4515-99	Pulley wheel bracket on	PCS	23	Bottom plate
D42-4610-95	Wall bracket RH	PCS	8	
D42-4638-95	Door stop	PCS	14	
D42-4704-95	Bearing bracket	PCS	9	
D42-4706-95	Square washer bearing bracket	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	18	
D4721RG181 181	Bracket f.superseal d.420 door	M1	5	
D4121V0021	Cable pulley with 2 bearings	PCS	21	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	24	
D4402RG009 232	Rubber sealing L=1000	PCS	11	
D96-4632-95	Pulley wheel bracket	PCS	12	Fixing brackets for frame work
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	4	Curled (PE-core)


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25


RR 420 >> Side quadrant 422 SRD L

Art. No	Product description	Unit	Img	Fits to
D42-4006-PC 439	Side quadrant 422 SRD cmpl.LH	M1		Excluding spring / steel cable / pulley bracket
D42-4107-95	Hinge 420 LH	PCS	1	
D5006V0002	Side seal 420 door	PCS	7	
D42-4501-00	Bottom plate mod 2000 LH	PCS	25	
D42-4510-00	Locking bracket f.bottom plate	PCS	22	
D42-4515-99	Pulley wheel bracket on	PCS	23	Bottom plate
D42-4611-95	Wall bracket LH	PCS	2	
D42-4638-95	Door stop	PCS	14	
D42-4704-95	Bearing bracket	PCS	9	
D42-4706-95	Square washer bearing bracket	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	18	
D4721RG181 181	Bracket f.superseal d.420 door	M1	5	
D4121V0021	Cable pulley with 2 bearings	PCS	21	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	24	
D4402RG009 232	Rubber sealing L=1000	PCS	11	
D96-4632-95	Pulley wheel bracket	PCS	12	Fixing brackets for frame work
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	4	Curled (PE-core)


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant door profile L

Art. No	Product description	Unit	Img	Fits to
D42-4099-PC 439	Side quadrant door profile LH	M1		Complete including hinges
D42-4107-95	Hinge 420 LH	PCS	1	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4721RG181 181	Bracket f.superseal d.420 door	M1	8	
D4402RG009 232	Rubber sealing L=1000	PCS	9	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)
97-8160-00	Cable pit lcd 96 pvc	PCS	16	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant door profile R

Art. No	Product description	Unit	Img	Fits to
D42-4100-PC 439	Side quadrant door profile RH	M1		Complete including hinges
D42-4106-95	Hinge 420 door RH	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4721RG181 181	Bracket f.superseal d.420 door	M1	8	
D4402RG009 232	Rubber sealing L=1000	PCS	9	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)
97-8160-00	Cable pit lcd 96 pvc	PCS	16	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant Aluminium door prof. R

Art. No	Product description	Unit	Img	Fits to
D42-4101-PC 439	Side quadrant Alu.door prof.RH	M1		Complete Alumin. Door in 650 design including hinges
D42-4106-95	Hinge 420 door RH	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4402RG009 232	Rubber sealing L=1000	PCS	9	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant Aluminium door prof. L

Art. No	Product description	Unit	Img	Fits to
D42-4102-PC 439	Side quadrant Alu.door prof.LH	M1		Complete Alumin. Door in 650 design including hinges
D42-4107-95	Hinge 420 LH	PCS	1	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4402RG009 232	Rubber sealing L=1000	PCS	9	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant door profile SRD R

Art. No	Product description	Unit	Img	Fits to
D42-4105-PC 439	Side quad. door prof. R SRD	M1		Complete including hinges
D42-4106-95	Hinge 420 door RH	PCS	10	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4721RG181 181	Bracket f.superseal d.420 door	M1	8	
D4402RG009 232	Rubber sealing L=1000	PCS	9	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)
97-8160-00	Cable pit lcd 96 pvc	PCS	16	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16


RR 420 >> Side quadrant door profile SRD L

Art. No	Product description	Unit	Img	Fits to
D42-4106-PC 439	Side quadrant door prof.SRD LH	M1		Complete including hinges State doorheight
D42-4107-95	Hinge 420 LH	PCS	1	
D42-6413-00	Bracket / photocell door-line	PCS	15	
D4721RG181 181	Bracket f.superseal d.420 door	M1	8	
D4402RG009 232	Rubber sealing L=1000	PCS	9	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
17
20
25
24
23
22
21


RR 420 >> Side quadrant L Aluminium

Art. No	Product description	Unit	Img	Fits to
D3322VG001 439	Side quadrant L Aluminium	M1		Complete excluding spring / steel cable / pulley bracket
D42-4107-95	Hinge 420 LH	PCS	1	
D5006V0002	Side seal 420 door	PCS	8	
D42-4501-00	Bottom plate mod 2000 LH	PCS	25	
D42-4510-00	Locking bracket f.bottom plate	PCS	23	
D42-4611-95	Wall bracket LH	PCS	2	
D42-4638-95	Door stop	PCS	14	
D42-4704-95	Bearing bracket	PCS	10	
D42-4706-95	Square washer bearing bracket	PCS	11	
D42-6413-00	Bracket / photocell door-line	PCS	19	
D4721RG181 181	Bracket f.superseal d.420 door	M1	6	
D4121V0021	Cable pulley with 2 bearings	PCS	22	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	24	
D4402RG009 232	Rubber sealing L=1000	PCS	12	
D96-4632-95	Pulley wheel bracket	PCS	13	Fixing brackets for frame work
D4050RG016 181	Strip yellow/red	M1	4	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	5	Curled (PE-core)
D97-6891-94	Rubber inlet 55-005-25	PCS	18	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
17
20
25
24
23
22
21


RR 420 >> Side quadrant R Aluminium

Art. No	Product description	Unit	Img	Fits to
D3322VG002 439	Side quadrant R Aluminium	M1		Complete excluding spring / steel cable / pulley bracket. Del. From August 2000, state door height
D42-4106-95	Hinge 420 door RH	PCS	15	
D5006V0002	Side seal 420 door	PCS	8	
D42-4500-00	Bottom plate mod 2000 RH	PCS	21	
D42-4510-00	Locking bracket f.bottom plate	PCS	23	
D42-4610-95	Wall bracket RH	PCS	9	
D42-4638-95	Door stop	PCS	14	
D42-4704-95	Bearing bracket	PCS	10	
D42-4706-95	Square washer bearing bracket	PCS	11	
D42-6413-00	Bracket / photocell door-line	PCS	19	
D4721RG181 181	Bracket f.superseal d.420 door	M1	6	
D4121V0021	Cable pulley with 2 bearings	PCS	22	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	24	
D4402RG009 232	Rubber sealing L=1000	PCS	12	
D96-4632-95	Pulley wheel bracket	PCS	13	Fixing brackets for frame work
D4050RG016 181	Strip yellow/red	M1	4	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	5	Curled (PE-core)
D97-6891-94	Rubber inlet 55-005-25	PCS	18	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
17
20
21
22
23
24
25


RR 420 >> Side quadrant Aluminium door profile

Art. No	Product description	Unit	Img	Fits to
D3322VG003 439	Side quadrant Alu.Door profile	M1		Complete Alumin. Door in 660 design with stripe / motor position. Deliv. From August 2000
D42-4106-95	Hinge 420 door RH	PCS		
D42-4107-95	Hinge 420 LH	PCS		
D42-6413-00	Bracket / photocell door-line	PCS		
D4402RG009 232	Rubber sealing L=1000	PCS		
D4050RG016 181	Strip yellow/red	M1		


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Frame profile

Art. No	Product description	Unit	Img	Fits to
D42-4202-PC 439	Frame profile pre-drilled	M1		with brush sealing
D4721RG181 181	Bracket f.superseal d.420 door	M1	2	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	3	Curled (PE-core)
D42-4500-XX	Bottom plate with brackets R	PCS		Fits SRD and standard
D42-4500-00	Bottom plate mod 2000 RH	PCS	14	
D42-4510-00	Locking bracket f.bottom plate	PCS	15	
D42-4515-99	Pulley wheel bracket on	PCS	16	Bottom plate
D42-4501-XX	Bottom plate with brackets LH	PCS		Fits SRD and standard
D42-4501-00	Bottom plate mod 2000 LH	PCS	22	
D42-4510-00	Locking bracket f.bottom plate	PCS	15	
D42-4515-99	Pulley wheel bracket on	PCS	16	Bottom plate
D42-4632-XX	Upper pulley bracket complete	PCS		With pulley and door bracket
D42-4638-95	Door stop	PCS	6	
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete
D96-4632-95	Pulley wheel bracket	PCS	5	Fixing brackets for frame work


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Fixing brackets for frame work

Art. No	Product description	Unit	Img	Fits to
D96-4615-94	Fixing bracket 550 x 300 x 6	PCS	1	Roller bearings for top roll


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Roller bearings for top roll

Art. No	Product description	Unit	Img	Fits to
D8140R0071	Bearing diameter 30 mm	PCS	4	Photocell door-line


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Photocell door-line

Art. No	Product description	Unit	Img	Fits to	Remark
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	12.21	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS			
D4904R0547	Photocell transmitter without	PCS	11	bracket - blue RH not for pre-run	
D4904R0548	Photocell receiver without	PCS	20	bracket - black LH not for pre-run snow proof	
D4907R0032	Connecting cable 10m	PCS	18	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0037	Photocell cable 16m M8	PCS	9	transmitter/receiver straight/angel	
D96-6461-01	Marker for reciever	PCS	19		
D96-6461-02	Marker for sender	PCS	10	Limit switch Tape switch/ opticle saf.Edge	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Limit switch Tape switch/opticle saf.Edge

Art. No	Product description	Unit	Img	Fits to
D4905VG001	Limit switch	PCS	17	Heating element Frigo H&S


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23


RR 420 >> Heating element Frigo H&S

Art. No	Product description	Unit	Img	Fits to
D4915V0001	Heater element 8x144 L	PCS		180w-200w/230VAC
D4915V0002	heater element 8x144 R	PCS		180w-200w/230VAC


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Top roll Ovitor

Art. No	Product description	Unit	Img	Fits to
D96-3315-PC 459	Top roll complete 30 mm axles	M1		for Ovitor, including fixing strip
D8540VG005 459	Fixing strip for door blade on	M1	7	drum roll
D66-3602-85	Stub axle 30mm short	PCS	6	
D66-3612-85	Stub axle 30mm drive side	PCS	1	
D96-3474-96	Cable drum conical RH	PCS	3	
D96-3475-96	Cable drum conical LH	PCS	5	
D5409021	Key 8x7mm	PCS	2	


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Top roll Nomadrive

Art. No	Product description	Unit	Img	Fits to
D96-3316-PC 459	Top roll complete 30 mm axles	M1		for Nomadrive ACS 70 including fixing strip
D8540VG005 459	Fixing strip for door blade on	M1	7	drum roll
D66-3602-85	Stub axle 30mm short	PCS	6	
D96-3474-96	Cable drum conical RH	PCS	3	
D96-3475-96	Cable drum conical LH	PCS	5	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	9	gear box


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Top roll with end bosses Ovitor

Art. No	Product description	Unit	Img	Fits to
D96-3415-PC 459	Top roll with end bosses	M1		30 mm axles for Ovitor
D8540VG005 459	Fixing strip for door blade on	M1	7	drum roll
D66-3602-85	Stub axle 30mm short	PCS	6	
D66-3612-85	Stub axle 30mm drive side	PCS	1	
D5409021	Key 8x7mm	PCS	2	


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Top roll with end bosses Nomadrive

Art. No	Product description	Unit	Img	Fits to
D96-3416-PC 459	Top roll w.End boss.30mm axles	M1		30 mm axles for Nomadrive ACS70
D8540VG005 459	Fixing strip for door blade on	M1	7	drum roll
D66-3602-85	Stub axle 30mm short	PCS	6	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	9	gear box


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Top roll seal

Art. No	Product description	Unit	Img	Fits to
D96-4416-PC 459	Top roll seal felt 420&660	M1		Complete
D5006RG001 181	Felt seal 210 mm	M1	13	


5
6
4
7
3
2
8
1
13
12
9
11
10
17


RR 420 >> Antistatic strip

Art. No	Product description	Unit	Img
D42-4417-PC 459	Antistatic strip+positive stop	M1	
D4121RG028 181	Brush strip statstrip	M1	17


3
4
2
1
5
6
9
7
8
10
11
12
13
14
19
18
17
15
16


RR 420 >> Safety edge SRD pneumatic 115

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1011-PC 459	Safety edge comp. pneumatic SRD H=115	M1			
D4121V0015	Guide/wire attachm. POM grey	PCS	5	422 / 662 SRD	
D4421RG046 181	Rubber profile new type	M1	1		
D4102RG002 181	Plastic tube	M1	6		
D96-1318-98	Endplug with hole	PCS	7		
D96-1319-98	Endplug without hole	PCS	2		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D5006R0010	Bracket for coily cable	PCS	19		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	3		
D96-1014-PC 459	Safety edge complete opticle	M1		H=115	
D50-6010-87	Connection box 060504 (eat)	PCS	10		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	15		
D4421RG046 181	Rubber profile new type	M1	1		
D4102RG003 181	Pvc hose 1.5 mm	M1	18		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D4121RG030 181	Velcro tape 01 w=25	M1	16		
D5006R0010	Bracket for coily cable	PCS	19		
D96-6101-82	Coily cable 4x0.75mm2	PCS	11	(Tape switch/Opticle)	
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	14	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS			
D6403V0003	Albany Assa Abloy sign 100x40	PCS	3		
D4004VG001 459	Safety edge fabric with	M1		velcro tape	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	15		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D4121RG030 181	Velcro tape 01 w=25	M1	16		


3
6
8
9
10
5
12
13
14
11
15
16


RR 420 >> Safety edge pneu. Twin chamber 115

Art. No	Product description	Unit	Img	Fits to
D96-1016-PC 459	Safety edge pneumatic complete	M1		Twin chamber H=115 with guides
D4121RG029 181	Velcro tape 01 hook 25mm	M1	9	
D4421RG046 181	Rubber profile new type	M1	6	
D4102RG002 181	Plastic tube	M1	13	
D96-1318-98	Endplug with hole	PCS	12	
D96-1319-98	Endplug without hole	PCS	8	
D96-1320-98	Nipple for end plug with hole	PCS	14	
D4050RG017 181	Safety edge fabric yellow/red	M1	11	
D4121RG030 181	Velcro tape 01 w=25	M1	10	
D5006R0010	Bracket for coily cable	PCS	5	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	3	
D96-1018-PC 459	Safety edge pneumatic complete	M1		H=115 with guides
D42-1571-95	Bracket cable chain 420 door	PCS	15	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	9	
D4421RG046 181	Rubber profile new type	M1	6	
D4102RG002 181	Plastic tube	M1	13	
D96-1318-98	Endplug with hole	PCS	12	
D96-1319-98	Endplug without hole	PCS	8	
D96-1320-98	Nipple for end plug with hole	PCS	14	
D4050RG017 181	Safety edge fabric yellow/red	M1	11	
D4121RG030 181	Velcro tape 01 w=25	M1	10	
D5006R0010	Bracket for coily cable	PCS	5	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	3	


4
5
6
7
12
9
10
11
19
14
15
16
29
22
28
23
24
27
26
25


RR 420 >> Safety edge open optical 115

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1024-PC 459	Safety edge open optical comp.	M1	1	H=115 with guides	
D50-6010-87	Connection box 060504 (eat)	PCS	4		
D4421RG046 181	Rubber profile new type	M1	12		
D4102RG003 181	Pvc hose 1.5 mm	M1	9		
D4050RG017 181	Safety edge fabric yellow/red	M1	11		
D5006R0010	Bracket for coily cable	PCS	6		
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	7	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS	11		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	5		
D96-1026-PC 459	Safety edge complete STS H=115	M1	5		
D42-1571-95	Bracket cable chain 420 door	PCS	19		
D42-1572-95	Shock absorber sts 420 door	PCS	16		
D4904V0066	Telco transmitter LT 101 AP25	PCS	15	T3	
D4904V0067	Telco reciever LR 100 AP38 T3	PCS	25		
D4907R0037	Photocell cable 16m M8	PCS	14	transmitter/receiver straight/angel	
D4907R0037	Photocell cable 16m M8	PCS	28	transmitter/receiver straight/angel	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	26		
D4421RG046 181	Rubber profile new type	M1	12		
D4050RG017 181	Safety edge fabric yellow/red	M1	11		
D8250RG014 181	Cable support chain 0/30	M1	22		
D4121R0228	Cable support chain 01	PCS	23	(bracket)	
D4121RG030 181	Velcro tape 01 w=25	M1	27		
D5006R0010	Bracket for coily cable	PCS	6		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	5		


1
2
4
5
6
7
8
9
10
11
12
3
4
12
3
4
13
14
15
16
5
20
19
18
17
12


RR 420 >> Safety edge 8k2

Art. No	Product description	Unit	Img	Fits to
D96-1050-PC 459	Safety edge comp. 8k2, H= 115	M1		with guides, bottom beam complete
D4121RG029 181	Velcro tape 01 hook 25mm	M1	10	
D4050RG017 181	Safety edge fabric yellow/red	M1	12	
D4121RG030 181	Velcro tape 01 w=25	M1	11	
D5006R0010	Bracket for coily cable	PCS	5	
D6403V0003	Albany Assa Abloy sign 100x40	M1	4	
D96-1110-PC 459	Bottom beam H=115 predrilled	M1		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	4	
D96-1113-PC 459	Bottom beam SRD H=115	M1		predrilled
D6403V0003	Albany Assa Abloy sign 100x40	PCS	4	
D96-1200-PC 459	Rubber profile comp. pneumatic	M1		H=140
D4121RG029 181	Velcro tape 01 hook 25mm	M1	10	
D4421RG046 181	Rubber profile new type	M1	14	
D4102RG002 181	Plastic tube	M1	19	
D96-1310-95	Endplugg d=20mm h=15mm	PCS	16	
D96-1318-98	Endplug with hole	PCS	18	
D96-1319-98	Endplug without hole	PCS	15	
D96-1320-98	Nipple for end plug with hole	PCS	17	
D4050RG017 181	Safety edge fabric yellow/red	M1	12	
D4121RG030 181	Velcro tape 01 w=25	M1	11	
D5006R0010	Bracket for coily cable	PCS	5	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 420 >> Safety edge rubberprofile

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1210-PC 459	Rubber profile comp. optical	M1		H=140	
D50-6010-87	Connection box 060504 (eat)	PCS	4		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	1		
D4421RG046 181	Rubber profile new type	M1	3		
D4102RG003 181	Pvc hose 1.5 mm	M1	9		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D4121RG030 181	Velcro tape 01 w=25	M1	2		
D5006R0010	Bracket for coily cable	PCS	5		
D96-6101-82	Coily cable 4x0.75mm2	PCS	6	(Tape switch/Opticle)	
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	7	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS			
D96-1211-PC 459	Rubber profile comp.SRD pneum.	M1		H=140 Complete with end pieces and plastic tube one chamber connected	
D4421RG046 181	Rubber profile new type	M1	3		
D4102RG002 181	Plastic tube	M1	12		
D96-1318-98	Endplug with hole	PCS	15		
D96-1319-98	Endplug without hole	PCS	11		
D96-1320-98	Nipple for end plug with hole	PCS	16		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D5006R0010	Bracket for coily cable	PCS	5		
D96-1225-XX	Sealing kit comp. pneumatic	PCS		safety edge with endpieces and plastic tube	
D4102RG002 181	Plastic tube	M1	13		
D96-1318-98	Endplug with hole	PCS	15		
D96-1319-98	Endplug without hole	PCS	11		
D96-1320-98	Nipple for end plug with hole	PCS	16		
D4421RG036 459	Rubber profile with integrated	M1		safety edge. With curtain tension. ACS50 / MCC with SRD	
D8550RG068 459	Retrofit Safety edge	M1		Mayser/Bircher to ASO	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	1		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D4121RG030 181	Velcro tape 01 w=25	M1	2		
D5006R0010	Bracket for coily cable	PCS	5		
D96-1500-XX	Set of guides with wearpads	PCS		complete for bottom beam H=115, H=168 2L+2R	
D96-1501-XX	Guiderail SRD 422-662	PCS			
D4121V0015	Guide/wire attachm. POM grey	PCS		422 / 662 SRD	
D4521R1536	Wire lock 660/400 SRD	PCS			
D4121V0004	Guide rail SRD PEHD (Machined)	PCS			


3
4
5
6
7
8
10
9
11
17
16
15
12
14
13
18
19
22
21
20
11
10
23
24
25
1
2


RR 420 >> Guides STS 420/660

Art. No	Product description	Unit	Img	Fits to
D96-1503-XX	Set of guides STS 420/660	PCS		Complete For bottom beam h=115, h=168
D42-1571-95	Bracket cable chain 420 door	PCS	9	
D42-1572-95	Shock absorber sts 420 door	PCS	15	
D4904V0066	Telco transmitter LT 101 AP25	PCS	2	T3
D4904V0067	Telco reciever LR 100 AP38 T3	PCS	14	
D4907R0037	Photocell cable 16m M8	PCS	1	transmitter/receiver straight/angel
D4907R0037	Photocell cable 16m M8	PCS	13	transmitter/receiver straight/angel
D4121R0228	Cable support chain 01	PCS	10	(bracket)
D5006R0010	Bracket for coily cable	PCS	17	
D96-1505-XX	Plastic wear pads inc. Screws	PCS		
D96-1564-PC 439	Cable chain with air-tube	M1		Complete
D96-1305-93	Connection for plastic tube	PCS	18	
D4102RG001 181	Plastic tube	M1	19	
D8250RG014 181	Cable support chain 0/30	M1	11	
D4121R0228	Cable support chain 01	PCS	10	(bracket)


3
4
5
6
7
8
10
9
11
17
16
15
12
14
13
18
19
22
21
20
11
10
23
24
25
1
2


RR 420 >> Pressure switch, pneumatic Safety edge

Art. No	Product description	Unit	Img	Fits to
D96-6000-79	Pressure switch DWGK11DOE	PCS	24	(mechanical)


3
4
5
6
7
8
10
9
11
17
16
15
12
14
13
18
19
22
21
20
11
10
23
24
25
1
2


RR 420 >> Coily cable, safety edge

Art. No	Product description	Unit	Img	Fits to	Remark
D96-6101-82	Coily cable 4x0.75mm2	PCS	25	(Tape switch/Opticle)	
D96-6105-96	Coil cable 3x0.75	PCS	25	(Pneumatic)	> 2004-04


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Steel cable, balancingsystem

Art. No	Product description	Unit	Img	Fits to
D5105V0006	Steel cable 16m	PCS	6	See Page 14: Length of steel cables
D5105V0007	Steel cable 18 m	PCS	6	See Page 14: Length of steel cables
D5105V0009	Steel cable 22m	PCS	6	See Page 14: Length of steel cables
D5105V0011	Steel cable 29m	PCS	6	See Page 14: Length of steel cables
D5105R0075	Steel cable 32 m	PCS	6	


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Springs, balancing system

Art. No	Product description	Unit	Img
D4802V0001	Spring L= 600 100/8	PCS	9
D4802V0002	Spring L= 950 100/10	PCS	9
D4802V0003	Spring L= 1330 100/10	PCS	9
D4802V0004	Spring L= 2000 100/10	PCS	9
D4802V0005	Spring L= 1600 130/13	PCS	9
D4802V0006	Spring L= 2000 130/13	PCS	9


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Tensioner

Art. No	Product description	Unit	Img	Fits to
D96-2400-XX	Spring tensioner with cable	PCS		pullley cpl 910 model B
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete
D96-2410-80	Spring tensioner 5 holes	PCS	8	


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Door blade

Art. No	Product description	Unit	Img	Fits to
D3401VG001	Door blade complete	PCS	10	400 / 420 / 450 / 650 / 660
D3401VG001 078	Curtain PVC	PCS	10	Base price
D3401VG001 084	Curtain PVC	M2	10	Upcharge
D3401VG001 081	RollTex-Plus without window	PCS	10	Base price
D3401VG001 088	RollTex-Plus without window	M2	10	Upcharge
D3401VG001 080	Group RollTex Original without	PCS	10	Window Base price
D3401VG001 085	Curtain RollTex Original	M2	10	Fine upcharge
D3401VG001 086	Curtain RollTex Original	M2	10	Fine painted upcharge
D3401VG001 087	Curtain RollTex Original	M2	10	Coarse upcharge
D3401VG001 089	Curtain RollTex Original	M2	10	Coarse painted upcharge
D3401VG001 082	Curtain RollTex flameproof	M2	10	Upcharge
D3401VG001 077	Curtain NomaTex	PCS	10	Base price
D3401VG001 083	Curtain NomaTex	M2	10	Upcharge
D3401VG001 623	Window vertical/horizontal	PCS	10	
D3401VG001 621	Window vertical/horizontal	PCS	10	
D3401VG001 627	Window anti UV	PCS	10	
D3401VG001 618	Vision area for doorblade	M2	10	Nomatex


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Torque arm, damper

Art. No	Product description	Unit	Img	Fits to	Remark
D96-4826-XX	Torque arm with shock absorber	PCS	1		
D96-4830-91	Vibration damper ra100-b+bolt	PCS	2	ACS 70 ACS 50	> 2005-12


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Disengagement

Art. No	Product description	Unit	Img	Fits to
D96-7700-PC 232	Automatic disengagement compl.	PCS	4	
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	M1	4	ACS70 1.1 kW + 1.5 kW
D00-9302-01	Cable joint flat for 2.3mm	PCS	4	
D42-1572-95	Shock absorber sts 420 door	PCS	4	
D96-7701-97	Electro magnet 10320-05c00	PCS	4	24v d
D96-7704-88	Transformer enclosed	PCS	4	220/24v 25v
D97-6747-01	Emergency opening aut.	PCS	4	Disengage, sign
D97-6747-02	Sticker "Emergency opening"	PCS	4	English
D97-6747-03	Sticker "Emergency opening"	PCS	4	German
D97-6747-04	Sticker "Emergency opening"	PCS	4	French
D8170RG041 232	Emergency lever ACS70	PCS	4	


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D96-9312-XX	Drive unit Nomadrive 1.1kW	PCS	3	Swedrive cpl ACS 70 x2	
D03-9001-XX	Gearbox ACS 70 comp. with	PCS	3	transductorhouse ACS70 1.1 kW	
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	M1	3	ACS70 1.1 kW + 1.5 kW	
D03-0052-25	Hub for puls transducer disc	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0067-25	Puls transducter board 88-22	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0070-25	Cover upper cast housing	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0084-25	Key 4x4x12 brake	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0101-25	Gasket inspectionplate	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0102-25	Gasket upper cover	PCS	3		
D03-0103-25	Gasket gear	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0104-25	Inspectionplate	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0110-25	Gaiters	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0132-25	Brake 14 nm 5ue010252s11cb	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0702-25	Motor t80 1.10 kw 220-240v bf	PCS	3	ACS70 1.1 kW	
D03-9001-25	Gearbox Swedrive standard	PCS	3	ACS 50 ACS 70	> 2005-12
D28-6804-01	Tension spring f.break release	PCS	3	ACS70 1.1 kW + 1.5 kW	
D4621v0037	Puls transducer disc 50 pulses	PCS	3		
D97-0008-92	Lock 3.5 mm for safety wire	PCS	3	rear side,front/back side	
D03-0095-25	Coupling bowex j19 19/19	PCS	3	ACS70 1.1 kW	> 2005-12
D00-9311-25	Disconnection handle 50mm	PCS	3	ACS70 1.1 kW + 1.5 kW	
D03-0124-25	Microswitch Burges v4nt7y2	PCS	3	Nomadrive ACS70 1.1 kW + 1.5 kW	


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Puls transducer

Art. No	Product description	Unit	Img	Fits to
D3201V0006	Pulse transducer disc with hub	PCS		ACS70 1.1 kW + 1.5 kW
D4621v0037	Puls transducer disc 50 pulses	PCS		
D03-0052-25	Hub for puls transducer disc	PCS		ACS70 1.1 kW + 1.5 kW


1
2
3
4
5
6
7
8
9
10
11


RR 420 >> Accessories Ovitor 5 drive unit

Art. No	Product description	Unit	Img	Fits to
D96-3671-79	Shock absorber, Vulcolan e82	PCS		
D96-3672-99	Shock absorber R24 Pur 64	PCS		shore D-F green
D96-3683-99	Coupling R24 28x24	PCS		
D96-4817-99	Motor bracket Ovitor 5.660/420	PCS		
D00-0903-25	Brake disc with lining	PCS		Motor 00-744-25 / 00-0745-25 / 01-7612-90 / 01-7620-90
D00-0904-25	Brake disc 744 id=20	PCS		Motor 00-744-25 / 00-0745-25
D6611R0001	Flange 221	PCS		Motor 00-0744-25
D6611R0002	Flange 2371	PCS		Motor 01-7610-90, 01-7620-90


1
2
3
4
5
6
7
8
9
10
11

RR 420 >> Accessories Ovitor 8 drive


Art. No	Product description	Unit	Img	Fits to
D96-3691-83	Shock absorber, Vulcolan e97	PCS		
D96-3692-99	Shock absorber R28 Pur 64	PCS		shore D-F green
D96-3693-99	Coupling R28 28x32	PCS		
D96-4818-99	Motor bracket Ovitor 8.660/420	PCS		
D00-0903-25	Brake disc with lining	PCS		Motor 00-744-25 / 00-0745-25 / 01-7612-90 / 01-7620-90
D00-0905-25	Brake disc 75* id=25	PCS		Motor 01-7612-90, 01-7620-90


1
2
3
4
5
6
7
8
9
10
11
12
13

RR 420 >> Options

Art. No	Product description	Unit	Img
D42-4978-PC 459	Fascia front cpl. Ovitor	M1	
D66-4999-94	Bracket for fascia	PCS	12
D96-4955-11	Yellow gable for fascia	PCS	8
D96-4955-12	Red gable for fascia	PCS	8
D6403V0001	Albany Assa Abloy sign 210x100	PCS	13
D42-4979-PC 459	Fascia front cpl. Nomadrive	M1	
D66-4999-94	Bracket for fascia	PCS	12
D96-4955-11	Yellow gable for fascia	PCS	8
D96-4955-12	Red gable for fascia	PCS	8
D6403V0001	Albany Assa Abloy sign 210x100	PCS	13
D42-4980-PC 459	Hood top cpl. Ovitor	M1	
D4402RG007 232	Foam seal 20x20mm	PCS	10
D4402RG008 181	Rubber mat 250 t=3 neopren	M1	4
D42-4985-PC 459	Hood top cpl. Nomadrive	M1	
D4402RG007 232	Foam seal 20x20mm	PCS	10
D4402RG008 181	Rubber mat 250 t=3 neopren	M1	4


RR 450 / EX


1
2
3
4
5
6
7
8
9
10
11
12
12
13
14
15
16

RR 450 / EX >> RH column

Art. No	Product description	Unit	Img	Fits to	Remark
D8520010	RH column cpl				
D8520010 111	Base price	PCS			
D8520010 439	additional per m / h	M1			
D8120037	RH head plate	PCS	1	600 G	
D8120031	RH head plate	PCS	1	450/600	
D8120045	RH head plate	PCS	1	450/600 with wind bar	
D8120039	RH head plate	PCS	1	600G with wind bar	
D8120066	RH head plate	PCS	1	450EX	
D4121R0438	Bell mouth front right	PCS	1		
D4121R0436	Bell mouth rear right	PCS	1		
D8120004	Rope roller	PCS	2		
D8120010	Rope roller AL	PCS	2	crash	
D8120035	RH ground plate	PCS	3		
D8120033	RH ground plate crash	PCS	3		
D8220051 439	RH support profile standard	M1	4	450/600/600G	
D8220001 439	RH support profile crash	M1	4	450/600	
D8220100 439	RH support profile	M1	4	450EX	
D8220RG285 439	RH support profile standard	M1	4	MCC	
D8220RG287 439	RH support profile crash	M1	4	MCC	
D8220039 439	RH front cover	M1	5		
D5105R0091	Rope 3.2 L=9500	PCS	5	Crash curtain tension RR350 RR320	1996-05 >
D8160011	Covering cap	PCS	6	450 plast or top and 600 plast	
D8160014	Covering cap	PCS	6	600 top	
D8160012	Covering cap	PCS	6	600G	
D8160R0008	Covering cap chain drive RH	PCS	6	450/600 chain drive	
D8160R0165	Covering cap chain drive 600G	PCS	6	RH chain drive	
D8120026	Tension spring with	PCS	7	deflection horse	
D8220030	Counterbalance		8	DW 3m: 2 springs/door	450/600(G) >2009-10 all 450/600EX
D8220030 597	W. spring 11mm Dm 110 L0 1682	PCS	8		
D8220030 598	W. spring 11mm Dm 110 L0 2000	PCS	8		
D8220030 599	W. spring 12mm Dm 111 L0 1598	PCS	8		
D8220030 600	W. spring 12mm Dm 111 L0 2000	PCS	8		
D8220030 601	W. spring 13mm Dm 101 L0 1784	PCS	8		
D8220030 602	W. Spring 13mm Dm 114 L0 2000	PCS	8		
D8220RG302	Counterbalance		8	DW3m: 2 springs/door	only 450/600(G) 2009-11 >
D8220RG302 597	W. spring 11mm Dm 110 L0 1682	PCS	8		
D8220RG302 598	W. spring 11mm Dm 110 L0 2000	PCS	8		
D8220RG302 599	W. spring 12mm Dm 111 L0 1598	PCS	8		
D8220RG302 600	W. spring 12mm Dm 111 L0 2000	PCS	8		
D8220RG302 601	W. spring 13mm Dm 101 L0 1784	PCS	8		
D8220RG302 602	W. Spring 13mm Dm 114 L0 2000	PCS	8		

EN CHAPTER O 20160406 EN


1
2
3
4
5
6
7
8
9
10
11
12
12
13
14
15
16


RR 450 / EX >> RH column

Art. No	Product description	Unit	Img	Fits to	Remark
D4721R0374	Belt roller counterbalancing	PCS	9		>2009-10
D4721103	Belt roller counterbalancing	PCS	9		2009-11 > not for 450/600EX
D5105R0085	Rope d=7mm, L=15000mm, yellow	PCS	9		2009-11 > not for 450/600EX
D4521172	Bracket belt-rope	PCS	9		2009-11 > not for 450/600EX
D8470R0026	Photocell transm./rec. with	PCS	10	bracket RH + LH	
D4904R0547	Photocell transmitter without	PCS	10	bracket - blue RH not for pre-run	
D4907R0024	Connecting cable 4000mm	PCS	10	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	10		
D4907R0030	Connecting cable 8000mm	PCS	10	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	10	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without controlDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0023	Connecting cable 12000mm	PCS	10	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E	
D4907R0031	Connecting cable 14000mm M8	PCS	10	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E	
D8520008 232	Trailing chain with cable	PCS	11		
D8150034 232	Trailing chain	PCS	11		
D4907R0024	Connecting cable 4000mm	PCS	11	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	11		
D4907R0030	Connecting cable 8000mm	PCS	11	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	

EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to	Remark
D4907R0032	Connecting cable 10m	PCS	11	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0023	Connecting cable 12000mm	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E	
D4907R0031	Connecting cable 14000mm M8	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E	
D4907R0074	Connecting cable 4000mm crash	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0075	Connecting cable 6000mm crash	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0076	Connecting cable 8000mm crash	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0077	Connecting cable 10000mm crash	PCS	11	For photocell and limit swit-chIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0079	Connecting cable 12m-light	PCS	11	grid crash	
D4907R0080	Connecting cable 4x0,25qm 14m	PCS	11	crash / pre-running 14 m	
D8520018 232	Trailing chain	PCS	11	450EXdrive LH	
D8520017 232	Trailing chain	PCS	11	450EXdrive LH/RH	
D8420006	RH proximity switch w. bracket	PCS	12		
D8420R0019	Proximity switch Ex w. bracket	PCS	12	450EX/600EX, MCC	
D4907R0082	Connecting cable 2m with 2 M8	PCS	13	plugs Drive side FUS PLS-GT MPS MCC ACS50 ACS80	
D4907R0024	Connecting cable 4000mm	PCS	13	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit-hout control DH≤2500	
D4907R0024	Connecting cable 4000mm	PCS	14	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit-hout control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	14		


Art. No	Product description	Unit	Img	Fits to	Remark
D4907R0030	Connecting cable 8000mm	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0024	Connecting cable 4000mm	PCS	14	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	14		
D4907R0030	Connecting cable 8000mm	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500	
D8220R0055	Emergency lever complete	PCS	15	Driveside 450/600/600G	
D8220R0053	Emergency lever	PCS	15	450EX/600EX	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

RR 450 / EX >> LH column

Art. No	Product description	Unit	Img	Fits to	Remark
D8520011	LH column				
D8520011 111	Base price	PCS			
D8520011 439	additional per m / h	M1			
D8120038	LH head plate	PCS	1	600 G	
D8120032	LH head plate	PCS	1	450/600	
D8120046	LH head plate	PCS	1	450/600 with wind bar	
D8120040	LH head plate	PCS	1	600G with wind bar	
D8120067	LH head plate	PCS	1	450EX	
D4121R0439	Bell mouth front left	PCS	1		
D4121R0437	Bell mouth rear left	PCS	1		
D8120004	Rope roller	PCS	2		
D8120010	Rope roller AL	PCS	2	crash	
D8120036	LH ground plate standard	PCS	3	450/600/600G	
D8120034	LH ground plate crash	PCS	3	450/600	
D8220052 439	LH support profile standard	M1	4	450/600/600G	
D8220002 439	LH support profile crash	M1	4	450/600	
D8220101 439	LH support profile	M1	4	450EX	
D8220RG286 439	LH support profile standard	M1	4	MCC	
D8220RG288 439	LH support profile crash	M1	4	MCC	
D8220038 439	LH front cover	M1	5		
D5105R0091	Rope 3.2 L=9500	PCS	5	Crash curtain tension RR350 RR320	1996-05 >
D8160011	Covering cap	PCS	6	450 plast or top and 600 plast	
D8160014	Covering cap	PCS	6	600 top	
D8160012	Covering cap	PCS	6	600G	
D8160R0009	Covering cap chain drive LH	PCS	6	450/600 chain drive	
D8160R0166	Covering cap chain drive 600G	PCS	6	LH chain drive	
D8120026	Tension spring with	PCS	7	deflection horse	
D8220030	Counterbalance		8	DW3m: 2 springs/door	450/600(G) >2009-10 all 450/600EX
D8220030 597	W. spring 11mm Dm 110 L0 1682	PCS	8		
D8220030 598	W. spring 11mm Dm 110 L0 2000	PCS	8		
D8220030 599	W. spring 12mm Dm 111 L0 1598	PCS	8		
D8220030 600	W. spring 12mm Dm 111 L0 2000	PCS	8		
D8220030 601	W. spring 13mm Dm 101 L0 1784	PCS	8		
D8220030 602	W. Spring 13mm Dm 114 L0 2000	PCS	8		
D8220RG302	Counterbalance		8	DW3m: 2 springs/door	only 450/600(G) 2009-11 >
D8220RG302 597	W. spring 11mm Dm 110 L0 1682	PCS	8		
D8220RG302 598	W. spring 11mm Dm 110 L0 2000	PCS	8		
D8220RG302 599	W. spring 12mm Dm 111 L0 1598	PCS	8		
D8220RG302 600	W. spring 12mm Dm 111 L0 2000	PCS	8		
D8220RG302 601	W. spring 13mm Dm 101 L0 1784	PCS	8		
D8220RG302 602	W. Spring 13mm Dm 114 L0 2000	PCS	8		


EN CHAPTER O 20160406 EN


1
2
3
4
5
6
7
8
9
10
11
12
12
13
14
15
16

RR 450 / EX >> LH column


Art. No	Product description	Unit	Img	Fits to	Remark
D4721R0374	Belt roller counterbalancing	PCS	9		>2009-10
D4721103	Belt roller counterbalancing	PCS	9		2009-11 > not for 450/600EX
D5105R0085	Rope d=7mm, L=15000mm, yellow	PCS	9		2009-11 > not for 450/600EX
D4521172	Bracket belt-rope	PCS	9		2009-11 > not for 450/600EX
D8470R0026	Photocell transm./rec. with	PCS	10	bracket RH + LH	
D4904R0548	Photocell receiver without	PCS	10	bracket - black LH not for pre-run snow proof	
D8520009 232	Trailing chain with cable	PCS	11		
D8150034 232	Trailing chain	PCS	11		
D8520017 232	Trailing chain	PCS	11	450EXdrive LH/RH	
D8520018 232	Trailing chain	PCS	11	450EXdrive RH	
D8420005	LH proximity switch w. bracket	PCS	12		
D8420R0019	Proximity switch Ex w. bracket	PCS	12	450EX/600EX, MCC	
D4907R0082	Connecting cable 2m with 2 M8	PCS	13	plugs Drive side FUS PLS-GT MPS MCC ACS50 ACS80	
D4907R0024	Connecting cable 4000mm	PCS	13	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0024	Connecting cable 4000mm	PCS	14	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	14		
D4907R0030	Connecting cable 8000mm	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0024	Connecting cable 4000mm	PCS	14	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS without control DH≤2500	
D4907R0029	Connecting cable 6m	PCS	14		

Art. No	Product description	Unit	Img	Fits to	Remark
D4907R0030	Connecting cable 8000mm	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0032	Connecting cable 10m	PCS	14	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	


7
A
1
6
2
3
5
1
2
3
4
A

RR 450 / EX >> Toproll with curtain

Art. No	Product description	Unit	Img	Fits to
D8240014	Toproll aluminium with curtain			450
D8240014 111	Baseprice	PCS		
D8240014 459	Toproll aluminium with curtain	M1		
D8240014 192	PVC	M2		450blue or red
D8240014 194	PVC	M2		450special colour
D8240014 201	RollTex-Plus without window	M2		450grey, orange, blue
D8240014 625	Window horizontal/vertikal	PCS		450/600 grey, orange, blue
D8240014 625	Window horizontal/vertikal	PCS		450/600 grey, orange, blue
D8240013 459	Toproll aluminium without	M1		curtain 450only for export
D8240018	Toproll steel with curtain PVC			600/600G450EX/600EX
D8240018 111	Baseprice	PCS		600/600G450EX/600EX
D8240018 459	Toproll	M1		600/600G450EX/600EX
D8240018 192	PVC blue or red	M2		600/600G450EX/600EX
D8240018 194	PVC special colour	M2		600/600G450EX/600EX
D8240018 201	RollTex-Plus without window	M2		600/600Ggrey, orange, blue
D8240014 625	Window horizontal/vertikal	PCS		450/600 grey, orange, blue
D8240014 625	Window horizontal/vertikal	PCS		450/600 grey, orange, blue
D8240015 459	Toproll steel without curtain	M1		600/600G450EX/ 600EXonly for export
D8230RG015 185	Curtain PVC	M2		blue or redonly for export
D8230310 201	RollTex-Plus without window	M2		grey orange blue not for 450EX/600EX only for export
D8230310	RollTex-Plus with window			grey, orange, bluenot for 450EX/600EX only for export
D8230310 201	RollTex-Plus without window	M2		grey orange blue not for 450EX/600EX only for export
D8230310 625	Window	PCS		grey orange blue not for 450EX/600EX only for export
D8230310 625	Window	PCS		grey orange blue not for 450EX/600EX only for export
D4701R0228	Rope pulley d=130mm	PCS	1	DH≤4500mm curtain tension 450/600 450EX/600EX
D4701R0229	Rope pulley d=125mm	PCS	1	DH>4500mm curtain tension 600 450EX/600EX
D4721063	Rope pulley Ø160	PCS	1	600G
D4701131	Belt pulley Ø40	PCS	2	
D5103063	Pedestal bearing	PCS	3	
D5105006 439	Belt, raw cut to size	M1	4	
D5105008 439	Belt, raw cut to size	M1	4	450EX/600EX
D5105R0035	Rope d=5mm L=24000mm	PCS	5	L= 4 x DH-500 L= B+2660 RR 3355 450 390 392
D5105R0080	Rope d=4.55mm L=24000 yellow	PCS	5	only with plastic pulley RR 355 / old modell
D5101R0091	Chain wheel	PCS	6	chain drive
D8130R0009	Windbreaktap (12 pcs.)	PCS	7	Windnodes for Albany doorleaf
D4050R0017	Intermediate plates red	PCS	7	min. 10 pcs.
D4050R0016	Intermediate plates blue	PCS	7	min. 10 pcs.



3
1
4
2
11
9
11
7
10
5
6
10
8

RR 450 / EX >> Bottom profile

Notes:
Doors ordered before end of 2011/08 needs separately Retrofit pre-running photocell (Pos. 12) No order of single photocell possible!

Art. No	Product description	Unit	Img	Fits to	Remark
D8550013 459	Bottom profile cpl. With	M1		advanced photocell 450/ 600/600G	
D8550012 459	Bottom profile cpl. With	M1		contact edge 450/600	
D8550027 459	Bottom profile cpl. With	M1		contact edge 450EX/600EX	
D4701098 459	Bottom profile cut to size	M1	1	450	
D4701195 459	Bottom profile cut to size	M1		600/600G	
D4701214 459	Bottom profile cut to size	M1		450EXB≤4500	
D4701215 459	Bottom profile cut to size	M1		600EXB≤4500	
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8550RG074 459	Rubber profile elongated	M1	2	sealing-lip Without curtain tension, integrated Sealing to Sideframe	
D8550RG075 459	Rubber profile for prerunning	M1	2	photocell, integrated sea-ling to sideframe / not MP doors 450/600	
D8550RG076 459	Rubber profile for prerunning	M1	2	photocell, elongated sea-ling-lip integrated sealing to sideframe 450/600	
D4402070 459	Rubber profile	M1	2	450EX/600EX	
D4421022 459	Rubber profile elongated	M1	2	sealing-lip 450EX/600EX	
D8940001 459	Safety edge	M1	2	450EX/600EX	
D8450022	LH sliding part	PCS	3	450EX/600EX,for safety edge	
D8450R0030	LH sliding part	PCS	3	450/600/600G pre-running photocell (*)	>2011-08 See Pos.12 2011-09 > also sin-gle
D8450R0029	RH sliding part	PCS	4	450/600/600G pre-running photocell (*)	>2011-08 See Pos.12 2011-09 > also sin-gle
D8450021	RH sliding part	PCS	4	450EX/600EX,for safety edge	
D8420R0022	Transmitter pre-runing	PCS	5	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	5	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0024	Receiver pre-running photocell	PCS	6	with bracket RH (**) (*)	>2011-08 just in pair 2011-09 > also single
D4904R0546	Safety photocell receiver	PCS	6	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4399424	Sliding guidance LH/RH	PCS	7	450/600/600G	
D4399424	Sliding guidance LH/RH	PCS	8	450/600/600G	
D8150013	Switch pin	PCS	9	450/600/600G	
D8150027	Slider with screws	PCS	10	450/600/600G	
D8150026	End guide plate sliders	PCS	11	450/600/600G	
D8930R0112	Retrofit pre-running photocell	PCS	12	(Transmitter+Receiver) 450/600/600G pre-running photocell (*)	>2011-08 required 2011-09 > not required

EN CHAPTER O 20160406 EN



15
3
1
4
2
7
8
9
10
12
11
5
8
7
9
10
13
14
11
6


RR 450 / EX >> Bottom profil crash

Notes:
Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos. 5, 6)

Art. No	Product description	Unit	Img	Fits to	Remark
D8550016 459	Bottom profil crash cpl	M1		with sliding parts 450/600	
D8250003 459	Bottom profil crash cpl	M1		without sliding parts 450/600	
D4701226 459	Bottom profil cut to size	M1	1	450	
D4701278 459	Bottom profil cut to size	M1	1	600	
D8550RG075 459	Rubber profile for prerunning	M1	2	photocell, integrated sealing to sideframe / not MP doors 450/600	
D8550RG076 459	Rubber profile for prerunning	M1	2	photocell, elongated sealing-lip integrated sealing to sideframe 450/600	
D8450R0019	LH sliding part crash	PCS	3	450/600 LH (**)	>2011-08 See Pos: 5, 6 2011-09 > also single
D8450R0020	RH sliding part crash	PCS	4	450/600 RH (**)	>2011-08 See Pos: 5, 6 2011-09 > also single
D8420R0022	Transmitter pre-runing	PCS	5	photocell with bracket LH (**) with bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	5	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8420R0024	Receiver pre-running photocell	PCS	6	with bracket RH (**) (*)	>2011-08 just in pair 2011-09 > also single
D4904R0546	Safety photocell receiver	PCS	6	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D8150030	Sliding guidance	PCS	7	450/600	
D8250002	Flexible cable duct with cable	PCS	8	for bottom rail 450/600	
D4615015	Switch pin crash	PCS	9	450/600	
D8150033	Sliding piece for bracket	PCS	10	photocell 450/600	
D8450007	Proximity switch	PCS	11	crash 450/600	
D4910R0033	Y-adapter LH	PCS	12	450/600	
D4910R0032	Y-adapter RH	PCS	13	450/600	
D5003106	Rollers	PCS	14	450/600	
D8150001	Tappet cpl	PCS	15	450/600	


EN CHAPTER O 20160406 EN



1
9
6
5
4
2
3
10


15
11
12
13
14

RR 450 / EX >> Drive Unit


Art. No	Product description	Unit	Img	Fits to	Remark
D8410065 232	Drive unit w.h. control cable	PCS	1	Not for MPSextra price control cable pos. 7	
D8410RG002 232	Drive unit w.h. control cable	PCS	1	for chain drive Not for MPS-extra price control cable pos. 7	
D8410RG100 232	Retrofit drive unit motors	PCS	1	Flender to Bonfiglioli without control cable Not for MPSextra price control cable pos. 7	
D8910R0078	Gear motor	PCS	1.1	Brake 6622R0018 MCC	
D8910R0058	Gear motor	PCS	1.1	Brake 6622R0018,ACS50, 60Hz	2002-01>
D8910R0040	Gear motor	PCS	1.1	Brake 6622R0018PLS-G, PLS-GT, 230V/400V, 60 HzSPS, no control, 230V, 60Hz	2002-01>
D8910R0043	Gear motor	PCS	1.1	Brake 6622R0018PLS-G, PLS-GT, 230V/400V, 60 HzSPS, no control, 230V, 60Hz	2002-01>
D8910R0042	Gear motor	PCS	1.1	Brake 6622R0018SPS, no control, 400V, 60 Hz	2002-01>
D8910R0044	Gear motor	PCS	1.1	Brake 6622R0018SPS, no control, 400V, 60 Hz	2002-01>
D8910R0048	Gear motor	PCS	1.1	Brake 6622R0018 ACS60/ ACS80	2002-01>
D8910R0047	Gear motor	PCS	1.1	Brake 6622R0020FUSI	2002-01>
D4901216	Gear motor	PCS	1.1	Brake 4902044MPS	> 1996-12
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D6622R0020	Brake 15 Nm 96V DC HL	PCS	2	look at drive	2002-01 >
D6622010	Brake BP10GH180V DC	PCS	2	for 6601029, 6601031, 6601034, 6601036	> 2001-12
D6622005	Brake BP10NH180V DC	PCS	2	for 6601030, 6601035, 6601033, 66010374901237	> 2001-12
D4902045	Brake P10NH103V DC	PCS	2	for 4901228,49011944901195	> 2001-12
D4902046	Brake P20/14NH103V DC	PCS	2	for 4901214,4901197	> 2001-12
D4902048	Brake P20/14GH103V DC	PCS	2	for 4901225	> 2001-12
D4902041	Brake P10GH IP65 gekapselt	PCS	2	for 4901208	> 2001-12
D4902044	Brake 96V DC	PCS	2	For drive 4901149 4901192 4901193	> 2001-12
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	



1
9
6
5
4
2
3
10


15
11
12
13
14

RR 450 / EX >> Drive Unit


Art. No	Product description	Unit	Img	Fits to	Remark
D4905005	Microswitch	PCS	4	400/E Flender	
D6621R0002	Microswitch	PCS	4	400/E Bonfiglioli	2002-01>
D4521R0776	Torque arm	PCS	5		
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D8903RG144	E-Connection ACS 50		7	without control	2003-03 >
D8830032	Control cable		7	ACS 50 60 80 400/E MPS	
D8903RG145	E-Connection MCC		7		
D8807001	Set of plugs for FUS controls	PCS	8		
D8807010	Set of plugs f.FUS II controls	PCS	8		
D4802071	Junctionbox 7plug 6m cable	PCS	9		
D4802076	Junctionbox 7plug 11m cable	PCS	9		
D4802077	Junctionbox 7plug 21m cable	PCS	9		
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	9	(*) SL≤5m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	9	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	9	(*) 10m<SL≤20m	
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	10	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	10	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	10	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	10	20m<SL≤30m	
D4521R0055	Motorbracket LH	PCS	11	Chain drive	
D4521R0054	Motorbracket RH	PCS	11	Chain drive	
D8110R0079	Roller chain complete	PCS	12	chain drive	
D5101R0091	Chain wheel	PCS	13	chain drive	
D4521R0011	Cover chain LH	PCS	14	Chain drive	
D4521R0010	Cover chain RH	PCS	14	Chain drive	
D4521R0016	Drive shaft	PCS	15	Chain drive	


1
9
6
5
4
2
3
10


15
11
12
13
14


RR 450 / EX >> Drive Unit

Art. No	Product description	Unit	Img	Fits to	Remark
D8410033 232	Drive unit without	PCS		control cable extra price control cable pos. 12	
D8410R0094 232	Drive unit MCC Ex RH without	PCS		control cable extra price control cable pos. 12	
D8410R0095 232	Drive unit MCC Ex LH without	PCS		control cable extra price control cable pos. 12	
D6601007 232	Gear motor	PCS	1	ACS80, MCC	
D4521R1027	Motorbracket	PCS	1	additionally required for installation of gear motor	> 2003-12
D6620R0001	Drive with breake	PCS	1	ACS80, MCC	
D6610R0001	Gearbox	PCS	1	ACS80, MCC	
D8110011	Torque arm	PCS	2		
D8110004	Vibration damper	PCS	3		
D8410032	Llimit switch	PCS	4	ACS80	
D4801053	spindle nut	PCS	5	ACS80	
D4801052	spindle	PCS	6	ACS80	
D8110R0005	barrel shaft	PCS	7	ACS80	
D5101072	Limit switch pinion	PCS	8	ACS80	
D8802011	Terminal box	PCS	9		
D4801231	Positional switch	PCS	10		
D8410R0089	URS magnet switch Ex spindle	PCS	11	limit sw. ACS80, only by first exchange	
D4905R0242	Magnet switch Ex M18 1m cable	PCS	11	ACS80	
D8903RG145	E-Connection MCC	PCS	12		
D8803006	Control cable		12	ACS80	
D8803006 111	Control cable	PCS	12	Base price	
D8803006 497	Control cable	M1	12	Upcharge	
D4904R0503	Increment. shaft encoder Ex	PCS	13	MCC	
D8807001	Set of plugs for FUS controls	PCS	14		
D8807010	Set of plugs f.FUS II controls	PCS	14		


1
2
3
4
5
6
7
8

RR 450 / EX >> Options


Art. No	Product description	Unit	Img	Fits to
D8260007 459	Top roll cover	M1	1	450/600
D8260010 459	Top roll cover	M1	1	600 G
D8260009 459	Top roll cover for curtain	M1	1	ganzflächig Top 600H > 4500
D8160R0081	Motorcover plastic grey LH	PCS	2	450/600/600G
D8160R0080	Motorcover plastic grey RH	PCS	2	450/600/600G
D8160R0119	Motorcover plastic grey LH	PCS	2	450/600; MCC mounted on side frame
D8160R0118	Motorcover plastic grey RH	PCS	2	450/600; MCC mounted on side frame
D8160R0121	Motorcover plastic grey LH	PCS	2	600G; MCC mounted on side frame
D8160R0120	Motorcover plastic grey RH	PCS	2	600G; MCC mounted on side frame
D8160032	Motor cover aluminium LH	PCS	2	450EX/600EX,ACS80
D8160031	Motor cover aluminium RH	PCS	2	450EX/600EX,ACS80
D8160R0134	Motor cover aluminium LH	PCS	2	450EX/600EX, MCC
D8160R0133	Motor cover aluminium RH	PCS	2	450EX/600EX, MCC
D8160R0003	Motor cover aluminium cpl.	PCS	2	chain LH 450/600 chain drive
D8160R0002	Motor cover aluminium cpl.	PCS	2	chain RH 450/600 chain drive
D8160R0164	Motor cover aluminium cpl.	PCS	2	chain 600G LH 600G chain drive
D8160R0163	Motor cover aluminium cpl.	PCS	2	chain 600G RH 600G chain drive
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D8470009 232	Photocell EX with reflector	PCS	4	and bracket 450EX/ 600EX,cat.2G
D8470R0022	Photocell EX with reflector	PCS	4	and bracket 450EX/ 600EX,cat.3D
D4904R0002	Reflector	PCS	5	450EX/600EX
D4904217	Safety photocell EX 8m 8,2V DC	PCS	6	450EX/600EX,cat.2G
D4904R0550	Safety photocell EX 3D	PCS	6	450EX/600EX,cat.3D
D8170152	Bracket reflector	PCS	7	450EX/600EX
D8170151	bracke photocell	PCS	8	450EX/600EX,cat.2G
D4521RG018 232	Lintel profile	PCS	9	


4
7
5
2
3
1
2

RR 450 / EX >> Windbar

Art. No	Product description	Unit	Img	Fits to
D8270009	Windbar cpl			
D8270009 111	Base price	PCS		
D4701230 459	Barrel raw	M1		additional per m / h
D8200011	Retrofit kit travelling wind			bar (daylight height will be reduced) RR 450/600/600G
D8200011 111	Retrofit kit travelling wind	PCS		bar (daylight height will be reduced) Base price
D8200011 459	Retrofit kit travelling wind	M1		bar (daylight height will be reduced) upcharge
D4701230 459	Barrel raw	M1	1	additional per m / h
D8170014	Slider	PCS	2	
D8170015	Acceptance Windbar	PCS	3	
D8170016	Bracket for the cover	PCS	4	RH and LH cpl fixed by the cover profile
D8170020	Bracket for the cover LH cpl	PCS	5	fixed by the support profile
D8170017	Bracket for the cover LH cpl	PCS	5	HP600G fixed by the support profile
D8170019	Bracket for the cover RH cpl	PCS	6	fixed by the support profile
D8170018	Bracket for the cover RH cpl	PCS	6	HP600G fixed by the support profile
D5105011 439	Belt W=25mm L=9500mm	M1	7	H + 3500 mm

RR 600




RR 600 >> Side frame right

Art. No	Product description	Unit	Img	Fits to
D8520VG001	Side frame complete	M1		
D8520VG003 439	Frame cover, grey or blue	M1	1	
D8520VG004 439	Brush strip (front & back)	M1	2	Option, only with safety edge
D4101V0010	Cover PC for cable chain	PCS	3	L=720mm Windclass 1&2
D4101V0009	Cover PC for cable chain	PCS	3	L=520mm Windclass 3
D4721RG171 439	Side frame profile inner RH	M1	4	
D4721RG173 439	Side frame profile side	M1	5	break rel. right
D8520VG016 232	Side frame profile door, lower	PCS	6	, with/without lock, RH ▶ SO155058.1
D8520VG017 232	Side frame profile door, lower	PCS	6	, with/without lock, RH SO155149.1 ▶
D8520VG018 439	Side frame profile door, upper	M1	7	, with/without lock, RH ▶ SO155058.1
D8520VG019 439	Side frame profile door, upper	M1	7	, with/without lock, RH SO155149.1 ▶
D8520VG011 439	Side frame profile	M1	8	wind reinforcement 2 pcs.
D4521V0302	Lock bar 1.8 m	PCS	9	
D4521V0237	Lock bar 2.3 m	PCS	9	
D4521V0238	Lock bar 3.5 m	PCS	9	
D8220R0056	Emergency lever cpl integrated	PCS	10	
D8520VG013 232	Cable chain complete	PCS	12	with cable and bracket
D5003R0008	Pulley 330	PCS	13	
D8420V0006	Bracket for pulley with small	PCS	13	wheel ▶ SO153614.1
D8420V0007	Bearing bracket, complete RH	PCS	14	ht
D4121V0021	Cable pulley with 2 bearings	PCS	15	Complete
D4121R0387	Bell mouth, front	PCS	16	
D4121R0389	Bell mouth, back	PCS	17	
D4521V0154	Wall bracket, right	PCS	18	
D4521V0155	Side frame stiffner, right	PCS	19	
D4521V0235	Complete lock	PCS	20	Option
D4521V0236	Complete lock with handle	PCS	21	Option
D8420V0010	Steering, lock bar	PCS	22	Option
D8520VG014 439	Wall profile incl.sealing foam	M1	23	RH
D4521V0298	Photocell bracket	PCS	24	
D8420V0011	Side frame profile inner	PCS	25	L=300 with bracket
D8220RG283 439	Side frame profile door	PCS	26	L=100-150 with lock ▶ SO155058.1
D8420V0012	Side frame profile door	PCS	26	L=100 with lock SO155149.1 ▶
D4904R0547	Photocell transmitter without	PCS	27	bracket - blue RH not for pre-run
D4905R0082	Proxmity switch M8 10E	PCS	28	plugconnector Drive Nord, without crash without bracket
D4907R0044	Connecting cable 2m with 2 M8	PCS	28	plugs drive side Stromag
D4521V0150	Bottom fixation, right	PCS	29	
D4721R0228	Hinge profile L=50 mm AL	PCS	30	(mod 94)
D8140R0071	Bearing diameter 30 mm	PCS	33	Photocell door-line
D4907R0030	Connecting cable 8000mm	PCS	34	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0031	Connecting cable 14000mm M8	PCS	34	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D4907R0037	Photocell cable 16m M8	PCS	34	transmitter/receiver straight/angel

EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to
D4907R0030	Connecting cable 8000mm	PCS	35	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D8820R0032	MCC display in small housing	PCS	36	wall / vägg
D8820R0031	MCC display in small housing	PCS	37	for combibox metal MCC in cabinet Combibox metal/VA
D4905V0056	Foil key MCC display	PCS	38	integrated MCC DH≥1730
D4521V0157	Bracket display box MCC	PCS	39	integrated
D4521V0242	Bracket display box wall MCC	PCS	40	wall / vägg
D4521V0159	Wheel bracket	PCS	41	SRD = +1
D4521V0261	Bracket proximity switch	PCS	42	RR600,Additional for doors at first bottom beam change ► SO152528.1
D4521V0254	Lock for motor cover	PCS	43	
D4521V0191	Release angle	PCS	44	




RR 600 >> Side frame left (see drawing side frame right)

Art. No	Product description	Unit	Img	Fits to
D8520VG002	Side frame complete			
D8520VG003 439	Frame cover, grey or blue	M1	1	
D8520VG004	Brush strip (front & back)	M1	2	Option, only with safety edge
D4101V0010	Cover PC for cable chain	PCS	3	L=720mm Windclass 1&2
D4101V0009	Cover PC for cable chain	PCS	3	L=520mm Windclass 3
D4721RG172 439	Side frame profile inner, left	M1	4	
D4721RG174 439	Side frame profile side	M1	5	break rel. LH
D8520VG020 232	Side frame profile door, lower	PCS	6	with or without lock, LH ▶ SO155058.1
D8520VG021 232	Side frame profile door, lower	PCS	6	with or without lock, LH SO155149.1 ▶
D8520VG022 439	Side frame profile door, upper	M1	7	with or without lock, LH ▶ SO155058.1
D8520VG023 439	Side frame profile door, upper	M1	7	with or without lock, LH SO155149.1 ▶
D8520VG011 439	Side frame profile	M1	8	wind reinforcement 2 pcs.
D4521V0302	Lock bar 1.8 m	PCS	9	
D4521V0237	Lock bar 2.3 m	PCS	9	
D4521V0238	Lock bar 3.5 m	PCS	9	
D8220R0056	Emergency lever cpl integrated	PCS	10	
D8520VG013 232	Cable chain complete	PCS	12	with cable and bracket
D5003R0008	Pulley 330	PCS	13	
D8420V0006	Bracket for pulley with small	PCS	13	wheel ▶ SO153614.1
D8420V0008	Bearing bracket, complete LH	PCS	14	
D4121V0021	Cable pulley with 2 bearings	PCS	15	Complete
D4121R0388	Bell mouth, front	PCS	16	
D4121R0390	Bell mouth, back	PCS	17	
D4521V0187	Wall bracket, left	PCS	18	
D4521V0188	Side frame stiffner, left	PCS	19	
D4521V0235	Complete lock	PCS	20	Option
D4521V0236	Complete lock with handle	PCS	21	Option
D8420V0010	Steering, lock bar	PCS	22	Option
D8520VG015 439	Wall profile incl.	M1	23	sealing foam LH
D4521V0298	Photocell bracket	PCS	24	
D8420V0011	Side frame profile inner	PCS	25	L=300 with bracket
D8220RG283 439	Side frame profile door	PCS	26	L=100-150 with lock ▶ SO155058.1
D8420V0012	Side frame profile door	PCS	26	L=100 with lock SO155149.1 ▶
D4904R0548	Photocell receiver without	PCS	27	bracket - black LH not for pre-run snow proof
D4905R0082	Proxmity switch M8 10E	PCS	28	plugconnector Drive Nord, without crash without bracket
D4907R0044	Connecting cable 2m with 2 M8	PCS	28	plugs drive side Stromag
D4521V0151	Bottom fixation, left	PCS	29	
D4721R0228	Hinge profile L=50 mm AL	PCS	30	(mod 94)
D8140R0071	Bearing diameter 30 mm	PCS	33	Photocell door-line
D4907R0030	Connecting cable 8000mm	PCS	34	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0031	Connecting cable 14000mm M8	PCS	34	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E
D4907R0037	Photocell cable 16m M8	PCS	34	transmitter/receiver straight/angel


EN CHAPTER O 20160406 EN

Art. No	Product description	Unit	Img	Fits to
D4907R0030	Connecting cable 8000mm	PCS	35	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D8820R0032	MCC display in small housing	PCS	36	wall / vägg
D8820R0031	MCC display in small housing	PCS	37	for combibox metal MCC in cabinet Combibox metal/VA
D4905V0056	Foil key MCC display	PCS	38	integrated MCC DH≥1730
D4521V0157	Bracket display box MCC	PCS	39	integrated
D4521V0242	Bracket display box wall MCC	PCS	40	wall / vägg
D4521V0159	Wheel bracket	PCS	41	SRD = +1
D4521V0261	Bracket proximity switch	PCS	42	RR600,Additional for doors at first bottom beam change ► SO152528.1
D4521V0254	Lock for motor cover	PCS	43	
D4521V0191	Release angle	PCS	44	


6
1
2
5
9
7
8
12
3
4
11
10
13


RR 600 >> Top roll

Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG122 160	Top roll complete Ø139.7	PCS	1	with cable drums System A	
D8240RG122 489	Top roll complete Ø139.7	M1	1	with cable drums System A	
D8240RG123 160	Top roll Ø139.7	PCS	2	without cabledrums Syst. A	
D8240RG123 489	Top roll Ø139.7	M1	2	without cabledrums Syst. A	
D8240RG122 161	Top roll complete Ø193.7	PCS	3	with cable drums System B	
D8240RG122 490	Top roll complete Ø193.7	M1	3	with cable drums System B	
D8240RG123 161	Top roll Ø193.7	PCS	4	without cabledrums Syst. B	
D8240RG123 490	Top roll Ø193.7	M1	4	without cabledrums Syst. B	
D8440V0001	Stub axle, drive side, with	PCS	5	srews and key	
D8440V0002	Stub axle, non drive side with	PCS	6	screws	
D8540VG005 459	Fixing strip for door blade on	M1	7	drum roll	
D4721V0043	Cable drum dia. 238, right	PCS	8		
D4721V0044	Cable drum dia. 238, left	PCS	9		
D4721V0041	Cable drum dia. 185, right	PCS	10		
D4721V0042	Cable drum dia. 185, left	PCS	11		
D5409R0018	Key 8x7x50mm	PCS	12		2004-04 >
D8440V0003	Stub axle, drive side, with	PCS	13	srews and key , SRD	


E
33:100
2
1
E


RR 600 >> Doorblade

Art. No	Product description	Unit	Img	Fits to
D8230RG325 192	Door blade PVC with stripes	M2	1	blue / red
D8230RG334	Door blade		1	
D8230RG334 201	Rolltex Plus	M2	1	
D8230RG334 189	Nomatex	M2	1	
D8230RG334 619	Window vertical/horizontal	PCS	1	
D8230RG334 625	Vision area for doorblade	PCS	1	Nomatex
D8130R0009	Windbreaktap (12 pcs.)	PCS	2	Windnodes for Albany door-leaf


4
8
1
6
3
2
5
7
13
11
9
10
12
16
14
15
17


RR 600 >> Bottom profile

Art. No	Product description	Unit	Img	Fits to	Remark
D8550VG013 111	Bottom profile complete	PCS		Base price	
D8550VG013 459	Bottom profile complete	M1		Upcharge	
D8550VG051 232	Additional kit for doors at	PCS		first bottom beam change ► SO152528.1	
D4721RG168 459	Bottom profile pre-drilled	M1	1		
D4421RG036 459	Rubber profile with integrated	M1	2	safety edge. With curtain tension. ACS50 / MCC with SRD	
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8150R0079	End guide plate, complete	PCS	4		
D8450V0007	Reference plate with bracket	PCS	5	and screws drive side	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	6		
D8550VG034 459	Sealing bottom profile yellow	M1	7		
D8550VG035 459	Plastic cover for bottom beam	M1	8	2 pcs. / unit	
D8550VG023 111	Bottom profile complete for	PCS		pre-running photo cell Base price	
D8550VG023 459	Bottom profile complete for	M1		pre-running photo cell Upcharge	
D4721RG168 459	Bottom profile pre-drilled	M1	9		
D8550VG038 459	Rubber profile cut-to-size	M1	10		
D8150R0079	End guide plate, complete	PCS	11		
D8550VG034 459	Sealing bottom profile yellow	M1	12		
D8550VG035 459	Plastic cover for bottom beam	M1	13	2 pcs. / unit	
D8550VG021 111	Bottom profile complete for	PCS		break-away w pre-running photocell Base price	
D8550VG021 459	Bottom profile complete for	M1		break-away w pre-running photocell Upcharge	
D4721RG168 459	Bottom profile pre-drilled	M1	14		
D8550VG038 459	Rubber profile cut-to-size	M1	15		
D8550VG034 459	Sealing bottom profile yellow	M1	17		
D8550VG035 459	Plastic cover for bottom beam	M1	18	2 pcs. / unit	
D8150R0109	Retrofit RR600 Crash holder	PCS	19	without Steel cable break-away; see Page 14: Length of steel cables ; see VII/13 steel cables	> 2010-10


4
11
1
8
6
5
7
10
3
2
9
SCALE 1:25
14
15
12
13
16


RR 600 >> Bottom profile

Art. No	Product description	Unit	Img	Fits to	Remark
D8550VG013 111	Bottom profile complete	PCS		Base price	
D8550VG013 459	Bottom profile complete	M1		Upcharge	
D4521V0261	Bracket proximity switch	PCS		RR600,Additional for doors at first bottom beam change ► SO152528.1	
D4721RG168 459	Bottom profile pre-drilled	M1	1		
D8550RG073 459	Rubber profile with integrated	M1	2	safety edge Without curtain tension, integrated Sealing to Sideframe	
D8150R0079	End guide plate, complete	PCS	4		
D4421V0007	Rubber bushing d=13.5	PCS	5		
D4910V0013	Cable connection UR2	PCS	6	safety edge	
D4907R0038	Coil cable 5x0.75	PCS	7	Crash	2004-05 >
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	8		
D8550VG034 459	Sealing bottom profile yellow	M1	9		
D5006R0010	Bracket for coily cable	PCS	10		
D8550VG035 459	Plastic cover for bottom beam	M1	11	2 pcs. / unit	
D8550VG018 111	Bottom profile SRD complete	PCS		with coily cable Base price	
D8550VG018 459	Bottom profile SRD complete	M1		with coily cable Upcharge	
D4721RG168 459	Bottom profile pre-drilled	M1	12		
D4421RG036 459	Rubber profile with integrated	M1	13	safety edge. With curtain tension. ACS50 / MCC with SRD	
D8450V0003	Guiderail SRD, complete	PCS	14		
D8550VG035 459	Plastic cover for bottom beam	M1	15	2 pcs. / unit	
D8550VG034 459	Sealing bottom profile yellow	M1	16		


14
15
13
2
1
9
12
10
4
11
7
8
5
6
3

RR 600 >> Balancing sys., BBS, Control Box


Art. No	Product description	Unit	Img	Fits to	Remark
D8120R0073	Cable pulley complete, bearing	PCS	1		
D8170V0003	Cable pulley complete	PCS	2	reduction pulley System B; without rope	
D8420V0003	Cable lock round with screws	PCS	3		
D8520VG009 232	Cable pulley with bottom beam	PCS	4	stopper, right BBS system	
D8520VG010 232	Cable pulley with bottom beam	PCS	4	stopper, left BBS system	
D4421V0009	Rubber, bottom beam stop	PCS	5	BBS system	
D4521V0153	Bottom beam stop without	PCS	6	spring, right BBS system	
D4521V0163	Bottom beam stop without	PCS	6	spring, left BBS system	
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete	
D4802V0007	Spring A, L=625 mm	PCS	8		
D4802V0008	Spring B, L=631 mm	PCS	8		
D4802V0009	Spring C, L=846 mm	PCS	8		
D4802V0010	Spring D, L=811 mm	PCS	8		
D4802V0011	Spring E, L=1081 mm	PCS	8		
D4802V0012	Spring M, L=1105 mm	PCS	8		
D4802V0013	Spring N, L=1510 mm	PCS	8		
D5105R0071	Steel cable 4,5 m	PCS	9	BBS system;DH ≤ 4500	
D5105R0070	Steel cable 7,5 m	PCS	9	BBS system;DH > 4500.	
D5005V0001	Cable lock 5 mm for steel	PCS	10	cable BBS system	
D4802V0014	Spring for BBS	PCS	11	BBS system	
D8420V0004	Robe, white 5 mm, L=14 m.	PCS	12	BBS system	
D5105R0069	Steel cable 13m	PCS	13	See Page 14: Length of steel cables	
D5105V0006	Steel cable 16m	PCS	13	See Page 14: Length of steel cables	
D5105V0007	Steel cable 18 m	PCS	13	See Page 14: Length of steel cables	
D5105V0009	Steel cable 22m	PCS	13	See Page 14: Length of steel cables	
D5105V0011	Steel cable 29m	PCS	13	See Page 14: Length of steel cables	
D5105R0072	Steel cable 10m	PCS	13	break-away; see Page 14: Length of steel cables	2008-06 >
D5105R0073	Steel cable 15m	PCS	13	break-away; see Page 14: Length of steel cables	2008-06 >
D5105R0074	Steel cable 23m	PCS	13	break-away; see Page 14: Length of steel cables	2008-06 >
D8150R0109	Retrofit RR600 Crash holder		13	without Steel cable break-away; see Page 14: Length of steel cables ; see VII/13 steel cables	> 2010-10


7:50

RR 600 >> Drive unit

Notes:
SL= control line


Art. No	Product description	Unit	Img	Fits to	Remark
D8410V0007	Gear motor 10.6 complete	PCS	1	without cables System A; i=10.6	
D8410V0008	Gear motor 13.9 complete	PCS	1	without cables System B; i=13.9	
D8410V0009	Torque arm with screws	PCS	2		
D4802R0004	Spring 2.2x11x48	PCS	3		
D4904R0450	Encoder 50 pulses only	PCS	4	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	4	bracket MCC	
D8410V0010	Damper	PCS	5		
D6621R0002	Microswitch	PCS	6	400/E Bonfiglioli	2002-01>
D6622R0017	Brake 10Nm 196V DC HL	PCS	7	look at drive 400/E	2002-01>
D6622R0018	Brake 15Nm 196V DC HL	PCS	7	look at drive for 8410V0008 400/E	2002-01>
D4906R0007	Limit switch	PCS	8	ACS 50 60 80 MCC	
D4521R0206	Shaft with sprocket	PCS	9	Limit switch RD	
D4906R0015	Chain cover, SRD	PCS	10		
D5410R0021	Roll pin 8x10, SRD	PCS	11		
D5408R0301	Lock wascher SRD	PCS	12		
D4521R0775	Bracket plate for limit box	PCS	13		
D4521R0448	Chain wheel for limit box	PCS	14		
D5105R0036	Chain for limit box SRD	PCS	15		
D8903RG145	E-Connection MCC		16		
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	17	(*) SL≤5m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	17	(*) 5m<SL≤10m	
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	18	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	18	5m<SL≤10m	



RR 600 >> Options


Art. No	Product description	Unit	Img	Fits to	Remark
D8560VG001 459	Top roll cover, complete	M1	1		
D8460V0002	Cover, cable drum right	PCS	2		
D8460V0003	Cover, cable drum left	PCS	3		
D4521V0199	Side cover	PCS	4		
D4521V0247	Middle support, top roll cover	PCS	5		
D8260V0002	Motor cover right	PCS	6		
D8260V0004	Motor cover left	PCS	6		
D8270VG001 459	Complete Top roll sealing	M1	7		
D4521RG274 459	Lintel profile	M1	8		
D8170R0333	Break release, complete-	PCS	10	non integrated	
D8170R0334	Steel cable with cover for	PCS	10	break release handle, L=7 m, integrated	
D8170R0334	Steel cable with cover for	PCS	11	break release handle, L=7 m, integrated	
D8550R0006	Pre-running photocell, right	PCS	13		>2011-08 See Pos.18 2011-09 > also single
D8550R0007	Pre-running photocell, left	PCS	13		>2011-08 See Pos.18 2011-09 > also single
D8520VG013 232	Cable chain complete	PCS	14	with cable and bracket	
D4907R0030	Connecting cable 8000mm	PCS	15	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500	
D4907R0031	Connecting cable 14000mm M8	PCS	15	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E	
D4907R0037	Photocell cable 16m M8	PCS	15	transmitter/receiver straight/angel	
D4121V0036	Rubber damper	PCS	16		
D4121V0037	Sliding bar pre-run/break-away	PCS	17		
D4904R0546	Safety photocell receiver	PCS	18	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	18	red LH (**) prerun. Photocell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D8550R0004	Break-away with pre-running	PCS	19	photocell RH	>2011-08 See Pos.18 2011-09 > also single
D8550R0005	Break-away with pre-running	PCS	19	photocell LH	>2011-08 See Pos.18 2011-09 > also single
D8520VG013 232	Cable chain complete	PCS	20	with cable and bracket	
D4907R0076	Connecting cable 8000mm crash	PCS	21	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 Crash	
D4907R0080	Connecting cable 4x0,25qm 14m	PCS	21	crash / pre-running 14 m	
D5003R0010	Wheel break-away	PCS	22		
D4121V0033	Sliding part break-away, right	PCS	23		
D4121V0034	Sliding part break-away, left	PCS	23		
D4621R0329	Locking disk	PCS	24		
D4905R0098	Proximity switch with cabel M8	PCS	25		
D4910R0032	Y-adapter RH	PCS	26	450/600	
D4910R0033	Y-adapter LH	PCS	26	450/600	
D4915V0004	Heating element 180W/230V RH	PCS	27		
D4915V0005	Heating element 180W/230V LH	PCS	28		
D4721V0059	Guide profil pre-running	PCS	29	photocell	

RR 660


1
2
3
4
5
6
7
8
9
10
11


RR 660 >> Side quadrant to-94.w35 Right

Art. No	Product description	Unit	Img	Fits to	Remark
D66-4000-PC 439	Side quadrant comp. R	M1		to -94.w35	> 1994-08
D4721R0228	Hinge profile L=50 mm AL	PCS	10	(mod 94)	
D66-4124-91	Door profile L=60 for fitting	PCS	9	of door	
D66-4134-88	Quadrant reinforcement	PCS	8		
D66-4612-01	Wall bracket right hand 660	PCS	6		
D66-4704-88	Bearing bracket 660	PCS	5		
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover	
D66-5218-91	Edge cover front c-profile	PCS	3		
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete	
D4402RG007 232	Foam seal 20x20mm	PCS	4		
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)	


1
2
3
4
5
6
7
8
9
10
11


RR 660 >> Side quadrant to-94.w35 Left

Art. No	Product description	Unit	Img	Fits to	Remark
D66-4001-PC 439	Side quadrant complete L	M1		to -94.w35	> 1994-08
D4721R0228	Hinge profile L=50 mm AL	PCS	10	(mod 94)	
D66-4124-91	Door profile L=60 for fitting	PCS	9	of door	
D66-4134-88	Quadrant reinforcement	PCS	8		
D66-4613-01	Wall bracket left hand 660	PCS	1		
D66-4704-88	Bearing bracket 660	PCS	5		
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover	
D66-5218-91	Edge cover front c-profile	PCS	3		
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete	
D4402RG007 232	Foam seal 20x20mm	PCS	4		
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17


RR 660 >> Side quadrant from -94.w36 Right

Art. No	Product description	Unit	Img	Fits to	Remark
D66-4002-PC 439	Side quadrant complete R	M1		From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	11	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	10	door	
D66-4134-88	Quadrant reinforcement	PCS	17		
D66-4408-92	Side seal 660 door	PCS			
D66-4612-01	Wall bracket right hand 660	PCS	7		
D66-4704-88	Bearing bracket 660	PCS	8		
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover	
D66-5218-91	Edge cover front c-profile	PCS	5		
D66-5219-99	Edge cover rear c-profile	PCS	4		
D66-5221-99	Bracket for rear C-profile	PCS	3	edge cover	
D4121V0021	Cable pulley with 2 bearings	PCS	9	Complete	
D4402RG007 232	Foam seal 20x20mm	PCS	13		
D4050RG016 181	Strip yellow/red	M1	16		
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	14	Curled (PE-core)	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17


RR 660 >> Side quadrant from -94.w36 Left

Art. No	Product description	Unit	Img	Fits to	Remark
D66-4003-PC 439	Side quadrant complete L	M1		From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	11	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	10	door	
D66-4134-88	Quadrant reinforcement	PCS	17		
D66-4613-01	Wall bracket left hand 660	PCS	7		
D66-4704-88	Bearing bracket 660	PCS	8		
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover	
D66-5218-91	Edge cover front c-profile	PCS	5		
D66-5219-99	Edge cover rear c-profile	PCS	4		
D66-5221-99	Bracket for rear C-profile	PCS	3	edge cover	
D4121V0021	Cable pulley with 2 bearings	PCS	9	Complete	
D4402RG007 232	Foam seal 20x20mm	PCS	13		
D4050RG016 181	Strip yellow/red	M1	16		
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	14	Curled (PE-core)	


1
2
3
4
5
6
7
8
9
10
11
12
13
14


RR 660 >> Side quadrant SRD Right

Art. No	Product description	Unit	Img	Fits to
D66-4004-PC 439	Side quadrant SRD complete R	M1		
D42-4515-99	Pulley wheel bracket on	PCS	10	Bottom plate
D4721R0228	Hinge profile L=50 mm AL	PCS	9	(mod 94)
D66-4125-94	Door profile L=125 for fitting door	PCS	8	door
D66-4134-88	Quadrant reinforcement	PCS	14	
D66-4612-01	Wall bracket right hand 660	PCS	5	
D66-4704-88	Bearing bracket 660	PCS	6	
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover
D66-5218-91	Edge cover front c-profile	PCS	3	
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	4	
D4050RG016 181	Strip yellow/red	M1	12	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)


1
2
3
4
5
6
7
8
9
10
11
12
13
14

RR 660 >> Side quadrant SRD Left


Art. No	Product description	Unit	Img	Fits to
D66-4005-PC 439	Side quadrant SRD complete L	M1		
D42-4515-99	Pulley wheel bracket on	PCS	10	Bottom plate
D4721R0228	Hinge profile L=50 mm AL	PCS	9	(mod 94)
D66-4125-94	Door profile L=125 for fitting door	PCS	8	door
D66-4134-88	Quadrant reinforcement	PCS	14	
D66-4408-92	Side seal 660 door	PCS		
D66-4613-01	Wall bracket left hand 660	PCS	1	
D66-4704-88	Bearing bracket 660	PCS	6	
D66-5217-91	Bracket for front c-profile	PCS	2	edge cover
D66-5218-91	Edge cover front c-profile	PCS	3	
D4121V0021	Cable pulley with 2 bearings	PCS	7	Complete
D4402RG007 232	Foam seal 20x20mm	PCS	4	
D4050RG016 181	Strip yellow/red	M1	12	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

RR 660 >> Side quadrant Left/Right


Art. No	Product description	Unit	Img	Fits to	Remark
D66-4100-PC 439	Side quadrant door complete L	M1	4	To -94.w35	> 1994-08
D66-4124-91	Door profile L=60 for fitting	PCS	7	of door	
D66-4100-PC 439	Side quadrant door complete L	M1	4	To -94.w35	> 1994-08
D66-4124-91	Door profile L=60 for fitting	PCS	7	of door	
D66-4101-PC 439	Side quadrant door comp.L or R	M1	4	SRD From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	3	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	7	door	
D66-4101-PC 439	Side quadrant door comp.L or R	M1	4	SRD From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	3	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	7	door	
D66-4101-PC 439	Side quadrant door comp.L or R	M1	4	SRD From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	3	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	7	door	
D66-4101-PC 439	Side quadrant door comp.L or R	M1	4	SRD From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	3	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	7	door	
D66-4105-XX	Frame side door lower comp.	PCS	6	From -94.w36	1994-09 >
D4721R0228	Hinge profile L=50 mm AL	PCS	3	(mod 94)	
D66-4125-94	Door profile L=125 for fitting door	PCS	7	door	
D66-4106-XX	Frame side door lower part.	PCS	6	To -94.w35	> 1994-08
D66-4124-91	Door profile L=60 for fitting	PCS	7	of door	
D66-4123-PC 439	C-profile front pre-drilled	M1	16	to -94.w35	> 1994-08
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	15	Curled (PE-core)	
D66-4126-PC 439	C-profile front pre-drilled	M1	16	from -94.w36	1994-09 >
D4050RG016 181	Strip yellow/red	M1	24		
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	15	Curled (PE-core)	
D66-4127-PC 439	C-profile back pre-drilled w.	M1	17	brush seal	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	15	Curled (PE-core)	
D66-4150-PC 439	Cover profile cut	M1	1		
D66-4210-PC 439	Frame profile pre-drilled	M1	5	to -94.w35	> 1994-08
D66-4212-PC 439	Frame profile pre-drilled	M1	5	from -94.w36	1994-09 >
D66-4252-PC 439	Cladding set for 1 frame	M1	8		
D66-4516-XX	Bottom plate complete R	PCS	11	standard/SRD	
D42-4515-99	Pulley wheel bracket on	PCS	10	Bottom plate	
D66-4517-XX	Bottom plate complete L	PCS	18	standard/SRD	
D42-4515-99	Pulley wheel bracket on	PCS	10	Bottom plate	

EN CHAPTER O 20160406 EN


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Fixing brackets for frame work

Art. No	Product description	Unit	Img	Fits to
D96-4615-94	Fixing bracket 550 x 300 x 6	PCS	27	Roller bearings for top roll


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Roller bearings complete for top roll

Art. No	Product description	Unit	Img	Fits to
D8140R0071	Bearing diameter 30 mm	PCS	2	Photocell door-line


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Photocell

Art. No	Product description	Unit	Img	Fits to	Remark
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	20	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS			
D4904R0547	Photocell transmitter without	PCS	14	bracket - blue RH not for pre-run	
D4904R0548	Photocell receiver without	PCS	21	bracket - black LH not for pre-run snow proof	
D4907R0032	Connecting cable 10m	PCS	26	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con-trolDH≤8500 non drive side 6500<(H+W)≤8500	
D4907R0037	Photocell cable 16m M8	PCS	23	transmitter/receiver straight/angel	
D96-6461-01	Marker for reciever	PCS	22		
D96-6461-02	Marker for sender	PCS	13	Limit switch Tape switch/ opticle saf.Edge	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Limit switch Tape switch/opticle saf.Edge

Art. No	Product description	Unit	Img	Fits to
D4905VG001	Limit switch	PCS	12	Heating element Frigo H&S


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Heating element Frigo H&S

Art. No	Product description	Unit	Img	Fits to
D4915V0001	Heater element 8x144 L	PCS	19	180w-200w/230VAC
D4915V0002	heater element 8x144 R	PCS	9	180w-200w/230VAC


6
5
4
8
7
3
10
2
11
12
1
9
14
15
13
16
17


RR 660 >> Top roll > 5,5

Art. No	Product description	Unit	Img	Fits to
D66-3315-PC 459	Door roll complete 632 Ovitor	M1	4	< 6m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3602-85	Stub axle 30mm short	PCS	7	
D66-3612-85	Stub axle 30mm drive side	PCS	1	
D96-3474-96	Cable drum conical RH	PCS	6	
D96-3475-96	Cable drum conical LH	PCS	3	
D5409021	Key 8x7mm	PCS	2	
D66-3316-PC 459	Door roll complete 632 Ovitor	M1	11	> 6 m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3470-95	Cable drum 265 R	PCS	10	
D66-3471-95	Cable drum 265 L	PCS	9	
D66-3602-85	Stub axle 30mm short	PCS	7	
D66-3612-85	Stub axle 30mm drive side	PCS	1	
D5409021	Key 8x7mm	PCS	2	
D66-3317-PC 459	Door roll complete 632 ACS 70	M1	14	< 6 m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3602-85	Stub axle 30mm short	PCS	7	
D96-3474-96	Cable drum conical RH	PCS	6	
D96-3475-96	Cable drum conical LH	PCS	3	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	13	gear box
D66-3318-PC 459	Door roll complete 632 ACS 70	M1	11	> 6 m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3470-95	Cable drum 265 R	PCS	10	
D66-3471-95	Cable drum 265 L	PCS	9	
D66-3602-85	Stub axle 30mm short	PCS	7	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	13	gear box
D66-3415-PC 459	Door roll complete 632	M1	5	< 6 m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3416-PC 459	Door roll complete 632	M1	12	> 6 m DW
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll


6
5
4
8
7
3
10
2
11
12
1
9
14
15
13
16
17


RR 660 >> Top roll < 5,5

Art. No	Product description	Unit	Img	Fits to
D96-3315-PC 459	Top roll complete 30 mm axles	M1	4	for Ovitor, including fixing strip
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3602-85	Stub axle 30mm short	PCS	7	
D66-3612-85	Stub axle 30mm drive side	PCS	1	
D96-3474-96	Cable drum conical RH	PCS	6	
D96-3475-96	Cable drum conical LH	PCS	3	
D5409021	Key 8x7mm	PCS	2	
D96-3316-PC 459	Top roll complete 30 mm axles	M1	14	for Nomadrive ACS 70 including fixing strip
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3602-85	Stub axle 30mm short	PCS	7	
D96-3474-96	Cable drum conical RH	PCS	6	
D96-3475-96	Cable drum conical LH	PCS	3	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	13	gear box
D96-3416-PC 459	Top roll w.End boss.30mm axles	M1	5	30 mm axles for Noma-drive ACS70
D8540VG005 459	Fixing strip for door blade on	M1	8	drum roll
D66-3602-85	Stub axle 30mm short	PCS	7	
D96-3623-92	Drive shaft 30 mm swedrive	PCS	13	gear box
D96-4416-PC 459	Top roll seal felt 420&660	M1	16	Complete
D5006RG001 181	Felt seal 210 mm	M1	15	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15


RR 660 >> Safety edge STS

Art. No	Product description	Unit	Img	Fits to
D66-1027-PC 459	Safety edge STS complete H=168	M1		
D42-1571-95	Bracket cable chain 420 door	PCS	4	
D42-1572-95	Shock absorber sts 420 door	PCS	7	
D4904V0066	Telco transmitter LT 101 AP25	PCS	1	T3
D4904V0067	Telco reciever LR 100 AP38 T3	PCS	8	
D4907R0037	Photocell cable 16m M8	PCS	2	transmitter/receiver straight/angel
D4907R0037	Photocell cable 16m M8	PCS	10	transmitter/receiver straight/angel
D4121RG029 181	Velcro tape 01 hook 25mm	M1	11	
D4421RG046 181	Rubber profile new type	M1	14	
D4050RG017 181	Safety edge fabric yellow/red	M1	13	
D8250RG014 181	Cable support chain 0/30	M1	6	
D4121R0228	Cable support chain 01	M1	5	(bracket)
D4121RG030 181	Velcro tape 01 w=25	M1	12	
D5006R0010	Bracket for coily cable	PCS	9	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	3	
D66-1050-PC 459	Safety edge comp. 8k2, H= 168	M1		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	11	
D4050RG017 181	Safety edge fabric yellow/red	M1	13	
D96-1532-00	Guide 420-660 RH with	PCS		wear pad
D96-1533-00	Guide 420-660 LH with	PCS		wear pad
D4121RG030 181	Velcro tape 01 w=25	M1	12	
D5006R0010	Bracket for coily cable	PCS	9	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	3	


3
4
2
5
1
6
9
8
7
10
11
19
18
17
16
15
12
13
14


RR 660 >> Safety edge SRD

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1011-PC 459	Safety edge comp. pneumatic SRD H=115	M1	4		
D4121V0015	Guide/wire attachm. POM grey	PCS	5	422 / 662 SRD	
D4421RG046 181	Rubber profile new type	M1	1		
D4102RG002 181	Plastic tube	M1	6		
D96-1318-98	Endplug with hole	PCS	7		
D96-1319-98	Endplug without hole	PCS	2		
D96-1320-98	Nipple for end plug with hole	PCS	8		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D5006R0010	Bracket for coily cable	PCS	17		
D96-1014-PC 459	Safety edge complete opticle	M1	10	H=115	
D50-6010-87	Connection box 060504 (eat)	PCS	18		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	13		
D4421RG046 181	Rubber profile new type	M1	1		
D4102RG003 181	Pvc hose 1.5 mm	PCS	15		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D96-1532-00	Guide 420-660 RH with	PCS		wear pad	
D96-1533-00	Guide 420-660 LH with	PCS		wear pad	
D4121RG030 181	Velcro tape 01 w=25	M1	14		
D5006R0010	Bracket for coily cable	PCS	17		
D96-6101-82	Coily cable 4x0.75mm2	PCS	16	(Tape switch/Opticle)	
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	12	ACS 70	> 2005-12
D6403V0003	Albany Assa Abloy sign 100x40	PCS	3		
D96-1015-PC 459	Safety edge complete opticle	M1	11	H=168	
D50-6010-87	Connection box 060504 (eat)	PCS	18		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	13		
D4421RG046 181	Rubber profile new type	M1	1		
D4102RG003 181	Pvc hose 1.5 mm	PCS	15		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D96-1532-00	Guide 420-660 RH with	PCS		wear pad	
D96-1533-00	Guide 420-660 LH with	PCS		wear pad	
D4121RG030 181	Velcro tape 01 w=25	M1	14		
D5006R0010	Bracket for coily cable	PCS	17		
D96-6101-82	Coily cable 4x0.75mm2	PCS	16	(Tape switch/Opticle)	
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	12	ACS 70	> 2005-12
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	19		
D4004VG001 459	Safety edge fabric with	M1		velcro tape	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	13		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D4121RG030 181	Velcro tape 01 w=25	M1	14		


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15


RR 660 >> Safety edge H=115

Art. No	Product description	Unit	Img	Fits to
D96-1016-PC 459	Safety edge pneumatic complete	M1	3	Twin chamber H=115 with guides
D4121RG029 181	Velcro tape 01 hook 25mm	M1	7	
D4421RG046 181	Rubber profile new type	M1	5	
D4102RG002 181	Plastic tube	M1	12	
D96-1318-98	Endplug with hole	PCS	11	
D96-1319-98	Endplug without hole	PCS	6	
D96-1320-98	Nipple for end plug with hole	PCS	13	
D4050RG017 181	Safety edge fabric yellow/red	M1	9	
D4121RG030 181	Velcro tape 01 w=25	M1	8	
D5006R0010	Bracket for coily cable	PCS	10	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	4	
D96-1017-PC 459	Safety edge pneumatic complete	M1	2	Twin chamber H=168
D4121RG029 181	Velcro tape 01 hook 25mm	M1	7	
D4421RG046 181	Rubber profile new type	M1	5	
D4102RG002 181	Plastic tube	M1	12	
D96-1318-98	Endplug with hole	PCS	11	
D96-1319-98	Endplug without hole	PCS	6	
D96-1320-98	Nipple for end plug with hole	PCS	13	
D4050RG017 181	Safety edge fabric yellow/red	M1	9	
D4121RG030 181	Velcro tape 01 w=25	M1	8	
D5006R0010	Bracket for coily cable	PCS	10	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	1	
D96-1018-PC 459	Safety edge pneumatic complete	M1	14	H=115 with guides
D42-1571-95	Bracket cable chain 420 door	PCS	15	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	7	
D4421RG046 181	Rubber profile new type	M1	5	
D4102RG002 181	Plastic tube	M1	12	
D96-1318-98	Endplug with hole	PCS	11	
D96-1319-98	Endplug without hole	PCS	6	
D96-1320-98	Nipple for end plug with hole	PCS	13	
D4050RG017 181	Safety edge fabric yellow/red	M1	9	
D4121RG030 181	Velcro tape 01 w=25	M1	8	
D5006R0010	Bracket for coily cable	PCS	10	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	4	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27


RR 660 >> Safety edge H=168

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1019-PC 459	Safety edge pneumatic complete	M1	4	H=168	
D42-1571-95	Bracket cable chain 420 door	PCS	18		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	8		
D4421RG046 181	Rubber profile new type	M1	3		
D4102RG002 181	Plastic tube	M1	5		
D96-1318-98	Endplug with hole	PCS	6		
D96-1319-98	Endplug without hole	PCS	1		
D96-1320-98	Nipple for end plug with hole	PCS	7		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D4121RG030 181	Velcro tape 01 w=25	M1	9		
D5006R0010	Bracket for coily cable	PCS	27		
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	2		
D96-1024-PC 459	Safety edge open optical comp.	M1	13	H=115 with guides	
D50-6010-87	Connection box 060504 (eat)	PCS	11		
D4421RG046 181	Rubber profile new type	M1	12		
D4102RG003 181	Pvc hose 1.5 mm	M1	15		
D4102RG003 181	Pvc hose 1.5 mm	M1	15		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D96-1532-00	Guide 420-660 RH with	PCS		wear pad	
D96-1533-00	Guide 420-660 LH with	PCS		wear pad	
D5006R0010	Bracket for coily cable	PCS	27		
D96-6410-93	Photocell Telco It-12a/Ir-a	PCS	14	ACS 70	> 2005-12
D6403V0003	Albany Assa Abloy sign 100x40	PCS	17		
D96-1026-PC 459	Safety edge complete STS H=115	M1	16		
D42-1571-95	Bracket cable chain 420 door	PCS	18		
D42-1572-95	Shock absorber sts 420 door	PCS	21		
D4904V0066	Telco transmitter LT 101 AP25	PCS	25	T3	
D4904V0067	Telco reciever LR 100 AP38 T3	PCS	20		
D4907R0037	Photocell cable 16m M8	PCS	26	transmitter/receiver straight/angel	
D4907R0037	Photocell cable 16m M8	PCS	19	transmitter/receiver straight/angel	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	8		
D4421RG046 181	Rubber profile new type	M1	3		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D8250RG014 181	Cable support chain 0/30	M1	22		
D4121R0228	Cable support chain 01	M1	23	(bracket)	
D4121RG030 181	Velcro tape 01 w=25	M1	9		
D5006R0010	Bracket for coily cable	PCS	27		
D6403V0003	Albany Assa Abloy sign 100x40	PCS	17		


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20


RR 660 >> Safety edge 8k2 H=115

Art. No	Product description	Unit	Img	Fits to
D96-1050-PC 459	Safety edge comp. 8k2, H= 115	M1	3, 4	with guides, bottom beam complete
D4121RG029 181	Velcro tape 01 hook 25mm	M1	6	
D4050RG017 181	Safety edge fabric yellow/red	M1	8	
D4121RG030 181	Velcro tape 01 w=25	M1	7	
D5006R0010	Bracket for coily cable	PCS	2	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	1	
D96-1110-PC 459	Bottom beam H=115 predrilled	M1	9	
D6403V0003	Albany Assa Abloy sign 100x40	PCS	1	
D96-1111-PC 459	Bottom beam h=168, predrilled	M1	11	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	10	
D96-1113-PC 459	Bottom beam SRD H=115	M1	12	predrilled
D4121V0015	Guide/wire attachm. POM grey	PCS	13	422 / 662 SRD
D6403V0003	Albany Assa Abloy sign 100x40	PCS	1	
D96-1200-PC 459	Rubber profile comp. pneumatic	M1	14	H=140
D4121RG029 181	Velcro tape 01 hook 25mm	M1	6	
D4421RG046 181	Rubber profile new type	M1	15	
D4102RG002 181	Plastic tube	M1	20	
D96-1310-95	Endplugg d=20mm h=15mm	PCS	17	
D96-1318-98	Endplug with hole	PCS	19	
D96-1319-98	Endplug without hole	PCS	16	
D96-1320-98	Nipple for end plug with hole	PCS	18	
D4050RG017 181	Safety edge fabric yellow/red	M1	8	
D4121RG030 181	Velcro tape 01 w=25	M1	7	
D5006R0010	Bracket for coily cable	PCS	2	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26


RR 660 >> Safety edge Optical H=140

Art. No	Product description	Unit	Img	Fits to	Remark
D96-1210-PC 459	Rubber profile comp. optical	M1	4	H=140	
D50-6010-87	Connection box 060504 (eat)	PCS	5		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	1		
D4421RG046 181	Rubber profile new type	M1	3		
D4102RG003 181	Pvc hose 1.5 mm	M1	9		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D4121RG030 181	Velcro tape 01 w=25	M1	2		
D5006R0010	Bracket for coily cable	PCS	6		
D96-6101-82	Coily cable 4x0.75mm2	PCS	7	(Tape switch/Opticle)	
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	8	ACS 70	> 2005-12
D96-1211-PC 459	Rubber profile comp.SRD pneum.	M1	15	H=140 Complete with end pieces and plastic tube one chamber connected	
D4421RG046 181	Rubber profile new type	M1	3		
D4102RG002 181	Plastic tube	M1	18		
D96-1318-98	Endplug with hole	PCS	19		
D96-1319-98	Endplug without hole	PCS	11		
D96-1320-98	Nipple for end plug with hole	PCS	20		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D5006R0010	Bracket for coily cable	PCS	6		
D96-1225-XX	Sealing kit comp. pneumatic	PCS	16	safety edge with endpieces and plastic tube	
D4102RG002 181	Plastic tube	PCS	17		
D96-1318-98	Endplug with hole	PCS	19		
D96-1319-98	Endplug without hole	PCS	11		
D96-1320-98	Nipple for end plug with hole	PCS	20		
D4421RG036 459	Rubber profile with integrated	M1		safety edge. With curtain tension. ACS50 / MCC with SRD	
D8550RG068 459	Retrofit Safety edge	M1		Mayser/Bircher to ASO	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	1		
D4050RG017 181	Safety edge fabric yellow/red	M1	10		
D4121RG030 181	Velcro tape 01 w=25	M1	2		
D5006R0010	Bracket for coily cable	PCS	6		
D96-1500-XX	Set of guides with wearpads	PCS	14	complete for bottom beam H=115, H=168 2L+2R	
D42-1571-95	Bracket cable chain 420 door	PCS	22		
D96-1501-XX	Guiderail SRD 422-662	PCS	13		
D4121V0015	Guide/wire attachm. POM grey	PCS	24	422 / 662 SRD	
D4521R1536	Wire lock 660/400 SRD	PCS	23		
D4121V0004	Guide rail SRD PEHD (Machined)	PCS	12		


3
1
2
3
4
5
11
10
9
8
7
6
12
13
6
5
14
15
16
17


RR 660 >> Safety edge STS 420/660

Art. No	Product description	Unit	Img	Fits to
D96-1503-XX	Set of guides STS 420/660	PCS	3	Complete For bottom beam h=115, h=168
D42-1571-95	Bracket cable chain 420 door	PCS	4	
D42-1572-95	Shock absorber sts 420 door	PCS	9	
D4904V0066	Telco transmitter LT 101 AP25	PCS	2	T3
D4904V0067	Telco reciever LR 100 AP38 T3	PCS	8	
D4907R0037	Photocell cable 16m M8	PCS	1	transmitter/receiver straight/angel
D4907R0037	Photocell cable 16m M8	PCS	7	transmitter/receiver straight/angel
D4121R0228	Cable support chain 01	PCS	5	(bracket)
D5006R0010	Bracket for coily cable	PCS	11	
D96-1505-XX	Plastic wear pads inc. Screws	PCS	13	
D96-1564-PC 439	Cable chain with air-tube	M1		Complete
D96-1305-93	Connection for plastic tube	PCS	10	
D4102RG001 181	Plastic tube	M1	12	
D8250RG014 181	Cable support chain 0/30	M1	6	
D4121R0228	Cable support chain 01	PCS	5	(bracket)


3
1
2
3
4
5
11
10
9
8
7
6
12
13
6
5
14
15
16
17


RR 660 >> Pressure switch, pneumatic Safety edge

Art. No	Product description	Unit	Img	Fits to
D96-6000-79	Pressure switch DWGK11DOE	PCS	14	(mechanical)


3
1
2
3
4
5
11
10
9
8
7
6
12
5
6
13
14
15
16
17

RR 660 >> Coily cable, safety edge


Art. No	Product description	Unit	Img	Fits to	Remark
D96-6101-82	Coily cable 4x0.75mm2	PCS	17	(Tape switch/Opticle)	
D96-6105-96	Coil cable 3x0.75	PCS	17	(Pneumatic)	> 2004-04


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

RR 660 >> Wind reinforcement


Art. No	Product description	Unit	Img	Fits to	Remark
D66-5201-PC 459	Windbar w. Bearings. 1 bar	M1	25	catchers comp. rear side	
D4421V0008	End piece for catcher arm 910	PCS	23		
D4521V0136	Catcher arm	PCS	22	rear side	
D96-5237-99	Bearing coated diameter 80	PCS	19		
D66-5202-PC 459	Windbar with 88 mm bearings	M1	13	complete front/back side	
D96-5236-99	Bearing coated diameter 88	PCS	12	front/back side	
D66-5204-PC 459	Windbar with 80 mm bearings	M1	24	complete front/back side	
D96-5237-99	Bearing coated diameter 80	PCS	19		
D96-5220-93	Damper for second windbar 660	PCS	8	rear side,front/back side	
D5105RG004 181	Steel cable 114 strands 3,0mm	M1	9	fzb rear side,front/back side	
D97-0008-92	Lock 3.5 mm for safety wire	PCS	10	rear side,front/back side	
D96-5225-90	Ground contact plate	PCS	15	rear side,front/back side	
D97-6620-87	Double-coated tape,width 25mm	PCS	16	vhb 4950 rear side,front/ back side	
D66-5202-87	Rubber ring 90 mm for end plug	PCS	18	rear side,front/back side d=80 d=88	
D66-5204-90	Hub	PCS	20	rear side,front/back side d=80 d=88	
D66-5205-XX	Endplug 80 mm pivoted windbar	PCS	17	Complete d = 80	
D96-5237-99	Bearing coated diameter 80	PCS	19		
D66-5206-XX	Endplug 88 mm pivoted windbar	PCS	11	Complete d = 88	
D96-5236-99	Bearing coated diameter 88	PCS	12	front/back side	
D66-5210-PC 459	Windbar tube with tape on	M1	24,2	backside d=80	2001-02 >
D96-5237-99	Bearing coated diameter 80	PCS	19		
D65-5252-79	Clamp	M1	3	d = 80, d = 88	
D5105RG005 181	Windbar tape cut to length	M1	7	d = 80, d = 88	
D66-5202-87	Rubber ring 90 mm for end plug	PCS	18	rear side,front/back side d=80 d=88	
D66-5204-90	Hub	PCS	20	rear side,front/back side d=80 d=88	
D66-5207-PC 459	Wind bar diam. 75 x 3 mm, cut	M1	26	to length d=80, d=88	
D66-5225-XX	Distance blocks 5 mm complete	PCS	14	with tape Set with 4 pcs	
D97-6620-87	Double-coated tape,width 25mm	PCS	16	vhb 4950 rear side,front/ back side	
D66-5230-XX	Distance blocks 10 mm complete	PCS	27	with tape Set with 4 pcs	
D97-6620-87	Double-coated tape,width 25mm	PCS	16	vhb 4950 rear side,front/ back side	
D66-5260-XX	Tape bracket front right with	PCS	6	clamp	
D65-5252-79	Clamp	PCS	3	d = 80, d = 88	
D66-5261-XX	Tape bracket front left with	PCS	1	clamp	
D65-5252-79	Clamp	PCS	3	d = 80, d = 88	
D66-5265-XX	Tape bracket back side with	PCS	2	clamp	> 2001-01
D65-5252-79	Clamp	PCS	3	d = 80, d = 88	
D66-5301-PC 459	Windbar with bearings 1 bar	M1	25	front complete	
D5105RG004 181	Steel cable 114 strands 3,0mm	M1	9	fzb rear side,front/back side	
D66-5202-87	Rubber ring 90 mm for end plug	PCS	18	rear side,front/back side d=80 d=88	
D66-5204-90	Hub	PCS	20	rear side,front/back side d=80 d=88	
D4421V0008	End piece for catcher arm 910	PCS	23		
D66-5217-91	Bracket for front c-profile	PCS	5	edge cover	
D66-5218-91	Edge cover front c-profile	PCS	4		
D4521V0136	Catcher arm	PCS	22	rear side	
D96-5220-93	Damper for second windbar 660	PCS	8	rear side,front/back side	
D96-5225-90	Ground contact plate	PCS	15	rear side,front/back side	
D96-5237-99	Bearing coated diameter 80	PCS	19		
D97-0008-92	Lock 3.5 mm for safety wire	PCS	10	rear side,front/back side	
D97-6620-87	Double-coated tape,width 25mm	PCS	16	vhb 4950 rear side,front/ back side	
D66-5310-PC 459	Windbar tube with tape on	M1	13,1,6	frontside	
D65-5252-79	Clamp	PCS	3	d = 80, d = 88	
D66-5202-87	Rubber ring 90 mm for end plug	PCS	18	rear side,front/back side d=80 d=88	
D66-5204-90	Hub	PCS	20	rear side,front/back side d=80 d=88	
D96-5237-99	Bearing coated diameter 80	PCS	19		

Art. No	Product description	Unit	Img	Fits to	Remark
D5105RG005 181	Windbar tape cut to length	M1	7	d = 80, d = 88	
D96-5270-PC 439	Tape f.windreinforcement 1 set	M1			
D5105RG005 181	Windbar tape cut to length	M1	7	d = 80, d = 88	


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 660 >> Drive unit

Art. No	Product description	Unit	Img	Fits to	Remark
D96-9312-XX	Drive unit Nomadrive 1.1kW	PCS	4	Swedrive cpl ACS 70 x2	
D03-0702-25	Motor t80 1.10 kw 220-240v bf	PCS	4	ACS70 1.1 kW	
D03-9001-XX	Gearbox ACS 70 comp. with	PCS	4	transductorhouse ACS70 1.1 kW	
D03-9001-25	Gearbox Swedrive standard	PCS	4	ACS 50 ACS 70	> 2005-12
D03-0095-25	Coupling bowex j19 19/19	PCS	4	ACS70 1.1 kW	> 2005-12
D96-9315-XX	Drive unit ACS 70 1,5 kW	PCS	4	Swedrive comp. ACS70; 1,5 kW	
D03-0704-25	Motor 1.5 kw 220/380v without	PCS	4	without brake ACS70	
D03-9002-25	Worm gear. (swedrive)	PCS	4	ACS70 1.5 kW	
D03-0097-25	Coupling bowex j19 19/19	PCS	4	ACS70 1.5 kW	
D03-0132-25	Brake 14 nm 5ue010252s11cb	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0084-25	Key 4x4x12 brake	PCS	4	ACS70 1.1 kW + 1.5 kW	
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	M1	4	ACS70 1.1 kW + 1.5 kW	
D97-0008-92	Lock 3.5 mm for safety wire	PCS	4	rear side,front/back side	
D3201V0006	Pulse transducer disc with hub	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0052-25	Hub for puls transducer disc	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0067-25	Puls transducter board 88-22	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0070-25	Cover upper cast housing	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0124-25	Microswitch Burges v4nt7y2	PCS	4	Nomadrive ACS70 1.1 kW + 1.5 kW	
D03-0101-25	Gasket inspectionplate	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0102-25	Gasket upper cover	PCS	4		
D03-0103-25	Gasket gear	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0104-25	Inspectionplate	PCS	4	ACS70 1.1 kW + 1.5 kW	
D03-0110-25	Gaiters	PCS	4	ACS70 1.1 kW + 1.5 kW	
D00-9311-25	Disconnection handle 50mm	PCS	4	ACS70 1.1 kW + 1.5 kW	
D28-6804-01	Tension spring f.break release	PCS	4	ACS70 1.1 kW + 1.5 kW	


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 660 >> Accessories Ovitor 5 drive unit

Art. No	Product description	Unit	Img	Fits to
D96-3671-79	Shock absorber, Vulcolan e82	PCS		
D96-3672-99	Shock absorber R24 Pur 64	PCS		shore D-F green
D96-3683-99	Coupling R24 28x24	PCS		
D96-4817-99	Motor bracket Ovitor 5.660/420	PCS		
D00-0903-25	Brake disc with lining	PCS		Motor 00-744-25 / 00-0745-25 / 01-7612-90 / 01-7620-90
D00-0904-25	Brake disc 744 id=20	PCS		Motor 00-744-25 / 00-0745-25
D6611R0001	Flange 221	PCS		Motor 00-0744-25
D6611R0002	Flange 2371	PCS		Motor 01-7610-90, 01-7620-90


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 660 >> Accessories Ovitor 8 drive unit

Art. No	Product description	Unit	Img	Fits to
D96-3691-83	Shock absorber, Vulcolan e97	PCS		
D96-3692-99	Shock absorber R28 Pur 64	PCS		shore D-F green
D96-3693-99	Coupling R28 28x32	PCS		
D96-4818-99	Motor bracket Ovitor 8.660/420	PCS		
D00-0903-25	Brake disc with lining	PCS		Motor 00-744-25 / 00-0745-25 / 01-7612-90 / 01-7620-90
D00-0905-25	Brake disc 75* id=25	PCS		Motor 01-7612-90, 01-7620-90


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 660 >> Steel cable, balancingsystem

Art. No	Product description	Unit	Img	Fits to
D5105V0006	Steel cable 16m	PCS	7	See Page 14: Length of steel cables
D5105V0007	Steel cable 18 m	PCS	7	See Page 14: Length of steel cables
D5105V0009	Steel cable 22m	PCS	7	See Page 14: Length of steel cables
D5105V0011	Steel cable 29m	PCS	7	See Page 14: Length of steel cables
D5105R0075	Steel cable 32 m	PCS	7	


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 660 >> Springs, balancing system

Art. No	Product description	Unit	Img	Fits to
D4802V0001	Spring L= 600 100/8	PCS	11	
D4802V0002	Spring L= 950 100/10	PCS	11	
D4802V0003	Spring L= 1330 100/10	PCS	11	
D4802V0004	Spring L= 2000 100/10	PCS	11	
D4802V0005	Spring L= 1600 130/13	PCS	11	
D4802V0006	Spring L= 2000 130/13	PCS	11	
D96-2400-XX	Spring tensioner with cable	PCS	9	pullley cpl 910 model B
D4121V0021	Cable pulley with 2 bearings	PCS	8	Complete
D96-2410-80	Spring tensioner 5 holes	PCS	10	


1
2
3
4
5
6
7
8
9
10
11
12
13

RR 660 >> Doorblade


Art. No	Product description	Unit	Img	Fits to	Remark
D3401VG001	Door blade complete	PCS	12	400 / 420 / 450 / 650 / 660	
D3401VG001 078	Curtain PVC	PCS	12	Base price	
D3401VG001 084	Curtain PVC	M2	12	Upcharge	
D3401VG001 081	RollTex-Plus without window	PCS	12	Base price	
D3401VG001 088	RollTex-Plus without window	M2	12	Upcharge	
D3401VG001 080	Group RollTex Original without	PCS	12	Window Base price	
D3401VG001 085	Curtain RollTex Original	M2	12	Fine upcharge	
D3401VG001 086	Curtain RollTex Original	M2	12	Fine painted upcharge	
D3401VG001 087	Curtain RollTex Original	M2	12	Coarse upcharge	
D3401VG001 089	Curtain RollTex Original	M2	12	Coarse painted upcharge	
D3401VG001 082	Curtain RollTex flameproof	M2	12	Upcharge	
D3401VG001 080	Group RollTex Original without	PCS	12	Window Base price	
D3401VG001 083	Curtain NomaTex	M2	12	Upcharge	
D3401VG001 621	Window vertical/horizontal	PCS	12		
D3401VG001 623	Window vertical/horizontal	PCS	12		
D3401VG001 627	Window anti UV	PCS	12		
D3401VG001 618	Vision area for doorblade	M1	12	Nomatex	
D96-4826-XX	Torque arm with shock absorber	PCS	1		
D96-4830-91	Vibration damper ra100-b+bolt	PCS	2	ACS 70 ACS 50	> 2005-12
D96-4827-XX	Torquearm,double,with shock	PCS	3	absorber	
D96-4830-91	Vibration damper ra100-b+bolt	PCS	2	ACS 70 ACS 50	> 2005-12
D96-7700-PC 232	Automatic disengagement compl.	PCS	5		
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	M1		ACS70 1.1 kW + 1.5 kW	
D00-9302-01	Cable joint flat for 2.3mm	PCS			
D42-1572-95	Shock absorber sts 420 door	PCS			
D96-7701-97	Electro magnet 10320-05c00	PCS		24v d	
D96-7704-88	Transformer enclosed	PCS		220/24v 25v	
D97-6747-01	Emergency opening aut.	PCS		Disengage, sign	
D97-6747-02	Sticker "Emergency opening"	PCS		English	
D97-6747-03	Sticker "Emergency opening"	PCS		German	
D97-6747-04	Sticker "Emergency opening"	PCS		French	
D8170RG041 232	Emergency lever ACS70	PCS			
D96-8500-PC	Controlbox complete	PCS	6		


1
2
3
4
5
6
7
8
9
10

RR 660 >> Fascia/Hood


Art. No	Product description	Unit	Img	Fits to	Remark
D66-4952-PC 459	Fascia complete, ACS 70	M1	8	from -95.w01	1995-01 >
D66-4999-94	Bracket for fascia	PCS	7		
D96-4955-11	Yellow gable for fascia	PCS	4		
D96-4955-12	Red gable for fascia	PCS	4		
D6403V0001	Albany Assa Abloy sign 210x100	PCS	9		
D66-4953-PC 459	Fascia complete, Ovitor	M1	8	from -95.w01	1995-01 >
D66-4999-94	Bracket for fascia	PCS	7		
D96-4955-11	Yellow gable for fascia	PCS	4		
D96-4955-12	Red gable for fascia	PCS	4		
D6403V0001	Albany Assa Abloy sign 210x100	PCS	9		
D66-4970-PC 459	Hood complete, ACS 70	M1	3	from -95.w01	1995-01 >
D4402RG007 232	Foam seal 20x20mm	PCS	6		
D4402RG008 181	Rubber mat 250 t=3 neopren	M1	2		
D66-4979-PC 459	Fascia (Flat), complete	M1	10	to -94.w52	> 1994-12
D6403V0001	Albany Assa Abloy sign 210x100	PCS	9		
D66-4980-PC 459	Hood complete, Ovitor	M1	3	from -95.w01	1995-01 >
D4402RG007 232	Foam seal 20x20mm	PCS	6		
D4402RG008 181	Rubber mat 250 t=3 neopren	M1	2		

RR 910


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15


RR 910 >> Side quadrant 910A Right

Art. No	Product description	Unit	Img	Fits to
D91-4004-PC 439	Side quadrant 910 A compl. RH	M1		DH ≤ 5840 excl. Weight steel cable pulley bracket
D91-4004-PC 439	Side quadrant 910 A compl. RH	M1		DH ≤ 5840 excl. Weight steel cable pulley bracket
D90-4984-85	Guide pulley	PCS	3	
D91-2575-88	Guide for counter weight 910	PCS	7	
D91-4135-88	Quadrant reinforcement 910	PCS	5	
D91-4510-88	Bottom bracket rh 910	PCS	9	
D91-4710-88	Bearing bracket rh 910	PCS	1	
D4121V0021	Cable pulley with 2 bearings	PCS	6	Complete
D96-4104-79	Hinge right hand	PCS	4	
D4402RG007 232	Foam seal 20x20mm	PCS	15	
D4402RG009 232	Rubber sealing L=1000	PCS	8	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	10	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	11	
D4521V0009	Bearing bracket diam. 273	PCS	2	valid for 91-4004-PC and 91-4005-PC


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15


RR 910 >> Side quadrant 910A Left

Art. No	Product description	Unit	Img	Fits to
D91-4005-PC 439	Side quadrant 910 A compl. LH	M1		DH ≤ 5840 excl. Weight steel cable pulley bracket
D91-4005-PC 439	Side quadrant 910 A compl. LH	M1		DH ≤ 5840 excl. Weight steel cable pulley bracket
D90-4984-85	Guide pulley	PCS	3	
D91-2575-88	Guide for counter weight 910	PCS	7	
D91-4135-88	Quadrant reinforcement 910	PCS	5	
D91-4511-88	Bottom bracket lh 910	PCS	12	
D91-4711-88	Bearing bracket lh 910	PCS	14	
D4121V0021	Cable pulley with 2 bearings	PCS	6	Complete
D96-4105-79	Hinge left hand	PCS	13	
D4402RG007 232	Foam seal 20x20mm	PCS	15	
D4402RG009 232	Rubber sealing L=1000	PCS	8	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	10	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	11	
D4521V0009	Bearing bracket diam. 273	PCS	2	valid for 91-4004-PC and 91-4005-PC


1
12
2
11
3
10
9
4
5
8
7
6


RR 910 >> Side quadrant 910B Right

Art. No	Product description	Unit	Img	Fits to
D3322VG016 439	Side quadrant 910 B compl. RH	M1		excl. Weight steel cable and pulley bracket DH > 5840
D3322VG016 439	Side quadrant 910 B compl. RH	M1		excl. Weight steel cable and pulley bracket DH > 5840
D90-4984-85	Guide pulley	PCS	2	
D91-2578-95	Upper counter balance bracket	PCS	12	
D91-4135-88	Quadrant reinforcement 910	PCS	4	
D91-4710-88	Bearing bracket rh 910	PCS	1	
D4121V0021	Cable pulley with 2 bearings	PCS	5	Complete
D96-4104-79	Hinge right hand	PCS	3	
D4402RG007 232	Foam seal 20x20mm	PCS	11	
D4402RG009 232	Rubber sealing L=1000	PCS	6	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	8	


1
12
2
11
3
10
9
4
5
8
7
6


RR 910 >> Side quadrant 910B Left

Art. No	Product description	Unit	Img	Fits to
D3322VG017 439	Side quadrant 910 B compl. LH	M1		excl. Weight steel cable and pulley bracket DH > 5840
D3322VG017 439	Side quadrant 910 B compl. LH	M1		excl. Weight steel cable and pulley bracket DH > 5840
D90-4984-85	Guide pulley	PCS	2	
D91-2578-95	Upper counter balance bracket	PCS	12	
D91-4135-88	Quadrant reinforcement 910	PCS	4	
D91-4711-88	Bearing bracket lh 910	PCS	10	
D4121V0021	Cable pulley with 2 bearings	PCS	5	Complete
D96-4105-79	Hinge left hand	PCS	9	
D4402RG007 232	Foam seal 20x20mm	PCS	11	
D4402RG009 232	Rubber sealing L=1000	PCS	6	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	7	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	8	


13
14
15
16
11
12
10
9
8
1
2
3
4
6
7
5


RR 910 >> Side quadrant 910

Art. No	Product description	Unit	Img	Fits to
D91-4100-PC 439	Side quadrant door 910-A/C	M1	7	comp. including hinges LH/ RH
D96-4105-79	Hinge left hand	PCS	5	
D4402RG009 232	Rubber sealing L=1000	PCS	2	
D91-4100-PC 439	Side quadrant door 910-A/C	M1	4	comp. including hinges LH/ RH
D96-4104-79	Hinge right hand	PCS	1	
D4402RG009 232	Rubber sealing L=1000	PCS	2	
D3322VG018 439	Side quadrant door 910 B LH	M1	6	comp. including hinges
D96-4105-79	Hinge left hand	PCS	5	
D4402RG009 232	Rubber sealing L=1000	PCS	2	
D3322VG019 439	Side quadrant door 910 B RH	M1	3	comp. including hinges
D96-4104-79	Hinge right hand	PCS	1	
D4402RG009 232	Rubber sealing L=1000	PCS	2	
D91-4200-PC 439	Frame profile pre-drilled	M1	16	
D91-4235-PC 439	C-profile back pre-drilled	M1	9	with brush sealing
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	10	
D91-4236-PC 439	C-profile front 910	M1	8	including brush strip
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	11	Curled (PE-core)
D4721RG180 181	Bracket for superseal d 45	M1	10	
D91-4250-PC 439	Cladding back cut	M1	12	
D91-4260-PC 439	Cladding side cut	M1	13	
D91-4980-XX	Cable pulley guide system	PCS	15	complete
D90-4984-85	Guide pulley	PCS	14	
D96-6092-97	Photocell hold. rubber clip 10	PCS		


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 910 >> Top roll / Top roll seal

Art. No	Product description	Unit	Img	Fits to	Remark
D91-3316-PC 459	Top roll with endboss 273x6	M1	1	3 mm	
D8540VG005 459	Fixing strip for door blade on	M1	2	drum roll	
D91-3320-PC 459	Top roll complete with cable	M1	3	drums, axles and fixing strip Doors delivered from 2002/ 07	2002-07 >
D8540VG005 459	Fixing strip for door blade on	M1	2	drum roll	
D4721V0002	Cable drum 910 RH	PCS	6		
D4721V0003	Cable drum 910 LH	PCS	5		
D4521V0010	Stub axle 45 motor side 910	PCS	8	ACS 70	
D4521V0011	Stub axle 45 nondrive side 910	PCS	4		
D5409V0001	Key 10x 8x100mm	PCS	7		
D91-3330-PC 459	Top roll with endboss 910	M1	9		
D8540VG005 459	Fixing strip for door blade on	M1	2	drum roll	
D3301VG002 459	Top roll complete with cable	M1	10	drums axles and fixing strip. Doors delivered tom. 2002/ 06	> 2002-07
D8540VG005 459	Fixing strip for door blade on	M1	2	drum roll	
D4721V0002	Cable drum 910 RH	PCS	6		
D4721V0003	Cable drum 910 LH	PCS	5		
D4521V0010	Stub axle 45 motor side 910	PCS	8	ACS 70	
D4521V0011	Stub axle 45 nondrive side 910	PCS	4		
D5409V0001	Key 10x 8x100mm	PCS	7		
D5103V0001	Bearing diam. 45mm UCF 209 TR	PCS	11		
D91-4411-PC 459	Top roll seal felt complete	M1	12		
D5006RG002 459	Felt seal 350mm	M1	13		


1
2
3
4
5
6
7
8
9
10
11
12
13
14


RR 910 >> Bottom beam / Safety edge.

Art. No	Product description	Unit	Img	Fits to	Remark
D91-1006-PC 459	Safety edge optical 168 compl.	M1		with guides	
D50-6010-87	Connection box 060504 (eat)	PCS	2		
D4121RG029 181	Velcro tape 01 hook 25mm	M1	7		
D91-1501-88	Wear pad 910 guides	PCS	4		
D4421RG046 181	Rubber profile new type	M1	10		
D4102RG003 181	Pvc hose 1.5 mm	M1	5		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D4121RG030 181	Velcro tape 01 w=25	M1	8		
D5006R0010	Bracket for coily cable	PCS	3		
D96-6410-93	Photocell Telco lt-12a/lr-a	PCS	6	ACS 70	> 2005-12
D96-6092-97	Photocell hold. rubber clip 10	PCS			
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	1		
D91-1007-PC 459	Safety edge selftesting 168	M1		complete with guides	
D4121RG029 181	Velcro tape 01 hook 25mm	M1	7		
D91-1501-88	Wear pad 910 guides	PCS	4		
D4421RG046 181	Rubber profile new type	M1	10		
D4102RG002 181	Plastic tube	M1	11		
D96-1318-98	Endplug with hole	PCS	13		
D96-1319-98	Endplug without hole	PCS	14		
D96-1320-98	Nipple for end plug with hole	PCS	12		
D4050RG017 181	Safety edge fabric yellow/red	M1	9		
D4121RG030 181	Velcro tape 01 w=25	M1	8		
D5006R0010	Bracket for coily cable	PCS	3		
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	1		


1
2
3
4
5
6
7
8
9
10
11
12
13


RR 910 >> Bottom beam / Safety edge.

Art. No	Product description	Unit	Img	Fits to
D91-1008-PC 459	Safety edge 910/954 reinforced	M1		self-testing 168 complete with guides
D4121RG029 181	Velcro tape 01 hook 25mm	M1	5	
D91-1501-88	Wear pad 910 guides	PCS	2	
D4421RG046 181	Rubber profile new type	M1	10	
D4102RG002 181	Plastic tube	M1	3	
D96-1318-98	Endplug with hole	PCS	4	
D96-1319-98	Endplug without hole	PCS	11	
D96-1320-98	Nipple for end plug with hole	PCS	7	
D4050RG017 181	Safety edge fabric yellow/red	M1	8	
D4121RG030 181	Velcro tape 01 w=25	M1	6	
D5006R0010	Bracket for coily cable	PCS	9	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	1	
D91-1050-PC 459	Safety edge 910/954 reinforced	M1		168 complete with guides
D4121RG029 181	Velcro tape 01 hook 25mm	M1	5	
D91-1501-88	Wear pad 910 guides	PCS	2	
D4050RG017 181	Safety edge fabric yellow/red	M1	8	
D4121RG030 181	Velcro tape 01 w=25	M1	6	
D5006R0010	Bracket for coily cable	PCS	9	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	1	
D4421RG036 459	Rubber profile with integrated	M1		safety edge. With curtain tension. ACS50 / MCC with SRD
D8550RG068 459	Retrofit Safety edge	M1		Mayser/Bircher to ASO
D4004VG001 459	Safety edge fabric with	M1		velcro tape
D4121RG029 181	Velcro tape 01 hook 25mm	M1	5	
D4050RG017 181	Safety edge fabric yellow/red	M1	8	
D4121RG030 181	Velcro tape 01 w=25	M1	6	


1
2
3
4
5
6
7

RR 910 >> Bottom beam / Safety edge.


Art. No	Product description	Unit	Img	Fits to	Remark
D91-1112-PC 459	Bottom beam 168 reinforced	M1		predrilled for guides, door blade and rubber prof.	
D6403V0002	Albany ASSA ABLOY sign 180x70	PCS	3		
D91-1505-XX	Plastic wear pad including	PCS	5	screws For 910 door	
D91-1501-88	Wear pad 910 guides	PCS	1		
D91-1520-XX	Guides with wear pads complete	PCS	4	set (1 set = 2 LH + 2 RH guides) For 910 doors	
D91-1501-88	Wear pad 910 guides	PCS	1		
D91-1525-XX	Guides reinforced w. wear pads	PCS	2	complete set For 910/954 doors	
D91-1501-88	Wear pad 910 guides	PCS	1		
D96-6000-79	Pressure switch DWGK11DOE	PCS	7	(mechanical)	
D96-6101-82	Coily cable 4x0.75mm2	PCS	6	(Tape switch/Opticle)	
D96-6105-96	Coil cable 3x0.75	PCS	6	(Pneumatic)	> 2004-04


1
2
3
4
5
6
7
8
9
10
11
12

RR 910 >> Windreinforcement


Art. No	Product description	Unit	Img	Fits to
D91-5200-PC 459	Windbar with hooks	M1		Back or front side complete
D91-5203-89	End plug steel for windbar	PCS	6	
D91-5204-89	Axle shaft windbar 910	PCS	7	
D91-5206-89	Wheel diam 98	PCS	8	
D4421V0008	End piece for catcher arm 910	PCS	11	
D4521V0137	Catcher arm 910	PCS	12	
D91-5210-89	Windbar spacer 910	PCS	5	
D91-5214-89	Distance block t=10	PCS	4	
D91-5220-93	Damper for windbar	PCS	2	
D5412R0055	Circlip sga diam 30	PCS	10	
D96-5232-89	Circlip sgh diam 55	PCS	9	
D91-5203-PC 459	Windbar w. endplugs diam.98mm	M1		
D91-5203-89	End plug steel for windbar	PCS	6	
D91-5204-89	Axle shaft windbar 910	PCS	7	
D91-5206-89	Wheel diam 98	PCS	8	
D91-5210-89	Windbar spacer 910	PCS	5	
D91-5214-89	Distance block t=10	PCS	4	
D91-5220-93	Damper for windbar	PCS	2	
D5412R0055	Circlip sga diam 30	PCS	10	
D96-5232-89	Circlip sgh diam 55	PCS	9	
D91-5204-PC 459	Windbar w. endplugs diam.110mm	M1		
D91-5203-89	End plug steel for windbar	PCS	6	
D91-5204-89	Axle shaft windbar 910	PCS	7	
D91-5205-89	Wheel diam 110	PCS	3	
D91-5210-89	Windbar spacer 910	PCS	5	
D91-5215-89	Distance block t=5	PCS	1	
D91-5220-93	Damper for windbar	PCS	2	
D5412R0055	Circlip sga diam 30	PCS	10	
D96-5232-89	Circlip sgh diam 55	PCS	9	
D91-5207-PC 459	Windbar diam. 100x5mm	M1		
D91-5220-93	Damper for windbar	PCS	2	

EN CHAPTER O 20160406 EN


1
2
3
4
5
6
7
8
9
10
11
12
13
14


RR 910 >> Windreinforcement

Art. No	Product description	Unit	Img	Fits to
D91-5210-PC 232	Windbar with tape back side	PCS	1,2,3	
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5203-89	End plug steel for windbar	PCS	10	
D91-5204-89	Axle shaft windbar 910	PCS	11	
D91-5206-89	Wheel diam 98	PCS	12	
D91-5210-89	Windbar spacer 910	PCS	9	
D91-5220-93	Damper for windbar	PCS	6	
D5412R0055	Circlip sga diam 30	PCS	14	
D96-5232-89	Circlip sgh diam 55	PCS	13	
D5105RG005 181	Windbar tape cut to length	M1	7	d = 80, d = 88
D91-5260-XX	Tape bracket front right with	PCS	8	clamp
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5261-XX	Tape bracket front left with	PCS	5	clamp
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5265-XX	Tape bracket back right with	PCS	1	clamp
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5266-XX	Tape bracket back left with	PCS	2	clamp
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5310-PC 459	Windbar with tape front side	M1	3,4,8	
D65-5252-79	Clamp	PCS	4	d = 80, d = 88
D91-5203-89	End plug steel for windbar	PCS	10	
D91-5204-89	Axle shaft windbar 910	PCS	11	
D91-5206-89	Wheel diam 98	PCS	12	
D91-5210-89	Windbar spacer 910	PCS	9	
D91-5220-93	Damper for windbar	PCS	6	
D5412R0055	Circlip sga diam 30	PCS	14	
D96-5232-89	Circlip sgh diam 55	PCS	13	
D5105RG005 181	Windbar tape cut to length	M1	7	d = 80, d = 88


11
10
9
8
7
6
1
2
5
4
3


RR 910 >> Windreinforcement

Art. No	Product description	Unit	Img	Fits to
D3341V0001	Wheel for windreinforce. 910	PCS	3	diam.98 with bearings and locking rings For lower tube with hooks or windreinfor-cement with tapes
D91-5206-89	Wheel diam 98	PCS	5	
D5412R0055	Circlip sga diam 30	PCS	11	
D96-5232-89	Circlip sgh diam 55	PCS	10	
D3341V0002	Wheel for windreinforce. 910	PCS	1	diam.110 with bearings and lock rings For upper tube with hooks
D91-5205-89	Wheel diam 110	PCS	9	
D5412R0055	Circlip sga diam 30	PCS	11	
D96-5232-89	Circlip sgh diam 55	PCS	10	
D3341V0003	Endpiece 910 diam. 98 complete	PCS	4	For lower tube with hooks or windreinforcement with tapes
D91-5203-89	End plug steel for windbar	PCS	7	
D91-5204-89	Axle shaft windbar 910	PCS	8	
D91-5206-89	Wheel diam 98	PCS	5	
D91-5210-89	Windbar spacer 910	PCS	6	
D5412R0055	Circlip sga diam 30	PCS	11	
D96-5232-89	Circlip sgh diam 55	PCS	10	
D3341V0004	Endpiece 910 diam. 110 compl.	PCS	2	For upper tube with hooks
D91-5203-89	End plug steel for windbar	PCS	7	
D91-5204-89	Axle shaft windbar 910	PCS	8	
D91-5205-89	Wheel diam 110	PCS	9	
D91-5210-89	Windbar spacer 910	PCS	6	
D5412R0055	Circlip sga diam 30	PCS	11	
D96-5232-89	Circlip sgh diam 55	PCS	10	


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

RR 910 >> Drive unit


Art. No	Product description	Unit	Img	Fits to
D91-9010-XX	Rebuilding kit gear box	PCS	14	Nomadrive Upgrade to gear box size 75
D03-9010-25	Swedrive wormgear fo75co	PCS	1	
D08-8788-05	E-prom 910 2001-03-28-2	PCS		
D4521V0127	Locking bracket FO75	PCS	6	
D4521V0128	Friction plate FO75	PCS	2	
D91-3624-99	Stub axle FO75	PCS	10	
D91-3667-95	Key 10x50mm	PCS	9	
D91-4718-95	Bearing pf 40 fm	PCS	8	
D91-4817-99	Torque arm Nomadrive FO75	PCS	5	
D91-4827-99	Motor bracket Nomadrive FO75	PCS	7	
D96-4819-99	Safety wire	PCS	3	
D96-4832-98	Rubber bush 539 191 shore 75	PCS	4	
D91-9315-XX	Drive unit Nomadrive 1 5 Kw	PCS	12	Swedrive
D03-0052-25	Hub for puls transducer disc	PCS		ACS70 1.1 kW + 1.5 kW
D03-0067-25	Puls transducter board 88-22	PCS		ACS70 1.1 kW + 1.5 kW
D03-0070-25	Cover upper cast housing	PCS		ACS70 1.1 kW + 1.5 kW
D03-0084-25	Key 4x4x12 brake	PCS		ACS70 1.1 kW + 1.5 kW
D03-0101-25	Gasket inspectionplate	PCS		ACS70 1.1 kW + 1.5 kW
D03-0102-25	Gasket upper cover	PCS		
D03-0103-25	Gasket gear	PCS		ACS70 1.1 kW + 1.5 kW
D03-0104-25	Inspectionplate	PCS		ACS70 1.1 kW + 1.5 kW
D03-0125-25	Plastic cover: ikpt 4042 grey	PCS		
D03-0703-25	Motor 1.5 kw 220-240v	PCS	11	with brake
D03-9010-25	Swedrive wormgear fo75co	PCS	1	
D97-8020-03	Cable fitting skintop ST-M20	PCS		
D03-0097-25	Coupling bowex j19 19/19	PCS		ACS70 1.5 kW
D00-9311-25	Disconnection handle 50mm	PCS		ACS70 1.1 kW + 1.5 kW
D03-0124-25	Microswitch Burges v4nt7y2	PCS		Nomadrive ACS70 1.1 kW + 1.5 kW
D3201V0006	Pulse transducer disc with hub	PCS	15	ACS70 1.1 kW + 1.5 kW
D03-0052-25	Hub for puls transducer disc	PCS		ACS70 1.1 kW + 1.5 kW


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

RR 910 >> Miscellanous

Art. No	Product description	Unit	Img	Fits to
D4802V0003	Spring L= 1330 100/10	PCS	15	
D5103V0001	Bearing diam. 45mm UCF 209 TR	PCS	8	
D5105V0011	Steel cable 29m	PCS	19	See Page 14: Length of steel cables
D96-2400-XX	Spring tensioner with cable	PCS	17	pullley cpl 910 model B
D4121V0021	Cable pulley with 2 bearings	PCS	18	Complete
D96-2410-80	Spring tensioner 5 holes	PCS	16	
D3401VG001	Door blade complete	PCS	20	400 / 420 / 450 / 650 / 660
D3401VG001 079	Behang RollTex ohne Fenster	PCS	20	
D3401VG001 085	Curtain RollTex Original	M2	20	Fine upcharge
D3401VG001 082	Curtain RollTex flameproof	M2	20	Upcharge
D8170RG041 232	Emergency lever ACS70	PCS		


RR 3000 XL


15
16
1
13
12
22
11
6
3b
2
4
26
21
10
7
18
17
29
28
30
A
9
8
3a
5
24
14
20
27
19
25a
25b
23
A
1:10

RR 3000 XL >> Side frame rightSide frame left (mirror image)

Art. No	Product description	Unit	Img	Fits to
D8220TG009 232	Side frame rh XL complete	PCS		
D8220TG016 232	Side frame lh XL complete	PCS		
D4521RG200 232	Guid cover back rh XL	PCS	1	
D4521RG201 232	Guid cover back lh XL	PCS	1	
D4521RG198 232	Guide cover top rh XL	PCS	2	
D4521RG199 232	Guide cover top lh XL	PCS	2	
D4521R1232	Guide cover bottom rh XL	PCS	3a	
D4521R1233	Guide cover bottom lh XL	PCS	3a	
D4521RG202 232	Guide cover 2 rh	PCS	3b	
D4521RG203 232	Guide cover 2 lh	PCS	3b	
D4521TG008 232	Gusset top cover rh	PCS	4	
D4521TG009 232	Gusset top cover lh	PCS	4	
D4521T0247 232	Gusset bottom cover rh	PCS	5	
D4521T0248 232	Gusset bottom cover lh	PCS	5	
D4521T0209	Spring cover top XL	PCS	6	
D4521TG007 232	Spring cover middle XL	PCS	7	
D4521T0206	Spring cover bottom XXL	PCS	8	(side of bearing) H > 3000
D4521T0207	Spring cover bottom RH XXL	PCS	8	(side of unit) H > 3000, RH
D4521T0208	Spring cover bottom LH XXL	PCS	8	(side of unit) H > 3000, LH
D4802R0007	Tension spring middle L=1397mm	PCS	9	(3500<H<4200 and W≤5300) or (3000≤H≤3500) 3000≤H<4000
D4802R0008	Tension spring long L=2193mm	PCS	9	(H≥4200) or (3500 <H 5300) H≥4000
D8220R0050	Spring suspension top complete	PCS	10	3-hole
D8220R0051	Spring suspension top complete	PCS	10	4-hole
D5105R0081	Belt (blue) L=6000	PCS	11	door type A
D8120RG046 232	Redirection rope with cable	PCS	13	
D5105R0031	Rope d=5mm, L=8000mm	PCS	14	L= 4 x DH-500 L= B+2660
D8220RG218 232	Emergency lever	PCS	15	
D4521T0257	Bottomplate RH	PCS	19	
D4521T0258	Bottomplate LH	PCS	19	
D8520RG013 232	Cable Chain complete	PCS	20	drive unit side (*)
D8520RG014 232	Cable Chain complete	PCS	20	non drive unit side (*)
D4907R0024	Connecting cable 4000mm	PCS	20	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH→ L=H+1010 H≤2500 400/ 400E SPS without control (only side of unit) ACS50 PLS-G DH≤2700 SPS wit- hout control DH≤2500
D4907R0029	Connecting cable 6m	PCS	20	
D4907R0030	Connecting cable 8000mm	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤6000 400/400E (only side of unit) ACS50 PLS-G DH≤6700 SPS without control DH≤6500 M8 drive side H>4500non drive side 4500<(H+W)≤6500
D4907R0032	Connecting cable 10m	PCS	20	For photocell and limit switch If Drive RH→ L=H+1010 If Drive LH→ L=H+B+1010 H+B≤8000 400/400E (only side of unit) ACS50 PLS-G DH≤8700 SPS without con- trolDH≤8500 non drive side 6500<(H+W)≤8500


Art. No	Product description	Unit	Img	Fits to
D4907R0023	Connecting cable 12000mm	PCS	20	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side8500<(H+W)≤10500 400/400E
D4907R0031	Connecting cable 14000mm M8	PCS	20	For photocell and limit switchIf Drive RH→ L=H+1010If Drive LH→ L=H+B+1010 non drive side10500<(H+W)≤12500 400/400E


15
16
1
13
12
22
11
6
3b
2
4
26
21
10
7
18
17
29
28
30
A
9
8
3a
5
24
14
20
27
19
25a
25b
23
A
1:10

RR 3000 XL >> Side frame rightSide frame left (mirror image)

Notes:
(*) Data of W, H [mm] and drive side is necessary


Art. No	Product description	Unit	Img	Fits to
D8120R0047	Belt receptacle	PCS	21	
D4905R0082	Proxmity switch M8 10E	PCS	22	plugconnector Drive Nord, without crash without bracket
D4907R0044	Connecting cable 2m with 2 M8	PCS	22	plugs drive side Stromag
D4904R0547	Photocell transmitter without	PCS	23	bracket - blue RH not for pre-run
D4904R0548	Photocell receiver without	PCS	23	bracket - black LH not for pre-run snow proof
D8120R0049	Cable Duct complete	PCS	24	L=2000
D4521R1090	Spring Suspension	PCS	25	
D4521T0212	Spring Suspension extended	PCS	25	
D4121R0335	Sliding rail L=3000	PCS	26	
D5003R0001	Rope pulley	PCS	27	
D6403R0009	Label emergancy lever	PCS	28	
D6403RG002	Door label	PCS	29	
D4521RG275 232	Spring cover middle 2	PCS	30	non drive side, drive side without hand lever, H>3000
D4521RG276 232	Spring cover middle 2 RH	PCS	30	drive side RH, H ≤ 3000
D4521RG277 232	Spring cover middle 2 LH	PCS	30	drive side LH, H ≤ 3000


20
18
1
Y
2
9
5
10
3
6
11
7
4
12
8
19
13
X
X
DH>3250
14
15
23
X
DH<=3250
16
17
21
22

RR 3000 XL >> Panel Door Blade Type 1

Notes:
(*) Inclusive lamella seal (pos. 17), clamping lug (pos. 14) and screw. (**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.21)

Art. No	Product description	Unit	Img	Fits to	Remark
D8230RG403	Top lamella XL, with intel		1	sealing (*)	
D8230RG403 493	without isolation	M1	1		
D8230RG403 481	isolation with Polystyrol	M1	1		
D8230RG403 482	Top lamella XL with intel	M1	1	Upcharge powder coated	
D8230RG406	Lamella 1 XL with extension		2	piece 1 (*) H≤4000; n=10H>4000; n=7	
D8230RG406 493	without isolation	M1	2		
D8230RG406 481	isolation with Polystyrol	M1	2		
D8230RG406 482	Lamella 1 XL with extension	M1	2	Upcharge powder coated	
D8230RG407	Lamella 2 XL with extension		3	pieece 2 (*) H <3125; n=(H-1500)/125H≥3125; n=13	
D8230RG407 493	without isolation	M1	3		
D8230RG407 481	isolation with Polystyrol	M1	3		
D8230RG407 482	Lamella 2 XL with extension	M1	3	Upcharge powder coated	
D8230RG408	Lamella 3 XL with extension		4	piece 3 (*) H>3250: n=(H-3125)/125	
D8230RG408 493	without isolation	M1	4		
D8230RG408 481	isolation with Polystyrol	M1	4		
D8230RG408 482	Lamella 3 XL with extension	M1	4	Upcharge powder coated	
D8230RG410 459	Windowlamella 1XL with	M1	5	extension piece 1 (*) H≤4000; n=10H>4000; n=7	
D8230RG410 482	Windowlamella 1XL w. extension	M1	5	Upcharge powder coated	
D8230RG411 459	Windowlamella 2 XL with	M1	6	extension piece 2 (*) H <3125; n=(H-1500)/ 125H≥3125; n=13	
D8230RG411 482	Windowlamella 2 XL with	M1	6	Upcharge powder coated	
D8230RG412 459	Windowlamella 3 XL with	M1	7	extension piece 3 (*) H>3250: n=(H-3125)/125	
D8230RG412 482	Windowlamella 3 XL with	M1	7	Upcharge powder coated	
D8230RG409	Bottom lamella with rubber	PCS	8	profile without extension piece 4 Base price	
D8230RG409 493	without isolation	M1	8	Upcharge	
D8230RG409 480	isolation with Polystyrol PS30	M1	8	Upcharge	
D8230RG409 482	Bottom lamella with rubber	M1	8	Upcharge powder coated	
D8230RG409 476	rubber profile with extended	M1	8	sealing lip Upcharge	
D4521R1848	Extension piece 1s XL	PCS	9	H≤4000; n=10H>4000; n=7	2010-01 >
D4521R1852	Extension piece 2s XL	PCS	10	H <3125; n=(H-1500)/ 125H≥3125; n=13	2010-01 >
D4521R1853	Extension piece 3s XL	PCS	11	H>3250: n=(H-3125)/125	2010-01 >
D8150R0122	Extension piece 4s rh XL, for	PCS	12	bottom lamella pre running photocell RH (**)	>2011-08 See Pos.21 2011-09 > also single
D8150R0123	Extension piece 4s lh XL, for	PCS	13	bottom lamella pre running photocell LH (**)	>2011-08 See Pos.21 2011-09 > also single
D4521R0966	Clamping lug standard	PCS	14	Standard lamella	
D4521R1028	Clamping lug adapter bottom	PCS	15	H>3250 set=4pcs	
D4402RG005 459	Lamella sealing	M1	17		
D4101R0034	Sealing top lamella type 1	PCS	18	L = 6100 mm	
D4402RG006 459	Bottom rubber profile	M1	19	Pre running photocell	2011-01 >
D4421RG016 459	Rubber profile extended	M1	19	sealing lip cut-to-size pre running photocell	2011-01 >
D8240R0035	Flat belt complete Assembly	PCS	20	RR3000 XL applicable for all door sizes (RH + LH)	
D4121R0299	Flat belt L=6000	PCS	20	not f. compl. belt exchange	
D4904R0546	Safety photocell receiver	PCS	21	grey RH (**) no bracket snow proof	>2011-08 just in pair 2011-09 > also single
D4904R0544	Safety photocell transmitter	PCS	21	red LH (**) prerun. Photo-cell RH (**) without bracket RH (*)	>2011-08 just in pair 2011-09 > also single
D4521T0214	Bracket pre running photocell	PCS	22	RH	
D4521T0215	Bracket pre running photocell	PCS	22	LH	
D4521R0981	Activator proximity switch	PCS	23	RH	
D4521R0982	Activator proximity switch	PCS	23	LH	
D8130R0011	Flat belt repair-kit	PCS		2 belts (1000mm) with clamping parts	



6
1
1
2
3
5
8
9
10
7
7
4

RR 3000 XL >> Barrel complete with Door blade

Notes:
(*) Data of W, H [mm] and drive side is necessary


Art. No	Product description	Unit	Img	Fits to	Remark
D8240RG175	Top roll with door blade			RR3000XL complete (*) Transport pallet cpl. included	
D8240RG175 111	Top roll w. door blade RR3000	PCS		Base price	
D8240RG175 199	Top roll w. door blade RR3000	M2		Upcharge	
D8240RG175 501	Top roll w. door blade RR3000	M2		Upcharge powder coated total lamella length	
D8240TG017	Barrel XL complete	PCS			
D4521R1501	Spiral disk 1	PCS	1		
D4521T0203	Stiffening ring	PCS	1		
D4521R1502	Spiral disk 2	PCS	2		
D4521R1048	Spiral disk 3 LH	PCS	3	H>3250	>2010-01
D4521R1047	Spiral disk 3 RH	PCS	3	H>3250	>2010-01
D4402R0107	Dampener 2 for disks L=6000mm	PCS	4		
D8140R0060	Bearing d 35	PCS	5		
D4521R0953	Bracket belt	PCS	6		
D4521R0941	Winding plate	PCS	7		
D4521T0229	U-Bracket	PCS	8		
D4521T0230	Washer disc fastening	PCS	8		
D4521R1167	Bracket disc 3	PCS	9		>2010-01

EN CHAPTER O 20160406 EN


10
1
5
6
4
7
8
2
3

RR 3000 XL >> Drive unit complete


Art. No	Product description	Unit	Img	Fits to	Remark
D8910R0060	Gear motor	PCS	1	H>4000and chain drive, ACS 80	
D8910R0079	Gear motor (**) 220-230/400-	PCS	1	415V MCC W > 5000 and H ≤ 4700 4700 < H ≤ 5000	>2010-01
D6622R0018	Brake 15Nm 196V DC HL	PCS	2	look at drive for 8410V0008 400/E	2002-01>
D4905R0019	Double proximity switch	PCS	3	ACS 60 80 FUS 400/E	
D4904R0450	Encoder 50 pulses only	PCS	3	electronic part MCC	
D8410R0066	Encoder 50 pulses compl. with	PCS	3	bracket MCC	
D4521R1490	Torque Arm	PCS	4	(not with chain drive)	
D4521R1096	Motor plate	PCS	5	not with chain drive	
D5004R0041	Vibration absorber	PCS	6	not with chain drive	2006-09 > >2007-02
D6621R0002	Microswitch	PCS	7	400/E Bonfiglioli	2002-01>
D4802R0004	Spring 2.2x11x48	PCS	8		
D4907R0110	Cable 4x0.25 6.5m GY (*)	PCS	11	SL≤5m	
D4907R0111	Cable 4x0.25 11.5m GY (*)	PCS	11	5m<SL≤10m	
D4907R0112	Cable 4x0.25 21.5m GY (*)	PCS	11	10m<SL≤20m	
D4907R0113	Cable 4x0.25 31.5m GY (*)	PCS	11	20m<SL≤30m	
D4906R0028	Junctionbox 9plug 11.5m cable	PCS	12	(*) 5m<SL≤10m	
D4906R0029	Junctionbox 9plug 21.5m cable	PCS	12	(*) 10m<SL≤20m	
D4906R0030	Junctionbox 9plug 31.5m cable	PCS	12	(*) 20m<SL≤30m	
D4906R0027	Junctionbox 9plug 6.5m cable	PCS	12	(*) SL≤5m	
D8830RG042	Control cable		13	ACS 80	
D8830RG042 111	Control cable	PCS	13	Base price	
D8830RG042 433	Control cable	M1	13	Upcharge	
D8903RG145	E-Connection MCC		13		


1
2
4
5
3

RR 3000 XL >> Options


Art. No	Product description	Unit	Img	Fits to
D8160R0123	Motor cover complete RH	PCS	2	Alu
D8160R0124	Motor cover complete LH	PCS	2	Alu
D8170RG022 232	2. emergency lever galv.	PCS	3	Steel / Alu
D8270RG031	Transport pallet	PCS	4	for dismountling top roll
D8270RG031 111	Transport pallet	PCS	4	base price
D8270RG031 486	Transport pallet	M1	4	upcharge standard
D8270RG031 487	Transport pallet	M1	4	upcharge DW>4000
D8270RG031 477	Transport pallet	M1	4	upcharge gas treated
D8270RG031 478	Transport pallet	M1	4	upcharge gas treated DW>4000

RT 750


15
8
6
11
2
5
10
12
3
9
1
4
8
6
12
2
3
9
5
10
14
11
7
13
1


RT 750 >> Frame (illustration 750-15)

Art. No	Product description	Unit	Img	Fits to
D03-0119-25	Distance piece 8,2x18x15 ACS 70	PCS	2	0
D42-4106-95	Hinge 420 door RH	PCS	3	
D42-4107-95	Hinge 420 LH	PCS	3	
D4121R0320	Clip	PCS	6	
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	PCS	10	Curled (PE-core)
D8140R0071	Bearing diameter 30 mm	PCS	15	Photocell door-line
D96-6092-97	Photocell hold. rubber clip 10	PCS		


11
8
6
7
3
2
4
5
9
1
12
13
14


RT 750 >> Safety edge / Panel / STS (illustration 750-1)


Art. No	Product description	Unit	Img	Fits to	Remark
D4102RG002 181	Plastic tube	M1	3		
D96-1310-95	Endplugg d=20mm h=15mm	PCS	4		
D4050RG017 181	Safety edge fabric yellow/red	M1	5		
D96-6000-79	Pressure switch DWGK11DOE	PCS	6	(mechanical)	
D5006R0010	Bracket for coily cable	PCS	7		
D96-6105-96	Coil cable 3x0.75	PCS	8	(Pneumatic)	> 2004-04
D75-1200-PC 459	Rubber profile pneumatic complete	M1	9	ete	
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	M1	11	ACS70 1.1 kW + 1.5 kW	
D8250RG014 181	Cable support chain 0/30	M1	12		
D4121R0228	Cable support chain 01	PCS	13	(bracket)	
D75-4342-XX	Spring loaded brake plate, crash, 1 set	PCS	14	sh, 1 set	


7
2
1
11
2
5
1
3
10
2
4

RT 750 >> Panel (illustration 750-5)


Art. No	Product description	Unit	Img	Fits to	Remark
D75-4304-XX	Guide upper panel complete	PCS	1		> 1995-09
D75-4306-XX	Guide upper panel complete	PCS	1		1995-09 >
D75-4305-XX	Guide upper chain tensioner complete	PCS	1	mplete	
D75-4301-XX	Guide standard complete	PCS	1		
D75-4307-XX	Guide standard complete	PCS	1		
D75-4301-02	Guide block STS / standard	PCS	2		
D75-4302-XX	Guide bottom complete	PCS	3		
D75-4308-XX	Guide bottom complete	PCS	3	for WxH > 20 m²	
D75-4303-XX	Guide upper bottom panel complete	PCS	3	ete	
D75-3201-10	Repair case, mail toggle joint	PCS	4		> 1998-08
D75-4330-XX	Hinge plate inner, safety wire	PCS	10		
D75-4312-XX	Toggle joint locking	PCS	11		




5
4
9
8
7
6
11
1
2
9
8
11
3
10
10

RT 750 >> Drive system (illustration 750-8)

Art. No	Product description	Unit	Img	Fits to
D75-3315-PC 459	Drive shaft 750 complete	M1	2	
D75-3602-99	Stub axle 30 mm not drive side 750/770	PCS	3	750/770
D75-3623-99	Stub axle motor side 750/770	PCS	4	
D77-3668-96	Key 8 x 7 x 45	PCS	5	
D75-4820-XX	Torque bracket with shock absorber	PCS	6	rber
D75-4821-XX	Torque brack.double w.shock absorber	PCS	6	sorber
D5004V0001	Rubber bush	PCS	7	not for GfA
D77-2300-XX	Chain anti lift device complete	PCS	8	e
D75-9200-XX	Sprocket 32/462, 2 pcs	PCS	11	


6
3
1
2
5
2
3
4

RT 750 >> Drive system (illustration 750-9)

Art. No	Product description	Unit	Img	Fits to
D75-1816-XX	Upper chain tensioner complete	PCS	1	
D75-1701-94	Articulated coupling 455	PCS	2	
D75-9211-94	Articulated coupling 462	PCS	3	
D75-1821-XX	Bottom chain tensioner complete	PCS	4	e
D75-1700-PC 439	Balancing chain complete	M1	5	
D75-9210-PC 439	Drive chain 462 complete	M1	6	

LC325-XL

LC325-XL >> Side frame right / left

Art. No	Product description	Unit	Img
D4721RG210 439	Support profile LC325 R	M1	1
D4721RG209 439	Support profile LC325 L	M1	1
D4721RG212 439	Support profile LC-XL R	M1	1
D4721RG211 439	Support profile LC-XL L	M1	1
D4721RG232 439	Cover profile R	M1	2
D4721RG231 439	Cover profile L	M1	
D4721RG233 439	Cover profile f. counterweight	M1	3
D4721R0270	Spacer cover counterbalance	PCS	4
D8120R0096	Pulley 1 compl	PCS	5
D8940R0039	Photocell Transmitter/Receiver	PCS	6

LC325-XL >> Barrel with curtain

Art. No	Product description	Unit	Img	Fits to
D5103R0090	Bearing UCFL206 d=30mm LC325	PCS	1	
D8140R0077	Belt 30mm L=6500mm	M1	2	
D8230RG413	Curtain fulltop with window	PCS	3	
D8230RG413	Curtain fulltop with window	PCS	3	
D8230RG508	Curtain PVC with stripes	PCS	3	
D8230RG376	Curtain Top with windribs	PCS	3	
D8230RG509	Curtain PVC with stripes and	PCS	3	windribs
D8230RG374 429	Windrib cpl	M1	4	
D8230R0350	Windrip endpieces set 2pcs	PCS	5	
D8130R0009	Windbreaktap (12 pcs.)	PCS	6	Windnodes for Albany door-leaf

LC325-XL >> Bottom beam

Art. No	Product description	Unit	Img	Fits to	Remark
D8250RG025	Rubber profile cpl	PCS	1	optical	
D4050RG021	Sealing bottom beam	PCS	2	Optical	
D8150R0105	Crash block cpl	PCS	3	for Crash	
D4904R0534	Safety edge optic transm./rec.	PCS	4	optical	
D4907R0038	Coil cable 5x0.75	PCS	5	Crash	2004-05 >
D4911R0026	Connection pl. M16 w.spiral	PCS	6	protect.	
D8550RG053 465	Bottom profile ASO complete	PCS	10	with coil cable RR320	

LC325-XL >> Drive unit complete

Art. No	Product description	Unit	Img	Fits to	Remark
D6601R0157	Gear motor SI 6.115 -HW30	PCS	1	GfA, LC325	>2011-06
D6601R0158	Gear motor SI 10.90 -HW30	PCS	1	GfA	>2011-06
D6601R0159	Gear motor SI 13.90 -HW40	PCS	1	GfA, LC-XL	
D4903R0081	Contact Control TST WU-A	PCS	2		
D8903R0002	Control system TST FUS-1-CN Li	PCS	3		
D4903R0082	Contr. syst.TST FUE-2-CG 1.5kW	PCS	4		
D4905R0105	Limit swich digital	PCS	5	Drive GfA ACS25	
D4909R0048	Brake rectifier KEB	PCS	6	For TST FUS	
D6625R0003	Brake release SG85 Model 14	PCS	7	without bowden cable LC-XL Drive GfA fail safe brake	

LC325-XL >> Options

Art. No	Product description	Unit	Img
D4521R2221	Weight 340 mm cpl	PCS	1
D4521R1863	Weight 480 mm cpl	PCS	1
D4521R1864	Weight 620 mm cpl	PCS	1
D4521R1829	Additional weight	PCS	2

Index

A

Accessories Ovitor 5 drive unit 447, 555
Accessories Ovitor 8 drive 449
Accessories Ovitor 8 drive unit 557
Active infrared sensor 234
Actuator 218
Additional parts 238
Antistatic strip 413

B

Balancing sys., BBS, Control Box 497
Barrel complete with Door blade 93, 105, 119, 133, 167, 603
Barrel ISO complete with Door blade 153
Barrel with curtain 217, 617
Barrel XXL complete with Door blade 151
Bottom beam 617
Bottom beam / Safety edge. 579, 581, 583
Bottom profil 55
Bottom profil crash 469
Bottom profile 179, 191, 213, 247, 467, 493, 495
Bottom profile crash 57
Bottom profile w. safety edge crash 75
Bottom profile with pre-running safety beam 335, 343
Bottom profile with safety edge 17, 33, 73, 201, 261, 273, 285, 297, 309, 321, 337, 343
Bottom profile with safety edge LH 355
Bottom profile with safety edge RH 353
Buttons / Switches 232

C

Cables (without drawing) 229, 231
Chain Drive unit complete 109
Change electrical drawings 235
Coily cable, safety edge 429, 547
Combibox metal 227
Combibox MP door 229
Combibox plastic 225
Combined detector 235
Control ACS 21/25/30/40 236
Control ACS 50 236
control ACS 60 236
Control ACS 70 236
Control ACS 80 237
Control system Albany MCS 231
Control system MCC VectorControl 221
Control unit 237

D

Different options 231
Disengagement 441
Display + brackets 223
Door blade 437
Doorblade 491, 563
Drive / Control unit complete 217
Drive cross bar 361
Drive system (illustration 750-8) 615
Drive system (illustration 750-9) 617
Drive Unit 59, 339, 344, 471, 473, 475
Drive unit 19, 37, 77, 181, 193, 203, 215, 263, 275, 287, 299, 311, 357, 359, 443, 499, 553, 591
Drive unit / Control system 249
Drive unit ACS 50 / MCC 2006-01 ► 325
Drive unit ACS 50/70 323
Drive unit chain 63, 79

EN CHAPTER O 20160406 EN

Index

Drive unit complete 95, 107, 121, 135, 155, 169, 605, 617

E

E-connector 237

F

Fascia/Hood 565
Fixing brackets for frame work 393, 517
Frame (illustration 750-15) 609
Frame profile 391

G

Guides STS 420/660 425

H

Heating element Frigo H&S 401, 525

I

Induction-loop 233
Interface card (without drawing) 229

L

Laserscanner 235
LH column 459, 461
LH column (See drawing side frame RH) 49
Light-curtain (beam distance 30mm) 235
Light-curtain (beam distance 92mm) 235
Limit switch Tape switch/opticle saf.Edge 399, 523

M

Main switch 237
MCC extension 230
Miscellaneous 238, 239
Miscellanous 593
Modules 231
Mounting A/B/D 232
Mounting C 232
Mounting E 232

O

On role 238
Option all Combiboxes 230
Option bus connection 230
Option UPS 230
Options 21, 41, 65, 81, 97, 111, 123, 137, 157, 171, 183, 193, 205, 217, 218, 265, 277, 289, 301, 313, 327, 341, 344, 363, 451, 477, 501, 607, 618
Options Bottom beam/Curtain 253
Options Top roll/Motor cover 251

P

Panel (illustration 750-5) 613
Panel Door Blade A-1 103
Panel Door Blade ISO 147
Panel Door Blade R, Type 1 129
Panel Door Blade Typ 2 (Laser) 165
Panel Door Blade Typ1 163
Panel Door Blade Type 1 ..... 87, 601
Panel Door Blade Type 2 117
Panel Door Blade Type 3 91
Panel Door Blade XXL 143
Photocell 234, 521
Photocell door-line 397
Pressure switch, pneumatic Safety edge 427, 545
Pullswitch 233
Puls transducer 445

PVC-top material 0,5 mm 238

R

Radar 233
Radio 233
Retrofit for ASR A 1.7 239
Retrofit to MCC FUSI/II/III, ACS60/70/80, MCC 239
RH column 45, 453, 455
Roller bearings complete for top roll 519
Roller bearings for top roll 395
Ropes / Belts Cut to size 238

S

Safety edge / Panel / STS (illustration 750-1) 611
Safety edge 8k2 421
Safety edge 8k2 H=115 539
Safety edge H=115 535
Safety edge H=168 537
Safety edge open optical 115 419
Safety edge Optical H=140 541
Safety edge pneu. Twin chamber 115 417
Safety edge rubberprofile 423
Safety edge SRD 533
Safety edge SRD pneumatic 115 415
Safety edge STS 531
Safety edge STS 420/660 543
Service equipment 219
Side frame 159, 217
Side frame left 175, 187, 197, 209, 281, 293, 305
Side frame left (See drawing frame complete) 27
Side frame left (see drawing frame complete) 9
Side frame left (see drawing frame light complete) 13
Side frame left (See drawing side complete) 349
Side frame left (See drawing side frame ri) 69
Side frame left (See drawing side frame right) 269
Side frame left (see drawing side frame right) 485
Side frame left standard 317
Side frame left(See drawing side frame right) 257
Side frame righ (see drawing side frame left) 195
Side frame right 23, 67, 173, 185, 207, 255, 267, 279, 291, 303, 315, 481
Side frame right (**) Side frame left (mirror image) 99
Side frame right (see drawing frame complete) 7
Side frame right (See drawing side complete) 347
Side frame right / left 617
Side frame right / left(see drawing Side frame right) 243
Side frame right Side frame left (mirror image) 83, 113, 115, 125, 139
Side frame right(see drawing side frame light complete) 11
Side frame rightSide frame left (mirror image) 595, 599
Side quadrant 422 SRD L 371
Side quadrant 422 SRD R 369
Side quadrant 910 575
Side quadrant 910A Left 569
Side quadrant 910A Right 567
Side quadrant 910B Left 573
Side quadrant 910B Right 571
Side quadrant Aluminium door prof. L 379
Side quadrant Aluminium door prof. R 377
Side quadrant Aluminium door profile 389
Side quadrant door profile L 373
Side quadrant door profile R 375
Side quadrant door profile SRD L 383
Side quadrant door profile SRD R 381

Index

Side quadrant from -94.w36 Left 509
Side quadrant from -94.w36 Right 507
Side quadrant L Aluminium 385
Side quadrant Left 367
Side quadrant Left/Right 515
Side quadrant R Aluminium 387
Side quadrant Right 365
Side quadrant SRD Left 513
Side quadrant SRD Right 511
Side quadrant to-94.w35 Left 505
Side quadrant to-94.w35 Right 503
Sideframe LH 331, 341
Sideframe RH 329, 341
Springs, balancing system 433, 561
Steel cable, balancingsystem 431, 559

T

Tensioner 435
Top roll 489, 529
Top roll / curtain 177, 189, 283, 295, 307, 319
Top roll / Top roll seal 577
Top roll > 5,5 527
Top roll Nomadrive 405
Top roll Ovitor 403
Top roll seal 411
Top roll with curtain 15, 31, 71, 199, 211, 245, 259, 271, 351
Top roll with end bosses Nomadrive 409
Top roll with end bosses Ovitor 407
Toproll with curtain 53, 333, 342, 465
Torque arm, damper 439
Traffic lights / flashing lights 235

W

Wind reinforcement 549
Windbar 479
Windreinforcement 585, 587, 589

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
97-8160-00	Cable pit lcd 96 pvc	0.00						373, 375, 381
D00-0903-25	Brake disc with lining	145.89						447, 449, 555, 557
D00-0904-25	Brake disc 744 id=20	114.09						447, 555
D00-0905-25	Brake disc 75* id=25	36.91						449, 557
D00-2462-25	Brake plate for Ovitor size 8	146.13						299, 311
D00-9125-01	Crank 1.0m Bonfiglioli	80.91						289, 301, 313, 327
D00-9125-02	Crank 1.5m Bonfiglioli	87.76						289, 301, 313, 327
D00-9125-03	Crank 2.0m Bonfiglioli	94.95						289, 301, 313, 327
D00-9125-04	Crank 0.5m Bonfiglioli	73.41						289, 301, 313, 327
D00-9210-25	Gear box Tvraj 8 xb14/80	2112.62						299, 311
D00-9230-25	Gear box Tvraj 8 xb14/80	2084.60						299, 311
D00-9235-25	Gear box Tvraj 5 xb14/80	1943.49						287, 299, 311
D00-9302-01	Cable joint flat for 2.3mm	2.49						441, 563
D00-9311-25	Disconnection handle 50mm	20.84						443, 553, 591
D03-0052-25	Hub for puls transducer disc	10.30						443, 445, 553, 591
D03-0067-25	Puls transducter board 88-22	173.80						443, 553, 591
D03-0070-25	Cover upper cast housing	15.64						443, 553, 591
D03-0084-25	Key 4x4x12 brake	1.20						443, 553, 591
D03-0095-25	Coupling bowex j19 19/19	117.29						323, 443, 553
D03-0097-25	Coupling bowex j19 19/19	252.89						553, 591
D03-0101-25	Gasket inspectionplate	1.21						443, 553, 591
D03-0102-25	Gasket upper cover	5.52						443, 553, 591
D03-0103-25	Gasket gear	12.88						443, 553, 591
D03-0104-25	Inspectionplate	10.30						443, 553, 591
D03-0110-25	Gaiters	7.60						443, 553
D03-0119-25	Distance piece 8,2x18x15 ACS 70	0.88						609
D03-0120-25	Brake rectifier	130.43						237
D03-0124-25	Microswitch Burges v4nt7y2	39.28						443, 553, 591
D03-0125-25	Plastic cover: ikpt 4042 grey	1.62						591
D03-0132-25	Brake 14 nm 5ue010252s11cb	367.64						323, 443, 553
D03-0133-25	Brake 14Nm 24VDC	504.98						323
D03-0702-25	Motor t80 1.10 kw 220-240v bf	269.47						323, 443, 553
D03-0703-25	Motor 1.5 kw 220-240v	824.54						591
D03-0704-25	Motor 1.5 kw 220/380v without	430.41						553
D03-9001-25	Gearbox Swedrive standard	737.94						323, 443, 553
D03-9001-XX	Gearbox ACS 70 comp. with	1286.11						443, 553
D03-9002-25	Worm gear. (swedrive)	737.94						553
D03-9010-25	Swedrive wormgear fo75co	2543.80						591
D08-8717-12	Terminal circuit board 'new'	655.72						236
D08-8719-00	LCD-Display 88-14	432.91						236
D08-8719-01	LCD display rear 88-34 Inside	502.48						236
D08-8726-31	Control system 30 a - 485	1813.81						236
D08-8730-00	Photocell card 88-17	301.14						237
D08-8731-00	Relay circuit board 88-16	147.78						237
D08-8732-00	Declutch memory 88-15	201.86						237
D08-8756-99	UPS Beolux 1100W/SQI-RIT	2904.34						238
D08-8788-05	E-prom 910 2001-03-28-2	73.93						591
D08-8811-00	A-pos. card ACS30	144.06						236
D08-8811-01	A-pos card with cable	0.00						236
D28-6804-01	Tension spring f.break release	17.97						443, 553
D3201V0003	Inductive sensor for	248.01						323
D3201V0006	Pulse transducer disc with hub	57.31						445, 553, 591
D3202V0001	Drive unit ACS 50 0.75kW	1887.69						323
D3203V0002	Drive unit cpl Becker	1566.31						299
D32-4887-XX	Motor cover Mini RH	446.81						21, 301
D32-4888-XX	Motor cover Mini LH	446.81						21, 301
D32-9310-XX	Drive unit 1.1 kW gear box	2497.23						299, 311
D32-9315-XX	Drive unit 1.1 kW gear box	2276.35						287, 299, 311
D32-9320-XX	Drive unit 1.1 kW gear box	2395.49						299, 311
D32-9325-XX	Drive unit 1.1 kW gear box	2200.40						287, 299, 311
D32-9328-XX	Torque arm drive unit size 5	239.73						287, 299, 311
D3301VG002 459	Top roll complete with cable	815.99						577
D3322VG001 439	Side quadrant L Aluminium	369.27						385
D3322VG002 439	Side quadrant R Aluminium	369.27						387
D3322VG003 439	Side quadrant Alu.Door profile	138.6						389
D3322VG016 439	Side quadrant 910 B compl. RH	1099.09						571
D3322VG017 439	Side quadrant 910 B compl. LH	1097.07						573
D3322VG018 439	Side quadrant door 910 B LH	240.58						575
D3322VG019 439	Side quadrant door 910 B RH	240.58						575
D3341V0001	Wheel for windreinforce. 910	181.77						589
D3341V0002	Wheel for windreinforce. 910	208.88						589
D3341V0003	Endpiece 910 diam. 98 complete	404.32						589

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D3341V0004	Endpiece 910 diam. 110 compl.	464.13						• 589
D3401VG001 077	Curtain NomaTex	0.00						437
D3401VG001 078	Curtain PVC	0.00						437, 563
D3401VG001 079	Behang RollTex ohne Fenster	0.00						593
D3401VG001 080	Group RollTex Original without	0.00						437, 563
D3401VG001 081	RollTex-Plus without window	0.00						437, 563
D3401VG001 082	Curtain RollTex flameproof	0.00						437, 563, 593
D3401VG001 083	Curtain NomaTex	0.00						437, 563
D3401VG001 084	Curtain PVC	0.00						437, 563
D3401VG001 085	Curtain RollTex Original	0.00						437, 563, 593
D3401VG001 086	Curtain RollTex Original	0.00						437, 563
D3401VG001 087	Curtain RollTex Original	0.00						437, 563
D3401VG001 088	RollTex-Plus without window	0.00						437, 563
D3401VG001 089	Curtain RollTex Original	0.00						437, 563
D3401VG001 618	Vision area for doorblade	0.00						437, 563
D3401VG001 621	Window vertical/horizontal	0.00						437, 563
D3401VG001 623	Window vertical/horizontal	0.00						437, 563
D3401VG001 627	Window anti UV	0.00						437, 563
D3401VG001	Door blade complete	0.00						• 437, 563, 593
D4004VG001 459	Safety edge fabric with	.38.34						• 415, 533, 581
D4021RG001 459	Sealinglamella L	.29.23						• 117
D4050R0016	Intermediate plates blue	7.46						• 465
D4050R0017	Intermediate plates red	7.46						• 465
D4050R0042	Intermediate plates blue	7.46						• 333, 343
D4050R0043	Intermediate plates red	7.46						• 333, 343
D4050R0055	PVC-Rope 8mm red 50m	62.20						• 239
D4050R0057	Buffer pre-running safety beam	5.91						• 179, 191
D4050R0058	PVC stripe f. strip lower edge	140.42						• 239
D4050RG013 439	Cover strip yellow	.14.08						• 291, 293, 303, 305
D4050RG014 439	Cover strip wide yellow	.15.8						• 279, 281, 291, 293, 303, 305, 315, 317
D4050RG016 181	Strip yellow/red	.3.44						• 385, 387, 389, 507, 509, 511, 513, 515
D4050RG017 181	Safety edge fabric yellow/red	.12.94						• 415, 417, 419, 421, 423, 531, 533, 535, 537, 539, 541, 579,
				581,		611		
D4050RG021	Sealing bottom beam	0.00						• 617
D4101R0017	Sealing top lamella type 2	6.55						• 91
D4101R0034	Sealing top lamella type 1	68.35						• 88, 91, 103, 111, 117, 130, 143, 147, 601
D4101V0009	Cover PC for cable chain	9.72						• 481, 485
D4101V0010	Cover PC for cable chain	8.13						• 481, 485
D4102R0003	Cap	2.57						• 23, 27
D4102RG001 181	Plastic tube	.9.41						• 425, 543
D4102RG002 181	Plastic tube	.Price on request						• 415, 417, 421, 423, 533, 535, 537, 539, 541, 579, 581, 611
D4102RG003 181	Pvc hose 1.5 mm	.11.63						• 415, 419, 423, 533, 537, 541, 579
D4102RG004 232	Window pane	.14.18						• 163
D4102RG005 232	Hinge profile	.20.95						• 163, 165
D4121R0024	Bell mouth back	21.88						• 67, 69
D4121R0025	Bell mouth Segment door blade	39.02						• 67, 69
D4121R0032	Sliding rail 3000 mm long	32.03						• 67, 69
D4121R0033	Distance spacer	10.89						• 67, 69
D4121R0039	PVC-washer	7.36						• 17, 33, 261, 273, 297
D4121R0209	Cap finished	6.25						• 7, 9, 255, 257, 267, 269
D4121R0210	Damper	2.18						• 38, 181
D4121R0222	Cover black	6.37						• 21, 41, 183, 193, 251, 289, 327
D4121R0225	Slider	6.00						• 163, 165
D4121R0228	Cable support chain 01	1.15						• 419, 425, 531, 537, 543, 611
D4121R0253	Sliding part complete for	36.06						• 33
D4121R0257	Actuator for switch	10.59						• 285, 309
D4121R0258	Sliding part	3.76						• 285
D4121R0264	Sliding guide SRD 330	31.21						• 321
D4121R0299	Flat belt L=6000	120.38						• 88, 117, 130, 601
D4121R0302	Sliding part complete for	47.10						• 33
D4121R0314	Sealing rubber profile to	79.86						• 17, 33, 285, 297, 309
D4121R0320	Clip	1.20						• 173, 175, 185, 187, 279, 281, 609
D4121R0335	Sliding rail L=3000	78.82						• 84, 101, 115, 126, 140, 160, 599
D4121R0336	Sleeve stopper	13.25						• 126
D4121R0385	Seal plug	2.22						• 243
D4121R0387	Bell mouth, front	63.56						• 481
D4121R0388	Bell mouth, front	63.56						• 485
D4121R0389	Bell mouth, back	50.42						• 481
D4121R0390	Bell mouth, back	36.06						• 485
D4121R0391	Bell mouth RH Plast door blade	34.62						• 67
D4121R0392	Bell mouth LH Plast door blade	34.62						• 69

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4121R0398	Isolation L=1000	4.32						• 147
D4121R0428	Bell mouth AL	8.82						• 24, 28, 173, 175, 185, 187, 207, 209
D4121R0429	Chain adjuster chain drive	38.50						• 181
D4121R0436	Bell mouth rear right	51.82						• 453
D4121R0437	Bell mouth rear left	51.82						• 459
D4121R0438	Bell mouth front right	51.82						• 453
D4121R0439	Bell mouth front left	51.82						• 459
D4121R0454	Flat belt P100 L=3600	95.34						• 103, 163, 165
D4121R0456	Windbreak tab cpl. screwed	18.08						• 219
D4121R0458	Strap black L=3100	52.68						• 160
D4121R0459	Flat belt 20mm F20HP	25.45						• 219
D4121R0461	Sliding part safety edge	112.40						• 201
D4121R0462	Sliding part prerunning RH	148.28						• 201
D4121R0466	Sliding part prerunning RH	141.11						• 213
D4121R0467	Sliding part prerunning LH	141.11						• 213
D4121R0468	Guiding photocell	73.37						• 201
D4121R0469	Sliding part prerunning LH	148.28						• 201
D4121R0475	Sealing	45.31						• 205
D4121R0478	Plate activator	42.33						• 195, 197
D4121R0483	Sliding part safety edge	166.63						• 213
D4121R0494	Sliding part prerunning	137.84						• 213
D4121R0500	Slider for weight	18.27						• 207, 209
D4121R0515	Sliding part crash	115.65						• 17, 33
D4121R0518	Sliding part complete for	114.38						• 33
D4121R0522	Sliding part long	66.38						• 253
D4121R0523	Sliding part (finger guard)	12.90						• 179
D4121R0543	Sliding block coiling piece 2	25.76						• 103
D4121R0583	Finger protection	13.17						• 191
D4121RG026 232	Brush strip MINK 0.2/31 mm PA6	56.94						• 365, 367, 369, 371, 373, 375, 381, 383, 385, 387, 391, 503, 505, 507, 509, 511, 513, 515, 567, 569, 571, 573, 575, 609
D4121RG028 181	Brush strip statstrip	.62						• 413
D4121RG029 181	Velcro tape 01 hook 25mm	11.63						• 415, 417, 419, 421, 423, 531, 533, 535, 537, 539, 541, 579, 581
D4121RG030 181	Velcro tape 01 w=25	11.63						• 415, 417, 419, 421, 423, 531, 533, 535, 537, 539, 541, 579, 581
D4121RG034 232	PVC cover profile	52.58						• 147
D4121V0004	Guide rail SRD PEHD (Machined)	157.85						• 423, 541
D4121V0006	Sliding guide 330	37.85						• 321
D4121V0007	Decoration strip yellow for	33.12						• 315, 317
D4121V0012	Sliding part cpl for	14.36						• 17, 261, 273, 285, 297, 309
D4121V0013	Sliding part cpl for	19.73						• 17, 261, 273, 297
D4121V0014	Cover for side frame	7.96						• 173, 175, 185, 187, 279, 281, 303, 305
D4121V0015	Guide/wire attachm. POM grey	5.89						• 415, 423, 533, 539, 541
D4121V0018	Sliding part complete for Mini	72.54						• 17, 247, 253, 297
D4121V0021	Cable pulley with 2 bearings	27.68						• 365, 367, 369, 371, 385, 387, 391, 435, 481, 485, 497, 503, 505, 507, 509, 511, 513, 561, 567, 569, 571, 573, 593
D4121V0033	Sliding part break-away, right.	115.60						• 501
D4121V0034	Sliding part break-away, left	115.60						• 501
D4121V0036	Rubber damper	2.49						• 501
D4121V0037	Sliding bar pre-run/break-away	32.35						• 501
D42-1571-95	Bracket cable chain 420 door	7.15						• 417, 419, 425, 531, 535, 537, 541, 543
D42-1572-95	Shock absorber sts 420 door	27.69						• 419, 425, 441, 531, 537, 543, 563
D42-4000-PC 439	Side quadrant cmpl. RH	462.67						• 365
D42-4001-PC 439	Side quadrant cmpl.	462.67						• 367
D42-4005-PC 439	Side quadrant 422 SRD cmpl.RH	472.8						• 369
D42-4006-PC 439	Side quadrant 422 SRD cmpl.LH	472.8						• 371
D42-4099-PC 439	Side quadrant door profile LH	107.22						• 373
D42-4100-PC 439	Side quadrant door profile RH	107.22						• 375
D42-4101-PC 439	Side quadrant Alu.door prof.RH	186						• 377
D42-4102-PC 439	Side quadrant Alu.door prof.LH	186						• 379
D42-4105-PC 439	Side quad. door prof. R SRD	130.6						• 381
D42-4106-95	Hinge 420 door RH	8.60						• 365, 369, 375, 377, 381, 387, 389, 609
D42-4106-PC 439	Side quadrant door prof.SRD LH	130.6						• 383
D42-4107-95	Hinge 420 LH	8.60						• 367, 371, 373, 379, 383, 385, 389, 609
D42-4202-PC 439	Frame profile pre-drilled	140.72						• 391
D42-4417-PC 459	Antistatic strip+positive stop	187.29						• 413
D42-4500-00	Bottom plate mod 2000 RH	134.73						• 365, 369, 387, 391
D42-4500-XX	Bottom plate with brackets R	209.68						• 391
D42-4501-00	Bottom plate mod 2000 LH	134.73						• 367, 371, 385, 391
D42-4501-XX	Bottom plate with brackets LH	209.68						• 391
D42-4510-00	Locking bracket f.bottom plate	13.62						• 365, 367, 369, 371, 385, 387, 391
D42-4515-99	Pulley wheel bracket on	55.77						• 369, 371, 391, 511, 513, 515

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D42-4610-95	Wall bracket RH	173.80						• 365, 369, 387
D42-4611-95	Wall bracket LH	173.80						• 367, 371, 385
D42-4632-XX	Upper pulley bracket complete	72.60						• 391
D42-4638-95	Door stop	21.78						• 365, 367, 369, 371, 385, 387, 391
D42-4704-95	Bearing bracket	117.41						• 365, 367, 369, 371, 385, 387
D42-4706-95	Square washer bearing bracket	5.53						• 365, 367, 369, 371, 385, 387
D42-4978-PC 459	Fascia front cpl. Ovitor	208.23						• 451
D42-4979-PC 459	Fascia front cpl. Nomadrive	204.19						• 451
D42-4980-PC 459	Hood top cpl. Ovitor	347.88						• 451
D42-4985-PC 459	Hood top cpl. Nomadrive	335.74						• 451
D42-6413-00	Bracket / photocell door-line	21.58						• 365, 367, 369, 371, 373, 375, 377, 379, 381, 383, 385, 387,
				389				
D4399006	Distance pipe L=31	1.49						• 232
D4399007	Distance pipe L=62	1.31						• 232
D4399016	Dummy plug	6.42						• 232
D4399299	Belt roller for counterbalance	72.59						• 333, 343
D4399306	Guide profil	12.79						• 55, 57
D4399394	Belt roller curtain tension	22.45						• 329, 331, 341, 342
D4399399	Bellmouth RH	11.92						• 329, 331, 341, 342
D4399400	Bellmouth LH	12.17						• 329, 331, 341, 342
D4399424	Sliding guidance LH/RH	26.86						• 467
D4399435	Pulley	84.83						• 333, 343
D4399460	Pulley	17.36						• 329, 331
D4399537	Sliding piece	64.59						• 55
D4401R0035	Foam sealing L=1000	14.12						• 195, 197, 205
D4402070 459	Rubber profile	46.2						• 467
D4402R0082	Rubber damper	3.62						• 173, 175, 185, 187, 207, 209, 279, 281
D4402R0103	Rubber cable L=500	25.96						• 163, 165
D4402R0107	Dampener 2 for disks L=6000mm	76.40						• 93, 103, 105, 119, 133, 151, 153, 167, 603
D4402RG004 233	1050mm width	0.00						• 238
D4402RG004 242	150mm width	0.00						• 238
D4402RG004 245	250mm width	0.00						• 238
D4402RG004 251	400mm width	0.00						• 238
D4402RG004	Silicone free PVC-material top	0.00						• 238
D4402RG005 459	Lamella sealing	9.6						• 88, 91, 130, 143, 601
D4402RG006 459	Bottom rubber profile	36.1						• 88, 91, 117, 130, 143, 147, 601
D4402RG007 232	Foam seal 20x20mm	43.39						• 365, 367, 369, 371, 385, 387, 451, 503, 505, 507, 509, 511,
				513,		565,		567, 569, 571, 573
D4402RG008 181	Rubber mat 250 t=3 neopren	28.22						• 451, 565
D4402RG009 232	Rubber sealing L=1000	39.66						• 165, 195, 197, 205, 365, 367, 369, 371, 373, 375, 377, 379,
				381,		383,		385, 387, 389, 567, 569, 571, 573, 575
D4402RG012 459	Lamella sealing ISO	8.73						• 147
D4402RG013 459	Lamella sealing 1 + 2	11.53						• 103
D4421022 459	Rubber profile elongated	69.89						• 467
D4421r0034	Damper	2.75						• 55
D4421R0038	Damper	6.00						• 38, 325
D4421R0042	Header black	6.62						• 219
D4421R0054	Rubber bumper	48.58						• 207, 209
D4421RG013 459	Rubber profile cut-to-size	35.39						• 57, 179, 191, 201, 247, 335, 343
D4421RG014 459	Rubber profile pre-running	69.89						• 57, 191, 335, 343
D4421RG016 459	Rubber profile extended	69.87						• 88, 91, 117, 130, 143, 147, 601
D4421RG036 459	Rubber profile with integrated	91.01						• 33, 163, 165, 179, 191, 201, 247, 261, 273, 285, 297, 309,
				321,		423,		493, 495, 541, 581
D4421RG037 459	Rubber profile with integrated	105.27						• 33, 163, 165, 179, 191, 261, 273, 297, 321
D4421RG038 439	Rubber cord MSO/ASO	60.76						• 315, 317
D4421RG039 439	Rubber cord	23.65						• 321
D4421RG041 181	Rubberrope d=11, cut to size	8.2						• 238
D4421RG043 459	Rubber profile with integrated	91.01						• 88, 91, 117, 130, 143, 337, 343
D4421RG044 459	Rubber profile elongated	105.29						• 88, 91, 117, 130, 143, 337, 343
D4421RG046 181	Rubber profile new type	69.04						• 415, 417, 419, 421, 423, 531, 533, 535, 537, 539, 541, 579,
				581				
D4421RG047 459	Bottom sealing profile	33.09						• 103, 163
D4421RG048 459	Rubber profile with	111.23						• 321
D4421V0007	Rubber bushing d=13.5	1.20						• 495
D4421V0008	End piece for catcher arm 910	68.58						• 549, 585
D4421V0009	Rubber, bottom beam stop	4.28						• 497
D4507R0088	Bracket damper	17.31						• 279, 281
D4507R0089	Bracket Telemecanique switch	10.38						• 279, 281, 303, 305
D4521172	Bracket belt-rope	9.87						• 455, 461
D4521224 181	Pipe 1"	28.23						• 232
D4521549	Drive shaft	118.08						• 361
D4521551	Motorbracket RH	107.87						• 63

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4521554	Shaft	63.80						• 63
D4521564	Motorbracket LH	107.87						• 63
D4521778	Bracket motor cover	14.21						• 65
D4521R0010	Cover chain RH	35.76						• 473
D4521R0011	Cover chain LH	78.18						• 473
D4521R0016	Drive shaft	54.54						• 473
D4521R0034	Adapter	42.55						• 59
D4521R0054	Motorbracket RH	257.03						• 473
D4521R0055	Motorbracket LH	257.03						• 473
D4521R0116	Bottom plate RH	16.17						• 11, 173, 185, 255, 279, 303
D4521R0117	Bottom plate LH	16.17						• 13, 175, 187, 257, 281, 305
D4521R0133	Weight	48.21						• 17, 33
D4521R0150	Upper cover for standard drive	51.94						• 67, 69
D4521R0162	Bracket, bearing attachment	17.42						• 71
D4521R0167	Bracket RH	34.11						• 81
D4521R0168	Bracket LH	34.11						• 81
D4521r0201	Bracket galv	9.20						233
D4521R0206	Shaft with sprocket	55.46						• 79, 499
D4521R0448	Chain wheel for limit box	55.46						• 499
D4521R0775	Bracket plate for limit box	6.84						• 499
D4521R0776	Torque arm	37.01						• 59, 77, 473
D4521R0817	Cover chain outside RH	40.56						• 79
D4521R0818	Cover chain inside RH	28.70						• 79
D4521R0819	Cover chain outside LH	40.56						• 79
D4521R0820	Cover chain inside LH	28.70						• 79
D4521R0833	Motorbracket LH	162.64						• 79
D4521R0834	Motorbracket RH	162.64						• 79
D4521R0837	Shaft with drive pinion	118.15						• 79
D4521R0845	Shaft 30mm non drive side	66.92						• 295, 307
D4521R0846	Shaft 30mm drive side GfA	75.00						• 295, 307
D4521R0850	Upper cover for chain drive	51.94						• 67
D4521R0851	Upper cover for chain drive	43.79						• 69
D4521R0906	Bracket for top roll cover	16.17						• 21, 183, 193, 251, 265, 289, 301, 313
D4521R0939	Spiral disk 2	146.69						• 93
D4521R0940	Spiral disk 1	109.25						• 93
D4521R0941	Winding plate	25.08						• 93, 119, 603
D4521R0943	Bracket pre running photocell	31.19						• 88, 91, 117, 130, 144
D4521R0953	Bracket belt	7.44						• 93, 119, 151, 153, 603
D4521R0957	Spring cover top	41.59						• 83, 113
D4521R0966	Clamping lug standard	3.37						• 88, 117, 130, 601
D4521R0968	Crank 1.0m GfA	37.02						• 19, 181, 193, 215, 289
D4521R0972	Spring cover bottom RH	81.95						• 83, 113
D4521R0973	Spring cover bottom LH	81.95						• 83, 113
D4521R0974	Spring cover bottom	81.95						• 83, 113
D4521R0981	Activator proximity switch	14.41						• 88, 91, 117, 130, 144, 147, 601
D4521R0982	Activator proximity switch	14.41						• 88, 91, 117, 130, 144, 147, 601
D4521R1023	Bracket pre running photocell	31.19						• 88, 91, 117, 130, 144
D4521R1027	Motorbracket	74.97						• 475
D4521R1028	Clamping lug adapter bottom	7.15						• 88, 91, 117, 130, 163, 165, 171, 601
D4521R1047	Spiral disk 3 RH	140.90						• 93, 603
D4521R1048	Spiral disk 3 LH	140.90						• 93, 603
D4521R1056	Stiffening	67.79						• 67, 69
D4521R1064	Bottomplate RH	64.68						• 83, 113
D4521R1065	Bottomplate LH	64.68						• 83, 113
D4521R1069	Connecting lug extension	6.67						• 88, 117
D4521R1081	Crank 0.7m GfA	25.41						• 19, 181, 193, 203, 215, 289, 301, 313
D4521R1090	Spring Suspension	26.53						• 84, 115, 140, 599
D4521R1091	Plate	2.49						• 55
D4521R1096	Motor plate	71.63						• 95, 107, 121, 155, 605
D4521R1099	Gusset cover bottom RH	135.53						• 83, 113
D4521R1100	Gusset cover bottom LH	135.53						• 83, 113
D4521R1101	Guide cover bottom RH	118.77						• 83, 113
D4521R1102	Guide cover bottom LH	118.77						• 83, 113
D4521R1129	Bracket for Top roll cover	10.89						• 21, 41
D4521R1140	Crank	35.76						• 19, 249
D4521R1141	Extension piece 1L, short	19.80						• 117
D4521R1142	Extension piece 2L, middle	22.00						• 117
D4521R1143	Extension piece 3L, long	23.25						• 117
D4521R1157	Spiral disk 1L	200.49						• 119
D4521R1158	Spiral disk 2L	210.43						• 119
D4521R1167	Bracket disc 3	10.53						• 93, 119, 133, 603
D4521R1179	Angel disc 1 cpl.	23.12						• 93, 119, 133

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4521R1183	Spiral disk 3L RH	88.17						119
D4521R1184	Spiral disk 3L LH	88.17						119
D4521R1189	Support sheet 500mm	21.42						117
D4521R1190	Support sheet 250mm	17.76						117
D4521R1195	Support plate belt	3.62						117
D4521R1201	Bracket limit switch galv.	7.98						23, 27
D4521R1202	Spring suspension galv.	14.41						23, 27
D4521R1203	Gusset plate side of driveunit	82.91						23, 27
D4521R1211	Bracket emergency lever galv.	20.09						24, 28
D4521R1222	RH bottom plate	17.31						23
D4521R1223	LH bottom plate galv.	17.31						27
D4521R1232	Guide cover bottom rh XL	118.25						595
D4521R1233	Guide cover bottom lh XL	118.25						595
D4521R1242	Spiral disk R1	24.26						133
D4521R1243	Spiral disk R2	34.63						133
D4521R1266	Spring Suspension	35.76						126
D4521R1271	Winding plate R	22.11						133
D4521R1280	Shaft 30mm drive side Ovitor	161.83						295, 307
D4521R1281	Crank with cardan joint GfA	133.70						19, 181, 193, 289
D4521R1290	Motor plate	61.27						135
D4521R1300	Shaft 20mm drive side Becker	268.38						295
D4521R1318	Spiral disk R3 LH	60.02						133
D4521R1319	Spiral disk R3 RH	60.02						133
D4521R1320	Bottomplate LH	51.24						125
D4521R1321	Bottomplate RH	51.24						125
D4521R1323	Stiffener guiding cover	16.17						125
D4521R1326	Spring cover top	73.37						125
D4521R1327	Bracket proximity switch RH	20.76						159
D4521R1328	Bracket proximity switch LH	20.76						159
D4521R1335	Torque arm galv.	23.12						38
D4521R1360	Drive shaft with pinion	188.62						95, 109, 121, 155
D4521R1425	Crank 1.7m GfA	42.86						19, 181, 193, 215, 289
D4521R1426	Gusset plate non drive unit	22.91						23, 27
D4521R1477	Adapter short	4.46						163, 165
D4521R1488	Bracket motor cover LH	45.10						21, 41, 183, 193, 251, 289
D4521R1490	Torque Arm	38.04						95, 107, 121, 155, 605
D4521R1491	Bracket motor cover RH	45.10						21, 41, 183, 193, 251, 289
D4521R1495	Bracket motor cover RH	53.19						327
D4521R1496	Bracket motor cover LH	53.19						327
D4521R1501	Spiral disk 1	177.78						603
D4521R1502	Spiral disk 2	186.56						603
D4521R1523	Spiral disk	33.64						167
D4521R1524	Support disc	30.03						167
D4521R1526	Bottom plate	29.97						159
D4521R1535	Clamp plate	4.46						163, 165
D4521R1536	Wire lock 660/400 SRD	60.62						423, 541
D4521R1545	Torque Arm	30.41						169
D4521R1546	Spring Suspension	24.89						160
D4521R1547	Motor plate	40.93						169
D4521R1557	Adapter long	6.33						163, 165
D4521R1560	U-Bracket	21.13						167
D4521R1562	Bracket pre running photoc. LH	37.17						163, 165
D4521R1598	Shaft	67.09						181
D4521R1601	Spiral disk ISO 1a	69.41						153
D4521R1602	Spiral disk ISO 2	89.37						153
D4521R1603	Spiral disk ISO 3	122.87						153
D4521R1604	Spiral disk ISO 1b	72.57						153
D4521R1606	Spiral disk XXL 1a	91.76						151
D4521R1607	Spiral disk XXL 2	115.69						151
D4521R1608	Spiral disk XXL 3	115.60						151
D4521R1609	Spiral disk XXL 1b	84.57						151
D4521R1610	Winding plate	27.92						151
D4521R1611	Winding plate	27.92						151, 153
D4521R1612	Distance tube	66.19						151
D4521R1622	Bottomplate RH XXL	35.55						139
D4521R1623	Bottomplate LH XXL	35.55						139
D4521R1629	Bracket pre running photoc. RH	37.17						163, 165
D4521R1639	Bracket cover	5.60						159
D4521R1640	Activator Proxilimityswitch RH	10.45						163, 165
D4521R1641	Activator Proxilimityswitch LH	10.45						163, 165
D4521R1643	Bush	15.46						181
D4521R1645	Chain protection	5.89						181

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4521R1651	Wind shackle	5.39						• 143, 147
D4521R1652	Clamping lug standard	7.29						• 143, 147
D4521R1653	Extension piece 1 XXL	17.63						• 143, 147
D4521R1654	Extension piece 2 XXL	17.63						• 143, 147
D4521R1655	Extension piece 3 XXL	18.66						• 143, 147
D4521R1658	Bracket pre running photocell	20.83						• 147
D4521R1671	Spring cover top XXL	53.03						• 139
D4521R1682	Bracket photocell	5.81						• 173, 175, 185, 187
D4521R1683	Bracket cable chain	4.86						• 173, 175, 185, 187
D4521R1685	Bracket Telemecanique switch	13.70						• 173, 175, 185, 187
D4521R1686	Stiffening	14.72						• 173, 175, 185, 187
D4521R1690	Bracket pre running photocell	20.83						• 147
D4521R1697	Extension piece 1s, short	13.55						• 87
D4521R1698	Extension piece 2s, middle	14.72						• 87
D4521R1699	Extension piece 3s, long	15.82						• 87, 129
D4521R1701	Extension piece 1s R, short	19.14						• 129
D4521R1702	Extension piece 2s R, middle	17.80						• 129
D4521R1708	Gusset bottom cover rh XXL	160.25						• 139
D4521R1709	Gusset middle compl. XXL	165.83						• 139
D4521R1710	Bracket damper	10.08						• 173, 175, 185, 187
D4521R1801	Spiral disk 1a	58.88						• 93, 151
D4521R1802	Spiral disk 1b	54.54						• 151
D4521R1803	Spiral disk 2	73.82						• 93, 151
D4521R1804	Spiral disk 3	89.33						• 93, 151
D4521R1805	Extension piece 1 ISO	14.73						• 143, 147
D4521R1806	Spiral disk 1L	63.80						• 119
D4521R1807	Spiral disk 2L	67.21						• 119
D4521R1808	Spiral disk 3L	82.98						• 119
D4521R1829	Additional weight	55.43						• 218, 618
D4521R1848	Extension piece 1s XL	62.06						• 601
D4521R1852	Extension piece 2s XL	77.36						• 601
D4521R1853	Extension piece 3s XL	51.08						• 601
D4521R1859	Arm 450 compl. white RAL 9010	328.69						• 219
D4521R1860	Arm 900 compl. white RAL 9010	328.69						• 219
D4521R1861	Arm 1500 compl. white RAL 9010	328.69						• 219
D4521R1862	Arm 2400 compl. white RAL 9010	399.59						• 219
D4521R1863	Weight 480 mm cpl	340.94						• 218, 618
D4521R1864	Weight 620 mm cpl	361.57						• 218, 618
D4521R1867	Head plate drive side with	112.75						217
D4521R1872	Adapter for weight	62.50						217
D4521R1879	Head plate	39.67						217
D4521R1900	Bracket for cover	26.50						• 205
D4521R1901	Weight	95.75						• 201
D4521R1904	Spring suspension RH	30.70						• 23
D4521R1905	Wheel bracket curtain tension	16.19						• 24, 28
D4521R1912	Adapter GL 1a, short	29.75						• 91
D4521R1913	Adapter GL 2a, middle	29.04						• 91
D4521R1914	Adapter GL 3a, long	29.98						• 91
D4521R1915	Clamping lug Window lamella GL	5.53						• 88, 91, 130
D4521R1916	Adapter GL top	44.98						• 91
D4521R1920	Cap for top roll cover, drive	32.83						• 205
D4521R1921	Cap for top roll cover, drive	32.83						• 205
D4521R1926	Stiffener	23.25						• 24, 28
D4521R1932	Spring suspension LH	30.70						• 27
D4521R1935	Spring bracket	15.92						• 23, 27
D4521R1936	Bracket magnet	16.25						• 24, 28
D4521R1937	Bracket fall protection RH	30.12						• 33
D4521R1938	Bracket fall protection LH	30.12						• 33
D4521R1940	Arm 450 compl. white RAL 5010	328.69						• 219
D4521R1942	Arm 900 compl. white RAL 5010	328.69						• 219
D4521R1999	Extension piece W1, short	31.66						• 87, 129
D4521R2000	Extension piece W2, middle	23.56						• 87, 129
D4521R2001	Extension piece W3, long	31.21						• 87, 129
D4521R2057	Head plate	44.83						• 243
D4521R2058	Head plate chain drive RH	74.42						• 243
D4521R2059	Head plate chain drive	74.42						• 243
D4521R2065	X-level plate RH	39.59						• 160
D4521R2076	Motor cover steel RH / LH	0.00						• 251
D4521R2079	Bracket motor cover	38.34						• 251
D4521R2081	Bracket for Top roll cover	26.65						• 251
D4521R2082	Crank 2.4m GfA	54.39						• 19, 193
D4521R2089	X-level plate LH	39.59						• 160

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4521R2091	RH bottom plate	13.00						7
D4521R2092	LH bottom plate	13.00						9
D4521R2099	Crank 3,3m GfA	85.18						193
D4521R2173	Side frame cover 1 rh	111.46						99
D4521R2174	Side frame cover 1 lh	111.46						99
D4521R2175	Side frame cover 2 rh	111.46						99
D4521R2176	Side frame cover 2 lh	111.46						99
D4521R2177	Bottom plate	34.37						100
D4521R2179	Spring bracket 8	64.45						99
D4521R2180	Spring bracket 10	66.39						99
D4521R2185	Cover A spring box (top)	43.58						99
D4521R2186	Cover B spring box (top)	47.03						99
D4521R2204	Winding plate	39.16						105
D4521R2205	Spiral disk 1a	57.36						105
D4521R2206	Spiral disk 1b	57.36						105
D4521R2209	Bracket belt	6.89						105
D4521R2214	Clamping plate lamella 3	3.18						103
D4521R2221	Weight 340 mm cpl	272.62						218, 618
D4521R2240	Squared weight	0.00						17, 34
D4521R2309	Clamping plate shaft C	32.89						105
D4521R2332	Bracket light curtain	20.47						100
D4521R2371	Service bracket	13.47						101
D4521RG018	232 Lintel profile	.119.4						477
D4521RG081	232 Middelprofile for RH front	.160.73						67
D4521RG082	232 Middelprofile for LH front	.160.73						69
D4521RG104	232 Lintel profile	.201.16						97, 137
D4521RG109	232 Spring cover middle	.105.24						83, 113
D4521RG111	232 Spring cover bottom (side of	.116.36						83, 113
D4521RG113	232 Spring cover bottom RH (side	.116.36						83, 113
D4521RG115	232 Spring cover bottom LH (side	.116.36						83, 113
D4521RG118	459 Top roll cover straight Steel	.68.74						21
D4521RG124	439 Sideframe	.99.15						7, 9
D4521RG134	232 Middelprofile for RH support	.124.34						67
D4521RG135	232 Middelprofile for LH support	.124.34						69
D4521RG140	232 RH Catching device	.65.34						67
D4521RG142	232 LH Catching device	.50.68						69
D4521RG149	232 Gusset cover top RH	.121.3						83, 113
D4521RG150	232 Gusset cover top LH	.121.3						83, 113
D4521RG151	232 Guide cover top RH	.155.67						83, 113
D4521RG152	232 Guide cover top LH	.155.67						83, 113
D4521RG159	232 Guide cover RH	.153.64						83, 113
D4521RG160	232 Guide cover LH	.153.64						83, 113
D4521RG163	232 Gusset cover RH	.121.48						83, 113
D4521RG164	232 Gusset cover LH	.121.3						83, 113
D4521RG166	439 Sideframe	.85.04						11
D4521RG167	439 Sideframe	.85.04						13
D4521RG170	232 Distance rod Steel	.76.86						21, 41, 289
D4521RG195	459 Top roll cover straight Steel	.90.97						41
D4521RG198	232 Guide cover top rh XL	.129.54						595
D4521RG199	232 Guide cover top lh XL	.129.54						595
D4521RG200	232 Guid cover back rh XL	.222.39						595
D4521RG201	232 Guid cover back lh XL	.222.39						595
D4521RG202	232 Guide cover 2 rh	.123.25						595
D4521RG203	232 Guide cover 2 lh	.123.25						595
D4521RG213	232 Spring cover bottom (side of	.166.8						125
D4521RG214	232 Spring cover RH (side of	.166.8						125
D4521RG215	232 Spring cover LH (side of unit)	.162.75						125
D4521RG217	439 Sideframe MCC MCS-FC (*)	.99.15						7, 9
D4521RG248	459 Top roll cover straight Steel	.90.97						41
D4521RG249	459 Top roll cover straight Steel	.90.97						41
D4521RG264	439 Spring cover galv.	.59.76						23, 27
D4521RG265	439 Profile galv. for spring cover	.105.17						23, 27
D4521RG274	459 Lintel profile	.54.08						501
D4521RG275	232 Spring cover middle 2	.98.14						139, 599
D4521RG276	232 Spring cover middle 2 RH	.98.14						139, 599
D4521RG277	232 Spring cover middle 2 LH	.98.14						139, 599
D4521RG282	232 Cover RH	.141.32						159
D4521RG283	232 Cover LH	.141.32						159
D4521RG284	232 Lintel profile	.115.24						171
D4521RG297	232 Lintel profile	.183.97						157
D4521RG299	459 Top roll cover straight Steel	.72.05						41
D4521RG301	232 Gusset top cover rh XXL	.71.51						139

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4521RG302	232 .... Gusset top cover lh XXL	71.51						• 139
D4521RG318	459 .... Sealing plate for drive side	84.91						• 205
D4521RG319	459 .... Sealing plate for drive side	84.91						• 205
D4521RG337	459 .... Half profile for bottom prof	36.29						• 201
D4521RG338	459 .... Sealing plate ACS50	84.91						• 205
D4521RG342	439 .... RH side frame cover	98.05						• 195
D4521RG343	439 .... LH side frame cover	98.05						• 197
D4521RG379	439 .... Sideframe RH/LH	91.08						• 243
D4521RG380	459 .... Top roll cover Steel	95.16						• 251
D4521RG381	459 .... Top roll cover chain drive ST	95.16						• 251
D4521RG403	232 .... Side frame cover 3 rh	130.77						• 99
D4521RG404	232 .... Side frame cover 3 lh	130.77						• 99
D4521RG415	232 .... Side frame cover 4 rh	130.77						• 99
D4521RG416	232 .... Side frame cover 4 lh	130.77						• 99
D4521T0203	Stiffening ring	37.43						• 603
D4521T0206	Spring cover bottom XXL	103.72						• 139, 595
D4521T0207	Spring cover bottom RH XXL	103.72						• 139, 595
D4521T0208	Spring cover bottom LH XXL	103.72						• 139, 595
D4521T0209	Spring cover top XL	62.62						• 595
D4521T0212	Spring Suspension extended	17.37						• 599
D4521T0214	Bracket pre running photocell	39.68						• 601
D4521T0215	Bracket pre running photocell	39.68						• 601
D4521T0229	U-Bracket	175.04						• 603
D4521T0230	Washer disc fastening	16.49						• 603
D4521T0247	232 .... Gusset bottom cover rh	105.2						• 595
D4521T0248	232 .... Gusset bottom cover lh	105.2						• 595
D4521T0256	Spring Suspension XL	55.43						• 140
D4521T0257	Bottomplate RH	330.94						• 595
D4521T0258	Bottomplate LH	330.94						• 595
D4521TG007	232 .... Spring cover middle XL	128.37						• 595
D4521TG008	232 .... Gusset top cover rh	134.25						• 595
D4521TG009	232 .... Gusset top cover lh	134.25						• 595
D4521V0009	Bearing bracket diam. 273	107.87						• 567, 569
D4521V0010	Stub axle 45 motor side 910	619.25						• 577
D4521V0011	Stub axle 45 nondrive side 910	378.80						• 577
D4521V0015	Head plate non drive side LH	60.60						• 9, 175, 281
D4521V0016	Head plate non drive side RH	60.60						• 7, 173, 279
D4521V0104	Shaft 28mm drive side Ovitor	160.18						• 295, 307
D4521V0107	Bracket crank switch	3.45						• 287, 299, 311, 323
D4521V0117	Torque arm Becker	106.03						• 299
D4521V0127	Locking bracket FO75	54.38						• 591
D4521V0128	Friction plate FO75	33.50						• 591
D4521V0129	Bracket 1-1,7m galv	148.28						• 233
D4521V0130	Bracket 2-3,5m galv	224.82						• 233
D4521V0136	Catcher arm	55.43						• 549
D4521V0137	Catcher arm 910	77.48						• 585
D4521V0144	Weight low bottom beam profile	51.16						• 33
D4521V0150	Bottom fixation, right	138.72						• 481
D4521V0151	Bottom fixation, left	138.72						• 485
D4521V0153	Bottom beam stop without	58.82						• 497
D4521V0154	Wall bracket, right	187.34						• 481
D4521V0155	Side frame stiffner, right	42.72						• 481
D4521V0157	Bracket display box MCC	32.01						• 482, 486
D4521V0159	Wheel bracket	26.53						• 482, 486
D4521V0163	Bottom beam stop without	58.82						• 497
D4521V0187	Wall bracket, left	187.34						• 485
D4521V0188	Side frame stiffner, left	42.72						• 485
D4521V0191	Release angle	9.35						• 482, 486
D4521V0199	Side cover	11.49						• 501
D4521V0235	Complete lock	19.88						• 481, 485
D4521V0236	Complete lock with handle	23.12						• 481, 485
D4521V0237	Lock bar 2.3 m	0.00						• 481, 485
D4521V0238	Lock bar 3.5 m	18.46						• 481, 485
D4521V0242	Bracket display box wall MCC	7.83						• 482, 486
D4521V0247	Middle support, top roll cover	13.91						• 501
D4521V0254	Lock for motor cover	5.38						• 482, 486
D4521V0261	Bracket proximity switch	16.17						• 482, 486, 495
D4521V0298	Photocell bracket	5.60						• 481, 485
D4521V0302	Lock bar 1.8 m	11.92						• 481, 485
D4601019	Pipe connector	22.08						• 232
D4603059	Activator for switch	30.47						• 337, 343
D4604430	Sliding part RH	61.40						• 335

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4604431	Sliding part LH	55.46						• 335
D4604432	Bracket cover profile	50.91						• 329, 331
D4604452	Activator for switch	18.64						• 337, 343
D4604498	Head plate LH	51.94						• 257
D4604499	Head plate RH	51.94						• 255
D4604519	Bracket cover profile	141.91						• 341
D4604529	Sliding part LH	141.11						• 343
D4604530	Sliding part RH	158.66						• 343
D4604538	Torque arm	271.06						• 263, 275
D4604562 459	Profile f. bottom profile va R	.100.23						• 273
D4604563 459	Profile f. bottom profile va	.100.23						• 273
D4604666 439	Sideframe	.120.53						• 267, 269
D4604690	Bracket pre-running photocell	21.88						• 57
D4604691	Bracket pre-running photocell	21.88						• 57
D4609080	Tappet down	21.88						• 57
D4610152	Spring curtain tension	52.47						• 329, 331, 341, 342
D4610183	Tension spring 8mm, L0=1594mm	184.63						• 45, 49
D4610186	Tension spring 8mm, L0=2034mm	208.33						• 45, 49
D4610R0001	Tension spring 8mm, L0=2750mm	468.37						• 45, 49
D4614120	U-Profile Cut	16.17						• 65
D4614144	RH bottom plate	62.31						• 347
D4614145	LH bottom plate	62.31						• 349
D4614207	RH bottom plate	123.43						• 347
D4614208	LH bottom plate	123.43						• 349
D4614304	Motor console	719.75						• 359
D4615015	Switch pin crash	11.92						• 469
D4615023	Switch pin	13.18						• 55, 57
D4615027 181	Slide rail cut to size	.47.36						• 232
D4621090	Motor console	273.53						• 359
D4621230 459	Profile f. bottom profile va L	.100.23						• 273
D4621r0011	Bracket inox	18.46						233
D4621R0280	RH bottom plate	28.19						• 7, 267
D4621R0281	LH bottom plate	28.19						• 9, 269
D4621R0286	RH head plate drive side	119.58						• 7, 195
D4621R0287	LH head plate drive side	123.41						• 9, 197
D4621R0305	Bracket for Top roll cover	33.74						• 21, 277
D4621R0312	Sidecover drive LH	51.68						• 41
D4621R0313	Sidecover drive RH	51.68						• 41
D4621R0329	Locking disk	7.15						• 57, 501
D4621R0359	Gusset plate non drive unit	67.82						• 23, 27
D4621R0362	Spring suspension va	20.84						• 23, 27
D4621R0368	Bracket emergency lever va	34.67						• 24, 28
D4621R0378	RH bottom plate	34.63						• 23
D4621R0379	LH bottom plate va	34.63						• 27
D4621R0380	Bracket limit switch va	9.40						• 23, 27
D4621R0410	Torque arm va	38.86						• 38
D4621R0411	Gusset plate side of driveunit	140.94						• 23, 27
D4621R0445	Spring suspension RH	31.93						• 23
D4621R0446	Spring suspension LH	45.64						• 27
D4621R0456	Bracket motor cover RH	122.87						• 21, 41
D4621R0457	Bracket motor cover LH	122.87						• 21, 41
D4621R0477	Holding bracket for stroke	18.66						• 24, 28
D4621R0478	Bracket fall protection RH	32.03						• 33
D4621R0479	Bracket fall protection LH	32.03						• 33
D4621R0483	Bracket pre-running safetybeam	20.02						• 179, 191
D4621R0484	Bracket Schmersal switch	13.32						• 173, 175, 185, 187
D4621R0485	Bracket magnet	12.06						• 179, 191
D4621R0486	Distance plate pre-running	10.90						• 179, 191
D4621R0490	RH bottom plate	24.52						• 195
D4621R0491	LH bottom plate	24.52						• 197
D4621R0508	Stiffening	91.36						• 207, 209
D4621R0510	Stiffening complete	73.19						• 207, 209
D4621R0511	RH bottom plate	65.39						• 207
D4621R0512	LH bottom plate	65.39						• 209
D4621R0513	Cap for top roll cover drive	67.02						• 217
D4621R0514	Cap for top roll cover drive	67.02						• 217
D4621R0519	Head plate drive side LH/RH	140.07						• 207, 209
D4621R0520	Head plate non drive side LH/RH	98.35						• 207, 209
D4621R0534	Operating locking system	11.64						• 207, 209
D4621R0536	Level interlocking	22.38						• 207, 209
D4621R0552	Motor cover 6°, RH	420.43						• 205
D4621R0553	Motor cover 6°, LH	420.43						• 205

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4621R0554	Wall plate motor cover RH	108.50						• 205, 217
D4621R0555	Wall plate motor cover LH	108.50						• 205, 217
D4621R0558	Motor cover 6° RH	394.90						• 217
D4621R0559	Motor cover 6° LH	394.90						• 217
D4621R0560	Bracket laserscanner	33.50						• 235
D4621R0591	Sidecover, A2	41.22						• 24, 28
D4621R1881	Retaining plate for switch	0.00						• 173, 175
D4621RG010 439	Sideframe	133.7						• 7, 9
D4621RG014 232	Distance rod A2	101.13						• 21, 41, 289
D4621RG017 459	Top roll cover 30° drive RH	219.67						• 21, 277
D4621RG018 459	Top roll cover 30° drive LH	219.67						• 21, 277
D4621RG019 459	Top roll cover straight A2	142.61						• 21, 277
D4621RG136 459	Top roll cover 30° drive RH	149.59						• 41
D4621RG137 459	Top roll cover 30° drive LH	149.59						• 41
D4621RG138 459	Top roll cover straight A2 for	226.44						• 41
D4621RG140 439	Sideframe MCC MCS-FC (*)	133.7						• 7, 9
D4621RG152 459	Top roll cover straight A2 for	227.43						• 41
D4621RG153 459	Top roll cover straight A2 for	183.24						• 41
D4621RG168 439	Spring cover va	132.47						• 23, 27
D4621RG169 439	Profile inox, for spring cover	265.97						• 23, 27
D4621RG170 459	Top roll cover 30° drive RH	149.59						• 41
D4621RG171 459	Top roll cover 30° drive LH	149.59						• 41
D4621RG172 459	Top roll cover straight A2	137.35						• 41
D4621RG188 459	Half profile for bottom prof	54.27						• 201
D4621RG189 459	Half profile for bottomprofile	92.53						• 213
D4621RG190 459	Sealing sheet for lintel	39.67						• 205
D4621RG191 439	RH side frame cover	157.69						• 195
D4621RG192 439	LH side frame cover	157.69						• 197
D4621RG195 439	RH cover profile	161.02						• 207
D4621RG196 439	LH cover profile	161.02						• 209
D4621RG199 232	Distance profile	145.41						• 217
D4621RG205 439	RH cover profile easy open	161.02						• 207
D4621RG206 439	LH cover profile easy open	161.02						• 209
D4621RG226 246	Guide cable chain cpl.	91.97						• 207, 209
D4621RG226 252	Guide cable chain cpl.	124.86						• 207, 209
D4621V0023	Bracket magnet	21.88						• 285, 309
D4621V0024	Bracket Schmersal switch	21.42						• 279, 281, 303, 305
D4621V0025	Distance	6.25						• 279, 281, 303, 305
D4621V0034	Bracket 1-1,7m inox	331.75						• 233
D4621V0035	Bracket 2-3,5m inox	409.09						• 233
D4621v0037	Puls transducer disc 50 pulses	14.41						• 443, 445
D4701090	Bracket pre-running photocell	21.34						• 55
D4701093	Bracket pre-running photocell	21.34						• 55
D4701098 459	Bottom profile cut to size	81.9						• 467
D4701131	Belt pulley Ø40	79.00						• 465
D4701159 439	Profile for bottom profile RH	131.61						• 353
D4701160 439	Profile for bottom profile LH	131.45						• 355
D4701174 459	Bottom profile Alu	147.67						• 343
D4701182 459	Profile for bottom profile	81.92						• 261
D4701183 459	Bottom profile cut-to-size	102.14						• 335, 337
D4701185 439	Profile for bottom profile RH	136.58						• 353, 355
D4701195 459	Bottom profile cut to size	101.11						• 467
D4701214 459	Bottom profile cut to size	130.51						• 467
D4701215 459	Bottom profile cut to size	107.32						• 467
D4701226 459	Bottom profil cut to size	98.2						• 469
D4701230 459	Barrel raw	153.77						479
D4701253 439	Chamber profile RH	50.72						• 47
D4701256 439	Chamber profile LH	50.72						• 51
D4701263	Tappet top	34.63						• 57
D4701275 459	Bottom profile cut-to-size	86.06						• 55, 57
D4701278 459	Bottom profil cut to size	104.26						• 469
D4701298 459	U-Profile Cut	27.03						• 65
D4701R0224	Rope pulley d=50mm	78.79						• 71, 211
D4701R0228	Rope pulley d=130mm	82.97						• 71, 465
D4701R0229	Rope pulley d=125mm	95.41						• 71, 465
D4707R0041	Bracket photocell	9.65						• 279, 281, 291, 293, 303, 305
D4721046	Rope pulley Ø150	87.11						• 53
D4721063	Rope pulley Ø160	161.93						• 465
D4721103	Belt roller counterbalancing	43.86						• 455, 461
D4721113	Cover chain outside RH	82.00						• 63
D4721114	Cover chain outside LH	82.00						• 63
D4721115	Cover chain inside RH	52.78						• 63

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4721116	Cover chain inside LH	52.78						• 63
D4721R0003	Rope pulley d=65mm	127.59						• 71
D4721R0025	Sliding part inside for crash-	64.68						• 75
D4721R0026	Sliding part complete for	71.63						• 73
D4721R0038	Plate for Crash sensor	4.13						• 17, 33, 261, 273
D4721R0169	Clamp plate	10.79						• 117
D4721R0207	Center plate	8.82						• 119
D4721R0217	Guide rails	9.49						• 55
D4721R0228	Hinge profile L=50 mm AL	8.18						• 481, 485, 503, 505, 507, 509, 511, 513, 515
D4721R0270	Spacer cover counterbalance	0.00						• 617
D4721R0277	Sidecover	24.36						• 41
D4721R0281	End cap lamella ISO	9.19						• 147
D4721R0289	Rope pulley D=42	74.59						• 211
D4721R0291	Edge cover window C	19.27						• 88, 130
D4721R0293	Edge cover window a GL	16.59						• 91
D4721R0319	Coiling piece 1	14.20						• 103
D4721R0322	Sidecover	18.47						• 41
D4721R0324	End cap panel	17.74						• 103
D4721R0365	Sidecover	30.99						• 24, 28
D4721R0374	Belt roller counterbalancing	29.54						• 455, 461
D4721R0376	Bracket combined detector	80.61						• 218
D4721R0381	Coiling piece 2	7.16						• 103
D4721RG031	459 Bottom profile cut-to-size	.94.03						• 73
D4721RG032	459 Bottom profile cut-to-size	.105.29						• 75
D4721RG049	459 Top roll cover without bracket	.90						• 21, 183, 289, 301, 313
D4721RG050	439 Sideframe RH AL	.111.35						• 255, 291
D4721RG051	439 Sideframe LH AL	.125.46						• 257, 293
D4721RG056	232 Distance rod Alu	.128.43						• 21, 41, 183, 193, 289, 295, 307, 319
D4721RG057	459 Bottom beam pre-drilled	.83.05						• 17, 33, 179, 285, 297, 309
D4721RG058	439 Sideframe	.105.28						• 7, 291
D4721RG060	439 Sideframe	.105.28						• 9, 293
D4721RG069	459 Bottom beam pre-drilled 330	.81.9						• 17, 33, 297, 321
D4721RG102	232 Guide cable chain compl.	.82.89						• 84, 115, 126
D4721RG113	439 Frame profile pre-drilled 330	.154.79						• 315
D4721RG114	439 Frame profile pre-drilled 330	.154.79						• 317
D4721RG115	439 Cover profile side frame	.96.18						• 315
D4721RG116	439 Cover profile side frame	.93.13						• 317
D4721RG118	439 Frame profile for switch	.Price on request						• 303
D4721RG119	439 Frame profile for switch	.Price on request						• 305
D4721RG120	439 Frame profile pre-drilled 330	.154.79						• 315
D4721RG121	439 Frame profile pre-drilled 330	.154.79						• 317
D4721RG124	459 Bottom beam pre-drilled 330	.82						• 321
D4721RG126	439 Sideframe MCC MCS-FC (*)	.105.28						• 9
D4721RG127	439 Sideframe MCC MCS-FC (*)	.105.28						• 7
D4721RG147	439 Frame profile pre-drilled 330	.154.79						• 315
D4721RG148	439 Frame profile pre-drilled 330	.154.79						• 317
D4721RG151	439 Cover profile side frame	.96.18						• 315, 317
D4721RG152	439 Cover profile side frame	.96.18						• 315, 317
D4721RG168	459 Bottom profile pre-drilled	.148.58						• 493, 495
D4721RG171	439 Side frame profile inner RH	.58.52						• 481
D4721RG172	439 Side frame profile inner, left	.58.52						• 485
D4721RG173	439 Side frame profile side	.106.31						• 481
D4721RG174	439 Side frame profile side	.106.31						• 485
D4721RG180	181 Bracket for superseal d 45	.15.77						• 567, 569, 571, 573, 575
D4721RG181	181 Bracket f.superseal d.420 door	.12.86						• 365, 367, 369, 371, 373, 375, 381, 383, 385, 387, 391
D4721RG193	111 Back cover	0.00						171
D4721RG193	459 Back cover	0.00						171
D4721RG193	Back cover	0.00						171
D4721RG194	232 Frame profile ri pre-drilled	.123.51						• 173
D4721RG194	439 upcharge	.61.45						173
D4721RG195	232 Frame profile le pre-drilled	.123.51						• 175
D4721RG195	439 upcharge	.61.45						175
D4721RG196	439 Cover profile ri	.113.38						• 173
D4721RG197	439 Cover profile le	.113.38						• 175
D4721RG198	459 Top roll cover without bracket	.104.68						• 183
D4721RG199	459 Top roll cover without bracket	.104.68						• 183
D4721RG209	439 Support profile LC325 L	.110.18						• 617
D4721RG210	439 Support profile LC325 R	.110.18						• 617
D4721RG211	439 Support profile LC-XL L	.110.18						• 617
D4721RG212	439 Support profile LC-XL R	.110.18						• 617
D4721RG231	439 Cover profile L	.110.18						• 617
D4721RG232	439 Cover profile R	.110.18						• 617

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI	Page
D4721RG233	439	Cover profile f. counterweight	110.18						• 617
D4721RG255	439	Column profile RH	203.27						• 23
D4721RG256	439	Column profile LH	203.27						• 27
D4721RG260	459	Top roll cover Alu	113.26						• 41
D4721RG261	459	Top roll cover Alu emergency	113.26						• 41
D4721RG281	459	Top roll cover Alu	113.26						• 41
D4721RG282	459	Profile for bottom profile	97.24						• 247
D4721RG288	232	Connector profile	80.2						• 253
D4721RG297	232	Frame profile ri pre-drilled	123.51						• 185
D4721RG297	439	Frame profile ri pre-drilled	61.45						185
D4721RG298	232	Frame profile le pre-drilled	123.51						• 187
D4721RG298	439	Frame profile le pre-drilled	61.45						187
D4721RG299	232	Cover profile ri	Price on request						• 185
D4721RG299	439	Cover profile ri	113.38						185
D4721RG300	232	Cover profile le	Price on request						• 187
D4721RG300	439	Cover profile le	113.38						187
D4721RG301	459	Bottom beam H=160 pre-drilled	83.05						• 191
D4721RG302	459	Top roll cover without bracket	107.88						• 193
D4721RG312	459	Top roll cover Alu	113.26						• 41
D4721V0002		Cable drum 910 RH	925.08						• 577
D4721V0003		Cable drum 910 LH	925.08						• 577
D4721V0008		Rope drum single	138.72						• 319
D4721V0009		Rope drum double	144.29						• 319
D4721V0041		Cable drum dia. 185, right	176.18						• 489
D4721V0042		Cable drum dia. 185, left	176.18						• 489
D4721V0043		Cable drum dia. 238, right	184.59						• 489
D4721V0044		Cable drum dia. 238, left	212.86						• 489
D4721V0059		Guide profil pre-running	96.46						• 501
D4801052		spindle	102.70						• 475
D4801053		spindle nut	131.72						• 475
D4801065		Proximity switch	93.33						• 329
D4801073		Pullswitch	551.74						• 233
D4801076		Mushroom button black	453.76						• 233
D4801078		Main swith	103.70						237
D4801114		Open-Closed-STOP w. key. AP	211.43						• 233
D4801115		Main switch	186.56						237
D4801132		Proximity switch with 6m cabl	97.46						• 329, 341
D4801161		Main switch	64.70						237
D4801170		Proximity switch with 6m cabl	193.80						• 329, 341
D4801210		Door locking for main switch	63.56						• 237
D4801231		Positional switch	645.07						• 475
D4801238		Limit switch sect. 7 switches	406.39						• 263, 275
D4801240		Cam drive GfA	31.21						• 19, 37, 181, 203, 215, 263, 275, 325
D4801242		Microswitch	0.00						• 59
D4802071		Junctionbox 7plug 6m cable	244.59						• 59, 473
D4802076		Junctionbox 7plug 11m cable	258.14						• 59, 473
D4802077		Junctionbox 7plug 21m cable	329.68						• 60, 473
D4802R0003		Spring d=5mm	47.59						• 67, 69
D4802R0004		Spring 2.2x11x48	1.85						• 59, 77, 79, 95, 107, 109, 121, 135, 155, 169, 499, 605
D4802R0007		Tension spring middle L=1397mm	69.40						• 83, 99, 113, 125, 139, 159, 595
D4802R0008		Tension spring long L=2193mm	109.29						• 83, 99, 113, 139, 595
D4802R0009		Tension spring short L=976mm	67.83						• 83, 99, 113, 125, 139, 159
D4802R0010		Tension spring short L=600mm	26.44						• 113, 125, 159
D4802R0016		Tension spring for curtain	53.07						• 23, 27
D4802R0017		Tension spring for curtain	104.51						• 23, 27
D4802R0021		Tension spring for curtain	47.78						• 23, 27
D4802R0039		Tension spring 1,5x12x77	7.07						• 181
D4802V0001		Spring L= 600 100/8	216.85						• 433, 561
D4802V0002		Spring L= 950 100/10	176.29						• 433, 561
D4802V0003		Spring L= 1330 100/10	247.11						• 433, 561, 593
D4802V0004		Spring L= 2000 100/10	326.81						• 433, 561
D4802V0005		Spring L= 1600 130/13	462.53						• 433, 561
D4802V0006		Spring L= 2000 130/13	611.38						• 433, 561
D4802V0007		Spring A, L=625 mm	165.83						• 497
D4802V0008		Spring B, L=631 mm	162.82						• 497
D4802V0009		Spring C, L=846 mm	202.55						• 497
D4802V0010		Spring D, L=811 mm	232.95						• 497
D4802V0011		Spring E, L=1081 mm	251.28						• 497
D4802V0012		Spring M, L=1105 mm	337.17						• 497
D4802V0013		Spring N, L=1510 mm	636.09						• 497
D4802V0014		Spring for BBS	7.15						• 497
D4803R0004		Comprssion spring	3.62						• 57

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4805029	RC-component for open circuit	33.87						• 38
D4808003	Rotating yellow beacon 230V	0.00						• 235
D4901192	Drive unit IP54	2238.47						• 339, 344
D4901193	Drive unit IP54	2811.18						• 339, 344
D4901216	Gear motor	2505.88						471
D4901219	Drive unit IP65	2051.29						339, 344
D4901220	Drive unit IP65	2434.36						• 339, 344
D4902040	Breakfor gear motor 4901230	500.92						• 263, 275
D4902041	Brake P10GH IP65 gekapselt	600.73						• 471
D4902043	Brake P5/NH, 103V DC	476.88						• 357
D4902044	Brake 96V DC	346.11						• 339, 344, 471
D4902045	Brake P10NH103V DC	572.47						• 471
D4902046	Brake P20/14NH103V DC	681.38						• 471
D4902047	Brake 96V DC	380.30						• 339, 344
D4902048	Brake P20/14GH103V DC	780.94						• 471
D4902050	Brake BP10 NH 196V DC	623.23						• 59
D4902051	Brake BP10 NH 96V DC	623.23						• 59
D4903080	Foil key buttons with	276.60						• 237
D4903177	Universale module ACS 80	244.66						• 237
D4903216	Control unit with Eprom	1235.27						• 237
D4903R0001	Mainboard ACS50	506.11						• 236
D4903R0002	Function card ACS50	250.88						• 236
D4903R0015	Bas control board ACS60	498.64						• 236
D4903R0016	Functions card ACS60	271.15						• 236
D4903R0017	Analysis terminal	197.41						• 236
D4903R0018	Brake resistance	81.90						• 236
D4903R0044	Converter ACS80 with heatsink	1183.98						• 237
D4903R0046	Control unit ACS80 with Eprom	1235.27						• 237
D4903R0054	Control unit ACS21 (TS961)	281.34						• 236
D4903R0070	Control unit ACS25 (TS970)	307.64						• 236, 249
D4903R0081	Contact Control TST WU-A	730.71						• 617
D4903R0082	Contr. syst.TST FUE-2-CG 1.5kW	1590.75						• 617
D4903R0084	Control System ACS40 with	769.03						• 236, 249
D4903V0010	Control box ACS30, V2	0.00						• 236
D4904180	Control unit Gelbau	615.01						237
D4904217	Safety photocell EX 8m 8,2V DC	812.11						• 477
D4904330	Radio receiver 433MHz	255.03						• 233
D4904342	Industry transmitter f. radio	141.06						• 234
D4904343	Industry transmitter f. radio	165.96						• 234
D4904344	Industry transmitter f. radio	179.44						• 234
D4904345	Industry transmitter f. radio	205.38						• 234
D4904361	Mini Transmitter 433 MHz	117.11						• 234
D4904369	Incremental shaft encoder	536.11						• 59
D4904397	Hand Transmitter 8-functions	289.24						• 234
D4904398	Rubber cap Hand Transmitter	3.84						• 234
D4904R0001	Reflection photocell 8m cable	134.82						• 11, 13, 234, 243
D4904R0002	Reflector	9.65						• 234, 243, 477
D4904R0005	Remote control, universal	65.76						• 233, 235
D4904R0017	Transmitter for radio 433MHZ	86.09						• 233
D4904R0018	Transmitter for radio 433MHZ	93.34						• 233
D4904R0019	Transmitter for radio 433MHZ	101.65						• 234
D4904R0020	Transmitter for radio 433MHZ	116.16						• 234
D4904R0021	Industry transmitter 1-command	107.87						• 234
D4904R0022	Industry transmitter 2-command	123.42						• 234
D4904R0023	Industry transmitter 3-command	130.69						• 234
D4904R0024	Industry transmitter 4-command	145.21						• 234
D4904R0025	Industry transmitter 1-command	395.84						234
D4904R0026	Industry transmitter 3-command	437.29						• 234
D4904R0028	Radio receiver 433 MHz	195.32						• 233
D4904R0035	Induction-loop detector	183.45						• 233
D4904R0044	Reflector light	20.84						• 11, 13
D4904R0045	Industry transmitter 1-command	379.42						234
D4904R0048	Car transmitter 40 MHz	422.10						• 234
D4904R0122	Socket	11.93						• 233
D4904R0431	Control unit Mayser	521.74						237
D4904R0432	Control unit Mayser	580.77						237
D4904R0434	Radar	380.59						• 233
D4904R0435	Reflection photocell 15m cable	197.95						• 11, 13
D4904R0450	Encoder 50 pulses only	127.48						• 59, 77, 79, 95, 107, 109, 121, 135, 155, 169, 471, 499, 605
D4904R0458	Antenna 40 MHz without cable	52.35						• 234
D4904R0462	Bracket	53.19						• 235

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4904R0464	Light curtain Transmitter	362.06						• 23, 235
D4904R0465	Light curtain Receiver	389.96						• 27, 235
D4904R0467	Induction loop detector for	248.82						• 233
D4904R0478	Control unit ASO	476.88						237
D4904R0481	car transmitt 40MHz 3but.	446.98						• 234
D4904R0497	Magic Switch UP 12-24VAC/DC	210.86						• 195, 197, 218, 233
D4904R0503	Increment. shaft encoder Ex	2755.37						• 475
D4904R0511	Radio receiver 433MHz 1-chan	205.21						• 230
D4904R0512	Loop detector pluggable	159.61						• 230
D4904R0513	Loop detector pluggable	238.37						• 230
D4904R0519	Radar-motion detector	493.83						• 42
D4904R0520	Contact strip Tapeswitch	1508.47						• 239
D4904R0523	Combined detector radar + IR	571.52						• 235
D4904R0528	Light curtain Micro T+R compl.	375.74						• 217, 219
D4904R0531	Light curtain transm/rec. T/R	1003.30						• 217, 219
D4904R0534	Safety edge optic transm./rec.	111.70						• 617
D4904R0537	Light curtain T+R 630mm cpl.	366.07						• 217, 219
D4904R0538	Laserscanner LZR - i100	1719.33						• 235
D4904R0543	surface mounting box for Magic	25.55						• 218
D4904R0544	Safety photocell transmitter	99.69						• 55, 57, 88, 91, 117, 130, 144, 147, 163, 165, 179, 191, 201, 213, 234, 335, 343, 467, 469, 501, 601
D4904R0545	Safety photocell receiver RH	115.64						• 163, 165, 179, 191, 201, 213, 234, 335, 343
D4904R0546	Safety photocell receiver	115.64						• 55, 57, 88, 91, 117, 130, 144, 147, 234, 467, 469, 501, 601
D4904R0547	Photocell transmitter without	80.48						• 7, 23, 45, 67, 84, 100, 115, 126, 140, 160, 173, 185, 195, 207, 234, 255, .267, 279, 291, 303, 315, 397, 455, 481, 521, 599
D4904R0548	Photocell receiver without	83.70						• 9, 27, 49, 69, 84, 100, 115, 126, 140, 160, 175, 187, 197, 209, 234, 257, .269, 281, 293, 305, 317, 397, 461, 485, 521, 599
D4904R0550	Safety photocell EX 3D	531.39						• 477
D4904R0551	Radio receiver 40MHz	149.08						• 233
D4904R0553	Wireless Safety system	190.97						• 17, 33
D4904R0558	Magic switch flush mounted	210.75						• 218
D4904R0559	Magic switch flush mounted	210.75						• 218
D4904R0560	Junction box	305.49						• 218
D4904R0561	Emergency open box	305.49						• 218
D4904R0562	Emergency open switch	226.34						• 218
D4904R0563	Combined detector radar + IR	441.47						• 218, 234, 235
D4904R0566	Spare glas f. emergency switch	22.45						• 218
D4904R0567	Spare key for emergency switch	9.20						• 218
D4904R0579	4-but. hand transm. MCS 433MHz	40.12						• 219, 232, 234
D4904R0580	Double loop detector	197.16						• 219, 231, 233
D4904T0028	Wireless Safety system	138.71						• 21, 42, 231, 236
D4904V0018	Radar	394.08						• 233
D4904V0057	A-pos 15 turn w. 10m cable LH	365.24						• 323, 325
D4904V0058	A-pos 15 turn w. 10m cable RH	365.24						• 323, 325
D4904V0063	A-pos RH with 5 m cable green	165.83						• 323, 325
D4904V0065	A-pos LH with 5 m cable red	165.83						• 323, 325
D4904V0066	Telco transmitter LT 101 AP25	190.54						• 419, 425, 531, 537, 543
D4904V0067	Telco reciever LR 100 AP38 T3	141.11						• 419, 425, 531, 537, 543
D4904V0068	Inductive sensor M8 NO NON	78.83						• 287, 299, 311
D4904V0069	Inductive sensor M12 NO PNP	146.69						• 323
D4904V0074	Hand Transmitter 1-function	201.70						• 234
D4904V0075	Hand Transmitter 2-functions	0.00						• 234
D4904V0076	Hand Transmitter 3-functions	0.00						• 234
D4904V0077	Hand Transmitter 4-functions	407.24						• 234
D4905005	Microswitch	47.38						• 339, 344, 359, 473
D4905018	Limit switch section 6 switch.	337.97						• 19, 37, 181, 193, 203, 215, 263, 275, 325
D4905019	Limit switch sect. 7 switches	406.39						• 263, 275
D4905027	Safety housing for switching	1.85						• 237
D4905034	Main swith	77.40						237
D4905R0011	Push button (white with black-	39.30						232
D4905R0012	Mushroom button, color black	51.96						• 232
D4905R0013	Push button & emergency stop	72.78						• 232
D4905R0014	Push buttons Up-Stop-Down	83.97						• 232
D4905R0016	Pullswitch	51.94						• 233
D4905R0017	Proximity switch	56.61						• 75
D4905R0019	Double proximity switch	213.56						• 38, 59, 77, 79, 95, 121, 135, 359, 471, 605
D4905R0027	Mushroom button, black	135.77						• 233
D4905R0082	Proxmity switch M8 10E	53.21						• 23, 27, 46, 50, 84, 100, 115, 126, 140, 160, 207, 209, 361, 481, 485, 599
D4905R0083	Key-Switch "0-UP" for impulse	76.24						• 232
D4905R0093	Key switch 0-1	78.83						• 233

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4905R0094	key switch surface mounting	74.88						• 233
D4905R0098	Proximity switch with cabel M8	66.22						• 501
D4905R0105	Limit swich digital	237.93						• 19, 218, 249, 617
D4905R0107	Main switch type KG20A	99.57						• 236
D4905R0116	Main switch external wall	71.77						• 221
D4905R0117	Main switch internal f.plastic	79.75						• 225
D4905R0119	Main switch external wall	71.77						• 221
D4905R0217	Switching neutral terminal for	49.66						• 237
D4905R0222	Magnet sensor Schmersal	106.76						• 160, 171, 173, 175, 185, 187, 279, 281
D4905R0223	Magnet Schmersal	26.45						• 163, 165, 171, 179, 191, 285
D4905R0228	Emergency crank handle switch	113.06						• 19, 181, 193, 215, 263, 275, 287
D4905R0242	Magnet switch Ex M18 1m cable	151.90						• 475
D4905R0243	Mushroom button	65.74						• 218
D4905R0248	Contact strip with 4.2m Cable	90.54						• 17, 33
D4905R0255	Key switch wall mounted	99.30						• 218
D4905R0256	Key switch flush mounted	99.30						• 218
D4905R0260	Transponder free 15 compl	1388.22						• 219
D4905R0261	Transponder Free T radio	120.49						• 219
D4905R0264	Transponder Free THT with	120.49						• 219
D4905R0265	Safety switch	0.00						• 173, 175
D4905R0267	Main switch, 4-pole	61.49						• 219
D4905V0041	Switch Telemecanique	63.03						• 279, 281, 303, 305
D4905V0044	Switch	77.48						• 17, 23, 27, 33, 261
D4905V0046	Magnet sensor Schmersal	108.41						• 279, 281, 303, 305
D4905V0056	Foil key MCC display	31.21						• 195, 197, 223, 227, 482, 486
D4905V0076	Magnet	50.72						• 285, 309
D4905V0077	Limit switch crank Ovitor	41.56						• 287, 299, 311, 323
D4905VG001	Limit switch	88.56						• 399, 523
D4906R0007	Limit switch	367.00						• 77, 79, 499
D4906R0015	Chain cover, SRD	19.60						• 499
D4906R0027	Junctionbox 9plug 6.5m cable	156.60						• 60, 95, 107, 109, 121, 135, 155, 473, 499, 605
D4906R0028	Junctionbox 9plug 11.5m cable	236.24						• 60, 95, 107, 109, 121, 135, 155, 473, 499, 605
D4906R0029	Junctionbox 9plug 21.5m cable	288.61						• 60, 95, 107, 109, 121, 135, 155, 473, 605
D4906R0030	Junctionbox 9plug 31.5m cable	288.21						60, 95, 107, 109, 121, 135, 155, 605
D4906R0041	Connection box	13.27						• 235
D4906R0053	Geared limit switch for drive	198.99						• 37, 325
D4906R0054	Geared limit switch for drive	133.70						• 37
D4906R0067	Limit switch	0.00						• 77, 79
D4906R0095	Terminal box w. mounting rail	55.99						• 203, 205
D4906R0100	Quick-release lock set for	29.28						• 225
D4907R0023	Connecting cable 12000mm	47.41						• 45, 49, 84, 100, 115, 125, 140, 159, 347, 349, 455, 456, 596
D4907R0024	Connecting cable 4000mm	31.61						• 45, 46, 47, 49, 50, 51, 83, 100, 115, 125, 139, 159, 329, 341, 347, 349, 455, 456, 457, 461, 595
D4907R0029	Connecting cable 6m	35.58						• 45, 46, 47, 49, 50, 51, 67, 69, 83, 100, 115, 125, 139, 159, 329, 331, 341, 342, 347, 349, 455, 456, 457, 461, 595
D4907R0030	Connecting cable 8000mm	39.95						• 45, 46, 47, 49, 50, 51, 83, 100, 115, 125, 139, 159, 195, 197, 331, 342, 347, 349, 455, 457, 461, 462, 481, 482, 485, 486, 501, 595
D4907R0031	Connecting cable 14000mm M8	50.14						• 46, 50, 84, 100, 115, 125, 140, 159, 347, 349, 455, 456, 481, 485, 501, 596
D4907R0032	Connecting cable 10m	42.87						• 45, 47, 49, 51, 67, 69, 84, 100, 115, 125, 139, 159, 331, 342, 347, 349, 397, 455, 456, 457, 461, 462, 521, 595
D4907R0035	Cable photocell 13.5m 3x0.25	33.28						• 7, 9, 23, 27, 100, 173, 175, 185, 187, 195, 197, 207, 209, 255, 257, 267, 269, 279, 281, 291, 293, 303, 305, 315, 317
D4907R0037	Photocell cable 16m M8	73.85						• 397, 419, 425, 481, 485, 501, 521, 531, 537, 543
D4907R0038	Coil cable 5x0.75	63.58						• 17, 33, 73, 75, 247, 261, 273, 285, 297, 309, 321, 495, 617
D4907R0040	Cable for airlock	4.46						237
D4907R0044	Connecting cable 2m with 2 M8	34.63						• 84, 100, 115, 140, 160, 481, 485, 599
D4907R0060	cable PVC	0.63						• 233
D4907R0061	Control cable 5m	95.42						• 19, 249
D4907R0062	Control cable 11m	107.79						• 19, 249
D4907R0074	Connecting cable 4000mm crash	48.52						• 46, 50, 100, 205, 456
D4907R0075	Connecting cable 6000mm crash	41.23						• 46, 50, 100, 205, 456
D4907R0076	Connecting cable 8000mm crash	63.56						• 46, 50, 101, 205, 456, 501
D4907R0077	Connecting cable 10000mm crash	68.12						• 46, 50, 101, 456
D4907R0079	Connecting cable 12m-light	69.36						• 101, 456
D4907R0080	Connecting cable 4x0,25qm 14m	69.40						• 456, 501
D4907R0082	Connecting cable 2m with 2 M8	28.48						• 46, 50, 126, 456, 461
D4907R0105	Display cable with plugs, 30m	134.79						• 229
D4907R0108	Interface card cable comp. 30m	118.79						• 230

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4907R0110	Cable 4x0.25 6.5m GY (*)	69.41						• ...60, 95, 107, 109, 121, 135, 155, 169, 473, 499, 605
D4907R0111	Cable 4x0.25 11.5m GY (*)	94.95						• ...60, 95, 107, 109, 121, 135, 155, 169, 473, 499, 605
D4907R0112	Cable 4x0.25 21.5m GY (*)	115.13						• 60, 95, 107, 109, 121, 135, 155, 169, 473, 605
D4907R0113	Cable 4x0.25 31.5m GY (*)	153.86						• 60, 95, 107, 109, 121, 135, 155, 169, 473, 605
D4907R0114	Display cable with plugs, 10m	62.66						• 229
D4907R0115	Interface card cable comp. 10m	93.35						• 230
D4907R0116	Adapter cable for safety edge	37.43						• 230
D4907R0118	Display cable with plugs, 3m	47.38						• 229
D4907R0119	Display cable with plugs, 4,5m	53.91						• 229
D4907R0120	Display cable with plugs, 7m	59.43						• 229
D4907R0121	Display cable with plugs, 10m	69.40						• 230
D4907R0122	Display cable with plugs, 15m	84.01						• 230
D4907R0123	Display cable with plugs, 30m	130.70						• 230
D4907R0125	Connecting cable 4m with plug	86.98						• 24, 28
D4907R0131	Cable 3x0,25 10m with 1 M8	26.86						• 173, 175, 185, 187, 195, 197
D4907R0133	Cable 2x0.75 L=10500	59.19						• 23, 27
D4907R0141	Display cable 0,2m	35.35						• 195, 197
D4907R0149	Number cable 3x0,75 without PE	43.30						• 195, 197
D4907R0150	Control cable 7 m between	190.07						 218
D4907R0154	Cable MCC-Interfacecard L=1.2m	65.69						• 230
D4907R0157	Connecting cable LED 30m	58.32						• 100
D4907R0159	Cable Schmersal switch 30m	0.00						• 185, 187
D4907R0162	Cable Rx 5 m with M8 plug	49.61						• 217, 219
D4907R0163	Cable 2x2x0,6 JY STY	0.54						• 219
D4907R0164	Cable Tx 5 m with M8 plug	49.61						• 217, 219
D4907R0165	Motor cable MCS-R, L=5m	160.43						• 231
D4907R0166	Motor cable MCS-R, L=11m	226.80						• 231
D4907R0167	Motor cable MCS-FC 1m	72.86						• 218, 231
D4907R0168	Control cable MCS-FC 5m	170.74						• 218, 231
D4907R0169	Control cable MCS-FC 11m	201.02						• 218, 231
D4907R0171	Net connection cable 1,3m with	38.27						• 231
D4907R0173	Adapter cable light grid 200mm	27.38						• 101
D4907R0174	Cable 15m w. 1 connector M12x1	0.00						• 173, 175
D4907R0175	Net connection cable 1,3m with	0.00						• 218, 231
D4907R0176	Motor cable MCS-FC L=1m	0.00						• 218, 231
D4907R0177	Control cable MCS-FC L=5m	0.00						• 218, 231
D4907R0178	Control cable MCS-FCL=11m	0.00						• 218, 231
D4907R0179	Motor cable MCS-FC L=1m	0.00						• 218, 231
D4907R0180	Motor cable MCS-FC L=1m	0.00						• 218, 231
D4907V0018	Control cable 4m	63.56						• 19
D4907V0019	Cable Schmersal switch 15m +	59.82						• 171, 173, 175, 185, 187, 279, 281, 303, 305
D4907V0022	Control cable 10m	127.48						• 19
D4907V0038	Interface card cable comp., 3m	70.43						• 230
D4907V0039	Interface card cable comp.4,5m	78.83						• 230
D4907V0040	Interface card cable comp., 7m	87.13						• 230
D4907V0041	Interface card cable comp. 15m	123.43						• 230
D4907V0042	Display cable with plugs, 3m	45.64						• 229
D4907V0043	Display cable with plugs, 4,5m	51.04						• 229
D4907V0044	Display cable with plugs, 7m	62.07						• 229
D4907V0045	Display cable with plugs, 15m	94.85						• 229
D4908R0004	Safety relay AZR 31 R2 24VDC	658.55						• 289
D4908R0017	Fine-wire fuse for TST FUS	10.76						 218
D4908R0020	Micro fuse 5x20mm 100mAmT 230V	11.83						• 218, 231
D4908R0021	Micro fuse 5x20mm 80mAT 400V	11.83						• 231
D4908V0005	Fuse 12 A	2.50						• 221
D4909R0004	Full wave brake rectifier 196V	80.51						• 181, 236
D4909R0005	One way rectifier	130.59						• 236
D4909R0015	Rectifier	386.79						• 19, 249
D4909R0029	UPS Beolux 1100W/SQI-RIT	3014.50						 238
D4909R0037	UPS Batterie 12Ah LC-PA121P1	179.38						 230
D4909R0048	Brake rectifier KEB	101.88						• 218, 617
D4909R0049	Half wave rectifier UL 480V	0.00						• 181
D4909R0050	Full wave rectifier UL 230V	0.00						• 181
D4909T0001	Brake rectifier ACS50-UL	0.00						• 236
D4909T0020	Battery for safety edge	29.43						• 17, 33
D4910R0027	Airlock plug	84.57						• 237
D4910R0032	Y-adapter RH	72.60						• 57, 469, 501
D4910R0033	Y-adapter LH	72.60						• 57, 469, 501
D4910R0069	Protection cap for M12 plug in	1.47						• 221
D4910R0070	Protection cap for M8 plug in	0.37						• 221
D4910V0013	Cable connection UR2	1.20						• 33, 201, 285, 297, 309, 321, 495
D4911R0026	Connection pl. M16 w.spiral	2.44						• 617

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D4911R0043	Shieldet terminal for brake	7.70						• 237
D4912R0012	Traffic light red/green compl.	623.00						• 235
D4912R0035	Light LED orange 24V	167.24						• 235
D4912R0036	Traffic light LED red 24V	167.24						• 235
D4912R0037	Traffic light LED green 24V	179.79						• 235
D4912R0038	Light orange LED 24V	106.01						• 219, 235
D4912R0039	LED-stripe red/green, 24V DC	101.85						• 100, 236
D4914R0009	Control unit Bircher	730.12						237
D4914R0024	Safety relay SRB200 24 VDC	354.55						• 183, 193, 289
D4914R0028	Stroke magnet	241.19						• 24, 28
D4914R0030	Control unit SRB 301MC	208.88						• 171
D4914R0031	Safety relay SRB301 24 VDC	321.38						• 183, 193, 289
D4914V0014	Safety relay AZR 31 T2 24VDC	543.45						• 289
D4915R0007	Heating resistor 50W	0.00						• 38
D4915V0001	Heater element 8x144 L	305.83						• 401, 525
D4915V0002	heater element 8x144 R	305.83						• 401, 525
D4915V0004	Heating element 180W/230V RH	351.66						• 501
D4915V0005	Heating element 180W/230V LH	351.66						• 501
D4916R0005	Eprom (with current software	62.33						• 237
D4916R0007	Eprom ACS 80 with software	48.58						• 237
D4920002	Display	375.60						• 237
D4920007	Brake reistor with cable	121.25						• 237
D4920009	Display	247.71						• 237
D4920R0001	Control transformer	249.53						• 237
D4920R0029	Brake relais plugable in	38.04						• 236
D4920R0031	MCC Extension card	146.35						• 230
D4920R0032	Clone cable, 5m	37.01						230
D4920R0035	Flat flexible cable	6.62						• 230
D4920R0041	Profinet IO 2-port bus module	720.38						• 230
D4920R0042	Profinet IO 1-port bus module	638.22						• 230
D4920R0043	Profibus bus interface module	638.22						• 231
D4920R0044	Carrier board field bus module	203.30						• 231
D4920R0045	Ribbon cable 10 wire, 250mm	0.00						• 231
D4920R0046	PROFIBUS DSUB male con. 9-pole	116.39						• 231
D4920R0047	PROFIBUS cable 0,5m,M12 male	85.37						• 231
D4920R0048	PROFIBUS cab. 0,5m,M12 fem.	85.37						• 231
D4920R0049	PROFINET cable 0,5m RJ45/M12	105.24						• 231
D4920R0056	EtherNet/ IP 1-port bus module	639.02						• 231
D4920T0001	ACS50-UL mainboard	0.00						• 236
D4920V0016	ASO function card	349.28						227
D4920V0021	One way brake rectifier	126.55						• 236
D4920V0022	Full wave brake rectifier	123.43						• 236
D5003003	Roll wheels fixed	40.12						• 232
D5003004	Roll wheels movable	38.04						• 232
D5003029	Wall bracket 2pcs	50.81						• 232
D5003032	Ceiling bracket 1pcs	26.53						• 232
D5003033	Wall bracket 1pcs	25.40						• 232
D5003035	Connector for slide rail	27.68						• 232
D5003036	Ceiling bracket 2pcs	46.14						• 232
D5003042	Slide rail curve R=610mm	302.72						• 232
D5003070	Ceiling bracket 3pcs	94.15						• 232
D5003095	Swivelling roller D20	47.29						• 361
D5003106	Rollers	30.47						• 469
D5003107	Swiveling roller	27.24						• 57
D5003R0001	Rope pulley	11.93						• 67, 69, 84, 115, 126, 599
D5003R0008	Pulley 330	19.60						• 315, 317, 481, 485
D5003R0009	Pulley for curtain tension	19.60						• 24, 28, 31, 329, 331
D5003R0010	Wheel break-away	34.88						• 501
D5003R0011	Distance sleeve	5.29						• 119
D5003R0013	Deflection pulley	18.46						• 207, 209
D5004R0041	Vibration absorber	48.51						• 38, 59, 77, 95, 107, 121, 135, 155, 169, 325, 473, 605
D5004V0001	Rubber bush	81.59						• 287, 299, 311, 615
D5005R0023	Brake lever	44.22						• 347, 349
D5005R0031	Emergency lever	46.33						• 24, 28
D5005V0001	Cable lock 5 mm for steel	4.67						• 497
D5006R0010	Bracket for coily cable	1.17						• 415, 417, 419, 421, 423, 425, 495, 531, 533, 535, 537, 539, 541, 543, 579, 581, 611
D5006RG001	181 Felt seal 210 mm	29.23						• 411, 529
D5006RG002	459 Felt seal 350mm	39.45						• 577
D5006T0004	Retainer seal	0.00						• 91
D5006V0002	Side seal 420 door	11.04						• 365, 367, 369, 371, 385, 387
D50-6010-87	Connection box 060504 (eat)	75.80						• 415, 419, 423, 533, 537, 541, 579

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D5101072	Limit switch pinion	36.06						• 475
D5101087	Chain wheel	68.58						• 359
D5101092	Toothed belt z=36 B=30 AT10	153.86						• 333, 343
D5101093	Toothed belt z=41 B=30 AT10	167.08						• 333, 343
D5101094	Toothed belt z=29 b=30 AT10	81.93						• 339, 344
D5101095	Toothed belt z=40 b=30 AT10	201.16						• 339, 344
D5101096	Toothed belt z=35 b=30 AT10	95.31						• 339, 344
D5101105	Chain weel	96.53						• 63, 245, 249
D5101R0091	Chain wheel	145.10						• 71, 181, 465, 473
D5101R0119	Pinion chain drive, barrel	70.92						• 93, 105
D5102042	Toothed belt AT10, b=25	47.89						• 339, 344
D5102069	Toothed belt AT10, b=20	49.94						• 339, 344
D5103063	Pedestal bearing	63.56						• 465
D5103071	Flange bearing	66.99						• 343
D5103072	Bearing housing	13.55						• 341, 342
D5103077	Flange bearing	12.74						• 333
D5103078	Bearing housing	14.50						• 329, 331
D5103R0082	Locking element pinion	114.90						• 93, 105, 119, 153
D5103R0090	Bearing UCFL206 d=30mm LC325	38.66						• 617
D5103R0095	Bearing UCFL205	61.86						217
D5103V0001	Bearing diam. 45mm UCF 209 TR	63.80						• 577, 593
D5105003	Belt L=3500mm	9.21						• 333, 343
D5105006 439	Belt, raw cut to size	7.18						• 465
D5105008 439	Belt, raw cut to size	7.18						• 465
D5105011 439	Belt W=25mm L=9500mm	11.24						• 479
D5105R0001	Rope d=5mm white, 100m	115.11						• 238
D5105R0002	Rope d=5mm white, 445m	366.95						• 238
D5105R0003	Rope d=3,2mm, 500m	779.90						• 238
D5105R0004	Belt b=10mm, 500m	530.60						• 238
D5105R0005	Belt b=25mm, 100m	219.30						• 238
D5105R0006	Rope yellow d=4,55mm, 100m	372.41						• 238
D5105R0007	Rope b=35mm, 100m	273.62						• 238
D5105R0008	Rubberrope blue d=8mm, 100m	568.81						• 238
D5105R0010	Rope d=7mm L=5100mm	50.82						• 67, 69, 211
D5105R0011	Rope d=7mm L=5100mm	66.99						• 67, 69, 238
D5105R0030	Rope d=5mm, L=4000mm	0.00						• 67, 69, 361
D5105R0031	Rope d=5mm, L=8000mm	34.62						• 67, 69, 83, 113, 125, 319, 361, 595
D5105R0032	Rope d=5mm, L=12000mm	45.09						• 67, 69, 361
D5105R0033	Rope d=5mm, L=16000mm	56.59						• 67, 69, 361
D5105R0034	Rope d=5mm, L=20000mm	66.95						• 67, 69, 361
D5105R0035	Rope d=5mm L=24000mm	78.77						• 53, 67, 69, 238, 361, 465
D5105R0036	Chain for limit box SRD	19.60						• 499
D5105R0046	Rope yellow d=4,55mm, 500m	1377.05						• 238
D5105R0047	Rope yellow d=7mm, 100m	785.04						• 238
D5105R0049	Rope d=3,2mm, 100m	206.49						• 238
D5105R0052	Rubberrope d=11, length to 52m	6.43						• 238
D5105R0069	Steel cable 13m	61.42						• 497
D5105R0070	Steel cable 7,5 m	69.38						• 497
D5105R0071	Steel cable 4,5 m	46.96						• 497
D5105R0072	Steel cable 10m	92.31						• 497
D5105R0073	Steel cable 15m	113.30						• 497
D5105R0074	Steel cable 23m	140.31						• 497
D5105R0075	Steel cable 32 m	174.59						• 431, 559
D5105R0080	Rope d=4.55mm L=24000 yellow	127.52						• 53, 238, 465
D5105R0081	Belt (blue) L=6000	52.82						• 83, 99, 113, 125, 139, 159, 595
D5105R0085	Rope d=7mm, L=15000mm, yellow	144.29						• 455, 461
D5105R0086	Rubber cable	18.84						• 219
D5105R0091	Rope 3.2 L=9500	29.35						• 17, 24, 28, 33, 238, 261, 273, 297, 333, 343, 453, 459
D5105R0093	Rope for pull switch 4 m compl	30.91						• 219
D5105R0104	Belt (black), L=7500	53.23						• 99
D5105RG004 181	Steel cable 114 strands 3,0mm	2.38						• 549
D5105RG005 181	Windbar tape cut to length	9.41						• 549, 550, 587
D5105RG006 181	Steel cable w. pvc 35tr 1.83.0	1.42						• 441, 443, 553, 563, 611
D5105V0006	Steel cable 16m	85.31						• 431, 497, 559
D5105V0007	Steel cable 18 m	95.67						• 431, 497, 559
D5105V0009	Steel cable 22m	122.78						• 431, 497, 559
D5105V0011	Steel cable 29m	158.66						• 431, 497, 559, 593
D5402R0378	Hexagon screw M8x20 Scotch	1.15						• 93, 119, 133
D5403R0397	Screw M6x25ISO4762-10.9FLZNNC	1.15						• 91
D5406031	Threaded pin	1.15						• 343
D5406R0025	Threaded pin	1.15						• 333
D5408R0301	Lock wascher SRD	1.15						• 499

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D5409021	Key 8x7mm	2.49						• 403, 407, 527, 529
D5409052	Key 6x6x70mm	1.20						• 295
D5409R0018	Key 8x7x50mm	1.15						• 295, 307, 489
D5409R0063	Feather key 10x8x120	0.00						• 105
D5409R0069	Feather key 10x8x140	0.00						• 105
D5409R0070	Key 8x7x56mm	7.15						• 295, 307
D5409V0001	Key 10x 8x100mm	16.13						• 577
D5410R0021	Roll pin 8x10, SRD	1.15						• 499
D5412R0055	Circlip sga diam 30	1.15						• 585, 587, 589
D5412R0060	Circlip 35x1,5DIN471	0.00						• 105
D5412V0002	Cover sealing	0.00						• 221
D5413R0280	Blind rivet 4,8x10 DIN 7737	1.15						• 117
D5501R0001	Cleaner "travispray" 2,5l	61.44						• 238
D5501R0012	Glue SK2, 900g tin	58.39						• 238
D5504002	Chain spray 400ml	26.59						• 95, 109, 121, 135, 155
D5599R0001	Casting compound, 2 kg package	36.91						• 233
D5632093	Belt roller	155.59						• 333
D5632206	Belt for curtain tension	23.63						• 238, 333, 343
D6403R0008	Label emergancy lever	0.00						• 160
D6403R0009	Label emergancy lever	4.88						• 84, 101, 115, 126, 140, 599
D6403R0145	Label emergency exit	6.92						• 218
D6403RG002 232	Door label	0.00						• 126
D6403RG002	Door label	0.00						• 84, 101, 115, 140, 160, 599
D6403V0001	Albany Assa Abloy sign 210x100	9.20						• 21, 41, 183, 193, 251, 265, 277, 289, 301, 313, 327, 451, 565
D6403V0002	Albany ASSA ABLOY sign 180x70	10.89						• 55, 179, 191, 285, 297, 309, 493, 495, 531, 533, 535, 537,
				539,		579,		581, 583
D6403V0003	Albany Assa Abloy sign 100x40	4.46						• 253, 321, 415, 417, 419, 421, 533, 535, 537, 539
D6403V0009	Sign yellow/black	2.44						• 179, 191, 285
D65-5252-79	Clamp	11.92						• 549, 587
D6601007 232	Gear motor	8362.69						475
D6601054	Drive unit IP65	1606.59						• 339, 344
D6601055	Drive unit IP65	1398.60						• 339, 344
D6601R0021	Gear motor Mini	1214.54						• 19
D6601R0093	Gear motor with failsafe brake	908.57						• 37, 325
D6601R0138	Gear motor	1161.64						• 215
D6601R0139	Gear motor	1267.42						• 215
D6601R0151	Gear motor without MCC encoder	2121.56						• 203
D6601R0157	Gear motor SI 6.115 -HW30	1416.92						• 617
D6601R0158	Gear motor SI 10.90 -HW30	1837.14						• 617
D6601R0159	Gear motor SI 13.90 -HW40	0.00						• 617
D6601R0160	Gear motor	1367.98						• 19
D6601R0175	Gear motor FC	2727.62						• 249
D6601R0176	Gear motor	1485.19						• 249
D6601R0181	Gear motor	1174.66						• 249
D6601R0182	Gear motor FC	1138.01						• 249
D6601R0185	Drive unit SE50 3.5.120-25	1009.43						217
D6601V0001	Gear motor	1417.82						• 19, 299
D66-1027-PC 459	Safety edge STS complete H=168	399.28						• 531
D66-1050-PC 459	Safety edge comp. 8k2, H= 168	443.85						• 531
D6610R0001	Gearbox	2050.52						475
D6610V0002	Gear box Tvraj 5 xb14/80	1883.30						• 287, 299, 311
D6611R0001	Flange 221	129.55						• 447, 555
D6611R0002	Flange 2371	134.73						• 447, 555
D6611V0005	Clutch complete Ovitor gearbox	228.01						• 287, 299, 311
D6620R0001	Drive with breake	8892.77						475
D6620V0005	Motor SKH 80-6B 0.75kW B14	610.18						• 323
D6621R0002	Microswitch	85.80						• 59, 77, 79, 95, 107, 109, 121, 135, 155, 169, 359, 473, 499,
				605				
D6621R0008	Fan cowl	126.07						59
D6621R0010	Fan cowl	58.89						59
D6622001	Manual lifting for brake	156.25						• 59
D6622003	Brake BP5/4 NH 196V, DC	292.35						• 357
D6622004	Brake BP5/4 GH 196V, DC	314.13						• 357
D6622005	Brake BP10NH180V DC	542.49						• 471
D6622010	Brake BP10GH180V DC	635.02						• 471
D6622013	Brake 196V DC	456.32						• 339, 344
D6622R0017	Brake 10Nm 196V DC HL	357.26						• 59, 135, 169, 357, 499
D6622R0018	Brake 15Nm 196V DC HL	357.26						• 59, 77, 79, 95, 107, 109, 121, 155, 357, 471, 499, 605
D6622R0019	Brake 10Nm 96V DC HL	357.26						• 59, 357
D6622R0020	Brake 15 Nm 96V DC HL	357.26						• 471
D6622R0026	Brake 178V 9 Nm GfA	470.67						• 19, 37, 181, 193, 203, 215, 249, 263, 275, 287, 299,

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
311,		325						
D6622R0030	Brake (open circuit brake)	420.51						37
D6622R0031	Brake	501.95						• 19
D6622R0033	Brake GfA for UL motor	445.96						• 181
D6622R0034	Brake (open circuit brake)	469.64						• 37
D6622R0037	Ovitor brake disc with	196.91						• 287, 299, 311
D6622R0038	Brake 102 V 5 Nm	448.74						• 249
D6622R0039	Brake 102 V 9 Nm	448.74						• 249
D6622V0001	Brake 8Nm 200VDC	369.43						• 323
D6622V0002	Brake 8Nm Ovitor	460.30						• 287, 299, 311
D6625R0003	Brake release SG85 Model 14	221.79						• 38, 617
D6625R0006	KNH chain extension with plug	37.14						• 107, 109
D6625R0007	KNH shift cable, (2x4m)	23.22						• 107, 109
D66-3315-PC 459	Door roll complete 632 Ovitor	Price on request						• 527
D66-3316-PC 459	Door roll complete 632 Ovitor	473.21						• 527
D66-3317-PC 459	Door roll complete 632 ACS 70	378.64						• 527
D66-3318-PC 459	Door roll complete 632 ACS 70	477.25						• 527
D66-3415-PC 459	Door roll complete 632	185.28						• 527
D66-3416-PC 459	Door roll complete 632	259.18						• 527
D66-3470-95	Cable drum 265 R	664.78						• 527
D66-3471-95	Cable drum 265 L	664.78						• 527
D66-3602-85	Stub axle 30mm short	54.13						• 403, 405, 407, 409, 527, 529
D66-3612-85	Stub axle 30mm drive side	204.88						• 403, 407, 527, 529
D66-4000-PC 439	Side quadrant comp. R	554.75						• 503
D66-4001-PC 439	Side quadrant complete L	554.75						• 505
D66-4002-PC 439	Side quadrant complete R	528.42						• 507
D66-4003-PC 439	Side quadrant complete L	528.42						• 509
D66-4004-PC 439	Side quadrant SRD complete R	527.42						• 511
D66-4005-PC 439	Side quadrant SRD complete L	485.91						• 513
D66-4100-PC 439	Side quadrant door complete L	93.13						• 515
D66-4101-PC 439	Side quadrant door comp.L or R	93.13						• 515
D66-4105-XX	Frame side door lower comp	207.42						• 515
D66-4106-XX	Frame side door lower part.	246.35						• 515
D66-4123-PC 439	C-profile front pre-drilled	122.42						• 515
D66-4124-91	Door profile L=60 for fitting	72.47						• 503, 505, 515
D66-4125-94	Door profile L=125 for fitting door	38.65						• 507, 509, 511, 513, 515
D66-4126-PC 439	C-profile front pre-drilled	101.17						• 515
D66-4127-PC 439	C-profile back pre-drilled w.	88.01						• 515
D66-4134-88	Quadrant reinforcement	103.71						• 503, 505, 507, 509, 511, 513
D66-4150-PC 439	Cover profile cut	45.02						• 515
D66-4210-PC 439	Frame profile pre-drilled	75.55						• 515
D66-4212-PC 439	Frame profile pre-drilled	63.11						• 515
D66-4252-PC 439	Cladding set for 1 frame	159.82						• 515
D66-4408-92	Side seal 660 door	10.30						507, 513
D66-4516-XX	Bottom plate complete R	300.65						• 515
D66-4517-XX	Bottom plate complete L	300.65						• 515
D66-4612-01	Wall bracket right hand 660	366.04						• 503, 507, 511
D66-4613-01	Wall bracket left hand 660	366.04						• 505, 509, 513
D66-4704-88	Bearing bracket 660	92.55						• 503, 505, 507, 509, 511, 513
D66-4952-PC 459	Fascia complete, ACS 70	228.45						• 565
D66-4953-PC 459	Fascia complete, Ovitor	232.5						• 565
D66-4970-PC 459	Hood complete, ACS 70	333.72						• 565
D66-4979-PC 459	Fascia (Flat), complete	169.82						• 565
D66-4980-PC 459	Hood complete, Ovitor	Price on request						• 565
D66-4999-94	Bracket for fascia	32.82						• 451, 565
D66-5201-PC 459	Windbar w. Bearings. 1 bar	194.17						• 549
D66-5202-87	Rubber ring 90 mm for end plug	21.72						• 549
D66-5202-PC 459	Windbar with 88 mm bearings	132.42						• 549
D66-5204-90	Hub	31.21						• 549
D66-5204-PC 459	Windbar with 80 mm bearings	147.58						• 549
D66-5205-XX	Endplug 80 mm pivoted windbar	153.31						• 549
D66-5206-XX	Endplug 88 mm pivoted windbar	114.00						• 549
D66-5207-PC 459	Wind bar diam. 75 x 3 mm, cut	77.91						• 549
D66-5210-PC 459	Windbar tube with tape on	173.1						• 549
D66-5217-91	Bracket for front c-profile	20.38						• 503, 505, 507, 509, 511, 513, 549
D66-5218-91	Edge cover front c-profile	15.46						• 503, 505, 507, 509, 511, 513, 549
D66-5219-99	Edge cover rear c-profile	16.17						• 507, 509
D66-5221-99	Bracket for rear C-profile	26.72						• 507, 509
D66-5225-XX	Distance blocks 5 mm complete	108.41						• 549
D66-5230-XX	Distance blocks 10 mm complete	169.01						• 549
D66-5260-XX	Tape bracket front right with	185.80						• 549
D66-5261-XX	Tape bracket front left with	185.80						• 549

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D66-5265-XX	Tape bracket back side with	89.97						549
D66-5301-PC 459	Windbar with bearings 1 bar	.229.45						549
D66-5310-PC 459	Windbar tube with tape on	.250.89						549
D75-1200-PC 459	Rubber profile pneumatic complete	.124.34						611
D75-1700-PC 439	Balancing chain complete	.Price on request						617
D75-1701-94	Articulated coupling 455	6.00						617
D75-1816-XX	Upper chain tensioner complete	137.13						617
D75-1821-XX	Bottom chain tensioner complete	73.37						617
D75-3201-10	Repair case, mail toggle joint	71.80						613
D75-3315-PC 459	Drive shaft 750 complete	.469.76						615
D75-3602-99	Stub axle 30 mm not drive side 750/770	150.68						615
D75-3623-99	Stub axle motor side 750/770	389.96						615
D75-4301-02	Guide block STS / standard	66.94						613
D75-4301-XX	Guide standard complete	121.16						613
D75-4302-XX	Guide bottom complete	254.29						613
D75-4303-XX	Guide upper bottom panel complete	183.33						613
D75-4304-XX	Guide upper panel complete	204.05						613
D75-4305-XX	Guide upper chain tensioner complete	148.26						613
D75-4306-XX	Guide upper panel complete	172.17						613
D75-4307-XX	Guide standard complete	176.18						613
D75-4308-XX	Guide bottom complete	309.27						613
D75-4312-XX	Toggle joint locking	169.01						613
D75-4330-XX	Hinge plate inner, safety wire	164.23						613
D75-4342-XX	Spring loaded brake plate, crash, 1 set	276.80						611
D75-4820-XX	Torque bracket with shock absorber	269.43						615
D75-4821-XX	Torque brack.double w.shock absorber	609.82						615
D75-9200-XX	Sprocket 32/462, 2 pcs	206.21						615
D75-9210-PC 439	Drive chain 462 complete	.116.24						617
D75-9211-94	Articulated coupling 462	6.00						617
D77-2300-XX	Chain anti lift device complete	102.85						615
D77-3668-96	Key 8 x 7 x 45	1.20						615
D8030022 185	Door blade	.147.81						351
D8030022 207	Door blade	.175.14						351
D8030R0076	Top stripe blue 250x7000mm	108.71						238
D8030R0077	Top stripe red 250x7000mm	108.71						238
D8030RG076 103	Replacement set window	0.00						240
D8030RG076 104	Replacement set window	0.00						240
D8030RG076 111	Replacement set window	0.00						240
D8030RG076	Replacement set window	0.00						240
D8070R0002	Actuator rope 6m + accessories	14.64						233
D8100R0013	Cable tray L=3000	293.45						217
D8110004	Vibration damper	71.77						475
D8110011	Torque arm	91.76						475
D8110013	Rope pulley with bracket LH	47.38						361
D8110014	Rope pulley with bracket RH	98.52						361
D8110015	Curtain tension complete	119.18						361
D8110016	Track adjuster	121.18						361
D8110017	Rope pulley unit RH	340.52						361
D8110018	Rope pulley unit LH	340.52						361
D8110019	Bracket front cover RH	71.01						361
D8110020	Bracket front cover LH	71.01						361
D8110021	Bracket aperture	131.54						361
D8110022	Cover sheet RH	69.38						361
D8110023	Cover sheet LH	72.57						361
D8110025	Runner RH w.swivelling rollers	777.09						361
D8110032	Runner LH w.swivelling rollers	777.09						361
D8110038	Rope pulley with bracket RH	88.56						361
D8110039	Rope pulley with bracket LH	88.56						361
D8110040	Curtain tension complete	114.09						361
D8110041	Track adjuster	181.77						361
D8110042	Rope pulley unit RH	404.32						361
D8110043	Rope pulley unit LH	404.32						361
D8110044	Bracket front cover RH	118.08						361
D8110045	Bracket front cover LH	118.08						361
D8110046	Bracket aperture	123.67						361
D8110047	Cover sheet RH	114.90						361
D8110048	Cover sheet LH	118.89						361
D8110056	Runner RH w.swivelling rollers	1023.62						361
D8110057	Runner LH w.swivelling rollers	1023.62						361
D8110062	Motor console	113.21						344
D8110063	Motor console	69.42						339
D8110064	Chain weel	144.29						53

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8110076	Roller chain complete	85.37						• 63, 249
D8110R0005	barrel shaft	101.33						• 475
D8110R0079	Roller chain complete	116.49						• 79, 181, 473
D8110R0084	Crank	61.42						• 263, 275
D8110R0085	Crank	74.99						• 263, 275
D8110R0086	Torque arm	76.71						• 19, 38, 181, 203, 263, 287, 299, 311
D8110R0087	Torque arm	47.55						• 19, 38, 203, 215, 275
D8110R0088	Torque arm	65.39						• 19, 249
D8110R0089	Torque arm	72.57						• 19
D8110R0100	Bowden cable compl. A2	99.39						• 217
D8110R0101	Chain drive assembly-set	335.81						• 249
D8110R0102	Torque arm	102.59						• 193
D8120004	Rope roller	14.08						• 453, 459
D8120010	Rope roller AL	33.67						• 453, 459
D8120011	Superior spring acceptance	50.81						• 45, 49
D8120012	Rope pulley with screw >1250	12.44						• 45
D8120012	Rope pulley with screw	12.44						• 49
D8120013	RH ground plate w. rope pulley	147.04						• 45
D8120014	LH ground plate	147.04						• 49
D8120015	RH console f. bearing complete	262.30						• 45
D8120016	LH console for bearing with	262.30						• 49
D8120017	Bell mouth great ≥ 1500	42.68						• 45
D8120017	Bell mouth great	42.68						• 49
D8120018	Covering cap	54.24						• 45, 49
D8120022	RH bell mouth ≤ 1500	38.63						• 45
D8120023	RH bell mouths	69.71						• 49
D8120026	Tension spring with	104.43						• 453, 459
D8120031	RH head plate	361.25						• 453
D8120032	LH head plate	361.25						• 459
D8120033	RH ground plate crash	223.23						• 453
D8120034	LH ground plate crash	279.90						• 459
D8120035	RH ground plate	107.61						• 453
D8120036	LH ground plate standard	107.61						• 459
D8120037	RH head plate	442.76						• 453
D8120038	LH head plate	442.76						• 459
D8120039	RH head plate	515.15						• 453
D8120040	LH head plate	451.54						• 459
D8120045	RH head plate	361.25						• 453
D8120046	LH head plate	361.25						• 459
D8120057	Guide pulley with bracket	102.86						• 342
D8120058	Pulley curtain tension	34.65						• 341, 342
D8120059	Curtain tension complete	144.06						• 341, 342
D8120060	Deflection spring with pulley	81.93						• 341, 342
D8120061	Bearing bracket LH kpl	295.86						• 341
D8120062	Pulley for Curtain tension	18.38						• 341
D8120063	Bottom plate RH	315.79						• 341
D8120065	Bottom plate LH	410.70						• 341
D8120066	RH head plate	361.25						• 453
D8120067	LH head plate	397.94						• 459
D8120068	Bell mouth small .21.83						•	45
D8120068	Bell mouth small	22.37						• 49
D8120070	Deflection spring with pulley	67.02						• 329, 331
D8120071	Curtain tensioncomplete	162.78						• 329, 331
D8120072	Bottom plate RH	255.91						• 329
D8120073	Guide pulley with bracket	70.22						• 331
D8120076	Bottom plate LH	198.52						• 331
D8120077	Bearing bracket LH complete	146.69						• 331
D8120106	Bottom plate RH	50.94						• 255
D8120107	Bottom plate LH	50.94						• 257
D8120108	RH bottom plate	26.53						• 267
D8120109	Bottom plate LH	26.53						• 269
D8120134	RH head plate drive side	73.37						• 267
D8120135	Head plate drive side LH	112.49						• 269
D8120136	RH head plate non drive side	73.37						• 267
D8120137	Head plate non drive side LH	123.57						• 269
D8120R0006	Cover stat. Photo cell	5.53						• 84
D8120R0008	Deflection spring	53.70						• 67, 69
D8120R0027	RH head plate for door blade	296.50						• 67
D8120R0028	LH head plate for curtain	296.50						• 69
D8120R0029	RH bottom plate	115.04						• 67
D8120R0030	LH bottom plate	115.04						• 69
D8120R0031	RH head plate for door blade	280.71						• 67

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8120R0032	LH head plate for curtain	280.71						• 69
D8120R0034	Weight with distance spacer	330.94						• 67
D8120R0038	Weight with distance spacer	341.32						• 69
D8120R0039	Cable duct complete, L=2000	69.58						• 243
D8120R0047	Belt receptacle	140.31						• 140, 599
D8120R0048	Brush strip complete	7.00						• 24, 28
D8120R0049	Cable Duct complete	18.63						• 84, 100, 115, 126, 140, 160, 599
D8120R0057	Belt shaft compl.	196.91						• 126
D8120R0058	Ratio in frame	58.91						• 315, 317
D8120R0059	Ratio MSO/ASO cpl	55.43						• 315, 317
D8120R0060	Roller chain	111.70						• 126
D8120R0067	Bracket with damper	58.13						• 303, 305
D8120R0072	Roller chain	127.65						• 95, 109, 121, 153, 155
D8120R0073	Cable pulley complete, bearing	68.15						• 497
D8120R0074	Sliding part cpl.	23.95						• 33
D8120R0078	Brace RH	337.97						• 171
D8120R0079	Brace LH	337.97						• 171
D8120R0084	Belt pulley cpl	120.22						• 159
D8120R0085	Guide cover bottom rh XXL	188.95						• 139
D8120R0086	Guide cover bottom lh XXL	188.95						• 139
D8120R0092	Belt receptacle	92.55						• 84, 115
D8120R0096	Pulley 1 compl	109.53						• 217, 617
D8120R0097	Gusset plate side of driveunit	196.12						• 23, 27, 38
D8120R0098	Gusset plate side of driveunit	296.65						• 23, 27, 38
D8120R0107	Belt pulley RH	122.65						• 160
D8120R0109	Guiding element complete, Alu	24.44						• 33
D8120R0112	Wheel bracket curtain tension	98.96						• 24, 28
D8120R0113	Slider right cpl.	367.78						• 207
D8120R0114	Slider left cpl.	358.20						• 209
D8120R0115	Belt pulley LH	122.65						• 160
D8120R0127	Guiding cover 1 bottom rh	158.50						• 99
D8120R0128	Guiding cover 1 bottom lh	158.50						• 99
D8120R0129	Guiding cover middle rh compl.	159.79						• 99
D8120R0130	Guiding cover middle lh compl.	159.79						• 99
D8120R0131	Belt idler 1 compl.	163.01						• 100
D8120R0134	Limit switch 2 rh compl.	152.12						• 100
D8120R0135	Limit switch 2 lh compl.	152.12						• 100
D8120R0140	Limit switch 3 rh compl.	152.12						• 100
D8120R0141	Limit switch 3 lh compl.	152.12						• 100
D8120RG046 232	Redirection rope with cable	.73.78						• 83, 113, 125, 595
D8130003	Pipe clamp D	15.56						• 232
D8130004	Pipe clamp B	10.60						• 232
D8130007	Endpiece sliding rail	9.79						• 232
D8130008	Wall bracket 3pcs	118.15						• 232
D8130027	Pipe clamp A	9.05						• 232
D8130R0009	Windbreaktap (12 pcs.)	48.52						• 15, 31, 53, 71, 177, 189, 199, 211, 245, 259, 271, 283, 295, 307, 319, 333, 343, 465, 491, 617
D8130R0010	End piece cpl.	21.36						• 117
D8130R0011	Flat belt repair-kit	109.62						• 88, 91, 117, 130, 144, 148, 601
D8130R0012	Repair kit PVC strip for lower	110.92						• 239
D8130R0017	Windbreak tab cpl., riveted	6.44						• 219
D8130R0042	Adapter kit top 3000R	197.39						• 130
D8130R0043	Clamping block 1 - flat belt	72.22						• 103
D8130R0044	Clamping block 2 - flat belt	45.85						• 103
D8130R0045	Distance web compl.	59.61						• 103
D8130R0046	Activator proxilimity switch	42.70						• 103
D8130R0048	Windbreak tap riveted cpl	78.63						• 217, 219
D8130R0049	Rubber spring top sealing	34.66						• 105
D8140002	Bracket for bearing	29.69						• 53
D8140022	Bearing top	193.00						• 351
D8140023	Bearing bottom	131.35						• 351
D8140035	Bearing top	202.77						• 351
D8140036	Bearing bottom	140.23						• 351
D8140052	Shaft with chain wheel	193.73						• 63
D8140R0005	Flange bearing D 30	38.82						• 15, 31, 53, 71, 177, 181, 189, 245, 259, 271, 283, 295, 307, 319
D8140R0060	Bearing d 35	66.19						• 93, 119, 151, 153, 603
D8140R0062	Flange bearing D 30	156.62						• 15, 31, 199, 211, 271, 283
D8140R0065	Bearing d30	43.29						• 133, 167
D8140R0066	Stub axle MSO/ASO	352.49						• 319
D8140R0069	Belt 25mm L=4200 with rivets	12.04						• 31
D8140R0071	Bearing diameter 30 mm	61.40						• 395, 481, 485, 519, 609

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8140R0076	Asynchronus spring system	220.03						• 151
D8140R0077	Belt 30mm L=6500mm	226.86						• 617
D8140R0078	Belt 25 mm (3.5 m)	122.49						217
D8140R0079	Guiding plate top sealing	73.27						• 105
D8140RG002	Asynchronus spring system	0.00						• 105
D8150001	Tappet cpl	100.29						• 469
D8150013	Switch pin	65.39						• 467
D8150026	End guide plate sliders	26.88						• 467
D8150027	Slider with screws	15.18						• 467
D8150030	Sliding guidance	58.81						• 469
D8150033	Sliding piece for bracket	20.25						• 469
D8150034 232	Trailing chain	.59.8						• 455, 461
D8150036	Driver RH	297.53						• 353
D8150037	Driver LH	297.53						• 355
D8150038	Driver RH	192.54						• 353
D8150039	Driver LH	192.54						• 355
D8150057	Weight	48.21						• 273
D8150R0001	Weight	82.17						• 261
D8150R0054	Sliding part outside for	120.31						• 75
D8150R0070	Switch plate right va with	78.98						• 33
D8150R0071	Switch plate left va with	78.98						• 33
D8150R0072	Switch plate right galv. With	102.93						• 33
D8150R0073	Switch plate left galv. With	102.93						• 33
D8150R0076	Extension piece 5L re	97.35						117
D8150R0077	Extension piece 5L li	97.35						117
D8150R0079	End guide plate, complete	91.71						• 493, 495
D8150R0086	Sliding part right for	107.63						• 55
D8150R0087	Sliding part left for	107.63						• 55
D8150R0097	Sliding guide ri/le pre.-run.	124.36						• 179
D8150R0103	Extension piece 5s rh, for	89.44						• 88, 130
D8150R0104	Extension piece 5s lh, for	89.44						• 88, 130
D8150R0105	Crash block cpl	315.59						• 617
D8150R0109	Retrofit RR600 Crash holder	186.56						• 493, 497
D8150R0110	Extension piece 5 rh, for	94.87						• 143, 147
D8150R0111	Extension piece 5s for	94.87						• 143, 147
D8150R0112	Extension piece 4s RH for	145.14						• 88, 91, 130
D8150R0113	Extension piece 4s LH for	135.80						• 88, 91, 130
D8150R0114	Extension piece 4L re	157.57						• 117
D8150R0115	Extension piece 4L li	140.99						• 117
D8150R0116	Extension piece 4a rh, for	165.87						• 143
D8150R0117	Extension piece 4a lh, for	138.92						• 143
D8150R0118	Extension piece 4b rh, for	169.06						• 147
D8150R0119	Extension piece 4b lh, for	141.95						• 147
D8150R0120	Adapter bottom RH compl.	137.84						• 163, 165
D8150R0121	Adapter bottom LH compl.	134.80						• 163, 165
D8150R0122	Extension piece 4s rh XL, for	174.11						• 601
D8150R0123	Extension piece 4s lh XL, for	143.03						• 601
D8150R0125	Sliding guide ri/le, pre.-run.	241.30						• 191
D8150R0128	Catching hook rh compl.	47.69						• 103
D8150R0129	Catching hook lh compl.	47.69						• 103
D8160011	Covering cap	93.26						• 453, 459
D8160012	Covering cap	144.29						• 453, 459
D8160014	Covering cap	117.20						• 453, 459
D8160029	Motor cover VA	219.46						• 344
D8160031	Motor cover aluminium RH	362.84						• 477
D8160032	Motor cover aluminium LH	355.59						• 477
D8160068	Motorcover	189.67						• 363
D8160R0001	Motorcover	153.07						• 363
D8160R0002	Motor cover aluminium cpl.	452.58						• 477
D8160R0003	Motor cover aluminium cpl.	452.58						• 477
D8160R0004	Motorcover chain drive LH	266.28						• 65
D8160R0005	Motorcover chain drive RH	266.28						• 65
D8160R0008	Covering cap chain drive RH	0.00						• 453
D8160R0009	Covering cap chain drive LH	0.00						• 459
D8160R0024	Motor cover RH, galvanized for	211.43						• 81
D8160R0025	Motor cover LH, galvanized for	211.43						• 81
D8160R0027	Motor cover galvanized	216.91						• 341
D8160R0051	Motor cover LH	273.45						• 137
D8160R0052	Motor cover RH	273.45						• 137
D8160R0067	Motor cover RH	290.28						• 137
D8160R0068	Motor cover LH	290.28						• 137
D8160R0078	Motorcover plastic grey RH	260.88						• 65

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8160R0079	Motorcover plastic grey LH	260.88						65
D8160R0080	Motorcover plastic grey RH	260.88						477
D8160R0081	Motorcover plastic grey LH	260.88						477
D8160R0084	Motorcover plastic grey RH	260.88						65
D8160R0085	Motorcover plastic grey LH	260.88						65
D8160R0090	Motorcover plastic grey RH	301.96						81
D8160R0091	Motorcover plastic grey LH	301.96						81
D8160R0094	Motorcover plastic grey RH	301.96						81
D8160R0095	Motorcover plastic grey LH	301.96						81
D8160R0103	Motor cover plasic grey cpl RH	149.08						21, 41, 251, 265, 277
D8160R0104	Motor cover plasic grey cpl LH	149.08						21, 41, 251, 265, 277
D8160R0105	Motor cover plasic grey MCC RH	149.08						21, 41
D8160R0106	Motor cover plasic grey MCC LH	149.08						21, 41
D8160R0107	Motor cover steel cpl RH	274.74						21, 41, 183, 289, 301, 313
D8160R0108	Motor cover steel cpl LH	274.74						21, 41, 183, 289, 301, 313
D8160R0109	Motor cover 30° inox cpl RH	415.53						21, 41, 277
D8160R0110	Motor cover 30° inox cpl LH	415.53						21, 41, 277
D8160R0111	Motor cover cpl RH	239.96						327
D8160R0112	Motor cover cpl LH	228.81						327
D8160R0118	Motorcover plastic grey RH	154.78						477
D8160R0119	Motorcover plastic grey LH	217.64						477
D8160R0120	Motorcover plastic grey RH	217.64						477
D8160R0121	Motorcover plastic grey LH	217.64						477
D8160R0123	Motor cover complete RH	309.41						97, 123, 157, 607
D8160R0124	Motor cover complete LH	309.41						97, 123, 157, 607
D8160R0125	Motor cover plastic RH	189.74						171
D8160R0126	Motor cover plastic LH	189.74						171
D8160R0127	Motor cover steel RH	297.53						171
D8160R0128	Motor cover steel LH	297.53						171
D8160R0129	Motor cover steel vario/chain	445.96						183
D8160R0132	Cable entry frame with sleeve	113.21						205, 217
D8160R0133	Motor cover aluminium RH	376.68						477
D8160R0134	Motor cover aluminium LH	376.68						477
D8160R0135	Motor cover steel cpl RH / LH	423.45						251
D8160R0137	Motor cover steel cpl RH / LH	243.99						251
D8160R0147	Motor cover 1 chain drive rh	604.12						97, 123
D8160R0148	Motor cover 1 chain drive lh	604.12						97, 123
D8160R0149	Motor cover steel cpl RH	357.37						193
D8160R0150	Motor cover steel cpl LH	357.37						193
D8160R0152	Motor cover 2 chain drive rh	604.12						97, 123
D8160R0153	Motor cover 2 chain drive lh	604.12						97, 123
D8160R0154	Motor cover 3 chain drive RH	0.00						157
D8160R0155	Motor cover 3 chain drive LH	0.00						157
D8160R0156	Motor cover 4 chain drive RH	0.00						157
D8160R0157	Motor cover 4 chain drive LH	0.00						157
D8160R0158	Motor cover 3 RH complete	361.57						111
D8160R0159	Motor cover 3 LH complete	361.57						111
D8160R0163	Motor cover aluminium cpl.	0.00						477
D8160R0164	Motor cover aluminium cpl.	0.00						477
D8160R0165	Covering cap chain drive 600G	0.00						453
D8160R0166	Covering cap chain drive 600G	0.00						459
D8160R0167	Motor cover 3 RH, KNH complete	462.05						111
D8160R0168	Motor cover 3 LH, KNH complete	462.05						111
D8160R0169	Motor cover 4 complete	391.35						111
D8160R0170	Motor cover 4, KNH complete	391.35						111
D8160R0171	Motor cover 4 RH complete	745.42						111
D8160R0172	Motor cover 4 LH complete	745.42						111
D8160R0173	Motor cover 4 RH, KNH complete	745.42						111
D8160R0174	Motor cover 4 LH, KNH complete	745.42						111
D8170014	Slider	52.26						479
D8170015	Acceptance Windbar	178.58						479
D8170016	Bracket for the cover	80.59						479
D8170017	Bracket for the cover LH cpl	141.91						479
D8170018	Bracket for the cover RH cpl	141.91						479
D8170019	Bracket for the cover RH cpl	146.69						479
D8170020	Bracket for the cover LH cpl	146.69						479
D8170151	bracke photocell	162.64						477
D8170152	Bracket reflector	107.79						477
D8170165	Fastener for curves	203.30						232
D8170R0159	Bracket photocell galv	75.78						234
D8170R0160	Bracket reflector galv	53.16						234
D8170R0300	Bracket Light-curtain 930mm	149.08						235

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8170R0301	Bracket Light-curtain 1890mm	216.61						• 235
D8170r0303	Bracket Light-curtain 930mm	252.81						• 235
D8170R0304	Bracket Light-curtain 1890mm	315.15						• 235
D8170R0311	Bracket Light-curtain 2370mm	211.27						• 235
D8170R0314	Bracket Light-curtain 2370mm	260.77						• 235
D8170R0318	Bracket photocell inox	268.38						• 234
D8170R0319	Bracket reflector inox	140.00						• 234
D8170R0320	Cleaner SR1 2,5l	58.85						• 238
D8170R0323	Bracket MCC side frame Zn	65.43						• 221
D8170R0324	Bracket MCC side frame VA	82.17						• 221
D8170R0325	Bracket wall mounted MCC Zn	75.80						• 221
D8170R0326	Bracket wall mounted MCC VA	70.22						• 221
D8170R0327	Wall mounting bracket Display	46.38						• 223
D8170R0328	Wall mounting bracket Display	54.62						• 223
D8170R0329	Side frame bracket for display	26.53						• 223
D8170R0330	Side frame bracket for display	59.82						• 223
D8170R0331	Side frame bracket for display	34.37						• 223
D8170R0332	Side frame bracket for display	67.83						• 223
D8170R0333	Break release, complete-	251.46						• 501
D8170R0334	Steel cable with cover for	253.95						• 501
D8170R0335	Bracket MCC side frame Zn	66.95						• 221
D8170R0336	Bracket MCC side frame Zn	61.37						• 221
D8170R0338	Cable fixation set	54.84						• 173, 175, 185, 187
D8170R0339	Bracket for display/mainswitch	56.47						• 223
D8170R0340	Bracket for display/mainswitch	56.47						• 223
D8170R0341	Bracket for display/mainswitch	72.54						• 223
D8170R0342	Bracket for display/mainswitch	72.54						• 223
D8170R0343	Bracket MCC and UPS for RR	44.61						• 221
D8170R0345	MCC wall bracket for netfilter	96.94						• 221
D8170R0346	Emergency lever opposite side	287.80						• 41, 217
D8170R0347	Console 0,2-0,4m complete	111.60						• 233, 234
D8170R0348	Bracket zn for LED compl.	9.12						• 235
D8170R0349	Bracket VA for LED compl.	16.41						• 235
D8170R0350	Bracket LED trafficlight strip	40.34						• 236
D8170R0353	Bracket frequency converter	38.27						• 231
D8170RG022 232	2. emergency lever galv.	173.32						• 41, 65, 81, 97, 111, 123, 137, 157, 171, 327, 477, 607
D8170RG041 232	Emergency lever ACS70	184.88						• 327, 441, 563, 593
D8170V0003	Cable pulley complete	66.19						• 497
D8200010 232	Retrofit kit to crash version	1125.39						• 239
D8200011 111	Retrofit kit travelling wind	0.00						239, 479
D8200011 459	Retrofit kit travelling wind	0.00						240, 479
D8200011	Retrofit kit travelling wind	0.00						• 239, 479
D8200RG001 232	Gear motor f. control ACS60/80	1549.06						• 263, 275
D8200RG002 232	Gear motor for control FUSI/II	1932.28						• 263, 275
D8200RG003 232	Gear motor for control PLS-G	1574.33						• 263, 275
D8200RG004 232	Gear motor for control ACS50	1544						• 263, 275
D8200RG005 232	Gear motor with rubber profile	1428.73						• 19, 263, 275, 287, 299, 311
D8200RG006 439	Retrofit kit RR600 windclass	126.55						• 240
D8210001 459	Aperture RH complete	101.17						• 361
D8210002 459	Aperture LH complete	101.17						• 361
D8210003 459	Chain	36.6						• 361
D8210006 232	Trailing chain RH w.h. cable	112.21						• 361
D8210007 232	Trailing chain LH w.h. cable	112.21						• 361
D8210009 181	Aperture RH complete	306.44						• 361
D8210015 459	Aperture complete straight	115.28						• 361
D8210018 232	Trailing chain RH w.h. cable	109.28						• 361
D8210019 232	Trailing chain LH w.h. cable	109.28						• 361
D8220001 439	RH support profile crash	258.17						• 453
D8220002 439	LH support profile crash	258.17						• 459
D8220015 243	Curtain tension / weight	0.00						• 45, 49
D8220015 244	Curtain tension / weight	0.00						• 45, 49
D8220015 247	Curtain tension / weight	0.00						• 45, 49
D8220015	Curtain tension / weight	0.00						• 45, 49
D8220016 439	LH front cover	110.23						• 49
D8220017 439	RH front cover	110.27						• 45
D8220018 439	RH support profile	111.35						• 45
D8220019 439	LH support profile	108.21						• 49
D8220025 445	Side frame incl photocell RH	195.39						• 255, 291
D8220025 451	Sideframe cpl RH	151.86						• 255
D8220026 439	Sideframe cpl LH	168.04						• 257, 293
D8220027 439	Sideframe ST	96.08						• 255, 257
D8220030 597	W. spring 11mm Dm 110 L0 1682	0.00						• 453, 459

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8220030	598	W. spring 11mm Dm 110 L0 2000	0.00						•	453, 459
D8220030	599	W. spring 12mm Dm 111 L0 1598	0.00						•	453, 459
D8220030	600	W. spring 12mm Dm 111 L0 2000	0.00						•	453, 459
D8220030	601	W. spring 13mm Dm 101 L0 1784	0.00						•	453, 459
D8220030	602	W. Spring 13mm Dm 114 L0 2000	0.00						•	453, 459
D8220030		Counterbalance	0.00						•	453, 459
D8220036	232	Emergencey lever	.86.02						•	347, 349
D8220037	439	RH support profile	.127.48						•	347
D8220038	439	LH front cover	.165.02						•	459
D8220039	439	RH front cover	.165.02						•	453
D8220040	439	Frontcover with brake lever	.83.02						•	347
D8220042	439	LH support profile	.148.64						•	349
D8220043	439	Frontcover	.79.86						•	349
D8220050	232	Second emergency lever	.175.9						•	363
D8220051	439	RH support profile standard	.258.17						•	453
D8220052	439	LH support profile standard	.258.17						•	459
D8220061	439	LH support profile, without	.124.39						•	349
D8220062	439	RH support profile, without	.125.43						•	347
D8220065	439	Frontcover	.81.87						•	349
D8220066	439	Frontcover with brake lever	.83.02						•	347
D8220068	232	Second emergency lever	.109.17						•	363
D8220071	232	Emergencey lever	.148.58						•	347, 349
D8220072	439	RH support profile	.161.99						•	347
D8220073	439	Frontcover with brake lever	.122.39						•	347
D8220075	439	Frontcover	.104.18						•	349
D8220076	439	LH support profile	.218.67						•	349
D8220080	232	Second emergency lever	.373.16						•	363
D8220084	439	column cpl. RH	.194.2						•	267
D8220085	441	Column cpl. LH	.196.22						•	269
D8220088	439	Sideframe	.185.1						•	267, 269
D8220092	341	For spring d=5mm	0.00						•	342
D8220092	342	For spring d=6,5mm	0.00						•	342
D8220092	359	Ror spring d=7,5mm	0.00						•	342
D8220092		Counterbalance Spring with	0.00						•	342
D8220098	439	Cover profile with bellmouth	.177.17						•	341
D8220099	439	Cover profile with bellmouth	.175.14						•	342
D8220100	439	RH support profile	.258.17						•	453
D8220101	439	LH support profile	.257.85						•	459
D8220104	232	Emergency operation	.126.36						•	341
D8220105	232	2. emergency lever	.126.36						•	344
D8220125	232	2. emergency lever	.126.36						•	341
D8220127	439	Cover profile with bellmouth	.113.21						•	329
D8220130	439	Cover profile with bellmouth	.116.34						•	331
D8220131	341	For spring d=5mm	0.00						•	331
D8220131	342	For spring d=6,5mm	0.00						•	331
D8220131	359	For spring d=7,5mm	0.00						•	331
D8220131		Counterbalance Spring /	0.00						•	331
D8220R0050		Spring suspension top complete	57.76						•	83, 99, 113, 125, 139, 159, 595
D8220R0051		Spring suspension top complete	90.96						•	99, 125, 139, 595
D8220R0052		Emergency lever complete	95.04						•	24, 28
D8220R0053		Emergency lever	76.40						•	457
D8220R0054		Emergency lever	147.86						•	329
D8220R0055		Emergency lever complete	86.33						•	45, 49, 67, 457
D8220R0056		Emergency lever cpl integrated	79.51						•	481, 485
D8220R0058		Spring suspension top complete	98.53						•	99, 139
D8220R0098		Weight Food 1 cpl. = 43.8 kg	381.99						•	207, 209
D8220R0099		Weight Food 2 cpl. = 50.3 kg	429.83						•	207, 209
D8220R0100		Weight	165.02						•	213
D8220R0101		Weight Food 3 cpl. = 26 kg	259.90						•	207, 209
D8220R0102		Weight Food 4 cpl. = 34.9 kg	315.08						•	207, 209
D8220RG197	111	Sideframe complete	0.00							67
D8220RG197	424	Sideframe complete	0.00							67
D8220RG197	439	Sideframe complete	0.00							67
D8220RG197		Sideframe complete	0.00						•	67
D8220RG198	111	Side frame complete	0.00							69
D8220RG198	424	Side frame complete	0.00							69
D8220RG198	439	Side frame complete	0.00							69
D8220RG198		Side frame complete	0.00						•	69
D8220RG215	232	Side frame RH compl.	.1946.81						•	83, 113
D8220RG215	424	Side frame RH compl.	.138.32						•	83, 113
D8220RG216	232	Side frame LH compl.	.1833.55						•	83, 113
D8220RG216	424	Side frame LH compl.	.138.32						•	83, 113

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8220RG218	232	Emergency lever	93.41						•	83, 113, 595
D8220RG221	439	Cover profile with bellmouth	177.17						•	341
D8220RG222	439	Cover profile with bellmouth	175.14						•	342
D8220RG223	439	Cover profile with bellmouth	112.21						•	329
D8220RG224	439	Cover profile with bellmouth	116.34						•	331
D8220RG226	439	RH column complete	154.9						•	7
D8220RG227	439	RH column complete	252.86						•	7
D8220RG228	439	Side frame incl photocell RH	174.94						•	7, 291
D8220RG229	439	LH column complete	180.01						•	9
D8220RG230	439	LH column complete	256.91						•	9
D8220RG231	439	Side frame incl photocell LH	176.97						•	9, 293
D8220RG232	439	Cover profile with middleprof	68.78						•	67
D8220RG233	439	Cover profile with middleprof	68.78						•	69
D8220RG234	439	Cover profile with middleprof	68.78						•	67
D8220RG235	439	Cover profile with middleprof	68.78						•	69
D8220RG236	445	Sideframe cpl RH	195.39						•	255
D8220RG236	451	Sideframe cpl RH	151.86						•	255
D8220RG237	439	Sideframe LH cpl	170.07						•	257
D8220RG238	439	RH column cpl.	213.35						•	267
D8220RG239	439	Column cpl. LH	213.35						•	269
D8220RG240	459	Lintel profile complete	56.33						•	97, 123
D8220RG241	448	Side frame incl. photocell LH/RH	255.12						•	279, 281, 303, 305
D8220RG241	449	Side frame incl. photocell LH/RH	260.19						•	279, 281, 303, 305
D8220RG241	452	Side frame incl. photocell LH/RH	333.08						•	279, 281, 303, 305
D8220RG241	453	Side frame incl. photocell LH/RH	291.57						•	279, 281, 303, 305
D8220RG241	454	Side frame incl. photocell LH/RH	393.83						•	279, 281, 303, 305
D8220RG242	111	Side frame 330 RH	0.00							315
D8220RG242	119	Extra balance system	0.00							315
D8220RG242	439	Side frame 330 RH	0.00							315
D8220RG242		Side frame 330 RH	0.00						•	315
D8220RG243	111	Side frame 330 LH	0.00							317
D8220RG243	119	Extra balance system	0.00							317
D8220RG243	439	Side frame 330 LH	0.00							317
D8220RG243		Side frame 330 LH	0.00						•	317
D8220RG247	439	Column complete RH	224.73						•	11
D8220RG248	446	LH column complete	256.12						•	13
D8220RG248	447	LH column complete	224.73						•	13
D8220RG249	439	Frame profile for switch	110.25						•	279, 303
D8220RG250	439	Frame profile for switch	135.66						•	281, 305
D8220RG252	457	Side frame incl photocell	195.15						•	291, 293
D8220RG253	111	Side frame 330 RH	0.00							315
D8220RG253	119	Extra balance system	0.00							315
D8220RG253	439	Side frame 330 RH	0.00							315
D8220RG253		Side frame 330 RH	0.00						•	315
D8220RG254	111	Side frame 330 LH	0.00							317
D8220RG254	119	Extra balance system	0.00							317
D8220RG254	439	Side frame 330 LH	0.00							317
D8220RG254		Side frame 330 LH	0.00						•	317
D8220RG255	232	Side frame RH compl.	1620.85						•	125
D8220RG255	424	Side frame RH compl.	138.29						•	125
D8220RG256	232	Side frame LH compl.	1620.85						•	125
D8220RG256	424	Side frame LH compl.	138.29						•	125
D8220RG259	232	Emergency lever	0.00						•	100
D8220RG259		Emergency lever	0.00						•	125
D8220RG260	232	Guide cover LH	205.53						•	125
D8220RG261	232	Guide cover RH	205.53						•	125
D8220RG273	114	RH column complete	970.68						•	23
D8220RG273	168	RH column complete	853.4						•	23
D8220RG273	444	RH column complete	288.17						•	23
D8220RG273	456	RH column complete	47.32						•	23
D8220RG273	508	Extra price light grid instead	297.28						•	23, 27
D8220RG273	608	Extra price curtain tension	152.68						•	23, 27
D8220RG273	609	Extra price curtain tension	139.54						•	23, 27
D8220RG274	114	LH column complete	970.68						•	27
D8220RG274	168	LH column complete	853.4						•	27
D8220RG274	444	LH column complete	288.17						•	27
D8220RG274	456	LH column complete	47.32						•	27
D8220RG283	439	Side frame profile door	106.26						•	481, 485
D8220RG284	232	Tension spring for counter-	236.64						•	23, 27
D8220RG285	439	RH support profile standard	284.13						•	453
D8220RG286	439	LH support profile standard	284.13						•	459
D8220RG287	439	RH support profile crash	296.26						•	453

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8220RG288	439	LH support profile crash	.296.26						•	459
D8220RG293	111	Side frame compl. RH	0.00						•	159
D8220RG293	405	Side frame compl. RH	0.00						•	159
D8220RG293	424	Side frame compl. RH	0.00						•	159
D8220RG293	439	Side frame compl. RH	0.00						•	159
D8220RG293		Side frame compl. RH	0.00						•	159
D8220RG294	111	Side frame compl. LH	0.00						•	159
D8220RG294	405	Side frame compl. LH	0.00						•	159
D8220RG294	424	Side frame compl. LH	0.00						•	159
D8220RG294	439	Side frame compl. LH	0.00						•	159
D8220RG294		Side frame compl. LH	0.00						•	159
D8220RG295	111	Side frame rh XXL complete	.1726.8						•	139
D8220RG295	424	Side frame rh XXL complete	.138.43						•	139
D8220RG295	439	Side frame rh XXL complete	.309.73						•	139
D8220RG296	111	Side frame lh XXL complete	.1726.8						•	139
D8220RG296	424	Side frame lh XXL complete	.138.43						•	139
D8220RG296	439	Side frame lh XXL complete	.309.73						•	139
D8220RG297	439	Side frame incl.photocell R	.238.93						•	173
D8220RG297	554	Side frame incl.photocell R	.31.59						•	173
D8220RG297	604	Upcharge cover for switch	.25						•	173
D8220RG297	605	Side frame incl.photocell R	.165.02						•	173
D8220RG297	606	Side frame incl.photocell RH	.93.13						•	173
D8220RG298	439	Side frame left incl.photocell	.238.93						•	175
D8220RG298	554	Side frame left incl.photocell	.31.59						•	175
D8220RG298	604	Upcharge cover for switch	.25							175
D8220RG298	605	Side left right incl.photocell	.165.02						•	175
D8220RG298	606	Side frame inc.photocell	.93.13						•	175
D8220RG299	232	Guide cover top rh XXL	.149.16						•	139
D8220RG300	232	Guide cover top lh XXL	.149.16						•	139
D8220RG301	232	Retrofit kit curtain tension	.642.87						•	24, 28
D8220RG302	597	W. spring 11mm Dm 110 L0 1682	0.00						•	453, 459
D8220RG302	598	W. spring 11mm Dm 110 L0 2000	0.00						•	453, 459
D8220RG302	599	W. spring 12mm Dm 111 L0 1598	0.00						•	453, 459
D8220RG302	600	W. spring 12mm Dm 111 L0 2000	0.00						•	453, 459
D8220RG302	601	W. spring 13mm Dm 101 L0 1784	0.00						•	453, 459
D8220RG302	602	W. Spring 13mm Dm 114 L0 2000	0.00						•	453, 459
D8220RG302		Counterbalance	0.00						•	453, 459
D8220RG304	232	Side frame right and left cpl.	.1581.31							217
D8220RG311	398	Column	0.00						•	183
D8220RG311	399	Column	0.00						•	183
D8220RG311	400	Column	0.00						•	183
D8220RG311		Column cpl.	0.00							183
D8220RG312	167	RH side frame complete	0.00						•	195
D8220RG312	168	RH side frame complete	0.00						•	195
D8220RG312	455	RH side frame complete	0.00						•	195
D8220RG312	456	RH side frame complete	0.00						•	195
D8220RG312	612	RH side frame complete	0.00						•	195
D8220RG312		RH side frame complete	0.00						•	195
D8220RG313	167	LH side frame complete	0.00						•	197
D8220RG313	168	LH side frame complete	0.00						•	197
D8220RG313	455	LH side frame complete	0.00						•	197
D8220RG313	456	LH side frame complete	0.00						•	197
D8220RG313	612	LH side frame complete	0.00						•	197
D8220RG313		LH side frame complete	0.00						•	197
D8220RG314	111	RH column complete	.465.04						•	23
D8220RG314	180	Extra price curtain tension	.111.22						•	23
D8220RG314	439	RH column complete	.225.04						•	23
D8220RG315	111	LH column complete	.465.04						•	27
D8220RG315	180	Extra price curtain tension	.111.22						•	27
D8220RG315	439	LH column complete	.225.04						•	27
D8220RG316	232	Curtain tension Alu	.194.09						•	24, 28
D8220RG317	459	Lintel profile with sealing	.78.85						•	205
D8220RG318	439	RH side frame complete	.555.34						•	207
D8220RG319	439	LH side frame complete	.555.34						•	209
D8220RG332	232	Lintel profile complete	.205.27						•	41, 205
D8220RG333	439	Column complete RH	.160.48						•	243
D8220RG334	439	Column complete LH	.160.48						•	243
D8220RG335	111	RH column complete	.876.89						•	23
D8220RG335	439	RH column complete	.Price on request						•	23
D8220RG336	111	LH column complete	.876.89						•	27
D8220RG336	439	LH column complete	.Price on request						•	27
D8220RG337	111	Side frame R incl.photocell	.200.04						•	185

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8220RG337 173	Side frame R incl.photocell	143.17						185
D8220RG337 178	Side frame R incl.photocell	43.15						185
D8220RG337 439	Side frame R incl.photocell	132.05						185
D8220RG337 554	Side frame R incl.photocell	35.96					•	185
D8220RG337 605	Side frame R incl.photocell	179.12					•	185
D8220RG337 606	Side frame R incl.photocell	143.17					•	185
D8220RG338 111	Side frame left incl.photocell	200.04					•	187
D8220RG338 173	Side left right incl.photocell	143.17						187
D8220RG338 178	Side left right incl.photocell	43.15						187
D8220RG338 439	Side frame left incl.photocell	132.05					•	187
D8220RG338 554	Side frame left incl.photocell	35.96					•	187
D8220RG338 605	Side left right incl.photocell	179.12					•	187
D8220RG338 606	Side frame right inc.photocell	143.17					•	187
D8220RG350 232	Lintel profile A	297.99					•	111
D8220RG351 232	Lintel profile B	369.27					•	111
D8220RG352 232	Guiding cover top rh compl.	201					•	99
D8220RG353 232	Guiding cover top lh compl.	201					•	99
D8220RG354 232	Guiding cover 2 bottom rh	185.86					•	99
D8220RG355 232	Guiding cover 2 bottom lh	185.86					•	99
D8220RG356 111	Side frame A RH complete	0.00						99
D8220RG356 424	Side frame A RH complete	0.00						99
D8220RG356 439	Side frame A RH complete	0.00						99
D8220RG356 508	Side frame A RH complete	0.00						99
D8220RG356	Side frame A right complete	0.00					•	99
D8220RG357 111	Side frame A LH complete	0.00						99
D8220RG357 424	Side frame A LH complete	0.00						99
D8220RG357 439	Side frame A LH complete	0.00						99
D8220RG357 508	Side frame A LH complete	0.00						99
D8220RG357	Side frame A left complete	0.00					•	99
D8220RG358 111	Side frame B RH complete	0.00						99
D8220RG358 424	Side frame B RH complete	0.00						99
D8220RG358 439	Side frame B RH complete	0.00						99
D8220RG358 508	Side frame B RH complete	0.00						99
D8220RG358	Side frame B right complete	0.00					•	99
D8220RG359 111	Side frame B LH complete	0.00						99
D8220RG359 424	Side frame B LH complete	0.00						99
D8220RG359 439	Side frame B LH complete	0.00						99
D8220RG359 508	Side frame B LH complete	0.00						99
D8220RG359	Side frame B left complete	0.00					•	99
D8220RG369 111	Side frame C RH complete	0.00						99
D8220RG369 424	Side frame C RH complete	0.00						99
D8220RG369 439	Side frame C RH complete	0.00						99
D8220RG369 508	Side frame C RH complete	0.00						99
D8220RG369	Side frame C right complete	0.00					•	99
D8220RG370 111	Side frame C LH complete	0.00						99
D8220RG370 424	Side frame C LH complete	0.00						99
D8220RG370 439	Side frame C LH complete	0.00						99
D8220RG370 508	Side frame C LH complete	0.00						99
D8220RG370	Side frame C left complete	0.00					•	99
D8220RG388 439	Cover profile with Bell mouth	Price on request					•	23
D8220RG389 439	Cover profile w. Bell mouth LH	Price on request					•	27
D8220TG009 232	Side frame rh XL complete	2447.91					•	595
D8220TG010 232	Emergency lever	148.48					•	139
D8220TG016 232	Side frame lh XL complete	2447.91					•	595
D8230013 186	Door blade Travitop 2x0.5 with	162.84					•	259, 271
D8230013 208	Door blade Travitop 2x0.5 with	178.01					•	259, 271
D8230016 185	Door blade Travitop 2x0.5	120.48					•	259, 271
D8230016 207	Door blade Travitop 2x0.5	137.68					•	259, 271
D8230053	Fastener with rope	86.96					•	232
D8230076 556	Curtain PVC without top roll	129.56						333, 343
D8230077 187	Curtain Top 0.5 without window	115.27						333, 343
D8230078 187	Curtain Top 0.5 with window	215.38						333, 343
D8230308 201	Doorblade Rolltex Plus	194.35					•	53
D8230308 625	Window horizontal/vertikal	244.76					•	53
D8230310 201	RollTex-Plus without window	0.00					•	71, 465
D8230310 625	Window	0.00						71, 465
D8230310	RollTex-Plus with window	0.00					•	465
D8230311 206	Curtain Rolltex Plus	0.00					•	333
D8230311 625	Window horizontal/vertikal	0.00						333, 343
D8230311	Curtain Rolltex Plus, without	0.00						343
D8230R0313	Cable emergency lever	35.93					•	171
D8230R0350	Windrip endpieces set 2pcs	102.86					•	617

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8230RG015	185	Curtain PVC	.83.93						•	71, 465
D8230RG015	207	Curtain PVC	.89.99						•	71
D8230RG058	141	Door blade PVC 1.4 w. stripes	0.00							15, 31, 177, 259, 271, 283, 295, 307, 319
D8230RG058	193	Door blade PVC with stripes	0.00						•	15, 31, 177, 259, 271, 283, 295, 307, 319
D8230RG058	196	Door blade PVC with stripes	0.00						•	15, 31, 177, 259, 271, 283, 295, 307, 319
D8230RG058		Door blade PVC 1.4 w. stripes	0.00							15, 31, 177, 259, 271, 283, 295, 307, 319
D8230RG062	185	Door blade Travitop 0.8	.97.19						•	15, 319
D8230RG062	186	Door blade Travitop 0.8	.137.68						•	15, 319
D8230RG062	207	Door blade Travitop 0.8	.114.4						•	15, 319
D8230RG062	208	Door blade Travitop 0.8	.158.95						•	15, 319
D8230RG062a		Door blade Travitop 0.8	0.00						•	177, 189, 283
D8230RG062b		Door blade Travitop 0.8	0.00						•	177, 189, 283
D8230RG062c		Door blade Travitop 0.8	0.00						•	177, 189, 283
D8230RG062d		Door blade Travitop 0.8	0.00						•	177, 189, 283
D8230RG070	185	Door blade PVC with stripes	0.00						•	53
D8230RG070	194	Door blade PVC with stripes	0.00						•	53
D8230RG070		Doorblade Plast 1,4	0.00						•	53
D8230RG071	213	Doorblade Top0,5 mit Fenster	.167.94						•	53
D8230RG072	212	Doorblade Top0,5 ohne Fenster	.121.4						•	53
D8230RG312	111	Portblad / Rolltex Plus /	0.00						•	15, 31, 259, 271, 283, 295, 307, 319
D8230RG312	189	Nomatex	0.00						•	15, 31, 283, 295, 307, 319
D8230RG312	203	Rolltex Original painted	0.00						•	15, 283, 295, 307, 319
D8230RG312	204	Rolltex Plus / RollTex	0.00						•	31, 259, 271, 283, 295, 307, 319
D8230RG312	205	Rolltex Plus/RollTex Original	0.00						•	15
D8230RG312	619	Vision panel Nomatex	0.00						•	15, 31, 283, 295, 307, 319
D8230RG312	625	Window vertical / horizontal	0.00						•	15, 31, 259, 271, 283, 295, 307, 319
D8230RG312		Door blade Rolltex Plus	0.00						•	15, 31, 259, 271, 283, 295, 307, 319
D8230RG325	192	Door blade PVC with stripes	.83.93						•	491
D8230RG327	209	Door blade Travitop 1.3	.114.26						•	15, 31
D8230RG327	223	Door blade Travitop 1.3 with	.152.68						•	15, 31
D8230RG331	459	Lamella bottom with	.222.83						•	117
D8230RG331	482	Lamella bottom w. safety edge	.21.73						•	117
D8230RG332	482	Lamella bottom with safety	.21.73						•	117
D8230RG332	493	Lamella bottom with	.265.68						•	117
D8230RG334	189	Nomatex	0.00						•	491
D8230RG334	201	Rolltex Plus	0.00						•	491
D8230RG334	619	Window vertical/horizontal	0.00						•	491
D8230RG334	625	Vision area for doorblade	0.00						•	491
D8230RG334		Door blade	0.00							491
D8230RG341	459	Lamella 1 (*)	.80.64						•	163
D8230RG341	482	Lamella 1 (*)	.21.74						•	163
D8230RG342	459	Lamella 2 (*)	.132.63						•	163
D8230RG342	482	Lamella 2 (*)	.21.69						•	163
D8230RG343	459	Window lamella 1 (*)	.80.64						•	163
D8230RG343	482	Window lamella 1 (*)	.21.74						•	163
D8230RG344	459	Window lamella 2 (*)	.132.63						•	163
D8230RG344	482	Window lamella 2 (*)	.21.69						•	163
D8230RG345	459	Bottom lamella with rubber	.86.34						•	163
D8230RG345	482	Bottom lamella with rubber	.21.69						•	163
D8230RG347	439	Distance profile cpl	.85.4						•	163, 165
D8230RG348	481	isolation with Polystyrol	0.00							143
D8230RG348	482	Top lamella XXL with intel	0.00							143
D8230RG348	493	without isolation	0.00							143
D8230RG348		Top lamella XXL, with intel	0.00						•	143
D8230RG349	481	isolation with Polystyrol	0.00							143
D8230RG349	482	Lamella 1 XXL with extension	0.00							143
D8230RG349	493	without isolation	0.00							143
D8230RG349		Lamella 1 XXL with extension	0.00						•	143
D8230RG350	481	isolation with Polystyrol	0.00							143
D8230RG350	482	Lamella 2 XXL with extension	0.00							143
D8230RG350	493	without isolation	0.00							143
D8230RG350		Lamella 2 XXL with extension	0.00						•	143
D8230RG351	481	isolation with Polystyrol	0.00							143
D8230RG351	482	Lamella 3 XXL with extension	0.00							143
D8230RG351	493	without isolation	0.00							143
D8230RG351		Lamella 3 XXL with extension	0.00						•	143
D8230RG352	482	Windowlamella 1 XXL with	.21.69							143
D8230RG352	493	Windowlamella 1 XXL with	.82.35						•	143
D8230RG353	482	Windowlamella 2 XXL with	.21.69							143
D8230RG353	493	Windowlamella 2 XXL with	.82.35						•	143
D8230RG354	482	Windowlamella 3 XXL with	.21.69							143
D8230RG354	493	Windowlamella 3 XXL with	.82.35						•	143

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8230RG359 111	Base price	0.00						177
D8230RG359 189	Nomatex	0.00					•	177
D8230RG359 203	Rolltex Original painted	0.00					•	177
D8230RG359 204	Rolltex Plus/RollTex original	0.00					•	177
D8230RG359 619	Vision panel	0.00					•	177
D8230RG359 625	Window horizontal / vertikal	0.00					•	177
D8230RG359	Door blade Rolltex Plus /	0.00						177
D8230RG361 459	Windowlamella 1ISO with	139.55					•	147
D8230RG361 482	Windowlamella 1ISO with	21.69						147
D8230RG362 459	Windowlamella 2 ISO with	139.55					•	147
D8230RG362 482	Windowlamella 2 ISO with	21.69						147
D8230RG363 459	Windowlamella 3 ISO with	139.55					•	147
D8230RG363 482	Windowlamella 3 ISO with	21.69						147
D8230RG369 481	Lamella 1 ISO with extension	52.48					•	147
D8230RG369 482	Lamella 1 ISO with extension	21.69						147
D8230RG370 481	Lamella 2 ISO with extension	53.79					•	147
D8230RG370 482	Lamella 2 ISO with extension	21.69						147
D8230RG371 481	Lamella 3 ISO with extension	53.7					•	147
D8230RG371 482	Lamella 3 ISO with extension	21.69						147
D8230RG372 481	Top lamella ISO, with intel	70.17					•	147
D8230RG372 482	Top lamella ISO with intel	21.69						147
D8230RG373 476	Bottom lamella ISO with rubber	16.28						147
D8230RG373 481	Bottom lamella ISO with rubber	64.82					•	147
D8230RG373 482	Bottom lamella ISO with rubber	21.69						147
D8230RG374 429	Windrib cpl	106.5					•	617
D8230RG376	Curtain Top with windribs	0.00					•	617
D8230RG378 593	With print	0.00						217
D8230RG378 594	With reinforcement	0.00						217
D8230RG378 595	With window	0.00						217
D8230RG378 596	Without reinforcement	0.00						217
D8230RG378	Curtain LCS reinforced	0.00					•	217, 219
D8230RG385 481	isolation with Polystyrol	0.00					•	87
D8230RG385 482	isolation with Polystyrol	0.00					•	87
D8230RG385 493	without isolation	0.00					•	87
D8230RG385	Lamella 2 with extension piece	0.00					•	87
D8230RG386 481	isolation with Polystyrol	0.00					•	87, 129
D8230RG386 482	Lamella 3 with extension piece	0.00					•	87, 129
D8230RG386 493	without isolation	0.00					•	87, 129
D8230RG386	Lamella 3 with extension piece	0.00					•	87, 129
D8230RG387 481	isolation with Polystyrol	0.00					•	87
D8230RG387 482	isolation with Polystyrol	0.00					•	87
D8230RG387 493	without isolation	0.00					•	87
D8230RG387	Top lamella with intel sealing	0.00					•	87
D8230RG389 481	isolation with Polystyrol	0.00					•	129
D8230RG389 482	Lamella R2 w. extension piece	0.00					•	129
D8230RG389 493	without isolation	0.00					•	129
D8230RG389	Lamella R2 with extension	0.00					•	129
D8230RG390 481	isolation with Polystyrol	0.00					•	129
D8230RG390 482	Top lamella R w.top sealing(*)	0.00					•	129
D8230RG390 493	without isolation	0.00					•	129
D8230RG390	Top lamella R, with top	0.00					•	129
D8230RG391 480	isolation with Polystyrol	0.00					•	87, 91, 129
D8230RG391 482	Bottom lamella with rubber	0.00					•	87, 91, 129, 143
D8230RG391 493	Bottom lamella with rubber	0.00					•	87, 91, 129, 143
D8230RG391	Bottom lamella with rubber	0.00					•	87, 91, 129
D8230RG392 481	isolation with Polystyrol	0.00					•	87, 129
D8230RG392 482	Lamella bottom with electr.	0.00					•	87, 129, 143
D8230RG392 493	Lamella bottom with electr.	0.00					•	87, 129, 143
D8230RG392	Lamella bottom with electr.	0.00					•	87, 129
D8230RG393 481	isolation with Polystyrol	0.00					•	87, 129
D8230RG393 482	Lamella bottom with electr.	0.00					•	87, 129, 143
D8230RG393 493	Lamella bottom with electr.	0.00					•	87, 129, 143
D8230RG393	Lamella bottom with electr.	0.00					•	87, 129
D8230RG403 481	isolation with Polystyrol	0.00						601
D8230RG403 482	Top lamella XL with intel	0.00						601
D8230RG403 493	without isolation	0.00						601
D8230RG403	Top lamella XL, with intel	0.00					•	601
D8230RG406 481	isolation with Polystyrol	0.00						601
D8230RG406 482	Lamella 1 XL with extension	0.00						601
D8230RG406 493	without isolation	0.00						601
D8230RG406	Lamella 1 XL with extension	0.00					•	601
D8230RG407 481	isolation with Polystyrol	0.00						601

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8230RG407	482	Lamella 2 XL with extension	0.00							601
D8230RG407	493	without isolation	0.00							601
D8230RG407		Lamella 2 XL with extension	0.00						•	601
D8230RG408	481	isolation with Polystyrol	0.00							601
D8230RG408	482	Lamella 3 XL with extension	0.00							601
D8230RG408	493	without isolation	0.00							601
D8230RG408		Lamella 3 XL with extension	0.00						•	601
D8230RG409	476	rubber profile with extended	0.00							601
D8230RG409	480	isolation with Polystyrol PS30	0.00							601
D8230RG409	482	Bottom lamella with rubber	0.00							601
D8230RG409	493	without isolation	0.00							601
D8230RG409		Bottom lamella with rubber	0.00						•	601
D8230RG410	459	Windowlamella 1XL with	.87.37						•	601
D8230RG410	482	Windowlamella 1XL w. extension	.21.69							601
D8230RG411	459	Windowlamella 2 XL with	.87.37						•	601
D8230RG411	482	Windowlamella 2 XL with	.21.69							601
D8230RG412	459	Windowlamella 3 XL with	.87.37						•	601
D8230RG412	482	Windowlamella 3 XL with	.21.69							601
D8230RG413		Curtain fulltop with window	0.00						•	617
D8230RG415	481	isolation with Polystyrol	0.00						•	87
D8230RG415	482	isolation with Polystyrol	0.00						•	87
D8230RG415	493	without isolation	0.00						•	87
D8230RG415		Lamella 1 with extension piece	0.00						•	87
D8230RG416	141	Door blade PVC with stripes	0.00							199
D8230RG416	193	Reinforcement stripes in	0.00						•	199
D8230RG416	196	Reinforcement stripes white	0.00							199
D8230RG416		Door blade PVC with stripes	0.00						•	199
D8230RG417	493	Lamella GL 1a compl., with	.74.66						•	91
D8230RG418	493	Lamella GL 2a compl., with	.74.66						•	91
D8230RG419	493	Lamella GL 3a compl., with	.74.66						•	91
D8230RG422	141	Door blade PVC with stripes	0.00							211
D8230RG422	193	Reinforcement stripes in	0.00						•	211
D8230RG422	196	Reinforcement stripes blue or	0.00							211
D8230RG422		Door blade PVC with stripes	0.00						•	211
D8230RG422d		Door blade PVC with stripes	0.00						•	211
D8230RG423	209	Door blade Travitop 1.3	.92.56						•	211
D8230RG423	223	Door blade Travitop 1.3 with	.118.22						•	211
D8230RG425	459	Lamella 1 laser (*)	.141.58						•	165
D8230RG425	482	Lamella 1 laser (*)	.21.69						•	165
D8230RG426	459	Lamella 2 laser (*)	.141.58						•	165
D8230RG426	482	Lamella 2 laser (*)	.21.69						•	165
D8230RG427	459	Bottom lamella laser	.219.37						•	165
D8230RG427	482	Bottom lamella laser	.21.69						•	165
D8230RG435	459	Lamella bottom with electr.	.197.51						•	147
D8230RG435	482	Lamella bottom with electr.	.21.73							147
D8230RG436	459	Lamella bottom with electr.	.237.01						•	147
D8230RG436	482	Lamella bottom with electr.	.21.73							147
D8230RG437	481	isolation with Polystyrol	0.00						•	87, 129
D8230RG437	482	Lamella bottom with electr.	0.00						•	87, 129, 143
D8230RG437	493	Lamella bottom type 4a with	0.00						•	87, 129, 143
D8230RG437		Lamella bottom type 4a (with	0.00						•	87, 129
D8230RG438	476	Lamella bottom type 4b	.10.44							147
D8230RG438	481	Lamella bottom type 4b (with	.83.37						•	147
D8230RG438	482	Lamella bottom type 4b	.21.73							147
D8230RG439	481	isolation with Polystyrol	0.00							143
D8230RG439	482	Lamella type 4c (*)	0.00							143
D8230RG439	493	without isolation	0.00							143
D8230RG439		Lamella type 4c (*)	0.00						•	143
D8230RG440	459	Window lamella W1 with	.82.35						•	87, 129
D8230RG440	482	Window lamella W1 with	.21.69						•	87, 129
D8230RG441	459	Window lamella W2 w. extension	.82.35						•	87, 129
D8230RG441	482	Window lamella W2 with	.21.69						•	87, 129
D8230RG442	459	Window lamella W3 with	.82.35						•	87, 129
D8230RG442	482	Window lamella W3 with	.21.69						•	87, 129
D8230RG443	111	Top lamella GL a with lintel	0.00							91
D8230RG443	493	without isolation	0.00							91
D8230RG443		Top lamella GL a, with lintel	0.00						•	91
D8230RG446	209	Doorblade Travitop 1.3 without	.117.62						•	245
D8230RG446	223	Doorblade Travitop 1.3 with	.151.62						•	245
D8230RG447	232	Curtain cutout rh/lh compl.	.331.83						•	253
D8230RG448	209	Door blade Travitop 1.3	.114.26						•	31
D8230RG448	223	Door blade Travitop 1.3 with	.152.68						•	31

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8230RG449 141	Door blade PVC 1.4 w. stripes	0.00						• 31
D8230RG449 193	Door blade PVC with stripes	0.00						31
D8230RG449 196	Stripes blue or red	0.00						• 31
D8230RG449	Door blade PVC 1.4 w. stripes	0.00						• 31
D8230RG450 111	Door blade	0.00						• 31
D8230RG450 189	Nomatex	0.00						• 31
D8230RG450 204	Rolltex Plus	0.00						• 31
D8230RG450 619	Vision area for Nomatex	0.00						• 31
D8230RG450 625	Window vertical / horizontal	0.00						• 31
D8230RG450	Door blade	0.00						• 31
D8230RG451 232	Curtain cutout inside compl.LH	287.72						• 253
D8230RG452 232	Curtain cutout inside compl.RH	287.72						• 253
D8230RG453 232	Curtain cutout outside compl	287.72						• 253
D8230RG454 481	isolation with Polystyrol	0.00						• 129
D8230RG454 482	Lamella R1 reinforced w.	0.00						• 129
D8230RG454 493	without isolation	0.00						• 129
D8230RG454	Lamella R1 reinforced w.	0.00						• 129
D8230RG455 142	Door blade PVC	0.00						189
D8230RG455 143	Stripes in special colour	0.00						• 189
D8230RG455 144	Stripes blue or red	0.00						• 189
D8230RG455	Door blade PVC 1,8 w. stripes	0.00						189
D8230RG456 142	Door blade PVC 1.8 w. stripes	0.00						• 31
D8230RG456 143	Door blade PVC 1.8 w. stripes	0.00						31
D8230RG456 144	Door blade PVC 1.8 w. stripes	0.00						• 31
D8230RG456 191	Door blade PVC	0.00						• 31
D8230RG456	Door blade PVC 1.8 w. stripes	0.00						• 31
D8230RG457 137	Doorblade	0.00						189
D8230RG457 154	Doorblade	0.00						189
D8230RG457 189	Nomatex	0.00						• 189
D8230RG457 201	Rolltex Plus / RollTex	0.00						• 189
D8230RG457 625	Window horizontal / vertikal	0.00						• 189
D8230RG457	Door blade Rolltex Plus /	0.00						189
D8230RG468 459	Lamella 1a (*)	0.00						103
D8230RG468 651	Lamella 1a (*)	0.00						103
D8230RG468 652	Lamella 1a (*)	0.00						103
D8230RG468	Lamella 1a (*)	0.00						• 103
D8230RG469 459	Lamella 2 (*)	0.00						103
D8230RG469 651	Lamella 2 (*)	0.00						103
D8230RG469 652	Lamella 2 (*)	0.00						103
D8230RG469	Lamella 2 (*)	0.00						• 103
D8230RG470 459	Lamella 3a (*)	0.00						103
D8230RG470 651	Lamella 3a (*)	0.00						103
D8230RG470 652	Lamella 3a (*)	0.00						103
D8230RG470	Lamella 3a (*)	0.00						• 103
D8230RG471 459	Window lamella 1a (*)	150.18						• 103
D8230RG472 459	Window lamella 2 (*)	150.18						• 103
D8230RG473 459	Window lamella 3a (*)	125.35						• 103
D8230RG474 459	Bottom lamella compl. (*)	0.00						103
D8230RG474 651	Bottom lamella compl. (*)	0.00						103
D8230RG474 652	Bottom lamella compl. (*)	0.00						103
D8230RG474	Bottom lamella compl. (*)	0.00						• 103
D8230RG475 459	Top lamella w.intel sealing(*)	0.00						103
D8230RG475 651	Top lamella w.intel sealing(*)	0.00						103
D8230RG475 652	Top lamella w.intel sealing(*)	0.00						103
D8230RG475	Top lamella, with intel	0.00						• 103
D8230RG479 459	Lamella 1b (*)	0.00						103
D8230RG479 651	Lamella 1b (*)	0.00						103
D8230RG479 652	Lamella 1b (*)	0.00						103
D8230RG479	Lamella 1b (*)	0.00						• 103
D8230RG480 459	Lamella 3b (*)	0.00						103
D8230RG480 651	Lamella 3b (*)	0.00						103
D8230RG480 652	Lamella 3b (*)	0.00						103
D8230RG480	Lamella 3b (*)	0.00						• 103
D8230RG489 459	Window lamella 1b (*)	150.18						• 103
D8230RG490 459	Window lamella 3b (*)	125.35						• 103
D8230RG491 459	Bottom sealing compl.	82.37						• 103
D8230RG492 459	Bottom lamella w. safety edge	0.00						103
D8230RG492 651	Bottom lamella w. safety edge	0.00						103
D8230RG492 652	Bottom lamella w. safety edge	0.00						103
D8230RG492	Bottom lamella with	0.00						• 103
D8230RG493 459	Bottom profile safety edge	157.04						• 103
D8230RG508	Curtain PVC with stripes	0.00						• 617

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8230RG509	Curtain PVC with stripes and	0.00						• 617
D8240013 459	Toproll aluminium without	.251.02						• 465
D8240014 111	Baseprice	0.00						• 465
D8240014 192	PVC	0.00						• 465
D8240014 194	PVC	0.00						• 465
D8240014 201	RollTex-Plus without window	0.00						• 465
D8240014 459	Toproll aluminium with curtain	0.00						• 465
D8240014 625	Window horizontal/vertikal	0.00						• 465
D8240014	Toproll aluminium with curtain	0.00						• 465
D8240015 459	Toproll steel without curtain	.357.99						• 465
D8240018 111	Baseprice	0.00						• 465
D8240018 192	PVC blue or red	0.00						• 465
D8240018 194	PVC special colour	0.00						• 465
D8240018 201	RollTex-Plus without window	0.00						• 465
D8240018 459	Toproll	0.00						• 465
D8240018	Toproll steel with curtain PVC	0.00						• 465
D8240021	Top roll with bearing and	0.00						• 259
D8240022 439	Barrel complete	.130.47						• 351
D8240029 439	Barrel complete	.179.03						• 351
D8240030 114	Top roll VA with curtain	.2047.67						• 342
D8240030 459	Barrel Alu	.236.86						342
D8240030 625	Window horizontal/vertikal	.244.76						342
D8240031 111	Top roll VA with rope and belt	0.00						343
D8240031 459	Top roll VA with rope and belt	0.00						343
D8240031	Top roll VA with rope and belt	0.00						• 343
D8240032 118	Top roll Alu with curtain	.1053.92						• 342
D8240032 187	Curtain Top (2 x 0,5) mm	.47.38						342
D8240032 195	PVC	.67.74						342
D8240032 206	RollTex-Plus without window	.116.42						342
D8240032 556	PVC	.54.16						• 342
D8240032 617	Curtain Top (2 x 0,5) mm	.96.18						342
D8240033 459	Top roll with rope and belt AL	.406.52						• 342
D8240034 111	Top roll alu with bearing and	0.00						• 271
D8240034 192	Door blade PVC with stripes	0.00						• 271
D8240034 194	Door blade PVC with stripes	0.00						• 271
D8240034 228	Doorblade top 2 x 0.5 mm	0.00						• 271
D8240034 462	Top roll	0.00						• 271
D8240034 590	Doorblade RollTex Plus	0.00						• 271
D8240034	Top roll alu with bearing and	0.00						• 271
D8240035 111	Top roll a2 with bearing	0.00						• 271
D8240035 187	Doorblade top 2 x 0.5 mm	0.00						• 271
D8240035 192	Door blade PVC with stripes	0.00						• 271
D8240035 194	Door blade PVC with stripes	0.00						• 271
D8240035 206	Doorblade RollTex Plus	0.00						• 271
D8240035 459	Top roll	0.00						• 271
D8240035 625	Window for Rolltex Plus	0.00						• 271
D8240035	Top roll a2 with bearing	0.00						• 271
D8240036 111	Top roll a2 with bearing	0.00						• 271
D8240036 459	Top roll a2 with bearing	0.00						• 271
D8240036	Top roll a2 with bearing	0.00						• 271
D8240069 187	Curtain Top (2 x 0,5) mm	0.00						• 333
D8240069 195	PVC	0.00						• 333
D8240069 206	RollTex-Plus without window	0.00						• 333
D8240069 232	Base price	0.00						• 333
D8240069 459	Barrel	0.00						• 333
D8240069 556	PVC	0.00						• 333
D8240069 617	Curtain Top (2 x 0,5) mm	0.00						• 333
D8240069 623	Window horizontal/vertikal	0.00						• 333
D8240069	Top roll with curtain	0.00						• 333
D8240070 459	Top roll with rope and belt	.211.6						• 333
D8240078 459	Top roll with bearing	.224.59						• 259
D8240079 459	Top roll alu with bearing	.373.32						• 271
D8240089 111	Base price	0.00						53
D8240089 185	Door blade PVC with stripes	0.00						53
D8240089 201	Doorblade RollTex	0.00						53
D8240089 207	Door blade PVC with stripes	0.00						53
D8240089 210	Doorblade top without window	0.00						53
D8240089 211	Doorblade top with window	0.00						53
D8240089 212	Doorblade top without window	0.00						53
D8240089 213	Doorblade top with window	0.00						53
D8240089 459	Barrel	0.00						53
D8240089 625	Window horizontal/vertikal	0.00						53

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8240089	Toproll with curtain	0.00						• 53
D8240090 459	Top roll Alu	211.58						53
D8240R0001	Flange bearing rh compl.	95.43						• 105
D8240R0002	Flange bearing lh compl.	95.43						• 105
D8240R0020	Flat belt complete Assembly	241.77						• 88, 117
D8240R0021	Flat belt set 3000R compl.	189.96						• 130
D8240R0024	Add on belt 3000 set	109.97						• 88, 117
D8240R0025	Add on belt 3000R set	137.29						• 130
D8240R0028	Flat belt-set 3000XXL-ISO cpl	431.02						• 144, 147
D8240R0035	Flat belt complete Assembly	343.06						• 601
D8240R0061	Flat belt A 33-200 spare part	290.78						• 103
D8240RG007 134	Base price	0.00						• 71
D8240RG007 162	Base price	0.00						• 71
D8240RG007 185	PVC additional per m²	0.00						71
D8240RG007 201	RollTex Plus additional per m²	0.00						71
D8240RG007 207	PVC additional per m²	0.00						71
D8240RG007 459	Barrel	0.00						71
D8240RG007 625	RollTex Plus window vertical/	0.00						71
D8240RG007	Top roll with curtain	0.00						71
D8240RG099 111	Top roll alu with bearings	0.00						15
D8240RG099 114	Top roll A2 with bearings	0.00						15, 283, 295
D8240RG099 432	Top roll alu with bearing	0.00						• 199, 283
D8240RG099 463	Top roll stainless steel with	0.00						15, 283
D8240RG099 467	Top roll alu with bearings	0.00						• 15, 177, 283, 307
D8240RG099	Top roll alu with bearing	0.00						• 15, 283
D8240RG099a	Top roll w. 20mm shaft Becker	0.00						• 295
D8240RG101	Top roll alu with bearing and	0.00						• 15, 177, 283, 295, 307, 319
D8240RG107 459	Top roll 330 cpl	549.07						• 319
D8240RG109 432	Top roll alu with bearing belt	297.65						• 31
D8240RG109 467	Top roll alu with bearing belt	213.62						• 31
D8240RG109 488	Top roll alu with bearing belt	328.01						• 31
D8240RG110	Top roll alu with bearing belt	0.00						• 31
D8240RG113 111	Barrel complete	0.00						• 133
D8240RG113 459	Barrel complete	0.00						• 133
D8240RG113	Barrel complete	0.00						• 133
D8240RG122 160	Top roll complete Ø139.7	966.02						• 489
D8240RG122 161	Top roll complete Ø193.7	1882.27						• 489
D8240RG122 489	Top roll complete Ø139.7	212.33						• 489
D8240RG122 490	Top roll complete Ø193.7	142.33						• 489
D8240RG123 160	Top roll Ø139.7	570.11						• 489
D8240RG123 161	Top roll Ø193.7	1512.8						• 489
D8240RG123 489	Top roll Ø139.7	209.23						• 489
D8240RG123 490	Top roll Ø193.7	142.33						• 489
D8240RG124 232	Barrel complete (*)	731.09						• 167
D8240RG130 232	Top roll LCS cpl (incl. 2 3 4)	579.12						217
D8240RG133 232	Barrel complete	1272.83						• 151
D8240RG134 248	Barrel 1 complete (*)	1444.91						• 93
D8240RG134 249	Barrel 1 complete (*)	1557.15						• 93
D8240RG137 232	Barrel complete	1367.81						• 151
D8240RG138 232	Barrel 2 complete ISO (*)	1293.13						• 153
D8240RG139 248	Barrel 1c complete (*)	1540.98						• 93
D8240RG139 249	Barrel 1c complete (*)	1687.59						• 93
D8240RG140 248	Barrel 1b complete (*)	1444.91						• 93
D8240RG140 249	Barrel 1b complete (*)	1557.15						• 93
D8240RG141 248	Barrel L1 complete (*)	0.00						• 119
D8240RG141 249	Barrel L1 complete (*)	0.00						• 119
D8240RG141	Barrel L1 complete (*)	0.00						• 119
D8240RG142 248	Barrel L1c complete (*)	0.00						• 119
D8240RG142 249	Barrel L1c complete (*)	0.00						• 119
D8240RG142	Barrel L1c complete (*)	0.00						• 119
D8240RG146	Top roll alu with va shafts	0.00						• 199
D8240RG150 148	Base price	0.00						217
D8240RG150 593	With print	0.00						217
D8240RG150 594	With reinforcement	0.00						217
D8240RG150 595	With window	0.00						217
D8240RG150 596	Without reinforcement	0.00						217
D8240RG150	Top roll LCS cpl with curtain	0.00						217
D8240RG153	Flat belt GL a compl. RH	0.00						• 91
D8240RG154	Flat belt GL a compl. LH	0.00						• 91
D8240RG157	Top roll alu with va shafts	0.00						• 211
D8240RG158	Top roll alu with va shafts	0.00						• 211
D8240RG162 232	Barrel 2c complete ISO (*)	1813.91						• 153

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8240RG167	Top roll with doorblade RP2000	0.00						• 167
D8240RG168	Top roll with doorblade RP2000	0.00						• 167
D8240RG169 111	Top roll w. door blade RR3000	0.00						• 93
D8240RG169 199	Top roll w. door blade RR3000	0.00						• 93
D8240RG169 501	Top roll w. door blade RR3000	0.00						• 93
D8240RG169	Top roll with door blade	0.00						• 93
D8240RG170 111	Top roll w. door blade RR3000R	0.00						• 133
D8240RG170 199	Top roll w. door blade RR3000R	0.00						• 133
D8240RG170 501	Top roll w. door blade RR3000R	0.00						• 133
D8240RG170	Top roll with door blade	0.00						• 133
D8240RG171 111	Top roll w. door blade RR3000L	0.00						• 119
D8240RG171 199	Top roll w. door blade RR3000L	0.00						• 119
D8240RG171	Top roll with door blade	0.00						• 119
D8240RG172 111	Top roll w. door blade RR3000	0.00						• 93
D8240RG172 199	Top roll w. door blade RR3000	0.00						• 93
D8240RG172	Top roll with door blade	0.00						• 93
D8240RG173 111	Top roll w. door blade RR3000	0.00						151
D8240RG173 199	Top roll w. door blade RR3000	0.00						151
D8240RG173 501	Top roll w. door blade RR3000	0.00						151
D8240RG173	Top roll with door blade	0.00						• 151
D8240RG174 111	Top roll w. door blade RR3000	0.00						• 153
D8240RG174 199	Top roll w. door blade RR3000	0.00						• 153
D8240RG174 501	Top roll w. door blade RR3000	0.00						• 153
D8240RG174	Top roll with door blade	0.00						• 153
D8240RG175 111	Top roll w. door blade RR3000	0.00						603
D8240RG175 199	Top roll w. door blade RR3000	0.00						603
D8240RG175 501	Top roll w. door blade RR3000	0.00						603
D8240RG175	Top roll with door blade	0.00						• 603
D8240RG180 459	Top roll alu with bearings	.186.97						• 245
D8240RG181 209	Top roll alu with bearing and	0.00						245
D8240RG181 223	Top roll alu with bearing and	0.00						245
D8240RG181 459	Top roll alu with bearing and	0.00						245
D8240RG181	Top roll alu with bearing and	0.00						• 245
D8240RG183 459	Top roll alu D=140 w. bearing	.279.15						• 189
D8240RG184	Top roll alu D=140 w. bearing	0.00						• 189
D8240RG192 232	Barrel 3a complete (*)	.1620.05						• 105
D8240RG193 232	Barrel 3b complete (*)	.1688.76						• 105
D8240RG194 232	Barrel 3c complete (*)	.1792.1						• 105
D8240RG200 232	Barrel 3d complete (*)	.1758.04						• 105
D8240RG204 111	Top roll with door blade	0.00						105
D8240RG204 199	Top roll with door blade	0.00						105
D8240RG204 653	Top roll with door blade	0.00						105
D8240RG204 654	Top roll with door blade	0.00						105
D8240RG204	Top roll with door blade	0.00						• 105
D8240TG017	Barrel XL complete	0.00						• 603
D8250002	Flexible cable duct with cable	29.87						• 469
D8250003 459	Bottom profil crash cpl	.243.81						• 469
D8250009 439	Profile for bottom profile RH	.142.75						• 353
D8250010 439	Profile for bottom profile LH	.142.57						• 355
D8250028 459	Bottom profile VA cut-to-size	.180.04						• 343
D8250R0001	Coil cable with cable gland	101.33						• 73, 75
D8250RG007 459	Profile for bottom profile va	.177.17						• 17
D8250RG008 459	Profile for bottom profile va	.177.17						• 17
D8250RG013 459	Profile for bottom profile va	.177.17						• 33
D8250RG014 181	Cable support chain 0/30	.40.62						• 419, 425, 531, 537, 543, 611
D8250RG017 459	Bottom beam "curtain cutout"	.291.36						• 253
D8250RG018	Bottom beam "curtain cutout"	0.00						• 253
D8250RG019	Bottom beam "curtain cutout"	0.00						• 253
D8250RG025	Rubber profile cpl	0.00						• 617
D8260003 459	Top roll cover	.143.6						• 65
D8260004 459	Top roll cover with bracket	.135.73						265
D8260007 459	Top roll cover	.145.56						• 477
D8260009 459	Top roll cover for curtain	.132.42						• 477
D8260010 459	Top roll cover	.154.66						• 477
D8260013 459	Aperture complete 30°	.177.99						• 361
D8260018 459	Top roll cover	.177.01						• 344
D8260019 459	Top roll cover	.122.36						• 341
D8260RG001 459	Top roll cover, galvanized	.71.99						• 81
D8260RG004 459	Top roll cover 330 cpl	.98.2						• 327
D8260RG006 111	Top roll cover	0.00						137
D8260RG006 459	Top roll cover	0.00						137
D8260RG006	Top roll cover	0.00						• 137

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8260RG030	459	Top roll cover 330 cpl	98.2					• 327
D8260RG032	471	Top roll cover	274.36					• 171
D8260RG032	472	Top roll cover	356.37					• 171
D8260RG034	232	Top roll cover 3	1984.11					• 157
D8260RG035	232	Top roll cover 1	808.84					• 157
D8260RG036	232	Top roll cover 2	1292.34					• 157
D8260RG039	232	Top roll cover 1	568.97					• 97, 123
D8260RG040	111	Top roll cover 2	0.00					97, 123
D8260RG040	459	Top roll cover 2	0.00					97, 123
D8260RG040		Top roll cover 2	0.00					• 97, 123
D8260RG041	459	Top roll cover with cap, drive	321.95					• 205
D8260RG042	459	Top roll cover with cap, drive	321.95					• 205
D8260RG043	459	Top roll cover with cap, drive	163.82					• 205
D8260RG044	459	Top roll cover with cap drive	163.82					• 205
D8260RG050	459	Top roll cover with cap drive	242.2					• 217
D8260RG051	459	Top roll cover with cap drive	242.2					• 217
D8260RG054	232	Cover X-Level	407.77					• 251
D8260RG071		Top roll cover for chain drive	0.00					• 97, 123, 157
D8260RG075	459	Top roll cover A	403.74					• 111
D8260RG076	459	Top roll cover B	338.27					• 111
D8260RG078	232	Top roll cover steel LCS MCS	503.51					218
D8260RG082	459	Top roll cover A, chain drive	544.99					• 111
D8260RG083	232	Top roll cover C	2188.74					• 111
D8260V0002		Motor cover right	279.12					• 501
D8260V0004		Motor cover left	279.12					• 501
D8270009	111	Base price	0.00					479
D8270009		Windbar cpl	0.00					• 479
D8270017		Support cuff	7.78					• 232
D8270019		Support cuff	8.22					• 232
D8270021	459	Profile cpl	61.99					• 232
D8270022	181	Profile cpl	200.15					• 232
D8270RG001	459	Lintel sealing	54.18					• 81
D8270RG031	111	Transport pallet	0.00					• 97, 123, 157, 607
D8270RG031	477	Transport pallet	0.00					• 97, 123, 157, 607
D8270RG031	478	Transport pallet	0.00					• 97, 123, 157, 607
D8270RG031	486	Transport pallet	0.00					• 97, 123, 157, 607
D8270RG031	487	Transport pallet	0.00					• 97, 123, 157, 607
D8270RG031		Transport pallet	0.00					• 97, 123, 157, 607
D8270RG032	111	Transport pallet cpl	0.00					137
D8270RG032	459	Transport pallet cpl	0.00					137
D8270RG032		Transport pallet cpl	0.00					• 137
D8270RG033	111	Transport pallet cpl. special	0.00					137
D8270RG033	459	Transport pallet cpl. special	0.00					• 137
D8270RG033		Transport pallet cpl. special	0.00					• 137
D8270RG040		Transport pallet cpl	0.00					• 171
D8270RG042	111	Transport pallet	0.00					• 111
D8270RG042	477	Transport pallet	0.00					• 111
D8270RG042	478	Transport pallet	0.00					• 111
D8270RG042	486	Transport pallet	0.00					• 111
D8270RG042	487	Transport pallet	0.00					• 111
D8270RG042		Transport pallet	0.00					• 111
D8270VG001	459	Complete Top roll sealing	66.44					• 501
D8320003	232	Retrofit belt to rope	350.9					• 239, 341
D8320004		Retrofit belt to rope	411.65					• 239, 344
D8330RG002	459	Lamella L 1 with extension	48.45					• 117
D8330RG003	459	Lamella L 2A with extension	49.57					• 117
D8330RG004	459	Lamella L 3A with extension	50.67					• 117
D8330RG005	459	PVC Keder Section	22.59					• 117
D8330RG007	459	Top lamella with intel sealing	98.1					• 117
D8330RG008	459	Bottom lamella with	61.38					• 117
D8330RG008	476	Bottom lamella with rubber	71.62					• 117
D8410009	232	Proximity switch with bracket	97.97					• 361
D8410015	232	Proximity switch with bracket	Price on request					• 361
D8410018	232	Proximity switch with bracket	Price on request					• 361
D8410031	417	Drive unit complete	0.00					• 344
D8410031	418	Drive unit complete	0.00					• 344
D8410031	516	Drive unit complete	0.00					344
D8410031	547	Drive unit complete	0.00					• 344
D8410031	549	Drive unit complete	0.00					• 344
D8410031	550	Drive unit complete	0.00					• 344
D8410031		Drive unit complete	0.00					344
D8410032		Llimit switch	1382.63					475

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8410033 232	Drive unit without	11611.08						475
D8410036 417	Drive unit	0.00					•	339
D8410036 418	Drive unit	0.00					•	339
D8410036 516	Drive unit	0.00						339
D8410036 547	Drive unit	0.00					•	339
D8410036 548	Drive unit	0.00					•	339
D8410036 549	Drive unit	0.00					•	339
D8410036	Drive unit complete	0.00						339
D8410062 389	for control ACS 50, PLS G	0.00					•	59
D8410062 391	for control FUS and ACS 80	0.00					•	59
D8410062 401	for control ACS 60 and MCC	0.00					•	59
D8410062	Drive unit cpl	0.00					•	59
D8410065 232	Drive unit w.h. control cable	1342.79					•	471
D8410066 092	for control ACS 50	0.00					•	63
D8410066 512	for control FUS, ACS 60/80	0.00					•	63
D8410066 552	for control PLS G / GT	0.00					•	63
D8410066	Chaindrive cpl	0.00					•	63
D8410067 416	for control ACS 60/80, FUS I	0.00					•	357
D8410067 551	for control ACS 50 / PLS-G /	0.00					•	357
D8410067	Drive unit complete	0.00					•	357
D8410068 416	for control ACS 60/80, FUS I	0.00					•	357
D8410068 551	for control ACS 50 / PLS-G /	0.00					•	357
D8410068	Drive unit complete	0.00					•	357
D8410R0004	Limit switch complete for	473.07					•	77
D8410R0055	Limit switch complete for	491.24					•	79
D8410R0066	Encoder 50 pulses compl. with	261.49					•	59, 77, 79, 95, 107, 109, 121, 135, 155, 169, 471, 499, 605
D8410R0067	Encoder MCC with bracket for	235.25					•	37
D8410R0068	Encoder with bracket	247.22					•	19, 287
D8410R0069	Limit switch complete for	459.26					•	77
D8410R0070	Limit switch complete for	459.26					•	79
D8410R0077	Encoder MCC with bracket for	217.64					•	37
D8410R0080	Encoder MCC with bracket for	246.42					•	19, 37, 181, 193, 203, 287, 325
D8410R0083	Electrical saving for crank	138.83					•	19, 203, 263, 275, 287
D8410R0084	Retrofit drive Nord corp. to	1454.79					•	325
D8410R0087	Encoder for Flendermotor M2C4	237.65					•	239
D8410R0089	URS magnet switch Ex spindle	570.81					•	475
D8410R0092	Main switch	133.94					•	195, 197
D8410R0093	Encoder with bracket	266.98					•	215
D8410R0094 232	Drive unit MCC Ex RH without	12717.08						475
D8410R0095 232	Drive unit MCC Ex LH without	12717.08						475
D8410R0102	KNH Hand chain operator cpl	415.29					•	107, 109
D8410R0110	Retrofit LCS Drive for TST FUS	0.00						217
D8410RG002 232	Drive unit w.h. control cable	2546.67					•	471
D8410RG070 232	Drive unit chain complete	2002.12					•	79
D8410RG071 389	Drive unit complete	1830.15					•	77
D8410RG071 401	Drive unit complete	1924.19					•	77
D8410RG076 232	Gear motor cpl.	1393.34					•	19, 203
D8410RG080 232	Retrofit drive unit motors	1640.77					•	59
D8410RG085 387	Gear motor complete drive GfA	0.00						37, 325
D8410RG085 388	Gear motor complete drive GfA	0.00						37, 325
D8410RG085 402	Gear motor complete drive GfA	0.00						37, 325
D8410RG085 403	Gear motor complete drive GfA	0.00						37, 325
D8410RG085	Gear motor complete drive GfA	0.00					•	37, 325
D8410RG086 232	Retrofit drive Nord corp.to	1306.38					•	37
D8410RG087 232	Retrofit drive Nord corp. to	1447.94					•	37
D8410RG088 232	Retrofit drive Nord corp. to	1615.79					•	37
D8410RG089 232	Retrofit drive Nord corp. to	1791.71					•	37
D8410RG093 232	Gear motor with rubber profile	1512.65					•	19
D8410RG094 232	Retrofit drive Nord corp. to	1252.79					•	325
D8410RG096	Chain drive cpl	0.00						181
D8410RG097	Gear motor cpl.	0.00					•	215
D8410RG100 232	Retrofit drive unit motors	1342.79					•	471
D8410V0007	Gear motor 10.6 complete	1603.64					•	499
D8410V0008	Gear motor 13.9 complete	1545.40					•	499
D8410V0009	Torque arm with screws	71.79					•	499
D8410V0010	Damper	108.10					•	499
D8420003	Proximity switch with	86.13					•	46
D8420004	Proximity switch with	86.13					•	50
D8420005	LH proximity switch w. bracket	61.42					•	461
D8420006	RH proximity switch w. bracket	61.42					•	456
D8420017	Bearing bracket cpl RH	464.63					•	341

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8420018	Proximity switch with bracket	204.88						341
D8420028	Proximity switch with bracket	174.70						329
D8420029	Bearing bracket RH complete	345.44						329
D8420R0018	Terminal box cpl. with LED	118.08						195, 197
D8420R0019	Proximity switch Ex w. bracket	177.71						456, 461
D8420R0022	Transmitter pre-runing	119.62						55, 57, 335, 343, 467, 469
D8420R0023	Prer.photoc.receiver w.fix.mat	128.39						335, 343
D8420R0024	Receiver pre-running photocell	121.21						55, 57, 467, 469
D8420V0003	Cable lock round with screws	21.27						497
D8420V0004	Robe, white 5 mm, L=14 m.	52.78						497
D8420V0006	Bracket for pulley with small	95.75						481, 485
D8420V0007	Bearing bracket, complete RH	129.55						481
D8420V0008	Bearing bracket, complete LH	129.55						485
D8420V0010	Steering, lock bar	78.89						481, 485
D8420V0011	Side frame profile inner	44.68						481, 485
D8420V0012	Side frame profile door	41.23						481, 485
D8440V0001	Stub axle, drive side, with	138.88						489
D8440V0002	Stub axle, non drive side with	117.21						489
D8440V0003	Stub axle, drive side, with	130.85						489
D8450007	Proximity switch	63.58						57, 469
D8450014 232	Crash sensor	91.58						261, 273
D8450021	RH sliding part	176.18						467
D8450022	LH sliding part	176.18						467
D8450031 232	Sliding part RH complete	237.64						343
D8450032	Sliding part LH complete	236.84						343
D8450036	Sliding part LH complete	139.52						337
D8450038 232	Sliding part RH complete	162.75						337
D8450R0007	Prenunning photocell RH/LH	192.93						179, 191, 201, 213
D8450R0008	Bracket with magnet cpl	68.61						179, 191
D8450R0015	LH sliding part crash	384.27						57
D8450R0016	RH sliding part crash	395.42						57
D8450R0017	LH sliding piece complete	168.21						55
D8450R0018	RH sliding piece complete	180.17						55
D8450R0019	LH sliding part crash	453.93						469
D8450R0020	RH sliding part crash	462.70						469
D8450R0021	Sliding part pre- photocell LH	229.61						335
D8450R0026	Sliding part complete for LH	370.82						343
D8450R0028	Sliding part complete for LH	404.32						343
D8450R0029	RH sliding part	264.68						467
D8450R0030	LH sliding part	253.51						467
D8450RG046 232	Sliding part complete for RH	171.94						335
D8450RG047 232	Sliding part complete for RH	290.23						343
D8450RG048 232	Sliding part complete for RH	362.03						343
D8450V0003	Guiderail SRD, complete	106.90						495
D8450V0007	Reference plate with bracket	66.97						493
D8460V0002	Cover, cable drum right	104.51						501
D8460V0003	Cover, cable drum left	104.51						501
D8470009 232	Photocell EX with reflector	915.08						477
D8470R0003	Antenna 433 MHz 5m BNC	165.83						234
D8470R0004	Antenna 40 MHz, 5m BNC-cable	154.67						234
D8470R0005	Antenna 40 MHz, 5m BNC-cable	129.15						234
D8470R0006	Stat. Photocell trans/rec cpl.	267.15						279, 281, 291, 293, 303, 305
D8470R0014	Safety switch Schmersal RH cpl	240.44						171
D8470R0015	Safety switch Schmersal LH cpl	240.44						171
D8470R0021	Photocell cpl transm./rec.	179.38						173, 175, 185, 187
D8470R0022	Photocell EX with reflector	700.85						477
D8470R0024	Door line photocell compl.	211.88						243
D8470R0025	Photocell transm./rec.	197.97						67, 69, 329, 331, 341, 347, 349
D8470R0026	Photocell transm./rec. with	194.49						45, 49, 455, 461
D8520003 133	RH column complete «1500	0.00						45
D8520003 139	RH column complete .1077.47							45
D8520003 424	RH column complete »1500	0.00						45
D8520003 439	RH column complete ›1500	0.00						45
D8520003	RH column complete ‹1500	0.00						45
D8520004 133	LH column cpl	0.00						49
D8520004 139	LH column cpl	0.00						49
D8520004 424	LH column cpl	0.00						49
D8520004 439	LH column cpl	0.00						49
D8520004	LH column cpl	0.00						49
D8520006 232	RH sideframe complete	757.76						347
D8520007 232	LH sideframe complete	498.1						349
D8520008 232	Trailing chain with cable	129.47						455

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8520009 232	Trailing chain with cable	.108.2						• 461
D8520010 111	Base price	0.00						• 453
D8520010 439	additional per m / h	0.00						• 453
D8520010	RH column cpl	0.00						• 453
D8520011 111	Base price	0.00						459
D8520011 439	additional per m / h	0.00						459
D8520011	LH column	0.00						• 459
D8520012 232	RH sideframe complete	.647.94						• 347
D8520013 232	LH sideframe complete	.518.72						• 349
D8520014 232	RH sideframe complete	.1008.09						• 347
D8520015 232	LH sideframe complete	.813.97						• 349
D8520017 232	Trailing chain	.122.39						• 456, 461
D8520018 232	Trailing chain	.122.39						• 456, 461
D8520019 232	Trailing chain with cable	.91.05						• 341
D8520020 232	Trailing chain with cable	.91.05						• 342
D8520021 232	Sideframe RH complete	.1833.74						• 341
D8520021 439	Sideframe RH complete	.91.02						• 341
D8520022 232	Sideframe LH complete	.1759.9						• 341
D8520022 439	Sideframe LH complete	.91.02						• 341
D8520023 232	Trailing chain with cable	.91.05						• 329
D8520024 232	Base price	0.00						• 329
D8520024 439	Pro m1 Height	0.00						• 329
D8520024	Sideframe RH complete	0.00						• 329
D8520025 232	Trailing chain with cable	.91.05						• 331
D8520026 232	Base price	0.00						• 331
D8520026 439	Pro m1 Height	0.00						• 331
D8520026	Sideframe LH complete	0.00						• 331
D8520040	Flexible cable duct	138.51						• 46, 50
D8520041	Flexible cable duct	141.00						• 46, 50
D8520042	Flexible cable duct	144.10						• 46, 50
D8520043	Flexible cable duct	145.97						• 46, 50
D8520044	Flexible cable duct crash	145.34						• 46, 50
D8520045	Flexible cable duct crash	142.24						• 46, 50
D8520046	Flexible cable duct crash	151.56						• 46, 50
D8520047	Flexible cable duct crash	154.04						• 46, 50
D8520R0001	Cable chain safety edge 900mm	96.90						• 23, 27, 173, 175, 185, 187, 195, 197, 207, 209
D8520R0002	Cablechain f. safety edge cpl	106.22						• 173, 175, 185, 187
D8520R0003	Cablechain f. safety edge cpl	124.23						• 173, 175, 185, 187
D8520R0004	Cablechain f.pre-run.Photocell	97.52						• 173, 175, 185, 187
D8520R0005	Cablechain f.pre-run.Photocell	116.78						• 173, 175, 185, 187
D8520R0006	Cablechain f.pre-run.photocell	136.03						• 173, 175, 185, 187
D8520R0007	Cable chain safety edge 1400mm	116.15						• 24, 28, 195, 197, 207, 209
D8520R0008	Cable chain safety edge 2160mm	141.62						• 24, 28, 195, 197, 207, 209
D8520R0009	Cable chain prerunning photoc.	129.20						• 195, 197, 207, 209
D8520R0010	Cable chain prerunning photoc.	159.01						• 195, 197, 207, 209
D8520R0011	Cable chain prerunning photoc.	112.43						• 195, 197, 207, 209
D8520R0015	Cable chain crash 1400mm	136.65						• 207, 209
D8520R0016	Cable chain crash 2160mm	167.09						• 207, 209
D8520R0017	Cable chain crash 900mm	121.75						• 207, 209
D8520R0018	Cable chain f.safety edge cpl.	204.37						• 185, 187
D8520R0019	Cable chain f. pre-run.	204.37						• 185, 187
D8520RG005 439	LH support profile	.107.32						• 69
D8520RG006 439	RH support profile	.107.22						• 67
D8520RG007 439	LH support profile	.107.32						• 69
D8520RG008 439	RH support profile	.107.22						• 67
D8520RG009 232	Cable chain with Cable	.121.06						• 67, 69
D8520RG010 459	Top roll felt seal 300	.46.25						• 183, 289, 301, 313
D8520RG013 232	Cable Chain complete	.124.05						• 83, 115, 125, 139, 159, 595
D8520RG014 232	Cable Chain complete	.124.05						• 83, 115, 125, 139, 159, 595
D8520RG016 232	Cable Chain complete	.129.56						• 100
D8520VG001	Side frame complete	0.00						• 481
D8520VG002	Side frame complete	0.00						• 485
D8520VG003 439	Frame cover, grey or blue	.15.27						• 481, 485
D8520VG004 439	Brush strip (front & back)	0.00						• 481
D8520VG004	Brush strip (front & back)	0.00						• 485
D8520VG009 232	Cable pulley with bottom beam	.132.42						• 497
D8520VG010 232	Cable pulley with bottom beam	.133.44						• 497
D8520VG011 439	Side frame profile	.54.11						• 481, 485
D8520VG013 232	Cable chain complete	.174.87						• 481, 485, 501
D8520VG014 439	Wall profile incl.sealing foam	.160.44						• 481
D8520VG015 439	Wall profile incl.	.160.44						• 485
D8520VG016 232	Side frame profile door, lower	.265.88						• 481

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI		Page
D8520VG017	232	Side frame profile door, lower	265.88						•	481
D8520VG018	439	Side frame profile door, upper	Price on request						•	481
D8520VG019	439	Side frame profile door, upper	110.23						•	481
D8520VG020	232	Side frame profile door, lower	265.88						•	485
D8520VG021	232	Side frame profile door, lower	265.88						•	485
D8520VG022	439	Side frame profile door, upper	Price on request						•	485
D8520VG023	439	Side frame profile door, upper	110.23						•	485
D8540R0024		Photocell (reflection, Type I)	283.89						•	234
D8540R0025		Photocell (reflection, Type I)	484.85						•	234
D8540R0028		Photocell one way with bracket	303.03						•	234
D8540R0029		Photocell one way with bracket	496.02						•	234
D8540R0030		Light-curtain 0,9m with	1452.04						•	235
D8540R0031		Light-curtain 1,8m with	2138.56						•	235
D8540R0032		Light-curtain 2,7m with	2936.50						•	235
D8540R0033		Light-curtain 0,9m with	1671.46						•	235
D8540R0034		Light-curtain 1,8m with	2380.96						•	235
D8540R0035		Light-curtain 2,7m with	3203.16						•	235
D8540R0068		Pullswitch with bracket galv	75.78						•	233
D8540R0069		Pullswitch with bracket inox	110.92						•	233
D8540R0070		Pullswitch with console galv	222.44						•	233
D8540R0071		Pullswitch with console galv	272.73						•	233
D8540R0072		Pullswitch with console Inox	427.29						•	233
D8540R0073		Pullswitch with console Inox	487.44						•	233
D8540R0074		Radar with console 1-1,7m galv	561.33						•	233
D8540R0076		Radar with console 1-1,7m inox	690.71						•	233
D8540R0078		Induction-loop detector+wire	287.54						•	233
D8540R0079		Induction-loop detector+wire+	317.72						•	233
D8540R0087		Activ infrared sensor w.	584.92							234
D8540R0110		Radar with console 0,2-0,4m	491.56						•	233
D8540R0114		Double loop detector with wire	328.63						•	233
D8540R0115		Double loop detector w.wire+	370.58						•	233
D8540R0117		Pullswitch with bracket galv	737.94						•	233
D8540R0174		Light-curtain 1,8m with	850.48						•	235
D8540R0175		Light-curtain 1,8m with	1127.34						•	235
D8540R0215		Pull switch ceiling 2 m rope	144.32						•	219
D8540R0216		Pull switch ceiling 4 m rope	144.32						•	219
D8540VG005	459	Fixing strip for door blade on	5.85						•	403, 405, 407, 409, 489, 527, 529, 577
D8550005	459	Bottom profile with rubber	142.72						•	57
D8550006	439	Bottom profile complete VA	447.48						•	353
D8550007	439	Bottom profile complete VA	447.44						•	355
D8550011	459	Bottom profil complete	196.16						•	55
D8550012	459	Bottom profile cpl. With	296.3						•	467
D8550013	459	Bottom profile cpl. With	208.55						•	467
D8550014	439	Bottom profile complete	294.6						•	353
D8550015	439	Bottom profile complete	294.6						•	355
D8550016	459	Bottom profil crash cpl.	312.54						•	469
D8550017	439	Bottom profile complete	297.65						•	353
D8550018	439	Bottom profile complete	297.65						•	355
D8550019	439	Bottom profile complete Alu	344.23						•	353
D8550020	439	Bottom profile complete Alu	344.23						•	355
D8550024	459	Bottom profile Alu	455.26						•	343
D8550025	459	Bottom profile VA complete	441.86						•	343
D8550026	459	Bottom profile Alu	271.06						•	343
D8550027	459	Bottom profile cpl. With	315.84						•	467
D8550028	459	Bottom profile complete	240.96						•	335
D8550029	459	Bottom profile complete	217.39						•	337
D8550R0004		Break-away with pre-running	698.85						•	501
D8550R0005		Break-away with pre-running	689.29						•	501
D8550R0006		Pre-running photocell, right	149.24						•	501
D8550R0007		Pre-running photocell, left	128.52						•	501
D8550RG042	459	Bottom profile alu complete	286.17						•	17, 297, 321
D8550RG051	459	Bottom profile cpl std with	210.31						•	73
D8550RG052	459	Bottom profile complete -crash	287.53						•	75
D8550RG053	463	Bottom profile complete with	0.00						•	17, 273
D8550RG053	465	Bottom profile ASO complete	0.00						•	17, 285, 297, 309, 617
D8550RG053		Bottom profile ASO complete	0.00						•	17, 261
D8550RG055	232	Cable chain complete	159.95						•	23, 27
D8550RG056	463	Bottom profile complete	342.77						•	33
D8550RG056	465	Bottom profile complete	205.27						•	33
D8550RG061	459	Bottom profil complete	239.67						•	55
D8550RG062	111	Base price	0.00							179
D8550RG062	474	Rubber profile, elongated	0.00						•	179

Index on ArtNumber

Number	Art no		EUR	NL	SE	UK	FR	FI	Page
D8550RG062	492	Rubber profile	0.00						• 179
D8550RG062		Bottom beam complete	0.00						179
D8550RG063	470	Bottom profile complete	.363						• 201
D8550RG063	484	Bottom profile complete	.417.6						201
D8550RG064	232	Cable chain complete	.156.68						• 23, 27
D8550RG065		Bottom profile complete	0.00						• 213
D8550RG066	439	Safety edge cut-to-size	.90.23						• 353
D8550RG067	439	Safety edge cut-to-size	.84.8						• 355
D8550RG068	459	Retrofit Safety edge	.150.89						423, 541, 581
D8550RG069	111	Bottom profile complete with	0.00						• 17, 33
D8550RG069	459	Bottom profile complete with	0.00						• 17, 33
D8550RG069		Bottom profile complete with	0.00						• 17, 33
D8550RG071	494	Bottom profile	0.00						• 247
D8550RG071	496	Bottom profile	0.00						• 247
D8550RG071		Bottom profile complete	0.00						• 247
D8550RG072		Rubber prof. "curtain cutout"	0.00						• 253
D8550RG073	459	Rubber profile with integrated	.105.46						• 17, 33, 55, 73, 75, 191, 213, 467, 493, 495
D8550RG074	459	Rubber profile elongated	.164.22						• 17, 33, 55, 73, 75, 191, 213, 467
D8550RG075	459	Rubber profile for prerunning	.36.66						• 55, 191, 213, 467, 469
D8550RG076	459	Rubber profile for prerunning	.115.39						• 55, 191, 213, 467, 469
D8550RG077		Rubber prof. "curtain cutout"	0.00						• 253
D8550RG078	140	Base price	0.00						191
D8550RG078	157	Base price	0.00						191
D8550RG078	230	Rubber profile, elongated	0.00						• 191
D8550RG078	483	Rubber profile	0.00						• 191
D8550RG078	485	Rubber profile	0.00						191
D8550RG078		Bottom beam H=160 complete	0.00						191
D8550RG099	465	Bottom profile complete	.205.27						• 33
D8550VG013	111	Bottom profile complete	.413.56						• 493, 495
D8550VG013	459	Bottom profile complete	.138.52						• 493, 495
D8550VG018	111	Bottom profile SRD complete	.445.91						• 495
D8550VG018	459	Bottom profile SRD complete	.138.52						• 495
D8550VG021	111	Bottom profile complete for	.300.3						• 493
D8550VG021	459	Bottom profile complete for	.115.27						• 493
D8550VG023	111	Bottom profile complete for	.581.4						• 493
D8550VG023	459	Bottom profile complete for	.96.06						• 493
D8550VG034	459	Sealing bottom profile yellow	.31.57						• 493, 495
D8550VG035	459	Plastic cover for bottom beam	.18.01						• 493, 495
D8550VG038	459	Rubber profile cut-to-size	.34.89						• 493
D8550VG051	232	Additional kit for doors at	.83.99						• 493
D8560VG001	459	Top roll cover, complete	.167.8						• 501
D8570RG001	232	Terminal box with cable 9x0.75	.158.7						• 19, 215, 263, 275
D8670R0002		Impact protection 1 set = 2 St	193.29						218
D8670R0004		Impact protection 1 set = 2 St	193.29						218
D8670R0007		Impact protection 1 set = 2 St	193.29						218
D8670R0008		Impact protection 1 set = 2 St	193.29						218
D8670R0011		Impact protection 1 set = 2 St	193.29						218
D8670R0012		Impact protection 1 set = 2 St	0.00						218
D8670RG002	232	Impact protection 1 set = 2 St	.201.1						218
D8800R0001		Relais with socket	47.03						• 19, 263, 275
D8802011		Terminal box	887.19						• 475
D8803004	115	Control cable	0.00						263, 275
D8803004	116	Control cable	0.00						• 263, 275
D8803004	117	Control cable	0.00						• 263, 275
D8803004	498	Control cable	0.00						263, 275
D8803004	499	Control cable	0.00						• 263, 275
D8803004	500	Control cable	0.00						• 263, 275
D8803004		Control cable	0.00						• 263, 275
D8803006	111	Control cable	0.00						• 475
D8803006	497	Control cable	0.00						• 475
D8803006		Control cable	0.00						• 475
D8807001		Set of plugs for FUS controls	145.89						• 473, 475
D8807010		Set of plugs f.FUS II controls	0.00						• 473, 475
D8810R0038		Main switch Telemecanique cpl.	98.85						• 237
D8810R0053		Emergency Stop Button, turn to	58.00						• 237
D8810R0060		Stop button	59.84						• 236
D8810R0061		Up/down button yellow	49.88						• 236
D8810R0067		Switch Telemecanique	137.97						• 173, 175, 185, 187
D8810R0068		Up/down button white	70.98						• 237
D8810R0069		Switch Telemecanique 30m	177.01						• 185, 187
D8810R0071		Emergency stop button with	0.00						• 219
D8820R0031		MCC display in small housing	361.81						• 227, 482, 486

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8820R0032	MCC display in small housing	379.42						• 223, 482, 486
D8820R0033	Combibox upper part with	429.04						• 225
D8820R0034	Combibox without display	330.94						• 229
D8820R0036	MCC display in small housing	396.01						• 223
D8820R0037	MCC display in small housing	401.20						• 223
D8820R0038	MCC display in small housing	401.20						• 223
D8820R0039	MCC display in small housing	413.66						• 223
D8820R0040	MCC display in small housing	401.20						• 223
D8820R0041	MCC display in small housing	413.66						• 223
D8820R0042	Combibox with display	627.84						• 225
D8820R0043	Combibox with display	535.30						• 225
D8820R0044	Combibox without display	312.17						• 225
D8820R0045	Combibox without display	215.26						• 225
D8820R0046	Combibox without display	255.19						• 225
D8820R0047	Combibox without display	163.44						• 225
D8820R0049	Combibox metal without display	390.76						• 227
D8820R0050	Combibox metal with display	898.35						• 227
D8820R0051	Combibox metal with display	1047.55						• 227
D8820R0052	Combibox metal without display	454.73						• 227
D8820R0053	Combibox metal with display	986.92						• 227
D8820R0054	ASO modul with bracket for	418.83						227
D8820R0055	Endplate with 4xM16+8xM20holes	96.46						• 221
D8820R0058	Combibox stainless steel	691.67						• 227
D8820R0059	Combibox stainless steel with	1179.31						• 227
D8820R0060	Combibox stainless steel with	1261.37						• 227
D8820R0061	Combibox stainless steel	716.45						• 227
D8820R0062	Main switch internal for metal	90.16						• 227
D8820R0063	Combibox empty with mainswitch	200.55						• 229
D8820R0064	Main switch for internal	115.13						• 227, 229
D8820R0065	MCC display in small housing	371.62						• 223
D8820R0068	MCC extension cpl	419.46						• 230
D8820R0069	Endplate without holes	73.93						• 221
D8820R0072	MCC extension cpl, F+R	457.36						• 230
D8820R0078	Kombibox MCC transf.	1097.02						• 230
D8830023 112	Motor console/Control cable	0.00						• 339, 344
D8830023 113	Motor console/Control cable	0.00						• 339, 344
D8830023 434	Motor console/Control cable	0.00						• 339, 344
D8830023 435	Motor console/Control cable	0.00						• 339, 344
D8830023	Control cable	0.00						• 339, 344
D8830032 115	Control cable	0.00						359
D8830032 117	Control cable	0.00						359
D8830032 498	Control cable	0.00						359
D8830032 500	Control cable	0.00						359
D8830032	Control cable	0.00						• 59, 359, 473
D8830R0045	Coil cable w. 4-pole connector	180.60						• 285
D8830R0054	Coil cable with connector and	245.61						• 285
D8830R0137	Connection cable main switch	74.21						• 230
D8830R0139	Connection cable main switch	148.28						• 230
D8830R0158	Display cable with plugs, 3m	107.71						• 229
D8830R0159	Display cable with plugs, 4,5m	107.71						• 229
D8830R0160	Display cable with plugs, 7m	111.70						• 229
D8830R0161	Display cable with plugs, 10m	127.65						• 229
D8830R0162	Display cable with plugs, 15m	110.01						• 229
D8830R0163	Display cable with plugs, 30m	164.23						• 229
D8830R0164	Cable wireless system MCC	166.85						• 21, 42, 231
D8830R0165	Cable wireless system ACS 50	111.90						• 21, 42, 236
D8830R0167	Displayc. MCC w. EMC-filter	102.61						• 229
D8830RG002	Control cable	0.00						• 77, 79
D8830RG042 111	Control cable	0.00						605
D8830RG042 433	Control cable	0.00						605
D8830RG042	Control cable	0.00						• 95, 121, 135, 605
D8830RG043	Control cable	0.00						• 19
D8830RG044	Control cable, for drive Nord	0.00						• 37
D8830RG046	Control cable, for drive Nord	0.00						• 37, 325
D8830RG047	Control cable, for drive Nord	0.00						• 37, 325
D8830RG057 232	Cable for airlock MCC	103.1						• 230
D8850R0003	Brake resistor 180 Ohm with	112.49						• 221
D8850RG001 232	24V DC Power Supply	251.81						• 230, 238
D8860000	CEE plug with 2 m cable	78.83						221
D8870R0001	Plug (set) for ACS 80-controls	74.13						• 237
D8870R0016	Complete plug set for MCC	117.29						• 221
D8870R0019	Cable fitting set MCC	108.50						• 221

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8880R0004	External traffic / flash light	332.64						• 236
D8880R0005	Integrated traffic light/	500.00						• 205
D8880R0006	Traffic light red/green LED	353.91						• 235
D8903R0002	Control system TST FUS-1-CN Li	1038.11						• 217, 617
D8903RG144	E-Connection ACS 50	0.00						• 19, 37, 59, 77, 79, 181, 193, 203, 215, 263, 287, 325, 339,
				344,		473		
D8903RG145	E-Connection MCC	0.00						• 19, 37, 59, 77, 79, 95, 107, 109, 135, 155, 169, 181, 193,
				203,		215,		287, 325, 344, 473, 475, 499, 605
D8910R0039	Gear motor	1229.46						• 59, 357
D8910R0040	Gear motor	1324.39						• 59, 357, 471
D8910R0041	Gear motor	1330.78						• 59, 357
D8910R0042	Gear motor	1324.39						• 59, 357, 471
D8910R0043	Gear motor	1324.39						• 471
D8910R0044	Gear motor	1324.39						• 471
D8910R0045	Gear motor	1438.50						• 59
D8910R0046	Gear motor	1438.50						• 59
D8910R0047	Gear motor	1700.97						• 471
D8910R0048	Gear motor	1384.24						• 77, 79, 471
D8910R0049	Gear motor	1567.74						• 59, 357
D8910R0050	Gear motor	1365.88						• 59, 357
D8910R0054	Gear motor	1385.03						• 135
D8910R0055	Gear motor	1655.50						• 59
D8910R0056	Gear motor	1453.65						• 59
D8910R0057	Gear motor	1179.99						• 59, 357
D8910R0058	Gear motor	1236.64						• 59, 77, 79, 357, 471
D8910R0059	Gear motor	1198.34						• 77, 79
D8910R0060	Gear motor	1601.25						• 95, 605
D8910R0061	Gear motor	1468.80						• 95, 121
D8910R0071	Gear motor with fail safe	1041.96						• 37
D8910R0075	Gear motor with fail safe	1094.62						• 37, 325
D8910R0076	Gear motor with MCC encoder	1510.29						• 19, 181, 203, 287
D8910R0077	Gear motor	1404.97						• 59
D8910R0078	Gear motor	1404.18						• 77, 79, 471
D8910R0079	Gear motor (**) 220-230/400-	1621.18						• 95, 107, 109, 155, 605
D8910R0080	Gear motor (**) 220-230/400-	1507.90						• 95, 107, 121
D8910R0081	Gear motor	1404.97						• 135, 169
D8910R0083	Gear motor with open circuit	1719.33						• 37
D8910R0084	Gear motor 0,75 kW GfA	1228.66						• 325
D8910R0086	Gear motor 0,75 kW GfA	1401.79						• 325
D8910R0088	Gear motor (**) 220-230/400-	1621.18						• 107, 155
D8910R0089	Gear motor with fail safe	1161.64						• 37
D8910R0090	Gear motor with open circuit	1480.05						• 37
D8910R0091	Gear motor	1267.42						• 19, 181, 203, 287
D8910R0092	Gear motor with MCC encoder	1581.02						• 215
D8910R0101	Gear motor with fail safe	1421.52						• 37, 215
D8910R0102	Drive unit cpl GfA	1825.45						• 193
D8910R0103	Gear motor with MCC encoder	2012.62						• 193
D8910R0104	UL-drive unit GfA, i=15 with	0.00						• 181
D8910R0105	UL-drive unit GfA, i=15 with	0.00						• 181
D8910R0106	UL-drive unit GfA, i=15	0.00						• 181
D8930R0015	Converter ACS80 with heatsink	1346.63						• 237
D8930R0033	Spare part frequenzcy	846.08						• 236
D8930R0036	Control unit ACS50 with brake	805.01						• 236
D8930R0056	Interface card for DIN-rail	165.83						• 229
D8930R0061	Interface card for Combibox	158.58						• 225
D8930R0063	Interface card for combibox	158.58						• 227
D8930R0081	Interface card for MP-combibox	168.21						• 229
D8930R0090	Endplate with integrated	179.29						• 221
D8930R0101	UPS system (800x200x120)	2852.70						230
D8930R0103	MCC netfilter in housing	221.63						• 221
D8930R0107	MCC EMC filter for cabinet	209.74						• 231
D8930R0109	Heating resistor	110.83						• 231, 236
D8930R0112	Retrofit pre-running photocell	221.02						• 467
D8930R0244	MCS-FC frequency converter	0.00						• 218, 231
D8930R0246	MCS-R control system in box	0.00						• 217, 231
D8930R0247	Retrofit kit MCS-FC frequency	0.00						• 218, 231
D8930R0248	Retrofit kit MCS-FC frequency	0.00						• 218, 231
D8930R0249	Additional power supply MCS	0.00						• 218, 232
D8930R0251	Retrofit TST FUS to MCS for	0.00						217
D8930RG042 404	MCC control system with	1179.44						• 221
D8930RG042 408	MCC control system with	825.91						221
D8930RG048	Retrofit kit control system	0.00						• 239

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D8930RG049	Retrofit kit control system	0.00						• 239
D8930RG050	Retrofit kit control system	0.00						• 239
D8930RG051	Retrofit kit control system	0.00						• 239
D8930RG052	Retrofit kit control system	0.00						• 239
D8930RG053	Retrofit kit control system	0.00						• 239
D8930RG054	Retrofit kit control system	0.00						• 239
D8930RG055	Retrofit kit control system	0.00						• 239
D8930RG056	Retrofit kit control system	0.00						• 239
D8930RG057	Retrofit kit control system	0.00						• 239
D8930RG058	Retrofit kit control system	0.00						• 239
D8930RG059 397	UPS cpl (incl. Cables manual	3021.39						230
D8930RG059 409	UPS cpl (incl. Cables, manual	2489.99						230
D8930RG082 232	Gearbox heating	389.72						• 38, 231, 236
D8930RG087	Retrofit ASR A 1.7 FC-controls	0.00						• 239
D8930RG094	Retrofit ASR A 1.7, contactor	0.00						• 239
D8930RG145	Control cable	0.00						• 121
D8940001 459	Safety edge	65.34						• 467
D8940R0009	Light-curtain 930mm	1235.27						• 235
D8940R0010	Light-curtain 1890mm	1959.05						• 235
D8940R0011	Light-curtain 2370mm	2807.82						• 235
D8940R0012	Light-curtain cpl(Transmitter-	686.88						• 235
D8940R0014	Magic Switch with mounting box	252.13						• 233
D8940R0018	Laserscanner with bracket	1754.67						• 235
D8940R0019	Combined detector w. console	670.29						• 235
D8940R0020	Combined detector w. console	720.46						• 235
D8940R0021	Combined detector w. console	852.15						• 235
D8940R0022	LED traffic light strip for	343.85						• 236
D8940R0026	Label emergency exit w. plate	31.66						• 218
D8940R0036	Loop detector with 40m wire	289.96						• 219, 233
D8940R0037	Traffic light module (BA3)	88.98						• 219, 232, 236
D8940R0038	Radio receiver 433MHz (BA4)	114.05						• 219, 232, 234
D8940R0039	Photocell Transmitter/Receiver	228.09						• 217, 219, 617
D8940R0042	Safety light grid tr. + re.	701.27						• 100
D8940R0043	Safety light grid tr. + re.	701.27						• 100
D8940R0047	Magnetic loop kit with box	0.00						• 219, 233
D8940RG013 459	Safety contact edge	89.64						• 103
D90-4984-85	Guide pulley	114.00						• 567, 569, 571, 573, 575
D91-1006-PC 459	Safety edge optical 168 compl.	375.17						• 579
D91-1007-PC 459	Safety edge selftesting 168	339.79						• 579
D91-1008-PC 459	Safety edge 910/954 reinforced	521.39						• 581
D91-1050-PC 459	Safety edge 910/954 reinforced	591.26						• 581
D91-1112-PC 459	Bottom beam 168 reinforced	344.84						• 583
D91-1501-88	Wear pad 910 guides	28.78						• 579, 581, 583
D91-1505-XX	Plastic wear pad including	124.46						• 583
D91-1520-XX	Guides with wear pads complete	452.34						• 583
D91-1525-XX	Guides reinforced w. wear pads	921.49						• 583
D91-2575-88	Guide for counter weight 910	165.83						• 567, 569
D91-2578-95	Upper counter balance bracket	36.50						• 571, 573
D91-3316-PC 459	Top roll with endboss 273x6	787.66						• 577
D91-3320-PC 459	Top roll complete with cable	Price on request						• 577
D91-3330-PC 459	Top roll with endboss 910	Price on request						• 577
D91-3624-99	Stub axle FO75	906.32						• 591
D91-3667-95	Key 10x50mm	2.49						• 591
D91-4004-PC 439	Side quadrant 910 A compl. RH	1026.58						• 567
D91-4005-PC 439	Side quadrant 910 A compl. LH	1033.67						• 569
D91-4100-PC 439	Side quadrant door 910-A/C	129.58						• 575
D91-4135-88	Quadrant reinforcement 910	135.61						• 567, 569, 571, 573
D91-4200-PC 439	Frame profile pre-drilled	66.78						• 575
D91-4235-PC 439	C-profile back pre-drilled	111.23						• 575
D91-4236-PC 439	C-profile front 910	148.64						• 575
D91-4250-PC 439	Cladding back cut	Price on request						• 575
D91-4260-PC 439	Cladding side cut	59.78						• 575
D91-4411-PC 459	Top roll seal felt complete	Price on request						• 577
D91-4510-88	Bottom bracket rh 910	549.67						• 567
D91-4511-88	Bottom bracket lh 910	549.67						• 569
D91-4710-88	Bearing bracket rh 910	356.63						• 567, 571
D91-4711-88	Bearing bracket lh 910	356.63						• 569, 573
D91-4718-95	Bearing pf 40 fm	50.42						• 591
D91-4817-99	Torque arm Nomadrive FO75	239.24						• 591
D91-4827-99	Motor bracket Nomadrive FO75	447.55						• 591
D91-4980-XX	Cable pulley guide system	154.76						• 575
D91-5200-PC 459	Windbar with hooks	245.11						• 585

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D91-5203-89	End plug steel for windbar	119.58						• 585, 587, 589
D91-5203-PC 459	Windbar w. endplugs diam.98mm	.231.95						• 585
D91-5204-89	Axle shaft windbar 910	106.92						• 585, 587, 589
D91-5204-PC 459	Windbar w. endplugs diam.110mm	.242.08						• 585
D91-5205-89	Wheel diam 110	176.18						• 585, 589
D91-5206-89	Wheel diam 98	110.83						• 585, 587, 589
D91-5207-PC 459	Windbar diam. 100x5mm	.110.4						• 585
D91-5210-89	Windbar spacer 910	89.37						• 585, 587, 589
D91-5210-PC 232	Windbar with tape back side	.Price on request						• 587
D91-5214-89	Distance block t=10	45.09						• 585
D91-5215-89	Distance block t=5	45.51						• 585
D91-5220-93	Damper for windbar	144.29						• 585, 587
D91-5260-XX	Tape bracket front right with	72.60						• 587
D91-5261-XX	Tape bracket front left with	72.60						• 587
D91-5265-XX	Tape bracket back right with	131.82						• 587
D91-5266-XX	Tape bracket back left with	131.82						• 587
D91-5310-PC 459	Windbar with tape front side	.240.05						• 587
D91-9010-XX	Rebuilding kit gear box	4368.43						• 591
D91-9315-XX	Drive unit Nomadrive 1 5 Kw	3693.16						• 591
D96-1011-PC 459	Safety edge comp. pneumatic SRD H=115	.245.23						• 415, 533
D96-1014-PC 459	Safety edge complete opticle	.305.4						• 415, 533
D96-1015-PC 459	Safety edge complete opticle	.311.88						• 533
D96-1016-PC 459	Safety edge pneumatic complete	.278.55						• 417, 535
D96-1017-PC 459	Safety edge pneumatic complete	.282.32						• 535
D96-1018-PC 459	Safety edge pneumatic complete	.261.32						• 417, 535
D96-1019-PC 459	Safety edge pneumatic complete	.274.78						• 537
D96-1024-PC 459	Safety edge open optical comp.	.310.43						• 419, 537
D96-1026-PC 459	Safety edge complete STS H=115	.392.36						• 419, 537
D96-1050-PC 459	Safety edge comp. 8k2, H= 115	.390.82						• 421, 539
D96-1110-PC 459	Bottom beam H=115 predrilled	.145.39						• 421, 539
D96-1111-PC 459	Bottom beam h=168, predrilled	.173.08						• 539
D96-1113-PC 459	Bottom beam SRD H=115	.133.43						• 421, 539
D96-1200-PC 459	Rubber profile comp. pneumatic	.132.63						• 421, 539
D96-1210-PC 459	Rubber profile comp. optical	.53.54						• 423, 541
D96-1211-PC 459	Rubber profile comp.SRD pneum.	.139.55						• 423, 541
D96-1225-XX	Sealing kit comp. pneumatic	52.09						• 423, 541
D96-1305-93	Connection for plastic tube	11.92						• 425, 543
D96-1310-95	Endplugg d=20mm h=15mm	1.20						• 421, 539, 611
D96-1318-98	Endplug with hole	3.53						• 415, 417, 421, 423, 533, 535, 537, 539, 541, 579, 581
D96-1319-98	Endplug without hole	4.88						• 415, 417, 421, 423, 533, 535, 537, 539, 541, 579, 581
D96-1320-98	Nipple for end plug with hole	12.17						• 417, 421, 423, 533, 535, 537, 539, 541, 579, 581
D96-1500-XX	Set of guides with wearpads	151.41						• 423, 541
D96-1501-XX	Guiderail SRD 422-662	134.81						• 423, 541
D96-1503-XX	Set of guides STS 420/660	537.00						• 425, 543
D96-1505-XX	Plastic wear pads inc. Screws	30.88						• 425, 543
D96-1532-00	Guide 420-660 RH with	49.36						531, 533, 537
D96-1533-00	Guide 420-660 LH with	49.36						531, 533, 537
D96-1564-PC 439	Cable chain with air-tube	.57.45						• 425, 543
D96-2400-XX	Spring tensioner with cable	119.28						• 435, 561, 593
D96-2410-80	Spring tensioner 5 holes	50.57						• 435, 561, 593
D96-3315-PC 459	Top roll complete 30 mm axles	.269.3						• 403, 529
D96-3316-PC 459	Top roll complete 30 mm axles	.277.41						• 405, 529
D96-3415-PC 459	Top roll with end bosses	.Price on request						• 407
D96-3416-PC 459	Top roll w.End boss.30mm axles	.225.77						• 409, 529
D96-3474-96	Cable drum conical RH	137.28						• 403, 405, 527, 529
D96-3475-96	Cable drum conical LH	137.28						• 403, 405, 527, 529
D96-3623-92	Drive shaft 30 mm swedrive	433.74						• 405, 409, 527, 529
D96-3671-79	Shock absorber, Vulcolan e82	56.00						• 447, 555
D96-3672-99	Shock absorber R24 Pur 64	31.77						• 447, 555
D96-3683-99	Coupling R24 28x24	200.11						• 447, 555
D96-3691-83	Shock absorber, Vulcolan e97	82.98						• 449, 557
D96-3692-99	Shock absorber R28 Pur 64	42.92						• 449, 557
D96-3693-99	Coupling R28 28x32	219.24						• 449, 557
D96-4104-79	Hinge right hand	27.68						• 567, 571, 575
D96-4105-79	Hinge left hand	27.68						• 569, 573, 575
D96-4416-PC 459	Top roll seal felt 420&660	.125.46						• 411, 529
D96-4615-94	Fixing bracket 550 x 300 x 6	71.77						• 393, 517
D96-4632-95	Pulley wheel bracket	36.43						• 365, 367, 369, 371, 385, 387, 391
D96-4817-99	Motor bracket Ovitor 5.660/420	122.78						• 447, 555
D96-4818-99	Motor bracket Ovitor 8.660/420	112.40						• 449, 557
D96-4819-99	Safety wire	37.01						• 591
D96-4826-XX	Torque arm with shock absorber	138.88						• 439, 563

Index on ArtNumber

Number	Art no	EUR	NL	SE	UK	FR	FI	Page
D96-4827-XX	Torquearm,double,with shock	303.75						• 563
D96-4830-91	Vibration damper ra100-b+bolt	90.96						• 323, 439, 563
D96-4832-98	Rubber bush 539 191 shore 75	113.59						• 591
D96-4955-11	Yellow gable for fascia	35.63						• 451, 565
D96-4955-12	Red gable for fascia	18.46						• 451, 565
D96-5220-93	Damper for second windbar 660	124.36						• 549
D96-5225-90	Ground contact plate	28.63						• 549
D96-5232-89	Circlip sgh diam 55	1.15						• 585, 587, 589
D96-5236-99	Bearing coated diameter 88	44.61						• 549
D96-5237-99	Bearing coated diameter 80	44.46						• 549
D96-5270-PC 439	Tape f.windreinforcement 1 set	74.34						• 550
D96-6000-79	Pressure switch DWGK11DOE	195.93						• 427, 545, 583, 611
D96-6092-97	Photocell hold. rubber clip 10	2.49						• 397, 415, 419, 423, 521, 575, 579, 609
D96-6101-82	Coily cable 4x0.75mm2	83.78						• 415, 423, 429, 533, 541, 547, 583
D96-6105-96	Coil cable 3x0.75	78.18						• 321, 429, 547, 583, 611
D96-6410-93	Photocell Telco lt-12a/lr-a	136.33						• 234, 315, 317, 397, 415, 419, 423, 521, 533, 537, 541, 579
D96-6413-95	Photocell amplifier Telco	160.64						• 234
D96-6416-87	Fc.amplif.telco pa10b513 24vdc	289.48						• 234
D96-6461-01	Marker for reciever	1.15						• 397, 521
D96-6461-02	Marker for sender	1.15						• 397, 521
D96-7700-PC 232	Automatic disengagement compl.	757.34						441, 563
D96-7701-97	Electro magnet 10320-05c00	375.60						441, 563
D96-7704-88	Transformer enclosed	457.12						441, 563
D96-8500-PC	Controlbox complete	0.00						• 237, 563
D96-9312-XX	Drive unit Nomadrive 1.1kW	1557.49						• 323, 357, 443, 553
D96-9315-XX	Drive unit ACS 70 1,5 kW	1821.15						• 553
D97-0008-92	Lock 3.5 mm for safety wire	1.91						• 443, 549, 553
D97-6620-87	Double-coated tape,width 25mm	7.27						• 549
D97-6747-01	Emergency opening aut.	7.15						• 441, 563
D97-6747-02	Sticker "Emergency opening"	7.15						• 441, 563
D97-6747-03	Sticker "Emergency opening"	7.15						• 441, 563
D97-6747-04	Sticker "Emergency opening"	7.15						• 441, 563
D97-6891-94	Rubber inlet 55-005-25	2.07						• 365, 367, 385, 387
D97-6920-PC 515	E-Connection	49.57						• 287, 299, 311
D97-8020-03	Cable fitting skintop ST-M20	0.00						• 591
DR2000i	with retrofit of actuators	0.00						235
DR2000s	Retrofit of interlock, special	0.00						235
DR2000u	with retrofit for controls	0.00						235

Index on ArtNumber

Number ..... Art no	EUR	NL	SE	UK	FR	FI	..... Page