PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 15g (RS. 5 POUCH)

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 4 PTS

Takeup-Con, indu

CHAIN (14 Nos pouches per Chain)

SECONDARY PACKING

15-25 gms - 4 Nos - 450 ppm per machine

FILLING LINE & TAKE OFF CONVEYOR FAN FOLDING

FLOW WRAPPING

70 POUCHES
15-25 gms
(4 Nos)

PRINTING PROVISION — Termal / Continew

ROLLER FLATTENING

CHECK WEIGHIER WITH REJECT — 1%

COLLATING OF UNIT BAG

PICK & PLACE
OR
DUMPING IN — gravity

CASE ERRECTOR & CONVEYOR → TERTIARY CARTON

FLATTENING — Vibrator / Rolle

BOPP TAPPING/ HOT GLUE — ~~1 Ind~~ 1 2ind

BARCODE GENERATION ON STICKER WITH STICKING

ONLINE WEIGHING WITH REJECT


PRINTING PROVISION ON CARTON

AUTO SCANNING — BARCODE

STRAPPING — header


PALLETISING
SCANNING OF PALLETS (RFID) &
MARRYING EACH BOX (BARCODE)

LOADING ON CONVEYOR TO FG




Details	
PACK SIZE (mm)	80 L x 120 H
POUCH STYLE	4 or 3 side sealed pillow pouch
POUCHES/ UNIT (Nos.)	70 pouches/ Unit = 1.050kg
UNIT SIZE (mm)	165 L x 483 H
UNIT BAG PACKING CONFIGURATION	14 pouches in a line/ string x 5 nos.
POUCHES/ SHIPPER (Nos.)	1400
UNITS/ SHIPPER (Nos.)	20
kg/ SHIPPER	21kg
SHIPPER SIZE	635 L x 330 W x 400 H
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	4 x 1 x 5 (L X W X H)
NO. OF MACHINES	2
MACHINE OUTPUT	900





UBL - Unit Bag Length
UBH - Unit Bag Height

Without Plate & Partition



PACK IMAGE	UNIT BAG PACKING CONFIGURATION	SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 30g (RS. 10 POUCH)

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 4 PTS

CHAIN (2 x 18 Nos pouches per Chain)

SECONDARY PACKING

25-50 gms - 4 Nos - 300 ppm per machine

FILLING LINE & TAKE OFF CONVEYOR FAN FOLDING → CLIENT'S SCOPE

FLOW WRAPPING
36 POUCHES
25-50 gms
(4 Nos)

PRINTING PROVISION

ROLLER FLATTENING

CHECK WEIGHIER WITH REJECT

COLLATING OF UNIT BAG

PICK & PLACE
OR
DUMPING IN
TERTIARY CARTON

CASE ERRECTOR & CONVEYOR →

FLATTENING

BOPP TAPPING/ HOT GLUE

BARCODE GENERATION ON STICKER WITH STICKING
ONLINE WEIGHING WITH REJECT

PRINTING PROVISION ON CARTON

AUTO SCANNING

STRAPPING

PALLETISING
SCANNING OF PALLETS (RFID) &
MARRYING EACH BOX (BARCODE)

LOADING ON CONVEYOR TO FG


Details	
PACK SIZE (mm)	100 L x 140 H
POUCH STYLE	4 side sealed pouch
POUCHES/ UNIT (Nos.)	36 pouches/ Unit = 1.080kg
UNIT SIZE (mm)	240 L x 432 H
UNIT BAG PACKING CONFIGURATION	2 x 18 pouches/ string x 1 no.
POUCHES/ SHIPPER (Nos.)	720
UNITS/ SHIPPER (Nos.)	20
kg/ SHIPPER	21.6kg
SHIPPER SIZE (mm)	610 L x 350 W x 406 H
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	4 x 1 x 5 (L X W X H)
NO. OF MACHINES	3 (+ 1 Provision)
MACHINE OUTPUT/ MIN	900/1200





UBL - Unit Bag Length
UBH - Unit Bag Height

Without Plate & Partition



PACK IMAGE	UNIT BAG PACKING CONFIGURATION	SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 100g

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 1 PT (SYSTEM)

CHAIN (5 Nos pouches per Chain)

SECONDARY PACKING

100 gms - 1 No - 150 (75 X 2) ppm per machine

FILLING LINE & TAKE OFF CONVEYOR FAN FOLDING → CLIENT'S SCOPE

FLOW WRAPPING
5 POUCHES/ STRING X 2 NOS.
100 gms
(1 No)

PRINTING PROVISION

ROLLER FLATTENING

CHECK WEIGHIER WITH REJECT

COLLATING OF UNIT BAG

PICK & PLACE
OR
DUMPING IN
TERTIARY CARTON

CASE ERRECTOR & CONVEYOR →

FLATTENING

BOPP TAPPING/ HOT GLUE

BARCODE GENERATION ON STICKER WITH STICKING
ONLINE WEIGHING WITH REJECT

PRINTING PROVISION ON CARTON

AUTO SCANNING

STRAPPING

PALLETISING
SCANNING OF PALLETS (RFID) &
MARRYING EACH BOX (BARCODE)

LOADING ON CONVEYOR TO FG


Details	
PACK SIZE (mm)	120 L x 180 H
POUCH STYLE	Central sealed pillow pouch
POUCHES/ UNIT (Nos.)	10 pouches/ Unit = 1kg
UNIT SIZE (mm)	140 L x 406 H
UNIT BAG PACKING CONFIGURATION	5 pouches in a line/ string x 2 nos.
POUCHES/ SHIPPER (Nos.)	200
UNITS/ SHIPPER (Nos.)	20
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	478 L x 305 W x 510 H
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	2 x 2 x 5 (L X W X H)
NO. OF MACHINES	1
MACHINE OUTPUT/ MIN	150 (75 X 2) TWIN LINE





UBH - Unit Bag Height
UBL - Unit Bag Length

Without Plate & Partition




PACK IMAGE	UNIT BAG PACKING CONFIGURATION	SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 250g


FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 2 PTS(2 system feeding 4 Nos.)

has a combine M/c.

Individual Pouches Secondary Packing




Details	
PACK SIZE(mm)	150 mm Lx 230 mm H
POUCH STYLE	Central sealed pouch
POUCHES/ SHIPPER	80
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	500 L x 392 W x 330 H
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	4 X 2 X 10 (L X W X H)
NO. OF MACHINES	4 (2 X 2)
MACHINE OUTPUT	360



PACK IMAGE

PL - Pouch length
PH - Pouch height

Without plate & partition




SHIPPER PACKING CONFIGURATION


PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 500g Liner Carton

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING TO 2 PTS


Individual Liner Carton Secondary Packing



Details	
PACK SIZE (mm)	126 L x 62 W x 169 H
PACK STYLE	Liner carton
POUCHES/ SHIPPER	40
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	640 L x 350 W x 267 H
SHIPPER TYPE	5 PLY WITH PLATE
SHIPPER PACKING CONFIGURATION	4 x 5 x 2 (L X W X H)
NO. OF MACHINES	2
MACHINE OUTPUT	130 (65 x 2)



PACK IMAGE



SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 500g

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 1 PT

Individual Pouches Secondary Packing

FILLING LINE & TAKE OFF CONVEYOR → CLIENT'S SCOPE

↓ ROLLER FLATTENING

↓ CHECK WEIGHTER WITH REJECT

↓ COLLATING

↓ PICK & PLACE OR DUMPING IN TERTIARY CARTON

CASE ERRECTOR & CONVEYOR →

↓ FLATTENING

↓ BOPP TAPING/ HOT GLUE

↓ BARCODE GENERATION ON STICKER & STICKING

ONLINE WEIGHING WITH REJECT

↓ PRINTING PROVISION ON CARTON

↓ AUTO SCANNING

↓ STRAPPING

↓ PALLETISING


SCANNING OF PALLETS (RFID) & MARRYING EACH BOX (BARCODE)

↓ LOADING ON CONVEYOR TO FG

Details	
PACK SIZE (mm)	160 L X 270 H X 25 G
POUCH STYLE	Side Gazetted Pentaseal (Centre seal) pouch
POUCHES/ SHIPPER	40
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	610 L x 320 W x 255 H (Tentative)
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	4 X 2 X 5 (L X W X H)
NO. OF MACHINES	1
MACHINE OUTPUT	50



PACK IMAGE




SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 1kg

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 1 PT


Individual Pouches Secondary Packing



Details	
PACK SIZE(mm)	200 L x 345 W x 70 G
POUCH STYLE	Side Gazetted Pentaseal (Centre seal) pouch with Euro carry handle punch
POUCHES/ SHIPPER	20
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	410 L x 390 W x 355 H (Tentative)
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	2 x 2 x 5 (L x W x H)
NO. OF MACHINES	1
MACHINE OUTPUT	50



PACK IMAGE



SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 5kg

FEEDING SILO/ SYSTEM - 1 NO. HOPPER SUPPLYING 1 PT

Individual Pouches Secondary Packing

Details	
PACK SIZE (mm)	280 L x 550 H x 120 G
POUCH STYLE	Side Gazetted Pentaseal (Centre seal) pouch with Euro carry handle punch
POUCHES/ SHIPPER (Nos.)	4
kg/ SHIPPER	20kg
SHIPPER SIZE (mm)	630 L x 380 W x 270 H (Tentative)
SHIPPER TYPE	5 PLY
SHIPPER PACKING CONFIGURATION	2 x 1 x 2
NO. OF MACHINES	1
MACHINE OUTPUT/ MIN	20

FILLING LINE & TAKE OFF CONVEYOR → CLIENT'S SCOPE

↓

ROLLER FLATTENING

↓

CHECK WEIGHTER WITH REJECT

↓

COLLATING

↓

CASE ERRECTOR & CONVEYOR → PICK & PLACE OR DUMPING IN TERTIARY CARTON

↓

FLATTENING

↓

BOPP TAPING/ HOT GLUE

↓

BARCODE GENERATION ON STICKER & STICKING

ONLINE WEIGHING WITH REJECT

↓

PRINTING PROVISION ON CARTON

↓

AUTO SCANNING

↓

STRAPPING

↓

PALLETISING


SCANNING OF PALLETS (RFID) & MARRYING EACH BOX (BARCODE)

↓

LOADING ON CONVEYOR TO FG



PACK IMAGE




SHIPPER PACKING CONFIGURATION

PROJECT: SECONDARY PACKING FOR TEA PACKAGING SYSTEM FOR UMERGAON
CLIENT: M/S AMAR TEA
SIZE: 250g/ 500g/ 1kg Jar

FEEDING SILO / SYSTEM - 1 NO. HOPPER SUPPLYING 1 PTS


Individual Jar Secondary Packing




Details	250g
JAR SIZE (mm)	104 L x 86 W x 132.5 H
JARS/ SHIPPER (Nos.)	48
kg/ SHIPPER	12kg
SHIPPER SIZE (mm)	535 L x 465 W x 286 H
SHIPPER TYPE	5 PLY WITH PALTE & PARTITION
SHIPPER PACKING CONFIGURATION	6 x 4 x 2
NO. OF MACHINES	1
MACHINE OUTPUT/ MIN	60


Details	500g
JAR SIZE (mm)	131 L x 107 W x 171 H
JARS/ SHIPPER (Nos.)	24
kg/ SHIPPER	12kg
SHIPPER SIZE (mm)	445 L x 425 W x 365 H
SHIPPER TYPE	5 PLY WITH PALTE & PARTITION
SHIPPER PACKING CONFIGURATION	4 x 3 x 2
NO. OF MACHINES	1
MACHINE OUTPUT/ MIN	60


Details	1Kg
JAR SIZE (mm)	157.5 L x 128.5 W x 200 H
JARS/ SHIPPER (Nos.)	12
kg/ SHIPPER	12kg
SHIPPER SIZE (mm)	420 L x 355 W x 425 H
SHIPPER TYPE	5 PLY WITH PALTE & PARTITION
SHIPPER PACKING CONFIGURATION	3 x 2 x 2
NO. OF MACHINES	1
MACHINE OUTPUT/ MIN	45














two layers.
Upper
Lower
Plate

PACK IMAGE

SHIPPER PACKING CONFIGURATION