
Spare part list
RR 355

ALBANY
ASSA ABLOY



2013-05 Index 00

Side Frame right	RR 355
Seitenteil rechts	RR 355
Karm vänster	RR 355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**RH column**								
	RH column complete			D8520003	G	C		1	
		Base price					Stck/pc		
		upcharge					m/H		
1	RH console for bearing complete			D8120015		A	Stck/pc	1	
2	Rope pulley with screw			D8120012		A	Stck/pc	10	
3	Bell mouth small			D8120068		A	Stck/pc	2	X
4	Bell mouth great			D8120017		A	Stck/pc	2	X
5	RH bell mouth			D8120022		A	Stck/pc	1	X
6	RH ground plate with rope pulley			D8120013		A	Stck/pc	1	
7	RH support profile			D8220018	G	B	m	1	
8	RH front cover			D8220017	G	B	m	1	
9	Covering cap			D8120018		A	Stck/pc	2	
10	Emergency lever	Driveside		D8220R0055		B	Stck/pc	1	
11	Curtain tension / weight counterbalance complete			D8220015	G	B		2	X
	with spring 8mm, L0=1594mm					B	Stck/pc		
	with spring 8mm, L0=2034mm					B	Stck/pc		
	with spring 8mm, L0=2750mm					B	Stck/pc		
12	Spring 8mm, L0=1594mm without assembly			D4610183		A	Stck/pc	2	X
	Spring 8mm, L0=2034mm without assembly			D4610186		A	Stck/pc	2	X
	Spring 8mm, L0=2750mm without assembly			D4610R0001		A	Stck/pc	2	X
13	Superior spring acceptance			D8120011		A	Stck/pc	2	
14	Photocell transm./rec. with bracket	RH + LH		D8470R0026		A	Stck./pc.	max.1	
	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
15	Connecting cable 4000mm	For photocell and limit switch If Drive RH → L=H+1010 If Drive LH → L=H+B+1010		D4907R0024		A	Stck/pc	1	
	Connecting cable 6000mm			D4907R0029		A	Stck/pc	1	
	Connecting cable 8000mm			D4907R0030		A	Stck/pc	1	
	Connecting cable 10000mm			D4907R0032		A	Stck/pc	1	
	Connecting cable 12000mm			D4907R0023		A	Stck/pc	1	
	Connecting cable 14000mm			D4907R0031		A	Stck/pc	1	
	Connecting cable 4000mm crash			D4907R0074		A	Stck/pc	1	
	Connecting cable 6000mm crash			D4907R0075		A	Stck/pc	1	
	Connecting cable 8000mm crash			D4907R0076		A	Stck/pc	1	
	Connecting cable 10000mm crash			D4907R0077		A	Stck/pc	1	
16	Flexible cable duct	Driveside DH<=2700		D8520040		B	Stck/pc	1	
	Flexible cable duct	Driveside DH>2700 No Driveside DH+DW<=2700		D8520041		B	Stck/pc	1	
	Flexible cable duct	No Driveside DH+DW<=6500		D8520042		B	Stck/pc	1	
	Flexible cable duct	No Driveside DH+DW>6500		D8520043		B	Stck/pc	1	
	Flexible cable duct crash	Driveside DH<=2700		D8520044		B	Stck/pc	1	
	Flexible cable duct crash	Driveside DH>2700 No Driveside DH+DW<=2700		D8520045		B	Stck/pc	1	
	Flexible cable duct crash	No Driveside DH+DW<=6500		D8520046		B	Stck/pc	1	
	Flexible cable duct crash	No Driveside DH+DW>6500		D8520047		B	Stck/pc	1	
17	Proximity switch with bracket bottom	Driveside		D8420003		A	Stck/pc	1	
	Proximity switch without bracket			D4905R0082		A	Stck/pc	1	
18	cable L=1000mm	FUS, PLS-GT,MPS		D4907R0082		A	Stck./pc.	1	
	cable L=4000mm	SPS, without control		D4907R0024		A	Stck./pc.	1	

Side Frame right	RR 355
Seitenteil rechts	RR 355
Karm vänster	RR 355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
19	Cable for limit switch bottom (only side of unit)	only PLS-G DH<=2700		D4907R0024		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	only PLS-G DH<=4700		D4907R0029		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	only PLS-G DH<=6700		D4907R0030		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	only PLS-G DH<=8700		D4907R0032		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	SPS, without control DH<=2500		D4907R0024		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	SPS, without control DH<=4500		D4907R0029		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	SPS, without control DH<=6500		D4907R0030		A	Stck./pc.	1	
	Cable for limit switch bottom (only side of unit)	SPS, without control DH<=8500		D4907R0032		A	Stck./pc.	1	
20	Chamber profile RH			D4701253	G	B	m	1	

Side Frame right	RR 355
Seitenteil rechts	RR 355
Karm vänster	RR 355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**LH column (See drawing side frame RH)**								
	LH column cpl			D8520004	G	C		1	
		Base price					Stck/pc		
		upcharge					m/H		
1	LH console for bearing wtih rope pulleys and			D8120016		A	Stck/pc	1	
2	Rope pulley with screw			D8120012		A	Stck/pc	10	
3	Bell mouths small			D8120068		A	Stck/pc	2	X
4	Bell mouths great			D8120017		A	Stck/pc	2	X
5	RH bell mouths			D8120023		A	Stck/pc	1	X
6	LH ground plate			D8120014		A	Stck/pc	1	
7	LH support profile			D8220019	G	B	m	1	
8	LH front cover			D8220016	G	B	m	1	
9	Covering cap			D8120018		A	Stck/pc	2	
10	Emergency lever	Driveside		D8220R0055	G	B	Stck/pc	1	
11	Durtain tension / weigth counterbalance cpl			D8220015	G			2	X
	with tension spring 8mm, L0=1594mm					B	Stck/pc		
	with tension spring 8mm, L0=2034mm					B	Stck/pc		
	with tension spring 8mm, L0=2750mm					B	Stck/pc		
12	Tension spring 8mm, L0=1594mm without assembly			D4610183		A	Stck/pc	2	X
	Tension spring 8mm, L0=2034mm without assembly			D4610186		A	Stck/pc	2	X
	Tension spring 8mm, L0=2750mm without assembly			D4610R0001		A	Stck/pc	2	X
13	superior spring acceptance			D8120011		A	Stck/pc	2	
14	Photocell transm./rec. with bracket	RH + LH		D8470R0026		A	Stck./pc.	max.1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
15	Connecting cable 4000mm	For photocell and limit switch If Drive RH → L=H+B+1010 If Drive LH → L=H+1010		D4907R0024		A	Stck/pc	1	
	Connecting cable 6000mm			D4907R0029		A	Stck/pc	1	
	Connecting cable 8000mm			D4907R0030		A	Stck/pc	1	
	Connecting cable 10000mm			D4907R0032		A	Stck/pc	1	
	Connecting cable 12000mm			D4907R0023		A	Stck/pc	1	
	Connecting cable 14000mm			D4907R0031		A	Stck/pc	1	
	Connecting cable 4000mm crash			D4907R0074		A	Stck/pc	1	
	Connecting cable 6000mm crash			D4907R0075		A	Stck/pc	1	
	Connecting cable 8000mm crash			D4907R0076		A	Stck/pc	1	
	Connecting cable 10000mm crash			D4907R0077		A	Stck/pc	1	
16	Flexible cable duct	Driveside DH<=2700		D8520040		B	Stck/pc	1	
	Flexible cable duct	Driveside DH>2700 No Driveside DH+DW<=2700		D8520041		B	Stck/pc	1	
	Flexible cable duct	No Driveside DH+DW<=6500		D8520042		B	Stck/pc	1	
	Flexible cable duct	No Driveside DH+DW>6500		D8520043		B	Stck/pc	1	
	Flexible cable duct crash	Driveside DH<=2700		D8520044		B	Stck/pc	1	
	Flexible cable duct crash	Driveside DH>2700 No Driveside DH+DW<=2700		D8520045		B	Stck/pc	1	
	Flexible cable duct crash	No Driveside DH+DW<=6500		D8520046		B	Stck/pc	1	
	Flexible cable duct crash	No Driveside DH+DW>6500		D8520047		B	Stck/pc	1	
17	Proximity switch with bracket bottom (only drive side)			D8420004		A	Stck/pc	1	
	Proximity switch			D4905R0082		A	Stck/pc	1	
18	cable L=1000mm	FUS, PLS-GT		D4907R0082		A	Stck/pc	1	
	cable L=4000mm	SPS, without control		D4907R0024		A	Stck/pc	1	
19	Cable for limit switch bottom (only drive side)	only PLS-G; SPS Driveside		See sideframe RH			Stck/pc	1	
20	Chamber profile LH			D4701256		B	m	1	

Top Roll with Door Blade	
Wickelwelle mit Torbehang	
Vals komplett	




8240089	Rev.: a	Sheet: 2 of 2


ALBANY
ASSA ABLOY


RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Toproll with curtain**								
	Toproll with curtain			D8240089	G	C		1	
	Base price						Stck./pc.		
	Barrel						m/w		
	Door blade PVC with stripes additional per m²	blue or red					m²		
	Door blade PVC with stripes additional per m²	special color					m²		
	Doorblade top without window additional per m²	blue or red					m²		
	Doorblade top without window additional per m²	special color					m²		
	Doorblade top with window	blue or red					m²		
	Doorblade top with window	special color					m²		
	Doorblade RollTex additional per m²	blue, orange, grey					m²		
	Window horizontal						Stck./pc.	max 2	
	Window vertikal						Stck./pc.	max 3	
1	Top roll Alu	only for export		D8240090	G		m		
2	Rope pulley Ø150			D4721046		A	Stck./pc.	2	
3	Flange bearing			D8140R0005		A	Stck./pc.	2	
4	Bracket for bearing			D8140002		A	Stck./pc.	2	
5	Rope d=5mm, L=24000mm			D5105R0035		A	Stck./pc.	2	x
	Rope d=4,55mm, L=24000, yellow	only with plastic pulley		D5105R0080		A	Stck./pc.	2	x
6	Chain weel			D8110064		A	Stck./pc.	1	
7	Windbreaktap set (12 pc)			D8130R0009		A	set	1	x
8	Doorblade Plast 1,4	blue or red only for export		D8230RG070	G	C	m²	1	
	Doorblade Top0,5 ohne Fenster	blue or red only for export		D8230RG072	G	C	m²	1	
	Doorblade Top0,5 mit Fenster	blue or red only for export		D8230RG071	G	C	m²	1	
	Doorblade Rolltex Plus	blue, orange, grey only for export		D8230308	G	C	m²	1	
	Window horizontal					C	Stck./pc.	max 2	
	Window vertikal					C	Stck./pc.	max 3	

Bottom profile	
Abschlußprofil komplett	







8550011	Rev.: a	Sheet: 3 of 3


ALBANY
ASSA ABLOY


RR 355, Version 31


Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profil**								
	Bottom profil complete	pre -running photocell		D8550011	G	B	m	1	
	Bottom profil complete	integrated safety edge		D8550RG061	G	B	m	1	
1	Bottom profil cut			D4701275	G	B	m	1	
2	Choise label bottom profile			D6403V0002		A	Stck./pc.	1	
3	Rubber profile with integrated safety edge	Safety edge, integrated sealing to sideframe		D8550RG073	G	B	m	1	
	Rubber profile elongated sealing-lilp			D8550RG074	G	C	m	1	
	Rubber profile for prerunning photocell	Prerunning photocell, integrated sealing to sideframe		D8550RG075	G	B	m	1	
	Rubber profile for prerunning photocell, elongated sealing-lip			D8550RG076	G	C	m	1	
4	Sliding part left for safety edge	el. safety edge, LH		D8150R0087		A	Stck./pc.	1	
	LH sliding piece complete	pre running photocell LH (**)	►2011-08 See Pos: (14, 15) 2011-09 ► also single	D8450R0017		A	Stck./pc.	1	
5	RH sliding piece complete	pre running photocell RH (**)		D8450R0018		A	Stck./pc.	1	
	Sliding part right for safety edge	el. safety edge, RH		D8150R0086		A	Stck./pc.	1	
6	Switch pin			D4615023		A	Stck./pc.	2	
7	Guide rails			D4721R0217		A	Stck./pc.	2	
8	Damper			D4421r0034		A	Stck./pc.	2	
9	Guide profil			D4399306		A	Stck./pc.	2	
10	Sliding piece			D4399537		A	Stck./pc.	2	
11	Plate			D4521R1091		A	Stck./pc.	2	
12	Bracket pre-running photo cell LH			D4701093		A	Stck./pc.	1	
13	Bracket pre-running photo cell RH			D4701090		A	Stck./pc.	1	
14	Transmitter pre-runing photocell with bracket	LH (**)	►2011-08 just in pair 2011-09 ► also single	D8420R0022		A	Stck./pc.	1	
	Safety photocell transmitter - red			D4904R0544		A	Stck./pc.	1	
15	Receiver pre-running photocell with bracket	RH (**)		D8420R0024		A	Stck./pc.	1	
	Safety photocell receiver - grey			D4904R0546		A	Stck./pc.	1	

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos. 14, 15)

Bottom profile crash	
Abschlußprofil Crash	







DRW 0001	Rev.:	Sheet: 1 of 1


ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Bottom profile crash**								
1	Bottom profile with rubber profile without sliding part			D8550005	G	B	m	1	
	Bottom profile cut-to-size			D4701275	G	B	m	1	
	Rubber profile cut-to-size			D4421RG013	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG014	G	C	m	1	
2	LH sliding part crash	LH (**)	►2011-08 See Pos: 6, 7 2011-09 ► also single	D8450R0015		A	Stck./pc.	1	
3	RH sliding part crash	RH (**)		D8450R0016		A	Stck./pc.	1	
4	Tappet top			D4701263		A	Stck./pc.	2	
5	Tappet down			D4609080		A	Stck./pc.	2	
6	Transmitter pre-runing photocell with bracket	LH (**)	►2011-08 just in pair 2011-09 ► also single	D8420R0022		A	Stck./pc.	1	
	Safety photocell transmitter - red			D4904R0544		A	Stck./pc.	1	
7	Receiver pre-running photocell with bracket	RH (**)		D8420R0024		A	Stck./pc.	1	
	Safety photocell receiver - grey			D4904R0546		A	Stck./pc.	1	
8	Proximity switch			D8450007		A	Stck./pc.	2	
9	Bracket pre-running photo cell LH			D4604691		A	Stck./pc.	1	
10	Bracket pre-running photo cell RH			D4604690		A	Stck./pc.	1	
11	Switch pin			D4615023		A	Stck./pc.	2	
12	Swiveling roller			D5003107		A	Stck./pc.	4	
13	Locking disk			D4621R0329		A	Stck./pc.	2	
14	Guide profil			D4399306		A	Stck./pc.	2	
15	Comprssion spring			D4803R0004		A	Stck./pc.	2	
16	Y-adapter RH	RH		D4910R0032		A	Stck./pc.	1	
17	Y-adapter LH	LH		D4910R0033		A	Stck./pc.	1	

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos. 6, 7)

Drive Unit	RR355
Antrieb	RR355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Drive Unit**								
1	Drive unit cpl	No E-Connection	2001-12►	D8410062	G	B		1	
	for control ACS 50, PLS_G and GT						Stck./pc.		
	for control FUS and ACS 80						Stck./pc.		
	for control ACS 60 and MCC						Stck./pc.		
	Retrofit drive unit motors Flender to Bonfiglioli Control MCC Control ACS 50 / PLS-GT Control ACS 80 / FUS III Control FUS I / II Control PLS-G	Drive Flender	►2001-12	D8410RG080	G	B	Stck./pc.	1	
	Gear motor 220-230/400-415V-PLS-G, 50Hz 220-230V-PLS-GT, 50Hz	Brake 6622R0017	2002-01►	D8910R0039		A	Stck./pc.	1	
	Gear motor 220-230/400-415V-PLS-G, PLS-GT, 60Hz 220-230V-SPS,no control, 60Hz	Brake 6622R0018	2002-01►	D8910R0040		A	Stck./pc.	1	
	Gear motor 380-415V-PLS-GT, 50Hz 400-415V-SPS,no control, 50Hz	Brake 6622R0017	2002-01►	D8910R0041		A	Stck./pc.	1	
	Gear motor 220-230/380-415V-FUSII,ACS60/80, 50/60Hz	Brake 6622R0017	2002-01►	D8910R0050		A	Stck./pc.	1	
	Gear motor 220-230/400-415V-FUSI, 50/60Hz	Brake 6622R0019	2002-01►	D8910R0049		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 50Hz	Brake 6622R0017	2002-01►	D8910R0057		A	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 60Hz	Brake 6622R0018	2002-01►	D8910R0058		A	Stck./pc.	1	
	Gear motor 400-415V-SPS,no control, 60Hz	Brake 6622R0018	2002-01►	D8910R0042		A	Stck./pc.	1	
	Gear motor 220-230/400-415V-MCC, 50/60Hz	Brake 6622R0017	2007-01►	D8910R0077		A	Stck./pc.	1	
	Gear motor 220-230/400-415V-PLS-G, 50Hz 220-230V-PLS-GT, SPS, no control, 50Hz	Brake 6622R0017, drive Bonfiglioli	►2001-12	D8910R0045		A	Stck./pc.	1	
	Gear motor 400-415V- PLS-GT, SPS, no control, 50Hz	Brake 6622R0017, drive Bonfiglioli	►2001-12	D8910R0046		A	Stck./pc.	1	
	Gear motor 220-230/380-415V-FUSI, 50/60Hz	Brake 6622R0019, drive Bonfiglioli	►2001-12	D8910R0055		A	Stck./pc.	1	
	Gear motor 220-230/380-415V-FUSII, ACS60/80, 50/60Hz	Brake 6622R0017, drive Bonfiglioli	►2001-12	D8910R0056		A	Stck./pc.	1	

Drive Unit	RR355
Antrieb	RR355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
2	Brake 10Nm 196V DC HL	look at drive	2002-01►	D6622R0017		A	Stck./pc.	1	x
	Brake 15Nm 196V DC HL	look at drive	2002-01►	D6622R0018		A	Stck./pc.	1	x
	Brake 10Nm 96V DC HL	look at drive	2002-01►	D6622R0019		A	Stck./pc.	1	x
	Brake BP10 NH 196V DC	for 4901235, 4901244, 6601003, 6601010, 6601016, 6601017	►2001-12	D4902050		A	Stck./pc.	1	x
	Brake BP10 NH 96V DC	for 4901236, 6601004	►2001-12	D4902051		A	Stck./pc.	1	x
	Manual lifting for brake	for 4901001, 4901236, 4901244, 6601003, 6601004, 6601010	►2001-12	D6622001		A	Stck./pc.	1	x
3	Double Proximity switch	FUS, ACS 60/80		D4905R0019		A	Stck./pc.	1	
	Incremental shaft encoder	FUS	►2001-12	D4904369		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses cpl	MCC		D8410R0066		A	Stck./pc.	1	
4	Microswitch	Flender	►2001-12	D4801242		A	Stck./pc.	1	
	Microswitch	Bonfiglioli	2002-01►	D6621R0002		A	Stck./pc.	1	
5	Torque arm			D4521R0776		A	Stck./pc.	1	
6	Dumper			D5004R0041		A	Stck./pc.	1	
7	Adapter			D4521R0034		A	Stck./pc.		
8	E-Connection ACS 50	ACS 50		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS 60, 80		D8830032	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	E-Connection MCC	MCC		D8903RG145	G	B		1	
		Control close to drive					Stck./pc.		
		Control wall mounted					Stck./pc.		
9	Spring 2,2x11x48mm			D4802R0004		A	Stck./pc.	1	
10	Fan cowl	For Drive 6601R0064		D6621R0008			Stck./pc.	1	
	Fan cowl	For Drive 6601R0063, 6601R0067		D6621R0010			Stck./pc.	1	
11	Junctionbox 7plug 6m cable			D4802071		A	Stck./pc.	1	
	Junctionbox 7plug 11m cable			D4802076		A	Stck./pc.	1	
	Junctionbox 7plug 21m cable			D4802077		A	Stck./pc.	1	
	Junctionbox 9plug 6,5m cable			D4906R0027		A	Stck./pc.	1	
	Junctionbox 9plug 11,5m cable			D4906R0028		A	Stck./pc.	1	
	Junctionbox 9plug 21,5m cable			D4906R0029		A	Stck./pc.	1	
	Junctionbox 9plug 31,5m cable			D4906R0030		E	Stck./pc.	1	
12	Cable 4x0,25 6,5m GY			D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY			D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY			D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY			D4907R0113		A	Stck./pc.	1	

Chain drive	RR355
Antrieb Kette	RR355




ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VII	**Drive unit chain**								
	Chaindrive cpl			D8410066	G	A	Stck./pc.	1	
1	Chain weel		shaft Ø30mm	D5101105		A	Stck./pc.	1	
2	Cover chain outside LH			D4721114		A	Stck./pc.		
	Cover chain outside RH			D4721113		A	Stck./pc.	1	
3	Cover chain inside LH			D4721116		A	Stck./pc.	1	
	Cover chain inside RH			D4721115		A	Stck./pc.	1	
4	Roller chain complete			D8110076		A	Stck./pc.	1	
5	Motorbracket LH	LH Driveside		D4521564		A	Stck./pc.	1	
	Motorbracket RH	RH Driveside		D4521551		A	Stck./pc.	1	
6	Shaft		shaft Ø30mm	D4521554		A	Stck./pc.	1	
	Shaft with chain wheel		shaft Ø28mm	D8140052		A	Stck./pc.	1	

RR355	Options
RR355	Optionen
	Optioner



ALBANY
ASSA ABLOY

RR 355, Version 31

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VIII	**Options**								
1	Top roll cover			D8260003	G	C	m	1	
2	Motorcover plastic grey RH			D8160R0078		A	Stck./pc.	1	
	Motorcover plastic grey LH			D8160R0079		A	Stck./pc.	1	
	Motorcover plastic grey RH	MCC mounted on side frame		D8160R0084		A	Stck./pc.	1	
	Motorcover plastic grey LH	MCC mounted on side frame		D8160R0085		A	Stck./pc.	1	
	Motorcover chain drive RH	RH Chain drive		D8160R0005		C	Stck./pc.	1	
	Motorcover chain drive LH	LH Chain drive		D8160R0004		C	Stck./pc.	1	
3	Bracket motor cover			D4521778		A	Stck./pc.	1	
4	2. emergency lever (option)			D8170RG022	G	B	Stck./pc.	1	
5	U-Profile Cut			D4701298	G	C	m	1	
6	U-Profile Cut			D4614120		A	Stck./pc.	2	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
E	on request
	Wear parts
	x = Standard wear with time/use

