SCOPE CHEMICALS PVT. LTD.
INDUSTRIAL PRODUCTS DIVISION

SCOPE
Creating Values...





DOCK BUMPER














Products	Laminated Dock Bumper	2 Hole Dock Bumper	2 Hole Dock Bumper (SCOPE)	Dock Fender D6	EPDM D Hollow	EPDM Square D Hollow
HSN code	40082990	40169400	40082990	40082990	40082990	40082990
Size	114 x254 x355 mm	L-330 xW-250 xH-100mm	450 x 150 x 80mm	165mm x 153mm x 26mm	100mm x 100mm x 50mm x 50mm D Hollow- 1 Meter	150mm x 150mm x 75mm x 75mm D Hollow - 1 Meter
Weight	12 Kg	8 Kg	5 Kg	23Kg/mtr	10 Kgs/mtr	24 Kgs/mtr



WHEEL CHOCK

Products	L- Rubber Wheel Chock	2 Sided Wheel Chock	RUBF Wheel Chock	L-Rubber Wheel Chock with rope
				
HSN code	40169990	40169990	40169990	40169990
Size	L-241 x W-177 x H-165 mm	L-251 xW-191 xH-152 mm	L-198 xW-152 xH-241 mm	240x165x190
Weight	5.5 Kg	4 Kg	6 Kg	5 Kg



CABLE PROTECTOR











Products	Cable Protector 1 Channel	Cable Protector 2 Channel	Cable Protector 3 Channel	Cable Protector 5 Channel	Hose Ramp
HSN code	40169990	40169990	40169990	40169990	40169990
Size	1000x265x60mm (50mm)	1000X250X45mm(30mm X2)	900X500X75mm(65mm X3)	900X550X55mm(42mm X5)	3 Inches/ 75mm(L-838xW-300xH-89mm)
Weight	9 Kg	6.94 Kg	15 Kg	11.97 Kg	12 Kg



SPEED BREAKERS









Products	Rubber Speed Breaker with cat eyes	Heavy Duty Speed Breaker	Composite Rubber Speed Breaker	Rumbler Strips
HSN code	40169990	40169990	40169990	40169990
Size	L-500 x W-350 xH-50mmn	L-500 x W-400 x H-75mm x 2	500 x 350 x 50/45mm	500 x 100 x 25mm
Weight	13 Kg	23 Kg	12 Kg	3.8 Kg



CORNER GUARD

						
Products	**L-Corner Guard**	**L-Corner Guard**	**L-Corner Guard**	**U Corner Guard**	**U Corner Guard**	**EPDM Corner Guard**
HSN code	40169990	40169990	40169990	40169990	40169990	40169990
Size	800X100x8mm	800X100x10mm	100X100x10mm	800X100X100x10mm	1000X100x100X10mm	800X75X8mm
Weight	1kg	1.3kg	2.1kg	1.5kg	3.5kg	



CONVEX MIRROR










Products	Convex Mirror	UV Search Mirror	UV Search Mirror	UV Search Mirror
HSN code	39269099	39269099	39269099	39269099
Size	24" / 32" / 40"	22 cm (Rod length - 1220)	20 X 24 cm - Square (Rod length - 1220)	30 cm (Rod length - 880)
Weight	2.5 / 2.7 / 4 kg	0.81kg	0.82kg	1.8kg



TRAFFIC CONES













Products	Traffic Cones with ring	Traffic Cones with rubber base	Traffic cone Flexible 710	Parking Yellow Cone	Plastic Chain	PU Spring Post-Orange
HSN code	3926909090	3926909090	3926909090	3926909090	3926909090	39269099
Size	780m	750 x 380 x 380mm	710 mm	660mm	6mm thickness	750 x 200 x 200mm
Weight	4 kg	1.6 kg	3.2kg	0.8 kg	14.5kg	1.3kg

OTHERS



Light Baton (Battery)

Size : 54cm
Colour : Flash Red & Green
Battery/Rechargeable



Metal Detector

Battery/Rechargeable



Wheel Clamp both type

Metal Wheel Clamp with 2 keys
Weight : 2.4 kg



Car Wheel stopper

Size : L600xW120xH100
Weight : 3 kg/pcs



Solar flashing signal light Red

HS:9405409000
1.Model:TL-R5 (AXN-H-30)
2.Light:Φ300mm
3.Shell Material:PC,Metal Covering
4.LED Color:Red
5.Solar Panel:8W
6.Battery:12V/10AH Lead-acid Battery
7.LED Quantity:170pcs



Plastic Fance barricade

Size : L 2000 x H1000 x T 40mm
Weight : 20 kg

SCOPE
Creating Values...

FIRE BALL EXTINGUISHER



Introduction

Fire Ball Extinguisher

"The simplest and fastest way to extinguish fire."

Fire Ball Extinguisher is a ball shaped fire extinguisher. When in contact with fire, it will activate within 3 seconds and effectively disperse-extinguishing chemicals. When a fire occurs and no one is present, Fire Ball Extinguisher will self-activate when it comes into contact with fire and give a loud noise as a fire alarm. There is no special training or skill required to operate the ball and no need to face the dangers of the fire.

Specification

- Weighs only 1.3kg
- 150mm dia
- Suitable for any common fire – Class A-B-C-E-F
- 5 Years product shelf life and warranty*
- No annual service or inspection and maintenance required for 5 years
- Operational 24/7 when in primary static use
- Non-toxic and environmentally friendly 94%MAP dry chemical powder
- Low to no corrosion on electrical equipment
- Warning audio signal: 120 db (Impulsive noise)
- Box content: Comes with stand and fixing screws.

Fire Fighting Problems

Have you ever recognized that 90% of ordinary people cannot use fire-extinguishing equipment when they are facing a real Fire situation.

Are you one of those people, who have found themselves unable to use fire extinguishing equipment in real fire situation because of the following reasons?



You lack training on proper effective use.



Its bulky and heavy weight makes it difficult to carry and aim when it is some distance from the fire.



You need to get close to the fire and exposed to smoke and heat problems.



You panic when facing the causing yourself to forget how to use the equipment.






Overcoming the problems

The Revolution of Fire Ball Extinguisher offers you advantages that exceed the conventional methods.



Light weight- of less than +- 1.5 kg, good even for women, children and elderly pepople.



Easy use - Just throw it into the fire or install it in any fire risk areas.



Safe

- No need to get close to the fire.
- Non-toxic to the environment. Fire Extinguishing Ball is made from human and environmental friendly materials.
- The outward driving force from activation of the ball does not harm to human and environment.



Safe for a period of 5 years without maintenance required, always on guard for you with its unique capability to emit loud noise of less than 140 dB as a fire alarm upon activation.



Q MANAGER AND ROPE POST







Products	Concrete Queue Manager	Rope Post Silver	Rope Post Gold
HSN code	73269091	73269091	73269091
Size	910x320x63mm	320×51×1000mm	320×51×1000mm
Weight	6.8kgs	6.10kg	6.095kg



ROAD STUD AND DELINATOR







Products	ABS Road Stud	Solar Road Stud Oval	Solar Road Stud Square
HSN code	39269099	39269099	39269099
Size	100 x100 x20mm	107 x 95 x 24 mm	115 x 100 x 25
Weight	0.08kg	0.29kg	6.095kg



CAUTION TAPE AND ANTI SKID TAPE






Products	Caution Tape	Antiskid Tape
HSN code		
Size	2 inch x 200m/roll (one side print)	1.5 inch x 20m/roll
Material	PVC	Paper and Glass Beads

SCOPE
Creating Values...

How to use Fire Extinguishing Ball

(Active Use) Throwing Fire Extinguishing Ball into the fire - When a fire erupts. take the nearest avalable Fire Extinguishing Ball and simply throw it into the fire. The ball will naturally fall into the base of the flame, where it is most needed, and activate eithin 3 seconds. No need to pull pins, or to get close to to the fire, No special tranining or skills required.



(Passive Use) Self Activating Mount

One of the great benefits of Fire Ball Extinguisher is the fact that it can self activate in the presence of fire when no-one is present. If positioned in the appropriate thigh-risk area and inaccessible areas where most fires are likely to start, it will self activate upon reaching the appropriate temperature and extinguish the fire.



Fire Extinguishing Ball best serves for everywhere

- Fire Ball Extinguisher can be placed on a shelf top, tabletop, along the hallway or any visible area of easy access.
- Fire Ball Extinguisher is best mounted in high risk areas such as kitchens, electrical circuit breakers, overloaded electrical outlets, or near fireplaces.




Fire Protection In A Small Red Ball



+91 7506092167 / +91 8657448622
sales@scope.net.in / sales1@scope.net.in
www.scopeindustrialproducts.com

OUR CLIENTS



SCOPE
Creating Values...

SCOPE CHEMICALS PVT. LTD. - INDUSTRIAL PRODUCTS DIVISION

B-101, First Floor, Western Edge II,
Western Express Highway, Borivali East,
Mumbai 400066. Maharashtra, India

: +91 7506092167 / 7506712190
Email : sales@scope.net.in

www.scopeindustrialproducts.com