Spare part list
Actuator / Safeties

2013-05 Index 00

Actuator, Version 21			gültig ab ▲ gültig bis valid from ▲ valid to				Delivery time class		Anzahl pro Tor Quantity per door	Verschleißteil part / Slitdetalje
Pos. Item	Description	Bemerkung Note		Art.-Nr. Item-No	1		Einheit Unit			Wear
1	**Buttons / Switches**									
1	Mushroom button, color black			D4905R0012		A	Stck./pc			
2	Push button (white with black arrow upwards)			D4905R0011		E	Stck./pc			
3	Push button & emergency stop			D4905R0013		A	Stck./pc			
4	Push buttons Up-Stop-Down			D4905R0014		A	Stck./pc			
5	Key-Switch "0-UP" for impulse open			D4905R0083		A	Stck./pc			
6	Mushroom button, black			D4905R0027		A	Stck./pc			
7	Mushroom button black EX 1NO/1NC			D4801076		A	Stck./pc			
8	Open-Closed-STOP w. key. AP			D4801114		A	Stck./pc			
9	Key switch 0-1			D4905R0093		A	Stck./pc			
10	key switch surface mounting			D4905R0094		A	Stck./pc			
6	**Pullswitch**									
6.1	Pullswitch with bracket galv			D8540R0068		A	Stck./pc			
6.2	Pullswitch with bracket inox			D8540R0069		A	Stck./pc			
6.3	Pullswitch with console galv 1-1,7m			D8540R0070		B	Stck./pc			
6.4	Pullswitch with **console** Inox 1-1,7m			D8540R0072		B	Stck./pc			
6.5	Pullswitch with console galv 2-3,5m			D8540R0071		B	Stck./pc			
6.6	Pullswitch with console Inox 2-3,5m			D8540R0073		B	Stck./pc			
6.x.1	Pullswitch			D4905R0016		A	Stck./pc			
6.x.2	Actuator rope 6m + accessories			D8070R0002		A	Stck./pc			
6.1.3	Bracket galv			D4521r0201		E	Stck./pc			
6.2.3	Bracket inox			D4621r0011		E	Stck./pc			
6.3.3	Bracket 1-1,7m galv			D4521V0129		A	Stck./pc			
6.4.3	Bracket 1-1,7m inox			D4621V0034		A	Stck./pc			
6.5.3	Bracket 2-3,5m galv			D4521V0130		A	Stck./pc			
6.6.3	Bracket 2-3,5m inox			D4621V0035		A	Stck./pc			
6.7	Pullswitch with bracket galv	Ex		D8540R0117		A	Stck./pc			
6.7.1	Pullswitch	Ex		D4801073		A	Stck./pc			
7	**Radar**									
7.1	Radar with console 0,2-0,4m galv	H ≥3,5m		D8540R0110		A	Stck./pc			
7.2	Radar with console 1-1,7m galv	H ≥3,5m		D8540R0074		B	Stck./pc			
7.3	Radar with console 1-1,7m inox	H ≥3,5m		D8540R0076		B	Stck./pc			
7.4	Radar	H ≥3,5m		D4904V0018		A	Stck./pc			
7.5	Radar	H < 3,5m		D4904R0434		A	Stck./pc			
7.6	Console 0,2-0,4m complete, galvanized			D8170R0347		A	Stck./pc			
7.7	Bracket 1-1,7m galv			D4521V0129		A	Stck./pc			
7.8	Bracket 1-1,7m inox			D4621V0034		A	Stck./pc			
7.9	Remote control, universal			D4904R0005		A	Stck./pc			

ALBANY
ASSA ABLOY

Actuator, Version 21

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
8	**Induction-loop**								
8.1	Induction-loop detector+wire			D8540R0078		A	Stck./pc		
8.2	Induction-loop detector+wire+casting compound			D8540R0079		A	Stck./pc		
8.x.1	Induction-loop detector 1-channel			D4904R0035		A	Stck./pc		
8.x.2	cable PVC			D4907R0060		A	m	100	
8.x.3	Casting compound, 2 kg package			D5599R0001		A	Stck./pc	2	
8.3	Induction loop detector for 2 loops			D4904R0467		A	Stck./pc		
8.4	Double loop detector with wire			D8540R0114		A	Stck./pc		
8.5	Double loop detector w.wire+casting compound			D8540R0115		A	Stck./pc		
9	**Radio**								
9.1.2	Radio receiver 433 MHz (top-hat rail)			D4904R0028		A	Stck./pc		
9.1.3	Radio receiver 40MHz (top-hat rail)			D4904R0551		A	Stck./pc		
9.1.4	Radio receiver 433MHz, wall mounted			D4904330		A	Stck./pc		
9.1.5	Socket			D4904R0122		A	Stck./pc		
9.2	Transmitter for radio 433MHZ 1-command			D4904R0017		A	Stck./pc		
9.3	Transmitter for radio 433MHZ 2-command			D4904R0018		A	Stck./pc		
9.4	Transmitter for radio 433MHZ 3-command			D4904R0019		A	Stck./pc		
9.5	Transmitter for radio 433MHZ 4-command			D4904R0020		A	Stck./pc		
9.6	Industry transmitter f. radio 40MHZ 1-command			D4904342		A	Stck./pc		
9.7	Industry transmitter f. radio 40MHZ 2-command			D4904343		A	Stck./pc		
9.8	Industry transmitter f. radio 40MHZ 3-command			D4904344		A	Stck./pc		
9.9	Industry transmitter f. radio 40MHZ 4-command			D4904345		A	Stck./pc		
9.10	Industry transmitter 1-command 433MHz			D4904R0021		A	Stck./pc		
9.11	Industry transmitter 2-command 433MHz			D4904R0022		A	Stck./pc		
9.12	Industry transmitter 3-command 433MHz			D4904R0023		A	Stck./pc		
9.13	Industry transmitter 4-command 433 MHz			D4904R0024		A	Stck./pc		
9.14	Industry transmitter 1-command 433MHz 10-channel			D4904R0025		E	Stck./pc		
9.15	Industry transmitter 3-command 433 MHz 10-channel			D4904R0026		A	Stck./pc		
9.16	Industry transmitter 1-command 40MHz 10-channel			D4904R0045		E	Stck./pc		
9.17	Car transmitter 40 MHz, 3 buttons, 1-10			D4904R0048		A	Stck./pc		
9.18	car transmitt,40MHz,3but,1-10ch.,battery			D4904R0481		A	Stck./pc		
9.19	Hand Transmitter 1-function Dorma s43-1			D4904V0074		A	Stck./pc		
9.20	Hand Transmitter 2-functions Dorma s43-2			D4904V0075		A	Stck./pc		
9.21	Hand Transmitter 3-functions Dorma s43-3			D4904V0076		A	Stck./pc		
9.22	Hand Transmitter 4-functions Dorma s43-4			D4904V0077		A	Stck./pc		
9.23	Hand Transmitter 8-functions			D4904397		A	Stck./pc		
9.24	Rubber cap Hand Transmitter			D4904398		A	Stck./pc		
9.25	Antenna 433 MHz 5m BNC connection cable			D8470R0003		A	Stck./pc		
9.26	Antenna 40 MHz, 5m BNC-cable, mounting b			D8470R0004		A	Stck./pc		
9.27	Antenna 40 MHz, 5m BNC-cable, f.car			D8470R0005		A	Stck./pc		
9.28	Antenna 40 MHz without cable, BNC			D4904R0458		A	Stck./pc		
9.29	Mini Transmitter 433 MHz			D4904361		A	Stck./pc		
10	**Active infrared sensor**								
10.1	Act. infrared sensor 3m heigh+console 0,2-0,4m			D8540R0086		D	Stck./pc		
10.2	Act. infrared sensor 4m heigh+console 0,2-0,4m			D8540R0087		E	Stck./pc		
10.1.1	Infrared Detector, 3m heigh incl 8 m cable			D4904V0071		D	Stck./pc		
10.2.1	Infrared Detector, 4m heigh incl 8 m cable			D4904V0072		E	Stck./pc		
10.x.2	Console 0,2-0,4m complete, galvanized			D8170R0347		E	Stck./pc		

ALBANY
ASSA ABLOY

Actuator, Version 21

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
11	**Photocell**								
11.1	Photocell Typ I with bracket galv			D8540R0024		B	Stck./pc		
11.2	Photocell Typ I with bracket inox			D8540R0025		B	Stck./pc		
11.3	Photocell one way with bracket galv			D8540R0028		B	Stck./pc		
11.4	Photocell one way with bracket galv			D8540R0029		B	Stck./pc		
11.x.1	Bracket photocell galv			D8170R0159		A	Stck./pc		
11.x.2	Bracket reflector galv			D8170R0160		A	Stck./pc		
11.x.3	Bracket photocell inox			D8170R0318		A	Stck./pc		
11.x.4	Bracket reflector inox			D8170R0319		A	Stck./pc		
11.x.5	Photocell Type I			D4904R0001		A	Stck./pc		
11.x.6	Reflector			D4904R0002		A	Stck./pc		
11.x.7	Photocell receiver, without bracket - black	snow-proof, not for pre-run		D4904R0548		A	Stck./pc		
11.x.8	Photocell transmitter, without bracket - blue	not for pre-run		D4904R0547		A	Stck./pc		
11.x.9	Safety photocell receiver, no bracket - grey	snow-proof		D4904R0546		A	Stck./pc		
11.x.10	Safety photocell receiver, no bracket - yellow			D4904R0545		A	Stck./pc		
11.x.11	Safety photocell transmitter, no bracket - red			D4904R0544		A	Stck./pc		
11.5	Photocell Telco It-12a/Ir-a			D96-6410-93		A	Stck./pc	1	
11.6	Photocell amplifier Telco			D96-6413-95		A	Stck./pc	1	
11.7	Fc.amplif. telco pa10b513 24vdc			D96-6416-87		A	Stck./pc	1	
12	**Light-curtain (beam distance 30mm)**								
12.1	Light-curtain 0,9m with bracket galv	wall ‖ door		D8540R0030		B	Stck./pc		
12.2	Light-curtain 0,9m with bracket inox	wall ‖ door		D8540R0033		D	Stck./pc		
12.3	Light-curtain 1,8m with bracket galv	wall ‖ door		D8540R0031		B	Stck./pc		
12.4.1	Light-curtain 1,8m with bracket inox	wall ‖ door		D8540R0034		B	Stck./pc		
12.4.2	Light-curtain 2,7m with bracket galv	wall ‖ door		D8540R0032		B	Stck./pc		
12.4.3	Light-curtain 2,7m with bracket inox	wall ‖ door		D8540R0035		B	Stck./pc		
12.5	Light-curtain 930mm			D8940R0009		B	Stck./pc		
12.6	Light-curtain 1890mm			D8940R0010		B	Stck./pc		
12.7	Light-curtain 2370mm			D8940R0011		B	Stck./pc		
12.8	Bracket			D4904R0462		A	Stck./pc		
12.9	Connection box			D4906R0041		A	Stck./pc		
12.10	Bracket Light-curtain 930mm galv	wall ‖ door		D8170R0300		B	Stck./pc	2	
12.11	Bracket Light-curtain 930mm inox	wall ‖ door		D8170r0303		B	Stck./pc	2	
12.12	Bracket Light-curtain 1890mm galv	wall ‖ door		D8170R0301		B	Stck./pc	2	
12.13	Bracket Light-curtain 1890mm inox	wall ‖ door		D8170R0304		B	Stck./pc	2	
12.14	Bracket Light-curtain 2370mm galv	wall L door		D8170R0311		B	Stck./pc	2	
12.15	Bracket Light-curtain 2370mm inox	wall L door		D8170R0314		B	Stck./pc	2	
13	**Light-curtain (beam distance 92mm)**								
13.1	Light-curtain 1,8m with bracket galv	wall ‖ door		D8540R0174		B	Stck./pc		
13.2	Light-curtain 1,8m with bracket inox	wall ‖ door		D8540R0175		B	Stck./pc		
13.3	Light-curtain cpl (Transmitter, Receiver, Brackets)			D8940R0012		A	Stck./pc		
13.4	Light-curtain transmitter			D4904R0464		A	Stck./pc		
13.5	Light-curtain receiver			D4904R0465		A	Stck./pc		
13.6	Connection box			D4906R0041		A	Stck./pc		
13.7	Bracket Light-curtain 1890mm galv	wall ‖ door		D8170R0301		B	Stck./pc	2	
13.8	Bracket Light-curtain 1890mm inox	wall ‖ door		D8170R0304		B	Stck./pc	2	

ALBANY
ASSA ABLOY

Actuator, Version 21

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
14	**Combined detector**								
14.1	Combined detector radar + IR			D4904R0523		A	Stck./pc		
14.2	Combined detector w. console 0,2-0,4m zn			D8940R0019		A	Stck./pc		
14.3	Combined detector w. console 1-1,7m zn			D8940R0020		A	Stck./pc		
14.4	Combined detector w. console 1-1,7m inox			D8940R0021		A	Stck./pc		
14.5	Remote control, universal			D4904R0005		A	Stck./pc		
15	**Laserscanner**								
15.1	Laserscanner LZR - i100	Detection 10x10m		D4904R0538		D	Stck./pc		
15.2	Laserscanner with bracket			D8940R0018		D	Stck./pc		
	Bracket laserscanner			D4621R0560		B	Stck./pc		
16	**Change electrical drawings**								
16.1	with retrofit of actuators, drives and safeties for standard doors						Stck./pc		
16.2	with retrofit for controls, traffic light						Stck./pc		
16.3	Retrofit of interlock, special electrical drawings and PLC						Stck./pc		
17	**Traffic lights / flashing lights**								
17.1	Traffic light LED red 24V steady/flashing			D4912R0036		B	Stck./pc		
17.2	Traffic light LED green 24V steady/flashing			D4912R0037		B	Stck./pc		
17.3	Traffic light red/green LED 24V cpl. Steady/flash			D8880R0006		B	Stck./pc		
17.4	Light LED orange 24V steady/flashing			D4912R0035		B	Stck./pc		
17.5	Bracket zn for LED compl.			D8170R0348		B	Stck./pc		
17.6	Bracket VA for LED compl.	Stainless steel		D8170R0349		B	Stck./pc		
17.7	Light orange LED 24V steady/flashing low-cost			D4912R0038		B	Stck./pc		
17.8	Traffic light red/green compl. 200 mm			D4912R0012		B	Stck./pc		
17.9	Rotating yellow beacon 230V			D4808003		B	Stck./pc		
17.10	External traffic / flash light complete, with inox housing and 14m plug-in cable connection	Stainless steel		D8880R0004		B	Stck./pc		
17.11	LED-Traffic light stripe red/green 24V DC			D4912R0039		B	Stck./pc		
17.12	Bracket LED traffic light strip			D8170R0350		B	Stck./pc		

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
E	On request
	Wear parts
	x = Standard wear with time/use