Spare part list
RR 420

ALBANY
ASSA ABLOY




2013-05 Index 00

Karm standard illustration 2.

Frame standard illustration 2.

Seitenteil mit Stahl Schwenkprofil illu. 2.




Drawing number	SP-120821-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I		SP-120821-04_2							
	Side quadrant right hand complete.			**D42-4000-PC**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
	State door height								
14	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
7	Side seal, 420 door			D5006V0002		A	pce	1	
20	Bottom plate right hand mod 2000			D42-4500-00		A	pce	1	
22	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
8	Wall bracket, right hand			D42-4610-95		A	pce	1	
13	Door stop			D42-4638-95		A	pce	1	
9	Bearing bracket			D42-4704-95		A	pce	1	
10	Square washer, bearing bracket			D42-4706-95		A	pce	5	
18	Bracket / photocell door-line			D42-6413-00		A	pce	1	
5	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
21	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
23	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
11	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
12	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
17	Rubber inlet 55-005-25			D97-6891-94		A	pce	1	
	Side quadrant left hand complete.			**D42-4001-PC**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
	State door height								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
7	Side seal, 420 door			D5006V0002		A	pce	1	
24	Bottom plate left hand mod 2000			D42-4501-00		A	pce	1	
22	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
2	Wall bracket, left hand			D42-4611-95		A	pce	1	
13	Door stop			D42-4638-95		A	pce	1	
9	Bearing bracket			D42-4704-95		A	pce	1	
10	Square washer, bearing bracket			D42-4706-95		A	pce	5	
18	Bracket / photocell door-line			D42-6413-00		A	pce	1	
5	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
21	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
23	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
11	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
12	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
17	Rubber inlet 55-005-25			D97-6891-94		A	pce	1	

Karm SRD illustration 3.
Frame SRD illustration 3.
Seitenteil crash illustration 3.



Drawing number	SP-120821-04	Revision	0

ALBANY
ASSA ABLOY


RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I		SP-120821-04_3							
	Side quadrant right hand 422 SRD complete			**D42-4005-PC**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
	State door height								
15	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
7	Side seal, 420 door			D5006V0002		A	pce	1	
20	Bottom plate right hand mod 2000			D42-4500-00		A	pce	1	
22	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
23	Pulley wheel bracket on bottom plate			D42-4515-99		A	pce	1	
8	Wall bracket, right hand			D42-4610-95		A	pce	1	
14	Door stop			D42-4638-95		A	pce	1	
9	Bearing bracket			D42-4704-95		A	pce	1	
10	Square washer, bearing bracket			D42-4706-95		A	pce	5	
18	Bracket / photocell door-line			D42-6413-00		A	pce	1	
5	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
21	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
24	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
11	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
12	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
	Side quadrant left hand 422 SRD complete			**D42-4006-PC**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
	State door height								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
7	Side seal, 420 door			D5006V0002		A	pce	1	
25	Bottom plate left hand mod 2000			D42-4501-00		A	pce	1	
22	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
23	Pulley wheel bracket on bottom plate			D42-4515-99		A	pce	1	
2	Wall bracket, left hand			D42-4611-95		A	pce	1	
14	Door stop			D42-4638-95		A	pce	1	
9	Bearing bracket			D42-4704-95		A	pce	1	
10	Square washer, bearing bracket			D42-4706-95		A	pce	5	
18	Bracket / photocell door-line			D42-6413-00		A	pce	1	
5	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
21	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
24	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
11	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
12	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x

Karm illustration 4.

Frame illustration 4.

Seitenteil Unterbaugruppen illustration 4.



Drawing number	SP-120821-04	Revision	0

ALBANY
ASSA ABLOY


RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I		SP-120821-04_4							
	Side quadrant door profile left hand complete			**D42-4099-PC**	G	C	m	1	
	Including hinges								
	State door height								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
8	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
7	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
	Side quadrant door profile right hand comp.			**D42-4100-PC**	G	C	m	1	
	Including hinges								
	State door height								
10	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
8	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
7	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
	Side quadrant Alu.Door prof. Right hand comp.			**D42-4101-PC**	G	B	m	1	
	Alumin. Door in 650 design, Including hinges								
10	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
	Side quadrant Alu.Door prof. Left hand comp.			**D42-4102-PC**	G	B	m	1	
	State door height								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
	Side quad. Door prof. Right hand SRD comp.			**D42-4105-PC**	G	C	m	1	
	Including hinges								
	State door height								
10	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
8	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
7	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
	Side quadrant door prof.Left hand SRD comp.			**D42-4106-PC**	G	C	m	1	
	Including hinges								
	State door height								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
15	Bracket / photocell door-line			D42-6413-00		A	pce	1	
8	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
9	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
7	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x

Karm aluminium from. 08.2000 illustration 5.

Frame aluminium from 08.2000 illustration 5.

Seitenteil mit ALU Schwenkprofil nach 08.2000 illustration 5.



Drawing number	SP-120821-04	Revision	0


ALBANY

ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil part / Slitdetalje Wear
I		SP-120821-04_5							
	Side quadrant left hand Alumin. Complete.			**D3322VG001**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
1	Hinge, left hand 420			D42-4107-95		A	pce	2	
8	Side seal, 420 door			D5006V0002		A	pce	1	
25	Bottom plate left hand mod 2000			D42-4501-00		A	pce	1	
23	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
2	Wall bracket, left hand			D42-4611-95		A	pce	1	
14	Door stop			D42-4638-95		A	pce	1	
10	Bearing bracket			D42-4704-95		A	pce	1	
11	Square washer, bearing bracket			D42-4706-95		A	pce	5	
19	Bracket / photocell door-line			D42-6413-00		A	pce	1	
6	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
22	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
24	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
12	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
13	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Strip yellow/red			D4050RG016	G	A	m	1	
5	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
18	Rubber inlet 55-005-25			D97-6891-94		A	pce	1	
	Side quadrant right hand Alumin. Complete.			**D3322VG002**	G	C	m	1	
	excluding spring, steel cable, pulley bracket								
	Del. From August 2000, state door height								
15	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
8	Side seal, 420 door			D5006V0002		A	pce	1	
21	Bottom plate right hand mod 2000			D42-4500-00		A	pce	1	
23	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
9	Wall bracket, right hand			D42-4610-95		A	pce	1	
14	Door stop			D42-4638-95		A	pce	1	
10	Bearing bracket			D42-4704-95		A	pce	1	
11	Square washer, bearing bracket			D42-4706-95		A	pce	5	
19	Bracket / photocell door-line			D42-6413-00		A	pce	1	
6	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
22	Cable pulley with 2 bearings complete			D4121V0021		A	pce	2	x
24	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
12	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
13	Pulley wheel bracket			D96-4632-95		A	pce	1	
4	Strip yellow/red			D4050RG016	G	A	m	1	
5	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
18	Rubber inlet 55-005-25			D97-6891-94		A	pce	1	
	Side quadrant Alu.Door profile complete.			**D3322VG003**	G	B	m	1	
	Alumin. Door in 660 design with stripe,								
	motor position. Deliv. From August 2000								
	Hinge, right hand 420 door			D42-4106-95		A	pce	2	
	Hinge, left hand 420			D42-4107-95		A	pce	2	
	Bracket / photocell door-line			D42-6413-00		A	pce	1	
	Rubber seal 10x12 d-list epdm			D4402RG009	G	A	pce	1	
	Strip yellow/red			D4050RG016	G	A	m	1	

Karm illustration 6.
Frame illustration 6.
Seitenteil Unterbaugruppen illustration 6.




Drawing number	SP-120821-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I		SP-120821-04_6							
	Frame profile pre-drilled			**D42-4202-PC**	G	B	m	1	
2	Bracket for superseal d, 420 door			D4721RG181	G	A	m	1	
3	Brush strip MINK 0,2/31 mm PA6 Curled (PE-core)			D4121RG026	G	A	pce	1	x
	Bottom plate right with brackets			**D42-4500-XX**		A	pce	1	
	Fits SRD and standard								
14	Bottom plate right hand mod 2000			D42-4500-00		A	pce	1	
15	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
16	Pulley wheel bracket on bottom plate			D42-4515-99		A	pce	1	
	Bottom plate left with brackets			**D42-4501-XX**		A	pce	1	
	Fits SRD and standard								
22	Bottom plate left hand mod 2000			D42-4501-00		A	pce	1	
15	Locking bracket for bottom plate			D42-4510-00		A	pce	1	
16	Pulley wheel bracket on bottom plate			D42-4515-99		A	pce	1	
	Upper pulley bracket complete			**D42-4632-XX**		A	pce	1	
	with pulley and door bracket								
6	Door stop			D42-4638-95		A	pce	1	
7	Cable pulley with 2 bearings complete			D4121V0021		A	pce	1	x
5	Pulley wheel bracket			D96-4632-95		A	pce	1	
	Fixing brackets for frame work								
1	Fixing bracket 550 x 300 x 6			D96-4615-94		A	pce	2	
	Roller bearings for top roll								
4	Bearing diameter 30 mm			D8140R0071		A	pce	2	x
	Photocell door-line								
12,21	Photocell Telco lt-12a/lr-a			D96-6410-93		A	pce	1	
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	
11	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
20	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
18	Cable for photocell 10m 3x0,25			D4907R0032		A	pce	1	
9	Cable for photocell 15m 3x0,25			D4907R0037		A	pce	1	
19	Marker for reciever			D96-6461-01		A	pce	1	
10	Marker for sender			D96-6461-02		A	pce	1	
	Limit switch Tape switch/opticle saf.Edge								
17	Limit switch			D4905VG001		A	pce	1	
	Heating element Frigo H&S								
23	Heater element 8x144 180w/230VAC left			D4915V0001		A	pce	1	
13	heater element 8x144 180w/230VAC right			D4915V0002		A	pce	1	

Valsrör/valstätning/Antistat list
Top roll/Top roll seal/Anti-static strip
Wickelwelle




Drawing number	SP-120826-04	Revision	0


ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II		SP-120826-04							
	Top roll conical cable drums 30 mm axles			**D96-3315-PC**	G	D	m	1	
	complete for Ovitor, including fixing strip								
	State door widht and motor position								
7	Fixing strip for door blade			D8540VG005	G	A	m	1	
6	Stub axle, 30mm, short			D66-3602-85		A	pce	1	
1	Stub axle, 30mm, drive side			D66-3612-85		A	pce	1	
3	Cable drum, conical,right			D96-3474-96		A	pce	1	
5	Cable drum conical,left			D96-3475-96		A	pce	1	
2	Key 8 x 7 mm			D5409021		A	pce	1	
	Top roll conical cable drums 30 mm axles			**D96-3316-PC**	G	D	m	1	
	comp. for Nomadrive, including fixing strip								
	State door widht and motor position								
7	Fixing strip for door blade			D8540VG005	G	A	m	1	
6	Stub axle, 30mm, short			D66-3602-85		A	pce	1	
3	Cable drum, conical, right			D96-3474-96		A	pce	1	
5	Cable drum conical, left			D96-3475-96		A	pce	1	
9	Drive shaft 30 mm swedrive gear box			D96-3623-92		A	pce	1	
	Top roll with end bosses 30 mm axles			**D96-3415-PC**	G	D	m	1	
	for Ovitor								
	State door widht and motor position								
7	Fixing strip for door blade			D8540VG005	G	A	m	1	
6	Stub axle, 30mm, short			D66-3602-85		A	pce	1	
1	Stub axle, 30mm, drive side			D66-3612-85		A	pce	1	
2	Key 8 x 7 mm			D5409021		A	pce	1	
	Top roll with end bosses 30 mm axles			**D96-3416-PC**	G	D	m	1	
	for Nomadrive								
	State door widht and motor position								
7	Fixing strip for door blade			D8540VG005	G	A	m	1	
6	Stub axle, 30mm, short			D66-3602-85		A	pce	1	
9	Drive shaft 30 mm swedrive gear box			D96-3623-92		A	pce	1	
	Top roll seal, felt 420&660 complete			**D96-4416-PC**	G	B	m	1	
	State door width								
13	Felt seal 210 mm			D5006RG001	G	A	m	1	
	Antistatic strip + positive stop			**D42-4417-PC**	G	B	m	1	
	State door widht								
17	Brush strip statstrip			D4121RG028	G	A	m	1	

Bottenbalk/klämskydd H=115 SRD/Optiskt
Bottom beam/safety edge H=115 SRD/Opticle
Abschlussprofil H=115 crash/optisch






Drawing number	SP-120822-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120822-04							
	Safety edge SRD pneumatic 115 complete			**D96-1011-PC**	G	B	m	1	
	State door widht, motor position and colour								
	for 422,662								
5	Guide/wire attachm. POM grey 422/662 SRD.			D4121V0015		A	pce	2	
1	Rubber profile new type			D4421RG046	G	A	m	1	
6	Plastic tube			D4102RG002	G	A	m	1	
7	Endplug with hole			D96-1318-98		A	pce	1	
2	Endplug without hole			D96-1319-98		A	pce	1	
9	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
19	Bracket for coily cable			D5006R0010		A	pce	1	
3	Albanydekal 100x40			D6403V0003		A	pce	2	
	Safety edge opticle 115 complete with guides			**D96-1014-PC**	G	B	m	1	
	State door widht, motor position and colour								
	For 400, 650, 660								
10	Connection box 060504 (eat)			D50-6010-87		A	pce	1	
15	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
1	Rubber profile new type			D4421RG046	G	A	m	1	
18	Pvc hose 1,5 mm			D4102RG003	G	A	m	2	
9	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
16	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
19	Bracket for coily cable			D5006R0010		A	pce	2	
11	Coily cable 4x0,75 mm2			D96-6101-82		A	pce	1	x
14	Photocell Telco lt-12a/lr-a			D96-6410-93		A	pce	1	
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	
3	Albany sticker 100x40			D6403V0003		A	pce	2	
	Safety edge fabric with velcro tape			**D4004VG001**	G	B	m	1	
	State colour and daylight width								
15	Velcro tape 01 hook 25 mm			D4121RG029	G		m	2	
9	Safety edge fabric yellow/red			D4050RG017	G		m	1	
16	Velcro tape 01 w=25			D4121RG030	G		m	2	

Bottenbalk/klämskydd H=115 Pneumatisk
Bottom beam/safety edge H=115 Pneumatic
Abschlussprofil H=115 pneumatisch




Drawing number	SP-120823-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120823-04							
	Safety edge pneu. Twin chamber 115			**D96-1016-PC**	G	B	m	1	
	complete with guides								
	For 650, 660 doors								
9	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
6	Rubber profile new type			D4421RG046	G	A	m	1	
13	Plastic tube			D4102RG002	G	A	m	2	
12	Endplug with hole			D96-1318-98		A	pce	2	
8	Endplug without hole			D96-1319-98		A	pce	1	
14	Nipple for endplug with hole			D96-1320-98		A	pce	2	
11	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
10	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	
3	Albany sticker 100x40			D6403V0003		A	pce	2	
	Safety edge pneumatic selftesting 115			**D96-1018-PC**	G	B	m	1	
	Complete with guides								
	For 400, 650, 660 doors								
15	Bracket cable chain, 420 door			D42-1571-95		A	pce	1	
9	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	1	
6	Rubber profile new type			D4421RG046	G	A	m	1	
13	Plastic tube			D4102RG002	G	A	m	1	
12	Endplug with hole			D96-1318-98		A	pce	1	
8	Endplug without hole			D96-1319-98		A	pce	1	
14	Nipple for endplug with hole			D96-1320-98		A	pce	1	
11	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
10	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	
3	Albany sticker 100x40			D6403V0003		A	pce	2	

Bottenbalk/klämskydd H=115 Optisk/STS
Bottom beam/safety edge H=115 Opticle/STS
Abschlussprofil H=115 optisch/STS




Drawing number	SP-120824-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120824-04							
1	**Safety edge open optical 115**			**D96-1024-PC**	G	B	m	1	
	complete with guides								
	For 400, 650, 660.								
4	Connection box 060504 (eat)			D50-6010-87		A	pce	1	
12	Rubber profile new type			D4421RG046	G	A	m	1	
9	Pvc hose 1,5 mm			D4102RG003	G	A	m	1	
11	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
6	Bracket for coily cable			D5006R0010		A	pce	1	
7	Photocell Telco lt-12a/lr-a			D96-6410-93		A	pce	1	
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	
5	Albany sticker 100x40			D6403V0003		A	pce	2	
	Safety edge STS 420/660 complete			**D96-1026-PC**	G	B	m	1	
	State door widht and colour								
19	Bracket cable chain, 420 door			D42-1571-95		A	pce	2	
16	Schock absorber sts, 420 door			D42-1572-95		A	pce	2	
15	Telco transmitter LT 101 AP25 T3			D4904V0066		A	pce	1	
25	Telco reciever LR 100 AP38 T3			D4904V0067		A	pce	1	
14	Photocell cable 16 m transmitter straight			D4907R0037		A	pce	1	
28	Photocell cable 16 m reciever angel			D4907R0037		A	pce	1	
26	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
12	Rubber profile new type			D4421RG046	G	A	m	1	
11	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
22	Cable support chain 0/30			D8250RG014	G	A	m	2	
23	Cable support chain 01 (bracket)			D4121R0228		A	pce	4	
27	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
6	Bracket for coily cable			D5006R0010		A	pce	2	
5	Albany sticker 100x40			D6403V0003		A	pce	2	

Bottenbalk/klämskydd H=115 Elektrisk list/Pneu
Bottom beam/safety edge H=115 Electrical list/Pneu.
Abschlussprofil H=115 elektrisch/Unterbaugruppen




Drawing number	SP-120825-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120825-04							
	Safety edge 8k2, H=115			**D96-1050-PC**	G	B	m	1	
	with guides, bottom beam complete								
	State door width, motor position and colour								
10	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
12	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
11	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	
4	Albany sticker 100x40			D6403V0003		A	m	2	
	Bottom beam, H = 115, pre-drilled			**D96-1110-PC**	G	B	m	1	
4	Albany decal 100x40			D6403V0003		A	pce	2	
	Bottom beam, SRD, H=115, pre-drilled			**D96-1113-PC**	G	B	m	1	
4	Albany decal 100x40			D6403V0003		A	pce	2	
	Safety edge pneumatic			**D96-1200-PC**	G	B	m	1	
10	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
14	Rubber profile pn/op			D4421RG046	G	A	m	1	
19	Plastic tube			D4102RG002	G	A	m	1	
16	Endplugg d=20mm h=15mm			D96-1310-95		A	pce	2	
18	End plug with hole			D96-1318-98		A	pce	1	
15	End plug without hole			D96-1319-98		A	pce	1	
17	Nipple for end plug with hole			D96-1320-98		A	pce	1	
12	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
11	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	

Klämskydd Optiskt/Pneum/Elektrisk list
Safety edge Opticle/Pneum/Electrical list
Abschlussprofil Unterbaugruppen




Drawing number	SP-120637-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120637-04							
	Safety edge rubberprofile optical h=140			**D96-1210-PC**	G	B	m	1	
	Complete with photocells, yellow fabric								
	State door widht								
4	Connection box 060504 (eat)			D50-6010-87		A	pce	1	
1	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
3	Rubber profile new type			D4421RG046	G	A	m	1	
9	Pvc hose 1,5 mm			D4102RG003	G	A	m	2	
10	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
2	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	
6	Coily cable 4x0,75 sq mm			D96-6101-82		A	pce	1	x
7	Photocell Telco lt-12a/lr-a			D96-6410-93		A	pce	1	
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	
	Safety edge SRD pneu. rubber profile h=140			**D96-1211-PC**	G	B	m	1	
	Complete with end pieces and plastic tube								
	one chamber connected								
	State door widht and colour								
3	Rubber profile new type			D4421RG046	G	A	m	1	
12	Plastic tube			D4102RG002	G	A	m	1	
15	End plug with hole			D96-1318-98		A	pce	1	
11	End plug without hole			D96-1319-98		A	pce	1	
16	Nipple for end plug with hole			D96-1320-98		A	pce	1	
10	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
5	Bracket for coily cable			D5006R0010		A	pce	1	
	Sealing kit with endpieces and plastic tube			**D96-1225-XX**		A	pce	1	
	complete								
13	Plastic tube			D4102RG002	G	A	m	1	
15	End plug with hole			D96-1318-98		A	pce	1	
11	End plug without hole			D96-1319-98		A	pce	1	
16	Nipple for end plug with hole			D96-1320-98		A	pce	1	
	Rubber profile with integrated Safety edge			D4421RG036	B	G	m	1	
	Retrofit Safety edge Mayser/Bircher to ASO			D8550RG068	B	G	m	1	
1	Velcro tape 01 hook 25 mm			D4121RG029	G	A	m	2	
10	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
2	Velcro tape 01 w=25			D4121RG030	G	A	m	2	
5	Bracket for coily cable			D5006R0010		A	pce	1	
	Set of guides with wearpads complete			**D96-1500-XX**		A	pce	1	
	for bottom beam h=115, h=168								
	(1 set= 2 LH + 2 RH guides)								
	400, 650, 660 doors (for new doors -99)								
	State daylight width								
	Guide rail SRD cpl			**D96-1501-XX**		A	pce	1	
	Guide rail SRD			D4121V0015		A	pce	2	
	Wire lock 660/400 srd			D4521R1536		A	pce	2	
	Guide block / wire attachement SRD			**D4121V0004**		A	pce	2	

Klämskydd/komponenter STS/Pneumatisk
Safety edge/components STS/Pneumatic
Abschlussprofil Unterbaugruppen




Drawing number	SP-120638-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III		SP-120638-04							
	Set of guides STS 420/660, complete			**D96-1503-XX**		B	pce	1	
	For bottom beam h=115, h=168								
	(1 set = 2 LH + 2 RH guides)								
9	Bracket cable chain, 420 door			D42-1571-95		A	pce	2	
15	Schock absorber sts, 420 door			D42-1572-95		A	pce	2	
2	Telco transmitter LT 101 AP25 T3			D4904V0066		A	pce	1	
14	Telco reciever LR 100 AP38 T3			D4904V0067		A	pce	1	
1	Photocell cable 16 m transmitter straight			D4907R0037		A	pce	1	
13	Photocell cable 16 m reciever angel			D4907R0037		A	pce	1	
10	Cable support chain 01 (bracket)			D4121R0228		A	pce	2	
17	Bracket for coily cable			D5006R0010		A	pce	2	
	Plastic wear pads inc. Screws			**D96-1505-XX**		A	pce	4	
	For 400, 650, 660, 900 doors								
	Cable chain with air-tube, complete			**D96-1564-PC**	G	A	m	1	
18	Connection for plastic tube			D96-1305-93		A	pce	1	
19	Plastic tube			D4102RG001	G	A	m	3	
11	Cable support chain 0/30			D8250RG014	G	A	m	2	
10	Cable support chain 01 (bracket)			D4121R0228		A	pce	2	
	Pressure switch, pneumatic Safety edge								
24	Pressure switch DWGK11DOE (mechanical)			D96-6000-79		A	pce	1	
	Coily cable, safety edge								
25	Coily cable 4 x 0,75 mm2 (Tape switch/Opticle)			D96-6101-82		A	pce	1	x
25	Coily cable 3 x 0,75 mm2 (Pneumatic)			D96-6105-96		A	pce	1	x

Övrigt
Miscellaneous
Ausgleichsystem/Torbehang/Steuerung/Antrieb




Drawing number	SP-120828-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil part / Slitdetalje Wear
IV		SP-120828-04							
	Steel cable, balancingsystem								
6	Steel cable 16 m			D5105V0006		A	pce	2	x
	Steel cable 18 m			D5105V0007		A	pce	2	x
	Steel cable 22 m			D5105V0009		A	pce	2	x
	Steel cable 29 m			D5105V0011		A	pce	2	x
	Steel cable 32 m			D5105R0075		A	pce	2	x
	Springs, balancing system								
9	Spring L= 600 100/8			D4802V0001		A	pce	2	
	Spring L= 950 100/10			D4802V0002		A	pce	2	
	Spring L= 1330 100/10			D4802V0003		A	pce	2	
	Spring L= 2000 100/10			D4802V0004		A	pce	2	
	Spring L= 1600 130/13			D4802V0005		A	pce	2	
	Spring L= 2000 130/13			D4802V0006		A	pce	2	
	Spring tensioner with cable pulley comp.			**D96-2400-XX**		A	pce	1	
7	Cable pulley with 2 bearings complete			D4121V0021		A	pce	1	x
8	Spring tensioner, 5 holes			D96-2410-80		A	pce	1	
10	**Door blade complete 400, 420, 450, 650, 660**			**D3401VG001**	G	B	pce	1	
	Curtain PVC	Base price					pce		
		upcharge					m²		
	RollTex-Plus without window	Base price					pce		
		upcharge					m²		
	Group RollTex Original without window	Base price					pce		
	Curtain RollTex Original fine	upcharge					m²		
	Curtain RollTex Original fine painted	upcharge					m²		
	Curtain RollTex Original coarse	upcharge					m²		
	Curtain RollTex Original coarse painted	upcharge					m²		
	Curtain RollTex flameproof	upcharge					m²		
	Curtain NomaTex	Base price					pce		
		upcharge					m²		
	Window horizontal						pce		
	Window vertical						pce		
	Window anti UV						pce		
	Vision area for doorblade Nomatex						m / w		
1	**Torque arm with shock absorber**			**D96-4826-XX**		A	pce	1	
2	Vibration damper ra100-b + bolt			D96-4830-91		A	pce	1	x
4	**Automatic disengagement complete**			**D96-7700-PC**		E	pce	1	
	Steel cable w. pvc 35tr 1.83.0			D5105RG006	G	A	m	1	
	Cable joint flat for 2,3 mm			D00-9302-01		A	pce	2	
	Shock absorber sts, 420 door			D42-1572-95		A	pce	1	
	Electro magnet 10320-05c00 24v d			D96-7701-97		E	pce	1	
	Transformer enclosed 220/24v 25v			D96-7704-88		E	pce	1	
	Emergency opening aut. Disengage, sign			D97-6747-01		A	pce	1	
	Sticker "Emergency opening" for english			D97-6747-02		A	pce	1	
	Sticker "Emergency opening" for german			D97-6747-03		A	pce	1	
	Sticker "Emergency opening" for french			D97-6747-04		A	pce	1	
	Emergency lever ACS70			**D8170RG041**		B	pce	1	

Övrigt
Miscellaneous
Ausgleichsystem/Torbehang/Steuerung/Antrieb




Drawing number	SP-120828-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil part / Slitdetalje
V		SP-120828-04							
	Drive unit Nomadrive 1,1kW Swedrive cpl			**D96-9312-XX**		B	pce	1	
	Gearbox ACS 70 comp. with transductorhouse			D03-9001-XX		B	pce	1	
	Steel cable w. pvc 35tr 1.83.0			D5105RG006	G	A	m	1	
	Hub for puls transducer disc			D03-0052-25		A	pce	1	
	Puls transducter board 88-22			D03-0067-25		A	pce	1	
	Cover, upper, cast housing			D03-0070-25		A	pce	1	
	Key 4x4x12, brake			D03-0084-25		A	pce	2	
	Gasket inspectionplate			D03-0101-25		A	pce	1	
	Gasket upper cover			D03-0102-25		A	pce	1	
	Gasket gear			D03-0103-25		A	pce	1	
3	Inspectionplate			D03-0104-25		A	pce	1	
	Gaiters			D03-0110-25		A	pce	1	
	Brake 14 nm 5ue010252s11cb			D03-0132-25		A	pce	1	
	Motor t80 1,10 kw 220-240v bf			D03-0702-25		A	pce	1	
	Worm gear. (swedrive)			D03-9001-25		A	pce	1	
	Tension spring for break release			D28-6804-01		A	pce	1	
	Puls transducer disc 50 pulses			D4621v0037		A	pce	1	
	Lock 3,5 mm for safety wire			D97-0008-92		A	pce	2	
	Coupling,bowex j19 19/19			D03-0095-25		A	pce	1	
	Diconnection handle 50 mm			D00-9311-25		A	pce	1	
	Microswitch burgess v4nt7y2			D03-0124-25		A	pce	1	
	Pulse transducer disc with hub.			**D3201V0006**		A	pce	1	
	Puls transducer disc 50 pulses			D4621v0037		A	pce	1	
	Hub for puls transducer disc			D03-0052-25		A	pce	1	
	Accessories Ovitor 5 drive unit								
	Shock absorber, Vulcolan e82			D96-3671-79		A	pce	1	
	Shock absorber R24 Pur 64 shore D-F green			D96-3672-99		A	pce	1	
	Coupling R24 28x24			D96-3683-99		A	pce	1	
	Motor bracket Ovitor 5. 660/420			D96-4817-99		A	pce	1	
	Brake disc with lining	Motor 00-744-25, 00-0745-25		D00-0903-25		A	pce	1	
	Brake disc 744 id=20	Motor 00-744-25, 00-0745-25		D00-0904-25		C	pce	1	
	Flange 221	Motor 00-0744-25		D6611R0001		A	pce	1	
	Flange 2371	Motor 01-7610-90, 01-7620-90		D6611R0002		A	pce	1	
	Accessories Ovitor 8 drive unit								
	Shock absorber, Vulcolan e97			D96-3691-83		A	pce	1	
	Shock absorber R28 Pur 64 shore D-F green			D96-3692-99		A	pce	1	
	Coupling R28 28x32			D96-3693-99		A	pce	1	
	Motor bracket Ovitor 8. 660/420			D96-4818-99		A	pce	1	
	Brake disc with lining	Motor 01-7612-90, 01-7620-90		D00-0903-25		A	pce	1	
	Brake disc 75* id=25	Motor 01-7612-90, 01-7620-90		D00-0905-25		C	pce	1	

Front/Tak
Fascia/hood
Ballenverkleidung Front/Dach



Drawing number	SP-120827-04	Revision	0

ALBANY
ASSA ABLOY

RR 420, Version 15

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI		SP-120827-04							
	Fascia front cpl, Ovitor			**D42-4978-PC**	G	B	m	1	
	State door widht, decor colour and								
	motor position								
12	Bracket for fascia			D66-4999-94		A	pce	4	
8	Yellow gable for fascia			D96-4955-11		A	pce	2	
8	Red gable for fascia			D96-4955-12		A	pce	2	
13	Albany sticker 250 x 100 blue			D6403V0001		A	pce	1	
	Fascia front cpl, Nomadrive			**D42-4979-PC**	G	B	m	1	
	State door widht, decor colour and								
	motor position								
12	Bracket for fascia			D66-4999-94		A	pce	4	
8	Yellow gable for fascia			D96-4955-11		A	pce	2	
8	Red gable for fascia			D96-4955-12		A	pce	2	
13	Albany sticker 250 x 100 blue			D6403V0001		A	pce	1	
				D					
	Hood top cpl, Ovitor			**D42-4980-PC**	G	B	m	1	
	State day light widht and motorposition								
10	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
4	Rubber mat 250 t=3 neopren			D4402RG008	G	A	m	1	
	Hood top cpl, Nomadrive			**D42-4985-PC**	G	B	m	1	
	State day light widht and motorposition								
10	Foam seal 20x20 mm			D4402RG007	G	A	pce	1	
4	Rubber mat 250 t=3 neopren			D4402RG008	G	A	m	1	

	Legend
	1
G	Generic Item
	Delivery time:
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts:
	x = Standard wear with time/use

