A guide to preventative maintenance for Albany High Performance Doors

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Battery

What is the function?

- To provide power supply
- To provide the UPS (Uninterruptible power supply) in case of power breakdown
- Supports the safety edge on the FlexEdge-Profile

What is the manufacturer's specification?

To make sure the manufacturer's specifications are observed, replace every:

- 1 year / 5 years

Can I also replace it earlier?

- Yes, for the safety edge, measure voltage level of battery (below 3,2V -> exchange)
- For the UPS, below 80% capacity is a warning sign from the UPS system, according to manual

How do they wear?

During the lifetime of the battery there will be wear and tear due to:

- Battery Safety edge – Temperature, Current drain
- Battery UPS – Temperature, aging by charge and discharge cycles

What is the risk of not replacing?

When not following the manufacturer's specifications the customer is taking the responsibility for unintended breakdown, e.g.:

- For the safety edge – the door may stop, and work only in hold-to-run mode
- For the UPS – there will be no emergency opening in case of a power breakdown

Top reasons for preventive maintenance

- Keeps the warranty valid
- Prevents unexpected and expensive break-downs
- Prolongs lifetime
- Cost saving
- Minimises risk of personal injury
- Minimises energy loss
- Fulfills legal requirements
- Improves working environment

©ASSA ABLOY Entrance Systems AB/PL.MAP/DEU-EN-1.0/1504

Maintenance & Modernization