NIHVA TECHNOLOGIES PVT. LTD.

Date : 27-12-2017

PROJECT PROPOSAL

FOR

Society Tea Packaging System

NIHVA TECHNOLOGIES PVT LTD

187, G-Block, Thermax chowk, Above Renault Showroom, MIDC

AUTOMATION SOLUTION-DIVISION

Customer Name	**DEV TECHNOSKILLS PVT LTD**
Project Name	**AMAR TEA PLANTATION PVT LTD**
Project Location	**Mumbai**
Contact Person Name	**Mr. Devang Parikh**
Email Id	**Devang@devtechnoskills.co.in**
Contact Number	**9819351217**

Contact Person : Mr. Mayur Derle

Mob No.: 7709209333

Email id: automation@nihva.com

Web: http://www.nihva.com

Dear Sir,
Thank You for giving us opportunity to participate with our offer on the above project We Enclosed here with our proposal includes :

A. Requirement
B. Scope Of Work
C. Technical Specifications
D. Pricing
E. Terms & Conditions

Requirement :


Requirement of automation for tea packaging system involves following process :-

- Design & Development of secondary packaging automation
- Development of site drawings for secondary packaging automation
- Budgetary proposal for procurement, installation and Commissioning of Secondary packing automation with break up
- Project implementation Plan

Scope Of Work :

System 1

Bag Filling Line 1 (Pouch Size :5 Kg)




Client : M/S AMAR TEA

Size : 5 Kg

Individual Pouches Secondary Packing

Details	
Pack Size(mm)	280 L x 550 H x 120 G
Pouch Style	Side Gazetted Pentaseal (Centre seal) pouch with Euro carry handle punch
Pouches/shipper (No.s)	4
Kg/Shipper	20 kg
Shipper Size	630 L x 380 W x 270H
Shipper Type	5 Ply
Shipper packing Configuration	2 x 1 x 2 (L x W x H)
No. of machines	1
Machine output	20



Technical Specifications: System 1 For 5kg

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		**1**
2	**Check Weigher & Rejector Machine**		**1**
	• Brand	TechnoFour	
	• Minimum Weight	1 kgs	
	• Maximum weight	5 kgs	
	• Weighing Scale	upto 5 kgs	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Belt speed	120 m/min	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Conveyor Stoppage/Pneumatic Pusher Type	
	• Power Consumption	approx. 350 VA	
3	**Collating Machine**		**1**
4	**Gravity Cartons**		**1**
5	**Case Erector Machine with Conveyor**		**1**
6	**Flattening**		**1**
7	**BOPP Tapping Machine**		**1**
8	**Barcode Genarator , Sticking**		**1**
9	**Online weighing**		**1**
10	**Printing Machine**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 1 (5Kg Pouch)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S1)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only

System 2

Bag Filling Line 2 (Pouch Size :1kg)




Client : M/S AMAR TEA

Size : 1 Kg

Individual Pouches Secondary Packing

Details	
Pack Size(mm)	200 L x 345 H x 70 G
Pouch Style	Side Gazetted Pentaseal (Centre seal) pouch with
Pouches/shipper (No.s)	20
Kg/Shipper	20 kg
Shipper Size	410 L x 390 W x 355H
Shipper Type	5 Ply
Shipper packing Configuration	2 x 2 x 5 (L x W x H)
No. of machines	1
Machine output	50



Technical Specifications: System 2 For 1kg

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		**1**
2	**Check Weigher & Rejector Machine**		**1**
	• Minimum Weight	500 gms	
	• Maximum weight	1 kgs	
	• Weighing Scale	upto 1 kgs	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Belt speed	120 m/min	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Conveyor Stoppage/Pneumatic Pusher Type	
	• Power Consumption	approx. 350 VA	
3	**Collating Machine**		**1**
4	**Case Erector Machine with Conveyor**		**1**
5	**Gravity Cartons**		**1**
6	**Flattening**		**1**
7	**BOPP Taping Machine**		**1**
8	**Barcode Genarator , Sticking**		**1**
9	**Online Weighing**		**1**
10	**Printing Provision On Cartons**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 2 (1 Kg Pouch)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S2)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only

System 3


Filling Line 3 & 4 (Carton Size :500g) Linear Carton

Project : Secondary Packing for TEA Packaging System for Umergaon


Client : M/S AMAR TEA

Size : 500g Liner carton

Individual Liner Carton Seconadary Packing



Details	
Pack Size(mm)	126 L x 62 W x 169 H
Pack Style	Liner Carton
Pouches/Shipper	20Kg
Shipper Size (mm)	640 L x 350 W x 267 H
Shipper Type	5 Ply with Plate
Shipper Packing Configuration	4 x 5 x 2 (L x W x H)
No. Of machines	2
Machine Output	130 (65 x 2)



Technical Specifications: System 3 For 500gm Linear Carton

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		1
2	**Check Weigher & Rejector Machine**		1
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
3	**Collating Machine**		1
4	**Carton errector & Conveyor**		1
5	**Gravity Carton**		1
6	**Flattening**		1
7	**BOPP Tapping Machine**		1
8	**Barcode Genarator , Sticking**		1
9	**Online Weighing**		1
10	**Printing Provision On Carton**		1
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		1
	• Brand	Motorola	

Pricing : System 3 (500g Carton)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S3)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only


System 4

Pouch Filling Line 5 & 6 (Pouch Wt :250g)

Client : M/S AMAR TEA

Size : 250g

Individual Pouches Secondary Packing



Details	
Pack Size(mm)	150 L x 230 H
Pouch Style	central sealed pouch
Pouches/shipper (No.s)	80
Kg/Shipper	20 kg
Shipper Size	500 L x 392 W x 330H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 2 x 10 (L x W x H)
No. of machines	4 (2 x 2)
Machine output	360

Filling Line & take off conveyor → Client Scope

Roller Flattening

Check Weighter with reject

Collating

Case Errector & conveyor → Pick & Place OR Dumping in

Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation

Online weighing with reject

Printing Provision on carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 4 For 250g Pouch

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		**1**
2	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
3	**Collating Machine**		**1**
4	**Gravity Carton**		**1**
5	**Case Erector Machine with Conveyor**		**1**
6	**Flattening Machine**		**1**
7	**Bopp Taping Machine**		**1**
8	**Barcode Genarator , Sticking**		**1**
9	**Online Weighing**		**1**
10	**Printing Provision On Carton**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 4 (250g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S4)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only


System 5

Pouch Filling Line 7 & 8 (Pouch Wt. :250g)


Client : M/S AMAR TEA

Size : 250g

Individual Pouches Secondary Packing



Details	
Pack Size(mm)	150 L x 230 H
Pouch Style	central sealed pouch
Pouches/shipper (No.s)	80
Kg/Shipper	20 kg
Shipper Size	500 L x 392 W x 330H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 2 x 10 (L x W x H)
No. of machines	4 (2 x 2)
Machine output	360



Technical Specifications: System 5 For 250g Pouch

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		**1**
2	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
3	**Collating Machine**		**1**
4	**Gravity Carton**		**1**
5	**Case Erector Machine with Conveyor**		**1**
6	**Flattening Machine**		**1**
7	**Bopp Taping Machine**		**1**
8	**Barcode Genarator , Sticking**		**1**
9	**Online Weighing**		**1**
10	**Printing Provision On Carton**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 5 (250g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S5)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only

System 6

Pouch Filling Line 9 (Pouch Wt. :100g)

Project : Secondary Packing for TEA Packaging System for Umergaon


Client : M/S AMAR TEA

Size : 100g

CHAIN (5 No.s pouches per Chain)

Secondary Packing

100 gms-1 No.s -150 (75 x 2) ppm per machine



Filling Line & take off conveyor Fan Folding → Client Scope

Flow Wrapping

5 Pouches/string x 2 No.s
100 gms
(1 No.s)



Printing Provision

Roller Flattening

Check Weighter with reject

Collating of Unit Bag

Case Errector & conveyor

Pick & Place
OR
Dumping in

Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation
On Sticker & Sticking

Online weighing with reject

Printing Provision on Carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Details	
Pack Size(mm)	120 L x 180 H
Pouch Style	central sealed pillow pouch
Pouches/unit (Nos.)	10 pouches/unit =1 kg
Unit Size	140 L x 406 H
Unit bag packing Configuration	5 pouch in line / string x 2 No.s
Pouches/shipper (No.s)	200
Unit/shipper (No.s)	20
Kg/Shipper	20 kg
Shipper Size	478 L x 305 W x 510H
Shipper Type	5 Ply
Shipper packing Configuration	2 x 2 x 5 (L x W x H)
No. of machines	1
Machine output	150 (75 x 2) Twin Line

Technical Specifications: System 6 For 100g Pouch

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**FAN Folding Conveyor**		**1**
	• Fold Length Max.	609 mm	
	• Fold Length Min.	203 mm	
	• Folding Speed	Folds/Min	
	• Type	Single /Multi Stream	
2	**Flow Wrapping Machine**		**1**
	• Filling System	Automatic	
	• Type of sealing	Centre seal	
	• Packaing Material	Tea	
	• PP Speed	40/120 pouches per min.approx.(Depend upon Packet Size)	
	• Power	Motor 1.5 HP, DC Drive	
3	**Collector For wrapping Machine**		**1**
4	**Printing Provision for Pounches**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
5	**Roller Flattening Machine**		**1**
6	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
7	**Collating For bags**		**1**
8	**Carton Erector Machine with Conveyor**		**1**
9	**Gravity Carton**		**1**
10	**Flattening**		**1**
11	**Bopp Tapping Machine**		**1**
12	**Barcode Reading /sticking/Generation**		**1**
13	**Online Weighing**		**1**
14	**Printing Provision for Cartons**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
15	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 6 (100g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Folding Mechanisms	1	No	3,00,000	3,00,000
2	Flow Wrapping Machine	1	No	4,50,000	4,50,000
3	Collector For wrapping unit	1	No	2,50,000	2,50,000
4	Printing Provision For Pouches	1	No	4,50,000	4,50,000
5	Roller Flattening Machine	1	No	1,50,000	1,50,000
6	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
7	Collating Machine	1	No	3,00,000	3,00,000
8	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
9	Gravity Carton	1	No	1,00,000	1,00,000
10	Flattening	1	No	1,50,000	1,50,000
11	Bopp Tapping	1	No	3,50,000	3,50,000
12	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
13	Online Weighing	1	No	10,50,000	10,50,000
14	Printing Provision For Cartons	1	No	4,50,000	4,50,000
15	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S6)	**71,50,000**
Amount In Words	Rupees Seventy One Lacs Fifty Thousand Only

System 7

Pouch Filling Line 10 & 11 (Pouch Wt. : 30g-50g)

Project : Secondary Packing for TEA Packaging System for Umergaon

Client : M/S AMAR TEA

Size : 30g (Rs. 10 Pouch)

CHAIN (2 x 18 No.s pouches per Chain)

Secondary Packing

25-50 gms-4 No.s -300 ppm per machine



Filling Line & take off conveyor Fan Folding → Client Scope

Flow Wrapping

36 Pouches
25-50 gms
(4 No.s)



Printing Provision

Roller Flattening

Check Weighter with reject

Collating of Unit Bag

Case Errector & conveyor → Pick & Place OR Dumping in Tertiary Carton

Details	
Pack Size(mm)	100 L x 140 H
Pouch Style	4 side sealed pouch
Pouches/unit (Nos.)	36 pouches/unit =1.080kg
Unit Size	240 L x 432 H
Unit bag packing Configuration	14 pouch in line / string x 5 No.s
Pouches/shipper (No.s)	720
Unit/shipper (No.s)	20
Kg/Shipper	21.6 kg
Shipper Size	610 x 350 W x 406H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 1 x 5 (L x W x H)
No. of machines	3 (+ 1 provision)
Machine output	900/1200

Flattening

BOPP Taping/Hot glue

Barcode generation
On Sticker & Sticking

Online weighing with reject

Printing Provision on Carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 7 For 30g-50g Pouch

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**FAN Folding Conveyor**		**1**
	• Fold Length Max.	609 mm	
	• Fold Length Min.	203 mm	
	• Folding Speed	Folds/Min	
	• Type	Single /Multi Stream	
2	**Flow Wrapping Machine**		**1**
	• Filling System	Automatic	
	• Type of sealing	Centre seal	
	• Packaing Material	Tea	
	• PP Speed	40/120 pouches per min.approx.(Depend upon Packet Size)	
	• Power	Motor 1.5 HP, DC Drive	
3	**Collector for wrapping Machine**		**1**
4	**Printing provision for pouches**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
5	**Roller Flattening Machine**		**1**
6	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
7	**Collating Machine**		**1**
8	**Carton Erector Machine with Conveyor**		**1**
9	**Gravity Carton**		**1**
10	**Flattening**		**1**
11	**BOPP Tapping Machine**		**1**
12	**Barcode Reading /sticking/Generation**		**1**
13	**Online Weighing**		**1**
14	**Printing provision for Cartons**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
15	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 7 (30g - 50g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Folding Mechanisms	1	No	3,00,000	3,00,000
2	Flow Wrapping Machine	1	No	4,50,000	4,50,000
3	Collector For wrapping unit	1	No	2,50,000	2,50,000
4	Printing Provision For Pouches	1	No	4,50,000	4,50,000
5	Roller Flattening Machine	1	No	1,50,000	1,50,000
6	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
7	Collating Machine	1	No	3,00,000	3,00,000
8	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
9	Gravity Carton	1	No	1,00,000	1,00,000
10	Flattening	1	No	1,50,000	1,50,000
11	Bopp Tapping	1	No	3,50,000	3,50,000
12	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
13	Online Weighing	1	No	10,50,000	10,50,000
14	Printing Provision For Cartons	1	No	4,50,000	4,50,000
15	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S7)	**71,50,000**
Amount In Words	Rupees Seventy One Lacs Fifty Thousand Only

System 8

Pouch Filling Line 12 & 13 (Pouch Wt. : 25g-16g)

Project : Secondary Packing for TEA Packaging System for Umergaon

Client : M/S AMAR TEA

Size : 25-16g (Rs. 10 Pouch)

CHAIN (2 x 18 No.s pouches per Chain)

Secondary Packing

25-50 gms-4 No.s -300 ppm per machine





Case Errector & conveyor

Details	
Pack Size(mm)	100 L x 140 H
Pouch Style	4 side sealed pouch
Pouches/unit (Nos.)	36 pouches/unit =1.080kg
Unit Size	240 L x 432 H
Unit bag packing Configuration	14 pouch in line / string x 5 No.s
Pouches/shipper (No.s)	720
Unit/shipper (No.s)	20
Kg/Shipper	21.6 kg
Shipper Size	610 x 350 W x 406H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 1 x 5 (L x W x H)
No. of machines	3 (+ 1 provision)
Machine output	900/1200

Filling Line & take off conveyor Fan Folding → Client Scope

Flow Wrapping

36 Pouches
25-50 gms
(4 No.s)

Printing Provision

Roller Flattening

Check Weighter with reject

Collating of Unit Bag

Pick & Place
OR
Dumping in

Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation
On Sticker & Sticking

Online weighing with reject

Printing Provision on Carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 8 For 16g-25g Pouch

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**FAN Folding Conveyor**		**1**
	• Fold Length Max.	609 mm	
	• Fold Length Min.	203 mm	
	• Folding Speed	Folds/Min	
	• Type	Single /Multi Stream	
2	**Flow Wrapping Machine**		**1**
	• Filling System	Automatic	
	• Type of sealing	Centre seal	
	• Packaing Material	Tea	
	• PP Speed	40/120 pouches per min.approx.(Depend upon Packet Size)	
	• Power	Motor 1.5 HP, DC Drive	
3	**Collector for wrapping Machine**		**1**
4	**Printing provision for pouches**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
5	**Roller Flattening Machine**		**1**
6	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
7	**Collating Machine**		**1**
8	**Carton Erector Machine with Conveyor**		**1**
9	**Gravity Carton**		**1**
10	**Flattening**		**1**
11	**BOPP Tapping Machine**		**1**
12	**Barcode Reading /sticking/Generation**		**1**
13	**Online Weighing**		**1**
14	**Printing provision for Cartons**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
15	**Scanning & Monitoring**		**1**
	• Brand	Motorola	


Pricing : System 8 (16g - 25g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Folding Mechanisms	1	No	3,00,000	3,00,000
2	Flow Wrapping Machine	1	No	4,50,000	4,50,000
3	Collector For wrapping unit	1	No	2,50,000	2,50,000
4	Printing Provision For Pouches	1	No	4,50,000	4,50,000
5	Roller Flattening Machine	1	No	1,50,000	1,50,000
6	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
7	Collating Machine	1	No	3,00,000	3,00,000
8	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
9	Gravity Carton	1	No	1,00,000	1,00,000
10	Flattening	1	No	1,50,000	1,50,000
11	Bopp Tapping	1	No	3,50,000	3,50,000
12	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
13	Online Weighing	1	No	10,50,000	10,50,000
14	Printing Provision For Cartons	1	No	4,50,000	4,50,000
15	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S8)	**71,50,000**
Amount In Words	Rupees Seventy Four Lacs Fifty Thousand Only

System 9

JAR Filling Line 14 (JAR Wt. :1kg)



Details	1 Kg
Jar Size (mm)	157.5 L x 128.5 W x 200 H
Jars/shipper (No.s)	12
Kg/Shipper	12 kg
Shipper Size (mm)	420 L x 355 W x 425 H
Shipper Type	5 Ply with palte & partition
Shipper packing Configuration	3 x 2 x 2
No. of machines	1
Machine output	45

Client : M/S AMAR TEA

Size : 1kg Jar

Individual Jar Secondary Packing

Filling Line & take off conveyor → Client Scope

Check Weighter with reject

Collating

Case Errector & conveyor → Pick & Place OR Dumping in

Tertiary Carton

BOPP Taping/Hot glue

Barcode generation

On Sticker & Sticking

Online weighing with reject

Printing Provision on carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 9 For 1Kg JAR

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Check Weigher & Rejector Machine**		1
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
2	**Collating Machine**		1
3	**Gravity Carton**		1
4	**Case Erector Machine with Conveyor**		1
5	**BOPP Tapping Machine**		1
6	**Barcode Genarator , Sticking**		1
7	**Online weighing**		1
8	**Printing Machine**		1
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
9	**Scanning & Monitoring**		1
	• Brand	Motorola	

Pricing : System 9 (1Kg JAR)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
2	Collating Machine	1	No	3,00,000	3,00,000
3	Gravity Cartons	1	No	1,00,000	1,00,000
4	Case Erector Machine with Conveyor	1	No	10,00,000	10,00,000
5	BOPP Tapping Machine	1	No	3,50,000	3,50,000
6	Barcode Genarator , Sticking	1	No	9,00,000	9,00,000
7	Online weighing	1	No	10,50,000	10,50,000
8	Printing Machine	1	No	4,50,000	4,50,000
9	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S9)	**54,00,000**
Amount In Words	Rupees Fifty Four Lacs Only

System 10

Pouch Filling Line 15 & 16 (Pouch Wt. : 25g-50g)

Project : Secondary Packing for TEA Packaging System for Umergaon

Client : M/S AMAR TEA

Size : 25- 50g (Rs. 10 Pouch)

CHAIN (2 x 18 No.s pouches per Chain)

Secondary Packing

25-50 gms-4 No.s -300 ppm per machine



Filling Line & take off conveyor Fan Folding → Client Scope

Flow Wrapping

36 Pouches
25-50 gms
(4 No.s)



Printing Provision

Roller Flattening

Check Weighter with reject

Collating of Unit Bag

Case Errector & conveyor → Pick & Place OR Dumping in Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation On Sticker & Sticking

Online weighing with reject

Printing Provision on Carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Details	
Pack Size(mm)	100 L x 140 H
Pouch Style	4 side sealed pouch
Pouches/unit (Nos.)	36 pouches/unit =1.080kg
Unit Size	240 L x 432 H
Unit bag packing Configuration	14 pouch in line / string x 5 No.s
Pouches/shipper (No.s)	720
Unit/shipper (No.s)	20
Kg/Shipper	21.6 kg
Shipper Size	610 x 350 W x 406H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 1 x 5 (L x W x H)
No. of machines	3 (+ 1 provision)
Machine output	900/1200

Technical Specifications: System 10 For 25-50g Pouches

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**FAN Folding Conveyor**		**1**
	• Fold Length Max.	609 mm	
	• Fold Length Min.	203 mm	
	• Folding Speed	Folds/Min	
	• Type	Single /Multi Stream	
2	**Flow Wrapping Machine**		**1**
	• Filling System	Automatic	
	• Type of sealing	Centre seal	
	• Packaing Material	Tea Powder	
	• PP Speed	40/120 pouches per min.approx.(Depend upon Packet Size)	
	• Power	Motor 1.5 HP, DC Drive	
3	**Collector for wrapping Machine**		**1**
4	**Printing provision for pouches**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
5	**Roller Flattening Machine**		**1**
6	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
7	**Collating Machine**		**1**
8	**Carton Erector Machine with Conveyor**		**1**
9	**Gravity Carton**		**1**
10	**Flattening**		**1**
11	**BOPP Tapping Machine**		**1**
12	**Barcode Reading /sticking/Generation**		**1**
13	**Online Weighing**		**1**
14	**Printing provision for Cartons**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
15	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 10 (25-50g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Folding Mechanisms	1	No	3,00,000	3,00,000
2	Flow Wrapping Machine	1	No	4,50,000	4,50,000
3	Collector For wrapping unit	1	No	2,50,000	2,50,000
4	Printing Provision For Pouches	1	No	4,50,000	4,50,000
5	Roller Flattening Machine	1	No	1,50,000	1,50,000
6	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
7	Collating Machine	1	No	3,00,000	3,00,000
8	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
9	Gravity Carton	1	No	1,00,000	1,00,000
10	Flattening	1	No	1,50,000	1,50,000
11	Bopp Tapping	1	No	3,50,000	3,50,000
12	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
13	Online Weighing	1	No	10,50,000	10,50,000
14	Printing Provision For Cartons	1	No	4,50,000	4,50,000
15	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (S10)	**71,50,000**
Amount In Words	Rupees Seventy One Lacs Fifty Thousand Only

System 11

Pouch Filling Line 17 (Pouch Wt. : 500g)

Project : Secondary Packing for TEA Packaging System for Umergaon

Client : M/S AMAR TEA

Size : 500g

Individual Pouches Seconadary Packing



Details	
Pack Size(mm)	160 L x 270 H x 25 G
Pouch Style	Side Gazetted Pentaseal (Centre seal) pouch
Pouches/shipper (No.s)	40
Kg/Shipper	20 kg
Shipper Size	610 L x 320 W x 255H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 2 x 5 (L x W x H)
No. of machines	1
Machine output	50

Filling Line & take off conveyor → Client Scope

Roller Flattening

Check Weighter with reject

Collating

Case Errector & conveyor → Pick & Place OR Dumping in

Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation

On Sticker & Sticking

Online weighing with reject

Printing Provision on carton

Auto Scanning

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 11 For 500g Pouches

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		1
2	**Check Weigher & Rejector Machine**		1
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
3	**Collating Machine**		1
4	**Gravity Carton**		1
5	**Case Erector Machine with Conveyor**		1
6	**Flattening Rollers**		1
7	**BOPP Taping Machine**		1
8	**Barcode Genarator , Sticking**		1
9	**Online Weighing**		1
10	**Printing Provision On Carton**		1
		Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		1
	• Brand	Motorola	

Pricing : System 11 (500g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000


Total (S11)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only

System 12

Pouch Filling Line 18 (Pouch Wt. : 250g)

Client : M/S AMAR TEA

Size : 250g



Details	
Pack Size(mm)	150 L x 230 H
Pouch Style	central sealed pouch
Pouches/shipper (No.s)	80
Kg/Shipper	20 kg
Shipper Size	500 L x 392 W x 330H
Shipper Type	5 Ply
Shipper packing Configuration	4 x 2 x 10 (L x W x H)
No. of machines	4 (2 x 2)
Machine output	360

Filling Line & take off conveyor → Client Scope

Roller Flattening

Check Weighter with reject

Collating

Case Errector & conveyor → Pick & Place OR Dumping in

Tertiary Carton

Flattening

BOPP Taping/Hot glue

Barcode generation

Online weighing with reject

Printing Provision on carton

Auto Scanning

Strapping

Palletising

Scanning of pallets (RFID) & Marrying each box (Barcode)

Loading on Conveyor to FG

Technical Specifications: System 12 For 250g Pouches

TECHNICAL SPECIFICATIONS SHEET FOR AUTOMATIC SECONDARY PACKEGING SYSTEM			
Sr No.	**Packaging System Describtion**		**QTY**
1	**Roller Flattening Machine**		**1**
2	**Check Weigher & Rejector Machine**		**1**
	• Brand	Technofour	
	• Minimum Weight	2 gms	
	• Maximum weight	1000 gms	
	• Weighing Scale	upto 1000 gms	
	• Accuracy	is + /-0.6 gms	
	• Conveyor Belt	Roller Type	
	• Overall System Length	1100mm	
	• Display	Graphic LCD	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Air Nozzle /Pneumatic Pusher Type/Diverter arm	
	• Power Consumption	Single Phase 220 V AC/50 HZ/200 VA	
	• Pneumatic Requirement	6 Kgs/cm2 for all rejection mechanism	
3	**Collating Machine**		**1**
4	**Gravity Carton**		**1**
5	**Case Erector Machine with Conveyor**		**1**
6	**Flattening Machine**		**1**
7	**Bopp Taping Machine**		**1**
8	**Barcode Genarator , Sticking**		**1**
9	**Online Weighing**		**1**
10	**Printing Provision On Carton**		**1**
	• Brand	Domino	
	• Max line speed (SL 5x5)	325m/min	
	• IP Rating	IP55	
	• Operating Temp	5-45 deg c	
	• Power Requirement	100-240 V, 50-60Hz	
	• Weight	24.5 kgs	
11	**Scanning & Monitoring**		**1**
	• Brand	Motorola	

Pricing : System 12 (250g)

Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	Roller Flattening Machine	1	No	1,50,000	1,50,000
2	Check Weigher & Rejector Machine	1	No	10,50,000	10,50,000
3	Collating Machine	1	No	3,00,000	3,00,000
4	Carton Erector Machine & Conveyor	1	No	10,00,000	10,00,000
5	Gravity Carton	1	No	1,00,000	1,00,000
6	Flattening	1	No	1,50,000	1,50,000
7	Bopp Tapping	1	No	3,50,000	3,50,000
8	Barcode Reading /sticking/Generation	1	No	9,00,000	9,00,000
9	Online Weighing	1	No	10,50,000	10,50,000
10	Printing Provision For Cartons	1	No	4,50,000	4,50,000
11	Scanning & Monitoring	1	No	2,00,000	2,00,000

Total (12)	**57,00,000**
Amount In Words	Rupees Fifty Seven Lacs Only

TOTAL PROJECT COST					
Sr No.	Description	Qty	Unit	Rate IN INR	Net Amount
1	5kg Pouches Packaging Line	1	No	57,00,000	57,00,000
2	1kg Pouches Packaging Line	1	No	57,00,000	57,00,000
3	500g Carton Packaging Line	1	No	57,00,000	57,00,000
4	250g Pouches Packaging Line	1	No	57,00,000	57,00,000
5	250g Pouches Packaging Line	1	No	57,00,000	57,00,000
6	100g Pouches Packaging Line	1	No	71,50,000	71,50,000
7	30-50g Pouches Packaging Line	1	No	71,50,000	71,50,000
8	25-16g Pouches Packaging Line	1	No	71,50,000	71,50,000
9	1kg JAR Packaging Line	1	No	54,00,000	54,00,000
10	50g-30g Pouches Packaging Line	1	No	71,50,000	71,50,000
11	500g Pouches Packaging Line	1	No	57,00,000	57,00,000
12	250g Pouches Packaging Line	1	No	57,00,000	57,00,000
	TOTAL SUPPLY PRICE				**739,00,000**
	INSTALLATION PRICE				**73,90,000**

NOTE				
Palletization Cost For each System !.5 meter * 1.5 Meter Cubic	**1**	No	8,00,000	8,00,000

Terms & Conditions :

Terms and Conditions :

1	**Price**	:	Ex. Works Pune
2	**P & F Charges**	:	Extra 3%
3	**Freight Notes**	:	Extra as applicable.
4	**Delivery**	:	13 - 14 weeks from the date of receipt of confirmed purchase order, Advance Payment, Drawing approval.
5	**Payment**	:	Supply- 80% advance along with confirm Purchase Order & balance before dispatch. Installation - 50% mobalization advance & balance after installation
6	**Insurance**	:	Extra at actual
7	**Tax**	:	GST: 18% applicable on total supply value
8	**Validity**	:	Validity of Offer is 15 days from the of quotation
9	**Warranty**	:	12 Months from the date of supply

Please feel free to Contact **Mr. Mayur Derle** on **7709209333** For any further Clarification /Information in this Concern.

Looking forward to recieve your valuable purchase Order

With Best Regards,

Pooja Badre

7709586333

For Nihva Technologies Pvt Ltd