
Spare part list
RR 392

ALBANY
ASSA ABLOY



Side frame right	RR392
Seitenteil rechts	RR392




8220RG197	Rev.: q	Sheet: 6 of 6

ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right**								
	Sideframe complete			D8220RG197	G	C		1	
		Base price					Stck./pc.		
		Upcharge					m		
1	RH support profile		► 2004-03	D8520RG008	G	C	m	1	
	RH support profile		2004-04 ►	D8520RG006	G	C	m	1	
2	Sliding rail 3000 mm long			D4121R0032		A	Stck./pc.	max 12	x
3	RH bottom plate			D8120R0029		A	Stck./pc.	1	
4	Rope pulley			D5003R0001		A	Stck./pc.	6	x
5	Cover profile with middleprofile RH		► 2004-03	D8220RG234	G	C	m	1	
	Cover profile with middleprofile RH		2004-04►	D8220RG232	G	C	m	1	
6	RH Catching device		2004-04 ►	D4521RG140	G	C	Stck./pc.	1	
7 + 8	Emergency lever complete			D8220R0055		B	Stck./pc.	1	
9	RH head plate for door blade without segments			D8120R0031		B	Stck./pc.	1	
	RH head plate for door blade with segments			D8120R0027		B	Stck./pc.	1	
10	Photocell transm./rec. with bracket	RH + LH		D8470R0025		A	Stck./pc.	max.1	
11	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
12	Upper cover for standard drive			D4521R0150		A	Stck./pc.	1	
13	Upper cover for chain drive			D4521R0850		A	Stck./pc.	1	
14	Deflection spring			D8120R0008		A	Stck./pc.	1	
15	Spring d=5mm			D4802R0003		A	Stck./pc.	1	
16	Weight with distance spacer			D8120R0034		B	Stck./pc.	1	
17	Rope for counter balance								
	Rope d=7mm, L=5100mm	DH<=4500		D5105R0010		A	Stck./pc.	1	x
	Rope d=7mm, L=5100mm	DH>4500		D5105R0011		A	Stck./pc.	1	x
18	Rope for curtain tension								
	Rope d=5mm, L=4000mm	L= 4 x DH-500		D5105R0030		A	Stck./pc.	1	x
	Rope d=5mm, L=8000mm	L= 4 x DH-500		D5105R0031		A	Stck./pc.	1	x
	Rope d=5mm, L=12000mm	L= 4 x DH-500		D5105R0032		A	Stck./pc.	1	x
	Rope d=5mm, L=16000mm	L= 4 x DH-500		D5105R0033		A	Stck./pc.	1	x
	Rope d=5mm, L=20000mm	L= 4 x DH-500		D5105R0034		A	Stck./pc.	1	x
	Rope d=5mm, L=24000mm	L= 4 x DH-500		D5105R0035		A	Stck./pc.	1	x
19	Stiffening		2004-04 ►	D4521R1056		A	Stck./pc.	max 2	
	Stiffening		► 2004-03	D4521R1056		A	Stck./pc.	max 3	
20	Distance spacer			D4121R0033		A	Stck./pc.	2	x
21	Middelprofile for RH support profile			D4521RG134	G	C	Stck./pc.	1	
22	Middelprofile for RH front cover			D4521RG081	G	C	Stck./pc.	1	
23	Bell mouth Segment door blade			D4121R0025		A	Stck./pc.	1	x
	Bell mouth RH Plast door blade			D4121R0391		A	Stck./pc.	1	x
24	Bell mouth back			D4121R0024		A	Stck./pc.	1	x
25	Cable chain with Cable			D8520RG009	G	A	Stck./pc.	1	
26	Connecting cable 6000mm	DH<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 10000mm	DH>4500		D4907R0032		A	Stck./pc.	1	

Side frame right	RR392
Seitenteil rechts	RR392




8220RG197	Rev.: q	Sheet: 6 of 6

ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**Side frame left** (See drawing side frame ri)								
	Side frame complete			D8220RG198	G	C		1	
		Base price					Stck./pc.		
		Upcharge					m		
1	LH support profile		► 2004-03	D8520RG007	G	C	m	1	
	LH support profile		2004-04 ►	D8520RG005	G	C	m	1	
2	Sliding rail 3000 mm long			D4121R0032		A	Stck./pc.	12	x
3	LH bottom plate			D8120R0030		B	Stck./pc.	1	
4	Rope pulley			D5003R0001		A	Stck./pc.	6	x
5	Cover profile with middleprofile LH		► 2004-03	D8220RG235	G	C	m	1	
	Cover profile with middleprofile LH		2004-04 ►	D8220RG233	G	C	m	1	
6	LH Catching device			D4521RG142	G	C	Stck./pc.	1	
9	LH head plate for curtain without segments			D8120R0032		B	Stck./pc.	1	
	LH head plate for curtain with segments			D8120R0028		B	Stck./pc.	1	
10	Photocell transm./rec. with bracket	RH + LH		D8470R0025		A	Stck./pc.	max.1	
11	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
12	Upper cover for standard drive			D4521R0150		A	Stck./pc.	1	
13	Upper cover for chain drive			D4521R0851		A	Stck./pc.	1	
14	Deflection spring			D8120R0008		A	Stck./pc.	1	
15	Spring d=5mm			D4802R0003		A	Stck./pc.	1	
16	Weight with distance spacer			D8120R0038		B	Stck./pc.	1	
17	Rope for counter balance								
	Rope d=7mm, L=5100mm	DH<=4500		D5105R0010		A	Stck./pc.	1	x
	Rope d=7mm, L=5100mm	DH>4500		D5105R0011		A	Stck./pc.	1	x
18	Rope for curtain tension								
	Rope d=5mm, L=4000mm	L= 4 x DH-500		D5105R0030		A	Stck./pc.	1	x
	Rope d=5mm, L=8000mm	L= 4 x DH-500		D5105R0031		A	Stck./pc.	1	x
	Rope d=5mm, L=12000mm	L= 4 x DH-500		D5105R0032		A	Stck./pc.	1	x
	Rope d=5mm, L=16000mm	L= 4 x DH-500		D5105R0033		A	Stck./pc.	1	x
	Rope d=5mm, L=20000mm	L= 4 x DH-500		D5105R0034		A	Stck./pc.	1	x
	Rope d=5mm, L=24000mm	L= 4 x DH-500		D5105R0035		A	Stck./pc.	1	x
19	Stiffening		2004-04 ►	D4521R1056		A	Stck./pc.	max 2	
	Stiffening		► 2004-03	D4521R1056		A	Stck./pc.	max 3	
20	Distance spacer			D4121R0033		A	Stck./pc.	2	x
21	Middelprofile for LH support profile			D4521RG135	G	C	Stck./pc.	1	
22	Middelprofile for LH front cover			D4521RG082	G	C	Stck./pc.	1	
23	Bell mouth Segment door blade			D4121R0025		A	Stck./pc.	1	x
	Bell mouth LH Plast door blade			D4121R0392		A	Stck./pc.	1	x
24	Bell mouth back			D4121R0024		A	Stck./pc.	1	x
25	Cable chain with Cable			D8520RG009	G	A	Stck./pc.	1	
26	Connecting cable 6000mm	DH<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 10000mm	DH>4500		D4907R0032		A	Stck./pc.	1	

Top roll with curtain	RR392
Wickelwelle mit Torbehang	RR392




ALBANY
ASSA ABLOY


RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Top roll with curtain**								
	Top roll with curtain PVC, without segments			D8240RG007	G			1	
	Base price	DW <= 4500				C	Stck./pc.		
	Base price	DW > 4500				D	Stck./pc.		
	Barrel						m/B		
	additional per m²	blue or red					m²		
	additional per m²	special colour					m²		
	additional per m²						m²		
	Window vertical / horizontal						Stck./pc.		
1	Curtain PVC	only for export		D8230RG015	G	C	m^2	1	
	RollTex-Plus without window			D8230310	G	C	m^2	1	
	RollTex-Plus with window			D8230310	G	C		1	
	Baseprice						m^2		
	window horizontal			D8240014			Stck./pc.		
	window vertical			D8240014			Stck./pc.		
2	Rope pulley d=130mm	DH<=4500 mm curtain tension		D4701R0228		A	Stck./pc.	2	
	Rope pulley d=125mm	DH>4500 mm curtain tension		D4701R0229		A	Stck./pc.	2	
3	Rope pulley d=50mm	DH<=4500 mm for weight		D4701R0224		A	Stck./pc.	2	
	Rope pulley d=65mm	DH>4500 mm for weight		D4721R0003		A	Stck./pc.	2	
4	Flange bearing D 30			D8140R0005		A	Stck./pc.	2	
5	Chain wheel			D5101R0091		A	Stck./pc.	1	
6	Windbreaktap (12 pcs)			D8130R0009		A	Satz/Set	max 2	x
7	Bracket, bearing attachment			D4521R0162		A	Stck./pc.	2	

Bottom profile with safety edge	RR392
Abschlussprofil mit Kontaktleiste	
Bottenbalk med klämmskydd	



Kabelschlepp / Cable chain




ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profile with safety edge**								
	Bottom profile cpl std with coil cable / cable chain			D8550RG051	G	B	m	1	
1	Bottom profile cut-to-size, standard-version			D4721RG031	G	B	m	1	
2	Rubber profile with integrated safety edge	With sealing to sideframe		D8550RG073	G	B	m	1	
	Rubber profile elongated sealing-lilp			D8550RG074	G	C	m	1	
4	Sliding part complete for standard-version			D4721R0026		A	Stck./pc.	2	
5	Coil cable 5x0,75			D4907R0038		A	Stck./pc.	1	
6	Coil cable with cable gland			D8250R0001		A	Stck./pc.	1	

Bottom profile w. safety edge crash	RR392
Abschlussprofil mit Kontaktl. crash	
Bottenbalk med Klämmskyd crash	




ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Bottom profile w. safety edge crash**								
	Bottom profile complete -crash- with coil cable			D8550RG052	G	B	m	1	
1	Bottom profile cut-to-size, crash-version			D4721RG032	G	B	m	1	
2	Rubber profile with integrated safety edge	With sealing to sideframe		D8550RG073	G	B	m	1	
	Rubber profile elongated sealing-lilp			D8550RG074	G	C	m	1	
4	Sliding part outside for crash-version			D8150R0054		A	Stck./pc.	2	
5	Sliding part inside for crash-version			D4721R0025		A	Stck./pc.	2	
6	Coil cable 5x0,75			D4907R0038		A	Stck./pc.	1	
7	Proximity switch			D4905R0017		A	Stck./pc.	2	
8	Coil cable with cable gland			D8250R0001		A	Stck./pc.	1	

Drive unit	RR392
Antrieb	RR392




ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Drive unit**								
	Drive unit complete			D8410RG071	G	C	Stck./pc.	1	
1	Gear motor 220-230/400-415V-ACS50, 50Hz			D8910R0058		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 60Hz			D8910R0059		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS60/ACS80			D8910R0048		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-MCC			D8910R0078		B	Stck./pc.	1	
2	Brake 15 Nm 196V DC HL			D6622R0018		A	Stck./pc.	1	x
3	Double Proximity switch	ACS 60, 80		D4905R0019		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses cpl	MCC		D8410R0066		A	Stck./pc.	1	
4	Torque arm			D4521R0776		A	Stck./pc.	1	
5	Limit switch complete for drive unit standard	ACS 50, 60, 80, MCC		D8410R0004		B	Stck./pc.	1	
	Limit switch complete for drive unit standard	without control		D8410R0069		B	Stck./pc.	1	
6	Limit switch	ACS 50, 60, 80, MCC		D4906R0007		A	Stck./pc.	1	
	Limit switch	without control		D4906R0067		A	Stck./pc.	1	
7	Microswitch			D6621R0002		A	Stck./pc.	1	
8	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
9	Dumper			D5004R0041		A	Satz/set	1	
10	Control cable	ACS 50		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS 60, 80		D8830RG002	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	MCC		D8903RG145	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		

Chain drive	RR392
Antrieb Kette	RR392




ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VII	**Drive unit chain**								
	Drive unit chain complete			D8410RG070	G	C	Stck./pc.	1	
1	Gear motor 220-230/400-415V-ACS50, 50Hz			D8910R0058		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 60Hz			D8910R0059		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS60/ACS80			D8910R0048		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-MCC			D8910R0078		B	Stck./pc.	1	
2	Brake 15 Nm 196V DC HL			D6622R0018		A	Stck./pc.	1	x
3	Cover chain outside RH			D4521R0817		A	Stck./pc.	1	
	Cover chain outside LH			D4521R0819		A	Stck./pc.	1	
4	Roller chain complete			D8110R0079		B	Stck./pc.	1	
5	Shaft with drive pinion	Drive unit		D4521R0837		A	Stck./pc.	1	
6	Cover chain inside RH			D4521R0818		A	Stck./pc.	1	
	Cover chain inside LH			D4521R0820		A	Stck./pc.	1	
7	Motorbracket RH			D4521R0834		A	Stck./pc.	1	
	Motorbracket LH			D4521R0833		A	Stck./pc.	1	
8	Limit switch complete for chain drive	ACS 50, 60, 80, MCC		D8410R0055		B	Stck./pc.	1	
	Limit switch complete for chain drive	without control		D8410R0070		B	Stck./pc.	1	
9	Limit switch	ACS 50, 60, 80, MCC		D4906R0007		A	Stck./pc.	1	
	Limit switch	without control		D4906R0067		A	Stck./pc.	1	
10	Double Proximity switch	ACS 60/80		D4905R0019		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses cpl	MCC		D8410R0066		A	Stck./pc.	1	
11	Microswitch			D6621R0002		A	Stck./pc.	1	
12	Spring 2,2x11x48mm			D4802R0004		A	Stck./pc.	1	
13	Control cable	ACS 50		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS 60, 80		D8830RG002	G	B		11	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	MCC		D8903RG145	G	B		11	
		Base Price					Stck./pc.		
		Upcharge					m		
14	Shaft with sprocket	Limit switch		D4521R0206		A	Stck./pc.	1	

RR 392	Options
RR 392	Optionen
RR 392	Optioner



ALBANY
ASSA ABLOY

RR 392 Version 17

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VIII	**Options**								
1	Motor cover RH, galvanized for chain drive			D8160R0024		A	Stck./pc.	1	
	Motor cover LH, galvanized for chain drive			D8160R0025		A	Stck./pc.	1	
2	Motorcover plastic grey LH			D8160R0091		A	Stck./pc.	1	
	Motorcover plastic grey RH			D8160R0090		A	Stck./pc.	1	
	Motorcover plastic grey LH	MCC mounted on side frame		D8160R0095		A	Stck./pc.	1	
	Motorcover plastic grey RH	MCC mounted on side frame		D8160R0094		A	Stck./pc.	1	
3	Top roll cover, galvanized			D8260RG001	G	C	m	1	
	Bracket LH			D4521R0168		A	Stck./pc.	1	
	Bracket RH			D4521R0167		A	Stck./pc.	1	
4	Lintel sealing			D8270RG001	G	C	m	1	
5	Second emergency lever			D8170RG022	G	B	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

