**Exporter:**
UZEL Kapı Müh. Sis.
İç. Ve Dış. Tic. Ltd. Şti.

**Address:**
100/1 Sok. No:33/A 35290
Göztepe / Izmir, TURKEY
Phone: +90 (232) 231 11 44
Fax: +90 (232) 231 11 65

**Importer:**
Nihva

**Addres:**
NIHVA technologies Pvt. Ltd.
187, G-Block, Thermax chowk, MIDC
Chinchwad, Pune – 411019.
9730020333

# Quotation sheet

Quotation No.: UZEL-20200825-Nihva

Issue Date: August 31.2020

| Description | Size & Piece | Price EURO |
|---|---|---|
| High Speed Door Side Column & Cover System | 2450 mm – 2 Pc. | EURO€ - 350 |
| High Speed Door Curtain System ( Blue or Orange ) | 1930 x 2750 mm – 1 Pc. | EURO€ - 420 |
| High Speed Door Gearmotor & Control panel | 50x30x30 cm – 1 Pc. | EURO€ - 620 |
| High Speed Door Drum System | 1800 mm – 1 Pc. | EURO€ - 110 |
| High Speed Door Bottomprofil System | 1930 mm – 1 Pc. | EURO€ - 110 |
| Light curtain ( Cedes Brand ) | 2000 mm – 1 Pc | EURO€ - 150 |
| Euchner ( 115150 unicode – 115271 actuator & cable ) | 1 set | EURO€ - 150 |
| High speed door Curtain cover | 2020 x 800 mm – 1 Pc. | EURO€ - 85 |
| Packaging Wood special fumigated | 45 x 55 x 280 cm – 1 Pc | EURO€ - 100 |
|  | TOTAL PRICE : | EURO€ - 2095 |

## Trading Items

1. Price Terms: EXW İzmir Fabric.
2. Payment: 100% T/T in advance
3. Lead Time: About 7 days after get the advance payment.
4. Packing: Packed in special fumigated wooden boxes.
5. Valid Time: Within 3 days.

For and on behalf of
UZEL Kapı Müh. İç. Ve Dış Tic.,LTD
Tolga Sivritepe
Authorized Signature

## High Speed Door Side Column



| NO. NR. | PART NAME TEIL NAME | DESCRIPTION BEZEICHNUNG | PIECE STÜCKZAHL |
|---|---|---|---|
| 1 | MS-P Columen Links | LH + 400 | 1 |
| 2 | MS-P Deckel Links | LH + 135 | 1 |
| 3 | MS-P Konsolen System Links (Motor Rechts) | Galvanisiert | 1 |
| 4 | MS-P Schliessteil | LH + 400 | 1 |
| 5 | MS-P Lichtgitter 2520-2120 | LH < 2500 | 1 |
| 6 | M5x16 Din-7991 | Lichtgitter Befestigungsschrauben Galv. | 3 |
| 7 | M6x12 Din-7991 | Columen & Deckel Befestigungsschrauben Galv. | 4 |
| 8 | M10x25 Din-912 | Columen & Steher Befestigungsschraube Galv. | 1 |
| 9 | M10 washer - scheibe | 10.5 x 32 x 1.8 Galv. | 1 |

| | | | |
|---|---|---|---|
| | Allgemeintoleranz<br>ISO 2768-1 "m"<br>ISO 2768-2 "K" | Material: | Gewicht:<br>- |
| | Erstellt von<br>BTS | Genehmigt durch | Oberfläche: |
| Die Zeichnung ist urheberrechtlich geschützt und darf ohne Genehmigung weder vervielfacht oder kopiert, noch Dritten zugänglich gemacht werden. Technische Veränderungen oder Verbesserungen behalten wir uns vor. | Bezeichnung:<br>**Linkes Schienensatz Zeichnung**<br>**Left Side Columns Drawing** | **MS-P TOR / MS-P DOOR** | |
| | | Maßstab | Datum<br>12.09.2017 |
| | | | 1<br>A3 |

- 1 piece left column
- 1 piece left cover
- 1 piece bracket
- 1 piece gearmotor bracket
- 1 piece UCP bearing
- 1 piece lightcurtain

## High Speed Door Curtain System



- 1 piece orange or blue curtain, 2 mm thickness
- 8 set wind roller on the side

High Speed Door Gearmotor & Control panel



- 1 piece inverter controller
- 1 piece gearmotor
- 1 pc cable set 8x1.5

High Speed Door Drum System



| NO.<br>NR. | PART NAME<br>TEIL NUMMER | DESCRIPTION<br>BEZEICHNUNG | PIECE<br>STÜCKZAHL |
|---|---|---|---|
| 1 | MS-P Hauptwelle | LB mm Alu | 1 |
| 2 | MS-P Lagerbolzen | Ø30 | 1 |
| 3 | MS-P Motorbolzen | Ø30 | 1 |
| 4 | Keil | 8x7x90 mm | 1 |

Allgemeintoleranz: ISO 2768-1 'm' ISO 2768-2 'K'
Material:
Gewicht: -
Erstellt von: BIS
Genehmigt durch:
Oberfläche:
Bezeichnung: **Hauptwelle Zeichnung Drum Detail Drawing**
**MS-P TOR / MS-P DOOR**
Maßstab:
Datum: 12.09.2017
1
A3

Die Zeichnung ist urheberrechtlich geschützt und darf ohne Genehmigung weder vervielfacht oder kopiert, noch Dritten zugänglich gemacht werden. Technische Veränderungen oder Verbesserungen behalten wir uns vor.

- 1 pc aluminium drum
- 1 pc gearbox connector part
- 1 pc bearing side connector part

## High Speed Door Bottom profil System



- 1 pc aluminium profil
- 1 pc rubber profil
- 2 pc BA Blok
- 2 pc bottom profil endpice parts

## Hood System



- 1 pc galvanized over ral9006 painted 1.5 mm thickness

## Packaging Wood special fumigated

- 1 pc fumigated special wodden box   45 x 55 x 280 cm