


CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			INOXAP								DATE	06-08-2024	
PROJECT			Motorised Single Leaf Sliding Gate (Main Gate)								LOCATION	Pune	
FINISH SIZE			8.8 m x 2.5 m								PREPARED BY	Sumit	
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	Leaf	Tube - Outer Frame	MS	7.85		80	80	3.2	40208	mm	1	310	1003
		Horizontal Inner Support - Tube	MS	7.85		80	80	3.2	69000	mm	1	532	Weight OF leaf
		MS Perforated Sheet (1200x2400x1.2mm)	MS	7.85						Nos	5	160	
		Rack & pinion	MS	7.85					8.8	M	1	0	
2	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	25				18	M	1	72	
		If ISMB 100 x 50	MS	7.85					18	M	1	360	
		Post	MS	7.85						No's	4	72	
3	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	4	0	
		Nylon Roller with bearing								No's	8	0	
										Weight For Required Qty	1	1507	
										Weight Including Safety Factor	1.5	2261	
Mode Of Operation = Motorised													
Motor Selection = According		1504.1	kg										
2 Tube CD = 150 mm													



CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			INOXAP								DATE	06-08-2024	
PROJECT			Wicket Gate (Main Gate)								LOCATION	Pune	
FINISH SIZE			1.3 m x 2.5 m								PREPARED BY	Sumit	
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	Leaf	Tube - Outer Frame	MS	7.85		80	80	3.2	10200	mm	1	79	132
		Horizontal Inner Support - Tube	MS	7.85		80	80	3.2	6860	mm	1	53	Weight OF leaf
		MS Perforated Sheet (1200x2400x1.2mm)	MS	7.85						Nos	1	32	
2	Accessories	Hinges	MS	7.85						No's	2	0	
		Manual Lock	MS	7.85						No's	1	0	
										Weight For Required Qty	1	164	
										Weight Including Safety Factor	1.5	245	
Mode Of Operation = Manual													
2 Tube CD = 150 mm													



CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			INOXAP								DATE	06-08-2024	
PROJECT			Motorised Single Leaf Sliding Gate (Emergency Gate- 1)								LOCATION	Pune	
FINISH SIZE			6.6 m x 2.5 m								PREPARED BY	Sumit	
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	Leaf	Tube - Outer Frame	MS	7.85		80	80	3.2	31600	mm	1	244	866
		Horizontal Inner Support - Tube	MS	7.85		80	80	3.2	64000	mm	1	494	Weight OF leaf
		MS Perforated Sheet (1200x2400x1.2mm)	MS	7.85						Nos	4	128	
		Rack & pinion	MS	7.85					7	M	1	0	
2	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	25				15	M	1	61	
		If ISMB 100 x 50	MS	7.85					15	M	1	300	
		Post	MS	7.85						No's	4	72	
3	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	4	0	
		Nylon Roller with bearing								No's	8	0	
										Weight For Required Qty	1	1299	
										Weight Including Safety Factor	1.5	1948	
Mode Of Operation = Motorised													
Motor Selection = According		1298.6	kg										
2 Tube CD = 150 mm													



CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			INOXAP								DATE	06-08-2024	
PROJECT			Motorised Single Leaf Sliding Gate (Emergency Gate- 2)								LOCATION	Pune	
FINISH SIZE			6.6 m x 2.5 m								PREPARED BY	Sumit	
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	Leaf	Tube - Outer Frame	MS	7.85		80	80	3.2	31600	mm	1	244	866
		Horizontal Inner Support - Tube	MS	7.85		80	80	3.2	64000	mm	1	494	Weight OF leaf
		MS Perforated Sheet (1200x2400x1.2mm)	MS	7.85						Nos	4	128	
		Rack & pinion	MS	7.85					7	M	1	0	
2	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	25				15	M	1	61	
		If ISMB 100 x 50	MS	7.85					15	M	1	300	
		Post	MS	7.85						No's	4	72	
3	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	4	0	
		Nylon Roller with bearing								No's	8	0	
										Weight For Required Qty	1	1299	
										Weight Including Safety Factor	1.5	1948	
Mode Of Operation = Motorised													
Motor Selection = According		1298.6	kg										
2 Tube CD = 150 mm													

