
The present document is protected by copyright. Reproduction, distribution and utilization of this document as well as communication of its contents to others are prohibited unless expressly authorized by us. Any violations will be prosecuted under criminal law and will result in an obligation to pay damages. All rights reserved.

Das vorliegende Dokument ist urheberrechtlich geschützt. Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind unzulässig, soweit nicht ausdrücklich durch uns gestattet. Zuwiderhandlungen können strafrechtlich verfolgt werden und verpflichten zu Schadenersatz. Alle Rechte vorbehalten.



ITEM	DESCRIPTION	MATERIAL	QTY FOR EACH GATE	MASS (Kg) UNIT	MASS (Kg) TOTAL	REMARKS
1	Pipe 40 NB-O.D.48.8x3.2 thk.x 5000mm long	IS:1239 (Part-1)	1	17.8		
2	PLATE 150X100X10	E250BR IS:2062	2	1.14	2.28	
3	PLATE 35X25X8	E250BR IS:2062	4	0.04	0.16	
4	PLATE 85X45X10	E250BR IS:2062	4	0.22	0.88	
5	PLATE 200X150X10	E250BR IS:2062	1	2.36	2.36	
6	PLATE 150X100X10	E250BR IS:2062	1	1.18	1.18	
7	SCREWED STUD EYE-M24	C20 IS:1570	2	3.94	7.88	
8	SPRING LOCK WASHER 24	SPRING STEEL IS:6735	4	0.02	0.08	
9	HEX. NUT M24	8	4	0.11	0.44	
10	PIN	45C8	2	0.2	0.4	
11	PUNCHED WASHER	200HV	4			IS:2016
12	SPLIT PIN - 5x50	St ISO:1234	2	0.005	0.01	
13	SQUARE WIRE MESH w=50,d=6.3 (PRESSURE WELDED)	ISO:4783 (PART-3)	1	10		

Fertigungsvorschriften / Manufacturing Instructions: SN 200	Ursprung / Origin	Fertiggewicht / Finished weight: kg	Modell-Nr. / Pattern-No.
Letzte Änderung / Last revision	Werkstoff / Material: SEE DRAWING		Projektionsmethode 1 / First angle projection method, ISO 128


	Datum / Date	Name
Bearb. / Drawn	04.04.16	GHOSHAMI
Geprüft / Checked		
Norm / Stand		

Typ / Type:
Benennung:
Title: DOOR FOR HANDRAIL WITH GRID (R.H.)
Maßstab / Scale: 1:10
Sach-Nr. / Drawing-No.: 8101001-01.131
Blatt / Sheet 1
3 Blätter / Sheets
Ersatz für:/Supersedes:
Ersetzt durch:/Superseded by:

Ausgabe / Issue	Änderung / Revision	Datum / Date	Name

The present document is protected by copyright. Reproduction, distribution and utilization of this document as well as communication of its contents to others are prohibited unless expressly authorized by us. Any violations will be prosecuted under criminal law and will result in an obligation to pay damages. All rights reserved.

Das vorliegende Dokument ist urheberrechtlich geschützt. Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind unzulässig, soweit nicht ausdrücklich durch uns gestattet. Zuwiderhandlungen können strafrechtlich verfolgt werden und verpflichten zu Schadenersatz. Alle Rechte vorbehalten.



ITEM	DESCRIPTION	MATERIAL	QTY FOR EACH GATE	MASS (Kg) UNIT	MASS (Kg) TOTAL	REMARKS
1	Pipe 40 NB-O.D.48.8x3.2 thk.x 5000mm long	IS:1239 (Part-1)	1	17.8		
2	PLATE 150X100X10	E250BR IS:2062	2	1.14	2.28	
3	PLATE 35X25X8	E250BR IS:2062	4	0.04	0.16	
4	PLATE 85X45X10	E250BR IS:2062	4	0.22	0.88	
5	PLATE 200X150X10	E250BR IS:2062	1	2.36	2.36	
6	PLATE 150X100X10	E250BR IS:2062	1	1.18	1.18	
7	SCREWED STUD EYE-M24	C20 IS:1570	2	3.94	7.88	
8	SPRING LOCK WASHER 24	SPRING STEEL IS:6735	4	0.02	0.08	
9	HEX. NUT M24	8	4	0.11	0.44	
10	PIN	45C8	2	0.2	0.4	
11	PUNCHED WASHER	200HV	4			IS:2016
12	SPLIT PIN - 5x50	St ISO:1234	2	0.005	0.01	
13	SQUARE WIRE MESH w=50,d=6.3 (PRESSURE WELDED)	ISO:4783 (PART-3)	1	10		

Fertigungsvorschriften / Manufacturing Instructions: SN 200	Ursprung / Origin	Fertiggewicht / Finished weight: kg	Modell-Nr. / Pattern-No.
Letzte Änderung / Last revision	Werkstoff / Material: SEE DRAWING		Projektionsmethode 1 / First angle projection method, ISO 128

	Datum / Date	Name
Bearb. / Drawn	04.04.16	GHOSHAMI
Geprüft / Checked		
Norm Stand		


Aus-gabe / Issue	Änderung / Revision	Datum / Date	Name

Typ / Type:
Benennung:
Title: DOOR FOR HANDRAIL WITH GRID (L.H)
Sach-Nr. / Drawing-No.: 8101001-01.131
Maßstab / Scale: 1:10
Blatt / Sheet: 2
3 Blätter / Sheets
Ersatz für:/Supersedes:
Ersetzt durch:/Superseded by:


The present document is protected by copyright. Reproduction, distribution and utilization of this document as well as communication of its contents to others are prohibited unless expressly authorized by us. Any violations will be prosecuted under criminal law and will result in an obligation to pay damages. All rights reserved.


Das vorliegende Dokument ist urheberrechtlich geschützt. Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind unzulässig, soweit nicht ausdrücklich durch uns gestattet. Zuwiderhandlungen können strafrechtlich verfolgt werden und verpflichten zu Schadenersatz. Alle Rechte vorbehalten.


Part. C
Detail



ENLARGED VIEW OF ITEM NO.10







DOOR UNITS FOR HAND RAIL WITH GRID

SL. NO.	HEIGHT (H)	CLEAR OPENING WIDTH (B)	OPENING DIRECTION	QTY.	
1.	1400	950	RIGHT	64	
2.	1400	950	LEFT	67	

Fertigungsvorschriften / Manufacturing Instructions: SN 200	Ursprung / Origin	Fertiggewicht / Finished weight: kg	Modell-Nr. / Pattern-No.
Letzte Änderung / Last revision	Werkstoff / Material		Projektionsmethode 1 / First angle projection method, ISO 128

	Datum / Date	Name
Bearb. / Drawn	04.04.16	GHOSHAMI
Geprüft / Checked		
Norm / Stand		

Ausgabe / Issue	Änderung / Revision	Datum / Date	Name

Typ / Type:
Benennung:
Title: DOOR FOR HANDRAIL WITH GRID
Sach-Nr. / Drawing-No.: 8101001-01.131
Maßstab / Scale: 1:5
Blatt / Sheet: 3
3 Blätter / Sheets
Ersatz für:/Supersedes:
Ersetzt durch:/Superseded by:

A3