NIHVA

We Make Possible

High Performance

Entrance Systems






DOOR AUTOMATION

www.nihva.com

Contents

High Speed Doors

- Inside Plant Doors
- Outside Plant Doors
- Machine Protection Doors
- Pharma & Clean Room Industries Doors
- Food Industries Doors
- Heavy Industrial Doors
- Cold Room Doors

Sectional Doors

- Puf Insulated Doors
- Glazed Overhead Doors

Hanger Doors / Extra Large Opening Doors

- Aviation Hangar Doors
- Shipyard Doors
- Mine Doors
- Crane Doors

Sliding - Folding Doors

- Sliding Folding Doors
- Telescopic Sliding Doors

Fire Rated Doors

- Fire Rated Rolling Shutters
- Fire Rated Sliding Doors
- Fire Rated Curtains

Glass Doors & Operators

- Sliding Glass Doors
- Revolving Glass Doors
- Swing Glass Doors
- Hermetically Sealed Sliding Doors

Entrance Gates

- Sliding Gates
- Telescopic Gates
- Cantilever Gates
- Swing Gates

Access Control Devices

- Boom Barriers
- Turnstiles
- Bollards

Rolling Shutters

- Single Skin Rolling Shutters
- Double Skin Rolling Shutters

Loading / Unloading Bay Solutions

- Dock Levelers
- Dock Shelters
- Dock Houses

Automatic Sliding Roofs

Water Management & Environment Solution

Material Handling Equipments

Automation Solutions

NIHVA Service BACK-UP (24/7)

Opening doors to business and life



High Speed Doors



Certain entrance requirements are extreme with high operational demands. High Speed Doors are automatic and programmed doors, used for quicker ingress and egress. These are larger doors with high operating cycles and incorporated with advanced safety features which enable quick and efficient flow of materials inside and outside of the building thus ensuring a substantial saving on energy costs as compared to the conventional doors.


Our High Speed Doors meet the stringent quality standards with the highest operational speed and more cycles per hour. These are widely used in various warehouses, logistics applications and industries and have proven to be good investment for their establishments.





High Speed Doors

Inside Plant Doors





Inside Plant doors provide secure, reliable and safe high-speed solutions for inside facilities

Interior roll up doors are the ideal solution for separating critical areas and increasing efficiency within a facility. Innovative rolling interior doors can be specially suited for environments ranging from cold storage and clean rooms to general manufacturing or special machine protection applications. Inside Plant doors feature rapid opening speeds and advanced safety systems along with tight sealing and pressure resistance to help isolate or control environment.

Outside Plants Doors

We offer a wide variety of high-performance exterior doors to keep your operation running smoothly. Designed to deliver security, strength and smooth performance, a well-built exterior door manages the flow of equipment, materials and people moving throughout your facility.

Ideal for areas with forklift and heavy equipment traffic, these doors handle large openings with speed and reliability. Metal exterior security doors create a secure, energy efficient entrance for your facility.





Rapid Roll exterior doors
Frequent traffic, secure access, minimal energy loss.



High-speed exterior doors
High wind load resistance & fast opening speed.



Rigid exterior doors
Fast, safe, robust and functional with a modern design.



Day and night door solutions
High efficiency during the day, security at night.

NIHVA

High Speed Doors



Machine Protection Doors

Roll-up machine doors improve operator safety with protection from exposure to automation hazards such as robot strike, arc flash, weld spatter, noise and more.

NIHVA provides Machine Protection Doors from Assa Abloy which helps you save time, floor space and construction costs while enhancing safety and increasing production yields. With faster opening and closing speeds, our industrial Machine Protection Doors are specifically designed to provide a safe and efficient work space.









High Speed Doors

Food Industries Doors

Food and beverage industry has to maintain a high hygiene environment and doors form an important component of the access solution for refrigerated truck fleets, to ensure temperature controlled food chain security. This needs to be provided without impacting the delivery efficiency and have to also achieve significant fuel savings in the process.

NIHVA has RR200M mobile high-speed doors which can be an ultimate automatic door solution for the purpose.





Pharma & Cleanroom Doors



Control environment applications like cleanroom, pharmaceuticals, chemicals, electronics, micro-mechanic industries require advanced high-speed doors with airtight sealing to minimize pressure drop and protect environment against air drafts, humidity, dust and dirt.



NIHVA provides cleanroom doors from Assa Abloy which are perfected for such applications while meeting the highest quality standards.

NIHVA

High Speed Doors

Heavy Industrial Doors





Engineered for tough and corrosive conditions of the industry, NIHVA make Heavy Industrial Doors are designed for large size openings and intense work environment. NIHVA offers a unique design with durability and operating reliability. Not only do they fit perfectly with the industrial setting, but also offer maximum security and can be customized as per requirement.



Cold Room Doors

To maintain the quality of certain products it is essential to store them in cold rooms. NIHVA can meet this requirement of cold storage areas with insulated high-speed cold storage and freezer doors from Assa Abloy which are a unique combination of higher speed and reliable thermal barrier essential in protecting the product quality in critical temperature zones. These innovative freezer door solutions enhance temperature control, reduce energy costs and helps increase productivity.



Sectional Doors

Puf Insulated Doors





Optimum working conditions and reduction of energy consumption are the needs of today. You can achieve substantial energy savings with Assa Abloy OH1082P from NIHVA which gives you an excellent thermal separation with its innovative features such as tight top, side seals and water-resistant bottom seal. These features ensure reduction of drafts and condensation at work place. These overhead sectional doors give you a good control over indoor environment to create optimum working conditions with reduced energy consumption

Glazed Overhead Doors

Glazed overhead sectional door is an industrial door with a difference; visually appealing and highly practical, the glazed sections improve natural light inlet and visibility.

The natural choice where product demonstration is a priority, the glazing arrangement benefits from the added stability of a 44mm thick aluminium tubular frame.

Improves natural light inlet and aesthetics without compromising stability with attractive, glazed overhead sectional industrial doors



NIHVA

Hangar / Extra Large Opening Doors

NIHVA provides an excellent solution through their association with Megadoor for massive openings and considering their exposure to high wind loads, extreme temperatures and harsh environments. With almost no limitation to size or configuration, they are the natural choice for aviation, mining and shipyard industries.



Aviation Hangar Doors

Aviation hangar doors are often preferred for large and very wide openings needed for aircraft. Can be a single door leaf or multiple systems, and can be almost unlimited in size. With no need for ground tracks, the risk for malfunction due to snow or sand is eliminated.



Shipyard Doors

Shipyard doors form a durable barrier against coastal weather with high winds and corrosive conditions. With safe, sustainable and efficient operation, they meet the demands of large-scale logistics.



Hanger / Extra Large Opening Doors



Mine Doors

Mine doors face tough conditions with many opening cycles per day in harsh and dirty environment. To provide secure access to the gigantic haul trucks that serve the mining industry, they must function flawlessly. NIHVA has robust solution for such requirements.



Crane Doors

Crane doors can seal tightly around the crane while allowing free movement of goods. Options include design around an existing crane, T-shape to suit a crane on rails and multiple leaves to ensure rapid, reliable operations with high energy efficiency.



NIHVA

Sliding - Folding Doors



Horizontally Sliding - Folding Industrial Doors are ideal where space is limited around the opening, minimizing the ceiling space required inside a building. The door needs to be highly reliable and robust considering the application.



Folding Doors

Folding door are required for extra energy efficiency in industrial environments. The new highly functional automated folding door is designed for minimal maintenance. As the doors slide open the lifting hinges raise the door off the floor keeping wear and tear to a minimum. The doors remain always visible as they open and close so collision risk is reduced to a large extent.



Telescopic Sliding Doors

Telescopic Sliding Doors are recommended where maximum entry area is required for movement of production vehicles. Doors are manufactured by unique & state of the art, fabrication techniques with sturdy frame which allows minimum deflection. Number of door leafs are decided on the basis of clear opening required and available space.

Fire Rated Doors


Fire Rated Rolling Shutters



Fire Rated Rolling Shutters provide a safety barrier between the source of fire and the operational area. NIHVA Fire Rated Rolling Shutter is tested as per UL and BS standards, while offering a fire resistance of 2hrs and 4hrs.

NIHVA Fire Rated Rolling Shutters are extremely versatile and have a wide range of applications in factories, warehouses, industries, etc.

Fire Rated Curtains



Fire rated curtains are sheets of fire-resistant material that can be drawn over entrances and other access points to delay or prevent damage by fire. NIHVA provides technologically advanced fire-resistant fabric barriers, which offer an alternative to traditional solutions. Comprising of single roller assembly curtains for a span upto 5m as standard, NIHVA provides a unique overlapping design with continuous, conjoined bottom bar for unlimited widths, along with a design solution for any size requirement.

Fire Rated Sliding Doors

NIHVA Fire Rated Sliding Doors are fabricated from 18 SWG thick GI / MS sheet, with overall panel thickness of 40 or 42 mm with fire rating of 68^{0}C. Comprising of sliding rail to guide the panel, fusible link , wire rope, bottom rollers to guide the panel at the bottom and counter weights, this door is kept open normally and during fire, the fusible link melts, allowing the counter weight hung to the wire rope pull the panel to close automatically, thereby preventing the fire from spreading further.





Glass Doors



Sliding Glass Doors

Automatic Sliding Door Systems provide exceptional performance, offering a wide range of innovative options to meet the needs of all environments. From hospital entrances to retail stores, smooth, quiet and reliable operation is delivered with modular configuration options.

Revolving Glass Doors

Revolving Doors are ideal when climate control & pedestrian traffic management is a priority. Available in a wide variety of glazing styles, with various aluminium frame profiles. Two, three or four wing models offer an unparalleled level of flexibility to designers.





Swing Glass Doors

Swing doors take up minimal space while maximizing opening width. Automating swing doors in a relatively simple, yet highly sustainable way to enhance the performance, accessibility and capacity of an entrance or exit point.

Hermetically Sealed Doors

The Hermetically Sealed door is specially designed for use in clean room environments in hospitals, laboratories and other facilities where demands on hygiene and infection control are high.



Entrance Gates

Sliding Gates

- Smooth Safe & efficient operation.
- Different width gates from 1000mm-12000mm can be provided.
- Capacities upto 18000kgs can be provided.
- Bottom rail made up of polished bright bar supported with heavy duty beam.





Telescopic Gates

When a conventional single side or double side sliding gate arrangement is not possible due to very less or no run-way / track to move, telescopic sliding gate system is the perfect solution for extra wide opening areas.

They are manufactured in two, three or more gate panels and therefore reduce the required back run/parking space, with multiple leaves moving simultaneously.

Cantilever Gates

- Different styles and designs according to individual requirements.
- Imported high quality cantilever top & bottom coasters.
- Reliable sensor to stop the gate if there is any obstruction while the gate is in motion.





Swing Gates

- Option of manual or motorized Operations
- Different width gates from 1000mm-12000mm can be provided.
- Bottom roller with high precision bearing.

Access Control Devices

Boom Barriers



Boom barriers are ideal solutions for toll plazas, traffic control, parking places and within industrial premises for vehicle control. These can be provided for the openings ranging from 1 meter to 16 meters. The maximum boom length available is 8 meters. For openings wider than 8 meters two boom barriers can be provided by incorporating master and slave units. The boom bars are available in round tubular or telescopic forms.

All barriers are suitable for outdoor application with IP54 electrical protection. Accessories such as photocell, loop sensor, flashing light, remote sensor, rack, mobile application support, articulation provision makes it ideal for any type of application. Robust steel structure, scratch proof coating, compact size, trouble free and smooth operation with an excellent service backup makes it a very reliable product for your needs.

Turnstiles



Turnstiles are designed to control pedestrians movement in restricted areas with low to medium level of security or for crowd control with some surveillance. The rotation is 3 x 120 degree (tri arm design) for bi-directional application.

Types of Turnstiles

1. Electro mechanical (Solenoid operation) or manual
2. Motorized drop arm tripod and auto reset

Bollards



Rising automatic hydraulic bollards provide secure solutions for vehicle access controls & traffic regulation where high level of security is required such as embassies, consulates, military installations, hotels etc. Available in 500mm height & 200mm diameter. Rising & lowering time is 4 seconds . Suitable for intensive applications.

Rolling Shutters

Single Skin Rolling Shutters



NIHVA make manual rolling shutters are manufactured with high grade galvanized iron(GI), mild steel (MS), Stainless Steel (SS), and Aluminum (AL) using the latest technology to ensure high durability and low maintenance costs. The curtain panels are made of 1.0mm thick CRCA Steel, with corrugated, flat or ribbed profile, securely held in place.

NIHVA make manual rolling shutters are assisted by counterbalancing springs depending on the curtain weight. These rolling shutters are manufactured according to the Indian Standard norms, with customizable specifications and competitive prices.

Double Skin Rolling Shutters



The insulated shutter from NIHVA is perfectly suitable for the openings where aesthetic along with high security matters. As the name Insulated Rolling Shutter, each slat is insulated with polyurethane foam, which helps to control the temperature and noise.

These shutters have high resistance to corrosion as the slats are constructed of pre-coated galvanised sheet with profile thickness of 19mm.

- **Motorized Rolling Shutters**
  (Single and double skin)
- **Manual Rolling Shutters**
  (Single and double skin)
  a) Geared Operation
  b) Push - Pull Operation



Single Skin Rolling Shutters



Double Skin Rolling Shutters







Loading / Unloading Bay Solutions




Dock Levellers

Swing Dock Levellers



Hydraulic Swing-lip Dock Levellers are designed to enable a safe and efficient loading and unloading while reducing downtime to a minimum. The result is exceptionally high safety for the transfer of goods, preventing any injuries or damage to equipment.

Telescopic Dock Levellers



Telescopic Dock Levellers have a telescopic lip, which provides a larger contact area between vehicle bed and dock leveller. They can be precisely positioned on the vehicle bed for optimal load utilization and improved safety.

Dock Shelters


Curtain Dock Shelters

Curtain Dock Shelters provide weather protection during the loading and unloading process. Available in many sizes, they greatly improve working environment while protecting the goods. The curtain material has a very high wear-and-tear resistance and built-in-springs allow the shelter to follow vehicle movement without being damaged.



Inflatable Dock Shelters

Inflatable Dock Shelters provide perfect sealing by inflating themselves around the docked vehicle, which makes them ideal for applications within the food industry. They are suitable for a wide range of vehicle sizes and provide continuous weather protection throughout the loading and unloading operation.





Dock Houses

Dock-houses are economical insulated docking solution that contributes to energy savings and an improved work environment. They contain all the relevant components for a complete docking bay; leveller, shelter and door. Together with the Autodock bottom platform and an insulated or non-insulated cladding house, a complete, stand-alone dock loading system is formed.

The Dock-house makes it possible to move the actual loading and unloading area outside the building, thereby saving the corresponding floor area inside. No major building modifications are required.

Due to the thermal separation between building and docking unit, the load-house can be used in temperature controlled applications.

Achieve a complete, space-saving docking bay solution with a NIHVA Dock-house.

NIHVA

Automatic Sliding Roofs



Automatic Sliding Roof is a new innovation by NIHVA for bungalows, hotels, hospital, villas, apartments, commercial complex, offices, where we can add more glory by allowing partial sunlight to enter in premises at day and enable sky view at nights. Roofs are automatically operated in many ways like folding, sliding, telescopic, single sided, double sided, vertical lift, inclined lift etc.

Made of aluminium profiles, water-resistant, temperature resistant, wind-resistant, sealed, one touch control, available in various sizes and glass specifications.

Equipped with advanced electronic control system with low operating currents and a dedicated building management system (BMS) input. Many other automation inputs possible with prior consultation.





INNOVATIONS

Water Management Solutions

External Drainage

NIHVA provides external drainage solutions from ACO which stands for the uncompromising quality and performance commitment. Part of our strategy is to bundle all of the core business activities involved in drainage within one strong and dependable brand. Nevertheless, our distribution and service organisations focus on the specific needs of the specialists working for our clients.

Complete range of drainage solutions from domestic drives to airport runways can be provided. This include traditional grated systems as well as secure mono-cast and high capacity systems for environmentally sensitive projects.



Polymer Concrete Drain



Kerb Drain

Separator Technology



Petrol & Light Mineral Oil Separator



Grease Separator

Greasy waste water endangers pipelines and drainage. Fats and oils accumulate together with other wastewater components on the walls of the pipes and can lead to corrosion, clogging and odor. For these reasons, the use of separators are required in the industrial and commercial sector, where fat-laden wastewater is generated.

NIHVA provides all ACO separators which are designed to BS EN1825 Part 1 Grease Separators Principles of Design, Performance and Testing, Marking and Quality Control.

Building Drainage



Kitchen Drainage



Food & Beverage Ind. Drainage

NIHVA offers a unique system of waste water management from ACO. All products in the system are developed and produced with an uncompromising commitment to health, safety and hygiene.

NIHVA

Material Handling Equipments

Telescopic Conveyor



Capacity - 50 to 200kg

A material handling equipment for loading and unloading of individual product which are shipped in 20ft or 40 ft container on trailer. Hands-free operations loading and unloading of cartons, tea bags, sacks, etc. on a vehicle becomes easy with conveyor which consumes less manpower.



Goods Lift

Capacity - 250 to 2000kg

A product which reduces human efforts of lifting material and delivering to different levels or floors. A simple platform which can be controlled with operating panel and ensures load capacity from 3 ton to 6 ton

Scissor Lift



Capacity - 300 to 12000kg

A working platform to reach at a certain height for maintenance or any other work along with heavy material. This is controlled by pendant & operating panel.



Manipulator

Capacity - 50 to 200kg

A manually controlled robo-arm to handle material with different axes, by hydraulic or pneumatic supply.

Maintenance Work Platform



Capacity - 50 to 300kg

Economical and manual mechanical platform to work at different heights. It is a best option to replace scaffolding with easy & quick assembly possibility.

Automation Solutions

Customized solutions for your special needs



Special Purpose Machine (SPM)



Secondary Packaging Machine



Engineering Services

NIHVA Service Back-Up

We know your doors, docking solutions and material handling equipment are important to your business. They provide efficient access to your facilities and improve the flow of goods and people, and they help to prevent energy losses. These products have moving parts that require regular maintenance for optimal performance. A preventive maintenance program is the key to extending the life of your equipment and avoiding problems before they occur.
NIHVA provides you regular inspection and maintenance with optimal performance to ensure uninterrupted and safe operations of your equipments. Our technicians inspect and certifies your equipments for safety and reliability during a number of planned preventive on site visits, scheduled according to your needs.

One supplies - one number

We'll repair your industrial door, docking station, entrance gate or automatic pedestrian door, whatever their brand. Our skilled service engineers are stationed within your reach, across the country.

NIHVA Committed to Service

- One supplier and a 24-hour call-out service.
- Service and repairs on all industrial doors and automatic pedestrian doors, whatever their brand.
- Energy - saving solutions and upgrades.
- Preventive maintenance 1-4 visits a year.
- Full documentation, statistics and follow-up, whatever the type or brand of door.
- Preventive maintenance with a focus on cutting the life cycle cost.
- Local presence - we're on site fast.
- Guarantee on all work performed.







NIHVA Technologies Pvt. Ltd

Head Office : 187, G-Block, 1st Floor, Thermax Chowk, MIDC,
Above Renault Showroom, Chinchwad, Pune – 411019.

+91 2066 3040 33 +91 85 51091 333

sales@nihva.com www.nihva.com / www.nihvaautomation.com

International Business Partners

ALBANY ASSA ABLOY | MEGADOOR ASSA ABLOY | Crawford ASSA ABLOY | besam ASSA ABLOY | ACO

Networks

WEST	NORTH	SOUTH	EAST
Pune Mumbai Nashik Nagpur Indore Ahmedabad Surat Vadodara	Delhi Chandigarh	Chennai Hyderabad Bengaluru	Kolkata Bhubaneshwar