

DOCK LEVELER SIZE	WIDTH (W)	LENGTH (L)	HEIGHT (H)	LIP (C) LENGTH	BUFFER SIZE (OPTIONAL)
	2130	2720	480	400	200X300X100

PIT DIMENSION	WIDTH (W 1)	LENGTH (L 1)	DEPTH (D)	ALL DIMENSIONS ARE IN mm
	2180	2800	485	

Section at A-A




75x75x6 Angle - Anchored




DECK CYLINDER 2 NOS


LIP CYLINDER 1 NOS



PIT DRAWING

VIEW B





NOTE:-

1. PROPER DRAINAGE SHOULD BE DONE
2. TRENCH AS SHOWN SHOULD BE MADE BY DECIDING THE POWER PACK POSITION (SUPPLY CABLE LENGTH STD. 7000 MM)
3. LEVEL OF THE PIT SHOULD BE PLAIN AND SHOULD TAKE AT LEAST 12000 KG FLOOR LOADING
4. MOUNTING ARRANGEMENT FOR BUFFERS SHOULD BE MADE AS PER BUFFER DRAWING (IF ORDERED)
5. FABRICATION TOLERANCE FOR PLATFROM SIZE WILL BE ± 15 MM

DOCK LEVELER- 10 TON CAPACITY - 01NOS.

CLIENT APPORVAL-	DATE	SIGN.	NIHVA TECHNOLOGIES PVT. LTD. PUNE Tel : 020 66304033 Email:- info@nihva.com Website:- www.nihva.com	
DRAWN :- SURAJ	28/10/2017			
CHECKED :- OMKAR	28/10/2017		CLIENT -NORTH EAST PHARMA PACK	
APPROVED :- SHEKHAR	28/10/2017		PROJECT -	
ALL DIMENSION ARE IN mm			SITE LOCATION - EAST SIKKIM.	
If any queries contact : projects@nihva.com			DWG. NO. - NIHVA/17-18/0258	REV. - 0