




INTERNAL ELEVATION (WHEN DOOR IS CLOSED)




INTERNAL ELEVATION (WHEN DOOR IS OPEN)



SECTION A-A

NOTE
(TO BE PROVIDED BY THE CONTRACTOR)


1) STRUCTURAL STEEL SUPPORT in C CHANNEL 300x100x9mm FOR GUIDES AND HEADER BOX (STRUCTURE TO CARRY THE ENTIRE WEIGHT OF THE DOOR)
2) POWER SUPPLY FOR THE ISOLATOR TO BE 3P 415V 16AMP + NEUTRAL
3) CLEAR CONCRETE FLOOR 2m FROWARDS AND OUTSIDE PRIOR TO SCAN OF INSTALLATION
4) GI 2"x2" RECTANGULAR TRUNKING FROM HEADER BOX TO CONTROL UNIT BY CONTRACTOR
5) LIMITING SURFACE SHOULD BE SMOOTH, SHOULD NOT INTERFEAR WITH DOOR FABRIC OR ANY OTHER DOOR PARTS




PLAN AT B-B

DOOR DETAILS


QTY	CLEAR WIDTH CW	CLEAR HEIGHT CH	TOTAL WIDTH TW	TOTAL HEIGHT TH	SIDE ROOM LEFT (SRL)	SIDE ROOM RIGHT (SRR)	OVER HEIGHT OH	DEPTH D
01	9500	6000	9740	7705	120	120	1705	1300



DETAIL-'Q'



DETAIL-'P'



REQUIRED FRAME WORK BY CIVIL CONTRACTOR
CONNECTION OF THE FRAMEWORK
BACK TO THE BUILDING BY CIVIL CONTRACTOR

CLIENT:
INGERSOL RAND INDIA PRVT LTD

PROJECT:
INGERSOL RAND FACTORY EXPANSION @ HMADABAD, INDIA

TITLE:
MEGA DOOR S1000

SUBCONTRACTOR/SUPPLIER

Crawford ASSA ABLOY

DUBAI
P.O. BOX: 62000
TEL: 04-8869999
FAX: 04-8869910

ABU DHABI
P.O. BOX: 38999
TEL: 02-6810000
FAX: 02-6810007

DESIGNED BY:-	DATE:Dec-31-14
DRAWN BY:RTA	ALL DIMENTIONS ARE IN MM
CHECKED BY: VARG	SCALE:- N.T.S
APPROVED BY:-	
DRAWING NUMBER ME-11270 (3016)	REV:- 01