GAHL®

MATERIAL HANDLING EQUIPMENTS













www.nipbindustrial.com

Hand Pallet Truck



GMHT-20-550



GMHT-25-685

P/N	108-1001	108-1002	108-1003	108-1004	108-1005	108-1006
MODEL	GMHT-20-550	GMHT-20-685	GMHT-25-550	GMHT-25-685	GMHT-30-550	GMHT-30-685
Loading Capacity (KG)	2000	2000	2500	2500	3000	3000
Lifting Height (mm)	190	190	200	190	200	190
Lowered Height (mm)	75	75	85	85	85	85
Overall Length (mm)	1534	1604	1534	1604	1534	1604
Fork Dimensions (mm)	54/160/1150	54/160/1150	54/160/1150	54/160/1150	54/160/1150	54/160/1150
Distance Between Fork Arms (mm)	550	685	550	685	550	685
Turning Radius (mm)	1249	1319	1249	1319	1249	1319
Ground Clearance (mm)	32	32	32	32	32	32
Wheel Material	Nylon	Nylon	Nylon	Nylon	Nylon	Nylon
Steering Wheel (mm)	160*50	160*50	180*50	180*50	180*50	180*50
Fork Wheel Tandem (mm)	70*60	70*60	80*70	80*70	80*70	80*70
Net Weight (KG)	55	60.8	63	66.6	68.3	73.3

Manual Stacker



GMMS-10-16



GMMS-15-30

P/N	108-1007	108-1008	108-1009	1108-1010	108-1011	108-1012	1108-1013	1108-1014
MODEL	GMMS-10-16	GMMS-10-20	GMMS-10-25	GMMS-10-30	GMMS-15-16	GMMS-15-20	GMMS-15-25	GMMS-15-30
Loading Capacity (KG)	1000	1000	1000	1000	1500	1500	1500	1500
Loading Center (mm)	500	500	500	500	500	500	500	500
Lifting Height (mm)	1600	2000	2500	3000	1600	2000	2500	3000
Lowered Mast Height (mm)	2080	1830	1830	2080	2080	1830	1830	2080
Overall Height (mm)	2080	2520	3000	3500	2080	2520	3000	3500
Fork Lowered Height (mm)	90	90	90	90	90	90	90	90
Overall Length (mm)	1280	1280	1280	1280	1280	1280	1280	1280
Overall Width (mm)	700	700	700	700	700	700	700	700
Fork Dimensions (mm)	60/140/1070	60/140/1070	60/140/1070	60/140/1070	60/140/1070	60/140/1070	60/140/1070	60/140/1070
Distance Between Fork Arms (mm)	284-660	284-660	284-660	284-660	284-660	284-660	284-660	284-660
Turning Radius (mm)	1200	1200	1200	1200	1200	1200	1200	1200
Ground Clearance (mm)	25	25	25	25	25	25	25	25
Lifting Speed with/ without load (mm/ stroke)	9.5/10.5	9.5/10.5	9.5/10.5	9.5/10.5	9.5/10.5	9.5/10.5	9.5/10.5	9.5/10.5
Net Weight (KG)	250	270	290	316	270	290	310	336

Hydraulic Lifting Table



GMLT-300



GMLT-800

P/N	108-1015	108-1016	108-1017	108-1018	108-1019	108-1020
MODEL	GMLT-150	GMLT-300	GMLT-500	GMLT-800	GMLT-1000	GMLT-1500
Loading Capacity (KG)	150	300	500	800	1000	1500
Max Height of Table (mm)	740	900	900	1000	1000	1000
Min Height of Table (mm)	225	280	280	420	380	420
Lifting Height (mm)	515	620	620	580	620	580
Table Size (mm)	700*450*35	815*500*50	815*500*50	1000*510*55	1016*515*60	1220*610*60
Overal Height (mm)	935	996	996	996	962	962
Overall Length (mm)	770	942	942	1150	1170	1379
Foot Pedal Cycles to Max Height	≤25	≤32	≤45	≤70	≤55	≤70
Wheel Diameter (mm)	100	127	127	150	150	150
Net Weight (KG)	42	77	85	103	115	135

Contact Us:

NIPB Industrial Brushes India Private Limited

Registered office: B-102, B Wing, Sneh Ganga, Near Vega Centre, Shankarsheth Road, Swargate, Pune-411037, Maharashtra, India

Sales office address: No.D-77, Chakan Industrial Area, Phase II, Village Bhamboli, Taluka Khed, Pune-410501, India

Contact Person:

Mr. Kiran Khilari
Mobile: +91 77749 99646 / 84080 80847
Email: info1@nipbindustrial.com

Mr. Kiran Kurhade
Mobile: +91 74149 29508
Email: info3@nipbindustrial.com

Customer care email: info1@nipbindustrial.com
Customer care no.: +91 97674 79221
Website: www.nipbindustrial.com