PACKING LIST

8040184P

Ordernumber salesorder : 30722106 Delivery no :
Due date: 2019-01-17

Page no: 1
Print date: 2019-02-07

Sold-to address:
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
IN - 411044 Pune, Nigdi Pradhikar

Ship-to address:
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
IN - 411044 Pune, Nigdi Pradhikar

| Bin | Item SO | Pallet | Matnr | Mat. Description | Weight (KG) | Length (MM) | Width (MM) | Height (MM) |
|---|---|---|---|---|---|---|---|---|
| B25 | 000010 | 01 | AD_RP300 | ASSA ABLOY RP300 | 151.000 | 2760 | 540 | 490 |
| B25 | 000010 | 02 | AD_RP300 | ASSA ABLOY RP300 | 84.000 | 880 | 680 | 820 |
| | | | | Position total: | 235.000 | Type: | Oversea Box Packin( | |
| B25 | 000020 | 01 | AD_RP300 | ASSA ABLOY RP300 | 131.000 | 2360 | 540 | 490 |
| B25 | 000020 | 02 | AD_RP300 | ASSA ABLOY RP300 | 82.000 | 880 | 680 | 820 |
| | | | | Position total: | 213.000 | Type: | Oversea Box Packin( | |
| B25 | 000030 | 01 | AD_RP300 | ASSA ABLOY RP300 | 120.000 | 2360 | 540 | 490 |
| B25 | 000030 | 02 | AD_RP300 | ASSA ABLOY RP300 | 83.000 | 880 | 680 | 820 |
| | | | | Position total: | 203.000 | Type: | Oversea Box Packin( | |

Package quantity total: 6

Weight total: 651.000

Signature: _____

ASSA ABLOY

# RECHNUNG/INVOICE

**ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt**

| | |
|---|---|
| NIHVA Technologies PVT LTD<br>27 8/1 Coromant Housing Society<br>411044 Pune, Nigdi Pradhikar<br>India | **ASSA ABLOY, Rechnung/Invoice** 90761501<br>**Datum/Date** 2019-02-07<br>**Lieferschein-Nr./delivery note** 80401848<br>**Auftrags-Nr./Order No.** 30722106<br>**Referenz/Reference** Mr. Marne |

| Kunden-Nr./Customer No. | Innendienst/Internal department | Versandart/Way of delivery | |
|---|---|---|---|
| 1059669 | Nadine Gundelach | Forwarder (W) | Sea freight |
| **Ihre Ust-ID Nr./Your TAX No** | **Ihre Bestell-Nr./Your Order** | **Versandbedingungen/Terms of delivery** | **Lieferdatum/Delivery date** |
| | NVA-415 | FCA Hemau, Germany | 2019-02-07 |

| Lieferadresse/Delivery address | Nr. Lieferadresse/Delivery address No. | Zahlungsbedingungen/Terms of payment | Fälligkeit/Due date |
|---|---|---|---|
| NIHVA Technologies PVT LTD<br>27 8/1 Coromant Housing Society<br>411044 Pune, Nigdi Pradhikar<br>India | 1059669 | Due Net 90 | 2019-05-08 |

| Pos. item | Produkt Product | Beschreibung Description | Anzahl QTY | Einheit Unit | Preis/Einh. Price/Unit | Preis Price |
|---|---|---|---|---|---|---|
| | AD_RP300 | ASSA ABLOY RP300 | 1.000 | ST | 4,250.00 | 4,250.00 |

**Serien-Nr. 2620001280**

| | |
|---|---|
| Door type | High-speed roller door RapidProtect 300 |
| Daylight width | 2 000 mm |
| Daylight height | 2 200 mm |
| Side frame extension X-Level | 0 mm |
| Door control system | MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit |
| Max. Opening Speed | 2,3 m/s |
| Max. Closing Speed | 1,7 m/s |
| Control box position | Mounted next to the drive unit |
| Control system position | Right |
| Motor Position | Right |
| Wind class | 1 |
| Side frame version | Aluminium |
| Bottom plate | Delivered without bottom plates |
| Bottom profile | Aluminium |
| Safety contact edge | Pre running photocell at the bottom profile |
| Photocell | With photocell |
| Crank | With crank for manual operation |
| Top roll material | Aluminum |
| Door curtain | RollTex Plus |
| Door curtain colour | Grey, similar to RAL 7001 |
| Silicone free | Silicone free |
| Window type | Window 700X500 mm, type anti UV |
| Window Quantity | 1 |



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norl

| Pos. item | Produkt Product | Beschreibung Description | Anzahl QTY | Einheit Unit | Preis/Einh. Price/Unit | Preis Price |
|---|---|---|---|---|---|---|

| | |
|---|---|
| Height:bott.edge to bott.prof. | 1 200 mm |
| Motor cover | Motor cover powder coated standard |
| Top roll cover | Top roll cover made of aluminium |
| MCC type | Standard version |
| MCC display type | Display delivered separately, not mounted |
| Power supply | 400 V, 3-phase |
| Frequency | 50 Hz |
| Main switch | With main switch |
| Interface cable length | 3 000 mm |
| Mains connection cable length | 3 000 mm |
| Dry contact | Dry contacts for signal door open / closed and door in operation |
| Interface card | Interface card delivered separately, installation on site in the customer control box |
| Safety limit switch (MP) | Schmersal on 1 side with relay for cat. 4 |
| Cable marking | Including cable and component marking |
| Documentation language | English |
| Documenation door | English |
| Documentation control system | English |
| Wiring plan | English |
| MCC display language | English |
| CE - Sign | Yes |
| Packing | Box, heat treated |
| Warranty | 1 Year |
| Dimension packing 1 LxWxH | 2800X580X470 |
| Dimension packing 2 LxWxH | 1000X800X770 |

Commodity code: 39252000
Country of origin: CZ

| | |
|---|---|
| **Dimension packing 1 LxWxH** | **2760x540x490** |
| **Dimension packing 2 LxWxH** | **880x680x820** |
| **Net Weight** | **150,000 KG** |
| **Gross Weight** | **235,000 KG** |

**AD_RP300 ASSA ABLOY RP300 1.000 ST 4,000.00 4,000.00**

**Serien-Nr. 2620001281**

| | |
|---|---|
| Door type | High-speed roller door RapidProtect 300 |
| Daylight width | 1 900 mm |
| Daylight height | 1 800 mm |
| Side frame extension X-Level | 0 mm |
| Door control system | MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit |
| Max. Opening Speed | 2,3 m/s |
| Max. Closing Speed | 1,7 m/s |
| Control box position | Mounted next to the drive unit |
| Control system position | Right |
| Motor Position | Right |
| Wind class | 1 |
| Side frame version | Aluminium |
| Bottom plate | Delivered without bottom plates |
| Bottom profile | Aluminium |
| Safety contact edge | Pre running photocell at the bottom profile |
| Photocell | With photocell |
| Crank | With crank for manual operation |
| Top roll material | Aluminum |
| Door curtain | RollTex Plus |



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norl

| Pos. item | Produkt Product | Beschreibung Description | Anzahl QTY | Einheit Unit | Preis/Einh. Price/Unit | Preis Price |
|---|---|---|---|---|---|---|

| | |
|---|---|
| Door curtain colour | Grey, similar to RAL 7001 |
| Silicone free | Silicone free |
| Motor cover | Motor cover powder coated standard |
| Top roll cover | Top roll cover made of aluminium |
| MCC type | Standard version |
| MCC display type | Display delivered separately, not mounted |
| Power supply | 400 V, 3-phase |
| Frequency | 50 Hz |
| Main switch | With main switch |
| Interface cable length | 3 000 mm |
| Mains connection cable length | 3 000 mm |
| Dry contact | Dry contacts for signal door open / closed and door in operation |
| Interface card | Interface card delivered separately, installation on site in the customer control box |
| Safety limit switch (MP) | Schmersal on 1 side with relay for cat. 4 |
| Cable marking | Including cable and component marking |
| Documentation language | English |
| Documenation door | English |
| Documentation control system | English |
| Wiring plan | English |
| MCC display language | English |
| CE - Sign | Yes |
| Packing | Box, heat treated |
| Warranty | 1 Year |
| Dimension packing 1 LxWxH | 2500X580X470 |
| Dimension packing 2 LxWxH | 1000X800X770 |
| Commodity code: 39252000 | |
| Country of origin: CZ | |

| | |
|---|---|
| **Dimension packing 1 LxWxH** | **2360x540x490** |
| **Dimension packing 2 LxWxH** | **880x680x820** |
| **Net Weight** | **120,000 KG** |
| **Gross Weight** | **213,000 KG** |

**AD_RP300** **ASSA ABLOY RP300** **1.000** **ST** **4,300.00** **4,300.00**

**Serien-Nr. 2620001282**

| | |
|---|---|
| Door type | High-speed roller door RapidProtect 300 |
| Daylight width | 1 200 mm |
| Daylight height | 1 800 mm |
| Side frame extension X-Level | 0 mm |
| Door control system | MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit |
| Max. Opening Speed | 2,3 m/s |
| Max. Closing Speed | 1,7 m/s |
| Control box position | Mounted next to the drive unit |
| Control system position | Right |
| Motor Position | Right |
| Wind class | 1 |
| Side frame version | Aluminium |
| Bottom plate | Delivered without bottom plates |
| Bottom profile | Aluminium |
| Safety contact edge | Pre running photocell at the bottom profile |
| Photocell | With photocell |
| Crank | With crank for manual operation |
| Top roll material | Aluminum |



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norl

ASSA ABLOY

| Pos.<br>item | Produkt<br>Product | Beschreibung<br>Description | Anzahl<br>QTY | Einheit<br>Unit | Preis/Einh.<br>Price/Unit | Preis<br>Price |
|---|---|---|---|---|---|---|

| | |
|---|---|
| Door curtain | RollTex Plus |
| Door curtain colour | Grey, similar to RAL 7001 |
| Silicone free | Silicone free |
| Window type | Window 700X500 mm, type anti UV |
| Window Quantity | 1 |
| Height:bott.edge to bott.prof. | 1 200 mm |
| Motor cover | Motor cover powder coated standard |
| Top roll cover | Top roll cover made of aluminium |
| MCC type | Standard version |
| Field bus | Field bus connection Ethernet/IP 1-port, mounted in MCC extension box |
| MCC display type | Display delivered separately, not mounted |
| Power supply | 400 V, 3-phase |
| Frequency | 50 Hz |
| Main switch | With main switch |
| Mains connection cable length | 3 000 mm |
| Safety limit switch (MP) | Schmersal on 1 side with relay for cat. 4 |
| Cable marking | Including cable and component marking |
| Documentation language | English |
| Documenation door | English |
| Documentation control system | English |
| Wiring plan | English |
| MCC display language | English |
| CE - Sign | Yes |
| Packing | Box, heat treated |
| Warranty | 1 Year |
| Dimension packing 1 LxWxH | 2400X580X470 |
| Dimension packing 2 LxWxH | 1000X800X770 |

Commodity code: 39252000
Country of origin: CZ

| | |
|---|---|
| **Dimension packing 1 LxWxH** | **2360x540x490** |
| **Dimension packing 2 LxWxH** | **880x680x820** |
| **Net Weight** | **120,000 KG** |
| **Gross Weight** | **203,000 KG** |

| | | |
|---|---|---|
| **Warenwert/Value of goods** | | **12,550.00** |
| **Export packing** | | **1,023.00** |
| **Mwst/VAT** | **0.00 %** | **0.00** |
| **Summe/Total** | **EUR** | **13,573.00** |

**Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG**

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norl

ggf. unter Telefon: 02941/766-622 darauf an.



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norl

ASSA ABLOY

80401848

**SENDER:**

**ASSA ABLOY ES Production s.r.o.**
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

# Delivery Note *80401848*

**Order No.**
30722106

**Ship Date**
2019-02-07

**Your reference**
Ashish Marne

**Your Order No.**
NVA-415

**Our reference**
Mrs. Nadine Gundelach

**Delivery Terms**
FCA Hemau, Germany

**SHIP TO**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Invoice address**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Shipper**

Forwarder (W)
Sea freight

| Line | Item No | Description | Storage Location | Quantity | Unit |
|---|---|---|---|---|---|
| 10 | AD_RP300 | ASSA ABLOY RP300 | 6000 - | 1.00 | ST |
| | Serien-Nr. 2620001280 | | | | |
| Daylight width | | 2,000 mm | | | |
| Daylight height | | 2,200 mm | | | |
| Side frame version | | Aluminium | | | |
| Door curtain | | RollTex Plus | | | |
| Door curtain colour | | Grey, similar to RAL 7001 | | | |
| Motor cover | | Motor cover powder coated standard | | | |
| Top roll cover | | Top roll cover made of aluminium | | | |
| Actuator 3 | | Excluded | | | |
| Actuator 4 | | Excluded | | | |
| Packing | | Box, heat treated | | | |
| 20 | AD_RP300 | ASSA ABLOY RP300 | 6000 - | 1.00 | ST |
| | Serien-Nr. 2620001281 | | | | |
| Daylight width | | 1,900 mm | | | |
| Daylight height | | 1,800 mm | | | |
| Side frame version | | Aluminium | | | |
| Door curtain | | RollTex Plus | | | |
| Door curtain colour | | Grey, similar to RAL 7001 | | | |



ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com
Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com
Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00
VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106
Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80401848

**SENDER:**

**ASSA ABLOY ES Production s.r.o.**
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

# Delivery Note *80401848*

**Order No.**
30722106

**Ship Date**
2019-02-07

**Your reference**
Ashish Marne

**Your Order No.**
NVA-415

**Our reference**
Mrs. Nadine Gundelach

**Delivery Terms**
FCA Hemau, Germany

**SHIP TO**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Invoice address**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Shipper**

Forwarder (W)
Sea freight

| | |
|---|---|
| Motor cover | Motor cover powder coated standard |
| Top roll cover | Top roll cover made of aluminium |
| Actuator 3 | Excluded |
| Actuator 4 | Excluded |
| Packing | Box, heat treated |

| | | | | |
|---|---|---|---|---|
| 30 | AD_RP300<br>Serien-Nr. 2620001282 | ASSA ABLOY RP300 | 6000 - | 1.00 ST |

| | |
|---|---|
| Daylight width | 1,200 mm |
| Daylight height | 1,800 mm |
| Side frame version | Aluminium |
| Door curtain | RollTex Plus |
| Door curtain colour | Grey, similar to RAL 7001 |
| Motor cover | Motor cover powder coated standard |
| Top roll cover | Top roll cover made of aluminium |
| Actuator 3 | Excluded |
| Actuator 4 | Excluded |
| Packing | Box, heat treated |

| Order Line | Volume | Net Weight | Gross Weight |
|---|---|---|---|
| 10 | 0.00 | 150.00 | 235.00 |
| 20 | 0.00 | 120.00 | 213.00 |
| 30 | 0.00 | 120.00 | 203.00 |
| **Total** | **0.00** | **390.00** | **651.00** |

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80401848

**SENDER:**

**ASSA ABLOY ES Production s.r.o.**
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

# Delivery Note *80401848*

**Order No.**
30722106

**Ship Date**
2019-02-07

**Your reference**
Ashish Marne

**Your Order No.**
NVA-415

**Our reference**
Mrs. Nadine Gundelach

**Delivery Terms**
FCA Hemau, Germany

**SHIP TO**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Invoice address**
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

**Shipper**

Forwarder (W)
Sea freight

**The goods were accepted in full:**

_____
**Date/Signature**



**ASSA ABLOY Entrance Systems**

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye