EUROPÄISCHE GEMEINSCHAFT

Ausfuhrbegleitdokument

VERFAHREN (1)	Bes. Umst. (S32)
EX	Z

Vordrucke (3)	Anm. Sich.(S00)
1 | 3	S

MRN 19DE880400587086E0

Versender/Ausführer (2) Nr.DE4558987

Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

A Ausfuhrzollstelle — Ausstellungsdatum

DE008804
Hauptzollamt Regensburg
Zollamt
Regensburg-Furth im Wald
Junkersstr. 12

93055 Regensburg

14.02.2019 11:39 Uhr

Empfänger (8) Nr.

NIHVA TECHNOLOGIES PVT LTD
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE, NIGDI PRADHIKAR
IN

Positionen (5)	Packst. insgesamt (6)	Bezugsnummer (7)
4	8	#V88#-EXD-18442 / 30723135

Beförderungskosten, Code für die Zahlungshinweise (S29)	Vers./Ausf.L.Code (15)	Bestimm.L.Code (17)
H	a| DE	a| IN

Code für die zu durchfahrenden Länder (S13)
DE, IN

Anmelder/Vertreter (14) Nr.DE4558987, DE3448797

[1] Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

[2] i.A. / i.V A-1 Internationale Spedition GmbH
Springbiel 4 a
48455 Bad Bentheim
DE

Vertreter der Person, die summ. Anm. abgibt (14b)

Kennzeichen des Beförderungsmittels beim Abgang (18)

Verkehrszweig an der Grenze (25)	Rohmasse (kg) (35)
1	962

Ausgangszollstelle (29)	Nummer des Zollverschlusses (S28) Anzahl: --
DE004851	--

Warenort (30)
Code für den Ort des Verladens bzw. des Verpackens:
RE01

Packstücke und Warenbezeichnung (31) | Zeichen und Nummern - Container Nr. - Anzahl und Art

Siehe Liste der Positionen

E PRÜFUNG DURCH DIE ZOLLSTELLE

Ergebnis:

Frist (letzter Tag):

K PRÜFUNG DURCH DIE AUSGANGSSTELLE

Ankunftsdatum:

Prüfung der Verschlüsse:

Bemerkungen:

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 2 | 3

MRN 19DE880400587086E0

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)	Warenbezeichnung (31.4)
Versender/Ausführer (2)		Empfänger (8)
Kennzeichen des Beförderungsmittels beim Abgang (18)		Warennummer (33)
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)		Summarische Anmeldung/Vorpapier (40)
Vorgelegte Unterlagen / Bescheinigungen (44.1)		Container-Nr. (31.3) / Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)		Verfahren (37) / Ausfuhrland (15a) / Bestimmungsl. (17a) / Rohmasse (kg) (35)
UNDG (44.4) / Beförderungskosten, Code für die Zahlungsweise (S29)		Anmeldungsart (1) / Statistischer Wert (46) / Eigenmasse (kg) (38)

1	1. 8 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore ASSA ABLOY RP300 S/N 2620001303
	DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland	
		39252000
		ohne
	Internationale Unterlagen: T:Y901 R: Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter	
		1000 | DE | IN | 962
		200

2	1. 0 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore ASSA ABLOY RP300 S/N 2620001304
	DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland	
		39252000
		ohne
	Internationale Unterlagen: T:Y901 R: Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter	
		1000 | DE | IN | 0
		200

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 3 | 3

MRN 19DE880400587086E0

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)	Warenbezeichnung (31.4)
Versender/Ausführer (2)		Empfänger (8)
Kennzeichen des Beförderungsmittels beim Abgang (18)		Warennummer (33)
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)		Summarische Anmeldung/Vorpapier (40)
Vorgelegte Unterlagen / Bescheinigungen (44.1)		Container-Nr. (31.3) / Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)		Verfahren (37) / Ausfuhrland (15a) / Bestimmungsl. (17a) / Rohmasse (kg) (35)
UNDG (44.4)	Beförderungskosten, Code für die Zahlungsweise (S29)	Anmeldungsart (1) / Statistischer Wert (46) / Eigenmasse (kg) (38)

3	1. 0 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore ASSA ABLOY RP300 S/N 2620001305
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland		
		39252000
		ohne
Internationale Unterlagen: T:Y901 R: Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter		
		1000 DE IN 0
		190

4	1. 0 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore ASSA ABLOY RP300 S/N 2620001306
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland		
		39252000
		ohne
Internationale Unterlagen: T:Y901 R: Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter		
		1000 DE IN 0
		200

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**ASSA ABLOY, Rechnung/Invoice** 90763260 **Datum/Date** 2019-02-14 **Lieferschein-Nr./delivery note** 80402370 **Auftrags-Nr./Order No.** 30723135 **Referenz/Reference** Mr. Marne

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**	
1059669	Olga Ziebart	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-418	FCA Hemau, Germany	2019-02-13

Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 90	2019-05-15

Pos. **item**	**Produkt** **Product**	**Beschreibung** **Description**	**Anzahl** **QTY**	**Einheit** **Unit**	**Preis/Einh.** **Price/Unit**	**Preis** **Price**

LCL shipment. Customer pick-up

AD_RP300	**ASSA ABLOY RP300**		**1.000**	**ST**	**3,990.00**	**3,990.00**

Serien-Nr. 2620001303

Door type	High-speed roller door RapidProtect 300
Daylight width	2.000 mm
Daylight height	2.500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Left
Motor Position	Left
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	3100X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**3060x550x460**
Dimension packing 2 LxWxH	**870x680x820**
Net Weight	**200,000 KG**
Gross Weight	**242,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,990.00** **3,990.00**

Serien-Nr. 2620001304

Door type	High-speed roller door RapidProtect 300
Daylight width	2.000 mm
Daylight height	2.500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Left
Motor Position	Left
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	3100X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3060x550x460**
Dimension packing 2 LxWxH	**870x680x820**
Net Weight	**200,000 KG**
Gross Weight	**240,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,990.00** **3,990.00**

Serien-Nr. 2620001305

Door type	High-speed roller door RapidProtect 300
Daylight width	2.000 mm
Daylight height	2.500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	3100X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3060x550x470**
Dimension packing 2 LxWxH	**870x680x820**
Net Weight	**190,000 KG**
Gross Weight	**236,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,990.00** **3,990.00**

Serien-Nr. 2620001306

Door type	High-speed roller door RapidProtect 300
Daylight width	2.000 mm
Daylight height	2.500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	3100X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3060x550x460**
Dimension packing 2 LxWxH	**870x680x820**
Net Weight	**200,000 KG**
Gross Weight	**244,000 KG**

Warenwert/Value of goods		**15,960.00**
Export packing		**1,452.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**17,412.00**

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00


VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80402370

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80402370*

Order No.
30723135

Ship Date
2019-02-13

Your reference
Ashish Marne

Your Order No.
NVA-418

Our reference
Mrs. Olga Ziebart

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit

LCL shipment. Customer pick-up

10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2620001303			
Daylight width		2,000 mm		
Daylight height		2,500 mm		
Side frame version		Aluminium		
Door curtain		RollTex Plus		
Door curtain colour		Blue, similar to RAL 5002		
Motor cover		Motor cover powder coated standard		
Top roll cover		Top roll cover made of aluminium		
Actuator 3		Excluded		
Actuator 4		Excluded		
Packing		Box, heat treated		

20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2620001304			
Daylight width		2,000 mm		
Daylight height		2,500 mm		
Side frame version		Aluminium		
Door curtain		RollTex Plus		
Door curtain colour		Blue, similar to RAL 5002		

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye