




AHU will be placed on top of this

wall panel area structure not shown





PLAN





Asper roof drawing 3500 mm

SECTION A-A


Asper roof drawing 3500 mm





SECTION B-B




SECTION C-C




BASE PLATE DETAIL -01




BASE PLATE DETAIL -02

## STEEL NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES & LEVELS ARE IN METRES.
2. ALL STRUCTURAL STEEL AS PER IS:2062.
3. PROVIDE WELDING AS PER IS:816.
4. PROVIDE MIN. 6MM WELD.
5. USE ELECTRODS AS PER IS:814 (PT.-I).
6. FILLET/ BUTT WELD SHALL BE OF 6MM SIZE AND SHALL BE CONTINUOUS.
7. FABRICATION AND ERECTION SHALL BE AS PER IS:800 AND IS:803.
8. WELD SHALL BE GROUND SMOOTH.
9. ALL GUSSET PLATES SHALL BE MIN. 8 THK.
10. ALL M.S. BLACK BOLTS AND NUTS SHALL CONFORM TO IS:1363(PT. 1 TO 3).
11. ALL STRUCTURE WILL BE PROVIDED WITH MIN. ONE COAT OF EPOXY PRIMER AND ONE COATS OF PU PAINT.
12. ALL CONNECTIONS SHALL BE FULLY WELDED AFTER BOLTING.

| | | | | | |
|---|---|---|---|---|---|
| TITLE - DOOR AUTOMATION | | | | NIHVA TECHNOLOGIES PVT.LTD.PUNE<br>Website - www.nihva.com | |
| DWG NO - NTPL- 401-BS-003 | | | | | |
| | NAME | SIGNATURE | DATE | PROJECT - NEOTRAFO CORE ASSLY BASE STU. | |
| DRAWN | J.P. | | 18-06-2026 | PROJECT NO - NTPL- 401 | REVISION - 00 |
| CHK'D | S.P. | | 19-06-2026 | SITE LOCATION - HYDERABAD | |
| APPV'D | V.T. | | 19-06-2026 | MATERIAL - | QTY - |
| IF ANY QUERIES CONTACT - Design@nihva.com | | | | PROJECTION METHOD | SCALE : |
| ALL DIMENSIONS ARE IN 'MM' | | A2 | | | SHEET 1 OF 1 |