EUROPÄISCHE GEMEINSCHAFT

Ausfuhrbegleitdokument

VERFAHREN (1)	Bes. Umst. (S32)
EX	Z

Vordrucke (3)	Anm. Sich.(S00)
1 | 2	S

MRN 18DE880496119701E6

Versender/Ausführer (2) Nr. DE4558987

Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

A Ausfuhrzollstelle — Ausstellungsdatum

DE008804
Hauptzollamt Regensburg
Zollamt
Regensburg-Furth im Wald
Junkersstr. 12

93055 Regensburg

28.11.2018 13:59 Uhr

Empfänger (8) Nr.

NIHVA TECHNOLOGIES PVT LTD
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE, NIGDI PRADHIKAR
IN

Positionen (5)	Packst. insgesamt (6)	Bezugsnummer (7)
1	8	#V88#-EXD16708 / 30706716

Beförderungskosten, Code für die Zahlungshinweise (S29)	Vers./Ausf.L.Code (15)	Bestimm.L.Code (17)
H	a| DE	a| IN

Code für die zu durchfahrenden Länder (S13)
DE, IN

Anmelder/Vertreter (14) Nr. DE4558987, DE3448797

[1] Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

[2] i.A. / i.V A-1 Internationale Spedition GmbH
Springbiel 4 a
48455 Bad Bentheim
DE

Vertreter der Person, die summ. Anm. abgibt (14b)

Kennzeichen des Beförderungsmittels beim Abgang (18)

Verkehrszweig an der Grenze (25)	Rohmasse (kg) (35)
1	828

Ausgangszollstelle (29)	Nummer des Zollverschlusses (S28) Anzahl: --
DE004851	--

Warenort (30)
Code für den Ort des Verladens bzw. des Verpackens:
RE01

Packstücke und Warenbezeichnung (31) — Zeichen und Nummern - Container Nr. - Anzahl und Art

Siehe Liste der Positionen

E PRÜFUNG DURCH DIE ZOLLSTELLE

Ergebnis:

Frist (letzter Tag):

K PRÜFUNG DURCH DIE AUSGANGSSTELLE

Ankunftsdatum:

Prüfung der Verschlüsse:

Bemerkungen:

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 2 | 2

MRN 18DE880496119701E6

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)		Warenbezeichnung (31.4)			
Versender/Ausführer (2)			Empfänger (8)			
Kennzeichen des Beförderungsmittels beim Abgang (18)			Warennummer (33)			
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)			Summarische Anmeldung/Vorpapier (40)			
Vorgelegte Unterlagen / Bescheinigungen (44.1)			Container-Nr. (31.3)			Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)			Verfahren (37)	Ausfuhrland (15a)	Bestimmungsl. (17a)	Rohmasse (kg) (35)
UNDG (44.4)	Beförderungskosten, Code für die Zahlungsweise (S29)		Anmeldungsart (1)	Statistischer Wert (46)		Eigenmasse (kg) (38)
1	1. 8 SL, Kufenbrett .		Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore serial 2610017758 +17759+17760+17761			
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland						
			39252000			
			ohne			
			1000	DE	IN	828
						828

80396252

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80396252*

Order No.
30706716

Ship Date
2018-11-27

Your reference
Ameet Kurhade

Your Order No.
NVA-393

Our reference
Herr Michael Hutsch

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit
10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2610017758				
Daylight width		1,800 mm			
Daylight height		2,030 mm			
Side frame version		Aluminium			
Door curtain		RollTex Plus			
Door curtain colour		Blue, similar to RAL 5002			
Motor cover		Motor cover powder coated standard			
Top roll cover		Top roll cover made of aluminium			
Actuator 3		Excluded			
Actuator 4		Excluded			
Packing		Heat treated pallet			
Pallet - 3100x530x430					
Pallet - 800x600x530					
20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2610017759				
Daylight width		1,800 mm			
Daylight height		2,030 mm			
Side frame version		Aluminium			

80396252

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80396252*

Order No.
30706716

Ship Date
2018-11-27

Your reference
Ameet Kurhade

Your Order No.
NVA-393

Our reference
Herr Michael Hutsch

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 3100x530x430
Pallet - 800x600x530

30	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2610017760			

Daylight width	1,800 mm
Daylight height	2,030 mm
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 3100x530x430
Pallet - 800x600x530

40	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST

80396252

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80396252*

Order No.
30706716

Ship Date
2018-11-27

Your reference
Ameet Kurhade

Your Order No.
NVA-393

Our reference
Herr Michael Hutsch

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Serien-Nr. 2610017761

Daylight width	1,800 mm
Daylight height	2,030 mm
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 3100x530x430
Pallet - 800x600x530

Order Line	Volume	Net Weight	Gross Weight
10	0.00	187.00	207.00
20	0.00	187.00	207.00
30	0.00	187.00	207.00
40	0.00	187.00	207.00
Total	**0.00**	**748.00**	**828.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

80396252

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80396252*

Order No.
30706716

Ship Date
2018-11-27

Your reference
Ameet Kurhade

Your Order No.
NVA-393

Our reference
Herr Michael Hutsch

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

The goods were accepted in full:

_____
Date/Signature

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**ASSA ABLOY, Rechnung/Invoice** 90742971 **Datum/Date** 2018-11-27 **Lieferschein-Nr./delivery note** 80396252 **Auftrags-Nr./Order No.** 30706716 **Referenz/Reference** Mr. Kurhade

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**	
1059669	Michael Hutsch	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-393	FCA Hemau, Germany	2018-11-27

Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 60	2019-01-26

Pos. **item**	**Produkt** **Product**	**Beschreibung** **Description**	**Anzahl** **QTY**	**Einheit** **Unit**	**Preis/Einh.** **Price/Unit**	**Preis** **Price**
	AD_RP300	**ASSA ABLOY RP300**	**1.000**	**ST**	**3,900.00**	**3,900.00**

Serien-Nr. 2610017758

Door type	High-speed roller door RapidProtect 300
Daylight width	1 800 mm
Daylight height	2 030 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. / item	Produkt / Product	Beschreibung / Description	Anzahl / QTY	Einheit / Unit	Preis/Einh. / Price/Unit	Preis / Price

Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3 000 mm
Mains connection cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	3000X480X400
Dimension packing 2 LxWxH	800X600X370
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**3100x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**187,000 KG**
Gross Weight	**207,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,900.00** **3,900.00**

Serien-Nr. 2610017759

Door type	High-speed roller door RapidProtect 300
Daylight width	1 800 mm
Daylight height	2 030 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3 000 mm
Mains connection cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	3000X480X400
Dimension packing 2 LxWxH	800X600X370

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3100x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**187,000 KG**
Gross Weight	**207,000 KG**

AD_RP300 ASSA ABLOY RP300 1.000 ST 3,900.00 3,900.00

Serien-Nr. 2610017760

Door type	High-speed roller door RapidProtect 300
Daylight width	1 800 mm
Daylight height	2 030 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3 000 mm
Mains connection cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	3000X480X400
Dimension packing 2 LxWxH	800X600X370
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**3100x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**187,000 KG**
Gross Weight	**207,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,900.00** **3,900.00**

Serien-Nr. 2610017761

Door type	High-speed roller door RapidProtect 300
Daylight width	1 800 mm
Daylight height	2 030 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye