Delivering Value. Quality. Commitments.

Terracotta Tile For Ventilated Façade

citadel

Building System Pvt Ltd.

Clay Terracotta panels are unique natural clay tiles for ventilated facades. The terracotta panels have a life of over 50 years and are a no maintenance product.

The unique cavity structure of terracotta panels effectively reduces the heat transfer and increases the thermal resistance with a double-layer. It also provides an acoustic noise effect.

Excellent energy saving features and powerful artistic expression make terracotta panels as a new first choice of modern curtain wall decorative material and can be widely applied for diverse projects like airports, railway stations, cinemas, villas, high-class commercial and residential places.


TECHNICAL ADVANTAGES OF TERRACOTTA TILE


- Sustainability: durability 80 – 150 years
- Amendment of noise protection
- Frost resistance
- Fire protection
- Break resistance against wind- or shock impact
- Free from maintenance (self-cleaning by rain)
- Graffiti is easy to remove
- Environment-Friendly
- Never Fade
- Eternal Craft
- Convenient Installation
- Robust fixing system - Safe and Reliable
- Heat Preservation and Sound Insulation


ARCHITECTURAL ADVANTAGES OF TERRACOTTA TILES

- **Wide range of colours:** in addition to the standard colours glazes and engobes enable unlimited colouring
- **Different surfaces of the tile plates:** standard natural, glazed or brushed
- **Good architectural combination with traditional building material:** ideal for renovations
- **Wide range of formats:** production of special cross-sections is possible


Ventilated facade system







1. Radiación Solar
2. Reflexión
3.Conducción
4. Radiación Materia
5. Convección
6. Flujo Interior




FUNCTIONS OF VENTILATED FAÇADE


- Resistance against heavy rain
- Regulation of dampness
- Insulation
- Avoiding heat build-up in summer
- Noise protection
- Fire protection

ALUMINIUM STRUCTURE


Horizontal channels on vertical substructure. Tiles fixed with clips. Special vertical profile in vertical joints to ensure 100 % water proof façade.



ASSEMBLY SCHEDULE



TOP JUNCTION (ROOF PARAPET) WITH ACP COPING



RANGE OF COLOURS

B-1



B-2



F-1



Y-1



Y-2



Y-3



RANGE OF COLOURS

H-1



H-2



H-3



H-4



H-5



L-1



RANGE OF COLOURS

K-1



K-2



K-3



R-1



R-2



R-3



R-4




R-5




DIFFERENT FORM AND FINISHES












EXCLUSIVE 3D PRINTING









D-C01 / 600X1200MM



D-C02 / 600X1200MM



D-C03 / 600X1200MM

EXCLUSIVE 3D PRINTING

- Unlimited design options
- Exclusive designs can be incorporated
- Very ideal for Interior application
- Cost effective than premium imported stones
- Robust installation



D-A01 / 600X1200MM



D-A02 / 600X1200MM


यूपी 100 UP



Location : H.M InorbitMall,Malad

Application :Facade



Location : Davangere

Application : Facade



Location : Nagpur

Application : Facade



Location :Vajaram Onyx, Bangalore

Application : Facade



Location : IISER

Application : Facade



Location : IIT Bhubaneshwar

Application : Facade




Location : Kochi


Application : Facade



Location : BJD Headquarter, Bhubaneshwar

Application : Facade








D-A01 / 600X1200MM



D-A02 / 600X1200MM






















SHOT ON REDMI K20
ABBAS PHOTOGRAPHY









C 239, Antop Hill Warehousing VIT college road, Sangam Nagar Wadala East.
Mumbai – 400037 INDIA.

+91 22 20870147

+91 9819234618

vinaykumar@citadelinfraas.com

www.citadelarch.com