Spare part list
RR 400/400E/x2


ALBANY
ASSA ABLOY




2013-05 Index 00

Seitenteil Sideframe	







	Rev.: 0	Sheet: 1 of 1


ALBANY
ASSA ABLOY


RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
I	**Side frame right** (See drawing side complete)								
	RH sideframe complete	400		D8520006	G	C	Stck./pc.	1	
	RH sideframe complete	400E		D8520014	G	C	Stck./pc.	1	
	RH sideframe complete	x2		D8520012	G	C	Stck./pc.	1	
1	RH bottom plate	400/x2		D4614144		A	Stck./pc.	1	
	RH bottom plate	400E		D4614207		A	Stck./pc.	1	
2	RH support profile	400		D8220037	G	C	m	1	
	RH support profile	400E		D8220072	G	C	m	1	
	RH support profile, without Photocell	x2		D8220062	G	C	m	1	
3	Photocell transm./rec. with bracket	(tr) RH + (rc) LH 400/400E		D8470R0025		A	Stck./pc.	max.1	
4	Frontcover with brake lever	400		D8220040	G	C	m	1	
	Frontcover with brake lever	x2		D8220066	G	C	m	1	
	Frontcover with brake lever	400E		D8220073	G	C	m	1	
5	Emergencey lever	400/x2		D8220036	G	B	Stck./pc.	1	
	Emergencey lever	400E		D8220071	G	B	Stck./pc.	1	
6	Brake lever			D5005R0023		A	Stck./pc.	1	
7	Cable 3x0,25 with plug 4m	400/400E		D4907R0024		A	Stck./pc.	1	
	Cable 3x0,25 with plug 6m	400/400E		D4907R0029		A	Stck./pc.	1	
	Cable 3x0,25 with plug 8m	400/400E		D4907R0030		A	Stck./pc.	1	
	Cable 3x0,25 with plug 10m	400/400E		D4907R0032		A	Stck./pc.	1	
	Cable 3x0,25 with plug 12m	400/400E		D4907R0023		A	Stck./pc.	1	
	Cable 3x0,25 with plug 14m	400/400E		D4907R0031		A	Stck./pc.	1	

Seitenteil Sideframe	








	Rev.: 0	Sheet: 1 of 1

ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
II	**Side frame left** (See drawing side complete)								
	LH sideframe complete	400		D8520007	G	C	Stck./pc.	1	
	LH sideframe complete	400E		D8520015	G	C	Stck./pc.	1	
	LH sideframe complete	x2		D8520013	G	C	Stck./pc.	1	
1	LH bottom plate	400/x2		D4614145		A	Stck./pc.	1	
	LH bottom plate	400E		D4614208		A	Stck./pc.	1	
2	LH support profile	400		D8220042	G	C	m	1	
	LH support profile	400E		D8220076	G	C	m	1	
	LH support profile, without Photocell	x2		D8220061	G	C	m	1	
3	Photocell transm./rec. with bracket	(tr) RH + (rc) LH 400/400E		D8470R0025		A	Stck./pc.	max.1	
4	Frontcover	400		D8220043	G	C	m	1	
	Frontcover	x2		D8220065	G	C	m	1	
	Frontcover	400E		D8220075	G	C	m	1	
5	Emergencey lever	400/x2		D8220036	G	B	Stck./pc.	1	
	Emergencey lever	400E		D8220071	G	B	Stck./pc.	1	
6	Brake lever			D5005R0023		A	Stck./pc.	1	
7	Cable 3x0,25 with plug 4m	400/400E		D4907R0024		A	Stck./pc.	1	
	Cable 3x0,25 with plug 6m	400/400E		D4907R0029		A	Stck./pc.	1	
	Cable 3x0,25 with plug 8m	400/400E		D4907R0030		A	Stck./pc.	1	
	Cable 3x0,25 with plug 10m	400/400E		D4907R0032		A	Stck./pc.	1	
	Cable 3x0,25 with plug 12m	400/400E		D4907R0023		A	Stck./pc.	1	
	Cable 3x0,25 with plug 14m	400/400E		D4907R0031		A	Stck./pc.	1	

Wickelwelle mit Torbehang	
Top roll with curtain	




	Rev.: 0	Sheet: 1 of 1

ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
III	**Top roll with curtain**								
1	Barrel complete	400/x2		D8240022	G	D	m / H	1	
	Barrel complete	400E		D8240029	G	D	m / H	1	
2	Bearing top	400/x2		D8140022		B	Stck./pc.	1	
	Bearing top	400E		D8140035		B	Stck./pc.	1	
3	Bearing bottom	400/x2		D8140023		A	Stck./pc.	1	
	Bearing bottom	400E		D8140036		A	Stck./pc.	1	
4	Door blade	blue or red		D8030022	G	D	m²	1	
	Door blade	special colour		D8030022	G	D	m²	1	

Abschlussprofil	
Bottom beam	




	Rev.: 0	Sheet: 1 of 1

ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profile with safety edge RH**								
	Bottom profile complete	400		D8550014	G	B	m	1	
	Bottom profile complete	x2		D8550017	G	B	m	1	
	Bottom profile complete Alu powder coated	400E		D8550019	G	D	m	1	
	Bottom profile complete VA	400E		D8550006	G	C	m	1	
	Profile for bottom profile RH	400		D4701159	G	B	m	1	
1	Profile for bottom profile RH	x2		D8250009	G	B	m	1	
	Profile for bottom profile RH powder coated	400E		D4701185	G	D	m	1	
2	Driver RH	400/x2		D8150038		B	Stck./pc.	1	
	Driver RH	400E		D8150036		B	Stck./pc.	1	
3	Safety edge cut-to-size, pass piece			D8550RG066	G	B	m	1	
V	**Bottom profile with safety edge LH**								
	Bottom profile complete	400		D8550015	G	B	m	1	
	Bottom profile complete	x2		D8550018	G	B	m	1	
	Bottom profile complete Alu powder coated	400E		D8550020	G	D	m	1	
	Bottom profile complete VA	400E		D8550007	G	C	m	1	
	Profile for bottom profile LH	400		D4701160	G	B	m	1	
1	Profile for bottom profile LH	x2		D8250010	G	B	m	1	
	Profile for bottom profile RH powder coated	400E		D4701185	G	D	m	1	
2	Driver LH	400/x2		D8150039		B	Stck./pc.	1	
	Driver LH	400E		D8150037		B	Stck./pc.	1	
3	Safety edge cut-to-size, end piece			D8550RG067	G	B	m	1	

Antrieb	
Drive unit	




ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VI	**Drive unit**								
	Drive unit complete	400, with 8110024, 4521539		D8410067	G	C		1	
	for control ACS 50 / PLS-GT					A	Stck./pc.		
	for control ACS 60/80, FUSIII					A	Stck./pc.		
	for control FUSI/II					A	Stck./pc.		
	for control PLS-G					A	Stck./pc.		
	Drive unit complete	400E, with 8110024, 4621091		D8410068	G	B		1	
	for control ACS 50 / PLS-GT					A	Stck./pc.		
	for control ACS 60/80, FUSIII					A	Stck./pc.		
	for control FUS I / II					A	Stck./pc.		
	for control PLS-G					A	Stck./pc.		
	Drive unit complete	x2		D8410016		B	Stck./pc.	1	
1	Gear motor 220-230/400-415V-PLS-G, 50Hz 220-230V-PLS-GT, 50Hz 220-230V-SPS, no control, 50Hz	Brake 6622R0017 400/E	2002-01 ►	D8910R0039		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-PLS-G, PLS-GT, 60Hz 220-230V-SPS, no control, 60Hz	Brake 6622R0018 400/E	2002-01 ►	D8910R0040		B	Stck./pc.	1	
	Gear motor 380-415V-PLS-GT, 50Hz 400-415V-SPS, no control, 50Hz	Brake 6622R0017 400/E	2002-01 ►	D8910R0041		B	Stck./pc.	1	
	Gear motor 220-230/380-415V-FUSII,ACS60/80, 50/60Hz	Brake 6622R0017 400/E	2002-01 ►	D8910R0050		C	Stck./pc.	1	
	Gear motor 220-230/400-415V-FUSI, 50/60Hz	Brake 6622R0019 400/E	2002-01 ►	D8910R0049		C	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 50Hz	Brake 6622R0017 400/E	2002-01 ►	D8910R0057		B	Stck./pc.	1	
	Gear motor 220-230/400-415V-ACS50, 60Hz	Brake 6622R0018 400/E	2002-01 ►	D8910R0058		B	Stck./pc.	1	
	Gear motor	Brake 6622R0018	2002-01 ►	D8910R0042		B	Stck./pc.	1	
2	Break 10Nm 180V DC HL	look at drive 400/E	2002-01 ►	D6622R0017		A	Stck./pc.	1	x
	Break 15Nm 196V DC HL	look at drive 400/E	2002-01 ►	D6622R0018		A	Stck./pc.	1	x
	Break 10Nm 96V DC HL	look at drive 400/E	2002-01 ►	D6622R0019		A	Stck./pc.	1	x
	Brake BP5/4 NH 196V, DC	400/E for drive 6601020, 6601022	► 2001-12	D6622003		A	Stck./pc.	1	x
	Brake BP5/4 GH 196V, DC	400/E for drive 6601021, 6601023, 6601032	► 2001-12	D6622004		A	Stck./pc.	1	x
	Brake P5/NH, 103V DC	400/E for drive 4901196	► 2001-12	D4902043		A	Stck./pc.	1	x

Antrieb	
Drive unit	





ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15


Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VI	**Drive unit**								
3	Double proximity switch	400/E		D4905R0019		A	Stck./pc.	1	
4	Motor console	400/400E	2002-01 ▶	D4621090		A	Stck./pc.	1	
	Motor console	x2		D4614304		A		1	
5	Chain wheel			D5101087		A	Stck./pc.	1	x
6	Microswitch, Flender	400/E, Flender		D4905005		A	Stck./pc.	1	
	Microswitch, Bonfiglioli	400/E,Bonfiglioli		D6621R0002		A	Stck./pc.	1	
7	Control cable	ACS 50 400/E		D8830032	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS 60, 80 400/E		D8830032	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	x2		D8803003	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		


Antriebswanne	
Drive cross bar	





A





	Rev.: 0	Sheet: 1 of 1


ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VIII	**Drive cross bar**								
1	Rope pulley with bracket RH	400/x2		D8110014		B	Stck./pc.	1	
	Rope pulley with bracket RH	400E		D8110038		B	Stck./pc.	1	
	Rope pulley with bracket LH	400/x2		D8110013		B	Stck./pc.	1	
	Rope pulley with bracket LH	400E		D8110039		B	Stck./pc.	1	
2	Track adjuster	400/x2		D8110016		B	Stck./pc.	1	
	Track adjuster	400E		D8110041		B	Stck./pc.	1	
3	Curtain tension complete	400/x2		D8110015		B	Stck./pc.	1	
	Curtain tension complete	400E		D8110040		B	Stck./pc.	1	
4	Chain			D8210003	G	B	m	2	
5	Rope pulley unit RH	400/x2		D8110017		B	Stck./pc.	1	
	Rope pulley unit RH	400E		D8110042		B	Stck./pc.	1	
6	Rope pulley unit LH	400/x2		D8110018		B	Stck./pc.	1	
	Rope pulley unit LH	400E		D8110043		B	Stck./pc.	1	
7	Bracket front cover RH	400/x2		D8110019		B	Stck./pc.	1	
	Bracket front cover RH	400E		D8110044		B	Stck./pc.	1	
8	Bracket front cover LH	400/x2		D8110020		B	Stck./pc.	1	
	Bracket front cover LH	400E		D8110045		B	Stck./pc.	1	
9	Bracket aperture	400/x2		D8110021		B	Stck./pc.	1	
	Bracket aperture	400E		D8110046		B	Stck./pc.	1	
10	Cover sheet RH	400/x2		D8110022	G	B	Stck./pc.	1	
	Cover sheet RH	400E		D8110047	G	B	Stck./pc.	1	
11	Cover sheet LH	400/x2		D8110023		B	Stck./pc.	1	
	Cover sheet LH	400E		D8110048		B	Stck./pc.	1	
12	Aperture RH complete	400		D8210001	G	C	m	1	
	Aperture RH complete	x2		D8210009	G	C	m	1	
13	Aperture LH complete	400/x2		D8210002	G	C	m	1	
14	Aperture complete 30°	400E		D8260013	G	C	m	1	
	Aperture complete straight	400E		D8210015	G	C	m	1	
15	Proximity switch with bracket	400		D8410009		B	Stck./pc.	1	
	Proximity switch with bracket	400E		D8410018		B	Stck./pc.	1	
	Proximity switch with bracket	x2		D8410015		B	Stck./pc.	1	
16	Proximity switch			D4905R0082		A	Stck./pc.	1	
17	Trailing chain RH, without cable	400/x2, RH		D8210006	G	B	Stck./pc.	1	
	Trailing chain LH, without cable	400/x2, LH		D8210007	G	B	Stck./pc.	1	
	Trailing chain RH, without cable	400E, RH		D8210018	G	B	Stck./pc.	1	
	Trailing chain LH, without cable	400E, LH		D8210019	G	B	Stck./pc.	1	
18	Runner RH with swivelling rollers	400/x2		D8110025		B	Stck./pc.	1	
	Runner RH with swivelling rollers	400E		D8110056		B	Stck./pc.	1	
19	Runner LH with swivelling rollers	400/x2		D8110032		B	Stck./pc.	1	
	Runner LH with swivelling rollers	400E		D8110057		B	Stck./pc.	1	
20	Swivelling roller D20			D5003095		B	Stck./pc.	18	
21	Rope d=5mm, L=4000mm	L= B+2660		D5105R0030		A	Stck./pc.	1	x
	Rope d=5mm, L=8000mm	L= B+2660		D5105R0031		A	Stck./pc.	1	x
	Rope d=5mm, L=12000mm	L= B+2660		D5105R0032		A	Stck./pc.	1	x
	Rope d=5mm, L=16000mm	L= B+2660		D5105R0033		A	Stck./pc.	1	x
	Rope d=5mm, L=20000mm	L= B+2660		D5105R0034		A	Stck./pc.	1	x
	Rope d=5mm, L=24000mm	L= B+2660		D5105R0035		A	Stck./pc.	1	x
22	Drive shaft			D4521549		A	Stck./pc.	1	

Optionen	
Options	





	Rev.: 0	Sheet: 1 of 1

ALBANY
ASSA ABLOY

RR 400/400E/x2, Version 15

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
IX	**Options**								
1	Motorcover	400		D8160068		B	Stck./pc.	1	
	Motorcover	400E		D8160R0001		C	Stck./pc.	1	
	Motorcover	x2		D8360013		B	Stck./pc.	1	
2	Second emergency lever	400		D8220050	G	B	Stck./pc.	1	
	Second emergency lever	400E		D8220080	G	B	Stck./pc.	1	
	Second emergency lever	x2		D8220068	G	B	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

