




SIDEWALL FRAMING ELEVATION @ GRID LINE–1.a (AREA#01)

F01:–DENOTES FRAMED OPENING (4500WX6000H) | F04:–DENOTES FRAMED OPENING (1200WX2200H)
ST:–DENOTES STRUT TUBE–CHS 139.7X5.4 | PB–DENOTES PORTAL BRACING
C1–DENOTES COLUMN UPTO PORTAL, SIZE–200X5W+200X10F




SIDEWALL FRAMING ELEVATION @ GRID LINE–4 (AREA#01)

F02:–DENOTES FRAMED OPENING (4300WX6000H)




SIDEWALL FRAMING ELEVATION @ GRID LINE–F (AREA#03)

ST:–DENOTES STRUT TUBE–CHS 139.7X5.4



SIDEWALL FRAMING ELEVATION @ GRID LINE–B.1 (AREA#02 & AREA#03)

PB–DENOTES PORTAL BRACING
ST:–DENOTES STRUT TUBE–CHS 139.7X5.4 | L2–DENOTES LOUVERS OPENING (5500W+3000H)
$–DENOTES USE SHS–150X150X5.0 SUPPORT MEMBER FOR ALL LOUVERS OPENINGS. | L4–DENOTES LOUVERS OPENING (5500W+2400H) | F03:–DENOTES FRAMED OPENING (3000WX3000H)



ENDWALL FRAMING ELEVATION @ GRID LINE–G.1/1 TO 4 (AREA#01)
SIDEWALL FRAMING ELEVATION @ GRID LINE–G.1/4 TO 5 (AREA#02)

F04:–DENOTES FRAMED OPENING (1350WX2250H) | $–DENOTES USE SHS–150X150X5.0 SUPPORT MEMBER FOR ALL LOUVERS OPENINGS.
* – DENOTES DOUBLE SIDE FLANGE BRACE ANGLE (D–CFL 50X2.5A)
EWC –DENOTES ENDWALL COLUMN | PB–DENOTES PORTAL BRACING | L1–DENOTES LOUVERS OPENING (7400W+3000H)
ST1–DENOTES STRUT TUBE–CHS 165.1X5.4 | NOTE–CUSTOMER TO CONFIRM CUT OUT OPENING FOR CABLE TRAY SIZE & LOCATION