A guide to preventative maintenance for Albany High Performance Doors

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Control system

What is the function?

- Ensures the function of the door, the safety devices and the actuators
- The control system is the heart and brain of the door

What is the manufacturer's specification?

To make sure the manufacturer's specifications are observed, replace every:

- MCC: 2.500.000 cycles / 10 years
- ACS50: 1.000.000 cycles / 10 years
- MCS: 250.000 cycles / 10 years

Can I also replace it earlier?

- An exchange of the control system may be recommended for doors important for process and application, as there is no pre-indicator for failure on electronics

How do they wear?

During the lifetime of the control system there will be wear and tear due to:

- Mechanical and electrical wear on the contactor (ACS50) due to usage of door
- Mechanical and electrical wear of contacts on the relays (MCS) due to usage of door
- Aging of electrical components

What is the risk of not replacing?

When not following the manufacturer's specifications the customer is taking the responsibility for unintended breakdown, e.g.:

- A failure of the control system means that the door cannot operate properly

Top reasons for preventive maintenance

- Keeps the warranty valid
- Prevents unexpected and expensive break-downs
- Prolongs lifetime
- Cost saving
- Minimises risk of personal injury
- Minimises energy loss
- Fulfills legal requirements
- Improves working environment

©ASSA ABLOY Entrance Systems AB/PLMAP/DEU-EN-1.0/1504

ASSA ABLOY ENTRANCE SYSTEMS Maintenance & Modernization