NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

PROJECT PROPOSAL

NIHVA TECHNOLOGIES PVT. LTD.

187, G-Block, Thermax chowk, Above Renault Showroom, MIDC
Chinchwad, Pune – 411019.

Customer Name	**ITC HYDRABAD**
Project Name	**TRS PACKING AUTOMATION**
Project Location	Guntur
Contact Person Name	Mr. Nitesh K.
Email Id	Nitesh.k@itc.in
Contact Number	+91-9866270686

Contact Person: Mr. Arjun Patil
Mob No.: 8551096333
Email id: automation@nihva.com
Web: http://www.nihva.com

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.


Project Title: TRS PACKING AUTOMATION


Date: 17/7/2018

Dear Sir,

Thank you for the opportunity and trust shown on “NIHVA” your preferred partner for innovative solutions. This has reference to your above mentioned requirements as well as our subsequent communication; please find below our best offer.

A. Requirement:
Packing of chili powder pouches of different sizes. Require process is as below.
Process Flow Chart for Process 1:





Manual application of box cover

Product Details : (for 1 kg chilly bag)

Details	
Pack size	330 x 190 x 55 L x B x H
Pouch Style	Side gazetted Penta seal
Pouches/shipper (nos)	06 no's
Kg/shipper	6 kg
Shipper size	300 x 190 x 225 L x B x H
Shipper type	3 ply
No.of machines	01
Machine output	80 Pouches/min



Product Details : (for 100gms chilly pouch)

Details	
Pack size	190 x 110 x 15 L x B x H
Pouch Style	Side gazetted Penta seal
Pouches/shipper (nos)	20 nos'
Kg/shipper	2 kg
Shipper size	320 x 110 x 180 L x B x H
Shipper type	3 ply
No.of machines	01
Machine output	80pouches/min



Technical Specifications: - (For 5 kg Tea Bag)

Sr No.	Packaging System Description	QTY	
1	**compression Conveyor A**		**1**
	• Conveyor Width	350 mm	
	• Conveyor Length	2050 mm	
	• Construction	MS Powder Coated	
	• Contact Parts	SS304	
	• SKID PLATE	SS304	
	• Motor	Bonfiglioli with Gear	
2	**Flat belt conveyor A**		**1**
	• Conveyor width	350 mm	
	• Conveyor length	1062mm	
	• Construction	MS Powder Coated	
	• Contact parts	SS304	
	• Skid plate	SS304	
	• Motor	Bonfiglioli with Gear	
3	**compression Conveyor B**		**1**
	• Conveyor Width	350 mm	
	• Conveyor Length	2050 mm	
	• Construction	MS Powder Coated	
	• Contact Parts	SS304	
	• SKID PLATE	SS304	
	• Motor	Bonfiglioli with Gear	
4	**Flat belt conveyor A**		**1**
	Conveyor width	350 mm	
	Conveyor length	1362mm	
	Construction	MS Powder Coated	
	Contact parts	SS304	
	Skid plate	SS304	
	Motor	Bonfiglioli with Gear	
5	Flat belt conveyor		**1**
	• Conveyor Width	330 mm	
	• Conveyor Length	1700 mm	

	• Construction	MS Powder Coated	
	• Contact Parts	SS304	
	• SKID PLATE	SS304	
	• Motor	Bonfiglioli with Gear	
6	**Merging conveyor**		**1**
	• Conveyor Width	350 mm	
	• Conveyor length	1000 mm	
	• Construction	MS Powder coated	
	• Contact parts	Ss304	
7	**Check Weigher & Rejector Machine**		**1**
	• Make	Technofour Electronics	
	• Display	Graphic LCD	
	• Maximum weight	6 kg	
	• Weighing Scale	0-6 kgs.	
	• Accuracy	is + /- 0.2 kg	
	• Conveyor Belt	Roller Type	
	• Conveyor Belt Width	350 mm	
	• Speed	30 pouches/min	
	• Sensor	Load Cell	
	• Material of construction	MS Powder Coated	
	• Rejection Mechanism	Conveyor Stoppage/Pneumatic Pusher Type	
	• Power Consumption	approx. 350 VA	
8	**High speed conveyor**		**1**
	• Conveyor width	350mm	
	• Conveyor length	1200	
	• Construction	MS Powder coated	
	• Contact parts	SS304	
	• Skid plate	SS304	
	• Motor	Bonfiglioli with gear	
9	**Automatic Carton Erector Machine**		**1**
	• Production speed	12 cartons/min	
	• Carton size(mm)	300 L x 190 W x 225H	
	• Power supply	110/220V50/60HZ 1Phase 200W	
	• Air Compressing	6kg/cm³	
	• Adhesive tape width	48/60/75MM	
	• Machine dimension	L2000xW1900xH1450mm	
	• Machine weight	450 Kgs	
	• Motor	Bonfiglioli with Gear	

10	**Flat belt conveyor**		**1**
	• Conveyor Width	330 mm	
	• Conveyor Length	1700 mm	
	• Construction	MS Powder Coated	
	• Contact Parts	SS304	
	• SKID PLATE	SS304	
	• Motor	Bonfiglioli with Gear	
11	**Automatic Carton Sealer (BOPP Tapping)**		**1**
	• Carton Size	300 L x 190 W x 225H	
	• Sealing Capacity	About 1000 Standard Case Per Hour	
	• Adhesive Tape Used	BOPP Self Adhesive Tape	
	• Power Sources	220 V, 50 Hz, 250w	
	• Max Sealing Dimensions { W X H }	200mm X 225mm	
	•Min. Sealing Dimension { W X H }	300+-100 mm	
	• Motor	Bonfiglioli with Gear	
			1
12	**Flat belt conveyor**		**1**
	• Conveyor Width	330 mm	
	• Conveyor Length	1700 mm	
	• Construction	MS Powder Coated	
	• Contact Parts	SS304	
	• SKID PLATE	SS304	
	• Motor	Bonfiglioli with Gear	

Images : -

1. Roller Flattening Conveyor





2.

Check weigher & Rejecter Machine



Sr no	Description	Qty	Unit	Rate in INR	Net Amount INR
1	Compression conveyor	2	No	1,70,000	3,40,000
2	Flat belt conveyor (L 1000)	1	No	65000	65000
3	Flat Belt Conveyor (L800)	1	No	50,000	50,000
4	Flat belt conveyor (L1700)	1	No	80,000	80,000
5	Merging conveyor (L1000)	1	No	65,000	65,000
6	Check Weigher (upto 1kg product)	2	No	5,80,000	11,60,000
7	High Speed Conveyor	1	No	70,000	70,000
8	Carton Erector Machine	1	No	8,50,000	8,50,000
9	Roller Conveyor	1	No	90,000	90,000
10	Pop up units	2	No	70,000	140,000
11	Box tilting & Pouch Feeding Unit	1	No	4,00,000	4,00,000
12	Flat belt conveyor (L 1000)	2	No	65,000	1,30,000

13	Case Taping Machine / BOPP machine	1	No	2,75,000	2,75,000
Cost of Project		**1**	**Set**		**37,15,000**
Installation & Commissioning				10,93,500	**10,93,500**
				TOTAL	**48,08,500**

GST PUNE: 27AAECN0437H1ZM	**Amount in Words:**
HSN Code: 84289090	Rupees Forty-Eight Lacs Eight Thousand Five Hundred Only

E. Drawings Training and warranty

- **Drawing:**

We will issue a full set of drawings for approval within 2 weeks of receiving the confirmed order and finalized design details.

- **Training:**

After installation of the Conveyor system, we will train the Clients personnel in the operation and basic maintenance, including the understanding of the error codes on the control system (if applicable).

- **Warranty:**

I. The warranty period is twelve months from the date of installation and commissioning.

II. If a defect arises within the warranty period stated, which is attributable to faulty design,

III. materials or installation workmanship the product will be repaired at our discretion without charge.

IV. This guarantee is subject to proper use of the product and assumes that the product is regularly serviced and maintained by skilled personnel in accordance with the operation and maintenance instructions supplied.

- **Maintenance & Service Agreement:**

We would suggest that you take advantage of a maintenance and service agreement on the NIHVA products, which will guarantee trouble free operation and speed of response in an emergency. Customized proposals are available on request.

We are pleased to inform that we also undertake AMC for all of our products & for any of your existing facilities.

Maintenance and service aren't about what you get. They're about what you avoid: failures, losses and unplanned interruptions.

- **Client Scope:**

1. Unloading from truck placement on site.

2. Exiting/Repair/ Modification/ Refurbishment charges will be extra.

G. Terms and Conditions: -

1.	**Price**	: Ex. Works Pune
2.	**P & F**	: 3 % Extra at the time of delivery.
3.	**Freight Notes**	: Extra as applicable.
4.	**Delivery**	: Within 10- 12 weeks from date of receipt of confirmed purchase order, advance payment, drawing approval.
5.	**Payment Terms**	: 80% advance along with confirmed purchase order balance before dispatch.
6.	**Insurance**	: Extra as applicable.
7.	**GST**	: As Applicable on total supply value.
8.	**Validity**	: 15 days from date of quotation.
9.	**Warranty**	: 12 months from date of supply.

Please feel free to contact Mr. Arjun Patil on 8551096333 for any further clarification in this concern.

With Best Regards,
Arjun Patil
For NIHVA Technologies Pvt Ltd