
Spare part list
RP 2000

ALBANY
ASSA ABLOY



2013-05 Index 00

Side frame right complete	RP2000
Seitenteil rechts komplett	RP2000



8220RG293	Rev.: g	Sheet: 7 of 7


ALBANY
ASSA ABLOY

RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right Side frame left (mirror image)**								
1	Side frame RH compl. (without limit switch)	RH		D8220RG293	G	C	Stck./pc.	1	
	Side frame LH compl. (without limit switch)	LH		D8220RG294	G	C	Stck./pc.	1	
5	Cover RH	RH		D4521RG282	G	C	Stck./pc.	1	
	Cover LH	LH		D4521RG283	G	C	Stck./pc.	1	
6	Bracket cover			D4521R1639		A	Stck./pc.	10	
7	Tension spring L=600mm	H<2000		D4802R0010		A	Stck./pc.	max 6	X
	Tension spring L=976mm	2000<=H<=2500		D4802R0009		A	Stck./pc.	max 6	X
	Tension spring L=1397mm	2500<H<=3000		D4802R0007		A	Stck./pc.	max 6	X
8	Spring suspension top 3-springs			D8220R0050		A	Stck./pc.	2	
9	Belt (blue), L=6000			D5105R0081		A	Stck./pc.	2	X
10	Bottom plate	For RH and LH		D4521R1526		A	Stck./pc.	2	
11	Cable Chain complete	drive side (*)		D8520RG013	G	B	Stck./pc.	1	
	Cable Chain complete	non drive side (*)		D8520RG014	G	B	Stck./pc.	1	
	Connecting cable 4m	drive side H<=2000		D4907R0024		A	Stck./pc.	1	
	Connecting cable 6m	drive side 2000<H<=4500 non drive side (H+W)<=4000		D4907R0029		A	Stck./pc.	1	
	Connecting cable 8m	non drive side 4000<(H+W)<=6000		D4907R0030		A	Stck./pc.	1	
	Connecting cable 10m	non drive side 6000<(H+W)<=8000		D4907R0032		A	Stck./pc.	1	
	Connecting cable 12m	non drive side 8000<(H+W)<=10000		D4907R0023		A	Stck./pc.	1	
	Connecting cable 14m	non drive side 10000<(H+W)		D4907R0031		A	Stck./pc.	1	
12	Belt pulley cpl	H >= 1500		D8120R0084		A	Stck./pc.	1	
13	Bracket proximity switch RH	RH		D4521R1327		A	Stck./pc.	1	
	Bracket proximity switch LH	LH		D4521R1328		A	Stck./pc.	1	
14	Proximity switch M8 10E Plugconnector	drive side		D4905R0082		A	Stck./pc.	1	
	Connecting cable 2m with 2 M8 plugs	drive side		D4907R0044		A	Stck./pc.	1	
15	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
16	Cable Duct complete	L=2000		D8120R0049		B	Stck./pc.	4	
17	Spring Suspension			D4521R1546		A	Stck./pc.	2	
18	Sliding rail 3000 mm long			D4121R0335		A	Stck./pc.	1	X
19	Label emergancy lever			D6403R0008		A	Stck./pc.	1	
20	Door label			D6403RG002	G	A	Stck./pc.	1	
21	Strap black, L=3100mm			D4121R0458		A	Stck./pc.	4	X
22	Belt pulley RH	H < 1500		D8120R0107		A	Stck./pc.	1	
	Belt pulley LH	H < 1500		D8120R0115		A	Stck./pc.	1	
23	X-level plate RH	only if X-level	►2012-05	D4521R2065		A	Stck./pc.	1	
	X-level plate LH	only if X-level	►2012-05	D4521R2089		A	Stck./pc.	1	
24	Safety switch Schmersal			D4905R0222		A	Stck./pc.	1	

(*) Data of W, H and drive side is necessary

Panel door blade	
Paneelbehang	



8230RG346	Rev.: 0	Sheet: 2 of 2


ALBANY
ASSA ABLOY

RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis ▲ valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIa	**Panel Door Blade Typ1**								
1	Lamella 1 (*)			D8230RG341	G	B	Stck./pc.	8	
2	Lamella 2 (*)			D8230RG343	G	B	Stck./pc.	max 23	
3	Window lamella 1 (*)			D8230RG342	G	B	m	max 6	
4	Window lamella 2 (*)			D8230RG344	G	B	m	max 20	
5	Bottom lamella with rubber profile (without extension piece 4)			D8230RG345	G	B	Stck./pc.	1	
6	Adapter long			D4521R1557		A	Stck./pc.	16	
7	Adapter short			D4521R1477		A	Stck./pc.	max 46	
8	Adapter bottom RH			D8150R0120		A	Stck./pc.	1	
9	Adapter bottom LH			D8150R0121		A	Stck./pc.	1	
10	Slider			D4121R0225		A	Stck./pc.	2	
11	Clamp plate			D4521R1535		A	Stck./pc.	max 62	
12	Window pane			D4102RG004	G	B	Stck./pc.		
13	Clamping lug adapter bottom			D4521R1028		A	Stck./pc.	2	
14	Hinge profile			D4102RG005	G	A	Stck./pc.	max 31	
15	Rubber cable, L=500			D4402R0103		B	Stck./pc.	2	X
16	Distance profile cpl			D8230RG347	G	B	Stck./pc.	2	X
17	Bottom sealing profile	pre run. photocell		D4421RG047	G	B	m	1	
	Rubber profile with integrated safety edge	el. safety edge		D4421RG036	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG037	G	C	m	1	
18	Flat belt	L=3600		D4121R0454		B	Stck./pc.	max 2	
19	Safety photocell receiver - yellow	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0545		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
20	Bracket pre running photocell RH	RH		D4521R1629		A	Stck./pc.	1	
	Bracket pre running photocell LH	LH		D4521R1562		A	Stck./pc.	1	
21	Activator Proximity switch RH	RH		D4521R1640		A	Stck./pc.	1	
	Activator Proximity switch LH	LH		D4521R1641		A	Stck./pc.	1	
	Magnet Schmersal	See Options Pos.8		D4905R0223					

(*) Inclusive Clamp plate, Hinge profile (pos. 11, 13, 14)
(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Panel door blade type 2	
Paneelbehang Typ 2	



8230RG424	Rev.: 0	Sheet: 2 of 2

ALBANY
ASSA ABLOY


RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIb	**Panel Door Blade Typ 2 (Laser)**								
1	Lamella 1 (*)			D8230RG341	G	C	Stck./pc.	2	
2	Lamella 1 laser (*)			D8230RG425	G	C	Stck./pc.	6	
3	Lamella 2 laser (*)			D8230RG426	G	C	Stck./pc.	max.23	
5	Bottom lamella laser (without extension piece 4)			D8230RG427	G	C	Stck./pc.	1	
6	Adapter long			D4521R1557		A	Stck./pc.	16	
7	Adapter short			D4521R1477		A	Stck./pc.	max 46	
8	Adapter bottom RH compl.	RH		D8150R0120		A	Stck./pc.	1	
9	Adapter bottom LH compl.	LH		D8150R0121		A	Stck./pc.	1	
10	Slider			D4121R0225		A	Stck./pc.	2	
11	Clamp plate			D4521R1535		A	Stck./pc.	max 62	
13	Clamping lug adapter bottom			D4521R1028		A	Stck./pc.	2	
14	Hinge profile			D4102RG005	G	A	Stck./pc.	max 31	
15	Rubber cable, L=500			D4402R0103		B	Stck./pc.	2	X
16	Distance profile cpl			D8230RG347	G	B	Stck./pc.	2	X
17	Bottom sealing profile	pre run. photocell		D4402RG009	G	B	m	1	
	Rubber profile with integrated safety edge	el. safety edge		D4421RG036	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG037	G	C	m	1	
18	Flat belt	L=3600		D4121R0454		B	Stck./pc.	max 2	
19	Safety photocell receiver - yellow	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0545		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
20	Bracket pre running photocell RH	RH		D4521R1629		A	Stck./pc.	1	
	Bracket pre running photocell LH	LH		D4521R1562		A	Stck./pc.	1	
21	Activator Proximity switch RH			D4521R1640		A	Stck./pc.	1	
	Activator Proximity switch LH			D4521R1641		A	Stck./pc.	1	
	Magnet Schmersal	See Options Pos.8		D4905R0223					

(*) Inclusive Clamp plate, Hinge profile (pos. 11, 13, 14)

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Barrel	
Wickelwelle	




ALBANY
ASSA ABLOY

RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Barrel complete with Door blade**								
	Top roll with door blade RP2000 Typ1 complete (*)	Transport pallet cpl. included		D8240RG167	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Top roll with door blade RP2000 Typ2 (Laser) cpl (*)	Transport pallet cpl. included		D8240RG168	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
1	Barrel complete (*)			D8240RG124	G	D	Stck./pc.	1	
2	Spiral disk			D4521R1523		A	Stck./pc.	2	
3	Support disc			D4521R1524		A	Stck./pc.	2	
4	Dampener discs, L=2000mm			D8140R0072		A	Stck./pc.	max 4	X
5	Bearing d30			D8140R0065		A	Stck./pc.	2	
6	U-Bracket			D4521R1560		A	Stck./pc.	max 4	

(*) Data of W, H and drive side is necessary

Drive unit complete	RP2000
Antrieb komplett	RP2000




ALBANY
ASSA ABLOY

RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Drive unit complete**								
1	Gear motor 220-230 / 400-415 V, MCC			D8910R0081		B	Stck./pc.	1	
2	Brake 10Nm 196V DC HL			D6622R0017		A	Stck./pc.	1	
3	Encoder 50 pulses cpl			D8410R0066		A	Stck./pc.	1	
4	Encoder 50 pulses, only electronic part			D4904R0450		A	Stck./pc.	1	
5	Torque Arm			D4521R1545		A	Stck./pc.	1	
6	Motor plate			D4521R1547		A	Stck./pc.	1	
7	Vibration absorber			D5004R0041		A	Stck./pc.	1	
8	Microswitch			D6621R0002		A	Stck./pc.	1	
9	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
10	Cable 4x0,25 6,5m GY	SL<=5m		D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY	5m<SL<=10m		D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY	10m<SL<=20m		D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY	20m<SL<=30m		D4907R0113		A	Stck./pc.	1	
11	Control cable			D8903RG145	G	B	Stck./pc.	1	

RP 2000	
RP 2000	



8300RG198	Rev.: b	Sheet: 4 of 4

ALBANY
ASSA ABLOY

RP 2000, Version 14

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Options**								
1	Top roll cover			D8260RG032	G	C	m	1	
2	Back cover			D4721RG193	G	C		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Clamping lug			D4521R1028	G	A	Stck./pc.	1	
3	Motor cover plastic RH	Plastic grey RH		D8160R0125		B	Stck./pc.	1	
	Motor cover plastic LH	Plastic grey LH		D8160R0126		B	Stck./pc.	1	
	Motor cover steel RH	Steel grey RH		D8160R0127		B	Stck./pc.	1	
	Motor cover steel LH	Steel grey LH		D8160R0128		B	Stck./pc.	1	
4	2. emergency lever			D8170RG022	G	B	Stck./pc.	1	
5	Lintel profile			D4521RG284	G	C	Stck./pc.	1	
6	Safety switch Schmersal RH cpl	RH		D8470R0014		A	Stck./pc.	1	
	Safety switch Schmersal LH cpl	LH		D8470R0015		A	Stck./pc.	1	
7	Safety switch Schmersal	Part of side frame		D4905R0222		A	Stck./pc.	max 2	
8	Magnet Schmersal	Part of Paneel Door Blade		D4905R0223		A	Stck./pc.	max 2	
9	Cable emergency lever			D8230R0313		B	Stck./pc.	1	
10	Transport pallet cpl.	for dismantling top roll		D8270RG040	G	C	Stck./pc.	1	
11	Brace RH	RH		D8120R0078		A	Stck./pc.	1	
12	Brace LH	LH		D8120R0079		A	Stck./pc.	1	
13	Control unit SRB 301MC	only for Schmersal		D4914R0030		A	Stck./pc.	1	
14	Cable Schmersal switch 15m + sign			D4907V0019		A	Stck./pc.	1	

SL= control line

H, L => [mm]

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

