
Spare Parts
RR 300

ALBANY
ASSA ABLOY



Side frame complete	
Seitenteil komplett	
Karm komplett	




ALBANY
ASSA ABLOY

RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right** (see drawing frame complete)								
	RH column complete	Steel		D8220RG226	G	C	m	1	
	RH column complete	A2		D8220RG227	G	C	m	1	
	RH column complete	Alu		D8220RG228	G	C	m	1	
1	Sideframe	Steel		D4521RG124	G	C	m	1	
	Sideframe	A2		D4621RG010	G	C	m	1	
	Sideframe	Alu		D4721RG058	G	C	m	1	
	Sideframe MCC (*)	Steel		D4521RG217	G	C	m	1	
	Sideframe MCC (*)	A2		D4621RG140	G	C	m	1	
	Sideframe MCC (*)	Alu		D4721RG127	G	C	m	1	
2	RH head plate non drive side	Steel		D4521V0016		A	Stck./pc.	1	
	RH head plate drive side	A2		D4621R0286		A	Stck./pc.	1	
3	RH bottom plate	Steel		D4521R2091		A	Stck./pc.	1	
	RH bottom plate	A2		D4621R0280		A	Stck./pc.	1	
4	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0.25			D4907R0035		A	Stck./pc.	1	
5	Cap finished			D4121R0209		B	Stck./pc.	1	
II	**Side frame left** (see drawing frame complete)								
	LH column complete	Steel		D8220RG229	G	C	m	1	
	LH column complete	A2		D8220RG230	G	C	m	1	
	LH column complete	Alu		D8220RG231	G	C	m	1	
1	Sideframe	Steel		D4521RG124	G	C	m	1	
	Sideframe	A2		D4621RG010	G	C	m	1	
	Sideframe	Alu		D4721RG060	G	C	m	1	
	Sideframe MCC (*)	Steel		D4521RG217	G	C	m	1	
	Sideframe MCC (*)	A2		D4621RG140	G	C	m	1	
	Sideframe MCC (*)	Alu		D4721RG126	G	C	m	1	
2	LH head plate non drive side	Steel		D4521V0015		A	Stck./pc.	1	
	LH head plate drive side	A2		D4621R0287		A	Stck./pc.	1	
3	LH bottom plate	Steel		D4521R2092		A	Stck./pc.	1	
	LH bottom plate	A2		D4621R0281		A	Stck./pc.	1	
4	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0.25			D4907R0035		A	Stck./pc.	1	
5	Cap finished			D4121R0209		B	Stck./pc.	1	

(*) Only with MCC box or display mounted on sideframe

Side frame light complete	
Seitenteil light komplett	




ALBANY
ASSA ABLOY

RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
I a	**Side frame right** **(see drawing side frame light complete)**								
	RH column complete	light; non drive side		D8220RG247	G	C	m	1	
	RH column complete	light, drive side with photocell		D8220RG247	G	C	m	1	
1	Sideframe	light		D4521RG166	G	C	m	1	
2	RH bottom plate	Steel		D4521R0116		A	Stck./pc.	1	
3	Reflection photocell, 8m cable	light		D4904R0001		A	Stck./pc.	1	
	Reflection photocell, 15m cable	light		D4904R0435		A	Stck./pc.	1	
	Reflector	light		D4904R0044		A	Stck./pc.	1	
II a	**Side frame left** **(see drawing frame light complete)**								
	LH column complete	light; non drive side		D8220RG248	G	C	m	1	
	LH column complete	light, drive side with photocell		D8220RG248	G	C	m	1	
1	Sideframe	light		D4521RG167	G	C	m	1	
2	LH bottom plate	Steel		D4521R0117		A	Stck./pc.	1	
3	Reflection photocell, 8m cable	light		D4904R0001		A	Stck./pc.	1	
	Reflection photocell, 15m cable	light		D4904R0435		A	Stck./pc.	1	
	Reflector	light		D4904R0044		A	Stck./pc.	1	

Top roll with door blade	RR300, RR300 MP, RP300
Wickelwelle mit Torbehang	RR300, RR300 MP, RP300





ALBANY
ASSA ABLOY

RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
III	**Top roll with curtain**								
1	Door blade PVC with stripes	blue or red		D8230RG058	G	C		1	
		Base price					Stck./pc.		
	Stripes blue or red	Upcharge					m²		
	Stripes in special colour						m²		
	Door blade Rolltex Plus / Original / NomaTex			D8230RG312	G			1	
		Base price					Stck./pc.		
	Rolltex Plus / RollTex Original	Upcharge				C	m²	1	
	Rolltex Original painted	Upcharge				D	m²		
	Nomatex	Upcharge				D	m²	1	
	Window horizontal				G	C	Stck./pc.	1	
	Window vertikal				G	C	Stck./pc.	1	
	Vision panel Nomatex					C	m/dw		
	Door blade Travitop 1,3 without vision panel	blue, red or grey		D8230RG327	G	C	m²	1	
	Door blade Travitop 1,3 with vision panel	blue, red or grey		D8230RG327	G	C	m²	1	
	Door blade Travitop 0,8 without vision panel	blue or red		D8230RG062	G	D	m²	1	
	Door blade Travitop 0,8 without vision panel	special colour		D8230RG062	G	D	m²	1	
	Door blade Travitop 0,8 with vision panel	blue or red		D8230RG062	G	D	m²	1	
	Door blade Travitop 0,8 with vision panel	special colour		D8230RG062	G	D	m²	1	
2	Top roll alu with bearings			D8240RG099	G	C		1	
		shaft galvanized					m		
		shaft A2					m		
	Top roll A2 with bearings	Base price					Stck./pc.		
		Upcharge					m/dw		
3	Top roll alu with bearing and door blade			D8240RG101	G	E	Stck./pc.	1	
4	Flange bearing D 30	A2		D8140R0062		A	Stck./pc.	2	x
	Flange bearing D 30	Steel		D8140R0005		A	Stck./pc.	2	x
5	Windbreaktap (12 pcs.)			D8130R0009		A	Stck./pc.	1	x

Bottom profile	RR300
Abschlussprofil	RR250/290
	RR250E/290E






Flex Edge

ALBANY
ASSA ABLOY


RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
IV	**Bottom profile with safety edge**								
	Bottom profile complete with coil cable			D8550RG053	G			1	
		Alu				B	m		
		stainless steel				C	m		
	Bottom profile alu complete with coil cable	Mini		D8550RG042	G	B	m	1	
1	Sliding part complete for standard-version	Standard		D4121V0012		A	Stck./pc.	1	
	Sliding part complete for Mini	Mini		D4121V0018		A	Stck./pc.	1	
2	Sliding part complete for crash-version	Standard		D4121V0013		A	Stck./pc.	1	
3	Weight	Standard		D4521R0133		A	Stck./pc.	2	
4	Profile for bottom profile	Alu Standard		D4721RG057	G	B	m	1	
	Profile for bottom profile	Alu Mini		D4721RG069	G	B	m	1	
	Profile for bottom profile va outside	Control position RH		D8250RG007	G	C	m	1	
	Profile for bottom profile va inside	Control position LH		D8250RG008	G	C	m	1	
5	Rubber profile with integrated safety edge	Integrated Sealing to Sideframe		D8550RG073	G	B	m	1	
	Rubber profile elongated sealing-lilp			D8550RG074	G	C	m	1	
7	Plate for Crash sensor			D4721R0038		A	Stck./pc.	1	
8	Crash sensor			D4905V0044		A	Stck./pc.	1	
9	Rope 3,2; L=9500	Crash		D5105R0091		A	Stck./pc.	max. 1	x
10	PVC-washer			D4121R0039		A	Stck./pc.	2	x
11	Coil cable 5x0,75			D4907R0038		A	Stck./pc.	1	
12	Sealing rubber profile to Sideframe		► 2012-04	D4121R0314		A	Stck./pc.	2	
14	Bottom profile complete with safety edge - Flex Edge	Flex Edge compl.		D8550RG069	G	C	m	1	
15	Sliding part crash	For Flex Edge		D4121R0515		B	Stck./pc.	1	
16	Contact strip with 4,2m Cable			D4905R0248		B	Stck./pc.	1	
17	Wireless Safety system - Transmitter			D4904R0553		A	Stck./pc.	1	
18	Battery for safety edge wireless system			D4909T0020		A	Stck./pc.	2	

Drive Unit	RR300
Antrieb	RR300



8
in control system




only for control cable >2,5m

ALBANY
ASSA ABLOY


RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Drive unit**								
	Gear motor	No E-Connect.H<=3900	2006-01 ►	D8410RG076	G	C	Stck./pc.	1	
	Gear motor	No E-Connect. H>3900	2006-01 ►	D6601R0160	G	C	Stck./pc.	1	
	Gear motor with rubber profile 100 mm		► 2005-12	D8410RG093	G	C	Stck./pc.	1	
1	Gear motor with rubber profile 100 mm	Drive Standard ACS50,60,80, without control	► 2005-12	D8200RG005	G	B	Stck./pc.	1	
	Gear motor	Drive Standard ACS50,60,80, without control	2006-01 ►	D8910R0091		A	Stck./pc.	1	
	Gear motor Mini	Drive Mini ACS50, without control		D6601V0001		A	Stck./pc.	1	
	Gear motor Mini	ACS25		D6601R0021		A	Stck./pc.	1	
	Gear motor with MCC encoder	Drive Standard MCC		D8910R0076			Stck./pc.	1	
2	Brake	Drive GfA ACS25		D6622R0031		A	Stck./pc.	1	
	Brake	Drive GfA ACS50,60,80,MCC, without control		D6622R0026		A	Stck./pc.	1	
3	Terminal box with cable 9x0,75	Drive GfA		D8570RG001	G	B	Stck./pc.	1	
4	Limit switch section, 6 switches	Drive GfA ACS50,60,80, MCC, without control		D4905018		A	Stck./pc.	1	
	Limit swich, digital	Drive GfA ACS25		D4905R0105		C	Stck./pc.	1	
5	Torque arm	Drive GfA, ACS50,60,80,MCC, without control stainless steel		D8110R0087		A	Stck./pc.	1	
	Torque arm	Drive GfA, ACS50,60,80, MCC, without control galvanized steel		D8110R0086		A	Stck./pc.	1	
	Torque arm	Drive GfA, ACS25 stainless steel		D8110R0089		A	Stck./pc.	1	
	Torque arm	Drive GfA, ACS25 galvanized steel		D8110R0088		A	Stck./pc.	1	
6	Cam	Drive GfA ACS50,60,80, MCC, without control		D4801240		A	Stck./pc.	1	

Drive Unit	RR300
Antrieb	RR300



8
in control system




only for control cable >2,5m

ALBANY
ASSA ABLOY

RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
7	Crank 0,7m GfA	GfA, H<=2000 ACS50,60,80,MCC, without control		D4521R1081		A	Stck./pc.	1	
	Crank 1,0m GfA	GfA, 2000<H<=3000 ACS50,60,80,MCC, without control		D4521R0968		A	Stck./pc.	1	
	Crank 1,7m GfA	GfA, 3000<H<=3500 ACS50,60,80,MCC, without control		D4521R1425		A	Stck./pc.	1	
	Crank 2,4m GfA	GfA, H>3500 ACS50,60,80,MCC, without control		D4521R2082		A	Stck./pc.	1	
	Crank	GfA ACS25		D4521R1140		A	Stck./pc.	1	
	Crank with cardan joint	GfA		D4521R1281		A	Stck./pc.	1	
8	Relais with socket	ACS60/80		D8800R0001		B	Stck./pc.	1	
9	E-Connection ACS 50	ACS 50, GfA, without control		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS 60, 80, GfA		D8830RG043	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	E-Connection MCC	MCC		D8903RG145	G			1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable 4m	Drive Mini		D4907V0018		A	Stck./pc.	1	
	Control cable 10m	Drive Mini		D4907V0022		A	Stck./pc.	1	
	Control cable 5m	ACS25		D4907R0061		A	Stck./pc.		
	Control cable 11m	ACS25		D4907R0062		A	Stck./pc.		
10	Emergency crank handle switch	ACS50, MCC	2008-07 ►	D4905R0228		A	Stck./pc.		
	Electrical saving for crank	Drive Standard ACS50,60,80,MCC, without control	► 2008-06	D8410R0083		A	Stck./pc.		
11	Encoder with bracket	Drive Standard MCC	2008-07 ►	D8410R0080		A	Stck./pc.	1	
	Encoder with bracket	Drive Standard MCC	► 2008-06	D8410R0068		A	Stck./pc.	1	
12	Rectifier	ACS25		D4909R0015		A	Stck./pc.	1	

RR300	Options
RR300	Optionen



ALBANY
ASSA ABLOY

RR 300, Version 36

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VIII	**Options**								
1	Top roll cover straight Steel	Steel		D4521RG118	G	C	m	1	
	Top roll cover straight A2	A2		D4621RG019	G	C	m		
	Top roll cover straight Alu	Alu		D4721RG049	G	C	m		
	Top roll cover 30° drive LH	Drive LH, A2		D4621RG018	G	C	m	1	
	Top roll cover 30° drive RH	Drive RH, A2		D4621RG017	G	C	m	1	
2	Bracket for Top roll cover	A2		D4621R0305		A	Stck./pc.	2	
	Bracket for Top roll cover	Steel		D4521R0906		A	Stck./pc.	2	
	Bracket for Top roll cover	Sideframe light		D4521R1129		A	Stck./pc.	2	
3	Motor cover plasic grey cpl RH			D8160R0103		A	Stck./pc.	1	
	Motor cover plasic grey cpl LH			D8160R0104		A	Stck./pc.	1	
	Motor cover plasic grey MCC cpl RH	MCC mounted on side frame		D8160R0105		A	Stck./pc.	1	
	Motor cover plasic grey MCC cpl LH	MCC mounted on side frame		D8160R0106		A	Stck./pc.	1	
	Motor cover steel cpl RH			D8160R0107		B	Stck./pc.	1	
	Motor cover steel cpl LH			D8160R0108		B	Stck./pc.	1	
	Motor cover 30° inox cpl RH			D8160R0109		B	Stck./pc.	1	
	Motor cover 30° inox cpl LH			D8160R0110		B	Stck./pc.	1	
	Motorcover Mini Drive RH	Drive Mini		D32-4887-XX		A	Stck./pc.	1	
	Motorcover Mini Drive LH	Drive Mini		D32-4888-XX		A	Stck./pc.	1	
4	Bracket motor cover RH	Motorcover steel		D4521R1491		A	Stck./pc.	1	
	Bracket motor cover LH			D4521R1488		A	Stck./pc.	1	
	Bracket motor cover RH	Motorcover A2		D4621R0456		A	Stck./pc.	1	
	Bracket motor cover LH			D4621R0457		A	Stck./pc.	1	
5	Cover black			D4121R0222		A	Stck./pc.	1	
6	Albany Assa Abloy sign 210x100			D6403V0001		A	Stck./pc.	1	
7	Distance rod Steel	Steel		D4521RG170	G	B	Stck./pc.	1	
	Distance rod A2	A2		D4621RG014	G	B	Stck./pc.	1	
	Distance rod Alu	Alu		D4721RG056	G	B	Stck./pc.	1	
8	Wireless Safety system – Receiver	Flex Edge MCC ACS 50		D4904T0028		A	Stck./pc.	1	
9	Cable wireless system MCC			D8830R0164		A	Stck./pc.	1	
10	Cable wireless system ACS 50			D8830R0165		A	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

