

Spare Parts
RP 100


ALBANY
ASSA ABLOY



Side frame right	RP100
Seitenteil rechts	RP100








ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right / left** **(see drawing Side frame right)**								
	RH column complete	RH		D8220RG333	G	C	m	1	
	LH column complete	LH		D8220RG334	G	C	m	1	
1	Sideframe RH/LH			D4521RG379	G	C	m	2-3	
2	Head plate			D4521R2057		A	Stck./pc.	2	
3	RH head plate chain drive	RH		D4521R2058		A	Stck./pc.	1	
	LH head plate chain drive	LH		D4521R2059		A	Stck./pc.	1	
4	Seal plug			D4121R0385		A	Stck./pc.	6-9	
5	Door line photocell compl.			D8470R0024		A	Stck./pc.	1	
6	Reflecion photocell without bracket			D4904R0001		A	Stck./pc.	1	
7	Cable duct complete, L=2000			D8120R0039		A	Stck./pc.	1-2	
8	Reflector			D4904R0002		A	Stck./pc.	1	

Top roll with door blade RP100	
Wickelwelle mit Behang RP100	




ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Top roll with curtain**								
1	Door blade Travitop 1,3 without vision panel	blue, red or grey		D8230RG446	G	C	m²	1	
	Door blade Travitop 1,3 with vision panel			D8230RG446	G	C	m²	1	
2	Top roll alu with bearings	Base price		D8240RG180	G	C C	Stck./pc.	1	
		Upcharge				C	m/dw		
3	Top roll alu with bearing and door blade			D8240RG181	G	D		1	
4	Flange bearing D 30			D8140R0005		A	Stck./pc.	2	x
5	Windbreaktap (12 pcs.)			D8130R0009		A	Stck./pc.	1	x
6	Chain weel			D5101105		A	Stck./pc.	2	

Bottom beam	RP100
Abschlussprofil	RP100




ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profile**								
	Bottom profile complete			D8550RG071	G	B	m	1	
		no safety edge				B			
		with safety edge				B			
1	Profile for bottom profile			D4721RG282	G	B	m	1	
2	Rubber profile			D4421RG013	G	A	m	1	
3	Rubber profile with integrated safety edge			D4421RG036	G	B	m	1	
4	Coil cable 5x0,75			D4907R0038		A	Stck./pc.	1	

Drive unit	RP100
Antrieb	RP100




ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Drive unit / Control system**								
1	Gear motor	Contactor control, without control		D6601R0176		A	Stck./pc.	1	
	Gear motor FC	Frequency converter		D6601R0175		A	Stck./pc.	1	
2	Brake 102 V 5 Nm	contactor control, without control		D6622R0038		A	Stck./pc.	1	
	Brake 102 V 9 Nm	Frequency converter		D6622R0039		A	Stck./pc.	1	
3	Torque arm			D8110R0088		A	Stck./pc.	1	
4	Chain drive assembly-set	chain drive		D8110R0101		A	Stck./pc.	1	
5	Chain weel	chain drive		D5101105		A	Stck./pc.	2	
6	Chain complete	chain drive		D8110076		A	Stck./pc.	1	
7	Crank			D4521R1140		A	Stck./pc.	1	
8	Limit swich, digital			D4905R0105		C	Stck./pc.	1	
9	Control cable 5m	ACS25		D4907R0061		A	Stck./pc.	1	
	Control cable 11m	ACS25		D4907R0062		A	Stck./pc.	1	
10	Rectifier	contactor control, without control		D4909R0015		A	Stck./pc.	1	
11	Control System ACS 25	ACS25		D4903R0070		A	Stck./pc.	1	
12	Control System ACS 40 with status module	ACS40		D4903R0084		A	Stck./pc.	1	

RP 100	Options
RP 100	Optionen




ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Options**								
1	Top roll cover Steel	Steel		D4521RG380	G	C	m	1	
	Top roll cover Steel chain drive	Steel		D4521RG381	G	C	m	1	
2	Bracket for Top roll cover	standard		D4521R0906		A	Stck./pc.	2	
	Bracket for Top roll cover	chain drive		D4521R2081		A	Stck./pc.	2	
3	Motor cover plasic grey cpl RH	contactor control drive unit		D8160R0103		A	Stck./pc.	1	
	Motor cover plasic grey cpl LH			D8160R0104		A	Stck./pc.	1	
	Motor cover steel cpl RH / LH	Frequency converter drive unit		D8160R0137		B	Stck./pc.	1	
	Motor cover steel cpl RH / LH chain drive	chain drive		D8160R0135		B	Stck./pc.	1	
4	Bracket motor cover RH	Motorcover plastic		D4521R1491		A	Stck./pc.	1	
	Bracket motor cover LH			D4521R1488		A	Stck./pc.	1	
	Bracket motor cover	Motorcover steel, not chain drive		D4521R2079		A	Stck./pc.	1	
5	Cover black			D4121R0222		A	Stck./pc.	1	
6	Albany sign 250x100			D6403V0001		A	Stck./pc.	1	
7	Cover X-Level	X-Level		D8260RG054		C	Stck./pc.	1	

RP 100	Options
RP 100	Optionen



8300RG208	Rev.: a	Sheet: 3 of 3

ALBANY
ASSA ABLOY

RP 100, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
8	Bottom beam "curtain cutout" rh/lh compl.	curtain cutout		D8250RG017	G	C	Stck./pc.	1	
9	Rubber profile "curtain cutout"	curtain cutout		D8550RG072		A	m	2	
10	Sliding part			D4121V0018		A	Stck./pc.	3	
11	Connector profile	curtain cutout		D4721RG288	G	C	Stck./pc.	1	
12	Curtain cutout rh/lh compl.	curtain cutout		D8230RG447	G	C	Stck./pc.	1	
13	Curtain cutout inside lh compl.	curtain cutout		D8230RG451	G	C			
14	Curtain cutout inside rh compl.	curtain cutout		D8230RG452	G	C			
15	Curtain cutout outside compl.	curtain cutout		D8230RG453	G	C			
16	Bottom beam "curtain cutout" inside compl.	curtain cutout		D8250RG018	G	C	Stck./pc.	1	
17	Bottom beam "curtain cutout" outside compl.	curtain cutout		D8250RG019	G	C			
18	Albany Assa Abloy sign 100x40			D6403V0003		A			
19	Sliding part long			D4121R0522		A			
20	Rubber profile "curtain cutout" 1	curtain cutout		D8550RG077		A			

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

