


DRAWING




DOUBLE EQUAL LEAF DOOR




Section S1–S1
Frame Details




## HANDING DETAILS

| | | |
|---|---|---|
| LHR | Inside / Outside key | LEFT HAND REVERSE |
| RHR | Inside / Outside key | RIGHT HAND REVERSE |
| | | |
| | | |

NOTES :–

Frame Joint Type :– Bolted joint

Frame Profile(DxH):– 100 x 57mm.

RAL Shade Code :– RAL

Infill :– Honey Comb

Type :– 2Hr un–insulated door as per IS 3614–2021

Hardware/Accessories Description

1. SS BB Hinges "4x3x3"–Geze
2. Door Closer Std Arm – Geze TS 1000
3. One & Two Point Panic Bar with vertical rod– Geze
4. External trim with half EPC – Geze
5. 2Hr.Fire Rated Vision Glass 300 x 450mm
6. Concealed Drop Seal
7. Door Stopper

NOTE :

LOCATION :

| WH01A | | WH01B | | WH02 | | WH03 | | WH04 | | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|
| LHR | RHR | LHR | RHR | LHR | RHR | LHR | RHR | LHR | RHR | |
| 0 NOS | | 0 NOS | | 0 NOS | | 1 NOS | | 0 NOS | | 1 NOS |

TITLE - DOOR AUTOMATION

DWG NO - NTPL-308-PM-03

| | NAME | SIGNATURE | DATE |
|---|---|---|---|
| DRAWN | J.P. | | 11-12-2025 |
| CHK'D | B.S. | | 11-12-2025 |
| APPV'D | V.T. | | 11-12-2025 |

IF ANY QUERIES CONTACT - Design@nihva.com

ALL DIMENSIONS ARE IN 'MM' A2

NIHVA TECHNOLOGIES PVT.LTD.PUNE
Website - www.nihva.com

PRODUCT - FIRE RATED DOOR

PROJECT NO - NTPL- 308 REVISION - 02

SITE LOCATION - CHENNAI

MATERIAL - QTY - 1

PROJECTION METHOD SCALE :

SHEET 1 OF 1