
ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806555

Day Light Width (DLW)	**3600**
Day Light Height (DLH)	**4500**
Panel section Top to include	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 3**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**






Price Info


Product Id	Product Name	Price per unit	Quantity	Price
1042PSTE	ASSA ABLOY OH1042P	Euro 3,148.21	1	Euro 3,148.21
1042PSTE	ASSA ABLOY OH1042P	Euro 3,376.01	1	Euro 3,376.01
1042PSTE	ASSA ABLOY OH1042P	Euro 3,737.65	1	Euro 3,737.65
1042PSTE	ASSA ABLOY OH1042P	Euro 3,870.15	1	Euro 3,870.15
1042PSTE	ASSA ABLOY OH1042P	Euro 4,138.42	1	Euro 4,138.42
1042PSTE	ASSA ABLOY OH1042P	Euro 4,403.47	1	Euro 4,403.47
1042PSTE	ASSA ABLOY OH1042P	Euro 2,717.41	1	Euro 2,717.41
1042PSTE	ASSA ABLOY OH1042P	Euro 3,548.71	1	Euro 3,548.71
		Total Price:		Euro 28,940.03

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806556







Day Light Width (DLW)	**4000**
Day Light Height (DLH)	**4500**
Panel section Top to include	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 3**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806557






Day Light Width (DLW)	**4600**
Day Light Height (DLH)	**4500**
Panel section Top to include	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 2**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806558







Day Light Width (DLW)	**4800**
Day Light Height (DLH)	**4500**
Panel section Top to include	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 2**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806559







Day Light Width (DLW)	**4600**
Day Light Height (DLH)	**5000**
Panel section Top to include	**PANEL**
Section 8	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 2**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806560







Day Light Width (DLW)	**5000**
Day Light Height (DLH)	**5000**
Panel section Top to include	**PANEL**
Section 8	**PANEL**
Section 7	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 2**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806561






Day Light Width (DLW)	**3600**
Day Light Height (DLH)	**3800**
Panel section Top to include	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 3**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

ASSA ABLOY OH1042P

ASSA ABLOY OH1042P overhead sectional doors are the optimal choice for customers who need robust, well-insulated and space-saving doors in in the "working entrances" of industrial and commercial premises.

ID: 806562





Day Light Width (DLW)	**4800**
Day Light Height (DLH)	**3900**
Panel section Top to include	**PANEL**
Section 6	**PANEL**
Section 5	**PANEL**
Section 4	**PANEL**
Section 3	**PANELWINDOWS**
Section 2	**PANEL**
Section 1	**PANEL**
Door panel finish	**Pre-coat Steel panel as noted below**
Shop Painted Colour Outside	**Pre-coat RAL 9002 Grey white**
Panel Colour Inside	**Pre coat RAL 9002 Grey white**
Hardware type	**VL**
Windload Class	**Class 2**
Position of Lock	**LOCK LEFT**
Handle mounted in	**SEC1**
Operator	**CDM9 Single phase 230 volt motor unit**

Customer Info