NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk,
MIDC, Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

NIHVA Sales Quotation

Wani Groups
Pune

Date : 16.02.2021
Quote NO : SQT.20.21.3029
Kind Attn : Abdul Chinchanikar
Email Id : projectsupport@wanigroup.com
Contact No: 8149707826

Project, Location : Ghotawade, Pune

Subject : Quotation for Rolling Shutter, Metal and Fire Doors

Dear Sir,

Thank you for your opportunity and trust shown on "NIHVA" your preferred partner for innovative solutions.
This has reference to your above mentioned requirement, please find below our Solutions.

Sr. No	Description	Pages
A.	Commercial Offer	1
B.	Technical Specification	2
C.	General Conditions	3
D.	Terms & Condtions	3

A) Commercial Offer

Sr No	Description	Size		Qty	Supply Charges in INR		Installation Charges in INR	
		Clear Width (mm)	Clear Height (mm)	(Nos)	Unit Price	Total Amount	Unit Price	Total Amount
1	**Motorized Single Skin Rolling Shutter**	2400	3000	1	81,000	81,000	15,000	15,000
2	**Motorized Single Skin Rolling Shutter**	3000	3600	3	97,000	291,000	15,000	45,000
3	**Motorized Single Skin Rolling Shutter**	3000	5000	3	116,000	348,000	15,000	45,000
4	**Motorized Single Skin Rolling Shutter**	6000	5000	5	189,000	945,000	15,000	75,000
5	**Single Leaf Metal Door**	1200	2400	4	31,875	127,500	10,000	40,000
6	**Single Leaf Metal Door with Grab Bar**	1200	2400	2	41,850	83,700	10,000	20,000
7	**Single Leaf Metal Door**	900	2100	6	43,388	260,328	10,000	60,000
8	**Fire Resistant Door Single Leaf Hinge Type (2 Hour Fire Rated)**	1250	2400	4	47,750	191,000	10,000	40,000
	Total			**28**		**2,327,528**		**340,000**
9	P&F Charges			3%		69,826		
	Total Without Taxes					2,397,354		340,000
	GST Extra @ 18%			18%		431,523.69		61,200
	Total With Taxes					**2,828,878**		**401,200**
10	Transportation Charges					Extra at atcual		
11	Unloading Charges @ Site					In Client Scope		

NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk,
MIDC, Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

B) Technical Specification

Motorized Rolling Shutter

Sr .No.	Specification	GI Motorized Rolling Shutter
1	**Description:**	Motorised Rolling Shutter with GI Slats with thickness of 1 mm.
2	**Mounting Location area**	Inside area / Outside area
3	**Mounting Surface**	Side Brackets: Optional = On Concrete /Steel & Side
4	**Curtain Panel**	The panel made of 1.0mm thick GI.
5	**Curtain panel size**	75mm wide
6	**Curtain Profile**	Curved
7	**Bottom Profile**	M. S. Plate 100 mm x 2.5 mm thick with angle stiffener
8	**Side Guide Profile**	M.S." T" Shaped profile 65 mm -150 mm x 3 mm thick.
9	**Roller Shaft**	M.S. Tubular Pipe with Flange & machined shaft at the ends Pipe Día -100 to 300 mm as per w x h
10	**Side Brackets**	MS Plate 3 mm to 10 mm thick, as per the opening dimension.
11	**Hood Cover**	Made of GI Sheet Thickness 0.9 mm GF mm
12	**Surface finish**	Powder coated
13	**Drive Unit & Mounting Type**	Electric Motor - Indirect Mounting - Sprocket chain arrangement – IP54 Protection

Single Leaf Steel Door

Sr. No	Description	Steel Door
1	Description	General Purpose Steel (HMPS) Doors Single Leaf Hinge Type 0.80mm thick M.S. Sheet cladded 46mm thick shutter infill material as Honeycomb complete with M.S. frame (Single Rebate – 100 x 57mm) made from 1.20mm thick M.S. Sheet & Fixing arrangements. Finish – Paint Finish.
2	Door Size	1200mm (W) x 2400mm (H)
3	Accessories	S.S. Ball Bearing Hinges - 04 nos
		S.S. 'D' Type Handle - 01 Nos
		Dead Lock with Cylinder - 01 Nos
		Mortise Lock With Handle and Cylinder - 01 Nos
		Vision Panel with Non - Fire Rated Glass of Size: 300 x 300mm (6mm Thick Clear Toughened Glass) - 01 Nos
		Heavy Duty Door Closer – Dorma Make TS 68

2 Hrs Fire rated Door

Sr. No	Description	2 Hrs Fire rated Door
1	Description	'Radiant' Fire Resistant Door Single / Double Leaf Hinge Type (2 Hour Fire Rated) 1.20 mm thick G.I Sheet cladded 46mm thick shutter with infill Material Honeycomb complete with G.I. frame (Double Ribet – Frame Profile 143 x 57mm) made from 1.60mm thick G.I. Sheet & Fixing arrangements AS PER BS 476 (PART- 20 &22); IS: 3614 (Part-II) for Integrity, Stability. Paint Finish. (Accessories Exclusive).
2	Door Size	1250mm (W) x 2400mm (H)
3	Accessories	S.S. Ball Bearing Hinges - 04 nos
		Panic Bar Exit Device for Single Leaf Door - 01 Nos
		External Trim bar Panic Latch - 01 Nos
		Vision Panel with Fire Rated Glass of Size: 300 x 300mm (6mm Thick Clear Toughened Glass)
		Heavy Duty Door Closer – Dorma Make TS 68
		Concealed Flush Tower Bolt - 01 Nos

NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk,
MIDC, Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

C) General Conditions

1 Installation will start after receiving of Site Readyness Photographs or written Email communication.

2 We will mobilize the Installation Team in 3 - 4 working days, after reciept of Site Readyness Confirmation

3 For any reason if we need to stop our Installation and demobilize the Team without completing the Work, then extra cost will be applicable for Remobilizing the Team.

4 If Lifting Equipements are in NIHVA Scope, then those will be used for Installation purpose only and not for any other works.

Note: Please find below List which are in Client Scope

Sr. No	Description
1	Secured and fully covered Store area to keep the material
2	Scaffolding/Hydra/Crane/Forklift Etc - Required for Installation at Site
3	Electrical Supply on the site single phase/three phase points at different places.
4	Any civil / masonry/structural work required
5	All structure support required
6	In Case of any changes in the layout as per site requirements after the shipment of material , the additional quantities and the wastage.
7	Conduits, Cables required

D) Terms & Conditions

Price : Ex Works Pune

Delivery : 8 - 9 weeks from the date of receipt of confirmed purchase order, Advance Payment & Drawing approval.

Payment : 80% Advance along with Confirmed Purchase Order & Balance before dispatch.

Validity : Validity of Offer is 15 days from the date of quotation

Warranty : 12 months from the date of supply.

Please feel free to Contact **Mr. Ravindra Kharat on 7410169333** For any further Clarification /Information in this Concern.

With Best Regards
Shailesh Bhoir
8551091333
For NIHVA Technologies Pvt Ltd