Your Needs, Our Solution

Promise To Perfection

JSP GROUP

JSP Roof Infrastructure





Company Profile: JSP ROOFING GROUP is an organization set up by a group of young professionals with focus on developing Industrial world class Products Manufacturer of Self supported roofing system / Trussless Roofing System Trapezoidal Profile, clay tile sheets Turbo Ventilators

Business Profile: JSP Roof Infrastructure Over the year JSP ROOFING GROUP blossomed in to the front ranking manufacturer of top Self Supported Roofing / Trussless Roofing System, Galvalume, Galvenized Profile Clay Tile Roofing Sheet in India. Through our continues performance evaluation and up-gradation we are determined to stay ahead in the competitive world with pioneering spirit, clear vision of future and commitment to excel JSP ROOFING GROUP a long sheet product arm of JSP ROOFING GROUP, was set up at Pune.

The Company, JSP ROOFING, has earned respect and fame in the business of Roofing industry making during more then ten years on the back of visionary directors and highly skilled and dedicated team. JSP ROOFING Plant is fully integrated plant, having various manufacturing facilities of Trapezoidal, clay tile and decking sheets. We also deal in pencil profile, "Z" & "C" purlins, PEB structures, SDSS crews, Poly-carbonate sheets, FRP Sheets, Insulation products, turbine ventilators all types of roofing accessories.

Vision: Want to Color whole world by steel products. We aspire to be the global steel industry benchmark for Value Creation and Corporate Citizenship We aspire to be the most trusted and preferred domestic supplier of value added steel with world class quality of products and services.

Mission: Provide Quality Steel Products to customers by ensuring Customer Satisfaction through Continuous Improvement in Products. JSP ROOFING GROUP recognizes that while honesty and integrity are the essential ingredients of a strong and stable enterprise, profitability provides the main spark for economic activity. Overall, the Company seeks to scale the heights of excellence in all that it does in an atmosphere free from fear, and thereby reaffirms its faith in democratic values.

Our Services: • Self supported roofing system / Trussless Roofing System • Cold House / Industrial Sheds • Marriage Halls • Collage Workshop • Grain Godown • PEB (Pre-Engineering Building) • Parking Shed • Supply & Fixing of Roofing Profile/ Tile Sheets • Structural Consultants Fabrications Industrial Sky Light

JSP GROUP
JSP Roof Infrastructure



Self Supported Roofing System (Trussless Roofing System)

It is a technology initially adapted by American Army, have a widespread demand in India for warehouse, manufacturing units, automobile services station etc. The sheets are produced and install at site without any support like trusses purlin or any other structural members.

Unobstructed 36 meters of clear spans

Our system is a stunning success when it comes to roofing for wider spans. - continuous roof of up to 36 meters at a stretch can be easily and very effectively covered with JSP Roofing Group. The technology derives this essence from it's formation that makes itself supported to sustain external load factors without any steel structure and intermediate columns.

Instant installation of 1000sq. Mtrs. In just 12hrs

Something which none other roof can yet achieve, we work with an incredible fabrication and installation speed of covering over 1000 sq mts. Of area in just 12 hours. This extraordinary operational speed proves to be an excellent application, especially in time bound construction projects where timely implementation holds critical importance.

On-site Panel Fabrication

Our technology enables on-site fabrication of panels, thus ensuring utmost flexibility in work along with superior workmanship and enhanced efficiency.

Features High rigidity:

The rock wool and pair of steel plates are glued together, making it's aggregate rigidity superior to hat of the composite board. Moreover, after the sandwich panel id fixed by connectors and Purlin, it's integral rigidity is improved.

Reasonable fastening method:

The rock wool roof panel adopts a buckle fastening design to avoid water leakage in the seam. This eliminates the need to use additional accessories.

JSP GROUP
JSP Roof Infrastructure



Advantages

- Supported structure without trusses, purlins or ancillary support
- Aesthetically appealing
- Unobstructed 15' to 120' feet of clear spans
- 100% leak proof
- Zero maintenance
- Faster project turn around
- Value for money
- Free from holes, nuts, bolts overlaps
- No bird nuisance
- Instant installations of 10,000 sq feet in just 12 hours .
- On site fabrication installation
- Larger enclosed volumes
- Cooler temperature
- Dedicated after sales support
- Registrant to damage & corrosion

Material Techical Specification

Base Metal	Product / Material	Coating Grade	Color Coating	Yield Strength	Thickness	Coil Width	Effective width	Crest Height
High Grade Steel	Pre-painted Alu-zinc steel sheets Az150. (Galvalume base-An alloy of 55% aluminiums and 43%zinc)	Az150	RMP, Polyster, S.T.M., H.D.P. Coatings	ASTM, A792 D (Yield Strength 350mpa)	0.7-1.5mm BMT (Base Metal Thickness)	914 mm	610 mm	169 mm









Recommended Design For RCC Gutter

Center Gutter




Side Gutter




The slope co-efficient shall vary as per the radius of the panel.

Recommended Design For MS Gutter







The slope co-efficient shall vary as per the radius of the panel.

JSP GROUP
JSP Roof Infrastructure



Installation Process



Coil Loading



Panel Fabrication



Panel Seaming



Installation



Accessories



Turbo Ventilators



Skylights



Hangers



Roof



Kinds of Projects



Ground to Ground Roof



Commercial Building



Trussiess Roofing System



Multiple bays / Different Height Roof





Arch Roof



RCC Wear House



Industrial Sheed



Self Supported Roof

Trapezoidal Roof & Wall Cladding

Technical Specifications

Galvanized Steel

Zinc metallic coating can provide corrosion protection in rural and urban areas. Atmospheric conditions will not rust steel protected by a zinc metalized coating. Therefore, a zinc metalized coating does not distort the shape of the steel nor it will affect it's metallurgical structure. If the product is scratched and the case metal is revealed, zinc sacrifices itself protect the exposed areas until it is consumed entirely.


Pre-Painted Galvanized Zn-Allume (PPGL)	
Thickness (TCT)	0.30mm 0.80mm
Metallic Coating	Z70 to Z-150 higher or lower coating optional
Tensile Strength	250-550mpa
Paint Coating	RMP/SMP/PVCF
Paint Thickness	18-22 Micron on top and 5-8 micron primer on bottom
Thickness Tolerance	As per ISI
Standard Followed	IS 277, ASTM A653 AS 1397 JISG 3312
Combination	55%Al. 43.4% Zn and 1.5 1.6% Si.

Pre-Painted Galvanized steel (PPGI)	
Thickness (TCT)	0.30mm 0.80mm
Metallic Coating	Z100 to Z-250 higher or lower coating optional
Tensile Strength	250-550mpa
Paint Coating	RMP/SMP/PVCF
Paint Thickness	18-22 Micron on top and 5-8 micron primer on bottom
Thickness Tolerance	As per ISI
Standard Followed	IS 277, ASTM A653 AS 1397 JISG 3312

Zn AL Steel

Zinc-aluminium alloy coating gives corrosion resistance and superior heat reflective and superior heat reflectively. Zn-allume steel reflects a high percentage of heat and can withstand in any weather conditions. It as also suited for coastal areas. Bare Zn-allume coating is inorganic and does not contain volatile compounds that can harm the environment.

Micro Structure of Coated Steel



Profile Type










Attractive Colour Colours that Last Long







Pre Engineered steel buildings

A pre-engineered building system is a building structure that consists of pre-engineered, pre-fabricated building components that are combined together and assembled structurally, so that all components work together as one "system". Pre-engineered buildings can be as unique as customers needs A computer-Assisted Design helps create a building for a specific use whether it's a commercial or residential use. They feature a structural steel framework of primary and secondary members (rigid frame, purlins and girts) on to which cladding and roofing components are attached. Suitable thermal insulation can be provided where an environmental conditioning is required. The complete building is engineered to facilitate easy production and faster assembly on site.

Advantage of PEB

- Economical
- Aesthetic Appeal
- Pleasing Completion
- Faster Completion
- Free from Construction Deficiencies
- Strength and Durability
- Seismic Resistance
- Assured Quality
- Modular Expansion
- Environmental Resistance
- Maintenance Free
- Easy Relocation


"Z" & "C" Purlins

Maximum Support Spacing (mm) Total Coating Thickness (mm)			
Types of Span	0.50	0.40	0.45
Roof			
Single Span	1300	800	950
End Span	1400	1100	1200
Internal Span	2050	1550	1750
Walls			
Single Span	1900	1200	1700
End Span	2600	1800	2450
Internal Span	3000	2400	2850
For roofs, the data are based on foot traffic loading			
For walls the data are based on pressures			

"Z" & "C" Purline



Pre-Engineered Buildings Frame Details



JSP GROUP
JSP Roof Infrastructure

ISKCON Nagpur

JAIPRAKASH POWER VENTURES LIMITED

Siddhagiri
DNYANAM • SATYAM • SAMATA

SAHARA INDIA PARIWAR

L&S ENTERPRISE, LLC

PAGARIYA AUTO
A NEW ERA IN TRUSTED SERVICE

Reliance

Pushpam Foods & Beverages Pvt. Ltd.

AUROBINDO

TIRUPATI SMART CITY

CEAT

पावरग्रिड

N. S. ASSOCIATES PVT. LTD

LCEPL

HONOUR
Honour Lab Ltd.

Gowardhan

JAI KISAAN
आप की मुस्कान

adventz
ZUARI AGRO CHEMICALS LTD.

FCI
(Food Corporation of India)

SEABIRD

JM
Johnson Matthey
Inspiring science, enhancing life

JSP GROUP
JSP Roof Infrastructure

Corporate Office : Swami Darshan Appt. Office No. 13, Swarajnagri, Wadgaon Road, Talegaon Dabhade, Tal. Maval, Dist. Pune - 410507.

BRANCH OFFICE :Shri Satguru Steels 293,Gohalpur, Loha Mandi, Raddi chowki, Jabalpur (M. P) 482002

Contact : +91 7722010135, +91 7721015432

Email : sales@jsproofinggroup.com : jsproofinggroup@gmail.com
: jagan@jsproofinggroup.com

Website : www.jsproofinggroup.com