Pioneering for You


wilo

Mather+Platt

A WILO BRAND

MPM

Non Self priming centrifugal monobloc



NIHVA

NIHVA Technologies Pvt. Ltd.

MPM

Non Self priming centrifugal monobloc



Technical Data:
Flow: upto 2300 LPM
Head: upto 78 mts
Power: upto 30 HP
Voltage: 230 V (Single phase)
415 V (3 phase)

Application:
Water transfer in:
- → Bungalows
- → Farm houses
- → Apartments

Material of construction:

Pump:	Cast Iron
Impeller:	Cast Iron / Bronze
Sealing arrangement:	Gland pack/Mech. seal

Standard Features:

- → Dynamically balanced rotating parts to ensure min. vibration, noise free operation & long bearing life
- → Designed for wide Voltage fluctuations



NIHVA
NIHVA Technologies Pvt. Ltd.

Selection Table

Pump Model	kW	H.P.	Pipe Size (mm)		Head (m)																														
			Suct.	Del.	6	10	12	15	17	19	21	24	27	30	32	33	35	38	42	48	50	53	56	59	62	65	68	71	74	78						
MPM 011	0.75	1.0	50	50	290	250	210	130																												
MPM 012	0.75	1.0	32	25				160	145	125	100	60	20																						
MPM 013	0.75	1.0	32	25				135	125	115	105	80	50	10																					
MPM 014	0.75	1.0	40	32				150	135	120	100	50																							
MPM 0155	1.10	1.5	40	40				260	240	225	210	160	100																						
MPM 0156	1.10	1.5	50	50		500	450	320																											
MPM 021	1.50	2.0	50	40				200	190	180	165	140	110	60																					
MPM 022	1.50	2.0	50	40				290	275	260	235	170																							
MPM 023	1.50	2.0	65	50		575	510	410	300																										
MPM 023L	1.50	2.0	80	65	850	700	575																												
MPM 034	2.20	3.0	50	40								245	230	205	190	190	150	100																	
MPM 035	2.20	3.0	50	40						370	340	300	250																						
MPM 036	2.20	3.0	65	50			685	585	520	435	300																								
MPM 036H	2.20	3.0	65	50					525	460	350																								
MPM 037	2.20	3.0	80	65		850	760	600	400																										
MPM 058	3.70	5.0	50	40								475	460	430	410	410	380	340	250																
MPM 059	3.70	5.0	65	50										450	425	425	375	275																	
MPM 0510	3.70	5.0	65	50						680	650	600	525	420	300	300																			
MPM 0511	3.70	5.0	75	65			1100	1050	980	860	790	490																							
MPM 0713	5.50	7.5	50	40															325	270	240	170													
MPM 0714	5.50	7.5	65	50									720	670	605	605	530	440	150																
MPM 0715	5.50	7.5	80	65							990	920	840	750	660	660	400																		
MPM 0716	5.50	7.5	100	75					1320	1200	1120	800																							
MPM 1017	7.50	10.0	50	40																360	350	315	280	240	180										
MPM 1018	7.50	10.0	65	50													800	740	650	465	300														
MPM 1019	7.50	10.0	80	65										1040	970	970	850	660																	
MPM 1020	7.50	10.0	100	75							1465	1350	1200	1020	800	800																			
MPM 1020L	7.50	10.0	100	75					1700	1500	1380	700																							
MPM 1221	9.30	12.5	65	50													870	820	775	660	600	425													
MPM 1222	9.30	12.5	80	65										1110	1060	1060	1000	910	700																
MPM 1223	9.30	12.5	100	75								1620	1520	1360	1200	1200																			
MPM 1223L	9.30	12.5	100	75							1650	1300	600																						
MPM 1524	11.00	15.0	65	50																		830	775	700	600	500	325								
MPM 1525	11.00	15.0	65	50																800	750	660	600	480											
MPM 1526	11.00	15.0	80	65													1180	1140	1000	740	630														
MPM 1527	11.00	15.0	100	75									1700	1600	1520	1520	1350	1000																	
MPM 1527L	11.00	15.0	100	75					2250	2125	2050	1850	1600	1200																					
MPM 2028	15.00	20.0	65	50																			900	840	800	740	650	570	470	300					
MPM 2029	15.00	20.0	80	65																1140	1110	1085	1044	950	720										
MPM 2030	15.00	20.0	100	75											1700	1700	1600	1450	1215	600															
MPM 2531	18.60	25.0	100	75															1700	1500	1420	1240	950												
MPM 3032	22.00	30.0	100	75															1840	1800	1780	1750	1700	1580	1500	1280									
MPM 4033	30.00	40.0	125	100																			2250	2225	2200	2100	1980								

Disharge in LPM

Conversion Table: 1 m = 3.281 ft and 1 m³/hr = 16.67 LPM = 3.67 GPM

NIHVA Technologies Pvt. Ltd.

wilo

Pioneering for You

WILO Mather and Platt Pumps Pvt. Ltd.
Mumbai Pune Road,
Chinchwad, Pune – 411 019.
Maharashtra (India)

T +91 20 27442100
F +91 20 27442111
Service Toll Free: 1800 266 8866

www.matherplatt.com / www.wilo.in
sales@matherplatt.com

www.facebook.com/WiloIndia

Tech. matter subject to change without prior notice

MPM_01072015

NIHVA
NIHVA Technologies Pvt. Ltd.