
Spare part list
RR 350

ALBANY
ASSA ABLOY



2013-05 Index 00

Side frame right	RR350/E
Seitenteil rechts	




ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
I	**Sideframe RH**								
	Sideframe RH complete			D8520024	G	C		1	
							Stck/pc		
							m/H		
1	Bearing bracket RH complete			D8420029		A	Stck/pc	1	
2	Pulley Curtain tension			D4399460		A	Stck/pc	1	x
3	Bracket cover profile			D4604432		A	Stck/pc	max 2	
4	Bottom plate RH			D8120072		A	Stck/pc	1	
5	Photocell transm./rec. with bracket	RH + LH		D8470R0025		A	Stck./pc.	max.1	
	Cable Photocell L=4m	H<=2500		D4907R0024		A	Stck/pc	1	
	Cable Photocell L=6m	H<=4500		D4907R0029		A	Stck/pc	1	
6	Curtain tension complete			D8120071		B	Stck/pc	1	
7	Spring curtain tension			D4610152		A	Stck/pc	1	
8	Deflection spring with pulley			D8120070		A	Stck/pc	1	
9	Pulley curtain tension		1996-05 ►	D5003R0009		A	Stck/pc	3	x
	Belt roller curtain tension		► 1996-05	D4399394		A	Stck/pc	4	
10	Proximity switch with bracket			D8420028		A	Stck/pc	1	
11	Proximity switch			D4801065		A	Stck/pc	1	
12	Cover profile with bellmouth			D8220127	G	C	m	1	
	Cover profile with bellmouth		1996-08 ►	D8220RG223	G	C	m	1	
13	Bellmouth LH			D4399400		A	Stck/pc	1	x
	Bellmouth RH			D4399399		A	Stck/pc	1	x
14	Emergency operation			D8220R0054	G	B	Stck/pc	1	
15	Trailing chain with cable			D8520023	G	B	Stck/pc	1	
	Cable Photocell L=4m	H<=2500		D4907R0024		A	Stck/pc	1	
	Cable Photocell L=6m	H<=4500		D4907R0029		A	Stck/pc	1	
16	Proximity switch with 6m cable, NO	only no control		D4801170		A	Stck/pc	1	
17	Proximity switch with 6m cable, NC	only PLS-G/ACS50/ no control		D4801132		A	Stck/pc	1	
18	Bearing housing			D5103078		A	Stck/pc	1	

Side frame left	RR350/E
Seitenteil links	




ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
II	**Sideframe LH**								
	Sideframe LH complete			D8520026	G	C		1	
				D8520026			Stck/pc		
				D8520026			m/H		
1	Bearing bracket LH complete			D8120077		A	Stck/pc	1	
2	Pulley			D4399460		A	Stck/pc	1	x
3	Bracket cover profile			D4604432		A	Stck/pc	max 2	
4	Bottom plate LH			D8120076		A	Stck/pc	1	
5	Photocell transm./rec. with bracket	RH + LH		D8470R0025		A	Stck./pc.	max.1	
	Cable Photocell L=6m	H+B<=4000		D4907R0029		A	Stck/pc	1	
	Cable Photocell L=8m	H+B<=6000		D4907R0030		A	Stck/pc	1	
	Cable Photocell L=10m	H+B<=8000		D4907R0032		A	Stck/pc	1	
6	Curtain tension complete			D8120071		B	Stck/pc	1	
7	Spring curtain tension			D4610152		A	Stck/pc	1	
8	Deflection spring with pulley			D8120070		A	Stck/pc	1	
9	Pulley curtain tension		1996-05 ►	D5003R0009		A	Stck/pc	3	x
	Belt roller curtain tension		► 1996-05	D4399394		A	Stck/pc	3	x
10	Cover profile with bellmouth			D8220130	G	C	m	1	
	Cover profile with bellmouth		1996-08 ►	D8220RG224	G	C	m	1	
11	Bellmouth LH			D4399400		A	Stck/pc	1	x
	Bellmouth RH			D4399399		A	Stck/pc	1	x
12	Trailing chain with cable			D8520025	G	B	Stck/pc	1	
	Cable Photocell L=6m	H+B<=4000		D4907R0029		A	Stck/pc	1	
	Cable Photocell L=8m	H+B<=6000		D4907R0030		A	Stck/pc	1	
	Cable Photocell L=10m	H+B<=8000		D4907R0032		A	Stck/pc	1	
13	Guide pulley with bracket for counterblalance			D8120073		A	Stck/pc	1	x
14	Counterbalance, Spring with adapter			D8220131	G	B		1	
	for spring d=5mm					B	Stck/pc		
	for spring d=6,5mm					B	Stck/pc		
	for spring d=7,5mm					B	Stck/pc		
15	Bearing housing			D5103078		A	Stck/pc	1	

Toproll with curtain	RR350/E
Wickelwelle mit Torbehang	




ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
III	**Toproll with curtain**								
	Top roll with curtain			D8240069	G	C		1	
		base price					Stck./pc.		
	Barrel	barrel					m/w		
	PVC	blue or red					m²		
	PVC	special colour					m²		
	RollTex-Plus without window	grey,orange,blue					m²		
	Window horizontal						Stck./pc.		
	Window vertikal						Stck./pc.		
	Curtain Top (2 x 0,5) mm without window						m²		
	Curtain Top (2 x 0,5) mm with window						Stck./pc.		
1	Top roll with rope and belt	only for export		D8240070	G	A	m	1	
2	Curtain PVC without top roll	only for export		D8230076	G		m²	1	
	Curtain Top0,5 without window, without top roll	only for export		D8230077	G		m²	1	
	Curtain Top0,5 with window, without top roll	only for export		D8230078	G		m²	1	
	Curtain Rolltex Plus without window, without toproll	only for export		D8230311	G		m²	1	
	Window horizontal						Stck./pc.		
	Window vertikal						Stck./pc.		
3	Flange bearing			D5103077		A	Stck./pc.	2	x
4	Toothed belt disc z=41, B=30, AT10	PLS-G/ACS50		D5101093		A	Stck./pc.	1	
	Toothed belt disc z=36, B=30, AT10	FUS/MPS		D5101092		A	Stck./pc.	1	
5	Pulley		1996-05 ►	D4399435		A	Stck./pc.	1	
	Belt roller		► 1996-05	D5632093		A	Stck./pc.	1	
6	Threaded pin			D5406R0025		A	Stck./pc.	1	
7	Rope 3,2; L=9500	curtain tension	1996-05 ►	D5105R0091		A	Stck./pc.	2	x
	Belt for curtain tension	L=10000	► 1996-05	D5632206		A	Stck./pc.	2	x
8	Belt L=3500mm for counterbalance	L=3500		D5105003		A	Stck./pc.	1	
	Belt roller for counterbalance			D4399299		A	Stck./pc.	1	
9	Windbreaktap (12 pcs)			D8130R0009		A	Satz/set	1	x
	Intermediate plates red			D4399471		A	Stck./pc.	max 20	
	Intermediate plates blue			D4399454		A	Stck./pc.	max 20	

Bottom beam with pre-running saftey beam	RR350/E
Abschlussprofil mit vorl. Lichtschranke	




ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profile with pre-running safety beam**								
	Bottom profile complete			D8550028	G	B	m	1	
1	Bottom profile cut-to-size			D4701183	G	B	m	1	
2	Sliding part complete for RH	RH (*)	See Pos.5/6	D8450RG046	G	B	Stck./pc.	1	
3	Sliding part complete for LH	LH (*)		D8450R0021		B	Stck./pc.	1	
4	Rubber profile			D4421RG013		B	m	1	
	Rubber profile elongated sealing lip			D4421RG014		C	m	1	
5	Transmitter pre-runing photocell with bracket	RH (*)	Just in pair (Transmitter + Receiver)	D8420R0022		A	Stck./pc.	1	
	Safety photocell transmitter - red, without bracket			D4904R0544		A	Stck./pc.	1	
6	Receiver pre-running photocell with bracket	LH (*)		D8420R0023		A	Stck./pc.	1	
	Safety photocell receiver - yellow, without bracket			D4904R0545		A	Stck./pc.	1	
7	Sliding part RH			D4604430		A	Stck./pc.	1	
8	Sliding part LH			D4604431		A	Stck./pc.	1	

(*) A pair of Transmitter/Receiver (Pos.5/6) needed

Bottom beam with saftey edge	RR350/E
Abschlussprofil mit Kontaktleiste	




Bottom beam with saety edge	Rev.: 0	Sheet: 1 of 1

ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
V	**Bottom profile with safety edge**								
	Bottom profile complete			D8550029	G	B	m	1	
1	Bottom profile cut-to-size			D4701183	G	B	m	1	
2	Sliding part RH complete			D8450038	G	B	Stck./pc.	1	
3	Sliding part LH complete			D8450036		B	Stck./pc.	1	
4	Rubber profile with integrated safety edge			D4421RG043	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG044	G	C	m	1	
6	Activator for switch	FUS/MPS		D4603059		A	Stck./pc.	1	
	Activator for switch	PLS-G/GT		D4604452		A	Stck./pc.	1	

Drive unit	RR350/E
Antrieb	





ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VI	**Drive Unit**								
1	Drive unit complete			D8410036	G			1	
		MPS				E	Stck./pc.		
		PLS-G 50+60Hz IP54				D	Stck./pc.		
		FUS,ACS80,IP54				D	Stck./pc.		
		FUS,ACS80 IP65				D	Stck./pc.		
		PLS-GT,ACS50,400V,IP65				D	Stck./pc.		
		PLS-G,50+60Hz IP65				D	Stck./pc.		
		PLS-GT,ACS50 230V IP65				D	Stck./pc.		
	Drive unit IP54	PLS-G,50+60Hz Brake 4902044		D4901192		A	Stck./pc.	1	
	Drive unit IP54	FUS,ACS60/80 Brake 4902044		D4901193		A	Stck./pc.	1	
	Drive unit IP65	FUS,ACS60/80 Brake 4902047		D4901220		A	Stck./pc.	1	
	Drive unit IP65	PLS-GT,ACS50 400V, Brake 4902047		D6601054		A	Stck./pc.	1	
	Drive unit IP65	PLS-G,50+60Hz Brake 4902047		D4901219		E	Stck./pc.	1	
	Drive unit IP65	PLS-GT,ACS50 230V Brake 4902047		D6601055		A	Stck./pc.	1	
2	Tootheld belt AT10, b=20		1996-08 ►	D5102069		A	Stck./pc.	1	
	Tootheld belt AT10, b=25		► 1996-07	D5102042		A	Stck./pc.	1	
3	Tootheld belt disc AT10, b=30, z=35	PLS-G, 50Hz		D5101096		A	Stck./pc.	1	
	Tootheld belt disc AT10, b=30, z=40	FUS/MPS		D5101095		A	Stck./pc.	1	
	Tootheld belt disc AT10, b=30, z=29	PLS-G, 60Hz		D5101094		A	Stck./pc.	1	
4	Motor console			D8110063		A	Stck./pc.	1	
5	Brake 96V DC	for drive 4901149 4901192, 4901193		D4902044		A	Stck./pc.	1	x
	Brake 96V DC	for drive 4901219, 4901220		D4902047		A	Stck./pc.	1	x
	Brake 196V DC	for drive 6601054, 6601055		D6622013		A	Stck./pc.	1	x
6	Microswitch			D4905005		A	Stck./pc.	1	
7	Control cable	PLS-G/GT		D8830023	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	ACS50		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	Control cable	FUS		D8830023	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		

Options	RR350/E
Optionen	





ALBANY
ASSA ABLOY

RR 350 Version 20

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VII	**Options**								
1	Top roll cover			D8260019	G	C	m	1	
2	Motor cover galvanized			D8160R0027		C	Stck./pc.	1	
3	2. emergency lever			D8220125	G	B	Stck./pc.	1	
	Rebuilding kit curtain tension from belt to rope			D8320003		B	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
E	On request
	Wear parts
	x = Standard wear with time/use

