
Spare part list
RP300 USD

ASSA ABLOY



2016-08 Index 00

Side frame right	RP300 USD (Type 2630)
Seitenteil rechts	RP300 USD (Typ 2630)




8220RG391	Rev.: b	Sheet: 7 of 7

ASSA ABLOY

RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalj
I	**Side frame right**								
1	Side frame right incl. photocell without limit switch			D8220RG391	G	B	m	1	
	Side frame right incl. photocell prepared for limit switch			D8220RG391	G	B	m	1	
	Side frame right incl. photocell and Telemechanik limit switch			D8220RG391	G	B	m	1	
	Side frame right incl. photocell and Telemechanik limit switch CAT3/SIL3			D8220RG391	G	B	m	1	
	Side frame right incl. photocell and Schmersal limit switch KAT4/SIL3			D8220RG391	G	B	m	1	
	Side frame right incl. photocell and Allen Bradley limit switch KAT4/SIL3			D8220RG391	G	B	m	1	
2	Frame profile right pre-drilled			D4721RG389	G	B	m	1	
3	Cover profile right	DH ≤ 2000		D4721RG391	G	B	m	1	
	Cover profile bottom right	DH > 2000		D4721RG397	G	B	m	1	
	Cover profile top right	DH > 2000		D4721R0443		B	Stck./pc.	1	
4	Photocell cpl transm./rec. with 2 cables			D8470R0021		A	Stck./pc.	1	
5	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
6	Cable photocell 13,5m 3x0,25			D4907R0035		A	Stck./pc.	1	
7	Bracket photocell			D4521R1682		A	Stck./pc.	1	
8	Cable chain f. pre-run. photocell cpl, L=900mm	DH≤1500		D8520R0004		A	Stck./pc.	1	
	Cable chain f. pre-run. photocell cpl, L=1400mm	1500<DH≤2500		D8520R0005		A	Stck./pc.	1	
	Cable chain f. pre-run. photocell cpl, L=1900mm	DH>2500		D8520R0006		A	Stck./pc.	1	
9	Bracket cable chain			D4521R1683		A	Stck./pc.	1	
10	Bracket Schmersal switch	Schmersal		D4621R0484		A	Stck./pc.	1	
11	Bracket Telemecanique switch	Telemecanique		D4521R1685		A	Stck./pc.	1	
12	Magnet sensor Schmersal	Schmersal		D4905R0222		A	Stck./pc.	1	
13	Cable Schmersal switch 15m + sign	Schmersal		D4907V0019		A	Stck./pc.	1	
14	Switch Telemecanique	Telemecanique		D8810R0067		A	Stck./pc.	1	X
15	Cover for side frame			D4121V0014		A	Stck./pc.	1	X
16	Head plate left, (USD/RH)			D4521V0015		A	Stck./pc.	1	
17	Top plate for deflection pulley			D4521R2534		A	Stck./pc.	1	
18	Bracket for deflection pulley			D4521R2537		A	Stck./pc.	2	
19	Clip			D4121R0320		A	Stck./pc.	max.2	
20	Cable fixation set			D8170R0338		A	Stck./pc.	1	
21	Bell mouth			D4121R0428		A	Stck./pc.	1	X
22	Stiffening			D4521R2533		A	Stck./pc.	4	
23	Balancing weight 1 complete RH	45,1 kg		D8220R0136		A	Stck./pc.	1	
	Balancing weight 2 complete RH	51,6 kg		D8220R0138		A	Stck./pc.	1	
	Balancing weight 3 complete RH	36,3 kg		D8220R0142		A	Stck./pc.	1	
	Balancing weight 4 complete RH	26,0 kg		D8220R0140		A	Stck./pc.	1	
24	Deflection pulley D=100			D5003R0014		A	Stck./pc.	2	X
25	Sliding guide for weight			D4121R0593		A	Stck./pc.	2	
26	Rope da=7mm, yellow, L=9500			D5105R0099		A	Stck./pc.	1	X
27	Cable 3x0,25 10m with 1 M8 plug	pre-run photocell		D4907R0131		A	Stck./pc.	1	
28	Safety switch (Allen Bradley)	Allen Bradley		D4905R0265		A	Stck./pc.	1	
29	Retaining plate for switch (Allen Bradley)			D4621R1881		A	Stck./pc.	1	
30	Cable 15m with 1 connector M12x1 (Allen Bradley)			D4907R0174		A	Stck./pc.	1	

Side frame right	RP300 USD (Type 2630)
Seitenteil rechts	RP300 USD (Typ 2630)




8220RG391	Rev.: b	Sheet: 7 of 7

ASSA ABLOY

RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalj
II	**Side frame left**								
1	Side frame left incl. photocell without limit switch			D8220RG392	G	B	m	1	
	Side frame left incl. photocell prepared for limit switch			D8220RG392	G	B	m	1	
	Side frame left incl. photocell and Telemechanik limit switch			D8220RG392	G	B	m	1	
	Side frame left incl. photocell and Telemechanik limit switch CAT3/SIL3			D8220RG392	G	B	m	1	
	Side frame left incl. photocell and Schmersal limit switch KAT4/SIL3			D8220RG392	G	B	m	1	
	Side frame left incl. photocell and Allen Bradley limit switch KAT4/SIL3			D8220RG392	G	B	m	1	
2	Frame profile le pre-drilled			D4721RG390	G	B	m	1	
3	Cover profile left	DH ≤ 2000		D4721RG392	G	B	m	1	
	Cover profile bottom left	DH > 2000		D4721RG398	G	B	m	1	
	Cover profile top left	DH > 2000		D4721R0444		B	Stck./pc.	1	
4	Photocell cpl transm./rec. with 2 cables			D8470R0021		A	Stck./pc.	1	
5	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
6	Cable photocell 13,5m 3x0,25			D4907R0035		A	Stck./pc.	1	
7	Bracket photocell			D4521R1682		A	Stck./pc.	1	
8	Cable chain f. pre-run. photocell cpl, L=900mm	DH≤1500		D8520R0004		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1400mm	1500<DH≤2500		D8520R0005		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1900mm	DH>2500		D8520R0006		A	Stck./pc.	2	
9	Bracket cable chain			D4521R1683		A	Stck./pc.	2	
10	Bracket Schmersal switch	Schmersal		D4621R0484		A	Stck./pc.	1	
11	Bracket Telemecanique switch	Telemecanique		D4521R1685		A	Stck./pc.	1	
12	Magnet sensor Schmersal	Schmersal		D4905R0222		A	Stck./pc.	1	
13	Cable Schmersal switch 15m + sign	Schmersal		D4907V0019		A	Stck./pc.	1	
14	Switch Telemecanique	Telemecanique		D8810R0067		A	Stck./pc.	1	X
15	Cover for side frame			D4121V0014		A	Stck./pc.	1	X
16	Head plate right, (USD/LH)			D4521V0016		A	Stck./pc.	1	
17	Top plate for deflection pulley			D4521R2534		A	Stck./pc.	1	
18	Bracket for deflection pulley			D4521R2537		A	Stck./pc.	2	
19	Clip			D4121R0320		A	Stck./pc.	max.2	
20	Cable fixation set			D8170R0338		A	Stck./pc.	1	
21	Bell mouth			D4121R0428		A	Stck./pc.	1	X
22	Stiffening			D4521R2533		A	Stck./pc.	4	
23	Balancing weight 1 complete LH	45,1 kg		D8220R0137		A	Stck./pc.	1	
	Balancing weight 2 complete LH	51,6 kg		D8220R0139		A	Stck./pc.	1	
	Balancing weight 3 complete LH	36,3 kg		D8220R0143		A	Stck./pc.	1	
	Balancing weight 4 complete LH	26,0 kg		D8220R0141		A	Stck./pc.	1	
24	Deflection pulley D=100			D5003R0014		A	Stck./pc.	2	X
25	Sliding guide for weight			D4121R0593		A	Stck./pc.	2	
26	Rope da=7mm, yellow, L=9500			D5105R0099		A	Stck./pc.	1	X
27	Cable 3x0,25 10m with 1 M8 plug	pre-run photocell		D4907R0131		A	Stck./pc.	1	
28	Safety switch (Allen Bradley)	Allen Bradley		D4905R0265		A	Stck./pc.	1	
29	Retaining plate for switch (Allen Bradley)			D4621R1881		A	Stck./pc.	1	
30	Cable 15m with 1 connector M12x1 (Allen Bradley)			D4907R0174		A	Stck./pc.	1	

Top roll with curtain	RP300 USD (Type 2630)
Wickelwelle mit Behang	RP300 USD (Typ 2630)




8240RG209	Rev.: a	Sheet: 3 of 3

ASSA ABLOY

RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
III	**Top roll / curtain**								
1	Door blade Rolltex Original			D8230RG524	G			1	
		Base price					Stck./pc.		
	Rolltex Original	Upcharge				C	m²		
	Window horizontal / vertikal	Upcharge				C	Stck./pc.		
2	Top roll alu with bearing	shaft galvanized		D8240RG210	G	C	m	1	
3	Top roll alu with bearing and door blade	shaft galvanized		D8240RG209	G	D	Stck./pc.	1	
4	Flange bearing D 30			D8140R0005		A	Stck./pc.	2	X
5	Windbreaktap (12 pcs)			D8130R0009		A	Stck./pc.	1	X

Bottom beam	RP300 USD (Type2630)
Abschlussprofil	RP300 USD (Typ2630)




8550RG101	Rev.: a	Sheet: 5 of 5

ASSA ABLOY


RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
IV	**Bottom profile**								
1	Bottom beam complete			D8550RG101	G			1	
		Base price					Stck./pc.		
		Upcharge				B	m		
2	Bottom beam pre-drilled			D4721RG396	G	B	m	1	
3	Rubber profile pre-running photocell			D4421RG013	G	B	m	1	
4	Sliding guide RH/LH, pre.-run. Photocell			D4121R0595		A	Stck./pc.	2	X
5	Pre-run. photocell RH+LH, without sliding guide			D8450R0036		A	Stck./pc.	1	
6	Safety photocell transmitter - red	LH		D4904R0544		A	Stck./pc.	1	
7	Safety photocell receiver - yellow	RH		D4904R0545		A	Stck./pc.	1	
8	Bracket for pre-running photocell			D4521R2538		A	Stck./pc.	2	
9	Bracket with magnet cpl	Schmersal		D8450R0008		A	Stck./pc.	max.2	
10	Bracket for magnet			D4621R0485		A	Stck./pc.	max.2	
11	Magnet			D4905R0223		A	Stck./pc.	max.2	
12	Sign Albany ASSA ABLOY 80x40			D6403V0003		A	Stck./pc.	2	
13	Guide piece for magnet	Allen Bradley		D4121R0579		A	Stck./pc.	max.2	
14	Retaining plate for magnet			D4621R1882		A	Stck./pc.	max.2	
15	Magnet			D4905R0266		A	Stck./pc.	max.2	

Drive Unit	RP300 USD (Type2630)
Antrieb	RP300 USD (Typ2630)



(5) in control system




ASSA ABLOY

RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
V	**Drive unit**								
1	Drive unit GfA with MCC encoder	MCC, not UL		D8910R0076		A	Stck./pc.	1	
	UL-drive unit GfA, i=15 with encoder	MCC UL 208-240V		D8910R0104		A	Stck./pc.	1	
	UL-drive unit GfA, i=15 with encoder	MCC UL 460-480V		D8910R0105		A	Stck./pc.	1	
2	Brake GfA	not for UL motor		D6622R0026		A	Stck./pc.	1	X
	Brake GfA for UL motor	for UL motor		D6622R0033		A	Stck./pc.	1	X
3	Torque arm wide GfA			D8110R0109		A	Stck./pc.	1	
4	Emergency crank handle switch	ACS50, MCC		D4905R0228		A	Stck./pc.		
5	E-Connection MCC	MCC		D8903RG145	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
6	Crank GfA with cardan joint			D4521R1281		A	Stck./pc.	1	
7	Limit switch section, 6 switches			D4905018		A	Stck./pc.	1	
8	Cam			D4801240		A	Stck./pc.	6	
9	Encoder MCC with bracket			D8410R0080		B	Stck./pc.	1	

RP300 USD	Options RP300 USD (Type 2630)
RP300 USD	Optionen RP300 USD (Typ 2630)



Pos. 10, 11 nicht gezeichnet
Pos. 10, 11 not drawn

ASSA ABLOY

RP300 USD, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
VI	**Options**								
1	Top roll cover complete			D8260RG085	G	C	m	1	
2	Top roll cover without bracket			D4721RG395	G	C	m	1	
3	Bracket for top roll cover			D4521R0906		A	Stck./pc.	2	
4	Antistatic brush, L=2000			D5006R0013		A	Stck./pc.	max.3	X
5	Strap black, L=3100mm			D4121R0458		A	Stck./pc.	max.4	X
6	Motor cover steel complete RH, USD	RH		D8160R0177		B	Stck./pc.	1	
	Motor cover steel complete LH, USD	LH		D8160R0178		B	Stck./pc.	1	
7	Bracket motor cover LH, (USD/RH)	RH		D4521R1488		A	Stck./pc.	1	
	Bracket motor cover RH, (USD/LH)	LH		D4521R1491		A	Stck./pc.	1	
8	Cover black			D4121R0222		A	Stck./pc.	1	
9	Sign Albany ASSA ABLOY 210x100			D6403V0001		A	Stck./pc.	1	
10	Safety relay SRB301 24 VDC	Schmersal		D4914R0031		A	Stck./pc.	1	
	Safety relay SRB200 24 VDC	Telemecanique		D4914R0024		A	Stck./pc.	1	
	Safety unit Allen Bradley 24V AC/DC	Allen Bradley		D4914R0035		A	Stck./pc.	1	
11	Support column cpl. USD	LH+RH (2.pcs.)		D8220RG393	G				
		l = 2350mm				C	Stck./pc.	1	
		l = 2900mm				C	Stck./pc.	1	
		l = 3450 mm				C	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

