
CLIENT	**:**	**THE PAVALLION**
SITE	**:**	**THE PAVALLION ROOFTOP ENCLOSURE**
LOCATION	**:**	**PUNE, MHARASHTRA**
NO.	**:**	**1754**
DOCUMENT NO.	**:**	**1754-DBR-R00**

R00	18-12-2022	Design report	R.H.B	H.A.B	H.A.B
Rev No.	**Date**	**Description**	**Prepared By**	**Checked By**	**Approved By**

TABLE OF CONTENTS

Sr. No	Contents	Page No.
1	Design Philosophy	3
2	Design Codes and Standards	4
3	Material Specifications Construction	4
4	Load Calculations	5
4.1	Dead Load	5
4.2	Live Load	6
4.3	Wind Load Calculations	7
5	Deflection Check	8
6	Primary Loads and Load Combinations	8
7	Annexure 1 (Staad output)	9



Snap -1 (From staad model)

1. Design Philosophy

This document pertains to structural design of sliding glass door at The Pavilion, Pune, Maharashtra. The overall size of the frame is 7.5 x 2.960 x 5.5m high. The main sliding door frame is of aluminium 6036-T6 material. The wind load is worked out from IS 875 Part III. The various DL and LL acting at different points on frame are transferred to the nearest columns through the grid of beams.

The complete frame is modelled as 3D frame and analysed/designed for worst combination of loads through STAAD.pro. Input and output files are enclosed which are self-explanatory. From the STAAD output, the support reactions for various primary load cases are tabulated and the base plate, shear keys and foundation bolts are designed accordingly. Foundation design shall be done using appropriate load combinations for reactions given in this document.

2. DESIGN CODES AND STANDARDS

Code / Standard	Applicability	Remark
IS800-2007	Design of steel structures	--
IS 875-Part III	For wind load calculation	--

3. MATERIAL SPECIFICATION FOR CONSTRUCTION


Sr.no	Material	Specification	Minimum Strength
1	Aluminium	Aluminium 6063-T6	Fy = 416 N/mm^2

4. LOAD CALCULATIONS

4.1 DEAD LOAD

SELFWEIGHT FACTOR = 1


Dead load for polycarbonate sheet = 4.8 Kg/m^2 i.e. 0.047 kN/m^2



Snap-2 (Dead load applied in staad)

4.2 LIVE LOAD

Live load = 0.45 kN/m^2





Snap-3 (Live load applied in staad)


4.3 WIND LOAD

For wind load calculation, following IS code is referred: - “IS 875 Part III”

DESIGN WIND PRESSURE CALCULATION				
Sr no:	**Description**	**Value**	**Unit**	**Remarks**
1	V_b Basic Wind Speed	39	m/s	As per Apendix A (IS-875 Part 3)
2	K1 (risk coefficient)	1		For Design life span of 50 yrs. As per IS 875 Part III (table-1)
3	K2 (Terrain roughness and height factor)	1		As per IS 875 Part III (table-2), Cat-2, Ht 33M
4	K3 (topography factor)	1		Clause 6.3.3 IS 875 part III
5	K4 (Importance factor for Cyclonic region.)	1		Clause 6.3.4 IS 875 part III
6	K_a (Area Averaging factor)	0.80		As per IS 875 Part III (table-4)
7	K_d (Wind Directionality Factor)	0.9		Clause 7.2.1 IS 875 part III
8	K_c (Combination Factor)	0.9		Clause 7.3.3.13 IS 875 part III
	Vz=	Vb*K1*K2*K3*K4		
	Vz	**39**	**m/s**	
	Pz =	0.91	kN/m2	$Pz = 0.6(Vz)^2$
	Pd1 =	0.59	kN/m2	Pd1=Pz*Ka*Kd*Kc
	or Pd2 =	0.64	kN/m2	Pd2=0.7*Pz
	Hence Use pd =	0.64	kN/m2	Max of Pd1 and Pd2
	Coefficeint for Pressure Case=	0.6		
	Coefficeint for Suction Case=	0.3		
	Span =	1		
	UDL for Pressure case =	0.4	kN/m	
	UDL for Suction case =	0.2	kN/m	







Snap-4 (Live load applied in staad)

5. Deflection check at building top in Z direction

Refer node no. –19 of staad file for all load cases

Max. Deflection in Z dir. = 28.5 mm < H/250 = 7500/250 = 30mm (IS 800-2007 table 6)

.... Hence ok.

6. PRIMARY LOADS & LOAD COMBINATIONS

6.1 PRIMARY LOADS

Load 1 Dead Load (DL)

Load 2 Live Load (LL)

Load 3 Wind Load Pressure (WLP)

Load 4 Wind Load Suction (WLS)

6.2 LOAD COMBINATIONS

Load Combination for strength:-

1.5 DL + 1.5 LL
1.5 DL + 1.5 WLP
1.5 DL + 1.5 WLS

Load Combination for serviceability:-

DL + LL
DL + WLP
DL + WLS
DL + 0.8 WLP
DL + 0.8 WLS

PAGE NO. 1

```
            **************************************************
            *                                                *
            *           STAAD.Pro CONNECT Edition            *
            *           Version  22.02.00.26                 *
            *           Proprietary Program of               *
            *           Bentley Systems, Inc.                *
            *           Date=    DEC 19, 2022                *
            *           Time=    13:30: 6                    *
            *                                                *
            *  Licensed to: only @ ::LAVTeam:: (R)           *
            **************************************************
```

```
     1. STAAD SPACE
INPUT FILE: D:\SALT\1754 PAVILLION\STAAD\1754_PAVALLION_(16-12-2022)[property change].STD
     2. START JOB INFORMATION
     3. ENGINEER DATE 16-DEC-22
     4. END JOB INFORMATION
     5. INPUT WIDTH 79
     6. UNIT METER KN
     7. JOINT COORDINATES
     8. 19 0 0 4.00001; 20 7.50002 5.31801 4.00001; 21 0 2.214 4.00001
     9. 22 1.842 4.82301 4.00001; 23 0.0770002 2.99801 4.00001
    10. 24 0.318001 3.61601 4.00001; 25 0.712001 4.15001 4.00001
    11. 26 1.232 4.56201 4.00001; 27 0 0 3.00001; 28 7.50002 5.31801 3.00001
    12. 29 0 2.214 3.00001; 30 1.842 4.82301 3.00001; 31 0.0770002 2.99801 3.00001
    13. 32 0.318001 3.61601 3.00001; 33 0.712001 4.15001 3.00001
    14. 34 1.232 4.56201 3.00001; 35 0 0 2; 36 7.50002 5.31801 2; 37 0 2.214 2
    15. 38 1.842 4.82301 2; 39 0.0770002 2.99801 2; 40 0.318001 3.61601 2
    16. 41 0.712001 4.15001 2; 42 1.232 4.56201 2; 43 0 0 1; 44 7.50002 5.31801 1
    17. 45 0 2.214 1; 46 1.842 4.82301 1; 47 0.0770002 2.99801 1
    18. 48 0.318001 3.61601 1; 49 0.712001 4.15001 1; 50 1.232 4.56201 1
    19. 59 2.47067 4.87801 4.00001; 60 3.09934 4.93301 4.00001
    20. 61 3.72801 4.98801 4.00001; 62 4.35668 5.04301 4.00001
    21. 63 4.98534 5.09801 4.00001; 64 5.61401 5.15301 4.00001
    22. 65 6.24268 5.20801 4.00001; 66 6.87135 5.26301 4.00001
    23. 67 2.47067 4.87801 3.00001; 68 3.09934 4.93301 3.00001
    24. 69 3.72801 4.98801 3.00001; 70 4.35668 5.04301 3.00001
    25. 71 4.98534 5.09801 3.00001; 72 5.61401 5.15301 3.00001
    26. 73 6.24268 5.20801 3.00001; 74 6.87135 5.26301 3.00001; 75 2.47067 4.87801 2
    27. 76 3.09934 4.93301 2; 77 3.72801 4.98801 2; 78 4.35668 5.04301 2
    28. 79 4.98534 5.09801 2; 80 5.61401 5.15301 2; 81 6.24268 5.20801 2
    29. 82 6.87135 5.26301 2; 83 2.47067 4.87801 1; 84 3.09934 4.93301 1
    30. 85 3.72801 4.98801 1; 86 4.35668 5.04301 1; 87 4.98534 5.09801 1
    31. 88 5.61401 5.15301 1; 89 6.24268 5.20801 1; 90 6.87135 5.26301 1
    32. 99 0 0.553501 4.00001; 100 0 1.107 4.00001; 101 0 1.6605 4.00001
    33. 102 0 0.553501 3.00001; 103 0 1.107 3.00001; 104 0 1.6605 3.00001
    34. 105 0 0.553501 2; 106 0 1.107 2; 107 0 1.6605 2; 108 0 0.553501 1
    35. 109 0 1.107 1; 110 0 1.6605 1; 115 31.0001 0 4.00001; 116 23.5 5.31801 4.00001
    36. 117 31.0001 2.214 4.00001; 118 29.1581 4.82301 4.00001
    37. 119 30.9231 2.99801 4.00001; 120 30.6821 3.61601 4.00001
    38. 121 30.2881 4.15001 4.00001; 122 29.7681 4.56201 4.00001
```

```
39. 123 31.0001 0 3.00001; 124 23.5 5.31801 3.00001; 125 31.0001 2.214 3.00001
40. 126 29.1581 4.82301 3.00001; 127 30.9231 2.99801 3.00001
41. 128 30.6821 3.61601 3.00001; 129 30.2881 4.15001 3.00001
42. 130 29.7681 4.56201 3.00001; 131 31.0001 0 2; 132 23.5 5.31801 2
43. 133 31.0001 2.214 2; 134 29.1581 4.82301 2; 135 30.9231 2.99801 2
44. 136 30.6821 3.61601 2; 137 30.2881 4.15001 2; 138 29.7681 4.56201 2
45. 139 31.0001 0 1; 140 23.5 5.31801 1; 141 31.0001 2.214 1
46. 142 29.1581 4.82301 1; 143 30.9231 2.99801 1; 144 30.6821 3.61601 1
47. 145 30.2881 4.15001 1; 146 29.7681 4.56201 1; 155 28.5294 4.87801 4.00001
48. 156 27.9007 4.93301 4.00001; 157 27.2721 4.98801 4.00001
49. 158 26.6434 5.04301 4.00001; 159 26.0147 5.09801 4.00001
50. 160 25.3861 5.15301 4.00001; 161 24.7574 5.20801 4.00001
51. 162 24.1287 5.26301 4.00001; 163 28.5294 4.87801 3.00001
52. 164 27.9007 4.93301 3.00001; 165 27.2721 4.98801 3.00001
53. 166 26.6434 5.04301 3.00001; 167 26.0147 5.09801 3.00001
54. 168 25.3861 5.15301 3.00001; 169 24.7574 5.20801 3.00001
55. 170 24.1287 5.26301 3.00001; 171 28.5294 4.87801 2; 172 27.9007 4.93301 2
56. 173 27.2721 4.98801 2; 174 26.6434 5.04301 2; 175 26.0147 5.09801 2
57. 176 25.3861 5.15301 2; 177 24.7574 5.20801 2; 178 24.1287 5.26301 2
58. 179 28.5294 4.87801 1; 180 27.9007 4.93301 1; 181 27.2721 4.98801 1
59. 182 26.6434 5.04301 1; 183 26.0147 5.09801 1; 184 25.3861 5.15301 1
60. 185 24.7574 5.20801 1; 186 24.1287 5.26301 1; 195 31.0001 0.553501 4.00001
61. 196 31.0001 1.107 4.00001; 197 31.0001 1.6605 4.00001
62. 198 31.0001 0.553501 3.00001; 199 31.0001 1.107 3.00001
63. 200 31.0001 1.6605 3.00001; 201 31.0001 0.553501 2; 202 31.0001 1.107 2
64. 203 31.0001 1.6605 2; 204 31.0001 0.553501 1; 205 31.0001 1.107 1
65. 206 31.0001 1.6605 1
66. MEMBER INCIDENCES
67. 13 19 99; 14 22 59; 15 21 23; 16 23 24; 17 24 25; 18 25 26; 19 26 22
68. 20 27 102; 21 30 67; 22 29 31; 23 31 32; 24 32 33; 25 33 34; 26 34 30
69. 27 35 105; 28 38 75; 29 37 39; 30 39 40; 31 40 41; 32 41 42; 33 42 38
70. 34 43 108; 35 46 83; 36 45 47; 37 47 48; 38 48 49; 39 49 50; 40 50 46
71. 48 59 60; 49 60 61; 50 61 62; 51 62 63; 52 63 64; 53 64 65; 54 65 66; 55 66 20
72. 56 67 68; 57 68 69; 58 69 70; 59 70 71; 60 71 72; 61 72 73; 62 73 74; 63 74 28
73. 64 75 76; 65 76 77; 66 77 78; 67 78 79; 68 79 80; 69 80 81; 70 81 82; 71 82 36
74. 72 83 84; 73 84 85; 74 85 86; 75 86 87; 76 87 88; 77 88 89; 78 89 90; 79 90 44
75. 88 99 100; 89 100 101; 90 101 21; 91 102 103; 92 103 104; 93 104 29
76. 94 105 106; 95 106 107; 96 107 37; 97 108 109; 98 109 110; 99 110 45
77. 104 45 37; 105 37 29; 106 29 21; 108 46 38; 109 38 30; 110 30 22; 112 47 39
78. 113 39 31; 114 31 23; 116 48 40; 117 40 32; 118 32 24; 120 49 41; 121 41 33
79. 122 33 25; 124 50 42; 125 42 34; 126 34 26; 128 83 75; 129 75 67; 130 67 59
80. 132 84 76; 133 76 68; 134 68 60; 136 85 77; 137 77 69; 138 69 61; 140 86 78
81. 141 78 70; 142 70 62; 144 87 79; 145 79 71; 146 71 63; 148 88 80; 149 80 72
82. 150 72 64; 152 89 81; 153 81 73; 154 73 65; 156 90 82; 157 82 74; 158 74 66
83. 160 108 105; 161 105 102; 162 102 99; 164 109 106; 165 106 103; 166 103 100
84. 168 110 107; 169 107 104; 170 104 101; 171 115 195; 172 118 155; 173 117 119
85. 174 119 120; 175 120 121; 176 121 122; 177 122 118; 178 123 198; 179 126 163
86. 180 125 127; 181 127 128; 182 128 129; 183 129 130; 184 130 126; 185 131 201
87. 186 134 171; 187 133 135; 188 135 136; 189 136 137; 190 137 138; 191 138 134
88. 192 139 204; 193 142 179; 194 141 143; 195 143 144; 196 144 145; 197 145 146
89. 198 146 142; 206 155 156; 207 156 157; 208 157 158; 209 158 159; 210 159 160
90. 211 160 161; 212 161 162; 213 162 116; 214 163 164; 215 164 165; 216 165 166
91. 217 166 167; 218 167 168; 219 168 169; 220 169 170; 221 170 124; 222 171 172
92. 223 172 173; 224 173 174; 225 174 175; 226 175 176; 227 176 177; 228 177 178
93. 229 178 132; 230 179 180; 231 180 181; 232 181 182; 233 182 183; 234 183 184
94. 235 184 185; 236 185 186; 237 186 140; 246 195 196; 247 196 197; 248 197 117
```

```
 95. 249 198 199; 250 199 200; 251 200 125; 252 201 202; 253 202 203; 254 203 133
 96. 255 204 205; 256 205 206; 257 206 141; 262 141 133; 263 133 125; 264 125 117
 97. 266 142 134; 267 134 126; 268 126 118; 270 143 135; 271 135 127; 272 127 119
 98. 274 144 136; 275 136 128; 276 128 120; 278 145 137; 279 137 129; 280 129 121
 99. 282 146 138; 283 138 130; 284 130 122; 286 179 171; 287 171 163; 288 163 155
100. 290 180 172; 291 172 164; 292 164 156; 294 181 173; 295 173 165; 296 165 157
101. 298 182 174; 299 174 166; 300 166 158; 302 183 175; 303 175 167; 304 167 159
102. 306 184 176; 307 176 168; 308 168 160; 310 185 177; 311 177 169; 312 169 161
103. 314 186 178; 315 178 170; 316 170 162; 318 204 201; 319 201 198; 320 198 195
104. 322 205 202; 323 202 199; 324 199 196; 326 206 203; 327 203 200; 328 200 197
105. SUPPORTS
106. 19 20 27 28 35 36 43 44 115 116 123 124 131 132 139 140 PINNED
107. MEMBER RELEASE
108. 104 TO 106 108 TO 110 112 TO 114 116 TO 118 120 TO 122 124 TO 126 128 TO 130 -
109. 132 TO 134 136 TO 138 140 TO 142 144 TO 146 148 TO 150 152 TO 154 -
110. 156 TO 158 160 TO 162 164 TO 166 168 TO 170 262 TO 264 266 TO 268 -
111. 270 TO 272 274 TO 276 278 TO 280 282 TO 284 286 TO 288 290 TO 292 -
112. 294 TO 296 298 TO 300 302 TO 304 306 TO 308 310 TO 312 314 TO 316 -
113. 318 TO 320 322 TO 324 326 TO 328 START MY MZ
114. 104 TO 106 108 TO 110 112 TO 114 116 TO 118 120 TO 122 124 TO 126 128 TO 130 -
115. 132 TO 134 136 TO 138 140 TO 142 144 TO 146 148 TO 150 152 TO 154 -
116. 156 TO 158 160 TO 162 164 TO 166 168 TO 170 262 TO 264 266 TO 268 -
117. 270 TO 272 274 TO 276 278 TO 280 282 TO 284 286 TO 288 290 TO 292 -
118. 294 TO 296 298 TO 300 302 TO 304 306 TO 308 310 TO 312 314 TO 316 -
119. 318 TO 320 322 TO 324 326 TO 328 END MY MZ
120. DEFINE MATERIAL START
121. ISOTROPIC ALUMINUM
122. E 6.89473E+07
123. POISSON 0.33
124. DENSITY 26.6017
125. ALPHA 1.28E-05
126. DAMP 0.03
127. ISOTROPIC STEEL
128. E 1.99947E+08
129. POISSON 0.3
130. DENSITY 76.8191
131. ALPHA 6.5E-06
132. DAMP 0.03
133. TYPE STEEL
134. STRENGTH RY 1.5 RT 1.2
135. END DEFINE MATERIAL
136. CONSTANTS
137. MATERIAL ALUMINUM MEMB 104 TO 106 108 TO 110 112 TO 114 116 TO 118 -
138. 120 TO 122 124 TO 126 128 TO 130 132 TO 134 136 TO 138 140 TO 142 -
139. 144 TO 146 148 TO 150 152 TO 154 156 TO 158 160 TO 162 164 TO 166 -
140. 168 TO 170 262 TO 264 266 TO 268 270 TO 272 274 TO 276 278 TO 280 -
141. 282 TO 284 286 TO 288 290 TO 292 294 TO 296 298 TO 300 302 TO 304 -
142. 306 TO 308 310 TO 312 314 TO 316 318 TO 320 322 TO 324 326 TO 328
143. MATERIAL STEEL MEMB 13 TO 40 48 TO 79 88 TO 99 171 TO 198 206 TO 237 246 TO 257
144. MEMBER PROPERTY APLAPOLLOTUBES
145. 104 TO 106 108 TO 110 112 TO 114 116 TO 118 120 TO 122 124 TO 126 128 TO 130 -
146. 132 TO 134 136 TO 138 140 TO 142 144 TO 146 148 TO 150 152 TO 154 -
147. 156 TO 158 160 TO 162 164 TO 166 168 TO 170 262 TO 264 266 TO 268 -
148. 270 TO 272 274 TO 276 278 TO 280 282 TO 284 286 TO 288 290 TO 292 -
149. 294 TO 296 298 TO 300 302 TO 304 306 TO 308 310 TO 312 314 TO 316 -
150. 318 TO 320 322 TO 324 326 TO 328 TABLE ST 25X25X2.0SHS
```

STAAD SPACE -- PAGE NO. 4

```
151. MEMBER PROPERTY APLAPOLLOTUBES
152. 13 TO 40 48 TO 79 88 TO 99 171 TO 198 206 TO 237 246 TO 256 -
153. 257 TAPERED 0.126 0.008 0.126 0.06 0.004 0.06 0.002
154. LOAD 1 LOADTYPE DEAD  TITLE DL
**WARNING- THIS STRUCTURE IS DISJOINTED. IGNORE IF
          MASTER/SLAVE OR IF UNCONNECTED JOINTS.
155. MEMBER LOAD
156. 13 TO 40 48 TO 79 88 TO 99 171 TO 198 206 TO 237 246 TO 257 UNI GY -0.047
157. SELFWEIGHT Y -1 LIST ALL
158. LOAD 2 LOADTYPE DEAD  TITLE LL
159. MEMBER LOAD
160. 14 16 TO 19 21 23 TO 26 28 30 TO 33 35 37 TO 40 48 TO 79 172 174 TO 177 179 -
161. 181 TO 184 186 188 TO 191 193 195 TO 198 206 TO 237 UNI GY -0.4
162. LOAD 3 LOADTYPE NONE  TITLE WL P
163. MEMBER LOAD
164. 14 TO 19 21 TO 26 28 TO 33 35 TO 40 48 TO 79 172 TO 177 179 TO 184 -
165. 186 TO 191 193 TO 198 206 TO 237 UNI GY -0.4
166. 13 15 TO 18 20 22 TO 25 27 29 TO 32 34 36 TO 39 88 TO 99 UNI GX 0.13
167. 171 173 TO 176 178 180 TO 183 185 187 TO 190 192 194 TO 197 246 TO 256 -
168. 257 UNI GX 0.06
169. LOAD 4 LOADTYPE NONE  TITLE WL S
170. MEMBER LOAD
171. 14 TO 19 21 TO 26 28 TO 33 35 TO 40 48 TO 79 172 TO 177 179 TO 184 -
172. 186 TO 191 193 TO 198 206 TO 237 UNI GY 0.2
173. 13 15 TO 18 20 22 TO 25 27 29 TO 32 34 36 TO 39 88 TO 99 UNI GX 0.77
174. 171 173 TO 176 178 180 TO 183 185 187 TO 190 192 194 TO 197 246 TO 256 -
175. 257 UNI GX -0.15
176. LOAD COMB 101 1.5(DL+LL)
177. 1 1.5 2 1.5
178. LOAD COMB 102 1.5(DL+WLP)
179. 1 1.5 3 1.5
180. LOAD COMB 103 1.5(DL+WLS)
181. 1 1.5 4 1.5
182. LOAD COMB 201 DL + LL
183. 1 1.0 2 1.0
184. LOAD COMB 202 DL+WLP
185. 1 1.0 3 1.0
186. LOAD COMB 203 DL+WLS
187. 4 1.0 1 1.0
188. LOAD COMB 204 DL+0.8WLP
189. 1 1.0 3 0.8
190. LOAD COMB 205 DL+0.8WLS
191. 4 0.8 1 1.0
192. PERFORM ANALYSIS PRINT ALL
```

STAAD SPACE -- PAGE NO. 5

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS 152 NUMBER OF MEMBERS 246
NUMBER OF PLATES 0 NUMBER OF SOLIDS 0
NUMBER OF SURFACES 0 NUMBER OF SUPPORTS 16

Using 64-bit analysis engine.

SOLVER USED IS THE OUT-OF-CORE BASIC SOLVER

ORIGINAL/FINAL BAND-WIDTH= 64/ 6/ 39 DOF
TOTAL PRIMARY LOAD CASES = 4, TOTAL DEGREES OF FREEDOM = 864
TOTAL LOAD COMBINATION CASES = 8 SO FAR.
SIZE OF STIFFNESS MATRIX = 34 DOUBLE KILO-WORDS
REQRD/AVAIL. DISK SPACE = 12.8/ 173480.2 MB

STAAD SPACE -- PAGE NO. 6

LOADING 1 LOADTYPE DEAD TITLE DL

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
13	-0.0470 GY	0.00	0.55				
14	-0.0470 GY	0.00	0.63				
15	-0.0470 GY	0.00	0.79				
16	-0.0470 GY	0.00	0.66				
17	-0.0470 GY	0.00	0.66				
18	-0.0470 GY	0.00	0.66				
19	-0.0470 GY	0.00	0.66				
20	-0.0470 GY	0.00	0.55				
21	-0.0470 GY	0.00	0.63				
22	-0.0470 GY	0.00	0.79				
23	-0.0470 GY	0.00	0.66				
24	-0.0470 GY	0.00	0.66				
25	-0.0470 GY	0.00	0.66				
26	-0.0470 GY	0.00	0.66				
27	-0.0470 GY	0.00	0.55				
28	-0.0470 GY	0.00	0.63				
29	-0.0470 GY	0.00	0.79				
30	-0.0470 GY	0.00	0.66				
31	-0.0470 GY	0.00	0.66				
32	-0.0470 GY	0.00	0.66				
33	-0.0470 GY	0.00	0.66				
34	-0.0470 GY	0.00	0.55				
35	-0.0470 GY	0.00	0.63				
36	-0.0470 GY	0.00	0.79				
37	-0.0470 GY	0.00	0.66				
38	-0.0470 GY	0.00	0.66				
39	-0.0470 GY	0.00	0.66				
40	-0.0470 GY	0.00	0.66				
48	-0.0470 GY	0.00	0.63				
49	-0.0470 GY	0.00	0.63				
50	-0.0470 GY	0.00	0.63				
51	-0.0470 GY	0.00	0.63				
52	-0.0470 GY	0.00	0.63				
53	-0.0470 GY	0.00	0.63				
54	-0.0470 GY	0.00	0.63				
55	-0.0470 GY	0.00	0.63				
56	-0.0470 GY	0.00	0.63				
57	-0.0470 GY	0.00	0.63				
58	-0.0470 GY	0.00	0.63				
59	-0.0470 GY	0.00	0.63				
60	-0.0470 GY	0.00	0.63				
61	-0.0470 GY	0.00	0.63				
62	-0.0470 GY	0.00	0.63				
63	-0.0470 GY	0.00	0.63				
64	-0.0470 GY	0.00	0.63				
65	-0.0470 GY	0.00	0.63				

66	-0.0470 GY	0.00	0.63
67	-0.0470 GY	0.00	0.63
68	-0.0470 GY	0.00	0.63
69	-0.0470 GY	0.00	0.63
70	-0.0470 GY	0.00	0.63
71	-0.0470 GY	0.00	0.63
72	-0.0470 GY	0.00	0.63
73	-0.0470 GY	0.00	0.63
74	-0.0470 GY	0.00	0.63
75	-0.0470 GY	0.00	0.63
76	-0.0470 GY	0.00	0.63
77	-0.0470 GY	0.00	0.63
78	-0.0470 GY	0.00	0.63
79	-0.0470 GY	0.00	0.63
88	-0.0470 GY	0.00	0.55
89	-0.0470 GY	0.00	0.55
90	-0.0470 GY	0.00	0.55
91	-0.0470 GY	0.00	0.55
92	-0.0470 GY	0.00	0.55
93	-0.0470 GY	0.00	0.55
94	-0.0470 GY	0.00	0.55
95	-0.0470 GY	0.00	0.55
96	-0.0470 GY	0.00	0.55
97	-0.0470 GY	0.00	0.55
98	-0.0470 GY	0.00	0.55
99	-0.0470 GY	0.00	0.55
171	-0.0470 GY	0.00	0.55
172	-0.0470 GY	0.00	0.63
173	-0.0470 GY	0.00	0.79
174	-0.0470 GY	0.00	0.66
175	-0.0470 GY	0.00	0.66
176	-0.0470 GY	0.00	0.66
177	-0.0470 GY	0.00	0.66
178	-0.0470 GY	0.00	0.55
179	-0.0470 GY	0.00	0.63
180	-0.0470 GY	0.00	0.79
181	-0.0470 GY	0.00	0.66
182	-0.0470 GY	0.00	0.66
183	-0.0470 GY	0.00	0.66
184	-0.0470 GY	0.00	0.66
185	-0.0470 GY	0.00	0.55
186	-0.0470 GY	0.00	0.63
187	-0.0470 GY	0.00	0.79
188	-0.0470 GY	0.00	0.66
189	-0.0470 GY	0.00	0.66
190	-0.0470 GY	0.00	0.66
191	-0.0470 GY	0.00	0.66
192	-0.0470 GY	0.00	0.55
193	-0.0470 GY	0.00	0.63
194	-0.0470 GY	0.00	0.79
195	-0.0470 GY	0.00	0.66
196	-0.0470 GY	0.00	0.66
197	-0.0470 GY	0.00	0.66
198	-0.0470 GY	0.00	0.66
206	-0.0470 GY	0.00	0.63
207	-0.0470 GY	0.00	0.63

208	-0.0470 GY	0.00	0.63
209	-0.0470 GY	0.00	0.63
210	-0.0470 GY	0.00	0.63
211	-0.0470 GY	0.00	0.63
212	-0.0470 GY	0.00	0.63
213	-0.0470 GY	0.00	0.63
214	-0.0470 GY	0.00	0.63
215	-0.0470 GY	0.00	0.63
216	-0.0470 GY	0.00	0.63
217	-0.0470 GY	0.00	0.63
218	-0.0470 GY	0.00	0.63
219	-0.0470 GY	0.00	0.63
220	-0.0470 GY	0.00	0.63
221	-0.0470 GY	0.00	0.63
222	-0.0470 GY	0.00	0.63
223	-0.0470 GY	0.00	0.63
224	-0.0470 GY	0.00	0.63
225	-0.0470 GY	0.00	0.63
226	-0.0470 GY	0.00	0.63
227	-0.0470 GY	0.00	0.63
228	-0.0470 GY	0.00	0.63
229	-0.0470 GY	0.00	0.63
230	-0.0470 GY	0.00	0.63
231	-0.0470 GY	0.00	0.63
232	-0.0470 GY	0.00	0.63
233	-0.0470 GY	0.00	0.63
234	-0.0470 GY	0.00	0.63
235	-0.0470 GY	0.00	0.63
236	-0.0470 GY	0.00	0.63
237	-0.0470 GY	0.00	0.63
246	-0.0470 GY	0.00	0.55
247	-0.0470 GY	0.00	0.55
248	-0.0470 GY	0.00	0.55
249	-0.0470 GY	0.00	0.55
250	-0.0470 GY	0.00	0.55
251	-0.0470 GY	0.00	0.55
252	-0.0470 GY	0.00	0.55
253	-0.0470 GY	0.00	0.55
254	-0.0470 GY	0.00	0.55
255	-0.0470 GY	0.00	0.55
256	-0.0470 GY	0.00	0.55
257	-0.0470 GY	0.00	0.55

SELFWEIGHT Y -1.000

ACTUAL WEIGHT OF THE STRUCTURE = 9.667 KN

LOADING 2 LOADTYPE DEAD TITLE LL

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2

14	-0.4000	GY	0.00	0.63
16	-0.4000	GY	0.00	0.66
17	-0.4000	GY	0.00	0.66
18	-0.4000	GY	0.00	0.66
19	-0.4000	GY	0.00	0.66
21	-0.4000	GY	0.00	0.63
23	-0.4000	GY	0.00	0.66
24	-0.4000	GY	0.00	0.66
25	-0.4000	GY	0.00	0.66
26	-0.4000	GY	0.00	0.66
28	-0.4000	GY	0.00	0.63
30	-0.4000	GY	0.00	0.66
31	-0.4000	GY	0.00	0.66
32	-0.4000	GY	0.00	0.66
33	-0.4000	GY	0.00	0.66
35	-0.4000	GY	0.00	0.63
37	-0.4000	GY	0.00	0.66
38	-0.4000	GY	0.00	0.66
39	-0.4000	GY	0.00	0.66
40	-0.4000	GY	0.00	0.66
48	-0.4000	GY	0.00	0.63
49	-0.4000	GY	0.00	0.63
50	-0.4000	GY	0.00	0.63
51	-0.4000	GY	0.00	0.63
52	-0.4000	GY	0.00	0.63
53	-0.4000	GY	0.00	0.63
54	-0.4000	GY	0.00	0.63
55	-0.4000	GY	0.00	0.63
56	-0.4000	GY	0.00	0.63
57	-0.4000	GY	0.00	0.63
58	-0.4000	GY	0.00	0.63
59	-0.4000	GY	0.00	0.63
60	-0.4000	GY	0.00	0.63
61	-0.4000	GY	0.00	0.63
62	-0.4000	GY	0.00	0.63
63	-0.4000	GY	0.00	0.63
64	-0.4000	GY	0.00	0.63
65	-0.4000	GY	0.00	0.63
66	-0.4000	GY	0.00	0.63
67	-0.4000	GY	0.00	0.63
68	-0.4000	GY	0.00	0.63
69	-0.4000	GY	0.00	0.63
70	-0.4000	GY	0.00	0.63
71	-0.4000	GY	0.00	0.63
72	-0.4000	GY	0.00	0.63
73	-0.4000	GY	0.00	0.63
74	-0.4000	GY	0.00	0.63
75	-0.4000	GY	0.00	0.63
76	-0.4000	GY	0.00	0.63
77	-0.4000	GY	0.00	0.63
78	-0.4000	GY	0.00	0.63
79	-0.4000	GY	0.00	0.63
172	-0.4000	GY	0.00	0.63
174	-0.4000	GY	0.00	0.66
175	-0.4000	GY	0.00	0.66
176	-0.4000	GY	0.00	0.66

177	-0.4000 GY	0.00	0.66
179	-0.4000 GY	0.00	0.63
181	-0.4000 GY	0.00	0.66
182	-0.4000 GY	0.00	0.66
183	-0.4000 GY	0.00	0.66
184	-0.4000 GY	0.00	0.66
186	-0.4000 GY	0.00	0.63
188	-0.4000 GY	0.00	0.66
189	-0.4000 GY	0.00	0.66
190	-0.4000 GY	0.00	0.66
191	-0.4000 GY	0.00	0.66
193	-0.4000 GY	0.00	0.63
195	-0.4000 GY	0.00	0.66
196	-0.4000 GY	0.00	0.66
197	-0.4000 GY	0.00	0.66
198	-0.4000 GY	0.00	0.66
206	-0.4000 GY	0.00	0.63
207	-0.4000 GY	0.00	0.63
208	-0.4000 GY	0.00	0.63
209	-0.4000 GY	0.00	0.63
210	-0.4000 GY	0.00	0.63
211	-0.4000 GY	0.00	0.63
212	-0.4000 GY	0.00	0.63
213	-0.4000 GY	0.00	0.63
214	-0.4000 GY	0.00	0.63
215	-0.4000 GY	0.00	0.63
216	-0.4000 GY	0.00	0.63
217	-0.4000 GY	0.00	0.63
218	-0.4000 GY	0.00	0.63
219	-0.4000 GY	0.00	0.63
220	-0.4000 GY	0.00	0.63
221	-0.4000 GY	0.00	0.63
222	-0.4000 GY	0.00	0.63
223	-0.4000 GY	0.00	0.63
224	-0.4000 GY	0.00	0.63
225	-0.4000 GY	0.00	0.63
226	-0.4000 GY	0.00	0.63
227	-0.4000 GY	0.00	0.63
228	-0.4000 GY	0.00	0.63
229	-0.4000 GY	0.00	0.63
230	-0.4000 GY	0.00	0.63
231	-0.4000 GY	0.00	0.63
232	-0.4000 GY	0.00	0.63
233	-0.4000 GY	0.00	0.63
234	-0.4000 GY	0.00	0.63
235	-0.4000 GY	0.00	0.63
236	-0.4000 GY	0.00	0.63
237	-0.4000 GY	0.00	0.63

LOADING 3 LOADTYPE NONE TITLE WL P

STAAD SPACE -- PAGE NO. 11

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
14	-0.4000 GY	0.00	0.63				
15	-0.4000 GY	0.00	0.79				
16	-0.4000 GY	0.00	0.66				
17	-0.4000 GY	0.00	0.66				
18	-0.4000 GY	0.00	0.66				
19	-0.4000 GY	0.00	0.66				
21	-0.4000 GY	0.00	0.63				
22	-0.4000 GY	0.00	0.79				
23	-0.4000 GY	0.00	0.66				
24	-0.4000 GY	0.00	0.66				
25	-0.4000 GY	0.00	0.66				
26	-0.4000 GY	0.00	0.66				
28	-0.4000 GY	0.00	0.63				
29	-0.4000 GY	0.00	0.79				
30	-0.4000 GY	0.00	0.66				
31	-0.4000 GY	0.00	0.66				
32	-0.4000 GY	0.00	0.66				
33	-0.4000 GY	0.00	0.66				
35	-0.4000 GY	0.00	0.63				
36	-0.4000 GY	0.00	0.79				
37	-0.4000 GY	0.00	0.66				
38	-0.4000 GY	0.00	0.66				
39	-0.4000 GY	0.00	0.66				
40	-0.4000 GY	0.00	0.66				
48	-0.4000 GY	0.00	0.63				
49	-0.4000 GY	0.00	0.63				
50	-0.4000 GY	0.00	0.63				
51	-0.4000 GY	0.00	0.63				
52	-0.4000 GY	0.00	0.63				
53	-0.4000 GY	0.00	0.63				
54	-0.4000 GY	0.00	0.63				
55	-0.4000 GY	0.00	0.63				
56	-0.4000 GY	0.00	0.63				
57	-0.4000 GY	0.00	0.63				
58	-0.4000 GY	0.00	0.63				
59	-0.4000 GY	0.00	0.63				
60	-0.4000 GY	0.00	0.63				
61	-0.4000 GY	0.00	0.63				
62	-0.4000 GY	0.00	0.63				
63	-0.4000 GY	0.00	0.63				
64	-0.4000 GY	0.00	0.63				
65	-0.4000 GY	0.00	0.63				
66	-0.4000 GY	0.00	0.63				
67	-0.4000 GY	0.00	0.63				
68	-0.4000 GY	0.00	0.63				
69	-0.4000 GY	0.00	0.63				
70	-0.4000 GY	0.00	0.63				
71	-0.4000 GY	0.00	0.63				
72	-0.4000 GY	0.00	0.63				
73	-0.4000 GY	0.00	0.63				

74	-0.4000	GY	0.00	0.63
75	-0.4000	GY	0.00	0.63
76	-0.4000	GY	0.00	0.63
77	-0.4000	GY	0.00	0.63
78	-0.4000	GY	0.00	0.63
79	-0.4000	GY	0.00	0.63
172	-0.4000	GY	0.00	0.63
173	-0.4000	GY	0.00	0.79
174	-0.4000	GY	0.00	0.66
175	-0.4000	GY	0.00	0.66
176	-0.4000	GY	0.00	0.66
177	-0.4000	GY	0.00	0.66
179	-0.4000	GY	0.00	0.63
180	-0.4000	GY	0.00	0.79
181	-0.4000	GY	0.00	0.66
182	-0.4000	GY	0.00	0.66
183	-0.4000	GY	0.00	0.66
184	-0.4000	GY	0.00	0.66
186	-0.4000	GY	0.00	0.63
187	-0.4000	GY	0.00	0.79
188	-0.4000	GY	0.00	0.66
189	-0.4000	GY	0.00	0.66
190	-0.4000	GY	0.00	0.66
191	-0.4000	GY	0.00	0.66
193	-0.4000	GY	0.00	0.63
194	-0.4000	GY	0.00	0.79
195	-0.4000	GY	0.00	0.66
196	-0.4000	GY	0.00	0.66
197	-0.4000	GY	0.00	0.66
198	-0.4000	GY	0.00	0.66
206	-0.4000	GY	0.00	0.63
207	-0.4000	GY	0.00	0.63
208	-0.4000	GY	0.00	0.63
209	-0.4000	GY	0.00	0.63
210	-0.4000	GY	0.00	0.63
211	-0.4000	GY	0.00	0.63
212	-0.4000	GY	0.00	0.63
213	-0.4000	GY	0.00	0.63
214	-0.4000	GY	0.00	0.63
215	-0.4000	GY	0.00	0.63
216	-0.4000	GY	0.00	0.63
217	-0.4000	GY	0.00	0.63
218	-0.4000	GY	0.00	0.63
219	-0.4000	GY	0.00	0.63
220	-0.4000	GY	0.00	0.63
221	-0.4000	GY	0.00	0.63
222	-0.4000	GY	0.00	0.63
223	-0.4000	GY	0.00	0.63
224	-0.4000	GY	0.00	0.63
225	-0.4000	GY	0.00	0.63
226	-0.4000	GY	0.00	0.63
227	-0.4000	GY	0.00	0.63
228	-0.4000	GY	0.00	0.63
229	-0.4000	GY	0.00	0.63
230	-0.4000	GY	0.00	0.63
231	-0.4000	GY	0.00	0.63

232	-0.4000	GY	0.00	0.63
233	-0.4000	GY	0.00	0.63
234	-0.4000	GY	0.00	0.63
235	-0.4000	GY	0.00	0.63
236	-0.4000	GY	0.00	0.63
237	-0.4000	GY	0.00	0.63
13	0.1300	GX	0.00	0.55
15	0.1300	GX	0.00	0.79
16	0.1300	GX	0.00	0.66
17	0.1300	GX	0.00	0.66
18	0.1300	GX	0.00	0.66
20	0.1300	GX	0.00	0.55
22	0.1300	GX	0.00	0.79
23	0.1300	GX	0.00	0.66
24	0.1300	GX	0.00	0.66
25	0.1300	GX	0.00	0.66
27	0.1300	GX	0.00	0.55
29	0.1300	GX	0.00	0.79
30	0.1300	GX	0.00	0.66
31	0.1300	GX	0.00	0.66
32	0.1300	GX	0.00	0.66
34	0.1300	GX	0.00	0.55
36	0.1300	GX	0.00	0.79
37	0.1300	GX	0.00	0.66
38	0.1300	GX	0.00	0.66
39	0.1300	GX	0.00	0.66
88	0.1300	GX	0.00	0.55
89	0.1300	GX	0.00	0.55
90	0.1300	GX	0.00	0.55
91	0.1300	GX	0.00	0.55
92	0.1300	GX	0.00	0.55
93	0.1300	GX	0.00	0.55
94	0.1300	GX	0.00	0.55
95	0.1300	GX	0.00	0.55
96	0.1300	GX	0.00	0.55
97	0.1300	GX	0.00	0.55
98	0.1300	GX	0.00	0.55
99	0.1300	GX	0.00	0.55
171	0.0600	GX	0.00	0.55
173	0.0600	GX	0.00	0.79
174	0.0600	GX	0.00	0.66
175	0.0600	GX	0.00	0.66
176	0.0600	GX	0.00	0.66
178	0.0600	GX	0.00	0.55
180	0.0600	GX	0.00	0.79
181	0.0600	GX	0.00	0.66
182	0.0600	GX	0.00	0.66
183	0.0600	GX	0.00	0.66
185	0.0600	GX	0.00	0.55
187	0.0600	GX	0.00	0.79
188	0.0600	GX	0.00	0.66
189	0.0600	GX	0.00	0.66
190	0.0600	GX	0.00	0.66
192	0.0600	GX	0.00	0.55
194	0.0600	GX	0.00	0.79
195	0.0600	GX	0.00	0.66

196	0.0600	GX	0.00	0.66				
197	0.0600	GX	0.00	0.66				
246	0.0600	GX	0.00	0.55				
247	0.0600	GX	0.00	0.55				
248	0.0600	GX	0.00	0.55				
249	0.0600	GX	0.00	0.55				
250	0.0600	GX	0.00	0.55				
251	0.0600	GX	0.00	0.55				
252	0.0600	GX	0.00	0.55				
253	0.0600	GX	0.00	0.55				
254	0.0600	GX	0.00	0.55				
255	0.0600	GX	0.00	0.55				
256	0.0600	GX	0.00	0.55				
257	0.0600	GX	0.00	0.55				

LOADING 4 LOADTYPE NONE TITLE WL S

MEMBER LOAD - UNIT KN METE

MEMBER	UDL		L1	L2	CON	L	LIN1	LIN2
14	0.2000	GY	0.00	0.63				
15	0.2000	GY	0.00	0.79				
16	0.2000	GY	0.00	0.66				
17	0.2000	GY	0.00	0.66				
18	0.2000	GY	0.00	0.66				
19	0.2000	GY	0.00	0.66				
21	0.2000	GY	0.00	0.63				
22	0.2000	GY	0.00	0.79				
23	0.2000	GY	0.00	0.66				
24	0.2000	GY	0.00	0.66				
25	0.2000	GY	0.00	0.66				
26	0.2000	GY	0.00	0.66				
28	0.2000	GY	0.00	0.63				
29	0.2000	GY	0.00	0.79				
30	0.2000	GY	0.00	0.66				
31	0.2000	GY	0.00	0.66				
32	0.2000	GY	0.00	0.66				
33	0.2000	GY	0.00	0.66				
35	0.2000	GY	0.00	0.63				
36	0.2000	GY	0.00	0.79				
37	0.2000	GY	0.00	0.66				
38	0.2000	GY	0.00	0.66				
39	0.2000	GY	0.00	0.66				
40	0.2000	GY	0.00	0.66				
48	0.2000	GY	0.00	0.63				
49	0.2000	GY	0.00	0.63				
50	0.2000	GY	0.00	0.63				
51	0.2000	GY	0.00	0.63				
52	0.2000	GY	0.00	0.63				
53	0.2000	GY	0.00	0.63				
54	0.2000	GY	0.00	0.63				
55	0.2000	GY	0.00	0.63				

56	0.2000 GY	0.00	0.63
57	0.2000 GY	0.00	0.63
58	0.2000 GY	0.00	0.63
59	0.2000 GY	0.00	0.63
60	0.2000 GY	0.00	0.63
61	0.2000 GY	0.00	0.63
62	0.2000 GY	0.00	0.63
63	0.2000 GY	0.00	0.63
64	0.2000 GY	0.00	0.63
65	0.2000 GY	0.00	0.63
66	0.2000 GY	0.00	0.63
67	0.2000 GY	0.00	0.63
68	0.2000 GY	0.00	0.63
69	0.2000 GY	0.00	0.63
70	0.2000 GY	0.00	0.63
71	0.2000 GY	0.00	0.63
72	0.2000 GY	0.00	0.63
73	0.2000 GY	0.00	0.63
74	0.2000 GY	0.00	0.63
75	0.2000 GY	0.00	0.63
76	0.2000 GY	0.00	0.63
77	0.2000 GY	0.00	0.63
78	0.2000 GY	0.00	0.63
79	0.2000 GY	0.00	0.63
172	0.2000 GY	0.00	0.63
173	0.2000 GY	0.00	0.79
174	0.2000 GY	0.00	0.66
175	0.2000 GY	0.00	0.66
176	0.2000 GY	0.00	0.66
177	0.2000 GY	0.00	0.66
179	0.2000 GY	0.00	0.63
180	0.2000 GY	0.00	0.79
181	0.2000 GY	0.00	0.66
182	0.2000 GY	0.00	0.66
183	0.2000 GY	0.00	0.66
184	0.2000 GY	0.00	0.66
186	0.2000 GY	0.00	0.63
187	0.2000 GY	0.00	0.79
188	0.2000 GY	0.00	0.66
189	0.2000 GY	0.00	0.66
190	0.2000 GY	0.00	0.66
191	0.2000 GY	0.00	0.66
193	0.2000 GY	0.00	0.63
194	0.2000 GY	0.00	0.79
195	0.2000 GY	0.00	0.66
196	0.2000 GY	0.00	0.66
197	0.2000 GY	0.00	0.66
198	0.2000 GY	0.00	0.66
206	0.2000 GY	0.00	0.63
207	0.2000 GY	0.00	0.63
208	0.2000 GY	0.00	0.63
209	0.2000 GY	0.00	0.63
210	0.2000 GY	0.00	0.63
211	0.2000 GY	0.00	0.63
212	0.2000 GY	0.00	0.63
213	0.2000 GY	0.00	0.63

214	0.2000 GY	0.00	0.63
215	0.2000 GY	0.00	0.63
216	0.2000 GY	0.00	0.63
217	0.2000 GY	0.00	0.63
218	0.2000 GY	0.00	0.63
219	0.2000 GY	0.00	0.63
220	0.2000 GY	0.00	0.63
221	0.2000 GY	0.00	0.63
222	0.2000 GY	0.00	0.63
223	0.2000 GY	0.00	0.63
224	0.2000 GY	0.00	0.63
225	0.2000 GY	0.00	0.63
226	0.2000 GY	0.00	0.63
227	0.2000 GY	0.00	0.63
228	0.2000 GY	0.00	0.63
229	0.2000 GY	0.00	0.63
230	0.2000 GY	0.00	0.63
231	0.2000 GY	0.00	0.63
232	0.2000 GY	0.00	0.63
233	0.2000 GY	0.00	0.63
234	0.2000 GY	0.00	0.63
235	0.2000 GY	0.00	0.63
236	0.2000 GY	0.00	0.63
237	0.2000 GY	0.00	0.63
13	0.7700 GX	0.00	0.55
15	0.7700 GX	0.00	0.79
16	0.7700 GX	0.00	0.66
17	0.7700 GX	0.00	0.66
18	0.7700 GX	0.00	0.66
20	0.7700 GX	0.00	0.55
22	0.7700 GX	0.00	0.79
23	0.7700 GX	0.00	0.66
24	0.7700 GX	0.00	0.66
25	0.7700 GX	0.00	0.66
27	0.7700 GX	0.00	0.55
29	0.7700 GX	0.00	0.79
30	0.7700 GX	0.00	0.66
31	0.7700 GX	0.00	0.66
32	0.7700 GX	0.00	0.66
34	0.7700 GX	0.00	0.55
36	0.7700 GX	0.00	0.79
37	0.7700 GX	0.00	0.66
38	0.7700 GX	0.00	0.66
39	0.7700 GX	0.00	0.66
88	0.7700 GX	0.00	0.55
89	0.7700 GX	0.00	0.55
90	0.7700 GX	0.00	0.55
91	0.7700 GX	0.00	0.55
92	0.7700 GX	0.00	0.55
93	0.7700 GX	0.00	0.55
94	0.7700 GX	0.00	0.55
95	0.7700 GX	0.00	0.55
96	0.7700 GX	0.00	0.55
97	0.7700 GX	0.00	0.55
98	0.7700 GX	0.00	0.55
99	0.7700 GX	0.00	0.55

STAAD SPACE -- PAGE NO. 17

171	-0.1500	GX	0.00	0.55
173	-0.1500	GX	0.00	0.79
174	-0.1500	GX	0.00	0.66
175	-0.1500	GX	0.00	0.66
176	-0.1500	GX	0.00	0.66
178	-0.1500	GX	0.00	0.55
180	-0.1500	GX	0.00	0.79
181	-0.1500	GX	0.00	0.66
182	-0.1500	GX	0.00	0.66
183	-0.1500	GX	0.00	0.66
185	-0.1500	GX	0.00	0.55
187	-0.1500	GX	0.00	0.79
188	-0.1500	GX	0.00	0.66
189	-0.1500	GX	0.00	0.66
190	-0.1500	GX	0.00	0.66
192	-0.1500	GX	0.00	0.55
194	-0.1500	GX	0.00	0.79
195	-0.1500	GX	0.00	0.66
196	-0.1500	GX	0.00	0.66
197	-0.1500	GX	0.00	0.66
246	-0.1500	GX	0.00	0.55
247	-0.1500	GX	0.00	0.55
248	-0.1500	GX	0.00	0.55
249	-0.1500	GX	0.00	0.55
250	-0.1500	GX	0.00	0.55
251	-0.1500	GX	0.00	0.55
252	-0.1500	GX	0.00	0.55
253	-0.1500	GX	0.00	0.55
254	-0.1500	GX	0.00	0.55
255	-0.1500	GX	0.00	0.55
256	-0.1500	GX	0.00	0.55
257	-0.1500	GX	0.00	0.55

***WARNING - INSTABILITY AT JOINT 44 DIRECTION = MY
PROBABLE CAUSE SINGULAR-ADDING WEAK SPRING
K-MATRIX DIAG= 1.2257779E+03 L-MATRIX DIAG= -2.7921487E-10 EQN NO 431
***NOTE - VERY WEAK SPRING ADDED FOR STABILITY

NOTE STAAD DETECTS INSTABILITIES AS EXCESSIVE LOSS OF SIGNIFICANT DIGITS
DURING DECOMPOSITION. WHEN A DECOMPOSED DIAGONAL IS LESS THAN THE
BUILT-IN REDUCTION FACTOR TIMES THE ORIGINAL STIFFNESS MATRIX DIAGONAL,
STAAD PRINTS A SINGULARITY NOTICE. THE BUILT-IN REDUCTION FACTOR
IS 1.000E-09

THE ABOVE CONDITIONS COULD ALSO BE CAUSED BY VERY STIFF OR VERY WEAK
ELEMENTS AS WELL AS TRUE SINGULARITIES.

***WARNING - INSTABILITY AT JOINT 140 DIRECTION = MY
PROBABLE CAUSE SINGULAR-ADDING WEAK SPRING
K-MATRIX DIAG= 1.2257205E+03 L-MATRIX DIAG= 7.6283868E-10 EQN NO 863
***NOTE - VERY WEAK SPRING ADDED FOR STABILITY

FOR LOADING - 1
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z

STAAD SPACE -- PAGE NO. 18

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
20	2.04478E-10	-4.68258E-02	0.00000E+00	0.00000E+00	0.00000E+00	4.90633E-03
21	3.66139E-10	-1.01838E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.50161E-04
22	-7.42059E-11	-9.83717E-02	0.00000E+00	0.00000E+00	0.00000E+00	9.88626E-05
23	-7.61409E-10	-1.09988E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.22683E-03
24	2.78473E-09	-1.00775E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.25651E-03
25	-8.47992E-10	-1.00782E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.03285E-03
26	-5.37953E-10	-1.00773E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.38858E-04
27	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
28	2.04478E-10	-4.68258E-02	0.00000E+00	0.00000E+00	0.00000E+00	4.90633E-03
29	3.66139E-10	-1.04153E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.50161E-04
30	-7.42059E-11	-1.00686E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.88626E-05
31	-7.61409E-10	-1.12302E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.22683E-03
32	2.78473E-09	-1.03089E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.25651E-03
33	-8.47992E-10	-1.03097E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.03285E-03
34	-5.37953E-10	-1.03087E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.38858E-04
35	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
36	2.04478E-10	-4.68258E-02	0.00000E+00	0.00000E+00	0.00000E+00	4.90633E-03
37	3.66139E-10	-1.04153E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.50161E-04
38	-7.42059E-11	-1.00686E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.88626E-05
39	-7.61409E-10	-1.12302E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.22683E-03
40	2.78473E-09	-1.03089E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.25651E-03
41	-8.47992E-10	-1.03097E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.03285E-03
42	-5.37953E-10	-1.03087E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.38858E-04
43	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
44	2.04478E-10	-4.68258E-02	0.00000E+00	0.00000E+00	0.00000E+00	4.90633E-03
45	3.66139E-10	-1.01838E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.50161E-04
46	-7.42059E-11	-9.83717E-02	0.00000E+00	0.00000E+00	0.00000E+00	9.88626E-05
47	-7.61409E-10	-1.09988E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.22683E-03
48	2.78473E-09	-1.00775E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.25651E-03
49	-8.47992E-10	-1.00782E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.03285E-03
50	-5.37953E-10	-1.00773E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.38858E-04
59	1.82945E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.36721E-09
60	6.19081E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.78811E-09
61	6.19081E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.78811E-09
62	-1.92981E-10	-9.59653E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.63310E-07
63	4.70341E-11	-9.59653E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.62468E-07
64	2.52933E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
65	1.29172E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
66	2.10937E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.30479E-08
67	1.82945E-10	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.36721E-09
68	6.19081E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.78811E-09
69	6.19081E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.78811E-09
70	-1.92981E-10	-9.82797E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.63310E-07
71	4.70341E-11	-9.82797E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.62468E-07
72	2.52933E-10	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
73	1.29172E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
74	2.10937E-10	-9.82804E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.30479E-08
75	1.82945E-10	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.36721E-09
76	6.19081E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.78811E-09
77	6.19081E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.78811E-09
78	-1.92981E-10	-9.82797E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.63310E-07
79	4.70341E-11	-9.82797E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.62468E-07

STAAD SPACE -- PAGE NO. 19

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
80	2.52933E-10	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
81	1.29172E-11	-9.82805E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
82	2.10937E-10	-9.82804E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.30479E-08
83	1.82945E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.36721E-09
84	6.19081E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.78811E-09
85	6.19081E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.78811E-09
86	-1.92981E-10	-9.59653E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.63310E-07
87	4.70341E-11	-9.59653E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.62468E-07
88	2.52933E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
89	1.29172E-11	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
90	2.10937E-10	-9.59661E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.30479E-08
99	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
100	0.00000E+00	-8.44543E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
101	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
102	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
103	0.00000E+00	-8.67687E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
104	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
105	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
106	0.00000E+00	-8.67687E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
107	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
108	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
109	0.00000E+00	-8.44543E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
110	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
115	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
116	-1.21062E-10	-4.68282E-02	0.00000E+00	0.00000E+00	0.00000E+00	-4.90682E-03
117	-1.48110E-10	-1.01838E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.50158E-04
118	-1.65353E-10	-9.83739E-02	0.00000E+00	0.00000E+00	0.00000E+00	-9.84021E-05
119	1.75127E-09	-1.09988E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.22684E-03
120	6.78979E-10	-1.00775E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.25647E-03
121	6.91699E-10	-1.00783E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.03292E-03
122	-1.28072E-10	-1.00773E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.38813E-04
123	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
124	-1.21062E-10	-4.68282E-02	0.00000E+00	0.00000E+00	0.00000E+00	-4.90682E-03
125	-1.48110E-10	-1.04153E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.50158E-04
126	-1.65353E-10	-1.00688E-01	0.00000E+00	0.00000E+00	0.00000E+00	-9.84021E-05
127	1.75127E-09	-1.12302E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.22684E-03
128	6.78979E-10	-1.03089E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.25647E-03
129	6.91699E-10	-1.03097E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.03292E-03
130	-1.28072E-10	-1.03088E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.38813E-04
131	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
132	-1.21062E-10	-4.68282E-02	0.00000E+00	0.00000E+00	0.00000E+00	-4.90682E-03
133	-1.48110E-10	-1.04153E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.50158E-04
134	-1.65353E-10	-1.00688E-01	0.00000E+00	0.00000E+00	0.00000E+00	-9.84021E-05
135	1.75127E-09	-1.12302E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.22684E-03
136	6.78979E-10	-1.03089E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.25647E-03
137	6.91699E-10	-1.03097E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.03292E-03
138	-1.28072E-10	-1.03088E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.38813E-04
139	0.00000E+00	-4.10701E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
140	-1.21062E-10	-4.68282E-02	0.00000E+00	0.00000E+00	0.00000E+00	-4.90682E-03
141	-1.48110E-10	-1.01838E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.50158E-04
142	-1.65353E-10	-9.83739E-02	0.00000E+00	0.00000E+00	0.00000E+00	-9.84021E-05
143	1.75127E-09	-1.09988E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.22684E-03
144	6.78979E-10	-1.00775E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.25647E-03

STAAD SPACE -- PAGE NO. 20

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
145	6.91699E-10	-1.00783E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.03292E-03
146	-1.28072E-10	-1.00773E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.38813E-04
155	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
156	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
157	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
158	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
159	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
160	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
161	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
162	1.84980E-10	-9.59706E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.39914E-08
163	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
164	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
165	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
166	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
167	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
168	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
169	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
170	1.84980E-10	-9.82850E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.39914E-08
171	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
172	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
173	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
174	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
175	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
176	-1.32325E-10	-9.82775E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
177	-1.09983E-10	-9.82849E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
178	1.84980E-10	-9.82850E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.39914E-08
179	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
180	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
181	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
182	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
183	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.54218E-06
184	-1.32325E-10	-9.59631E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.54218E-06
185	-1.09983E-10	-9.59705E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
186	1.84980E-10	-9.59706E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.39914E-08
195	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
196	0.00000E+00	-8.44543E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
197	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
198	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
199	0.00000E+00	-8.67687E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
200	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
201	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
202	0.00000E+00	-8.67687E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
203	0.00000E+00	-8.67688E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
204	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
205	0.00000E+00	-8.44543E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
206	0.00000E+00	-8.44544E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1
LOADTYPE DEAD TITLE DL

STAAD SPACE -- PAGE NO. 21

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000779E+02
Y = 0.388871102E+01
Z = 0.250000503E+01

TOTAL APPLIED LOAD 1

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -13.93
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 34.82 MY= 0.00 MZ= -215.91

TOTAL REACTION LOAD 1

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 13.93
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -34.82 MY= -0.00 MZ= 215.91

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1)

	MAXIMUMS	AT NODE
X =	2.47215E-01	125
Y =	-6.35064E-01	174
Z =	0.00000E+00	0
RX=	0.00000E+00	0
RY=	0.00000E+00	0
RZ=	-3.13852E-03	124

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.00	-0.04	0.00	0.00	0.00	0.00	
	-0.21	-1.25	0.00	0.00	0.00	-0.00	111000
20	0.00	-0.05	0.00	0.00	0.00	0.00	
	0.21	-0.38	0.00	0.00	0.00	-0.00	111000
27	0.00	-0.04	0.00	0.00	0.00	0.00	
	-0.22	-1.28	0.00	0.00	0.00	0.00	111000
28	0.00	-0.05	0.00	0.00	0.00	0.00	
	0.22	-0.39	0.00	0.00	0.00	-0.00	111000
35	0.00	-0.04	0.00	0.00	0.00	0.00	
	-0.22	-1.28	0.00	0.00	0.00	-0.00	111000
36	0.00	-0.05	0.00	0.00	0.00	0.00	
	0.22	-0.39	0.00	0.00	0.00	-0.00	111000
43	0.00	-0.04	0.00	0.00	0.00	0.00	
	-0.21	-1.25	0.00	0.00	0.00	-0.00	111000

STAAD SPACE -- PAGE NO. 22

44	0.00	-0.05	0.00	0.00	0.00	0.00	
	0.21	-0.38	0.00	0.00	0.00	-0.00	111000
115	0.00	-0.04	0.00	0.00	0.00	0.00	
	0.21	-1.25	0.00	0.00	0.00	0.00	111000
116	-0.00	-0.05	0.00	0.00	0.00	-0.00	
	-0.21	-0.38	0.00	0.00	0.00	0.00	111000
123	0.00	-0.04	0.00	0.00	0.00	0.00	
	0.22	-1.28	0.00	0.00	0.00	-0.00	111000
124	-0.00	-0.05	0.00	0.00	0.00	-0.00	
	-0.22	-0.39	0.00	0.00	0.00	0.00	111000
131	0.00	-0.04	0.00	0.00	0.00	0.00	
	0.22	-1.28	0.00	0.00	0.00	0.00	111000
132	-0.00	-0.05	0.00	0.00	0.00	-0.00	
	-0.22	-0.39	0.00	0.00	0.00	0.00	111000
139	0.00	-0.04	0.00	0.00	0.00	0.00	
	0.21	-1.25	0.00	0.00	0.00	0.00	111000
140	-0.00	-0.05	0.00	0.00	0.00	-0.00	
	-0.21	-0.38	0.00	0.00	0.00	0.00	111000

FOR LOADING - 2
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
20	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
22	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
23	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
24	7.16258E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.38679E-03
25	-2.35908E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78393E-03
26	-2.92027E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
28	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
30	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
31	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
32	7.16258E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.38679E-03
33	-2.35908E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78393E-03
34	-2.92027E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
36	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
38	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
39	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
40	7.16258E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.38679E-03
41	-2.35908E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78393E-03
42	-2.92027E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
44	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
46	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
47	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
48	7.16258E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.38679E-03
49	-2.35908E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78393E-03
50	-2.92027E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
59	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
60	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
61	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
62	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
63	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
64	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
65	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
66	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
67	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
68	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08

STAAD SPACE -- PAGE NO. 23

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
69	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
70	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
71	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
72	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
73	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
74	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
75	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
76	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
77	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
78	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
79	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
80	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
81	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
82	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
83	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
84	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
85	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
86	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
87	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
88	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
89	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
90	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
116	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
118	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
119	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
120	-3.93941E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.38668E-03
121	-1.56817E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.78412E-03
122	8.69755E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
124	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
126	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
127	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
128	-3.93941E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.38668E-03
129	-1.56817E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.78412E-03
130	8.69755E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
132	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
134	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
135	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
136	-3.93941E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.38668E-03
137	-1.56817E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.78412E-03
138	8.69755E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
140	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
142	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
143	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
144	-3.93941E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.38668E-03
145	-1.56817E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.78412E-03
146	8.69755E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
155	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
156	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
157	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
158	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
159	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
160	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
161	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10

STAAD SPACE -- PAGE NO. 24

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
162	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
163	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
164	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
165	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
166	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
167	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
168	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
169	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
170	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
171	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
172	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
173	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
174	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
175	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
176	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
177	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
178	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
179	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
180	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
181	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
182	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
183	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
184	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
185	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
186	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2
LOADTYPE DEAD TITLE LL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000894E+02
Y = 0.474860013E+01
Z = 0.250000503E+01

TOTAL APPLIED LOAD 2

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -26.67
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 66.67 MY= 0.00 MZ= -413.35

TOTAL REACTION LOAD 2

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 26.67
SUMMATION FORCE-Z = 0.00

STAAD SPACE -- PAGE NO. 25

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -66.67 MY= -0.00 MZ= 413.35

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2)

	MAXIMUMS	AT NODE
X =	6.34985E-01	141
Y =	-1.63191E+00	158
Z =	0.00000E+00	0
RX=	0.00000E+00	0
RY=	0.00000E+00	0
RZ=	-8.06601E-03	116

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.56	-2.20	0.00	0.00	0.00	0.00	111000
20	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.56	-1.00	0.00	0.00	0.00	-0.01	111000
27	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.56	-2.20	0.00	0.00	0.00	0.00	111000
28	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.56	-1.00	0.00	0.00	0.00	-0.01	111000
35	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.56	-2.20	0.00	0.00	0.00	-0.00	111000
36	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.56	-1.00	0.00	0.00	0.00	-0.01	111000
43	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.56	-2.20	0.00	0.00	0.00	-0.00	111000
44	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.56	-1.00	0.00	0.00	0.00	-0.01	111000
115	0.00	0.00	0.00	0.00	0.00	0.00	
	0.56	-2.20	0.00	0.00	0.00	0.00	111000
116	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.56	-1.00	0.00	0.00	0.00	0.01	111000
123	0.00	0.00	0.00	0.00	0.00	0.00	
	0.56	-2.20	0.00	0.00	0.00	0.00	111000
124	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.56	-1.00	0.00	0.00	0.00	0.01	111000
131	0.00	0.00	0.00	0.00	0.00	0.00	
	0.56	-2.20	0.00	0.00	0.00	-0.00	111000
132	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.56	-1.00	0.00	0.00	0.00	0.01	111000
139	0.00	0.00	0.00	0.00	0.00	0.00	
	0.56	-2.20	0.00	0.00	0.00	0.00	111000

STAAD SPACE -- PAGE NO. 26

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	3.59776E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.31894E-03
20	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
21	8.71833E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.39404E-03
22	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
23	9.43222E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.05678E-03
24	8.62517E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78484E-03
25	8.62584E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.90601E-03
26	4.31231E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.69608E-04
27	3.59776E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.31894E-03
28	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
29	8.71833E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.39404E-03
30	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
31	9.43222E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.05678E-03
32	8.62517E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78484E-03
33	8.62584E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.90601E-03
34	4.31231E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.69608E-04
35	3.59776E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.31894E-03
36	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
37	8.71833E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.39404E-03
38	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
39	9.43222E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.05678E-03
40	8.62517E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78484E-03
41	8.62584E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.90601E-03
42	4.31231E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.69608E-04
43	3.59776E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.31894E-03
44	-6.94423E-10	-1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32245E-02
45	8.71833E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.39404E-03
46	5.67226E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
47	9.43222E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.05678E-03
48	8.62517E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78484E-03
49	8.62584E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.90601E-03
50	4.31231E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.69608E-04
59	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
60	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
61	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
62	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
63	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
64	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
65	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
66	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
67	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
68	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
69	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
70	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
71	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
72	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
73	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
74	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
75	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
76	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
77	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
78	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
79	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07

STAAD SPACE -- PAGE NO. 27

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
80	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
81	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
82	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
83	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
84	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
85	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
86	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
87	2.20043E-11	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
88	3.11817E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
89	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
90	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
99	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.50436E-08
100	7.19549E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.24166E-08
101	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
102	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.50436E-08
103	7.19549E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.24166E-08
104	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
105	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.50436E-08
106	7.19549E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.24166E-08
107	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
108	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.50436E-08
109	7.19549E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.24166E-08
110	7.19550E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
115	1.66050E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.53182E-03
116	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
117	4.02385E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.65638E-04
118	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
119	4.35334E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.34528E-03
120	3.98084E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.66450E-03
121	3.98116E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.18931E-03
122	1.99031E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.35807E-03
123	1.66050E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.53182E-03
124	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
125	4.02385E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.65638E-04
126	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
127	4.35334E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.34528E-03
128	3.98084E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.66450E-03
129	3.98116E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.18931E-03
130	1.99031E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.35807E-03
131	1.66050E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.53182E-03
132	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
133	4.02385E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.65638E-04
134	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
135	4.35334E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.34528E-03
136	3.98084E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.66450E-03
137	3.98116E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.18931E-03
138	1.99031E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.35807E-03
139	1.66050E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.53182E-03
140	8.16999E-11	-1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.32258E-02
141	4.02385E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.65638E-04
142	-7.33581E-09	-2.58919E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
143	4.35334E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.34528E-03
144	3.98084E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.66450E-03

STAAD SPACE -- PAGE NO. 28

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
145	3.98116E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.18931E-03
146	1.99031E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.35807E-03
155	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
156	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
157	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
158	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
159	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
160	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
161	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
162	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
163	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
164	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
165	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
166	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
167	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
168	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
169	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
170	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
171	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
172	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
173	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
174	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
175	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
176	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
177	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
178	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
179	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
180	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
181	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
182	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
183	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
184	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
185	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
186	7.41646E-10	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
195	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.16800E-08
196	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-5.78739E-09
197	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.10451E-10
198	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.16800E-08
199	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-5.78739E-09
200	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.10451E-10
201	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.16800E-08
202	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-5.78739E-09
203	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.10451E-10
204	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.16800E-08
205	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-5.78739E-09
206	3.32100E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.10451E-10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 3
LOADTYPE NONE TITLE WL P

STAAD SPACE -- PAGE NO. 29

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.987422702E+01
Y = 0.243667117E+01
Z = 0.250000503E+01

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000860E+02
Y = 0.456355049E+01
Z = 0.250000503E+01

TOTAL APPLIED LOAD 3

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 3)
SUMMATION FORCE-X = 3.79
SUMMATION FORCE-Y = -29.19
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 72.97 MY= 9.49 MZ= -461.67

TOTAL REACTION LOAD 3

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 3)
SUMMATION FORCE-X = -3.79
SUMMATION FORCE-Y = 29.19
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -72.97 MY= -9.49 MZ= 461.67

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 3)

	MAXIMUMS	AT NODE
X =	6.88509E-01	117
Y =	-1.69116E+00	182
Z =	0.00000E+00	0
RX=	0.00000E+00	0
RY=	0.00000E+00	0
RZ=	-8.29920E-03	140

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.04	0.00	0.00	0.00	0.00	-0.00	
	-0.34	-2.58	0.00	0.00	0.00	0.00	111000
20	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.95	-0.94	0.00	0.00	0.00	-0.01	111000
27	0.04	0.00	0.00	0.00	0.00	-0.00	
	-0.34	-2.58	0.00	0.00	0.00	0.00	111000
28	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.95	-0.94	0.00	0.00	0.00	-0.01	111000

35	0.04	0.00	0.00	0.00	0.00	-0.00	
	-0.34	-2.58	0.00	0.00	0.00	0.00	111000
36	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.95	-0.94	0.00	0.00	0.00	-0.01	111000
43	0.04	0.00	0.00	0.00	0.00	-0.00	
	-0.34	-2.58	0.00	0.00	0.00	0.00	111000
44	-0.00	-0.13	0.00	0.00	0.00	0.01	
	0.95	-0.94	0.00	0.00	0.00	-0.01	111000
115	0.02	0.00	0.00	0.00	0.00	-0.00	
	0.67	-2.49	0.00	0.00	0.00	0.00	111000
116	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.39	-1.03	0.00	0.00	0.00	0.01	111000
123	0.02	0.00	0.00	0.00	0.00	-0.00	
	0.67	-2.49	0.00	0.00	0.00	0.00	111000
124	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.39	-1.03	0.00	0.00	0.00	0.01	111000
131	0.02	0.00	0.00	0.00	0.00	-0.00	
	0.67	-2.49	0.00	0.00	0.00	0.00	111000
132	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.39	-1.03	0.00	0.00	0.00	0.01	111000
139	0.02	0.00	0.00	0.00	0.00	-0.00	
	0.67	-2.49	0.00	0.00	0.00	0.00	111000
140	0.00	-0.13	0.00	0.00	0.00	-0.01	
	-0.39	-1.03	0.00	0.00	0.00	0.01	111000

FOR LOADING - 4
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
20	3.47211E-10	6.31071E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.61225E-03
21	5.16394E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89620E-02
22	-2.83613E-09	1.29456E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.33238E-04
23	5.58678E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.49803E-02
24	5.10875E-01	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.25875E-03
25	5.10915E-01	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.59196E-03
26	2.55422E-01	1.32692E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.85347E-02
27	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
28	3.47211E-10	6.31071E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.61225E-03
29	5.16394E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89620E-02
30	-2.83613E-09	1.29456E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.33238E-04
31	5.58678E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.49803E-02
32	5.10875E-01	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.25875E-03
33	5.10915E-01	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.59196E-03
34	2.55422E-01	1.32692E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.85347E-02
35	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
36	3.47211E-10	6.31071E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.61225E-03
37	5.16394E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89620E-02
38	-2.83613E-09	1.29456E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.33238E-04
39	5.58678E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.49803E-02
40	5.10875E-01	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.25875E-03
41	5.10915E-01	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.59196E-03
42	2.55422E-01	1.32692E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.85347E-02
43	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
44	3.47211E-10	6.31071E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.61225E-03
45	5.16394E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89620E-02

STAAD SPACE -- PAGE NO. 31

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
47	5.58678E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.49803E-02
48	5.10875E-01	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.25875E-03
49	5.10915E-01	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.59196E-03
50	2.55422E-01	1.32692E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.85347E-02
59	-3.20163E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
60	-7.61663E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.47172E-09
61	-3.95609E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.47172E-09
62	7.91568E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.20552E-07
63	-1.10022E-11	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.18448E-07
64	-1.55909E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-09
65	-7.54577E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
66	-1.13472E-09	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.85197E-08
67	-3.20163E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
68	-7.61663E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.47172E-09
69	-3.95609E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.47172E-09
70	7.91568E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.20552E-07
71	-1.10022E-11	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.18448E-07
72	-1.55909E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-09
73	-7.54577E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
74	-1.13472E-09	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.85197E-08
75	-3.20163E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
76	-7.61663E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.47172E-09
77	-3.95609E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.47172E-09
78	7.91568E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.20552E-07
79	-1.10022E-11	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.18448E-07
80	-1.55909E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-09
81	-7.54577E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
82	-1.13472E-09	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.85197E-08
83	-3.20163E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
84	-7.61663E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.47172E-09
85	-3.95609E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.47172E-09
86	7.91568E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.20552E-07
87	-1.10022E-11	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.18448E-07
88	-1.55909E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-09
89	-7.54577E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
90	-1.13472E-09	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.85197E-08
99	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.48157E-07
100	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.40786E-08
101	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-09
102	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.48157E-07
103	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.40786E-08
104	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-09
105	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.48157E-07
106	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.40786E-08
107	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-09
108	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.48157E-07
109	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.40786E-08
110	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-09
115	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
116	-4.08499E-11	6.31102E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.61291E-03
117	-1.00596E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.87985E-03
118	3.66791E-09	1.29459E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32616E-04
119	-1.08833E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.24956E-03

STAAD SPACE -- PAGE NO. 32

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
120	-9.95211E-02	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.38790E-03
121	-9.95291E-02	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.40502E-03
122	-4.97577E-02	1.32693E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.41239E-03
123	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
124	-4.08499E-11	6.31102E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.61291E-03
125	-1.00596E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.87985E-03
126	3.66791E-09	1.29459E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32616E-04
127	-1.08833E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.24956E-03
128	-9.95211E-02	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.38790E-03
129	-9.95291E-02	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.40502E-03
130	-4.97577E-02	1.32693E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.41239E-03
131	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
132	-4.08499E-11	6.31102E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.61291E-03
133	-1.00596E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.87985E-03
134	3.66791E-09	1.29459E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32616E-04
135	-1.08833E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.24956E-03
136	-9.95211E-02	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.38790E-03
137	-9.95291E-02	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.40502E-03
138	-4.97577E-02	1.32693E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.41239E-03
139	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
140	-4.08499E-11	6.31102E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.61291E-03
141	-1.00596E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.87985E-03
142	3.66791E-09	1.29459E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32616E-04
143	-1.08833E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.24956E-03
144	-9.95211E-02	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.38790E-03
145	-9.95291E-02	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.40502E-03
146	-4.97577E-02	1.32693E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.41239E-03
155	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
156	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
157	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
158	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
159	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
160	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
161	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
162	-3.70823E-10	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.19885E-08
163	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
164	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
165	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
166	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
167	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
168	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
169	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
170	-3.70823E-10	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.19885E-08
171	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
172	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
173	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
174	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
175	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
176	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
177	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
178	-3.70823E-10	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.19885E-08
179	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
180	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06

STAAD SPACE -- PAGE NO. 33

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
181	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
182	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
183	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
184	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
185	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
186	-3.70823E-10	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.19885E-08
195	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.86213E-08
196	-8.30249E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.43106E-08
197	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.20901E-10
198	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.86213E-08
199	-8.30249E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.43106E-08
200	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.20901E-10
201	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.86213E-08
202	-8.30249E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.43106E-08
203	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.20901E-10
204	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.86213E-08
205	-8.30249E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.43106E-08
206	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.20901E-10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 4
LOADTYPE NONE TITLE WL S

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.715880831E+01
Y = 0.243667077E+01
Z = 0.250000503E+01

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000861E+02
Y = 0.456355050E+01
Z = 0.250000503E+01

TOTAL APPLIED LOAD 4

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 4)
SUMMATION FORCE-X = 12.38
SUMMATION FORCE-Y = 14.59
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -36.49 MY= 30.95 MZ= 196.04

TOTAL REACTION LOAD 4

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 4)
SUMMATION FORCE-X = -12.38
SUMMATION FORCE-Y = -14.59
SUMMATION FORCE-Z = 0.00

STAAD SPACE -- PAGE NO. 34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 36.49 MY= -30.95 MZ= -196.04

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 4)

	MAXIMUMS	AT NODE
X =	9.97695E-01	21
Y =	1.61442E+00	85
Z =	0.00000E+00	0
RX=	0.00000E+00	0
RY=	0.00000E+00	0
RZ=	-7.03204E-03	20

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.21	0.00	0.00	0.00	0.00	-0.02	
	1.62	0.89	0.00	0.00	0.00	0.02	111000
20	0.00	0.06	0.00	0.00	0.00	-0.01	
	2.01	0.88	0.00	0.00	0.00	0.01	111000
27	0.21	0.00	0.00	0.00	0.00	-0.02	
	1.62	0.89	0.00	0.00	0.00	0.02	111000
28	0.00	0.06	0.00	0.00	0.00	-0.01	
	2.01	0.88	0.00	0.00	0.00	0.01	111000
35	0.21	0.00	0.00	0.00	0.00	-0.02	
	1.62	0.89	0.00	0.00	0.00	0.02	111000
36	0.00	0.06	0.00	0.00	0.00	-0.01	
	2.01	0.88	0.00	0.00	0.00	0.01	111000
43	0.21	0.00	0.00	0.00	0.00	-0.02	
	1.62	0.89	0.00	0.00	0.00	0.02	111000
44	0.00	0.06	0.00	0.00	0.00	-0.01	
	2.01	0.88	0.00	0.00	0.00	0.01	111000
115	-0.04	0.00	0.00	0.00	0.00	0.00	
	-0.54	1.19	0.00	0.00	0.00	-0.00	111000
116	-0.00	0.06	0.00	0.00	0.00	0.01	
	-0.16	0.57	0.00	0.00	0.00	-0.01	111000
123	-0.04	0.00	0.00	0.00	0.00	0.00	
	-0.54	1.19	0.00	0.00	0.00	-0.00	111000
124	-0.00	0.06	0.00	0.00	0.00	0.01	
	-0.16	0.57	0.00	0.00	0.00	-0.01	111000
131	-0.04	0.00	0.00	0.00	0.00	0.00	
	-0.54	1.19	0.00	0.00	0.00	-0.00	111000
132	-0.00	0.06	0.00	0.00	0.00	0.01	
	-0.16	0.57	0.00	0.00	0.00	-0.01	111000
139	-0.04	0.00	0.00	0.00	0.00	0.00	
	-0.54	1.19	0.00	0.00	0.00	-0.00	111000

```
 LOADING-     1.     2.
 FACTOR -   1.50   1.50

   LOAD COMBINATION NO.   102
   1.5(DL+WLP)

 LOADING-     1.     3.
 FACTOR -   1.50   1.50

   LOAD COMBINATION NO.   103
   1.5(DL+WLS)

 LOADING-     1.     4.
 FACTOR -   1.50   1.50

   LOAD COMBINATION NO.   201
   DL + LL

 LOADING-     1.     2.
 FACTOR -   1.00   1.00

   LOAD COMBINATION NO.   202
   DL+WLP

 LOADING-     1.     3.
 FACTOR -   1.00   1.00

   LOAD COMBINATION NO.   203
   DL+WLS

 LOADING-     4.     1.
 FACTOR -   1.00   1.00

   LOAD COMBINATION NO.   204
   DL+0.8WLP

 LOADING-     1.     3.
 FACTOR -   1.00   0.80

   LOAD COMBINATION NO.   205
   DL+0.8WLS

 LOADING-     4.     1.
 FACTOR -   0.80   1.00


   ************ END OF DATA FROM INTERNAL STORAGE ************


   193. PARAMETER 1
   194. CODE IS800 LSD
   195. FYLD 214000 ALL
   196. CHECK CODE ALL
STEEL DESIGN
```

STAAD SPACE -- PAGE NO. 36

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 13					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.167	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 14					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.268	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 15					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.441	Critical Load Case: 101	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

Member Number: 16					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.430	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 37

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 17					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.386	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 18					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.272	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 19					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.213	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 20					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.166	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 38

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	21				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.270	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	22				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.444	Critical Load Case:	101	Location:	0.79
Critical Condition: Sec. 9.3.2.2					

Member Number:	23				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.433	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	24				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.388	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 39

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 25					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.274	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 26					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.213	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 27					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.166	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 28					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.270	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 40

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	29				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.444	Critical Load Case:	101	Location:	0.79
Critical Condition: Sec. 9.3.2.2					

Member Number:	30				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.433	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	31				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.388	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	32				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.274	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 41

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	33					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.213	Critical Load Case:	103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2						

Member Number:	34					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.167	Critical Load Case:	103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2						

Member Number:	35					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.268	Critical Load Case:	101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2						

Member Number:	36					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.441	Critical Load Case:	101	Location:	0.79	
Critical Condition: Sec. 9.3.2.2						

STAAD SPACE -- PAGE NO. 42

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 37					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.430	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 38					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.386	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 39					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.272	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 40					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.213	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 43

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	48				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.406	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	49				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.495	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	50				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.535	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	51				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.537	Critical Load Case:	101	Location:	0.21
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 44

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	52				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.526	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	53				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.469	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	54				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.363	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	55				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.208	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 45

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	56				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.408	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	57				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.498	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	58				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.538	Critical Load Case:	101	Location:	0.63
Critical Condition: Sec. 9.3.2.2					

Member Number:	59				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.541	Critical Load Case:	101	Location:	0.21
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 46

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 60					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.530	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 61					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.472	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 62					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.365	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 63					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.210	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 47

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 64					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.408	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 65					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 66					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.538	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 67					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.541	Critical Load Case: 101	Location:	0.21	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 48

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number:	68				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.530	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	69				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.472	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	70				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.365	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

Member Number:	71				
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.210	Critical Load Case:	101	Location:	0.00
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 49

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 72					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.406	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 73					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.495	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 74					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.535	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 75					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.537	Critical Load Case: 101	Location:	0.21	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 50

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 76					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.526	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 77					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.469	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 78					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.363	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 79					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.208	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 51

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 88					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.281	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 89					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.345	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 90					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.361	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 9.3.2.2					

Member Number: 91					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.280	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 52

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 92					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.344	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 93					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.359	Critical Load Case: 103	Location:	0.42	
Critical Condition: Sec. 9.3.2.2					

Member Number: 94					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.280	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 95					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.344	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 53

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 96					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.359	Critical Load Case: 103	Location:	0.42	
Critical Condition: Sec. 9.3.2.2					

Member Number: 97					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.281	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 98					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.345	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 99					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.361	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 54

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 104					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 105					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 106					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 108					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 55

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 109					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 110					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 112					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 113					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 56

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 114					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 116					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 117					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 118					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 57

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 120					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 121					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 122					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 124					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 58

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 125					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 8.2.1.2					

Member Number: 126					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 8.2.1.2					

Member Number: 128					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 8.2.1.2					

Member Number: 129					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 59

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 130					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 132					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 133					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 134					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 60

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 136					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 137					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 138					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 140					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 61

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 141					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 142					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 144					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 145					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 62

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 146					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 148					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 149					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 150					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 63

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 152					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 153					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 154					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 156					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 64

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 157					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 158					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 160					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 161					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 65

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 162					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 164					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 165					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 166					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 66

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 168					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 169					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 170					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 171					
Member Section: TAP ERED (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.129	Critical Load Case:	102	Location:	0.55
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 67

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 172					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.282	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 173					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.459	Critical Load Case: 102	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

Member Number: 174					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.447	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 175					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.395	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 68

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 176					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.272	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 177					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 178					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.130	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 179					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.284	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 69

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 180					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.462	Critical Load Case: 102	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

Member Number: 181					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.450	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 182					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.398	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 183					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.273	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 70

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 184					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 185					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.130	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 186					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.284	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 187					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.462	Critical Load Case: 102	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 71

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 188					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.450	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 189					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.398	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 190					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.273	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 191					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 72

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 192					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.129	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 193					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.282	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 194					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.459	Critical Load Case: 102	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

Member Number: 195					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.447	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 73

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 196					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.395	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 197					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.272	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 198					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 206					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.418	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 74

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 207					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.505	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 208					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.543	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 209					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.545	Critical Load Case: 102	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

Member Number: 210					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.532	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 75

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 211					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.473	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 212					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.365	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 213					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.209	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 214					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.420	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 76

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 215					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.508	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 216					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.546	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 217					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.548	Critical Load Case: 102	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

Member Number: 218					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.536	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 77

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 219					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.476	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 220					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.368	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 221					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.210	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 222					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.420	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 78

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)

Member Number: 223					
Member Section: TAP ERED (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.508	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 224					
Member Section: TAP ERED (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.546	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 225					
Member Section: TAP ERED (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.548	Critical Load Case: 102	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

Member Number: 226					
Member Section: TAP ERED (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.536	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 79

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 227					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.476	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 228					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.368	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 229					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.210	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 230					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.418	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 80

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 231					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.505	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 232					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.543	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 233					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.545	Critical Load Case: 102	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

Member Number: 234					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.532	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 81

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 235					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.473	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 236					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.365	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 237					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.209	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 246					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.228	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 82

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 247					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.323	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 248					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.413	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 249					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.229	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 250					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.324	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 83

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 251					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.416	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 252					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.229	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 253					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.324	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 254					
Member Section:	TAP ERED	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.416	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 84

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 255					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.228	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 256					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.323	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 257					
Member Section: TAP ERED	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.413	Critical Load Case: 102	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 262					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.003	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 85

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 263					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 264					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 266					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 267					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 86

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 268					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 270					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 271					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 272					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 87

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 274					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 275					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 276					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 278					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 88

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 279					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 280					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 282					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 283					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 89

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 284					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 286					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 287					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 288					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 90

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 290					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 291					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 292					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 294					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 91

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 295					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 296					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 298					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 299					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 92

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 300					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 302					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 303					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 304					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 93

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 306					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 307					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 308					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 310					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 94

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 311					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 312					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 314					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 315					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 95

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 316					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 318					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 319					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 320					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 96

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 322					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 323					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 324					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 326					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 97

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

|---|
| Member Number: 327 |
| Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.003 Critical Load Case: 101 Location: 0.50 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| Member Number: 328 |
| Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.003 Critical Load Case: 101 Location: 0.50 |
| Critical Condition: Sec. 8.2.1.2 |

197. FINISH

********** END OF THE STAAD.Pro RUN **********

**** DATE= DEC 19,2022 TIME= 13:30:10 ****

STAAD SPACE -- PAGE NO. 98

```
*************************************************************
*   For technical assistance on STAAD.Pro, please visit     *
*   http://www.bentley.com/en/support/                      *
*                                                           *
*   Details about additional assistance from                *
*   Bentley and Partners can be found at program menu       *
*   Help->Technical Support                                 *
*                                                           *
*      Copyright (c) 1997-2017 Bentley Systems, Inc.        *
*                http://www.bentley.com                     *
*************************************************************
```

PAGE NO. 1

```
            **************************************************
            *                                                *
            *           STAAD.Pro CONNECT Edition            *
            *           Version  22.02.00.26                 *
            *           Proprietary Program of               *
            *           Bentley Systems, Inc.                *
            *           Date=    DEC 19, 2022                *
            *           Time=    13:18:51                    *
            *                                                *
            *  Licensed to: only @ ::LAVTeam:: (R)           *
            **************************************************
```

```
     1. STAAD SPACE
INPUT FILE: D:\SALT\1754 PAVILLION\STAAD\1754_PAVALLION_(16-12-2022)[Gable end].STD
     2. START JOB INFORMATION
     3. ENGINEER DATE 16-DEC-22
     4. END JOB INFORMATION
     5. INPUT WIDTH 79
     6. UNIT METER KN
     7. JOINT COORDINATES
     8. 19 0 0 4.00001; 20 7.50002 5.31801 4.00001; 21 0 2.214 4.00001
     9. 22 1.842 4.82301 4.00001; 23 0.0770002 2.99801 4.00001
    10. 24 0.318001 3.61601 4.00001; 25 0.712001 4.15001 4.00001
    11. 26 1.232 4.56201 4.00001; 27 0 0 3.00001; 28 7.50002 5.31801 3.00001
    12. 29 0 2.214 3.00001; 30 1.842 4.82301 3.00001; 31 0.0770002 2.99801 3.00001
    13. 32 0.318001 3.61601 3.00001; 33 0.712001 4.15001 3.00001
    14. 34 1.232 4.56201 3.00001; 59 2.47067 4.87801 4.00001
    15. 60 3.09934 4.93301 4.00001; 61 3.72801 4.98801 4.00001
    16. 62 4.35668 5.04301 4.00001; 63 4.98534 5.09801 4.00001
    17. 64 5.61401 5.15301 4.00001; 65 6.24268 5.20801 4.00001
    18. 66 6.87135 5.26301 4.00001; 67 2.47067 4.87801 3.00001
    19. 68 3.09934 4.93301 3.00001; 69 3.72801 4.98801 3.00001
    20. 70 4.35668 5.04301 3.00001; 71 4.98534 5.09801 3.00001
    21. 72 5.61401 5.15301 3.00001; 73 6.24268 5.20801 3.00001
    22. 74 6.87135 5.26301 3.00001; 99 0 0.553501 4.00001; 100 0 1.107 4.00001
    23. 101 0 1.6605 4.00001; 102 0 0.553501 3.00001; 103 0 1.107 3.00001
    24. 104 0 1.6605 3.00001; 115 31.0001 0 4.00001; 116 23.5 5.31801 4.00001
    25. 117 31.0001 2.214 4.00001; 118 29.1581 4.82301 4.00001
    26. 119 30.9231 2.99801 4.00001; 120 30.6821 3.61601 4.00001
    27. 121 30.2881 4.15001 4.00001; 122 29.7681 4.56201 4.00001
    28. 123 31.0001 0 3.00001; 124 23.5 5.31801 3.00001; 125 31.0001 2.214 3.00001
    29. 126 29.1581 4.82301 3.00001; 127 30.9231 2.99801 3.00001
    30. 128 30.6821 3.61601 3.00001; 129 30.2881 4.15001 3.00001
    31. 130 29.7681 4.56201 3.00001; 155 28.5294 4.87801 4.00001
    32. 156 27.9007 4.93301 4.00001; 157 27.2721 4.98801 4.00001
    33. 158 26.6434 5.04301 4.00001; 159 26.0147 5.09801 4.00001
    34. 160 25.3861 5.15301 4.00001; 161 24.7574 5.20801 4.00001
    35. 162 24.1287 5.26301 4.00001; 163 28.5294 4.87801 3.00001
    36. 164 27.9007 4.93301 3.00001; 165 27.2721 4.98801 3.00001
    37. 166 26.6434 5.04301 3.00001; 167 26.0147 5.09801 3.00001
    38. 168 25.3861 5.15301 3.00001; 169 24.7574 5.20801 3.00001
```

39. 170 24.1287 5.26301 3.00001; 195 31.0001 0.553501 4.00001
40. 196 31.0001 1.107 4.00001; 197 31.0001 1.6605 4.00001
41. 198 31.0001 0.553501 3.00001; 199 31.0001 1.107 3.00001
42. 200 31.0001 1.6605 3.00001; 201 8.09261 5.31801 3.00001
43. 202 8.6852 5.31801 3.00001; 203 9.2778 5.31801 3.00001
44. 204 9.87039 5.31801 3.00001; 205 10.463 5.31801 3.00001
45. 206 11.0556 5.31801 3.00001; 207 11.6482 5.31801 3.00001
46. 208 12.2408 5.31801 3.00001; 209 12.8333 5.31801 3.00001
47. 210 13.4259 5.31801 3.00001; 211 14.0185 5.31801 3.00001
48. 212 14.6111 5.31801 3.00001; 213 15.2037 5.31801 3.00001
49. 214 15.7963 5.31801 3.00001; 215 16.3889 5.31801 3.00001
50. 216 16.9815 5.31801 3.00001; 217 17.5741 5.31801 3.00001
51. 218 18.1667 5.31801 3.00001; 219 18.7593 5.31801 3.00001
52. 220 19.3519 5.31801 3.00001; 221 19.9444 5.31801 3.00001
53. 222 20.537 5.31801 3.00001; 223 21.1296 5.31801 3.00001
54. 224 21.7222 5.31801 3.00001; 225 22.3148 5.31801 3.00001
55. 226 22.9074 5.31801 3.00001; 227 8.09261 5.31801 4.00001
56. 228 8.6852 5.31801 4.00001; 229 9.2778 5.31801 4.00001
57. 230 9.87039 5.31801 4.00001; 231 10.463 5.31801 4.00001
58. 232 11.0556 5.31801 4.00001; 233 11.6482 5.31801 4.00001
59. 234 12.2408 5.31801 4.00001; 235 12.8333 5.31801 4.00001
60. 236 13.4259 5.31801 4.00001; 237 14.0185 5.31801 4.00001
61. 238 14.6111 5.31801 4.00001; 239 15.2037 5.31801 4.00001
62. 240 15.7963 5.31801 4.00001; 241 16.3889 5.31801 4.00001
63. 242 16.9815 5.31801 4.00001; 243 17.5741 5.31801 4.00001
64. 244 18.1667 5.31801 4.00001; 245 18.7593 5.31801 4.00001
65. 246 19.3519 5.31801 4.00001; 247 19.9444 5.31801 4.00001
66. 248 20.537 5.31801 4.00001; 249 21.1296 5.31801 4.00001
67. 250 21.7222 5.31801 4.00001; 251 22.3148 5.31801 4.00001
68. 252 22.9074 5.31801 4.00001; 253 7.50002 -9.08377E-07 4.00001
69. 254 23.5 -9.08377E-07 4.00001; 255 8.09261 -9.08377E-07 4.00001
70. 256 8.6852 -9.08377E-07 4.00001; 257 9.2778 -9.08377E-07 4.00001
71. 258 9.87039 -9.08377E-07 4.00001; 259 10.463 -9.08377E-07 4.00001
72. 260 11.0556 -9.08377E-07 4.00001; 261 11.6482 -9.08377E-07 4.00001
73. 262 12.2408 -9.08377E-07 4.00001; 263 12.8333 -9.08377E-07 4.00001
74. 264 13.4259 -9.08377E-07 4.00001; 265 14.0185 -9.08377E-07 4.00001
75. 266 14.6111 -9.08377E-07 4.00001; 267 15.2037 -9.08377E-07 4.00001
76. 268 15.7963 -9.08377E-07 4.00001; 269 16.3889 -9.08377E-07 4.00001
77. 270 16.9815 -9.08377E-07 4.00001; 271 17.5741 -9.08377E-07 4.00001
78. 272 18.1667 -9.08377E-07 4.00001; 273 18.7593 -9.08377E-07 4.00001
79. 274 19.3519 -9.08377E-07 4.00001; 275 19.9444 -9.08377E-07 4.00001
80. 276 20.537 -9.08377E-07 4.00001; 277 21.1296 -9.08377E-07 4.00001
81. 278 21.7222 -9.08377E-07 4.00001; 279 22.3148 -9.08377E-07 4.00001
82. 280 22.9074 -9.08377E-07 4.00001; 281 7.50002 4.53229 4.00001
83. 282 7.50002 3.74658 4.00001; 283 7.50002 2.96086 4.00001
84. 284 7.50002 2.17515 4.00001; 285 7.50002 1.38943 4.00001
85. 286 7.50002 0.603714 4.00001; 287 23.5 4.53229 4.00001
86. 288 23.5 3.74658 4.00001; 289 23.5 2.96086 4.00001; 290 23.5 2.17515 4.00001
87. 291 23.5 1.38943 4.00001; 292 23.5 0.603714 4.00001
88. 293 8.09261 4.53229 4.00001; 294 8.09261 3.74658 4.00001
89. 295 8.09261 2.96086 4.00001; 296 8.09261 2.17515 4.00001
90. 297 8.09261 1.38943 4.00001; 298 8.09261 0.603714 4.00001
91. 299 8.6852 4.53229 4.00001; 300 8.6852 3.74658 4.00001
92. 301 8.6852 2.96086 4.00001; 302 8.6852 2.17515 4.00001
93. 303 8.6852 1.38943 4.00001; 304 8.6852 0.603714 4.00001
94. 305 9.2778 4.53229 4.00001; 306 9.2778 3.74658 4.00001

95. 307 9.2778 2.96086 4.00001; 308 9.2778 2.17515 4.00001
96. 309 9.2778 1.38943 4.00001; 310 9.2778 0.603714 4.00001
97. 311 9.87039 4.53229 4.00001; 312 9.87039 3.74658 4.00001
98. 313 9.87039 2.96086 4.00001; 314 9.87039 2.17515 4.00001
99. 315 9.87039 1.38943 4.00001; 316 9.87039 0.603714 4.00001
100. 317 10.463 4.53229 4.00001; 318 10.463 3.74658 4.00001
101. 319 10.463 2.96086 4.00001; 320 10.463 2.17515 4.00001
102. 321 10.463 1.38943 4.00001; 322 10.463 0.603714 4.00001
103. 323 11.0556 4.53229 4.00001; 324 11.0556 3.74658 4.00001
104. 325 11.0556 2.96086 4.00001; 326 11.0556 2.17515 4.00001
105. 327 11.0556 1.38943 4.00001; 328 11.0556 0.603714 4.00001
106. 329 11.6482 4.53229 4.00001; 330 11.6482 3.74658 4.00001
107. 331 11.6482 2.96086 4.00001; 332 11.6482 2.17515 4.00001
108. 333 11.6482 1.38943 4.00001; 334 11.6482 0.603714 4.00001
109. 335 12.2408 4.53229 4.00001; 336 12.2408 3.74658 4.00001
110. 337 12.2408 2.96086 4.00001; 338 12.2408 2.17515 4.00001
111. 339 12.2408 1.38943 4.00001; 340 12.2408 0.603714 4.00001
112. 341 12.8333 4.53229 4.00001; 342 12.8333 3.74658 4.00001
113. 343 12.8333 2.96086 4.00001; 344 12.8333 2.17515 4.00001
114. 345 12.8333 1.38943 4.00001; 346 12.8333 0.603714 4.00001
115. 347 13.4259 4.53229 4.00001; 348 13.4259 3.74658 4.00001
116. 349 13.4259 2.96086 4.00001; 350 13.4259 2.17515 4.00001
117. 351 13.4259 1.38943 4.00001; 352 13.4259 0.603714 4.00001
118. 353 14.0185 4.53229 4.00001; 354 14.0185 3.74658 4.00001
119. 355 14.0185 2.96086 4.00001; 356 14.0185 2.17515 4.00001
120. 357 14.0185 1.38943 4.00001; 358 14.0185 0.603714 4.00001
121. 359 14.6111 4.53229 4.00001; 360 14.6111 3.74658 4.00001
122. 361 14.6111 2.96086 4.00001; 362 14.6111 2.17515 4.00001
123. 363 14.6111 1.38943 4.00001; 364 14.6111 0.603714 4.00001
124. 365 15.2037 4.53229 4.00001; 366 15.2037 3.74658 4.00001
125. 367 15.2037 2.96086 4.00001; 368 15.2037 2.17515 4.00001
126. 369 15.2037 1.38943 4.00001; 370 15.2037 0.603714 4.00001
127. 371 15.7963 4.53229 4.00001; 372 15.7963 3.74658 4.00001
128. 373 15.7963 2.96086 4.00001; 374 15.7963 2.17515 4.00001
129. 375 15.7963 1.38943 4.00001; 376 15.7963 0.603714 4.00001
130. 377 16.3889 4.53229 4.00001; 378 16.3889 3.74658 4.00001
131. 379 16.3889 2.96086 4.00001; 380 16.3889 2.17515 4.00001
132. 381 16.3889 1.38943 4.00001; 382 16.3889 0.603714 4.00001
133. 383 16.9815 4.53229 4.00001; 384 16.9815 3.74658 4.00001
134. 385 16.9815 2.96086 4.00001; 386 16.9815 2.17515 4.00001
135. 387 16.9815 1.38943 4.00001; 388 16.9815 0.603714 4.00001
136. 389 17.5741 4.53229 4.00001; 390 17.5741 3.74658 4.00001
137. 391 17.5741 2.96086 4.00001; 392 17.5741 2.17515 4.00001
138. 393 17.5741 1.38943 4.00001; 394 17.5741 0.603714 4.00001
139. 395 18.1667 4.53229 4.00001; 396 18.1667 3.74658 4.00001
140. 397 18.1667 2.96086 4.00001; 398 18.1667 2.17515 4.00001
141. 399 18.1667 1.38943 4.00001; 400 18.1667 0.603714 4.00001
142. 401 18.7593 4.53229 4.00001; 402 18.7593 3.74658 4.00001
143. 403 18.7593 2.96086 4.00001; 404 18.7593 2.17515 4.00001
144. 405 18.7593 1.38943 4.00001; 406 18.7593 0.603714 4.00001
145. 407 19.3519 4.53229 4.00001; 408 19.3519 3.74658 4.00001
146. 409 19.3519 2.96086 4.00001; 410 19.3519 2.17515 4.00001
147. 411 19.3519 1.38943 4.00001; 412 19.3519 0.603714 4.00001
148. 413 19.9444 4.53229 4.00001; 414 19.9444 3.74658 4.00001
149. 415 19.9444 2.96086 4.00001; 416 19.9444 2.17515 4.00001
150. 417 19.9444 1.38943 4.00001; 418 19.9444 0.603714 4.00001

151. 419 20.537 4.53229 4.00001; 420 20.537 3.74658 4.00001
152. 421 20.537 2.96086 4.00001; 422 20.537 2.17515 4.00001
153. 423 20.537 1.38943 4.00001; 424 20.537 0.603714 4.00001
154. 425 21.1296 4.53229 4.00001; 426 21.1296 3.74658 4.00001
155. 427 21.1296 2.96086 4.00001; 428 21.1296 2.17515 4.00001
156. 429 21.1296 1.38943 4.00001; 430 21.1296 0.603714 4.00001
157. 431 21.7222 4.53229 4.00001; 432 21.7222 3.74658 4.00001
158. 433 21.7222 2.96086 4.00001; 434 21.7222 2.17515 4.00001
159. 435 21.7222 1.38943 4.00001; 436 21.7222 0.603714 4.00001
160. 437 22.3148 4.53229 4.00001; 438 22.3148 3.74658 4.00001
161. 439 22.3148 2.96086 4.00001; 440 22.3148 2.17515 4.00001
162. 441 22.3148 1.38943 4.00001; 442 22.3148 0.603714 4.00001
163. 443 22.9074 4.53229 4.00001; 444 22.9074 3.74658 4.00001
164. 445 22.9074 2.96086 4.00001; 446 22.9074 2.17515 4.00001
165. 447 22.9074 1.38943 4.00001; 448 22.9074 0.603714 4.00001
166. 471 1.842 -2.23097E-07 4.00001; 472 0.712001 -8.62351E-08 4.00001
167. 473 1.232 -1.49216E-07 4.00001; 474 2.47067 -2.99239E-07 4.00001
168. 475 3.09934 -3.75381E-07 4.00001; 476 3.72801 -4.51524E-07 4.00001
169. 477 4.35668 -5.27666E-07 4.00001; 478 4.98534 -6.03807E-07 4.00001
170. 479 5.61401 -6.7995E-07 4.00001; 480 6.24268 -7.56092E-07 4.00001
171. 481 6.87135 -8.32234E-07 4.00001; 482 29.1581 -2.23094E-07 4.00001
172. 483 30.2881 -8.62339E-08 4.00001; 484 29.7681 -1.49214E-07 4.00001
173. 485 28.5294 -2.99239E-07 4.00001; 486 27.9007 -3.75385E-07 4.00001
174. 487 27.2721 -4.51517E-07 4.00001; 488 26.6434 -5.27663E-07 4.00001
175. 489 26.0147 -6.03808E-07 4.00001; 490 25.3861 -6.79941E-07 4.00001
176. 491 24.7574 -7.56086E-07 4.00001; 492 24.1287 -8.32231E-07 4.00001
177. 505 1.842 0.603714 4.00001; 506 1.842 1.38943 4.00001
178. 507 1.842 2.17515 4.00001; 508 1.842 2.96086 4.00001
179. 509 1.842 3.74658 4.00001; 510 1.842 4.55729 4.00001
180. 511 0.712001 0.603714 4.00001; 512 0.712001 1.38943 4.00001
181. 513 0.712001 2.17515 4.00001; 514 0.712001 2.96086 4.00001
182. 515 0.712001 3.74658 4.00001; 516 1.232 0.603714 4.00001
183. 517 1.232 1.38943 4.00001; 518 1.232 2.17515 4.00001
184. 519 1.232 2.96086 4.00001; 520 1.232 3.74658 4.00001
185. 522 2.47067 0.603714 4.00001; 523 2.47067 1.38943 4.00001
186. 524 2.47067 2.17515 4.00001; 525 2.47067 2.96086 4.00001
187. 526 2.47067 3.74658 4.00001; 527 2.47067 4.55229 4.00001
188. 528 3.09934 0.603714 4.00001; 529 3.09934 1.38943 4.00001
189. 530 3.09934 2.17515 4.00001; 531 3.09934 2.96086 4.00001
190. 532 3.09934 3.74658 4.00001; 533 3.09934 4.54229 4.00001
191. 534 3.72801 0.603714 4.00001; 535 3.72801 1.38943 4.00001
192. 536 3.72801 2.17515 4.00001; 537 3.72801 2.96086 4.00001
193. 538 3.72801 3.74658 4.00001; 539 3.72801 4.53229 4.00001
194. 540 4.35668 0.603714 4.00001; 541 4.35668 1.38943 4.00001
195. 542 4.35668 2.17515 4.00001; 543 4.35668 2.96086 4.00001
196. 544 4.35668 3.74658 4.00001; 545 4.35668 4.53229 4.00001
197. 546 4.98534 0.603714 4.00001; 547 4.98534 1.38943 4.00001
198. 548 4.98534 2.17515 4.00001; 549 4.98534 2.96086 4.00001
199. 550 4.98534 3.74658 4.00001; 551 4.98534 4.53229 4.00001
200. 552 5.61401 0.603714 4.00001; 553 5.61401 1.38943 4.00001
201. 554 5.61401 2.17515 4.00001; 555 5.61401 2.96086 4.00001
202. 556 5.61401 3.74658 4.00001; 557 5.61401 4.53229 4.00001
203. 558 6.24268 0.603714 4.00001; 559 6.24268 1.38943 4.00001
204. 560 6.24268 2.17515 4.00001; 561 6.24268 2.96086 4.00001
205. 562 6.24268 3.74658 4.00001; 563 6.24268 4.53229 4.00001
206. 564 6.87135 0.603714 4.00001; 565 6.87135 1.38943 4.00001

207. 566 6.87135 2.17515 4.00001; 567 6.87135 2.96086 4.00001
208. 568 6.87135 3.74658 4.00001; 569 6.87135 4.53229 4.00001
209. 570 29.1581 0.603714 4.00001; 571 29.1581 1.38943 4.00001
210. 572 29.1581 2.17515 4.00001; 573 29.1581 2.96086 4.00001
211. 574 29.1581 3.74658 4.00001; 575 29.1581 4.53229 4.00001
212. 576 30.2881 0.603714 4.00001; 577 30.2881 1.38943 4.00001
213. 578 30.2881 2.17515 4.00001; 579 30.2881 2.96086 4.00001
214. 580 30.2881 3.74658 4.00001; 581 29.7681 0.603714 4.00001
215. 582 29.7681 1.38943 4.00001; 583 29.7681 2.17515 4.00001
216. 584 29.7681 2.96086 4.00001; 585 29.7681 3.74658 4.00001
217. 587 28.5294 0.603714 4.00001; 588 28.5294 1.38943 4.00001
218. 589 28.5294 2.17515 4.00001; 590 28.5294 2.96086 4.00001
219. 591 28.5294 3.74658 4.00001; 592 28.5294 4.53229 4.00001
220. 593 27.9007 0.603714 4.00001; 594 27.9007 1.38943 4.00001
221. 595 27.9007 2.17515 4.00001; 596 27.9007 2.96086 4.00001
222. 597 27.9007 3.74658 4.00001; 598 27.9007 4.53229 4.00001
223. 599 27.2721 0.603714 4.00001; 600 27.2721 1.38943 4.00001
224. 601 27.2721 2.17515 4.00001; 602 27.2721 2.96086 4.00001
225. 603 27.2721 3.74658 4.00001; 604 27.2721 4.53229 4.00001
226. 605 26.6434 0.603714 4.00001; 606 26.6434 1.38943 4.00001
227. 607 26.6434 2.17515 4.00001; 608 26.6434 2.96086 4.00001
228. 609 26.6434 3.74658 4.00001; 610 26.6434 4.53229 4.00001
229. 611 26.0147 0.603714 4.00001; 612 26.0147 1.38943 4.00001
230. 613 26.0147 2.17515 4.00001; 614 26.0147 2.96086 4.00001
231. 615 26.0147 3.74658 4.00001; 616 26.0147 4.53229 4.00001
232. 617 25.3861 0.603714 4.00001; 618 25.3861 1.38943 4.00001
233. 619 25.3861 2.17515 4.00001; 620 25.3861 2.96086 4.00001
234. 621 25.3861 3.74658 4.00001; 622 25.3861 4.53229 4.00001
235. 623 24.7574 0.603714 4.00001; 624 24.7574 1.38943 4.00001
236. 625 24.7574 2.17515 4.00001; 626 24.7574 2.96086 4.00001
237. 627 24.7574 3.74658 4.00001; 628 24.7574 4.53229 4.00001
238. 629 24.1287 0.603714 4.00001; 630 24.1287 1.38943 4.00001
239. 631 24.1287 2.17515 4.00001; 632 24.1287 2.96086 4.00001
240. 633 24.1287 3.74658 4.00001; 634 24.1287 4.53229 4.00001
241. 640 0.0733518 2.96086 4.00001; 641 0.414338 3.74658 4.00001
242. 642 0 2.17515 4.00001; 643 0 1.38943 4.00001; 644 0 0.603714 4.00001
243. 645 31.0001 2.17515 4.00001; 646 31.0001 1.38943 4.00001
244. 647 31.0001 0.603714 4.00001; 650 30.9267 2.96086 4.00001
245. 651 30.5858 3.74658 4.00001
246. MEMBER INCIDENCES
247. 13 19 99; 14 22 59; 15 21 640; 16 23 24; 17 24 641; 18 25 26; 19 26 22
248. 20 27 102; 21 30 67; 22 29 31; 23 31 32; 24 32 33; 25 33 34; 26 34 30
249. 48 59 60; 49 60 61; 50 61 62; 51 62 63; 52 63 64; 53 64 65; 54 65 66; 55 66 20
250. 56 67 68; 57 68 69; 58 69 70; 59 70 71; 60 71 72; 61 72 73; 62 73 74; 63 74 28
251. 88 99 644; 89 100 643; 90 101 642; 91 102 103; 92 103 104; 93 104 29
252. 106 29 21; 110 30 22; 114 31 23; 118 32 24; 122 33 25; 126 34 26; 130 67 59
253. 134 68 60; 138 69 61; 142 70 62; 146 71 63; 150 72 64; 154 73 65; 158 74 66
254. 162 102 99; 166 103 100; 170 104 101; 171 115 195; 172 118 155; 173 117 650
255. 174 119 120; 175 120 651; 176 121 122; 177 122 118; 178 123 198; 179 126 163
256. 180 125 127; 181 127 128; 182 128 129; 183 129 130; 184 130 126; 206 155 156
257. 207 156 157; 208 157 158; 209 158 159; 210 159 160; 211 160 161; 212 161 162
258. 213 162 116; 214 163 164; 215 164 165; 216 165 166; 217 166 167; 218 167 168
259. 219 168 169; 220 169 170; 221 170 124; 246 195 647; 247 196 646; 248 197 645
260. 249 198 199; 250 199 200; 251 200 125; 264 125 117; 268 126 118; 272 127 119
261. 276 128 120; 280 129 121; 284 130 122; 288 163 155; 292 164 156; 296 165 157
262. 300 166 158; 304 167 159; 308 168 160; 312 169 161; 316 170 162; 320 198 195

263. 324 199 196; 328 200 197; 329 28 201; 330 20 227; 331 201 202; 332 202 203
264. 333 203 204; 334 204 205; 335 205 206; 336 206 207; 337 207 208; 338 208 209
265. 339 209 210; 340 210 211; 341 211 212; 342 212 213; 343 213 214; 344 214 215
266. 345 215 216; 346 216 217; 347 217 218; 348 218 219; 349 219 220; 350 220 221
267. 351 221 222; 352 222 223; 353 223 224; 354 224 225; 355 225 226; 356 226 124
268. 357 227 228; 358 228 229; 359 229 230; 360 230 231; 361 231 232; 362 232 233
269. 363 233 234; 364 234 235; 365 235 236; 366 236 237; 367 237 238; 368 238 239
270. 369 239 240; 370 240 241; 371 241 242; 372 242 243; 373 243 244; 374 244 245
271. 375 245 246; 376 246 247; 377 247 248; 378 248 249; 379 249 250; 380 250 251
272. 381 251 252; 382 252 116; 383 28 20; 384 124 116; 385 201 227; 386 202 228
273. 387 203 229; 388 204 230; 389 205 231; 390 206 232; 391 207 233; 392 208 234
274. 393 209 235; 394 210 236; 395 211 237; 396 212 238; 397 213 239; 398 214 240
275. 399 215 241; 400 216 242; 401 217 243; 402 218 244; 403 219 245; 404 220 246
276. 405 221 247; 406 222 248; 407 223 249; 408 224 250; 409 225 251; 410 226 252
277. 411 20 281; 412 116 287; 413 227 293; 414 228 299; 415 229 305; 416 230 311
278. 417 231 317; 418 232 323; 419 233 329; 420 234 335; 421 235 341; 422 236 347
279. 423 237 353; 424 238 359; 425 239 365; 426 240 371; 427 241 377; 428 242 383
280. 429 243 389; 430 244 395; 431 245 401; 432 246 407; 433 247 413; 434 248 419
281. 435 249 425; 436 250 431; 437 251 437; 438 252 443; 439 281 282; 440 282 283
282. 441 283 284; 442 284 285; 443 285 286; 444 286 253; 445 287 288; 446 288 289
283. 447 289 290; 448 290 291; 449 291 292; 450 292 254; 451 293 294; 452 294 295
284. 453 295 296; 454 296 297; 455 297 298; 456 298 255; 457 299 300; 458 300 301
285. 459 301 302; 460 302 303; 461 303 304; 462 304 256; 463 305 306; 464 306 307
286. 465 307 308; 466 308 309; 467 309 310; 468 310 257; 469 311 312; 470 312 313
287. 471 313 314; 472 314 315; 473 315 316; 474 316 258; 475 317 318; 476 318 319
288. 477 319 320; 478 320 321; 479 321 322; 480 322 259; 481 323 324; 482 324 325
289. 483 325 326; 484 326 327; 485 327 328; 486 328 260; 487 329 330; 488 330 331
290. 489 331 332; 490 332 333; 491 333 334; 492 334 261; 493 335 336; 494 336 337
291. 495 337 338; 496 338 339; 497 339 340; 498 340 262; 499 341 342; 500 342 343
292. 501 343 344; 502 344 345; 503 345 346; 504 346 263; 505 347 348; 506 348 349
293. 507 349 350; 508 350 351; 509 351 352; 510 352 264; 511 353 354; 512 354 355
294. 513 355 356; 514 356 357; 515 357 358; 516 358 265; 517 359 360; 518 360 361
295. 519 361 362; 520 362 363; 521 363 364; 522 364 266; 523 365 366; 524 366 367
296. 525 367 368; 526 368 369; 527 369 370; 528 370 267; 529 371 372; 530 372 373
297. 531 373 374; 532 374 375; 533 375 376; 534 376 268; 535 377 378; 536 378 379
298. 537 379 380; 538 380 381; 539 381 382; 540 382 269; 541 383 384; 542 384 385
299. 543 385 386; 544 386 387; 545 387 388; 546 388 270; 547 389 390; 548 390 391
300. 549 391 392; 550 392 393; 551 393 394; 552 394 271; 553 395 396; 554 396 397
301. 555 397 398; 556 398 399; 557 399 400; 558 400 272; 559 401 402; 560 402 403
302. 561 403 404; 562 404 405; 563 405 406; 564 406 273; 565 407 408; 566 408 409
303. 567 409 410; 568 410 411; 569 411 412; 570 412 274; 571 413 414; 572 414 415
304. 573 415 416; 574 416 417; 575 417 418; 576 418 275; 577 419 420; 578 420 421
305. 579 421 422; 580 422 423; 581 423 424; 582 424 276; 583 425 426; 584 426 427
306. 585 427 428; 586 428 429; 587 429 430; 588 430 277; 589 431 432; 590 432 433
307. 591 433 434; 592 434 435; 593 435 436; 594 436 278; 595 437 438; 596 438 439
308. 597 439 440; 598 440 441; 599 441 442; 600 442 279; 601 443 444; 602 444 445
309. 603 445 446; 604 446 447; 605 447 448; 606 448 280; 607 281 293; 608 293 299
310. 609 299 305; 610 305 311; 611 311 317; 612 317 323; 613 323 329; 614 329 335
311. 615 335 341; 616 341 347; 617 347 353; 618 353 359; 619 359 365; 620 365 371
312. 621 371 377; 622 377 383; 623 383 389; 624 389 395; 625 395 401; 626 401 407
313. 627 407 413; 628 413 419; 629 419 425; 630 425 431; 631 431 437; 632 437 443
314. 633 443 287; 634 282 294; 635 294 300; 636 300 306; 637 306 312; 638 312 318
315. 639 318 324; 640 324 330; 641 330 336; 642 336 342; 643 342 348; 644 348 354
316. 645 354 360; 646 360 366; 647 366 372; 648 372 378; 649 378 384; 650 384 390
317. 651 390 396; 652 396 402; 653 402 408; 654 408 414; 655 414 420; 656 420 426
318. 657 426 432; 658 432 438; 659 438 444; 660 444 288; 661 283 295; 662 295 301

319. 663 301 307; 664 307 313; 665 313 319; 666 319 325; 667 325 331; 668 331 337
320. 669 337 343; 670 343 349; 671 349 355; 672 355 361; 673 361 367; 674 367 373
321. 675 373 379; 676 379 385; 677 385 391; 678 391 397; 679 397 403; 680 403 409
322. 681 409 415; 682 415 421; 683 421 427; 684 427 433; 685 433 439; 686 439 445
323. 687 445 289; 688 284 296; 689 296 302; 690 302 308; 691 308 314; 692 314 320
324. 693 320 326; 694 326 332; 695 332 338; 696 338 344; 697 344 350; 698 350 356
325. 699 356 362; 700 362 368; 701 368 374; 702 374 380; 703 380 386; 704 386 392
326. 705 392 398; 706 398 404; 707 404 410; 708 410 416; 709 416 422; 710 422 428
327. 711 428 434; 712 434 440; 713 440 446; 714 446 290; 715 285 297; 716 297 303
328. 717 303 309; 718 309 315; 719 315 321; 720 321 327; 721 327 333; 722 333 339
329. 723 339 345; 724 345 351; 725 351 357; 726 357 363; 727 363 369; 728 369 375
330. 729 375 381; 730 381 387; 731 387 393; 732 393 399; 733 399 405; 734 405 411
331. 735 411 417; 736 417 423; 737 423 429; 738 429 435; 739 435 441; 740 441 447
332. 741 447 291; 742 286 298; 743 298 304; 744 304 310; 745 310 316; 746 316 322
333. 747 322 328; 748 328 334; 749 334 340; 750 340 346; 751 346 352; 752 352 358
334. 753 358 364; 754 364 370; 755 370 376; 756 376 382; 757 382 388; 758 388 394
335. 759 394 400; 760 400 406; 761 406 412; 762 412 418; 763 418 424; 764 424 430
336. 765 430 436; 766 436 442; 767 442 448; 768 448 292; 769 22 510; 770 25 515
337. 772 59 527; 773 60 533; 774 61 539; 775 62 545; 776 63 551; 777 64 557
338. 778 65 563; 779 66 569; 780 118 575; 781 121 580; 783 155 592; 784 156 598
339. 785 157 604; 786 158 610; 787 159 616; 788 160 622; 789 161 628; 790 162 634
340. 791 281 569; 792 282 568; 793 283 567; 794 284 566; 795 285 565; 796 286 564
341. 797 287 634; 798 288 633; 799 289 632; 800 290 631; 801 291 630; 802 292 629
342. 803 505 471; 804 506 505; 805 507 506; 806 508 507; 807 509 508; 808 510 509
343. 809 511 472; 810 512 511; 811 513 512; 812 514 513; 813 515 514; 814 516 473
344. 815 517 516; 816 518 517; 817 519 518; 818 520 519; 819 26 520; 820 522 474
345. 821 523 522; 822 524 523; 823 525 524; 824 526 525; 825 527 526; 826 528 475
346. 827 529 528; 828 530 529; 829 531 530; 830 532 531; 831 533 532; 832 534 476
347. 833 535 534; 834 536 535; 835 537 536; 836 538 537; 837 539 538; 838 540 477
348. 839 541 540; 840 542 541; 841 543 542; 842 544 543; 843 545 544; 844 546 478
349. 845 547 546; 846 548 547; 847 549 548; 848 550 549; 849 551 550; 850 552 479
350. 851 553 552; 852 554 553; 853 555 554; 854 556 555; 855 557 556; 856 558 480
351. 857 559 558; 858 560 559; 859 561 560; 860 562 561; 861 563 562; 862 564 481
352. 863 565 564; 864 566 565; 865 567 566; 866 568 567; 867 569 568; 868 570 482
353. 869 571 570; 870 572 571; 871 573 572; 872 574 573; 873 575 574; 874 576 483
354. 875 577 576; 876 578 577; 877 579 578; 878 580 579; 879 581 484; 880 582 581
355. 881 583 582; 882 584 583; 883 585 584; 884 122 585; 885 587 485; 886 588 587
356. 887 589 588; 888 590 589; 889 591 590; 890 592 591; 891 593 486; 892 594 593
357. 893 595 594; 894 596 595; 895 597 596; 896 598 597; 897 599 487; 898 600 599
358. 899 601 600; 900 602 601; 901 603 602; 902 604 603; 903 605 488; 904 606 605
359. 905 607 606; 906 608 607; 907 609 608; 908 610 609; 909 611 489; 910 612 611
360. 911 613 612; 912 614 613; 913 615 614; 914 616 615; 915 617 490; 916 618 617
361. 917 619 618; 918 620 619; 919 621 620; 920 622 621; 921 623 491; 922 624 623
362. 923 625 624; 924 626 625; 925 627 626; 926 628 627; 927 629 492; 928 630 629
363. 929 631 630; 930 632 631; 931 633 632; 932 634 633; 934 510 26; 935 527 510
364. 936 533 527; 937 539 533; 938 545 539; 939 551 545; 940 557 551; 941 563 557
365. 942 569 563; 944 520 515; 945 509 520; 946 526 509; 947 532 526; 948 538 532
366. 949 544 538; 950 550 544; 951 556 550; 952 562 556; 953 568 562; 955 519 514
367. 956 508 519; 957 525 508; 958 531 525; 959 537 531; 960 543 537; 961 549 543
368. 962 555 549; 963 561 555; 964 567 561; 966 518 513; 967 507 518; 968 524 507
369. 969 530 524; 970 536 530; 971 542 536; 972 548 542; 973 554 548; 974 560 554
370. 975 566 560; 977 517 512; 978 506 517; 979 523 506; 980 529 523; 981 535 529
371. 982 541 535; 983 547 541; 984 553 547; 985 559 553; 986 565 559; 988 516 511
372. 989 505 516; 990 522 505; 991 528 522; 992 534 528; 993 540 534; 994 546 540
373. 995 552 546; 996 558 552; 997 564 558; 999 575 122; 1000 592 575; 1001 598 592
374. 1002 604 598; 1003 610 604; 1004 616 610; 1005 622 616; 1006 628 622

```
375. 1007 634 628; 1009 585 580; 1010 574 585; 1011 591 574; 1012 597 591
376. 1013 603 597; 1014 609 603; 1015 615 609; 1016 621 615; 1017 627 621
377. 1018 633 627; 1020 584 579; 1021 573 584; 1022 590 573; 1023 596 590
378. 1024 602 596; 1025 608 602; 1026 614 608; 1027 620 614; 1028 626 620
379. 1029 632 626; 1031 583 578; 1032 572 583; 1033 589 572; 1034 595 589
380. 1035 601 595; 1036 607 601; 1037 613 607; 1038 619 613; 1039 625 619
381. 1040 631 625; 1042 582 577; 1043 571 582; 1044 588 571; 1045 594 588
382. 1046 600 594; 1047 606 600; 1048 612 606; 1049 618 612; 1050 624 618
383. 1051 630 624; 1053 581 576; 1054 570 581; 1055 587 570; 1056 593 587
384. 1057 599 593; 1058 605 599; 1059 611 605; 1060 617 611; 1061 623 617
385. 1062 629 623; 1066 514 640; 1067 515 641; 1068 640 23; 1069 641 25
386. 1070 642 21; 1071 513 642; 1072 643 101; 1073 512 643; 1074 644 100
387. 1075 511 644; 1076 645 117; 1077 578 645; 1078 646 197; 1079 577 646
388. 1080 647 196; 1081 576 647; 1082 579 650; 1083 580 651; 1084 650 119
389. 1085 651 121; 1086 19 102; 1087 102 100; 1088 100 104; 1089 104 21; 1090 21 31
390. 1091 31 24; 1092 24 33; 1093 33 26; 1094 26 30; 1095 30 59; 1096 59 68
391. 1097 68 61; 1098 61 70; 1099 70 63; 1100 63 72; 1101 72 65; 1102 65 74
392. 1103 74 20; 1104 20 201; 1129 225 252; 1130 252 124; 1131 124 162
393. 1132 162 169; 1133 169 160; 1134 160 167; 1135 167 158; 1136 158 165
394. 1137 165 156; 1138 156 163; 1139 163 118; 1140 118 130; 1141 130 121
395. 1142 121 128; 1143 128 119; 1144 119 125; 1145 125 197; 1146 197 199
396. 1147 199 647; 1148 647 123
397. START GROUP DEFINITION
398. MEMBER
399. _TAPERED 88 246 411 TO 606 769 770 772 TO 781 783 TO 790 803 TO 932 1070 1076 -
400. 1086 TO 1104 1129 TO 1148
401. END GROUP DEFINITION
402. SUPPORTS
403. 19 27 28 115 123 124 201 TO 226 253 TO 280 471 TO 492 PINNED
404. MEMBER RELEASE
405. 106 110 114 118 122 126 130 134 138 142 146 150 154 158 162 166 170 264 268 -
406. 272 276 280 284 288 292 296 300 304 308 312 316 320 324 328 383 TO 410 607 -
407. 608 TO 768 791 TO 802 934 TO 942 944 TO 953 955 TO 964 966 TO 975 977 TO 986 -
408. 988 TO 997 999 TO 1007 1009 TO 1018 1020 TO 1029 1031 TO 1040 1042 TO 1051 -
409. 1053 TO 1062 1066 1067 1071 1073 1075 1077 1079 1081 TO 1083 1086 TO 1104 -
410. 1129 TO 1148 START MY MZ
411. 106 110 114 118 122 126 130 134 138 142 146 150 154 158 162 166 170 264 268 -
412. 272 276 280 284 288 292 296 300 304 308 312 316 320 324 328 383 TO 410 607 -
413. 608 TO 768 791 TO 802 934 TO 942 944 TO 953 955 TO 964 966 TO 975 977 TO 986 -
414. 988 TO 997 999 TO 1007 1009 TO 1018 1020 TO 1029 1031 TO 1040 1042 TO 1051 -
415. 1053 TO 1062 1066 1067 1071 1073 1075 1077 1079 1081 TO 1083 1086 TO 1104 -
416. 1129 TO 1148 END MY MZ
417. DEFINE MATERIAL START
418. ISOTROPIC ALUMINUM
419. E 6.89473E+07
420. POISSON 0.33
421. DENSITY 26.6017
422. ALPHA 1.28E-05
423. DAMP 0.03
424. ISOTROPIC STEEL
425. E 1.99947E+08
426. POISSON 0.3
427. DENSITY 76.8191
428. ALPHA 6.5E-06
429. DAMP 0.03
430. TYPE STEEL
```

```
431. STRENGTH RY 1.5 RT 1.2
432. END DEFINE MATERIAL
433. CONSTANTS
434. BETA 90 MEMB 13 TO 26 48 TO 63 88 TO 93 171 TO 184 206 TO 221 246 TO 251 329 -
435. 330 TO 382 411 TO 606 769 770 772 TO 781 783 TO 790 803 TO 932 1068 TO 1070 -
436. 1072 1074 1076 1078 1080 1084 1085
437. MATERIAL ALUMINUM ALL
438. MEMBER PROPERTY APLAPOLLOTUBES
439. 106 110 114 118 122 126 130 134 138 142 146 150 154 158 162 166 170 264 268 -
440. 272 276 280 284 288 292 296 300 304 308 312 316 320 324 328 383 TO 410 607 -
441. 608 TO 768 791 TO 802 934 TO 942 944 TO 953 955 TO 964 966 TO 975 977 TO 986 -
442. 988 TO 997 999 TO 1007 1009 TO 1018 1020 TO 1029 1031 TO 1040 1042 TO 1051 -
443. 1053 TO 1062 1066 1067 1071 1073 1075 1077 1079 1081 TO 1082 -
444. 1083 TABLE ST 25X25X2.0SHS
445. MEMBER PROPERTY INDIAN
446. 13 TO 26 48 TO 63 88 TO 93 171 TO 184 206 TO 221 246 TO 251 329 TO 382 411 -
447. 412 TO 606 769 770 772 TO 781 783 TO 790 803 TO 932 1068 TO 1070 1072 1074 -
448. 1076 1078 1080 1084 TO 1104 1129 TO 1147 -
449. 1148 TABLE ST TUBE TH 0.003 WT 0.06 DT 0.123
450. LOAD 1 LOADTYPE DEAD  TITLE DL
451. MEMBER LOAD
452. 13 TO 26 48 TO 63 88 TO 93 171 TO 184 206 TO 221 246 TO 251 329 TO 410 1068 -
453. 1069 TO 1070 1072 1074 1076 1078 1080 1084 1085 UNI GY -0.047
454. SELFWEIGHT Y -1
455. LOAD 2 LOADTYPE DEAD  TITLE LL
456. MEMBER LOAD
457. 14 16 TO 19 21 23 TO 26 48 TO 63 172 174 TO 177 179 181 TO 184 206 TO 221 -
458. 329 TO 382 1069 1085 UNI GY -0.4
459. LOAD 3 LOADTYPE NONE  TITLE WL P
460. MEMBER LOAD
461. 14 TO 19 21 TO 26 48 TO 63 172 TO 177 179 TO 184 206 TO 221 329 TO 382 1068 -
462. 1069 1084 1085 UNI GY -0.4
463. 13 15 TO 18 20 22 TO 25 88 TO 93 1068 TO 1070 1072 1074 UNI GX 0.13
464. 171 173 TO 176 178 180 TO 183 246 TO 251 1076 1078 1080 1084 1085 UNI GX 0.06
465. 13 20 88 TO 93 171 178 246 TO 251 411 TO 606 769 770 772 TO 781 783 TO 790 -
466. 803 TO 932 1070 1072 1074 1076 1078 1080 UNI GZ -0.13
467. LOAD 4 LOADTYPE NONE  TITLE WL S
468. MEMBER LOAD
469. 14 TO 19 21 TO 26 48 TO 63 172 TO 177 179 TO 184 206 TO 221 329 TO 382 1068 -
470. 1069 1084 1085 UNI GY 0.2
471. 13 15 TO 18 20 22 TO 25 88 TO 93 1068 TO 1070 1072 1074 UNI GX 0.77
472. 171 173 TO 176 178 180 TO 183 246 TO 251 1076 1078 1080 1084 1085 UNI GX -0.15
473. 411 TO 606 769 770 772 TO 781 783 TO 790 803 TO 932 UNI GZ -0.77
474. LOAD COMB 101 1.5(DL+LL)
475. 1 1.5 2 1.5
476. LOAD COMB 102 1.5(DL+WLP)
477. 1 1.5 3 1.5
478. LOAD COMB 103 1.5(DL+WLS)
479. 1 1.5 4 1.5
480. LOAD COMB 201 DL + LL
481. 1 1.0 2 1.0
482. LOAD COMB 202 DL+WLP
483. 1 1.0 3 1.0
484. LOAD COMB 203 DL+WLS
485. 4 1.0 1 1.0
486. LOAD COMB 204 DL+0.8WLP
```

```
487. 1 1.0 3 0.8
488. LOAD COMB 205 DL+0.8WLS
489. 4 0.8 1 1.0
490. PERFORM ANALYSIS PRINT ALL


         P R O B L E M   S T A T I S T I C S
         -----------------------------------

  NUMBER OF JOINTS        484  NUMBER OF MEMBERS     885
  NUMBER OF PLATES          0  NUMBER OF SOLIDS        0
  NUMBER OF SURFACES        0  NUMBER OF SUPPORTS     82

        Using 64-bit analysis engine.

        SOLVER USED IS THE OUT-OF-CORE BASIC SOLVER

  ORIGINAL/FINAL BAND-WIDTH=   474/    10/     63 DOF
TOTAL      PRIMARY LOAD CASES =     4, TOTAL DEGREES OF FREEDOM =    2658
TOTAL LOAD COMBINATION  CASES =     8  SO FAR.
  SIZE OF STIFFNESS MATRIX =      168 DOUBLE  KILO-WORDS
  REQRD/AVAIL. DISK SPACE  =     15.2/ 173491.4 MB
```

STAAD SPACE -- PAGE NO. 11

LOADING 1 LOADTYPE DEAD TITLE DL

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
13	-0.0470 GY	0.00	0.55				
14	-0.0470 GY	0.00	0.63				
15	-0.0470 GY	0.00	0.75				
16	-0.0470 GY	0.00	0.66				
17	-0.0470 GY	0.00	0.16				
18	-0.0470 GY	0.00	0.66				
19	-0.0470 GY	0.00	0.66				
20	-0.0470 GY	0.00	0.55				
21	-0.0470 GY	0.00	0.63				
22	-0.0470 GY	0.00	0.79				
23	-0.0470 GY	0.00	0.66				
24	-0.0470 GY	0.00	0.66				
25	-0.0470 GY	0.00	0.66				
26	-0.0470 GY	0.00	0.66				
48	-0.0470 GY	0.00	0.63				
49	-0.0470 GY	0.00	0.63				
50	-0.0470 GY	0.00	0.63				
51	-0.0470 GY	0.00	0.63				
52	-0.0470 GY	0.00	0.63				
53	-0.0470 GY	0.00	0.63				
54	-0.0470 GY	0.00	0.63				
55	-0.0470 GY	0.00	0.63				
56	-0.0470 GY	0.00	0.63				
57	-0.0470 GY	0.00	0.63				
58	-0.0470 GY	0.00	0.63				
59	-0.0470 GY	0.00	0.63				
60	-0.0470 GY	0.00	0.63				
61	-0.0470 GY	0.00	0.63				
62	-0.0470 GY	0.00	0.63				
63	-0.0470 GY	0.00	0.63				
88	-0.0470 GY	0.00	0.05				
89	-0.0470 GY	0.00	0.28				
90	-0.0470 GY	0.00	0.51				
91	-0.0470 GY	0.00	0.55				
92	-0.0470 GY	0.00	0.55				
93	-0.0470 GY	0.00	0.55				
171	-0.0470 GY	0.00	0.55				
172	-0.0470 GY	0.00	0.63				
173	-0.0470 GY	0.00	0.75				
174	-0.0470 GY	0.00	0.66				
175	-0.0470 GY	0.00	0.16				
176	-0.0470 GY	0.00	0.66				
177	-0.0470 GY	0.00	0.66				
178	-0.0470 GY	0.00	0.55				
179	-0.0470 GY	0.00	0.63				
180	-0.0470 GY	0.00	0.79				

181	-0.0470 GY	0.00	0.66
182	-0.0470 GY	0.00	0.66
183	-0.0470 GY	0.00	0.66
184	-0.0470 GY	0.00	0.66
206	-0.0470 GY	0.00	0.63
207	-0.0470 GY	0.00	0.63
208	-0.0470 GY	0.00	0.63
209	-0.0470 GY	0.00	0.63
210	-0.0470 GY	0.00	0.63
211	-0.0470 GY	0.00	0.63
212	-0.0470 GY	0.00	0.63
213	-0.0470 GY	0.00	0.63
214	-0.0470 GY	0.00	0.63
215	-0.0470 GY	0.00	0.63
216	-0.0470 GY	0.00	0.63
217	-0.0470 GY	0.00	0.63
218	-0.0470 GY	0.00	0.63
219	-0.0470 GY	0.00	0.63
220	-0.0470 GY	0.00	0.63
221	-0.0470 GY	0.00	0.63
246	-0.0470 GY	0.00	0.05
247	-0.0470 GY	0.00	0.28
248	-0.0470 GY	0.00	0.51
249	-0.0470 GY	0.00	0.55
250	-0.0470 GY	0.00	0.55
251	-0.0470 GY	0.00	0.55
329	-0.0470 GY	0.00	0.59
330	-0.0470 GY	0.00	0.59
331	-0.0470 GY	0.00	0.59
332	-0.0470 GY	0.00	0.59
333	-0.0470 GY	0.00	0.59
334	-0.0470 GY	0.00	0.59
335	-0.0470 GY	0.00	0.59
336	-0.0470 GY	0.00	0.59
337	-0.0470 GY	0.00	0.59
338	-0.0470 GY	0.00	0.59
339	-0.0470 GY	0.00	0.59
340	-0.0470 GY	0.00	0.59
341	-0.0470 GY	0.00	0.59
342	-0.0470 GY	0.00	0.59
343	-0.0470 GY	0.00	0.59
344	-0.0470 GY	0.00	0.59
345	-0.0470 GY	0.00	0.59
346	-0.0470 GY	0.00	0.59
347	-0.0470 GY	0.00	0.59
348	-0.0470 GY	0.00	0.59
349	-0.0470 GY	0.00	0.59
350	-0.0470 GY	0.00	0.59
351	-0.0470 GY	0.00	0.59
352	-0.0470 GY	0.00	0.59
353	-0.0470 GY	0.00	0.59
354	-0.0470 GY	0.00	0.59
355	-0.0470 GY	0.00	0.59
356	-0.0470 GY	0.00	0.59
357	-0.0470 GY	0.00	0.59
358	-0.0470 GY	0.00	0.59

359	-0.0470 GY	0.00	0.59
360	-0.0470 GY	0.00	0.59
361	-0.0470 GY	0.00	0.59
362	-0.0470 GY	0.00	0.59
363	-0.0470 GY	0.00	0.59
364	-0.0470 GY	0.00	0.59
365	-0.0470 GY	0.00	0.59
366	-0.0470 GY	0.00	0.59
367	-0.0470 GY	0.00	0.59
368	-0.0470 GY	0.00	0.59
369	-0.0470 GY	0.00	0.59
370	-0.0470 GY	0.00	0.59
371	-0.0470 GY	0.00	0.59
372	-0.0470 GY	0.00	0.59
373	-0.0470 GY	0.00	0.59
374	-0.0470 GY	0.00	0.59
375	-0.0470 GY	0.00	0.59
376	-0.0470 GY	0.00	0.59
377	-0.0470 GY	0.00	0.59
378	-0.0470 GY	0.00	0.59
379	-0.0470 GY	0.00	0.59
380	-0.0470 GY	0.00	0.59
381	-0.0470 GY	0.00	0.59
382	-0.0470 GY	0.00	0.59
383	-0.0470 GY	0.00	1.00
384	-0.0470 GY	0.00	1.00
385	-0.0470 GY	0.00	1.00
386	-0.0470 GY	0.00	1.00
387	-0.0470 GY	0.00	1.00
388	-0.0470 GY	0.00	1.00
389	-0.0470 GY	0.00	1.00
390	-0.0470 GY	0.00	1.00
391	-0.0470 GY	0.00	1.00
392	-0.0470 GY	0.00	1.00
393	-0.0470 GY	0.00	1.00
394	-0.0470 GY	0.00	1.00
395	-0.0470 GY	0.00	1.00
396	-0.0470 GY	0.00	1.00
397	-0.0470 GY	0.00	1.00
398	-0.0470 GY	0.00	1.00
399	-0.0470 GY	0.00	1.00
400	-0.0470 GY	0.00	1.00
401	-0.0470 GY	0.00	1.00
402	-0.0470 GY	0.00	1.00
403	-0.0470 GY	0.00	1.00
404	-0.0470 GY	0.00	1.00
405	-0.0470 GY	0.00	1.00
406	-0.0470 GY	0.00	1.00
407	-0.0470 GY	0.00	1.00
408	-0.0470 GY	0.00	1.00
409	-0.0470 GY	0.00	1.00
410	-0.0470 GY	0.00	1.00
1068	-0.0470 GY	0.00	0.04
1069	-0.0470 GY	0.00	0.50
1070	-0.0470 GY	0.00	0.04
1072	-0.0470 GY	0.00	0.27

1074	-0.0470	GY	0.00	0.50
1076	-0.0470	GY	0.00	0.04
1078	-0.0470	GY	0.00	0.27
1080	-0.0470	GY	0.00	0.50
1084	-0.0470	GY	0.00	0.04
1085	-0.0470	GY	0.00	0.50

SELFWEIGHT Y -1.000

ACTUAL WEIGHT OF THE STRUCTURE = 11.882 KN

LOADING 2 LOADTYPE DEAD TITLE LL

MEMBER LOAD - UNIT KN METE

MEMBER	UDL		L1	L2	CON	L	LIN1	LIN2
14	-0.4000	GY	0.00	0.63				
16	-0.4000	GY	0.00	0.66				
17	-0.4000	GY	0.00	0.16				
18	-0.4000	GY	0.00	0.66				
19	-0.4000	GY	0.00	0.66				
21	-0.4000	GY	0.00	0.63				
23	-0.4000	GY	0.00	0.66				
24	-0.4000	GY	0.00	0.66				
25	-0.4000	GY	0.00	0.66				
26	-0.4000	GY	0.00	0.66				
48	-0.4000	GY	0.00	0.63				
49	-0.4000	GY	0.00	0.63				
50	-0.4000	GY	0.00	0.63				
51	-0.4000	GY	0.00	0.63				
52	-0.4000	GY	0.00	0.63				
53	-0.4000	GY	0.00	0.63				
54	-0.4000	GY	0.00	0.63				
55	-0.4000	GY	0.00	0.63				
56	-0.4000	GY	0.00	0.63				
57	-0.4000	GY	0.00	0.63				
58	-0.4000	GY	0.00	0.63				
59	-0.4000	GY	0.00	0.63				
60	-0.4000	GY	0.00	0.63				
61	-0.4000	GY	0.00	0.63				
62	-0.4000	GY	0.00	0.63				
63	-0.4000	GY	0.00	0.63				
172	-0.4000	GY	0.00	0.63				
174	-0.4000	GY	0.00	0.66				
175	-0.4000	GY	0.00	0.16				
176	-0.4000	GY	0.00	0.66				
177	-0.4000	GY	0.00	0.66				
179	-0.4000	GY	0.00	0.63				
181	-0.4000	GY	0.00	0.66				
182	-0.4000	GY	0.00	0.66				
183	-0.4000	GY	0.00	0.66				
184	-0.4000	GY	0.00	0.66				

206	-0.4000 GY	0.00	0.63
207	-0.4000 GY	0.00	0.63
208	-0.4000 GY	0.00	0.63
209	-0.4000 GY	0.00	0.63
210	-0.4000 GY	0.00	0.63
211	-0.4000 GY	0.00	0.63
212	-0.4000 GY	0.00	0.63
213	-0.4000 GY	0.00	0.63
214	-0.4000 GY	0.00	0.63
215	-0.4000 GY	0.00	0.63
216	-0.4000 GY	0.00	0.63
217	-0.4000 GY	0.00	0.63
218	-0.4000 GY	0.00	0.63
219	-0.4000 GY	0.00	0.63
220	-0.4000 GY	0.00	0.63
221	-0.4000 GY	0.00	0.63
329	-0.4000 GY	0.00	0.59
330	-0.4000 GY	0.00	0.59
331	-0.4000 GY	0.00	0.59
332	-0.4000 GY	0.00	0.59
333	-0.4000 GY	0.00	0.59
334	-0.4000 GY	0.00	0.59
335	-0.4000 GY	0.00	0.59
336	-0.4000 GY	0.00	0.59
337	-0.4000 GY	0.00	0.59
338	-0.4000 GY	0.00	0.59
339	-0.4000 GY	0.00	0.59
340	-0.4000 GY	0.00	0.59
341	-0.4000 GY	0.00	0.59
342	-0.4000 GY	0.00	0.59
343	-0.4000 GY	0.00	0.59
344	-0.4000 GY	0.00	0.59
345	-0.4000 GY	0.00	0.59
346	-0.4000 GY	0.00	0.59
347	-0.4000 GY	0.00	0.59
348	-0.4000 GY	0.00	0.59
349	-0.4000 GY	0.00	0.59
350	-0.4000 GY	0.00	0.59
351	-0.4000 GY	0.00	0.59
352	-0.4000 GY	0.00	0.59
353	-0.4000 GY	0.00	0.59
354	-0.4000 GY	0.00	0.59
355	-0.4000 GY	0.00	0.59
356	-0.4000 GY	0.00	0.59
357	-0.4000 GY	0.00	0.59
358	-0.4000 GY	0.00	0.59
359	-0.4000 GY	0.00	0.59
360	-0.4000 GY	0.00	0.59
361	-0.4000 GY	0.00	0.59
362	-0.4000 GY	0.00	0.59
363	-0.4000 GY	0.00	0.59
364	-0.4000 GY	0.00	0.59
365	-0.4000 GY	0.00	0.59
366	-0.4000 GY	0.00	0.59
367	-0.4000 GY	0.00	0.59
368	-0.4000 GY	0.00	0.59

STAAD SPACE -- PAGE NO. 16

369	-0.4000	GY	0.00	0.59				
370	-0.4000	GY	0.00	0.59				
371	-0.4000	GY	0.00	0.59				
372	-0.4000	GY	0.00	0.59				
373	-0.4000	GY	0.00	0.59				
374	-0.4000	GY	0.00	0.59				
375	-0.4000	GY	0.00	0.59				
376	-0.4000	GY	0.00	0.59				
377	-0.4000	GY	0.00	0.59				
378	-0.4000	GY	0.00	0.59				
379	-0.4000	GY	0.00	0.59				
380	-0.4000	GY	0.00	0.59				
381	-0.4000	GY	0.00	0.59				
382	-0.4000	GY	0.00	0.59				
1069	-0.4000	GY	0.00	0.50				
1085	-0.4000	GY	0.00	0.50				

LOADING 3 LOADTYPE NONE TITLE WL P

MEMBER LOAD - UNIT KN METE

MEMBER	UDL		L1	L2	CON	L	LIN1	LIN2
14	-0.4000	GY	0.00	0.63				
15	-0.4000	GY	0.00	0.75				
16	-0.4000	GY	0.00	0.66				
17	-0.4000	GY	0.00	0.16				
18	-0.4000	GY	0.00	0.66				
19	-0.4000	GY	0.00	0.66				
21	-0.4000	GY	0.00	0.63				
22	-0.4000	GY	0.00	0.79				
23	-0.4000	GY	0.00	0.66				
24	-0.4000	GY	0.00	0.66				
25	-0.4000	GY	0.00	0.66				
26	-0.4000	GY	0.00	0.66				
48	-0.4000	GY	0.00	0.63				
49	-0.4000	GY	0.00	0.63				
50	-0.4000	GY	0.00	0.63				
51	-0.4000	GY	0.00	0.63				
52	-0.4000	GY	0.00	0.63				
53	-0.4000	GY	0.00	0.63				
54	-0.4000	GY	0.00	0.63				
55	-0.4000	GY	0.00	0.63				
56	-0.4000	GY	0.00	0.63				
57	-0.4000	GY	0.00	0.63				
58	-0.4000	GY	0.00	0.63				
59	-0.4000	GY	0.00	0.63				
60	-0.4000	GY	0.00	0.63				
61	-0.4000	GY	0.00	0.63				
62	-0.4000	GY	0.00	0.63				
63	-0.4000	GY	0.00	0.63				
172	-0.4000	GY	0.00	0.63				
173	-0.4000	GY	0.00	0.75				

174	-0.4000 GY	0.00	0.66
175	-0.4000 GY	0.00	0.16
176	-0.4000 GY	0.00	0.66
177	-0.4000 GY	0.00	0.66
179	-0.4000 GY	0.00	0.63
180	-0.4000 GY	0.00	0.79
181	-0.4000 GY	0.00	0.66
182	-0.4000 GY	0.00	0.66
183	-0.4000 GY	0.00	0.66
184	-0.4000 GY	0.00	0.66
206	-0.4000 GY	0.00	0.63
207	-0.4000 GY	0.00	0.63
208	-0.4000 GY	0.00	0.63
209	-0.4000 GY	0.00	0.63
210	-0.4000 GY	0.00	0.63
211	-0.4000 GY	0.00	0.63
212	-0.4000 GY	0.00	0.63
213	-0.4000 GY	0.00	0.63
214	-0.4000 GY	0.00	0.63
215	-0.4000 GY	0.00	0.63
216	-0.4000 GY	0.00	0.63
217	-0.4000 GY	0.00	0.63
218	-0.4000 GY	0.00	0.63
219	-0.4000 GY	0.00	0.63
220	-0.4000 GY	0.00	0.63
221	-0.4000 GY	0.00	0.63
329	-0.4000 GY	0.00	0.59
330	-0.4000 GY	0.00	0.59
331	-0.4000 GY	0.00	0.59
332	-0.4000 GY	0.00	0.59
333	-0.4000 GY	0.00	0.59
334	-0.4000 GY	0.00	0.59
335	-0.4000 GY	0.00	0.59
336	-0.4000 GY	0.00	0.59
337	-0.4000 GY	0.00	0.59
338	-0.4000 GY	0.00	0.59
339	-0.4000 GY	0.00	0.59
340	-0.4000 GY	0.00	0.59
341	-0.4000 GY	0.00	0.59
342	-0.4000 GY	0.00	0.59
343	-0.4000 GY	0.00	0.59
344	-0.4000 GY	0.00	0.59
345	-0.4000 GY	0.00	0.59
346	-0.4000 GY	0.00	0.59
347	-0.4000 GY	0.00	0.59
348	-0.4000 GY	0.00	0.59
349	-0.4000 GY	0.00	0.59
350	-0.4000 GY	0.00	0.59
351	-0.4000 GY	0.00	0.59
352	-0.4000 GY	0.00	0.59
353	-0.4000 GY	0.00	0.59
354	-0.4000 GY	0.00	0.59
355	-0.4000 GY	0.00	0.59
356	-0.4000 GY	0.00	0.59
357	-0.4000 GY	0.00	0.59
358	-0.4000 GY	0.00	0.59

359	-0.4000	GY	0.00	0.59
360	-0.4000	GY	0.00	0.59
361	-0.4000	GY	0.00	0.59
362	-0.4000	GY	0.00	0.59
363	-0.4000	GY	0.00	0.59
364	-0.4000	GY	0.00	0.59
365	-0.4000	GY	0.00	0.59
366	-0.4000	GY	0.00	0.59
367	-0.4000	GY	0.00	0.59
368	-0.4000	GY	0.00	0.59
369	-0.4000	GY	0.00	0.59
370	-0.4000	GY	0.00	0.59
371	-0.4000	GY	0.00	0.59
372	-0.4000	GY	0.00	0.59
373	-0.4000	GY	0.00	0.59
374	-0.4000	GY	0.00	0.59
375	-0.4000	GY	0.00	0.59
376	-0.4000	GY	0.00	0.59
377	-0.4000	GY	0.00	0.59
378	-0.4000	GY	0.00	0.59
379	-0.4000	GY	0.00	0.59
380	-0.4000	GY	0.00	0.59
381	-0.4000	GY	0.00	0.59
382	-0.4000	GY	0.00	0.59
1068	-0.4000	GY	0.00	0.04
1069	-0.4000	GY	0.00	0.50
1084	-0.4000	GY	0.00	0.04
1085	-0.4000	GY	0.00	0.50
13	0.1300	GX	0.00	0.55
15	0.1300	GX	0.00	0.75
16	0.1300	GX	0.00	0.66
17	0.1300	GX	0.00	0.16
18	0.1300	GX	0.00	0.66
20	0.1300	GX	0.00	0.55
22	0.1300	GX	0.00	0.79
23	0.1300	GX	0.00	0.66
24	0.1300	GX	0.00	0.66
25	0.1300	GX	0.00	0.66
88	0.1300	GX	0.00	0.05
89	0.1300	GX	0.00	0.28
90	0.1300	GX	0.00	0.51
91	0.1300	GX	0.00	0.55
92	0.1300	GX	0.00	0.55
93	0.1300	GX	0.00	0.55
1068	0.1300	GX	0.00	0.04
1069	0.1300	GX	0.00	0.50
1070	0.1300	GX	0.00	0.04
1072	0.1300	GX	0.00	0.27
1074	0.1300	GX	0.00	0.50
171	0.0600	GX	0.00	0.55
173	0.0600	GX	0.00	0.75
174	0.0600	GX	0.00	0.66
175	0.0600	GX	0.00	0.16
176	0.0600	GX	0.00	0.66
178	0.0600	GX	0.00	0.55
180	0.0600	GX	0.00	0.79

181	0.0600	GX	0.00	0.66
182	0.0600	GX	0.00	0.66
183	0.0600	GX	0.00	0.66
246	0.0600	GX	0.00	0.05
247	0.0600	GX	0.00	0.28
248	0.0600	GX	0.00	0.51
249	0.0600	GX	0.00	0.55
250	0.0600	GX	0.00	0.55
251	0.0600	GX	0.00	0.55
1076	0.0600	GX	0.00	0.04
1078	0.0600	GX	0.00	0.27
1080	0.0600	GX	0.00	0.50
1084	0.0600	GX	0.00	0.04
1085	0.0600	GX	0.00	0.50
13	-0.1300	GZ	0.00	0.55
20	-0.1300	GZ	0.00	0.55
88	-0.1300	GZ	0.00	0.05
89	-0.1300	GZ	0.00	0.28
90	-0.1300	GZ	0.00	0.51
91	-0.1300	GZ	0.00	0.55
92	-0.1300	GZ	0.00	0.55
93	-0.1300	GZ	0.00	0.55
171	-0.1300	GZ	0.00	0.55
178	-0.1300	GZ	0.00	0.55
246	-0.1300	GZ	0.00	0.05
247	-0.1300	GZ	0.00	0.28
248	-0.1300	GZ	0.00	0.51
249	-0.1300	GZ	0.00	0.55
250	-0.1300	GZ	0.00	0.55
251	-0.1300	GZ	0.00	0.55
411	-0.1300	GZ	0.00	0.79
412	-0.1300	GZ	0.00	0.79
413	-0.1300	GZ	0.00	0.79
414	-0.1300	GZ	0.00	0.79
415	-0.1300	GZ	0.00	0.79
416	-0.1300	GZ	0.00	0.79
417	-0.1300	GZ	0.00	0.79
418	-0.1300	GZ	0.00	0.79
419	-0.1300	GZ	0.00	0.79
420	-0.1300	GZ	0.00	0.79
421	-0.1300	GZ	0.00	0.79
422	-0.1300	GZ	0.00	0.79
423	-0.1300	GZ	0.00	0.79
424	-0.1300	GZ	0.00	0.79
425	-0.1300	GZ	0.00	0.79
426	-0.1300	GZ	0.00	0.79
427	-0.1300	GZ	0.00	0.79
428	-0.1300	GZ	0.00	0.79
429	-0.1300	GZ	0.00	0.79
430	-0.1300	GZ	0.00	0.79
431	-0.1300	GZ	0.00	0.79
432	-0.1300	GZ	0.00	0.79
433	-0.1300	GZ	0.00	0.79
434	-0.1300	GZ	0.00	0.79
435	-0.1300	GZ	0.00	0.79
436	-0.1300	GZ	0.00	0.79

437	-0.1300 GZ	0.00	0.79
438	-0.1300 GZ	0.00	0.79
439	-0.1300 GZ	0.00	0.79
440	-0.1300 GZ	0.00	0.79
441	-0.1300 GZ	0.00	0.79
442	-0.1300 GZ	0.00	0.79
443	-0.1300 GZ	0.00	0.79
444	-0.1300 GZ	0.00	0.60
445	-0.1300 GZ	0.00	0.79
446	-0.1300 GZ	0.00	0.79
447	-0.1300 GZ	0.00	0.79
448	-0.1300 GZ	0.00	0.79
449	-0.1300 GZ	0.00	0.79
450	-0.1300 GZ	0.00	0.60
451	-0.1300 GZ	0.00	0.79
452	-0.1300 GZ	0.00	0.79
453	-0.1300 GZ	0.00	0.79
454	-0.1300 GZ	0.00	0.79
455	-0.1300 GZ	0.00	0.79
456	-0.1300 GZ	0.00	0.60
457	-0.1300 GZ	0.00	0.79
458	-0.1300 GZ	0.00	0.79
459	-0.1300 GZ	0.00	0.79
460	-0.1300 GZ	0.00	0.79
461	-0.1300 GZ	0.00	0.79
462	-0.1300 GZ	0.00	0.60
463	-0.1300 GZ	0.00	0.79
464	-0.1300 GZ	0.00	0.79
465	-0.1300 GZ	0.00	0.79
466	-0.1300 GZ	0.00	0.79
467	-0.1300 GZ	0.00	0.79
468	-0.1300 GZ	0.00	0.60
469	-0.1300 GZ	0.00	0.79
470	-0.1300 GZ	0.00	0.79
471	-0.1300 GZ	0.00	0.79
472	-0.1300 GZ	0.00	0.79
473	-0.1300 GZ	0.00	0.79
474	-0.1300 GZ	0.00	0.60
475	-0.1300 GZ	0.00	0.79
476	-0.1300 GZ	0.00	0.79
477	-0.1300 GZ	0.00	0.79
478	-0.1300 GZ	0.00	0.79
479	-0.1300 GZ	0.00	0.79
480	-0.1300 GZ	0.00	0.60
481	-0.1300 GZ	0.00	0.79
482	-0.1300 GZ	0.00	0.79
483	-0.1300 GZ	0.00	0.79
484	-0.1300 GZ	0.00	0.79
485	-0.1300 GZ	0.00	0.79
486	-0.1300 GZ	0.00	0.60
487	-0.1300 GZ	0.00	0.79
488	-0.1300 GZ	0.00	0.79
489	-0.1300 GZ	0.00	0.79
490	-0.1300 GZ	0.00	0.79
491	-0.1300 GZ	0.00	0.79
492	-0.1300 GZ	0.00	0.60

493	-0.1300 GZ	0.00	0.79
494	-0.1300 GZ	0.00	0.79
495	-0.1300 GZ	0.00	0.79
496	-0.1300 GZ	0.00	0.79
497	-0.1300 GZ	0.00	0.79
498	-0.1300 GZ	0.00	0.60
499	-0.1300 GZ	0.00	0.79
500	-0.1300 GZ	0.00	0.79
501	-0.1300 GZ	0.00	0.79
502	-0.1300 GZ	0.00	0.79
503	-0.1300 GZ	0.00	0.79
504	-0.1300 GZ	0.00	0.60
505	-0.1300 GZ	0.00	0.79
506	-0.1300 GZ	0.00	0.79
507	-0.1300 GZ	0.00	0.79
508	-0.1300 GZ	0.00	0.79
509	-0.1300 GZ	0.00	0.79
510	-0.1300 GZ	0.00	0.60
511	-0.1300 GZ	0.00	0.79
512	-0.1300 GZ	0.00	0.79
513	-0.1300 GZ	0.00	0.79
514	-0.1300 GZ	0.00	0.79
515	-0.1300 GZ	0.00	0.79
516	-0.1300 GZ	0.00	0.60
517	-0.1300 GZ	0.00	0.79
518	-0.1300 GZ	0.00	0.79
519	-0.1300 GZ	0.00	0.79
520	-0.1300 GZ	0.00	0.79
521	-0.1300 GZ	0.00	0.79
522	-0.1300 GZ	0.00	0.60
523	-0.1300 GZ	0.00	0.79
524	-0.1300 GZ	0.00	0.79
525	-0.1300 GZ	0.00	0.79
526	-0.1300 GZ	0.00	0.79
527	-0.1300 GZ	0.00	0.79
528	-0.1300 GZ	0.00	0.60
529	-0.1300 GZ	0.00	0.79
530	-0.1300 GZ	0.00	0.79
531	-0.1300 GZ	0.00	0.79
532	-0.1300 GZ	0.00	0.79
533	-0.1300 GZ	0.00	0.79
534	-0.1300 GZ	0.00	0.60
535	-0.1300 GZ	0.00	0.79
536	-0.1300 GZ	0.00	0.79
537	-0.1300 GZ	0.00	0.79
538	-0.1300 GZ	0.00	0.79
539	-0.1300 GZ	0.00	0.79
540	-0.1300 GZ	0.00	0.60
541	-0.1300 GZ	0.00	0.79
542	-0.1300 GZ	0.00	0.79
543	-0.1300 GZ	0.00	0.79
544	-0.1300 GZ	0.00	0.79
545	-0.1300 GZ	0.00	0.79
546	-0.1300 GZ	0.00	0.60
547	-0.1300 GZ	0.00	0.79
548	-0.1300 GZ	0.00	0.79

549	-0.1300 GZ	0.00	0.79
550	-0.1300 GZ	0.00	0.79
551	-0.1300 GZ	0.00	0.79
552	-0.1300 GZ	0.00	0.60
553	-0.1300 GZ	0.00	0.79
554	-0.1300 GZ	0.00	0.79
555	-0.1300 GZ	0.00	0.79
556	-0.1300 GZ	0.00	0.79
557	-0.1300 GZ	0.00	0.79
558	-0.1300 GZ	0.00	0.60
559	-0.1300 GZ	0.00	0.79
560	-0.1300 GZ	0.00	0.79
561	-0.1300 GZ	0.00	0.79
562	-0.1300 GZ	0.00	0.79
563	-0.1300 GZ	0.00	0.79
564	-0.1300 GZ	0.00	0.60
565	-0.1300 GZ	0.00	0.79
566	-0.1300 GZ	0.00	0.79
567	-0.1300 GZ	0.00	0.79
568	-0.1300 GZ	0.00	0.79
569	-0.1300 GZ	0.00	0.79
570	-0.1300 GZ	0.00	0.60
571	-0.1300 GZ	0.00	0.79
572	-0.1300 GZ	0.00	0.79
573	-0.1300 GZ	0.00	0.79
574	-0.1300 GZ	0.00	0.79
575	-0.1300 GZ	0.00	0.79
576	-0.1300 GZ	0.00	0.60
577	-0.1300 GZ	0.00	0.79
578	-0.1300 GZ	0.00	0.79
579	-0.1300 GZ	0.00	0.79
580	-0.1300 GZ	0.00	0.79
581	-0.1300 GZ	0.00	0.79
582	-0.1300 GZ	0.00	0.60
583	-0.1300 GZ	0.00	0.79
584	-0.1300 GZ	0.00	0.79
585	-0.1300 GZ	0.00	0.79
586	-0.1300 GZ	0.00	0.79
587	-0.1300 GZ	0.00	0.79
588	-0.1300 GZ	0.00	0.60
589	-0.1300 GZ	0.00	0.79
590	-0.1300 GZ	0.00	0.79
591	-0.1300 GZ	0.00	0.79
592	-0.1300 GZ	0.00	0.79
593	-0.1300 GZ	0.00	0.79
594	-0.1300 GZ	0.00	0.60
595	-0.1300 GZ	0.00	0.79
596	-0.1300 GZ	0.00	0.79
597	-0.1300 GZ	0.00	0.79
598	-0.1300 GZ	0.00	0.79
599	-0.1300 GZ	0.00	0.79
600	-0.1300 GZ	0.00	0.60
601	-0.1300 GZ	0.00	0.79
602	-0.1300 GZ	0.00	0.79
603	-0.1300 GZ	0.00	0.79
604	-0.1300 GZ	0.00	0.79

605	-0.1300 GZ	0.00	0.79
606	-0.1300 GZ	0.00	0.60
769	-0.1300 GZ	0.00	0.27
770	-0.1300 GZ	0.00	0.40
772	-0.1300 GZ	0.00	0.33
773	-0.1300 GZ	0.00	0.39
774	-0.1300 GZ	0.00	0.46
775	-0.1300 GZ	0.00	0.51
776	-0.1300 GZ	0.00	0.57
777	-0.1300 GZ	0.00	0.62
778	-0.1300 GZ	0.00	0.68
779	-0.1300 GZ	0.00	0.73
780	-0.1300 GZ	0.00	0.29
781	-0.1300 GZ	0.00	0.40
783	-0.1300 GZ	0.00	0.35
784	-0.1300 GZ	0.00	0.40
785	-0.1300 GZ	0.00	0.46
786	-0.1300 GZ	0.00	0.51
787	-0.1300 GZ	0.00	0.57
788	-0.1300 GZ	0.00	0.62
789	-0.1300 GZ	0.00	0.68
790	-0.1300 GZ	0.00	0.73
803	-0.1300 GZ	0.00	0.60
804	-0.1300 GZ	0.00	0.79
805	-0.1300 GZ	0.00	0.79
806	-0.1300 GZ	0.00	0.79
807	-0.1300 GZ	0.00	0.79
808	-0.1300 GZ	0.00	0.81
809	-0.1300 GZ	0.00	0.60
810	-0.1300 GZ	0.00	0.79
811	-0.1300 GZ	0.00	0.79
812	-0.1300 GZ	0.00	0.79
813	-0.1300 GZ	0.00	0.79
814	-0.1300 GZ	0.00	0.60
815	-0.1300 GZ	0.00	0.79
816	-0.1300 GZ	0.00	0.79
817	-0.1300 GZ	0.00	0.79
818	-0.1300 GZ	0.00	0.79
819	-0.1300 GZ	0.00	0.82
820	-0.1300 GZ	0.00	0.60
821	-0.1300 GZ	0.00	0.79
822	-0.1300 GZ	0.00	0.79
823	-0.1300 GZ	0.00	0.79
824	-0.1300 GZ	0.00	0.79
825	-0.1300 GZ	0.00	0.81
826	-0.1300 GZ	0.00	0.60
827	-0.1300 GZ	0.00	0.79
828	-0.1300 GZ	0.00	0.79
829	-0.1300 GZ	0.00	0.79
830	-0.1300 GZ	0.00	0.79
831	-0.1300 GZ	0.00	0.80
832	-0.1300 GZ	0.00	0.60
833	-0.1300 GZ	0.00	0.79
834	-0.1300 GZ	0.00	0.79
835	-0.1300 GZ	0.00	0.79
836	-0.1300 GZ	0.00	0.79

837	-0.1300 GZ	0.00	0.79
838	-0.1300 GZ	0.00	0.60
839	-0.1300 GZ	0.00	0.79
840	-0.1300 GZ	0.00	0.79
841	-0.1300 GZ	0.00	0.79
842	-0.1300 GZ	0.00	0.79
843	-0.1300 GZ	0.00	0.79
844	-0.1300 GZ	0.00	0.60
845	-0.1300 GZ	0.00	0.79
846	-0.1300 GZ	0.00	0.79
847	-0.1300 GZ	0.00	0.79
848	-0.1300 GZ	0.00	0.79
849	-0.1300 GZ	0.00	0.79
850	-0.1300 GZ	0.00	0.60
851	-0.1300 GZ	0.00	0.79
852	-0.1300 GZ	0.00	0.79
853	-0.1300 GZ	0.00	0.79
854	-0.1300 GZ	0.00	0.79
855	-0.1300 GZ	0.00	0.79
856	-0.1300 GZ	0.00	0.60
857	-0.1300 GZ	0.00	0.79
858	-0.1300 GZ	0.00	0.79
859	-0.1300 GZ	0.00	0.79
860	-0.1300 GZ	0.00	0.79
861	-0.1300 GZ	0.00	0.79
862	-0.1300 GZ	0.00	0.60
863	-0.1300 GZ	0.00	0.79
864	-0.1300 GZ	0.00	0.79
865	-0.1300 GZ	0.00	0.79
866	-0.1300 GZ	0.00	0.79
867	-0.1300 GZ	0.00	0.79
868	-0.1300 GZ	0.00	0.60
869	-0.1300 GZ	0.00	0.79
870	-0.1300 GZ	0.00	0.79
871	-0.1300 GZ	0.00	0.79
872	-0.1300 GZ	0.00	0.79
873	-0.1300 GZ	0.00	0.79
874	-0.1300 GZ	0.00	0.60
875	-0.1300 GZ	0.00	0.79
876	-0.1300 GZ	0.00	0.79
877	-0.1300 GZ	0.00	0.79
878	-0.1300 GZ	0.00	0.79
879	-0.1300 GZ	0.00	0.60
880	-0.1300 GZ	0.00	0.79
881	-0.1300 GZ	0.00	0.79
882	-0.1300 GZ	0.00	0.79
883	-0.1300 GZ	0.00	0.79
884	-0.1300 GZ	0.00	0.82
885	-0.1300 GZ	0.00	0.60
886	-0.1300 GZ	0.00	0.79
887	-0.1300 GZ	0.00	0.79
888	-0.1300 GZ	0.00	0.79
889	-0.1300 GZ	0.00	0.79
890	-0.1300 GZ	0.00	0.79
891	-0.1300 GZ	0.00	0.60
892	-0.1300 GZ	0.00	0.79

893	-0.1300 GZ	0.00	0.79
894	-0.1300 GZ	0.00	0.79
895	-0.1300 GZ	0.00	0.79
896	-0.1300 GZ	0.00	0.79
897	-0.1300 GZ	0.00	0.60
898	-0.1300 GZ	0.00	0.79
899	-0.1300 GZ	0.00	0.79
900	-0.1300 GZ	0.00	0.79
901	-0.1300 GZ	0.00	0.79
902	-0.1300 GZ	0.00	0.79
903	-0.1300 GZ	0.00	0.60
904	-0.1300 GZ	0.00	0.79
905	-0.1300 GZ	0.00	0.79
906	-0.1300 GZ	0.00	0.79
907	-0.1300 GZ	0.00	0.79
908	-0.1300 GZ	0.00	0.79
909	-0.1300 GZ	0.00	0.60
910	-0.1300 GZ	0.00	0.79
911	-0.1300 GZ	0.00	0.79
912	-0.1300 GZ	0.00	0.79
913	-0.1300 GZ	0.00	0.79
914	-0.1300 GZ	0.00	0.79
915	-0.1300 GZ	0.00	0.60
916	-0.1300 GZ	0.00	0.79
917	-0.1300 GZ	0.00	0.79
918	-0.1300 GZ	0.00	0.79
919	-0.1300 GZ	0.00	0.79
920	-0.1300 GZ	0.00	0.79
921	-0.1300 GZ	0.00	0.60
922	-0.1300 GZ	0.00	0.79
923	-0.1300 GZ	0.00	0.79
924	-0.1300 GZ	0.00	0.79
925	-0.1300 GZ	0.00	0.79
926	-0.1300 GZ	0.00	0.79
927	-0.1300 GZ	0.00	0.60
928	-0.1300 GZ	0.00	0.79
929	-0.1300 GZ	0.00	0.79
930	-0.1300 GZ	0.00	0.79
931	-0.1300 GZ	0.00	0.79
932	-0.1300 GZ	0.00	0.79
1070	-0.1300 GZ	0.00	0.04
1072	-0.1300 GZ	0.00	0.27
1074	-0.1300 GZ	0.00	0.50
1076	-0.1300 GZ	0.00	0.04
1078	-0.1300 GZ	0.00	0.27
1080	-0.1300 GZ	0.00	0.50

LOADING 4 LOADTYPE NONE TITLE WL S

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2

14	0.2000 GY	0.00	0.63
15	0.2000 GY	0.00	0.75
16	0.2000 GY	0.00	0.66
17	0.2000 GY	0.00	0.16
18	0.2000 GY	0.00	0.66
19	0.2000 GY	0.00	0.66
21	0.2000 GY	0.00	0.63
22	0.2000 GY	0.00	0.79
23	0.2000 GY	0.00	0.66
24	0.2000 GY	0.00	0.66
25	0.2000 GY	0.00	0.66
26	0.2000 GY	0.00	0.66
48	0.2000 GY	0.00	0.63
49	0.2000 GY	0.00	0.63
50	0.2000 GY	0.00	0.63
51	0.2000 GY	0.00	0.63
52	0.2000 GY	0.00	0.63
53	0.2000 GY	0.00	0.63
54	0.2000 GY	0.00	0.63
55	0.2000 GY	0.00	0.63
56	0.2000 GY	0.00	0.63
57	0.2000 GY	0.00	0.63
58	0.2000 GY	0.00	0.63
59	0.2000 GY	0.00	0.63
60	0.2000 GY	0.00	0.63
61	0.2000 GY	0.00	0.63
62	0.2000 GY	0.00	0.63
63	0.2000 GY	0.00	0.63
172	0.2000 GY	0.00	0.63
173	0.2000 GY	0.00	0.75
174	0.2000 GY	0.00	0.66
175	0.2000 GY	0.00	0.16
176	0.2000 GY	0.00	0.66
177	0.2000 GY	0.00	0.66
179	0.2000 GY	0.00	0.63
180	0.2000 GY	0.00	0.79
181	0.2000 GY	0.00	0.66
182	0.2000 GY	0.00	0.66
183	0.2000 GY	0.00	0.66
184	0.2000 GY	0.00	0.66
206	0.2000 GY	0.00	0.63
207	0.2000 GY	0.00	0.63
208	0.2000 GY	0.00	0.63
209	0.2000 GY	0.00	0.63
210	0.2000 GY	0.00	0.63
211	0.2000 GY	0.00	0.63
212	0.2000 GY	0.00	0.63
213	0.2000 GY	0.00	0.63
214	0.2000 GY	0.00	0.63
215	0.2000 GY	0.00	0.63
216	0.2000 GY	0.00	0.63
217	0.2000 GY	0.00	0.63
218	0.2000 GY	0.00	0.63
219	0.2000 GY	0.00	0.63
220	0.2000 GY	0.00	0.63
221	0.2000 GY	0.00	0.63

329	0.2000 GY	0.00	0.59
330	0.2000 GY	0.00	0.59
331	0.2000 GY	0.00	0.59
332	0.2000 GY	0.00	0.59
333	0.2000 GY	0.00	0.59
334	0.2000 GY	0.00	0.59
335	0.2000 GY	0.00	0.59
336	0.2000 GY	0.00	0.59
337	0.2000 GY	0.00	0.59
338	0.2000 GY	0.00	0.59
339	0.2000 GY	0.00	0.59
340	0.2000 GY	0.00	0.59
341	0.2000 GY	0.00	0.59
342	0.2000 GY	0.00	0.59
343	0.2000 GY	0.00	0.59
344	0.2000 GY	0.00	0.59
345	0.2000 GY	0.00	0.59
346	0.2000 GY	0.00	0.59
347	0.2000 GY	0.00	0.59
348	0.2000 GY	0.00	0.59
349	0.2000 GY	0.00	0.59
350	0.2000 GY	0.00	0.59
351	0.2000 GY	0.00	0.59
352	0.2000 GY	0.00	0.59
353	0.2000 GY	0.00	0.59
354	0.2000 GY	0.00	0.59
355	0.2000 GY	0.00	0.59
356	0.2000 GY	0.00	0.59
357	0.2000 GY	0.00	0.59
358	0.2000 GY	0.00	0.59
359	0.2000 GY	0.00	0.59
360	0.2000 GY	0.00	0.59
361	0.2000 GY	0.00	0.59
362	0.2000 GY	0.00	0.59
363	0.2000 GY	0.00	0.59
364	0.2000 GY	0.00	0.59
365	0.2000 GY	0.00	0.59
366	0.2000 GY	0.00	0.59
367	0.2000 GY	0.00	0.59
368	0.2000 GY	0.00	0.59
369	0.2000 GY	0.00	0.59
370	0.2000 GY	0.00	0.59
371	0.2000 GY	0.00	0.59
372	0.2000 GY	0.00	0.59
373	0.2000 GY	0.00	0.59
374	0.2000 GY	0.00	0.59
375	0.2000 GY	0.00	0.59
376	0.2000 GY	0.00	0.59
377	0.2000 GY	0.00	0.59
378	0.2000 GY	0.00	0.59
379	0.2000 GY	0.00	0.59
380	0.2000 GY	0.00	0.59
381	0.2000 GY	0.00	0.59
382	0.2000 GY	0.00	0.59
1068	0.2000 GY	0.00	0.04
1069	0.2000 GY	0.00	0.50

1084	0.2000	GY	0.00	0.04
1085	0.2000	GY	0.00	0.50
13	0.7700	GX	0.00	0.55
15	0.7700	GX	0.00	0.75
16	0.7700	GX	0.00	0.66
17	0.7700	GX	0.00	0.16
18	0.7700	GX	0.00	0.66
20	0.7700	GX	0.00	0.55
22	0.7700	GX	0.00	0.79
23	0.7700	GX	0.00	0.66
24	0.7700	GX	0.00	0.66
25	0.7700	GX	0.00	0.66
88	0.7700	GX	0.00	0.05
89	0.7700	GX	0.00	0.28
90	0.7700	GX	0.00	0.51
91	0.7700	GX	0.00	0.55
92	0.7700	GX	0.00	0.55
93	0.7700	GX	0.00	0.55
1068	0.7700	GX	0.00	0.04
1069	0.7700	GX	0.00	0.50
1070	0.7700	GX	0.00	0.04
1072	0.7700	GX	0.00	0.27
1074	0.7700	GX	0.00	0.50
171	-0.1500	GX	0.00	0.55
173	-0.1500	GX	0.00	0.75
174	-0.1500	GX	0.00	0.66
175	-0.1500	GX	0.00	0.16
176	-0.1500	GX	0.00	0.66
178	-0.1500	GX	0.00	0.55
180	-0.1500	GX	0.00	0.79
181	-0.1500	GX	0.00	0.66
182	-0.1500	GX	0.00	0.66
183	-0.1500	GX	0.00	0.66
246	-0.1500	GX	0.00	0.05
247	-0.1500	GX	0.00	0.28
248	-0.1500	GX	0.00	0.51
249	-0.1500	GX	0.00	0.55
250	-0.1500	GX	0.00	0.55
251	-0.1500	GX	0.00	0.55
1076	-0.1500	GX	0.00	0.04
1078	-0.1500	GX	0.00	0.27
1080	-0.1500	GX	0.00	0.50
1084	-0.1500	GX	0.00	0.04
1085	-0.1500	GX	0.00	0.50
411	-0.7700	GZ	0.00	0.79
412	-0.7700	GZ	0.00	0.79
413	-0.7700	GZ	0.00	0.79
414	-0.7700	GZ	0.00	0.79
415	-0.7700	GZ	0.00	0.79
416	-0.7700	GZ	0.00	0.79
417	-0.7700	GZ	0.00	0.79
418	-0.7700	GZ	0.00	0.79
419	-0.7700	GZ	0.00	0.79
420	-0.7700	GZ	0.00	0.79
421	-0.7700	GZ	0.00	0.79
422	-0.7700	GZ	0.00	0.79

423	-0.7700 GZ	0.00	0.79
424	-0.7700 GZ	0.00	0.79
425	-0.7700 GZ	0.00	0.79
426	-0.7700 GZ	0.00	0.79
427	-0.7700 GZ	0.00	0.79
428	-0.7700 GZ	0.00	0.79
429	-0.7700 GZ	0.00	0.79
430	-0.7700 GZ	0.00	0.79
431	-0.7700 GZ	0.00	0.79
432	-0.7700 GZ	0.00	0.79
433	-0.7700 GZ	0.00	0.79
434	-0.7700 GZ	0.00	0.79
435	-0.7700 GZ	0.00	0.79
436	-0.7700 GZ	0.00	0.79
437	-0.7700 GZ	0.00	0.79
438	-0.7700 GZ	0.00	0.79
439	-0.7700 GZ	0.00	0.79
440	-0.7700 GZ	0.00	0.79
441	-0.7700 GZ	0.00	0.79
442	-0.7700 GZ	0.00	0.79
443	-0.7700 GZ	0.00	0.79
444	-0.7700 GZ	0.00	0.60
445	-0.7700 GZ	0.00	0.79
446	-0.7700 GZ	0.00	0.79
447	-0.7700 GZ	0.00	0.79
448	-0.7700 GZ	0.00	0.79
449	-0.7700 GZ	0.00	0.79
450	-0.7700 GZ	0.00	0.60
451	-0.7700 GZ	0.00	0.79
452	-0.7700 GZ	0.00	0.79
453	-0.7700 GZ	0.00	0.79
454	-0.7700 GZ	0.00	0.79
455	-0.7700 GZ	0.00	0.79
456	-0.7700 GZ	0.00	0.60
457	-0.7700 GZ	0.00	0.79
458	-0.7700 GZ	0.00	0.79
459	-0.7700 GZ	0.00	0.79
460	-0.7700 GZ	0.00	0.79
461	-0.7700 GZ	0.00	0.79
462	-0.7700 GZ	0.00	0.60
463	-0.7700 GZ	0.00	0.79
464	-0.7700 GZ	0.00	0.79
465	-0.7700 GZ	0.00	0.79
466	-0.7700 GZ	0.00	0.79
467	-0.7700 GZ	0.00	0.79
468	-0.7700 GZ	0.00	0.60
469	-0.7700 GZ	0.00	0.79
470	-0.7700 GZ	0.00	0.79
471	-0.7700 GZ	0.00	0.79
472	-0.7700 GZ	0.00	0.79
473	-0.7700 GZ	0.00	0.79
474	-0.7700 GZ	0.00	0.60
475	-0.7700 GZ	0.00	0.79
476	-0.7700 GZ	0.00	0.79
477	-0.7700 GZ	0.00	0.79
478	-0.7700 GZ	0.00	0.79

479	-0.7700 GZ	0.00	0.79
480	-0.7700 GZ	0.00	0.60
481	-0.7700 GZ	0.00	0.79
482	-0.7700 GZ	0.00	0.79
483	-0.7700 GZ	0.00	0.79
484	-0.7700 GZ	0.00	0.79
485	-0.7700 GZ	0.00	0.79
486	-0.7700 GZ	0.00	0.60
487	-0.7700 GZ	0.00	0.79
488	-0.7700 GZ	0.00	0.79
489	-0.7700 GZ	0.00	0.79
490	-0.7700 GZ	0.00	0.79
491	-0.7700 GZ	0.00	0.79
492	-0.7700 GZ	0.00	0.60
493	-0.7700 GZ	0.00	0.79
494	-0.7700 GZ	0.00	0.79
495	-0.7700 GZ	0.00	0.79
496	-0.7700 GZ	0.00	0.79
497	-0.7700 GZ	0.00	0.79
498	-0.7700 GZ	0.00	0.60
499	-0.7700 GZ	0.00	0.79
500	-0.7700 GZ	0.00	0.79
501	-0.7700 GZ	0.00	0.79
502	-0.7700 GZ	0.00	0.79
503	-0.7700 GZ	0.00	0.79
504	-0.7700 GZ	0.00	0.60
505	-0.7700 GZ	0.00	0.79
506	-0.7700 GZ	0.00	0.79
507	-0.7700 GZ	0.00	0.79
508	-0.7700 GZ	0.00	0.79
509	-0.7700 GZ	0.00	0.79
510	-0.7700 GZ	0.00	0.60
511	-0.7700 GZ	0.00	0.79
512	-0.7700 GZ	0.00	0.79
513	-0.7700 GZ	0.00	0.79
514	-0.7700 GZ	0.00	0.79
515	-0.7700 GZ	0.00	0.79
516	-0.7700 GZ	0.00	0.60
517	-0.7700 GZ	0.00	0.79
518	-0.7700 GZ	0.00	0.79
519	-0.7700 GZ	0.00	0.79
520	-0.7700 GZ	0.00	0.79
521	-0.7700 GZ	0.00	0.79
522	-0.7700 GZ	0.00	0.60
523	-0.7700 GZ	0.00	0.79
524	-0.7700 GZ	0.00	0.79
525	-0.7700 GZ	0.00	0.79
526	-0.7700 GZ	0.00	0.79
527	-0.7700 GZ	0.00	0.79
528	-0.7700 GZ	0.00	0.60
529	-0.7700 GZ	0.00	0.79
530	-0.7700 GZ	0.00	0.79
531	-0.7700 GZ	0.00	0.79
532	-0.7700 GZ	0.00	0.79
533	-0.7700 GZ	0.00	0.79
534	-0.7700 GZ	0.00	0.60

535	-0.7700 GZ	0.00	0.79
536	-0.7700 GZ	0.00	0.79
537	-0.7700 GZ	0.00	0.79
538	-0.7700 GZ	0.00	0.79
539	-0.7700 GZ	0.00	0.79
540	-0.7700 GZ	0.00	0.60
541	-0.7700 GZ	0.00	0.79
542	-0.7700 GZ	0.00	0.79
543	-0.7700 GZ	0.00	0.79
544	-0.7700 GZ	0.00	0.79
545	-0.7700 GZ	0.00	0.79
546	-0.7700 GZ	0.00	0.60
547	-0.7700 GZ	0.00	0.79
548	-0.7700 GZ	0.00	0.79
549	-0.7700 GZ	0.00	0.79
550	-0.7700 GZ	0.00	0.79
551	-0.7700 GZ	0.00	0.79
552	-0.7700 GZ	0.00	0.60
553	-0.7700 GZ	0.00	0.79
554	-0.7700 GZ	0.00	0.79
555	-0.7700 GZ	0.00	0.79
556	-0.7700 GZ	0.00	0.79
557	-0.7700 GZ	0.00	0.79
558	-0.7700 GZ	0.00	0.60
559	-0.7700 GZ	0.00	0.79
560	-0.7700 GZ	0.00	0.79
561	-0.7700 GZ	0.00	0.79
562	-0.7700 GZ	0.00	0.79
563	-0.7700 GZ	0.00	0.79
564	-0.7700 GZ	0.00	0.60
565	-0.7700 GZ	0.00	0.79
566	-0.7700 GZ	0.00	0.79
567	-0.7700 GZ	0.00	0.79
568	-0.7700 GZ	0.00	0.79
569	-0.7700 GZ	0.00	0.79
570	-0.7700 GZ	0.00	0.60
571	-0.7700 GZ	0.00	0.79
572	-0.7700 GZ	0.00	0.79
573	-0.7700 GZ	0.00	0.79
574	-0.7700 GZ	0.00	0.79
575	-0.7700 GZ	0.00	0.79
576	-0.7700 GZ	0.00	0.60
577	-0.7700 GZ	0.00	0.79
578	-0.7700 GZ	0.00	0.79
579	-0.7700 GZ	0.00	0.79
580	-0.7700 GZ	0.00	0.79
581	-0.7700 GZ	0.00	0.79
582	-0.7700 GZ	0.00	0.60
583	-0.7700 GZ	0.00	0.79
584	-0.7700 GZ	0.00	0.79
585	-0.7700 GZ	0.00	0.79
586	-0.7700 GZ	0.00	0.79
587	-0.7700 GZ	0.00	0.79
588	-0.7700 GZ	0.00	0.60
589	-0.7700 GZ	0.00	0.79
590	-0.7700 GZ	0.00	0.79

591	-0.7700 GZ	0.00	0.79
592	-0.7700 GZ	0.00	0.79
593	-0.7700 GZ	0.00	0.79
594	-0.7700 GZ	0.00	0.60
595	-0.7700 GZ	0.00	0.79
596	-0.7700 GZ	0.00	0.79
597	-0.7700 GZ	0.00	0.79
598	-0.7700 GZ	0.00	0.79
599	-0.7700 GZ	0.00	0.79
600	-0.7700 GZ	0.00	0.60
601	-0.7700 GZ	0.00	0.79
602	-0.7700 GZ	0.00	0.79
603	-0.7700 GZ	0.00	0.79
604	-0.7700 GZ	0.00	0.79
605	-0.7700 GZ	0.00	0.79
606	-0.7700 GZ	0.00	0.60
769	-0.7700 GZ	0.00	0.27
770	-0.7700 GZ	0.00	0.40
772	-0.7700 GZ	0.00	0.33
773	-0.7700 GZ	0.00	0.39
774	-0.7700 GZ	0.00	0.46
775	-0.7700 GZ	0.00	0.51
776	-0.7700 GZ	0.00	0.57
777	-0.7700 GZ	0.00	0.62
778	-0.7700 GZ	0.00	0.68
779	-0.7700 GZ	0.00	0.73
780	-0.7700 GZ	0.00	0.29
781	-0.7700 GZ	0.00	0.40
783	-0.7700 GZ	0.00	0.35
784	-0.7700 GZ	0.00	0.40
785	-0.7700 GZ	0.00	0.46
786	-0.7700 GZ	0.00	0.51
787	-0.7700 GZ	0.00	0.57
788	-0.7700 GZ	0.00	0.62
789	-0.7700 GZ	0.00	0.68
790	-0.7700 GZ	0.00	0.73
803	-0.7700 GZ	0.00	0.60
804	-0.7700 GZ	0.00	0.79
805	-0.7700 GZ	0.00	0.79
806	-0.7700 GZ	0.00	0.79
807	-0.7700 GZ	0.00	0.79
808	-0.7700 GZ	0.00	0.81
809	-0.7700 GZ	0.00	0.60
810	-0.7700 GZ	0.00	0.79
811	-0.7700 GZ	0.00	0.79
812	-0.7700 GZ	0.00	0.79
813	-0.7700 GZ	0.00	0.79
814	-0.7700 GZ	0.00	0.60
815	-0.7700 GZ	0.00	0.79
816	-0.7700 GZ	0.00	0.79
817	-0.7700 GZ	0.00	0.79
818	-0.7700 GZ	0.00	0.79
819	-0.7700 GZ	0.00	0.82
820	-0.7700 GZ	0.00	0.60
821	-0.7700 GZ	0.00	0.79
822	-0.7700 GZ	0.00	0.79

823	-0.7700 GZ	0.00	0.79
824	-0.7700 GZ	0.00	0.79
825	-0.7700 GZ	0.00	0.81
826	-0.7700 GZ	0.00	0.60
827	-0.7700 GZ	0.00	0.79
828	-0.7700 GZ	0.00	0.79
829	-0.7700 GZ	0.00	0.79
830	-0.7700 GZ	0.00	0.79
831	-0.7700 GZ	0.00	0.80
832	-0.7700 GZ	0.00	0.60
833	-0.7700 GZ	0.00	0.79
834	-0.7700 GZ	0.00	0.79
835	-0.7700 GZ	0.00	0.79
836	-0.7700 GZ	0.00	0.79
837	-0.7700 GZ	0.00	0.79
838	-0.7700 GZ	0.00	0.60
839	-0.7700 GZ	0.00	0.79
840	-0.7700 GZ	0.00	0.79
841	-0.7700 GZ	0.00	0.79
842	-0.7700 GZ	0.00	0.79
843	-0.7700 GZ	0.00	0.79
844	-0.7700 GZ	0.00	0.60
845	-0.7700 GZ	0.00	0.79
846	-0.7700 GZ	0.00	0.79
847	-0.7700 GZ	0.00	0.79
848	-0.7700 GZ	0.00	0.79
849	-0.7700 GZ	0.00	0.79
850	-0.7700 GZ	0.00	0.60
851	-0.7700 GZ	0.00	0.79
852	-0.7700 GZ	0.00	0.79
853	-0.7700 GZ	0.00	0.79
854	-0.7700 GZ	0.00	0.79
855	-0.7700 GZ	0.00	0.79
856	-0.7700 GZ	0.00	0.60
857	-0.7700 GZ	0.00	0.79
858	-0.7700 GZ	0.00	0.79
859	-0.7700 GZ	0.00	0.79
860	-0.7700 GZ	0.00	0.79
861	-0.7700 GZ	0.00	0.79
862	-0.7700 GZ	0.00	0.60
863	-0.7700 GZ	0.00	0.79
864	-0.7700 GZ	0.00	0.79
865	-0.7700 GZ	0.00	0.79
866	-0.7700 GZ	0.00	0.79
867	-0.7700 GZ	0.00	0.79
868	-0.7700 GZ	0.00	0.60
869	-0.7700 GZ	0.00	0.79
870	-0.7700 GZ	0.00	0.79
871	-0.7700 GZ	0.00	0.79
872	-0.7700 GZ	0.00	0.79
873	-0.7700 GZ	0.00	0.79
874	-0.7700 GZ	0.00	0.60
875	-0.7700 GZ	0.00	0.79
876	-0.7700 GZ	0.00	0.79
877	-0.7700 GZ	0.00	0.79
878	-0.7700 GZ	0.00	0.79

879	-0.7700 GZ	0.00	0.60
880	-0.7700 GZ	0.00	0.79
881	-0.7700 GZ	0.00	0.79
882	-0.7700 GZ	0.00	0.79
883	-0.7700 GZ	0.00	0.79
884	-0.7700 GZ	0.00	0.82
885	-0.7700 GZ	0.00	0.60
886	-0.7700 GZ	0.00	0.79
887	-0.7700 GZ	0.00	0.79
888	-0.7700 GZ	0.00	0.79
889	-0.7700 GZ	0.00	0.79
890	-0.7700 GZ	0.00	0.79
891	-0.7700 GZ	0.00	0.60
892	-0.7700 GZ	0.00	0.79
893	-0.7700 GZ	0.00	0.79
894	-0.7700 GZ	0.00	0.79
895	-0.7700 GZ	0.00	0.79
896	-0.7700 GZ	0.00	0.79
897	-0.7700 GZ	0.00	0.60
898	-0.7700 GZ	0.00	0.79
899	-0.7700 GZ	0.00	0.79
900	-0.7700 GZ	0.00	0.79
901	-0.7700 GZ	0.00	0.79
902	-0.7700 GZ	0.00	0.79
903	-0.7700 GZ	0.00	0.60
904	-0.7700 GZ	0.00	0.79
905	-0.7700 GZ	0.00	0.79
906	-0.7700 GZ	0.00	0.79
907	-0.7700 GZ	0.00	0.79
908	-0.7700 GZ	0.00	0.79
909	-0.7700 GZ	0.00	0.60
910	-0.7700 GZ	0.00	0.79
911	-0.7700 GZ	0.00	0.79
912	-0.7700 GZ	0.00	0.79
913	-0.7700 GZ	0.00	0.79
914	-0.7700 GZ	0.00	0.79
915	-0.7700 GZ	0.00	0.60
916	-0.7700 GZ	0.00	0.79
917	-0.7700 GZ	0.00	0.79
918	-0.7700 GZ	0.00	0.79
919	-0.7700 GZ	0.00	0.79
920	-0.7700 GZ	0.00	0.79
921	-0.7700 GZ	0.00	0.60
922	-0.7700 GZ	0.00	0.79
923	-0.7700 GZ	0.00	0.79
924	-0.7700 GZ	0.00	0.79
925	-0.7700 GZ	0.00	0.79
926	-0.7700 GZ	0.00	0.79
927	-0.7700 GZ	0.00	0.60
928	-0.7700 GZ	0.00	0.79
929	-0.7700 GZ	0.00	0.79
930	-0.7700 GZ	0.00	0.79
931	-0.7700 GZ	0.00	0.79
932	-0.7700 GZ	0.00	0.79

FOR LOADING - 1

STAAD SPACE -- PAGE NO. 35

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	0.00000E+00	-3.69707E-02	2.33372E-10	0.00000E+00	0.00000E+00	0.00000E+00
20	-9.10902E-11	-1.16076E-01	-1.85569E-11	0.00000E+00	0.00000E+00	2.85776E-04
21	2.90550E-10	-6.61393E-02	-1.33967E-09	0.00000E+00	0.00000E+00	-3.45196E-04
22	4.31864E-11	-5.47763E-02	0.00000E+00	0.00000E+00	0.00000E+00	5.01310E-05
23	-5.71555E-10	-2.86769E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.00163E-03
24	2.19149E-10	-6.72812E-02	-9.29833E-10	0.00000E+00	0.00000E+00	9.04460E-04
25	-8.44335E-11	-5.18388E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.22752E-03
26	-2.36056E-10	-9.90740E-02	-1.19710E-10	0.00000E+00	0.00000E+00	-3.74658E-04
27	0.00000E+00	-2.08257E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
28	-7.94240E-11	-7.18552E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.85776E-04
29	3.75937E-10	-5.27807E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.80390E-04
30	2.11662E-10	-8.46779E-02	-2.96338E-10	0.00000E+00	0.00000E+00	5.01310E-05
31	-6.55515E-10	-9.18459E-02	-3.36879E-10	0.00000E+00	0.00000E+00	-6.22096E-04
32	2.43093E-09	-5.22415E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.37147E-04
33	-6.41006E-11	-8.61497E-02	-1.86456E-11	0.00000E+00	0.00000E+00	-5.23734E-04
34	-2.80259E-10	-5.22405E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.74658E-04
59	2.63640E-10	-8.78102E-02	-3.81549E-11	0.00000E+00	0.00000E+00	-1.68361E-09
60	-1.91689E-10	-5.53222E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.10451E-09
61	4.05540E-11	-8.96465E-02	2.57995E-11	0.00000E+00	0.00000E+00	-1.89406E-09
62	-7.30626E-12	-5.70169E-02	0.00000E+00	0.00000E+00	0.00000E+00	8.29176E-08
63	2.25306E-10	-9.11998E-02	-6.55325E-11	0.00000E+00	0.00000E+00	-8.20758E-08
64	2.39215E-11	-5.85711E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.31352E-10
65	3.88551E-11	-9.27541E-02	4.07826E-11	0.00000E+00	0.00000E+00	4.20901E-10
66	-9.05647E-11	-6.01248E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.73442E-09
67	2.52129E-10	-4.98031E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.68361E-09
68	-1.14333E-10	-8.32092E-02	-1.49832E-11	0.00000E+00	0.00000E+00	2.10451E-09
69	-1.11630E-11	-4.98031E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89406E-09
70	1.84243E-11	-8.32087E-02	-9.71018E-11	0.00000E+00	0.00000E+00	8.29176E-08
71	2.19422E-10	-4.98027E-02	0.00000E+00	0.00000E+00	0.00000E+00	-8.20758E-08
72	3.95726E-11	-8.32092E-02	3.15691E-11	0.00000E+00	0.00000E+00	-6.31352E-10
73	-2.22814E-11	-4.98031E-02	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
74	-5.88432E-11	-8.32092E-02	-8.75719E-11	0.00000E+00	0.00000E+00	6.73442E-09
99	0.00000E+00	-2.50294E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
100	0.00000E+00	-6.41671E-02	-8.16611E-11	0.00000E+00	0.00000E+00	0.00000E+00
101	0.00000E+00	-3.18774E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
102	0.00000E+00	-7.62556E-02	7.26515E-10	0.00000E+00	0.00000E+00	0.00000E+00
103	0.00000E+00	-4.39657E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
104	0.00000E+00	-7.62556E-02	1.61736E-10	0.00000E+00	0.00000E+00	0.00000E+00
115	0.00000E+00	-2.08257E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
116	-1.77897E-10	-8.29554E-02	0.00000E+00	0.00000E+00	0.00000E+00	-2.85957E-04
117	-5.50962E-10	-3.20125E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.45426E-04
118	-3.98223E-10	-8.87858E-02	3.18056E-11	0.00000E+00	0.00000E+00	-4.98974E-05
119	9.63550E-10	-6.36095E-02	-1.97758E-10	0.00000E+00	0.00000E+00	1.00165E-03
120	2.60751E-11	-3.33768E-02	0.00000E+00	0.00000E+00	0.00000E+00	-9.04520E-04
121	-8.28028E-10	-8.57440E-02	-2.98197E-10	0.00000E+00	0.00000E+00	1.22739E-03
122	-1.52234E-09	-6.51724E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.74635E-04
123	0.00000E+00	-3.73258E-02	-6.82313E-10	0.00000E+00	0.00000E+00	0.00000E+00
124	-1.73854E-10	-1.04979E-01	6.43072E-12	0.00000E+00	0.00000E+00	-2.85957E-04
125	6.60218E-11	-8.69078E-02	2.33100E-10	0.00000E+00	0.00000E+00	3.80389E-04
126	-3.01628E-10	-5.10240E-02	0.00000E+00	0.00000E+00	0.00000E+00	-4.98974E-05
127	1.06276E-09	-5.69131E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.22105E-04
128	7.64633E-10	-8.61449E-02	-7.08277E-10	0.00000E+00	0.00000E+00	6.37127E-04
129	4.63423E-10	-5.22454E-02	0.00000E+00	0.00000E+00	0.00000E+00	5.23770E-04

STAAD SPACE -- PAGE NO. 36

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
130	-1.78924E-09	-8.61440E-02	1.03453E-10	0.00000E+00	0.00000E+00	3.74635E-04
155	3.97217E-11	-5.46888E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
156	3.88049E-10	-8.88678E-02	-3.18833E-11	0.00000E+00	0.00000E+00	-7.82035E-07
157	-2.86958E-10	-5.62389E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.82035E-07
158	-1.29980E-11	-9.04260E-02	-4.07816E-11	0.00000E+00	0.00000E+00	0.00000E+00
159	4.35169E-10	-5.77927E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.82035E-07
160	-3.34081E-10	-9.19754E-02	-4.96832E-11	0.00000E+00	0.00000E+00	7.82035E-07
161	3.97217E-11	-5.93502E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
162	3.74018E-10	-9.35337E-02	2.79676E-11	0.00000E+00	0.00000E+00	1.22061E-08
163	-1.29980E-11	-8.32119E-02	4.07816E-11	0.00000E+00	0.00000E+00	0.00000E+00
164	4.35169E-10	-4.98016E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.82035E-07
165	-3.34081E-10	-8.32074E-02	4.96832E-11	0.00000E+00	0.00000E+00	7.82035E-07
166	3.97217E-11	-4.98053E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
167	3.88049E-10	-8.32074E-02	3.18833E-11	0.00000E+00	0.00000E+00	-7.82035E-07
168	-2.86958E-10	-4.98016E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.82035E-07
169	-1.29980E-11	-8.32119E-02	4.07816E-11	0.00000E+00	0.00000E+00	0.00000E+00
170	3.83516E-10	-4.98054E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.22061E-08
195	0.00000E+00	-2.50294E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
196	0.00000E+00	-3.18773E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
197	0.00000E+00	-6.41672E-02	3.39812E-10	0.00000E+00	0.00000E+00	0.00000E+00
198	0.00000E+00	-4.39658E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
199	0.00000E+00	-7.59242E-02	-7.97434E-10	0.00000E+00	0.00000E+00	0.00000E+00
200	0.00000E+00	-4.39658E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
201	0.00000E+00	-8.68267E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
202	0.00000E+00	-7.04077E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.47100E-08
203	0.00000E+00	-7.04077E-02	0.00000E+00	0.00000E+00	0.00000E+00	8.06026E-08
204	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.55523E-07
205	0.00000E+00	-7.04085E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.49204E-08
206	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	5.68217E-09
207	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-5.68217E-09
208	0.00000E+00	-7.04043E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.42891E-07
209	0.00000E+00	-7.04043E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.37209E-07
210	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
211	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
212	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
213	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
214	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
215	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
216	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
217	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
218	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
219	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
220	0.00000E+00	-7.04043E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.37209E-07
221	0.00000E+00	-7.04044E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.48573E-07
222	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
223	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
224	0.00000E+00	-7.04081E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
225	0.00000E+00	-8.68276E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
226	0.00000E+00	-7.04080E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
227	0.00000E+00	-8.15060E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
228	0.00000E+00	-8.15064E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.47100E-08
229	0.00000E+00	-8.15064E-02	0.00000E+00	0.00000E+00	0.00000E+00	8.06026E-08
230	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.55523E-07

STAAD SPACE -- PAGE NO. 37

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
231	0.00000E+00	-8.15072E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.49204E-08
232	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	5.68217E-09
233	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-5.68217E-09
234	0.00000E+00	-8.15030E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.42891E-07
235	0.00000E+00	-8.15030E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.37209E-07
236	0.00000E+00	-8.15067E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
237	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
238	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
239	0.00000E+00	-8.15067E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
240	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
241	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
242	0.00000E+00	-8.15067E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
243	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
244	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
245	0.00000E+00	-8.15067E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
246	0.00000E+00	-8.15030E-02	0.00000E+00	0.00000E+00	0.00000E+00	7.37209E-07
247	0.00000E+00	-8.15030E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.48573E-07
248	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
249	0.00000E+00	-8.15067E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
250	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.13643E-08
251	0.00000E+00	-8.15068E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.13643E-08
252	0.00000E+00	-1.14346E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
253	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
254	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
255	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
256	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
257	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
258	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
259	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
260	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
261	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
262	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
263	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
264	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
265	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
266	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
267	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
268	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
269	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
270	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
271	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
272	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
273	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
274	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
275	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
276	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
277	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
278	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
279	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
280	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
281	0.00000E+00	-2.50236E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
282	0.00000E+00	-2.50236E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
283	0.00000E+00	-2.50236E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 38

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
284	0.00000E+00	-2.50236E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
285	0.00000E+00	-2.50237E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
286	0.00000E+00	-2.24528E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
287	0.00000E+00	-2.50237E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
288	0.00000E+00	-2.50237E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
289	0.00000E+00	-2.50237E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
290	0.00000E+00	-2.50237E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
291	0.00000E+00	-2.50238E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
292	0.00000E+00	-2.24529E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
293	0.00000E+00	-2.49401E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
294	0.00000E+00	-2.49401E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
295	0.00000E+00	-2.49401E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
296	0.00000E+00	-2.49401E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
297	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
298	0.00000E+00	-2.23693E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
299	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
300	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
301	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
302	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
303	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
304	0.00000E+00	-2.23693E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
305	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
306	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
307	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
308	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
309	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
310	0.00000E+00	-2.23693E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
311	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
312	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
313	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
314	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
315	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
316	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
317	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
318	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
319	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
320	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
321	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
322	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
323	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
324	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
325	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
326	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
327	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
328	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
329	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
330	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
331	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
332	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
333	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
334	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
335	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
336	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 39

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
337	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
338	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
339	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
340	0.00000E+00	-2.23691E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
341	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
342	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
343	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
344	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
345	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
346	0.00000E+00	-2.23691E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
347	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
348	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
349	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
350	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
351	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
352	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
353	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
354	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
355	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
356	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
357	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
358	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
359	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
360	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
361	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
362	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
363	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
364	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
365	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
366	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
367	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
368	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
369	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
370	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
371	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
372	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
373	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
374	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
375	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
376	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
377	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
378	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
379	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
380	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
381	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
382	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
383	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
384	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
385	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
386	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
387	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
388	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
389	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 40

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
390	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
391	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
392	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
393	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
394	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
395	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
396	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
397	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
398	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
399	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
400	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
401	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
402	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
403	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
404	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
405	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
406	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
407	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
408	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
409	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
410	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
411	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
412	0.00000E+00	-2.23691E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
413	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
414	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
415	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
416	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
417	0.00000E+00	-2.49400E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
418	0.00000E+00	-2.23691E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
419	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
420	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
421	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
422	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
423	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
424	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
425	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
426	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
427	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
428	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
429	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
430	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
431	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
432	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
433	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
434	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
435	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
436	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
437	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
438	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
439	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
440	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
441	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
442	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 41

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
443	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
444	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
445	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
446	0.00000E+00	-2.49402E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
447	0.00000E+00	-2.49403E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
448	0.00000E+00	-2.23694E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
471	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
472	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
473	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
474	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
475	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
476	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
477	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
478	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
479	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
480	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
481	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
482	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
483	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
484	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
485	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
486	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
487	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
488	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
489	0.00000E+00	-8.52776E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
490	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
491	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
492	0.00000E+00	-8.52777E-03	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
505	0.00000E+00	-2.24931E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
506	0.00000E+00	-2.50640E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
507	0.00000E+00	-2.50639E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
508	0.00000E+00	-2.50639E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
509	0.00000E+00	-2.54171E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
510	-3.96011E-13	-1.80719E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
511	0.00000E+00	-2.24777E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
512	0.00000E+00	-2.50486E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
513	0.00000E+00	-2.50485E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
514	0.00000E+00	-2.48787E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
515	0.00000E+00	-1.86897E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
516	0.00000E+00	-2.22416E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
517	0.00000E+00	-2.48125E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
518	0.00000E+00	-2.48124E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
519	0.00000E+00	-2.48124E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
520	0.00000E+00	-2.52322E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
522	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
523	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
524	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
525	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
526	0.00000E+00	-2.53897E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
527	3.62378E-13	-1.88922E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
528	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
529	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
530	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 42

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
531	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
532	0.00000E+00	-2.52484E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
533	-1.25868E-13	-1.96692E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
534	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
535	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
536	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
537	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
538	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
539	-9.76585E-13	-2.04459E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
540	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
541	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
542	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
543	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
544	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
545	0.00000E+00	-2.12226E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
546	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
547	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
548	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
549	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
550	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
551	0.00000E+00	-2.19995E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
552	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
553	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
554	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
555	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
556	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
557	0.00000E+00	-2.27764E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
558	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
559	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
560	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
561	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
562	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
563	0.00000E+00	-2.35533E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
564	0.00000E+00	-2.25363E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
565	0.00000E+00	-2.51072E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
566	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
567	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
568	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
569	0.00000E+00	-2.43302E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
570	0.00000E+00	-2.24932E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
571	0.00000E+00	-2.50641E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
572	0.00000E+00	-2.50640E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
573	0.00000E+00	-2.50640E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
574	0.00000E+00	-2.50640E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
575	-2.94985E-12	-1.80736E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
576	0.00000E+00	-2.24777E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
577	0.00000E+00	-2.50486E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
578	0.00000E+00	-2.50485E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
579	0.00000E+00	-2.48786E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
580	0.00000E+00	-1.86898E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
581	0.00000E+00	-2.22416E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
582	0.00000E+00	-2.48125E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
583	0.00000E+00	-2.48124E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 43

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
584	0.00000E+00	-2.48124E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
585	0.00000E+00	-2.52322E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
587	0.00000E+00	-2.25364E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
588	0.00000E+00	-2.51074E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
589	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
590	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
591	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
592	0.00000E+00	-1.88921E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
593	0.00000E+00	-2.25362E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
594	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
595	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
596	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
597	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
598	0.00000E+00	-1.96687E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
599	0.00000E+00	-2.25362E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
600	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
601	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
602	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
603	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
604	0.00000E+00	-2.04456E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
605	0.00000E+00	-2.25364E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
606	0.00000E+00	-2.51074E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
607	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
608	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
609	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
610	0.00000E+00	-2.12228E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
611	0.00000E+00	-2.25362E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
612	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
613	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
614	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
615	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
616	0.00000E+00	-2.19994E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
617	0.00000E+00	-2.25362E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
618	0.00000E+00	-2.51071E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
619	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
620	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
621	0.00000E+00	-2.51070E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
622	0.00000E+00	-2.27763E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
623	0.00000E+00	-2.25365E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
624	0.00000E+00	-2.51074E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
625	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
626	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
627	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
628	0.00000E+00	-2.35535E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
629	0.00000E+00	-2.25365E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
630	0.00000E+00	-2.51074E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
631	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
632	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
633	0.00000E+00	-2.51073E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
634	0.00000E+00	-2.43304E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
640	2.10285E-10	-3.11187E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.44342E-04
641	-1.27332E-09	-2.56579E-02	0.00000E+00	0.00000E+00	0.00000E+00	-8.37817E-04
642	0.00000E+00	-2.24735E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 44

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
643	0.00000E+00	-2.24735E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
644	0.00000E+00	-2.24735E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
645	0.00000E+00	-2.24735E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
646	0.00000E+00	-2.24735E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
647	0.00000E+00	-5.47871E-02	-5.16183E-10	0.00000E+00	0.00000E+00	0.00000E+00
650	-3.43433E-11	-3.11186E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.44583E-04
651	9.72166E-10	-2.56580E-02	0.00000E+00	0.00000E+00	0.00000E+00	8.38026E-04

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1
LOADTYPE DEAD TITLE DL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155139530E+02
Y = 0.358808773E+01
Z = 0.374086254E+01

TOTAL APPLIED LOAD 1

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -16.83
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 62.97 MY= 0.00 MZ= -261.14

TOTAL REACTION LOAD 1

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 16.83
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -62.97 MY= -0.00 MZ= 261.14

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1)

	MAXIMUMS	AT NODE
X =	-1.21182E-01	31
Y =	-6.79209E-01	70
Z =	-1.27763E-01	30
RX=	-7.87184E-04	30
RY=	8.61843E-04	23
RZ=	3.24179E-03	73

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT EXT FX/ EXT FY/ EXT FZ/ EXT MX/ EXT MY/ EXT MZ/
INT FX INT FY INT FZ INT MX INT MY INT MZ

SUPPORT=1

STAAD SPACE -- PAGE NO. 45

19	0.00	-0.04	0.00	0.00	0.00	0.00	
	0.02	-1.24	0.21	0.00	-0.00	-0.00	111000
27	0.00	-0.02	0.00	0.00	0.00	0.00	
	-0.02	0.20	-0.01	-0.00	0.00	0.00	111000
28	-0.00	-0.07	0.00	0.00	0.00	0.00	
	1.56	-0.64	-1.11	-0.00	0.00	-0.00	111000
115	0.00	-0.02	0.00	0.00	0.00	0.00	
	-0.01	-1.41	-0.00	0.00	0.00	0.00	111000
123	0.00	-0.04	-0.00	0.00	0.00	0.00	
	0.01	0.46	0.27	0.00	0.00	-0.00	111000
124	-0.00	-0.10	0.00	0.00	0.00	-0.00	
	-1.57	-0.54	-1.09	0.00	-0.00	0.00	111000
201	0.00	-0.09	0.00	0.00	0.00	0.00	
	-0.44	0.55	0.89	0.00	0.00	-0.00	111000
202	0.00	-0.07	0.00	0.00	0.00	-0.00	
	0.00	-0.12	-0.01	-0.00	0.00	0.00	111000
225	0.00	-0.09	0.00	0.00	0.00	0.00	
	0.46	-0.12	0.76	-0.00	-0.00	-0.00	111000
226	0.00	-0.07	0.00	0.00	0.00	0.00	
	-0.00	0.53	0.05	-0.00	0.00	0.00	111000
253	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.35	-0.00	0.00	0.00	0.00	111000
254	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.31	-0.00	0.00	0.00	0.00	111000
255	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.20	-0.00	0.00	0.00	0.00	111000
256	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
257	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
258	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	-0.00	0.00	0.00	111000
259	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	0.00	111000
260	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	0.00	111000
261	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
262	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	-0.00	0.00	-0.00	111000
263	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
264	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	0.00	111000

STAAD SPACE -- PAGE NO. 46

271	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
272	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	-0.00	0.00	-0.00	111000
273	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	0.00	111000
274	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	-0.00	0.00	-0.00	111000
275	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	0.00	111000
276	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
277	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	-0.00	111000
278	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	0.00	0.00	0.00	111000
279	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.22	-0.00	0.00	0.00	0.00	111000
280	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.27	-0.00	-0.00	0.00	-0.00	111000
471	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.28	0.00	-0.00	0.00	0.00	111000
472	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.19	0.00	0.00	0.00	0.00	111000
473	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.29	0.00	-0.00	0.00	0.00	111000
474	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.25	0.00	0.00	-0.00	-0.00	111000
475	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.24	0.00	-0.00	0.00	-0.00	111000
476	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	0.00	0.00	0.00	-0.00	111000
477	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.27	0.00	-0.00	0.00	-0.00	111000
478	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.22	0.00	0.00	0.00	-0.00	111000
479	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.25	0.00	-0.00	0.00	0.00	111000
480	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.23	0.00	-0.00	0.00	-0.00	111000
481	0.00	-0.01	0.00	0.00	0.00	0.00	
	0.00	-0.18	-0.00	0.00	0.00	-0.00	111000
482	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.36	0.00	0.00	0.00	0.00	111000

489	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.27	0.00	-0.00	0.00	-0.00	111000
490	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.23	0.00	-0.00	0.00	-0.00	111000
491	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.20	-0.00	0.00	0.00	0.00	111000
492	0.00	-0.01	0.00	0.00	0.00	0.00	
	-0.00	-0.25	-0.00	-0.00	0.00	0.00	111000

FOR LOADING - 2
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
20	-6.94423E-10	-2.44732E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.51905E-03
22	-4.10557E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
23	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
24	-1.78914E-10	-1.65118E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.80770E-03
25	3.80263E-09	-2.32958E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.52496E-03
26	6.85757E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
28	-6.94423E-10	-2.44732E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.51905E-03
30	-4.10557E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
31	-2.47334E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.32876E-03
32	7.16258E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.38679E-03
33	-2.35908E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78393E-03
34	6.85757E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.99151E-03
59	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
60	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
61	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
62	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
63	1.46621E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
64	-1.13239E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
65	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
66	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
67	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
68	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
69	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
70	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
71	1.46621E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
72	-1.13239E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
73	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
74	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
116	-6.40367E-10	-2.44740E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.52002E-03
118	2.44203E-09	-2.58918E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
119	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
120	-6.48161E-10	-1.65114E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.80802E-03
121	-7.23171E-10	-2.32963E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.52426E-03
122	-1.08029E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
124	-6.40367E-10	-2.44740E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.52002E-03
126	2.44203E-09	-2.58918E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
127	-1.59203E-10	-1.32666E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.32880E-03
128	2.72772E-09	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.38668E-03
129	-8.23530E-09	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.78412E-03
130	-1.08029E-09	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99139E-03
155	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
156	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
157	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
158	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10

STAAD SPACE -- PAGE NO. 48

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
159	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
160	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
161	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
162	1.46371E-09	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
163	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
164	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
165	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
166	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
167	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
168	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
169	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
170	1.46371E-09	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
201	0.00000E+00	-2.37036E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
202	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.97331E-07
203	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.28478E-07
204	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.25808E-07
205	0.00000E+00	-2.37042E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.97331E-07
206	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.94631E-08
207	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.94631E-08
208	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.94890E-06
209	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.91943E-06
210	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
211	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
212	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
213	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
214	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
215	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
216	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
217	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
218	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
219	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
220	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.91943E-06
221	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.98004E-06
222	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
223	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
224	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
225	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
226	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
227	0.00000E+00	-2.37036E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
228	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.97331E-07
229	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.28478E-07
230	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.25808E-07
231	0.00000E+00	-2.37042E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.97331E-07
232	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.94631E-08
233	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.94631E-08
234	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.94890E-06
235	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.91943E-06
236	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
237	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
238	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
239	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
240	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
241	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08

STAAD SPACE -- PAGE NO. 49

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
242	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
243	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
244	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
245	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
246	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.91943E-06
247	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.98004E-06
248	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
249	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
250	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
251	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
252	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
641	3.05807E-10	-1.32724E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.45345E-03
651	3.24265E-09	-1.32724E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.45457E-03

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2
LOADTYPE DEAD TITLE LL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000504E+02
Y = 0.502749097E+01
Z = 0.350001006E+01

TOTAL APPLIED LOAD 2

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -26.13
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 91.47 MY= 0.00 MZ= -405.07

TOTAL REACTION LOAD 2

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 26.13
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -91.47 MY= -0.00 MZ= 405.07

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2)

	MAXIMUMS	AT NODE
X =	-4.62651E-01	31
Y =	-2.57532E+00	70
Z =	-4.85095E-01	30
RX=	-2.99005E-03	30
RY=	3.28241E-03	23
RZ=	1.23016E-02	73

STAAD SPACE -- PAGE NO. 50

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.00	0.00	0.00	0.00	0.00	0.00	
	0.06	-3.65	0.81	0.00	0.00	-0.00	111000
27	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.08	1.91	-0.03	0.00	-0.00	-0.00	111000
28	-0.00	-0.24	0.00	0.00	0.00	0.00	
	5.93	-2.36	-4.22	0.00	-0.00	-0.00	111000
115	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.04	-4.28	-0.02	0.00	-0.00	-0.00	111000
123	0.00	0.00	0.00	0.00	0.00	0.00	
	0.03	2.82	1.02	0.00	-0.00	-0.00	111000
124	-0.00	-0.24	0.00	0.00	0.00	-0.00	
	-5.97	-2.11	-4.14	0.00	-0.00	0.00	111000
201	0.00	-0.24	0.00	0.00	0.00	0.00	
	-1.66	2.08	3.37	-0.00	0.00	0.00	111000
202	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.46	-0.05	-0.00	0.00	0.00	111000
203	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.11	0.07	0.00	-0.00	-0.00	111000
204	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.02	-0.01	-0.00	-0.00	0.00	111000
205	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.01	-0.00	0.00	-0.00	-0.00	111000
206	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.00	0.00	0.00	-0.00	111000
207	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	0.00	0.00	-0.00	0.00	111000
208	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.00	0.00	0.00	-0.00	111000
209	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	-0.00	-0.00	0.00	0.00	111000
210	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.00	-0.00	0.00	-0.00	111000
211	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	0.00	0.00	0.00	0.00	111000
212	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	0.00	0.00	-0.00	-0.00	111000
213	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	0.00	-0.00	-0.00	0.00	111000
214	0.00	-0.24	0.00	0.00	0.00	-0.00	

STAAD SPACE -- PAGE NO. 51

219	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.00	-0.00	0.00	0.00	111000
220	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	0.00	0.00	0.00	-0.00	111000
221	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.00	-0.00	-0.00	0.00	0.00	111000
222	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	0.01	0.00	-0.00	0.00	-0.00	111000
223	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	-0.02	-0.00	0.00	0.00	-0.00	111000
224	0.00	-0.24	0.00	0.00	0.00	-0.00	
	-0.00	0.10	0.01	0.00	0.00	0.00	111000
225	0.00	-0.24	0.00	0.00	0.00	0.00	
	1.74	-0.47	2.89	-0.00	-0.00	-0.00	111000
226	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	2.02	0.19	-0.00	0.00	-0.00	111000
253	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.59	-0.01	0.00	0.00	0.00	111000
254	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.52	-0.00	0.00	0.00	0.00	111000
255	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.13	-0.00	0.00	0.00	0.00	111000
256	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	-0.00	111000
257	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	-0.00	0.00	0.00	111000
258	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	0.00	111000
259	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	-0.00	111000
260	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	-0.00	0.00	-0.00	111000
261	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	-0.00	111000
262	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	-0.00	111000
263	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.24	-0.00	0.00	0.00	0.00	111000
264	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	-0.00	0.00	111000
265	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	0.00	0.00	111000
266	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	0.00	-0.00	111000

273	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	-0.00	0.00	-0.00	111000
274	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	0.00	-0.00	111000
275	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	-0.00	0.00	-0.00	111000
276	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	0.00	0.00	111000
277	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	0.00	0.00	0.00	111000
278	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.24	-0.00	-0.00	0.00	0.00	111000
279	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.17	-0.00	-0.00	0.00	0.00	111000
280	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.30	-0.00	0.00	0.00	-0.00	111000
471	0.00	0.00	0.00	0.00	0.00	0.00	
	0.01	-0.55	0.01	0.00	0.00	0.00	111000
472	0.00	0.00	0.00	0.00	0.00	0.00	
	0.01	-0.25	0.00	0.00	0.00	0.00	111000
473	0.00	0.00	0.00	0.00	0.00	0.00	
	0.01	-0.54	0.00	-0.00	0.00	-0.00	111000
474	0.00	0.00	0.00	0.00	0.00	0.00	
	0.01	-0.33	0.01	0.00	0.00	-0.00	111000
475	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.38	0.01	-0.00	0.00	0.00	111000
476	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.26	0.01	-0.00	0.00	0.00	111000
477	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.51	0.01	0.00	0.00	0.00	111000
478	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.23	0.01	0.00	0.00	-0.00	111000
479	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.40	0.00	-0.00	0.00	0.00	111000
480	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.23	0.00	0.00	0.00	-0.00	111000
481	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00	-0.14	-0.00	-0.00	0.00	0.00	111000
482	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.01	-0.77	0.01	-0.00	-0.00	-0.00	111000
483	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.01	-0.60	-0.00	0.00	-0.00	-0.00	111000
484	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.01	-0.33	0.01	-0.00	0.00	0.00	111000

STAAD SPACE -- PAGE NO. 53

491	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.23	-0.00	-0.00	0.00	0.00	111000
492	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.00	-0.29	-0.01	-0.00	0.00	-0.00	111000

FOR LOADING - 3
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	3.59776E-02	0.00000E+00	-3.59776E-02	-3.31894E-03	0.00000E+00	-3.31894E-03
20	-6.94423E-10	-2.44732E-01	-5.10718E-02	6.68802E-03	0.00000E+00	1.51905E-03
21	5.13047E-02	-1.50091E-01	-2.52525E-03	1.63510E-05	0.00000E+00	-7.89046E-03
22	-4.10557E-09	-2.58913E-01	-1.72718E-02	7.64909E-04	0.00000E+00	2.66476E-04
23	4.55428E-02	-1.40132E-01	0.00000E+00	0.00000E+00	0.00000E+00	-9.75018E-03
24	5.36635E-02	-1.65118E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.01916E-03
25	7.57113E-02	-2.32958E-01	-2.62229E-02	1.76319E-03	0.00000E+00	-7.29491E-03
26	4.31231E-02	-2.65385E-01	-5.30030E-02	7.20337E-03	0.00000E+00	9.69608E-04
27	3.59776E-02	0.00000E+00	-3.59776E-02	-3.31894E-03	0.00000E+00	-3.31894E-03
28	-6.94423E-10	-2.44732E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.51905E-03
29	8.71833E-02	-1.57556E-01	-3.59775E-02	3.31892E-03	0.00000E+00	-5.39404E-03
30	-4.10557E-09	-2.58913E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.66476E-04
31	9.43222E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.05678E-03
32	8.62517E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78484E-03
33	8.62584E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.90601E-03
34	4.31231E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.69608E-04
59	6.40326E-10	-2.52429E-01	-2.11718E-02	1.14935E-03	0.00000E+00	-1.01016E-08
60	1.52333E-09	-2.52429E-01	-2.53968E-02	1.65384E-03	0.00000E+00	1.09434E-08
61	7.91218E-11	-2.52429E-01	-2.96218E-02	2.24987E-03	0.00000E+00	-1.09434E-08
62	-1.58314E-09	-2.52427E-01	-3.31968E-02	2.82571E-03	0.00000E+00	4.41105E-07
63	1.46621E-09	-2.52427E-01	-3.67718E-02	3.46709E-03	0.00000E+00	-4.36896E-07
64	-1.13239E-09	-2.52429E-01	-4.03468E-02	4.17401E-03	0.00000E+00	-2.52541E-09
65	1.50915E-10	-2.52429E-01	-4.39218E-02	4.94647E-03	0.00000E+00	2.52541E-09
66	2.26945E-09	-2.52428E-01	-4.74968E-02	5.78448E-03	0.00000E+00	3.70393E-08
67	6.40326E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.01016E-08
68	1.52333E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.09434E-08
69	7.91218E-11	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.09434E-08
70	-1.58314E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.41105E-07
71	1.46621E-09	-2.52427E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.36896E-07
72	-1.13239E-09	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.52541E-09
73	1.50915E-10	-2.52429E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.52541E-09
74	2.26945E-09	-2.52428E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.70393E-08
99	3.92414E-02	0.00000E+00	-3.92414E-02	3.29162E-03	0.00000E+00	3.29162E-03
100	5.10715E-02	0.00000E+00	-5.10715E-02	1.87991E-03	0.00000E+00	1.87991E-03
101	5.10718E-02	0.00000E+00	-5.10718E-02	-2.07334E-03	0.00000E+00	-2.07334E-03
102	7.19550E-02	0.00000E+00	-7.19550E-02	2.50436E-08	0.00000E+00	2.50436E-08
103	7.19549E-02	0.00000E+00	-7.19549E-02	-1.24166E-08	0.00000E+00	-1.24166E-08
104	7.19550E-02	0.00000E+00	-7.19550E-02	4.20901E-10	0.00000E+00	4.20901E-10
115	1.66050E-02	0.00000E+00	-3.59776E-02	-3.31894E-03	0.00000E+00	-1.53182E-03
116	-6.40367E-10	-2.44740E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-1.52002E-03
117	2.36792E-02	-1.50092E-01	-2.52525E-03	1.63510E-05	0.00000E+00	-9.58764E-04
118	2.44203E-09	-2.58918E-01	-1.88968E-02	9.15612E-04	0.00000E+00	-2.65233E-04
119	2.10196E-02	-1.40131E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.28157E-03
120	2.47671E-02	-1.65114E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.86425E-03
121	3.49444E-02	-2.32963E-01	-2.62229E-02	1.76319E-03	0.00000E+00	6.16894E-03
122	1.99031E-02	-2.65385E-01	-5.30030E-02	7.20337E-03	0.00000E+00	3.35807E-03
123	1.66050E-02	0.00000E+00	-3.59776E-02	-3.31894E-03	0.00000E+00	-1.53182E-03
124	-6.40367E-10	-2.44740E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.52002E-03

STAAD SPACE -- PAGE NO. 54

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
125	4.02385E-02	-1.57556E-01	-3.59775E-02	3.31892E-03	0.00000E+00	4.65638E-04
126	2.44203E-09	-2.58918E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.65233E-04
127	4.35334E-02	-2.90222E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.34528E-03
128	3.98085E-02	-2.65390E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.66450E-03
129	3.98116E-02	-2.65411E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.18931E-03
130	1.99031E-02	-2.65385E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.35807E-03
155	-1.24256E-10	-2.52440E-01	-2.24718E-02	1.29482E-03	0.00000E+00	-8.41803E-10
156	4.30021E-10	-2.52421E-01	-2.60468E-02	1.73958E-03	0.00000E+00	-4.15766E-06
157	-1.01413E-09	-2.52421E-01	-2.96218E-02	2.24987E-03	0.00000E+00	4.15682E-06
158	-1.24256E-10	-2.52440E-01	-3.31968E-02	2.82571E-03	0.00000E+00	-8.41803E-10
159	4.30021E-10	-2.52421E-01	-3.67718E-02	3.46709E-03	0.00000E+00	-4.15766E-06
160	-1.01413E-09	-2.52421E-01	-4.03468E-02	4.17401E-03	0.00000E+00	4.15682E-06
161	-1.24256E-10	-2.52440E-01	-4.39218E-02	4.94647E-03	0.00000E+00	-8.41803E-10
162	1.46371E-09	-2.52441E-01	-4.74968E-02	5.78448E-03	0.00000E+00	6.39770E-08
163	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
164	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
165	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
166	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
167	4.30021E-10	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.15766E-06
168	-1.01413E-09	-2.52421E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.15682E-06
169	-1.24256E-10	-2.52440E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-10
170	1.46371E-09	-2.52441E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.39770E-08
195	1.81114E-02	0.00000E+00	-3.92414E-02	3.29162E-03	0.00000E+00	1.51921E-03
196	2.35715E-02	0.00000E+00	-5.10715E-02	1.87991E-03	0.00000E+00	8.67650E-04
197	2.35716E-02	0.00000E+00	-5.10718E-02	-2.07334E-03	0.00000E+00	-9.56928E-04
198	3.32100E-02	0.00000E+00	-7.19550E-02	2.50436E-08	0.00000E+00	1.16800E-08
199	3.32100E-02	0.00000E+00	-7.19549E-02	-1.24166E-08	0.00000E+00	-5.78739E-09
200	3.32100E-02	0.00000E+00	-7.19550E-02	4.20901E-10	0.00000E+00	2.10451E-10
201	0.00000E+00	-2.37036E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
202	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.97331E-07
203	0.00000E+00	-2.37038E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.28478E-07
204	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.25808E-07
205	0.00000E+00	-2.37042E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.97331E-07
206	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.94631E-08
207	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.94631E-08
208	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.94890E-06
209	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.91943E-06
210	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
211	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
212	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
213	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
214	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
215	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
216	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
217	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
218	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
219	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
220	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.91943E-06
221	0.00000E+00	-2.37020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.98004E-06
222	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08
223	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
224	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.06098E-08
225	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.06098E-08

STAAD SPACE -- PAGE NO. 55

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
226	0.00000E+00	-2.37040E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
227	0.00000E+00	-2.37036E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
228	0.00000E+00	-2.37038E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-3.97331E-07
229	0.00000E+00	-2.37038E-01	-5.10718E-02	6.68802E-03	0.00000E+00	4.28478E-07
230	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-8.25808E-07
231	0.00000E+00	-2.37042E-01	-5.10718E-02	6.68802E-03	0.00000E+00	3.97331E-07
232	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	2.94631E-08
233	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-2.94631E-08
234	0.00000E+00	-2.37020E-01	-5.10718E-02	6.68802E-03	0.00000E+00	3.94890E-06
235	0.00000E+00	-2.37020E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-3.91943E-06
236	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
237	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-6.06098E-08
238	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	6.06098E-08
239	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
240	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-6.06098E-08
241	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	6.06098E-08
242	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
243	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-6.06098E-08
244	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	6.06098E-08
245	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
246	0.00000E+00	-2.37020E-01	-5.10718E-02	6.68802E-03	0.00000E+00	3.91943E-06
247	0.00000E+00	-2.37020E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-3.98004E-06
248	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	6.06098E-08
249	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
250	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	-6.06098E-08
251	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	6.06098E-08
252	0.00000E+00	-2.37040E-01	-5.10718E-02	6.68802E-03	0.00000E+00	0.00000E+00
253	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
254	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
255	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
256	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
257	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
258	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
259	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
260	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
261	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
262	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
263	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
264	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
265	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
266	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
267	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
268	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
269	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
270	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
271	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
272	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
273	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
274	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
275	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
276	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
277	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
278	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 56

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
279	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
280	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
281	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
282	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
283	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
284	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
285	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
286	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
287	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
288	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
289	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
290	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
291	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
292	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
293	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
294	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
295	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
296	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
297	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
298	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
299	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
300	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
301	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
302	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
303	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
304	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
305	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
306	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
307	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
308	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
309	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
310	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
311	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
312	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
313	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
314	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
315	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
316	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
317	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
318	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
319	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
320	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
321	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
322	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
323	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
324	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
325	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
326	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
327	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
328	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
329	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
330	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
331	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 57

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
332	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
333	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
334	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
335	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
336	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
337	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
338	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
339	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
340	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
341	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
342	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
343	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
344	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
345	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
346	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
347	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
348	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
349	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
350	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
351	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
352	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
353	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
354	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
355	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
356	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
357	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
358	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
359	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
360	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
361	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
362	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
363	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
364	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
365	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
366	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
367	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
368	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
369	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
370	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
371	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
372	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
373	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
374	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
375	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
376	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
377	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
378	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
379	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
380	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
381	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
382	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
383	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
384	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 58

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
385	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
386	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
387	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
388	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
389	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
390	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
391	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
392	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
393	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
394	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
395	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
396	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
397	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
398	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
399	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
400	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
401	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
402	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
403	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
404	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
405	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
406	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
407	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
408	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
409	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
410	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
411	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
412	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
413	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
414	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
415	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
416	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
417	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
418	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
419	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
420	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
421	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
422	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
423	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
424	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
425	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
426	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
427	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
428	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
429	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
430	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
431	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
432	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
433	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
434	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
435	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
436	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
437	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 59

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
438	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
439	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
440	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
441	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
442	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
443	0.00000E+00	0.00000E+00	-1.02143E-01	-1.65414E-07	0.00000E+00	0.00000E+00
444	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
445	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
446	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
447	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
448	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
471	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
472	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
473	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
474	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
475	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
476	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
477	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
478	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
479	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
480	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
481	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
482	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
483	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
484	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
485	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94843E-03	0.00000E+00	0.00000E+00
486	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
487	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
488	0.00000E+00	0.00000E+00	-3.92414E-02	-3.94844E-03	0.00000E+00	0.00000E+00
489	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
490	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
491	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
492	0.00000E+00	0.00000E+00	-3.92415E-02	-3.94844E-03	0.00000E+00	0.00000E+00
505	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
506	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
507	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
508	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
509	0.00000E+00	0.00000E+00	-1.03768E-01	-4.32200E-04	0.00000E+00	0.00000E+00
510	0.00000E+00	0.00000E+00	-6.99679E-02	6.35531E-03	0.00000E+00	0.00000E+00
511	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
512	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
513	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
514	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
515	0.00000E+00	0.00000E+00	-7.72947E-02	4.92483E-03	0.00000E+00	0.00000E+00
516	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
517	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
518	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
519	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
520	0.00000E+00	0.00000E+00	-1.04075E-01	-5.15346E-04	0.00000E+00	0.00000E+00
522	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
523	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
524	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
525	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 60

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
526	0.00000E+00	0.00000E+00	-1.03443E-01	-3.44642E-04	0.00000E+00	0.00000E+00
527	0.00000E+00	0.00000E+00	-7.35430E-02	5.88332E-03	0.00000E+00	0.00000E+00
528	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
529	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
530	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
531	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
532	0.00000E+00	0.00000E+00	-1.02793E-01	-1.71158E-04	0.00000E+00	0.00000E+00
533	0.00000E+00	0.00000E+00	-7.71180E-02	5.20534E-03	0.00000E+00	0.00000E+00
534	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
535	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
536	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
537	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
538	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
539	0.00000E+00	0.00000E+00	-8.06929E-02	4.43798E-03	0.00000E+00	0.00000E+00
540	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
541	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
542	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
543	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
544	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
545	0.00000E+00	0.00000E+00	-8.42680E-02	3.86214E-03	0.00000E+00	0.00000E+00
546	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
547	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
548	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
549	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
550	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
551	0.00000E+00	0.00000E+00	-8.78430E-02	3.22076E-03	0.00000E+00	0.00000E+00
552	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
553	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
554	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
555	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
556	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
557	0.00000E+00	0.00000E+00	-9.14179E-02	2.51385E-03	0.00000E+00	0.00000E+00
558	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
559	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
560	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
561	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
562	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
563	0.00000E+00	0.00000E+00	-9.49930E-02	1.74138E-03	0.00000E+00	0.00000E+00
564	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
565	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
566	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
567	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
568	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
569	0.00000E+00	0.00000E+00	-9.85680E-02	9.03377E-04	0.00000E+00	0.00000E+00
570	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
571	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
572	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
573	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
574	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
575	0.00000E+00	0.00000E+00	-6.99679E-02	5.77224E-03	0.00000E+00	0.00000E+00
576	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
577	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
578	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 61

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
579	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
580	0.00000E+00	0.00000E+00	-7.72947E-02	4.92483E-03	0.00000E+00	0.00000E+00
581	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
582	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
583	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
584	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
585	0.00000E+00	0.00000E+00	-1.04075E-01	-5.15346E-04	0.00000E+00	0.00000E+00
587	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
588	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
589	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
590	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
591	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
592	0.00000E+00	0.00000E+00	-7.35430E-02	5.39303E-03	0.00000E+00	0.00000E+00
593	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
594	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
595	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
596	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
597	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
598	0.00000E+00	0.00000E+00	-7.71180E-02	4.94828E-03	0.00000E+00	0.00000E+00
599	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
600	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
601	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
602	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
603	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
604	0.00000E+00	0.00000E+00	-8.06929E-02	4.43798E-03	0.00000E+00	0.00000E+00
605	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
606	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
607	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
608	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
609	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
610	0.00000E+00	0.00000E+00	-8.42680E-02	3.86214E-03	0.00000E+00	0.00000E+00
611	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73952E-03	0.00000E+00	0.00000E+00
612	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
613	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
614	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
615	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
616	0.00000E+00	0.00000E+00	-8.78430E-02	3.22076E-03	0.00000E+00	0.00000E+00
617	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
618	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
619	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
620	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
621	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
622	0.00000E+00	0.00000E+00	-9.14179E-02	2.51385E-03	0.00000E+00	0.00000E+00
623	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
624	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
625	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
626	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00
627	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
628	0.00000E+00	0.00000E+00	-9.49930E-02	1.74138E-03	0.00000E+00	0.00000E+00
629	0.00000E+00	0.00000E+00	-9.03130E-02	-2.73951E-03	0.00000E+00	0.00000E+00
630	0.00000E+00	0.00000E+00	-1.02143E-01	-6.52397E-08	0.00000E+00	0.00000E+00
631	0.00000E+00	0.00000E+00	-1.02143E-01	1.69202E-07	0.00000E+00	0.00000E+00
632	0.00000E+00	0.00000E+00	-1.02143E-01	-1.68781E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 62

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
633	0.00000E+00	0.00000E+00	-1.02143E-01	1.65414E-07	0.00000E+00	0.00000E+00
634	0.00000E+00	0.00000E+00	-9.85680E-02	9.03377E-04	0.00000E+00	0.00000E+00
640	5.12058E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.88725E-03
641	4.31353E-02	-1.32724E-01	0.00000E+00	0.00000E+00	0.00000E+00	-6.41511E-03
642	3.59775E-02	0.00000E+00	-3.59775E-02	2.85302E-03	0.00000E+00	2.85302E-03
643	3.59775E-02	0.00000E+00	-3.59775E-02	6.81178E-05	0.00000E+00	6.81178E-05
644	3.59774E-02	0.00000E+00	-3.59774E-02	-2.71673E-03	0.00000E+00	-2.71673E-03
645	1.66050E-02	0.00000E+00	-3.59775E-02	2.85302E-03	0.00000E+00	1.31678E-03
646	1.66050E-02	0.00000E+00	-3.59775E-02	6.81178E-05	0.00000E+00	3.14390E-05
647	1.66050E-02	0.00000E+00	-3.59774E-02	-2.71673E-03	0.00000E+00	-1.25388E-03
650	2.36335E-02	-1.57556E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.63856E-04
651	1.99086E-02	-1.32724E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.54913E-03

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 3
LOADTYPE NONE TITLE WL P

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.987422680E+01
Y = 0.243667131E+01
Z = 0.350001006E+01

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000501E+02
Y = 0.491607407E+01
Z = 0.350001006E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000221E+02
Y = 0.252988446E+01
Z = 0.398336085E+01

TOTAL APPLIED LOAD 3

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 3)
SUMMATION FORCE-X = 1.90
SUMMATION FORCE-Y = -27.39
SUMMATION FORCE-Z = -34.57

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 8.41 MY= 542.55 MZ= -429.23

TOTAL REACTION LOAD 3

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 3)
SUMMATION FORCE-X = -1.90
SUMMATION FORCE-Y = 27.39
SUMMATION FORCE-Z = 34.57

STAAD SPACE -- PAGE NO. 63

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -8.41 MY= -542.55 MZ= 429.23

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 3)

	MAXIMUMS	AT NODE
X =	-7.51949E-01	31
Y =	-2.79335E+00	70
Z =	-1.02281E+00	283
RX=	6.25861E-03	20
RY=	6.29157E-03	24
RZ=	1.30520E-02	73

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.04	0.00	-0.04	-0.00	0.00	-0.00	
	0.10	-1.00	-0.84	0.00	0.00	0.00	111000
27	0.04	0.00	-0.04	-0.00	0.00	-0.00	
	-0.05	-3.54	0.00	0.00	-0.00	0.00	111000
28	-0.00	-0.24	0.00	0.00	0.00	0.00	
	11.42	-1.98	-8.17	-0.00	0.00	-0.00	111000
115	0.02	0.00	-0.04	-0.00	0.00	-0.00	
	-0.12	-2.48	0.00	0.00	0.00	0.00	111000
123	0.02	0.00	-0.04	-0.00	0.00	-0.00	
	0.19	-0.28	-0.14	0.00	-0.00	0.00	111000
124	-0.00	-0.24	0.00	0.00	0.00	-0.00	
	-11.93	-1.45	-11.88	0.00	0.00	0.00	111000
201	0.00	-0.24	0.00	0.00	0.00	0.00	
	-2.23	2.17	4.08	0.00	-0.00	0.00	111000
202	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.48	-0.39	0.00	-0.00	0.00	111000
203	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.11	-0.23	-0.00	0.00	-0.00	111000
204	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.03	-0.37	-0.00	-0.00	0.00	111000
205	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.01	-0.35	0.00	-0.00	-0.00	111000
206	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.35	-0.00	0.00	-0.00	111000
207	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	-0.35	0.00	-0.00	0.00	111000
208	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.35	0.00	-0.00	-0.00	111000
209	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	-0.35	-0.00	-0.00	0.00	111000

213	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	-0.35	-0.00	0.00	0.00	111000
214	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	0.00	-0.35	0.00	-0.00	0.00	111000
215	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	-0.35	-0.00	0.00	-0.00	111000
216	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	-0.35	-0.00	-0.00	0.00	111000
217	0.00	-0.24	0.00	0.00	0.00	-0.00	
	0.00	-0.00	-0.35	0.00	-0.00	0.00	111000
218	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	-0.35	0.00	0.00	-0.00	111000
219	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	-0.00	-0.35	0.00	0.00	0.00	111000
220	0.00	-0.24	0.00	0.00	0.00	0.00	
	0.00	0.00	-0.35	-0.00	0.00	-0.00	111000
221	0.00	-0.24	0.00	0.00	0.00	-0.00	
	-0.00	-0.00	-0.35	0.00	-0.00	0.00	111000
222	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	0.01	-0.35	0.00	0.00	-0.00	111000
223	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	-0.02	-0.35	-0.00	-0.00	-0.00	111000
224	0.00	-0.24	0.00	0.00	0.00	-0.00	
	-0.00	0.10	-0.35	0.00	0.00	0.00	111000
225	0.00	-0.24	0.00	0.00	0.00	0.00	
	4.16	-0.48	6.71	0.00	-0.00	-0.00	111000
226	0.00	-0.24	0.00	0.00	0.00	0.00	
	-0.00	2.11	0.10	-0.00	0.00	0.00	111000
253	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.85	-0.32	0.00	0.00	-0.00	111000
254	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-1.07	-0.31	0.00	0.00	0.00	111000
255	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.15	-0.31	0.00	0.00	0.00	111000
256	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.23	-0.31	0.00	0.00	0.00	111000
257	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.24	-0.31	0.00	0.00	0.00	111000
258	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.23	-0.31	0.00	0.00	0.00	111000
259	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.24	-0.31	0.00	0.00	0.00	111000
260	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.24	-0.31	0.00	0.00	0.00	111000

267	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
268	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	-0.00	111000
269	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
270	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
271	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
272	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
273	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
274	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
275	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	-0.00	111000
276	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	0.00	111000
277	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	-0.00	111000
278	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.24	-0.31	0.00	0.00	-0.00	111000
279	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.00	-0.16	-0.31	0.00	0.00	-0.00	111000
280	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.36	-0.31	0.00	0.00	0.00	111000
471	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.02	-0.04	-0.24	0.00	0.00	0.00	111000
472	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.02	0.60	-0.20	0.00	0.00	0.00	111000
473	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.02	0.15	-0.22	0.00	0.00	0.00	111000
474	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.02	-0.31	-0.26	0.00	-0.00	0.00	111000
475	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.02	-0.43	-0.27	0.00	0.00	-0.00	111000
476	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.27	-0.27	0.00	0.00	0.00	111000
477	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.52	-0.28	0.00	0.00	0.00	111000
478	0.00	0.00	-0.04	-0.00	0.00	0.00	
	0.01	-0.24	-0.28	0.00	0.00	0.00	111000

485	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.32	-0.26	0.00	0.00	0.00	111000
486	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.29	-0.26	0.00	-0.00	0.00	111000
487	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.49	-0.27	0.00	0.00	0.00	111000
488	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.25	-0.27	0.00	0.00	0.00	111000
489	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.49	-0.28	0.00	0.00	0.00	111000
490	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.23	-0.29	0.00	0.00	0.00	111000
491	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.21	-0.30	0.00	0.00	0.00	111000
492	0.00	0.00	-0.04	-0.00	0.00	0.00	
	-0.00	-0.35	-0.31	0.00	0.00	0.00	111000

FOR LOADING - 4
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
19	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
20	3.47211E-10	1.22366E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-7.59526E-04
21	3.03882E-01	7.50454E-02	0.00000E+00	0.00000E+00	0.00000E+00	-3.49501E-02
22	2.05279E-09	1.29456E-01	-1.02302E-01	4.53062E-03	0.00000E+00	-1.33238E-04
23	2.69753E-01	7.00658E-02	0.00000E+00	0.00000E+00	0.00000E+00	-2.35532E-02
24	3.17853E-01	8.25592E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.25410E-02
25	4.48444E-01	1.16479E-01	-1.55321E-01	1.04435E-02	0.00000E+00	-1.29796E-03
26	2.55422E-01	1.32692E-01	-3.13941E-01	4.26661E-02	0.00000E+00	1.85347E-02
27	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.96583E-02
28	3.47211E-10	1.22366E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.59526E-04
29	5.16394E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.89620E-02
30	2.05279E-09	1.29456E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.33238E-04
31	5.58678E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.49803E-02
32	5.10875E-01	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.25875E-03
33	5.10915E-01	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.59196E-03
34	2.55422E-01	1.32692E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.85347E-02
59	-3.20163E-10	1.26214E-01	-1.25402E-01	6.80767E-03	0.00000E+00	5.05082E-09
60	-7.61663E-10	1.26214E-01	-1.50427E-01	9.79582E-03	0.00000E+00	-5.47172E-09
61	-3.95609E-11	1.26214E-01	-1.75452E-01	1.33262E-02	0.00000E+00	5.47172E-09
62	7.91568E-10	1.26213E-01	-1.96627E-01	1.67369E-02	0.00000E+00	-2.20552E-07
63	-7.33104E-10	1.26213E-01	-2.17802E-01	2.05359E-02	0.00000E+00	2.18448E-07
64	5.66194E-10	1.26214E-01	-2.38977E-01	2.47230E-02	0.00000E+00	1.26270E-09
65	-7.54577E-11	1.26214E-01	-2.60152E-01	2.92983E-02	0.00000E+00	-1.26270E-09
66	-1.13472E-09	1.26214E-01	-2.81327E-01	3.42619E-02	0.00000E+00	-1.85197E-08
67	-3.20163E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
68	-7.61663E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-5.47172E-09
69	-3.95609E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.47172E-09
70	7.91568E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.20552E-07
71	-7.33104E-10	1.26213E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.18448E-07
72	5.66194E-10	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-09
73	-7.54577E-11	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.26270E-09
74	-1.13472E-09	1.26214E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.85197E-08
99	2.32430E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.94965E-02
100	3.02501E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.11348E-02
101	3.02502E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.22806E-02
102	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.48157E-07

STAAD SPACE -- PAGE NO. 67

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
103	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.40786E-08
104	4.26195E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-09
115	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
116	3.20184E-10	1.22370E-01	-3.02502E-01	3.96137E-02	0.00000E+00	7.60011E-04
117	-5.91981E-02	7.50458E-02	0.00000E+00	0.00000E+00	0.00000E+00	6.06916E-03
118	-1.22101E-09	1.29459E-01	-1.11927E-01	5.42324E-03	0.00000E+00	1.32616E-04
119	-5.25490E-02	7.00654E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.44473E-03
120	-6.19177E-02	8.25570E-02	0.00000E+00	0.00000E+00	0.00000E+00	-2.45541E-03
121	-8.73611E-02	1.16481E-01	-1.55321E-01	1.04435E-02	0.00000E+00	-2.37383E-03
122	-4.97577E-02	1.32693E-01	-3.13941E-01	4.26661E-02	0.00000E+00	-4.41239E-03
123	-4.15126E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.82954E-03
124	3.20184E-10	1.22370E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.60011E-04
125	-1.00596E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.87985E-03
126	-1.22101E-09	1.29459E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.32616E-04
127	-1.08833E-01	1.45111E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.24956E-03
128	-9.95211E-02	1.32695E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.38790E-03
129	-9.95291E-02	1.32705E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.40502E-03
130	-4.97577E-02	1.32693E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.41239E-03
155	6.21280E-11	1.26220E-01	-1.33102E-01	7.66935E-03	0.00000E+00	4.20901E-10
156	-2.15010E-10	1.26210E-01	-1.54277E-01	1.03037E-02	0.00000E+00	2.07883E-06
157	5.07063E-10	1.26210E-01	-1.75452E-01	1.33262E-02	0.00000E+00	-2.07841E-06
158	6.21280E-11	1.26220E-01	-1.96627E-01	1.67369E-02	0.00000E+00	4.20901E-10
159	-2.15010E-10	1.26210E-01	-2.17802E-01	2.05359E-02	0.00000E+00	2.07883E-06
160	5.07063E-10	1.26210E-01	-2.38977E-01	2.47230E-02	0.00000E+00	-2.07841E-06
161	6.21280E-11	1.26220E-01	-2.60152E-01	2.92983E-02	0.00000E+00	4.20901E-10
162	-7.31856E-10	1.26220E-01	-2.81327E-01	3.42619E-02	0.00000E+00	-3.19885E-08
163	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
164	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
165	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
166	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
167	-2.15010E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.07883E-06
168	5.07063E-10	1.26210E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.07841E-06
169	6.21280E-11	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.20901E-10
170	-7.31856E-10	1.26220E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.19885E-08
195	-4.52786E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.79803E-03
196	-5.89287E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.16912E-03
197	-5.89290E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.39232E-03
198	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.86213E-08
199	-8.30249E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.43106E-08
200	-8.30250E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.20901E-10
201	0.00000E+00	1.18518E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
202	0.00000E+00	1.18519E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.98665E-07
203	0.00000E+00	1.18519E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.14239E-07
204	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.12904E-07
205	0.00000E+00	1.18521E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.98665E-07
206	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.47315E-08
207	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.47315E-08
208	0.00000E+00	1.18510E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.97445E-06
209	0.00000E+00	1.18510E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.95972E-06
210	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
211	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.03049E-08
212	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03049E-08
213	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 68

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
214	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.03049E-08
215	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03049E-08
216	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
217	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.03049E-08
218	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03049E-08
219	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
220	0.00000E+00	1.18510E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.95972E-06
221	0.00000E+00	1.18510E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.99002E-06
222	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03049E-08
223	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
224	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.03049E-08
225	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03049E-08
226	0.00000E+00	1.18520E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
227	0.00000E+00	1.18518E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
228	0.00000E+00	1.18519E-01	-3.02502E-01	3.96137E-02	0.00000E+00	1.98665E-07
229	0.00000E+00	1.18519E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-2.14239E-07
230	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	4.12904E-07
231	0.00000E+00	1.18521E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-1.98665E-07
232	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-1.47315E-08
233	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	1.47315E-08
234	0.00000E+00	1.18510E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-1.97445E-06
235	0.00000E+00	1.18510E-01	-3.02502E-01	3.96137E-02	0.00000E+00	1.95972E-06
236	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
237	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	3.03049E-08
238	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-3.03049E-08
239	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
240	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	3.03049E-08
241	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-3.03049E-08
242	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
243	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	3.03049E-08
244	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-3.03049E-08
245	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
246	0.00000E+00	1.18510E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-1.95972E-06
247	0.00000E+00	1.18510E-01	-3.02502E-01	3.96137E-02	0.00000E+00	1.99002E-06
248	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-3.03049E-08
249	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
250	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	3.03049E-08
251	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	-3.03049E-08
252	0.00000E+00	1.18520E-01	-3.02502E-01	3.96137E-02	0.00000E+00	0.00000E+00
253	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
254	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
255	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
256	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
257	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
258	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
259	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
260	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
261	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
262	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
263	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
264	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
265	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
266	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 69

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
267	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
268	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
269	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
270	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
271	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
272	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
273	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
274	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
275	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
276	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
277	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
278	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
279	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
280	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
281	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
282	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
283	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
284	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
285	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
286	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
287	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
288	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
289	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
290	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
291	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
292	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
293	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
294	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
295	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
296	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
297	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
298	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
299	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
300	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
301	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
302	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
303	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
304	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
305	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
306	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
307	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
308	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
309	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
310	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
311	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
312	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
313	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
314	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
315	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
316	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
317	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
318	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
319	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 70

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
320	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
321	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
322	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
323	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
324	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
325	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
326	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
327	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
328	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
329	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
330	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
331	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
332	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
333	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
334	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
335	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
336	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
337	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
338	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
339	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
340	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
341	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
342	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
343	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
344	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
345	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
346	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
347	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
348	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
349	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
350	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
351	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
352	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
353	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
354	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
355	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
356	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
357	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
358	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
359	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
360	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
361	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
362	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
363	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
364	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
365	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
366	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
367	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
368	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
369	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
370	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
371	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
372	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 71

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
373	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
374	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
375	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
376	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
377	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
378	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
379	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
380	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
381	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
382	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
383	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
384	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
385	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
386	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
387	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
388	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
389	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
390	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
391	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
392	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
393	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
394	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
395	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
396	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
397	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
398	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
399	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
400	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
401	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
402	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
403	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
404	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
405	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
406	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
407	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
408	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
409	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
410	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
411	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
412	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
413	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
414	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
415	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
416	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
417	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
418	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
419	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
420	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
421	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
422	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
423	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
424	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
425	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 72

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
426	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
427	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
428	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
429	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
430	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
431	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
432	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
433	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
434	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
435	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
436	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
437	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
438	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
439	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
440	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
441	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
442	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
443	0.00000E+00	0.00000E+00	-6.05001E-01	-9.79858E-07	0.00000E+00	0.00000E+00
444	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
445	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
446	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
447	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
448	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
471	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
472	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
473	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
474	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
475	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
476	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
477	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
478	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
479	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
480	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
481	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
482	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
483	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
484	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
485	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
486	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
487	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
488	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
489	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
490	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
491	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
492	0.00000E+00	0.00000E+00	-2.32430E-01	-2.33869E-02	0.00000E+00	0.00000E+00
505	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
506	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
507	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
508	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
509	0.00000E+00	0.00000E+00	-6.14626E-01	-2.55995E-03	0.00000E+00	0.00000E+00
510	0.00000E+00	0.00000E+00	-4.14426E-01	3.76430E-02	0.00000E+00	0.00000E+00
511	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
512	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 73

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
513	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
514	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
515	0.00000E+00	0.00000E+00	-4.57823E-01	2.91702E-02	0.00000E+00	0.00000E+00
516	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
517	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
518	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
519	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
520	0.00000E+00	0.00000E+00	-6.16443E-01	-3.05243E-03	0.00000E+00	0.00000E+00
522	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
523	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
524	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
525	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
526	0.00000E+00	0.00000E+00	-6.12701E-01	-2.04134E-03	0.00000E+00	0.00000E+00
527	0.00000E+00	0.00000E+00	-4.35601E-01	3.48473E-02	0.00000E+00	0.00000E+00
528	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
529	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
530	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
531	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
532	0.00000E+00	0.00000E+00	-6.08851E-01	-1.01378E-03	0.00000E+00	0.00000E+00
533	0.00000E+00	0.00000E+00	-4.56776E-01	3.08316E-02	0.00000E+00	0.00000E+00
534	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
535	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
536	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
537	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
538	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
539	0.00000E+00	0.00000E+00	-4.77951E-01	2.62865E-02	0.00000E+00	0.00000E+00
540	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
541	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
542	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
543	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
544	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
545	0.00000E+00	0.00000E+00	-4.99126E-01	2.28758E-02	0.00000E+00	0.00000E+00
546	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
547	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
548	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
549	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
550	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
551	0.00000E+00	0.00000E+00	-5.20301E-01	1.90768E-02	0.00000E+00	0.00000E+00
552	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
553	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
554	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
555	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
556	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
557	0.00000E+00	0.00000E+00	-5.41476E-01	1.48897E-02	0.00000E+00	0.00000E+00
558	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
559	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
560	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
561	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
562	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
563	0.00000E+00	0.00000E+00	-5.62651E-01	1.03143E-02	0.00000E+00	0.00000E+00
564	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
565	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
566	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 74

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
567	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
568	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
569	0.00000E+00	0.00000E+00	-5.83826E-01	5.35077E-03	0.00000E+00	0.00000E+00
570	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
571	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
572	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
573	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
574	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
575	0.00000E+00	0.00000E+00	-4.14426E-01	3.41894E-02	0.00000E+00	0.00000E+00
576	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
577	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
578	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
579	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
580	0.00000E+00	0.00000E+00	-4.57823E-01	2.91702E-02	0.00000E+00	0.00000E+00
581	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
582	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
583	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
584	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
585	0.00000E+00	0.00000E+00	-6.16443E-01	-3.05243E-03	0.00000E+00	0.00000E+00
587	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
588	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
589	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
590	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
591	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
592	0.00000E+00	0.00000E+00	-4.35601E-01	3.19433E-02	0.00000E+00	0.00000E+00
593	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
594	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
595	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
596	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
597	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
598	0.00000E+00	0.00000E+00	-4.56776E-01	2.93090E-02	0.00000E+00	0.00000E+00
599	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
600	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
601	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
602	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
603	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
604	0.00000E+00	0.00000E+00	-4.77951E-01	2.62865E-02	0.00000E+00	0.00000E+00
605	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
606	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
607	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
608	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
609	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
610	0.00000E+00	0.00000E+00	-4.99126E-01	2.28758E-02	0.00000E+00	0.00000E+00
611	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
612	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
613	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
614	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
615	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
616	0.00000E+00	0.00000E+00	-5.20301E-01	1.90768E-02	0.00000E+00	0.00000E+00
617	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62264E-02	0.00000E+00	0.00000E+00
618	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
619	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
620	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00

STAAD SPACE -- PAGE NO. 75

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
621	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
622	0.00000E+00	0.00000E+00	-5.41476E-01	1.48897E-02	0.00000E+00	0.00000E+00
623	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
624	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
625	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
626	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
627	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
628	0.00000E+00	0.00000E+00	-5.62651E-01	1.03143E-02	0.00000E+00	0.00000E+00
629	0.00000E+00	0.00000E+00	-5.34931E-01	-1.62263E-02	0.00000E+00	0.00000E+00
630	0.00000E+00	0.00000E+00	-6.05003E-01	-3.87229E-07	0.00000E+00	0.00000E+00
631	0.00000E+00	0.00000E+00	-6.05001E-01	1.00343E-06	0.00000E+00	0.00000E+00
632	0.00000E+00	0.00000E+00	-6.05000E-01	-1.00006E-06	0.00000E+00	0.00000E+00
633	0.00000E+00	0.00000E+00	-6.05001E-01	9.79858E-07	0.00000E+00	0.00000E+00
634	0.00000E+00	0.00000E+00	-5.83826E-01	5.35077E-03	0.00000E+00	0.00000E+00
640	3.03296E-01	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.49602E-02
641	2.55494E-01	6.63620E-02	0.00000E+00	0.00000E+00	0.00000E+00	-9.39231E-03
642	2.13097E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.68986E-02
643	2.13098E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	4.03467E-04
644	2.13097E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.60914E-02
645	-4.15125E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.29194E-03
646	-4.15125E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	-7.85975E-05
647	-4.15124E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.13469E-03
650	-5.90837E-02	7.87782E-02	0.00000E+00	0.00000E+00	0.00000E+00	-6.07293E-03
651	-4.97714E-02	6.63619E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.63132E-05

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 4
LOADTYPE NONE TITLE WL S

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.715880820E+01
Y = 0.243667068E+01
Z = 0.350001006E+01

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000502E+02
Y = 0.491607408E+01
Z = 0.350001003E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.155000211E+02
Y = 0.257889628E+01
Z = 0.400001006E+01

STAAD SPACE -- PAGE NO. 76

TOTAL APPLIED LOAD 4

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 4)
SUMMATION FORCE-X = 6.19
SUMMATION FORCE-Y = 13.70
SUMMATION FORCE-Z = -197.97

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -558.48 MY= 3090.19 MZ= 197.22

TOTAL REACTION LOAD 4

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 4)
SUMMATION FORCE-X = -6.19
SUMMATION FORCE-Y = -13.70
SUMMATION FORCE-Z = 197.97

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 558.48 MY= -3090.19 MZ= -197.22

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 4)

	MAXIMUMS	AT NODE
X =	-1.58076E+00	31
Y =	-1.52713E+00	30
Z =	-5.48416E+00	367
RX=	-3.34051E-02	267
RY=	1.69345E-02	641
RZ=	-1.23042E-02	32

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
							SUPPORT=1
19	0.21	0.00	0.00	0.00	0.00	-0.02	
	0.20	16.80	-7.25	0.00	-0.00	0.02	111000
27	0.21	0.00	0.00	0.00	0.00	-0.02	
	0.18	-27.90	0.11	-0.00	-0.00	0.02	111000
28	0.00	0.12	0.00	0.00	0.00	-0.00	
	28.68	3.31	-22.09	-0.00	-0.00	0.00	111000
115	-0.04	0.00	0.00	0.00	0.00	0.00	
	-0.29	12.35	0.12	0.00	0.00	-0.00	111000
123	-0.04	0.00	0.00	0.00	0.00	0.00	
	0.31	-18.15	-5.16	-0.00	-0.00	-0.00	111000
124	0.00	0.12	0.00	0.00	0.00	0.00	
	-31.24	4.70	-37.08	-0.00	-0.00	-0.00	111000
201	0.00	0.12	0.00	0.00	0.00	0.00	
	-3.00	-0.49	3.40	-0.00	-0.00	0.00	111000
202	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.10	-2.02	0.00	0.00	-0.00	111000
203	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	-0.02	-1.74	-0.00	0.00	0.00	111000
204	0.00	0.12	0.00	0.00	0.00	0.00	

STAAD SPACE -- PAGE NO. 77

206	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	0.00	-2.05	0.00	-0.00	0.00	111000
207	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	-0.00	-2.05	0.00	-0.00	-0.00	111000
208	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	0.00	-2.05	0.00	-0.00	0.00	111000
209	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	-0.00	-2.05	-0.00	-0.00	-0.00	111000
210	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	-0.00	-0.00	111000
211	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	-0.00	-0.00	111000
212	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	0.00	-2.05	-0.00	0.00	0.00	111000
213	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	0.00	0.00	111000
214	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	0.00	-0.00	111000
215	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	0.00	-2.05	-0.00	0.00	0.00	111000
216	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	0.00	-0.00	111000
217	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	0.00	0.00	-0.00	111000
218	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	-0.00	-2.05	0.00	-0.00	0.00	111000
219	0.00	0.12	0.00	0.00	0.00	0.00	
	0.00	0.00	-2.05	-0.00	-0.00	-0.00	111000
220	0.00	0.12	0.00	0.00	0.00	-0.00	
	0.00	-0.00	-2.05	0.00	-0.00	0.00	111000
221	0.00	0.12	0.00	0.00	0.00	0.00	
	-0.00	0.00	-2.05	0.00	0.00	-0.00	111000
222	0.00	0.12	0.00	0.00	0.00	-0.00	
	-0.00	-0.00	-2.05	-0.00	0.00	0.00	111000
223	0.00	0.12	0.00	0.00	0.00	0.00	
	-0.00	0.02	-2.07	0.00	0.00	-0.00	111000
224	0.00	0.12	0.00	0.00	0.00	0.00	
	-0.00	-0.08	-2.13	-0.00	0.00	-0.00	111000
225	0.00	0.12	0.00	0.00	0.00	-0.00	
	10.12	0.14	15.57	-0.00	0.00	0.00	111000
226	0.00	0.12	0.00	0.00	0.00	0.00	
	-0.00	-0.57	-0.91	0.00	0.00	-0.00	111000
253	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.03	-1.25	-1.80	0.02	0.00	-0.00	111000

260	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.02	0.13	-1.81	0.02	0.00	0.00	111000
261	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.02	0.13	-1.81	0.02	0.00	-0.00	111000
262	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.02	0.13	-1.81	0.02	0.00	0.00	111000
263	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.02	0.12	-1.82	0.02	0.00	0.00	111000
264	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.02	0.12	-1.82	0.02	-0.00	-0.00	111000
265	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	-0.00	111000
266	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	0.00	111000
267	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	0.00	111000
268	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	0.00	111000
269	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	0.00	111000
270	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	-0.00	0.00	111000
271	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	0.00	-0.00	111000
272	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.82	0.02	-0.00	0.00	111000
273	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.01	0.12	-1.81	0.02	0.00	-0.00	111000
274	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.00	0.12	-1.81	0.02	0.00	-0.00	111000
275	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.00	0.12	-1.81	0.02	0.00	0.00	111000
276	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.00	0.12	-1.81	0.02	0.00	0.00	111000
277	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.00	0.12	-1.81	0.02	0.00	0.00	111000
278	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.00	0.12	-1.81	0.02	0.00	0.00	111000
279	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.00	0.13	-1.81	0.02	0.00	0.00	111000
280	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.00	-0.18	-1.80	0.02	0.00	0.00	111000
471	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.07	3.10	-1.50	0.02	0.00	0.00	111000

478	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.04	0.08	-1.73	0.02	0.00	0.00	111000
479	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.04	0.20	-1.75	0.02	0.00	-0.00	111000
480	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.04	0.14	-1.77	0.02	0.00	0.00	111000
481	0.00	0.00	-0.23	-0.02	0.00	0.00	
	0.04	-0.02	-1.79	0.02	0.00	0.00	111000
482	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	1.87	-1.49	0.02	0.00	-0.00	111000
483	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	3.19	-1.18	0.02	-0.00	-0.00	111000
484	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	2.29	-1.38	0.02	0.00	-0.00	111000
485	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	0.07	-1.60	0.02	0.00	-0.00	111000
486	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	0.04	-1.64	0.02	-0.00	0.00	111000
487	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	0.10	-1.68	0.02	0.00	0.00	111000
488	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	0.08	-1.70	0.02	0.00	0.00	111000
489	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.01	0.21	-1.73	0.02	0.00	-0.00	111000
490	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.00	0.11	-1.75	0.02	0.00	0.00	111000
491	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.00	0.22	-1.77	0.02	0.00	0.00	111000
492	0.00	0.00	-0.23	-0.02	0.00	0.00	
	-0.00	-0.14	-1.78	0.02	0.00	0.00	111000

LOAD COMBINATION NO. 101
1.5(DL+LL)

LOADING-	1.	2.
FACTOR -	1.50	1.50

LOAD COMBINATION NO. 102
1.5(DL+WLP)

LOADING-	1.	3.
FACTOR -	1.50	1.50

LOAD COMBINATION NO. 103
1.5(DL+WLS)

LOADING-	1.	4.
FACTOR -	1.50	1.50

LOAD COMBINATION NO. 201
DL + LL

STAAD SPACE -- PAGE NO. 80

LOAD COMBINATION NO. 202
DL+WLP

LOADING- 1. 3.
FACTOR - 1.00 1.00

LOAD COMBINATION NO. 203
DL+WLS

LOADING- 4. 1.
FACTOR - 1.00 1.00

LOAD COMBINATION NO. 204
DL+0.8WLP

LOADING- 1. 3.
FACTOR - 1.00 0.80

LOAD COMBINATION NO. 205
DL+0.8WLS

LOADING- 4. 1.
FACTOR - 0.80 1.00

********** END OF DATA FROM INTERNAL STORAGE **********

491. PARAMETER 1
492. CODE IS800 LSD
493. FYLD 214000 ALL
494. CHECK CODE ALL
STEEL DESIGN

Member Number: 13					
Member Section: ST TUB E		(INDIAN SECTIONS)			
Status: PASS	Ratio: 0.085	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 6.2					

Member Number: 14					
Member Section: ST TUB E		(INDIAN SECTIONS)			
Status: PASS	Ratio: 0.496	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 81

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 15					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.067	Critical Load Case: 103	Location:	0.75	
Critical Condition: Sec. 9.3.2.2					

Member Number: 16					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.179	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 17					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.213	Critical Load Case: 103	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

Member Number: 18					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.405	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 82

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 19					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.528	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 20					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.227	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 21					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.301	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 22					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 83

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 23					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.298	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 24					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.195	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 25					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.158	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 8.2.1.2					

Member Number: 26					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.318	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 84

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 48					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.157	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 49					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.155	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 50					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.123	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 51					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.125	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 85

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 52					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.056	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 53					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.063	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 54					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.094	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 55					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.093	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 86

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 56					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.181	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 57					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.128	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 58					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.148	Critical Load Case: 101	Location:	0.58	
Critical Condition: Sec. 8.2.1.2					

Member Number: 59					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.166	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 87

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 60					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.122	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 61					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.181	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 62					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.253	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 63					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.427	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 88

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 88					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.085	Critical Load Case: 103	Location:	0.05	
Critical Condition: Sec. 6.2					

Member Number: 89					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.032	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 90					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.030	Critical Load Case: 103	Location:	0.51	
Critical Condition: Sec. 6.2					

Member Number: 91					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.209	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 89

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 92					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.188	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 93					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.174	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 106					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.013	Critical Load Case: 101	Location:	0.50	
Critical Condition: Sec. 9.3.2.2					

Member Number: 110					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.190	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 90

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 114					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.028	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 118					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.013	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 122					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.184	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 126					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.040	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 91

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 130					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.110	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 134					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.120	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 138					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.018	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 142					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.177	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 92

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 146					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 150					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.170	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 154					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 158					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.418	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 93

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 162					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 166					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 170					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 171					
Member Section: ST TUB E (INDIAN SECTIONS)					
Status: PASS	Ratio: 0.080	Critical Load Case:	103	Location:	0.55
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 94

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 172					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.407	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 173					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.029	Critical Load Case: 103	Location:	0.75	
Critical Condition: Sec. 8.2.1.2					

Member Number: 174					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.168	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 175					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.167	Critical Load Case: 103	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 95

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 176					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.370	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 177					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.433	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 9.3.2.2					

Member Number: 178					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.127	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 179					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.225	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 96

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 180					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.147	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 181					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.146	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 182					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.127	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 183					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.177	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 97

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 184					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.239	Critical Load Case: 103	Location:	0.66	
Critical Condition: Sec. 8.2.1.2					

Member Number: 206					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.113	Critical Load Case: 103	Location:	0.63	
Critical Condition: Sec. 9.3.2.2					

Member Number: 207					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.081	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 208					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.073	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 98

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 209					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.045	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 6.2					

Member Number: 210					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.048	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 211					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.136	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 212					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.135	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 99

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 213					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.280	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 214					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.092	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 215					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.177	Critical Load Case: 101	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 216					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.133	Critical Load Case: 102	Location:	0.58	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 100

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 217					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.133	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 218					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.186	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 219					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.148	Critical Load Case: 103	Location:	0.58	
Critical Condition: Sec. 9.3.2.2					

Member Number: 220					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.276	Critical Load Case: 103	Location:	0.16	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 101

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 221					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.374	Critical Load Case: 102	Location:	0.63	
Critical Condition: Sec. 8.2.1.2					

Member Number: 246					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.080	Critical Load Case: 103	Location:	0.05	
Critical Condition: Sec. 6.2					

Member Number: 247					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.041	Critical Load Case: 103	Location:	0.28	
Critical Condition: Sec. 6.2					

Member Number: 248					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.028	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 102

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 249					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.156	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 250					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.111	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 251					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.165	Critical Load Case: 103	Location:	0.55	
Critical Condition: Sec. 9.3.2.2					

Member Number: 264					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.022	Critical Load Case: 103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 103

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 268					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.471	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 272					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.023	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 276					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.094	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 280					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.010	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 104

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 284						
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.250	Critical Load Case:	103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2						

***WARNING: THE VALUE OF MOMENT AMPLIFICATION FACTORS KY OR KZ IS GREATER THAN 1.4
FOR MEMBER # 288 FOR LOADCASE- 103. SECOND-ORDER ELASTIC ANALYSIS MUST BE PERFORMED
AS PER SECTION 4.4.2 of IS800-2007. ALSO, ENSURE THAT THE TYPE OF COMBINATION USED IS
REPEAT LOAD OR REFERENCE LOAD INSTEAD OF THE LOAD COMBINATION SYNTAX EXCEPT FOR
RESPONSE SPECTRUM LOAD CASES.

Member Number: 288						
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.829	Critical Load Case:	103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2						

Member Number: 292						
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.024	Critical Load Case:	103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2						

Member Number: 296						
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.145	Critical Load Case:	103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2						

STAAD SPACE -- PAGE NO. 105

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 300					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.003	Critical Load Case:	101	Location:	0.50
Critical Condition: Sec. 8.2.1.2					

Member Number: 304					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.187	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 308					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.004	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 312					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.181	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 106

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 316					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.025	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 320					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 324					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 328					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 107

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 329					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.329	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 330					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.121	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 331					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.067	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 332					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.021	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 108

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 333					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.006	Critical Load Case: 102	Location:	0.59	
Critical Condition: Sec. 8.4					

Member Number: 334					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.006	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 335					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.59	
Critical Condition: Sec. 8.4					

Member Number: 336					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

STAAD SPACE -- PAGE NO. 109

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 337					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.4					

Member Number: 338					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 339					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.4					

Member Number: 340					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

STAAD SPACE -- PAGE NO. 110

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 341					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 342					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 343					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 344					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

STAAD SPACE -- PAGE NO. 111

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 345					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 346					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 347					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 348					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.4					

STAAD SPACE -- PAGE NO. 112

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 349					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 350					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.4					

Member Number: 351					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.005	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 352					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.006	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.4					

STAAD SPACE -- PAGE NO. 113

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 353					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.006	Critical Load Case: 101	Location:	0.00	
Critical Condition: Sec. 8.4					

Member Number: 354					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.020	Critical Load Case: 101	Location:	0.59	
Critical Condition: Sec. 8.2.1.2					

Member Number: 355					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.068	Critical Load Case: 102	Location:	0.59	
Critical Condition: Sec. 8.2.1.2					

Member Number: 356					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.316	Critical Load Case: 102	Location:	0.59	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 114

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 357					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.120	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 358					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.119	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 359					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.119	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 360					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.118	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 115

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)

Member Number: 361					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.118	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 362					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.117	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 363					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.117	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 364					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.117	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 116

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 365					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 366					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 367					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 368					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 117

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 369					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.116	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 370					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 371					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 372					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 118

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 373					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 374					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 375					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 376					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.115	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 119

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 377					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.114	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 378					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.114	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 379					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.114	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 380					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.114	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 120

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 381					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS Ratio: 0.114	Critical Load Case:	103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 382					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS Ratio: 0.279	Critical Load Case:	103	Location:	0.00	
Critical Condition: Sec. 6.2					

***WARNING: THE VALUE OF MOMENT AMPLIFICATION FACTORS KY OR KZ IS GREATER THAN 1.4
FOR MEMBER # 383 FOR LOADCASE- 103. SECOND-ORDER ELASTIC ANALYSIS MUST BE PERFORMED
AS PER SECTION 4.4.2 of IS800-2007. ALSO, ENSURE THAT THE TYPE OF COMBINATION USED IS
REPEAT LOAD OR REFERENCE LOAD INSTEAD OF THE LOAD COMBINATION SYNTAX EXCEPT FOR
RESPONSE SPECTRUM LOAD CASES.

* Member Number: 383					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: FAIL Ratio: 3.297	Critical Load Case:	103	Location:	0.50	
Critical Condition: Sec. 9.3.2.2					

Member Number: 384					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS Ratio: 0.066	Critical Load Case:	102	Location:	0.50	
Critical Condition: Sec. 9.3.2.2					

***WARNING: THE VALUE OF MOMENT AMPLIFICATION FACTORS KY OR KZ IS GREATER THAN 1.4
FOR MEMBER # 385 FOR LOADCASE- 103. SECOND-ORDER ELASTIC ANALYSIS MUST BE PERFORMED
AS PER SECTION 4.4.2 of IS800-2007. ALSO, ENSURE THAT THE TYPE OF COMBINATION USED IS
REPEAT LOAD OR REFERENCE LOAD INSTEAD OF THE LOAD COMBINATION SYNTAX EXCEPT FOR
RESPONSE SPECTRUM LOAD CASES.

STAAD SPACE -- PAGE NO. 121

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 385					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.864	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 386					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.279	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 387					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.367	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 388					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.407	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 122

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 389					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.405	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 390					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 391					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 392					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 123

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 393					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 394					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 395					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 396					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 124

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 397					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 398					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 399					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 400					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 125

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 401					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 402					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 403					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 404					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 126

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 405					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 406					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.402	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 407					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.408	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 408					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.414	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 127

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 409					
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.323	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 410					
Member Section: ST	25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)			
Status: PASS	Ratio: 0.088	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

Member Number: 411					
Member Section: ST	TUB E	(INDIAN SECTIONS)			
Status: PASS	Ratio: 0.241	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 412					
Member Section: ST	TUB E	(INDIAN SECTIONS)			
Status: PASS	Ratio: 0.239	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 128

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 413					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.247	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 414					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.249	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 415					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.250	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 416					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 129

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 417					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 418					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 419					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 420					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 130

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 421					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 422					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 423					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 424					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 131

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 425					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 426					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 427					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 428					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 132

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 429					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 430					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 431					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 432					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 133

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 433					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 434					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 435					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.251	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 436					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.250	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 134

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 437					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.248	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 438					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.243	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 439					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.406	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 440					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.485	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 135

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 441					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 442					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.477	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 443					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.381	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 444					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.199	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 136

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 445					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.405	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 446					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.484	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 447					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.491	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 448					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.476	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 137

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 449					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.381	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 450					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 451					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.411	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 452					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.489	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 138

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 453					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.496	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 454					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.479	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 455					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.383	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 456					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 139

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 457					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.413	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 458					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.491	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 459					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.497	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 460					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.481	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 140

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 461					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 462					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 463					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.414	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 464					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.491	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 141

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 465					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 466					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.481	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 467					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 468					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 142

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 469					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 470					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 471					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 472					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 143

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 473					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 474					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 475					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 476					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 144

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 477					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 478					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 479					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 480					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 145

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 481					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 482					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 483					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 484					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 146

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 485					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 486					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 487					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 488					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 147

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 489					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 490					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 491					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 492					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 148

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 493					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 494					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 495					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 496					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 149

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 497					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 498					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 499					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 500					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 150

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 501					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 502					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 503					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 504					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 151

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 505					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 506					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 507					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 508					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 152

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 509					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 510					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 511					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 512					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 153

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 513					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 514					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 515					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 516					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 154

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 517					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 518					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 519					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 520					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 155

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 521					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 522					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 523					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 524					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 156

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 525					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 526					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 527					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 528					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 157

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 529					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 530					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 531					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 532					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 158

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 533					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 534					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 535					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 536					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 159

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 537					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 538					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 539					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 540					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 160

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 541					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 542					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 543					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 544					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 161

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 545					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 546					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 547					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 548					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 162

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 549					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 550					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 551					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 552					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 163

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 553					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 554					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 555					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 556					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 164

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 557					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 558					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 559					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 560					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 165

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 561					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 562					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 563					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 564					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 166

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 565					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 566					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 567					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 568					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 167

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 569					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 570					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 571					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 572					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 168

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 573					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 574					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 575					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 576					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 169

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 577					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 578					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.492	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 579					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 580					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.482	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 170

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 581					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.385	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 582					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.201	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 583					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 584					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.491	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 171

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 585					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 586					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.481	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 587					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 588					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 172

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 589					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.414	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 590					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.491	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 591					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.498	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 592					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.481	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 173

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 593					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 594					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 595					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.413	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 596					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.490	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 174

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 597					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.497	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 598					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.480	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 599					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 600					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 175

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 601					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.408	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 602					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.487	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 603					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.494	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 604					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.478	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 176

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 605					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.382	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 606					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.199	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 607					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.080	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 608					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.083	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 177

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 609					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.086	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 610					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.089	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 611					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.091	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 612					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.093	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 178

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 613					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.094	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 614					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.095	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 615					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.096	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 616					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.097	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 179

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 617					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.098	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 618					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.098	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 619					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.099	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 620					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.099	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 180

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 621					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.100	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 622					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.100	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 623					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.100	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 624					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.101	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 181

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 625					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.101	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 626					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.102	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 627					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.103	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 628					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.104	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 182

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 629					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.105	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 630					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.107	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 631					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.109	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 632					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.112	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 183

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 633					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.119	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 634					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.059	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 635					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.060	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 636					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.061	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 184

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 637					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.062	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 638					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 639					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.064	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 640					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.065	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 185

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 641					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.065	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 642					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.066	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 643					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 644					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 186

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 645					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.068	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 646					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.068	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 647					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.069	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 648					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.069	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 187

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 649					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 650					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 651					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 652					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 188

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 653					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 654					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 655					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 656					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 189

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 657					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.069	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 658					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.068	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 659					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.066	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 660					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.062	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 190

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 661					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.043	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 662					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 663					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 664					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.040	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 191

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 665					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 666					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 667					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 668					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 192

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 669					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 670					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 671					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 672					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 193

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 673					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 674					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 675					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 676					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 194

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 677					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 678					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 679					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 680					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 195

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 681					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 682					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 683					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 684					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 196

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 685					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 686					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 687					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.040	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 688					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 197

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 689					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 690					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 691					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 692					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 198

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 693					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 694					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 695					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 696					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 199

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 697					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 698					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 699					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 700					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 200

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 701					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 702					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 703					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 704					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 201

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 705					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 706					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 707					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 708					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 202

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 709					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 710					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 711					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 712					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 203

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 713					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 714					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 715					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 716					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 204

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 717					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.013	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 718					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.011	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 719					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.010	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 720					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 205

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 721					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 722					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 723					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 724					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 206

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 725					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 726					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 727					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 728					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 207

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 729					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 730					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 731					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 732					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 208

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 733					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 734					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 735					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 736					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 209

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 737					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 738					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 739					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 740					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 210

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 741					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 742					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.018	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 743					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 744					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 211

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 745					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.014	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 746					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.013	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 747					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.012	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 748					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.011	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 212

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 749					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.010	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 750					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.009	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 751					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 752					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 213

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 753					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 754					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 755					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 756					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 214

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 757					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 758					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 759					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 760					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 215

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 761					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 762					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 763					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 764					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 216

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 765					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 766					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 767					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 768					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 217

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 769					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.117	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 770					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.136	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 772					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.072	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 773					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.104	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 218

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 774					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.130	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 8.2.1.2					

Member Number: 775					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.158	Critical Load Case: 103	Location:	0.51	
Critical Condition: Sec. 8.2.1.2					

Member Number: 776					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.176	Critical Load Case: 103	Location:	0.57	
Critical Condition: Sec. 8.2.1.2					

Member Number: 777					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.197	Critical Load Case: 103	Location:	0.62	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 219

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 778					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.214	Critical Load Case: 103	Location:	0.68	
Critical Condition: Sec. 8.2.1.2					

Member Number: 779					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.229	Critical Load Case: 103	Location:	0.73	
Critical Condition: Sec. 8.2.1.2					

Member Number: 780					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.119	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 781					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.140	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 220

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 783					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.073	Critical Load Case: 103	Location:	0.35	
Critical Condition: Sec. 8.2.1.2					

Member Number: 784					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.102	Critical Load Case: 103	Location:	0.40	
Critical Condition: Sec. 8.2.1.2					

Member Number: 785					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.136	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 8.2.1.2					

Member Number: 786					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.155	Critical Load Case: 103	Location:	0.51	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 221

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 787					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.177	Critical Load Case: 103	Location:	0.57	
Critical Condition: Sec. 8.2.1.2					

Member Number: 788					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.194	Critical Load Case: 103	Location:	0.62	
Critical Condition: Sec. 8.2.1.2					

Member Number: 789					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.212	Critical Load Case: 103	Location:	0.68	
Critical Condition: Sec. 8.2.1.2					

Member Number: 790					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.225	Critical Load Case: 103	Location:	0.73	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 222

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 791					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.074	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 792					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.059	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 793					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.044	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 794					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 223

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 795					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.021	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 796					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.021	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 797					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.119	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 798					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.061	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 224

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 799					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 800					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 801					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 802					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 225

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 803					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.165	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 804					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.302	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 805					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.353	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 806					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.353	Critical Load Case: 103	Location:	0.72	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 226

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 807					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.316	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 808					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.193	Critical Load Case: 103	Location:	0.81	
Critical Condition: Sec. 8.2.1.2					

Member Number: 809					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.131	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 810					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.223	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 227

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 811					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.237	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 812					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.230	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 813					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.150	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 814					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.150	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 228

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 815					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.267	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 816					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.299	Critical Load Case: 103	Location:	0.13	
Critical Condition: Sec. 8.2.1.2					

Member Number: 817					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.297	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 818					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.241	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 229

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 819					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.142	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 820					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.174	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 821					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.324	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 822					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.387	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 230

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 823					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.389	Critical Load Case: 103	Location:	0.59	
Critical Condition: Sec. 8.2.1.2					

Member Number: 824					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.363	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 825					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.252	Critical Load Case: 103	Location:	0.81	
Critical Condition: Sec. 8.2.1.2					

Member Number: 826					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.181	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 231

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 827					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.340	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 828					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.412	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 829					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.417	Critical Load Case: 103	Location:	0.52	
Critical Condition: Sec. 8.2.1.2					

Member Number: 830					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.397	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 232

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 831					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.296	Critical Load Case: 103	Location:	0.80	
Critical Condition: Sec. 8.2.1.2					

Member Number: 832					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.184	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 833					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.348	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 834					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.424	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 233

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 835					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.430	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 8.2.1.2					

Member Number: 836					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.413	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 837					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.315	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 838					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.188	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 234

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 839					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.356	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 840					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.437	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 841					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.445	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 8.2.1.2					

Member Number: 842					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.431	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 235

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 843					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.338	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 844					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.191	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 845					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.362	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 846					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.446	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 236

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 847					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.455	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

Member Number: 848					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.443	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 849					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.353	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 850					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.193	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 237

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 851					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.368	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 852					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.456	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 853					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.467	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

Member Number: 854					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.456	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 238

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 855					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.370	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 856					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.196	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 857					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.373	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 858					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.464	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 239

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 859					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.476	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

Member Number: 860					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.467	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 861					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.384	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 862					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.198	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 240

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 863					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.378	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 864					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.471	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 865					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.485	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 866					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.478	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 241

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 867					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.397	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 868					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.165	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 869					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.302	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 870					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.352	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 242

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 871					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.352	Critical Load Case: 103	Location:	0.72	
Critical Condition: Sec. 8.2.1.2					

Member Number: 872					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.315	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 873					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.192	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 874					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.130	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 243

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 875					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.222	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 876					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.236	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

Member Number: 877					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.228	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 878					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.148	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 244

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 879					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.153	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 880					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.274	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 881					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.308	Critical Load Case: 103	Location:	0.07	
Critical Condition: Sec. 8.2.1.2					

Member Number: 882					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.308	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 245

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 883					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.256	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 884					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.120	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 885					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.177	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 886					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.330	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 246

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 887					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.396	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 888					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.399	Critical Load Case: 103	Location:	0.59	
Critical Condition: Sec. 8.2.1.2					

Member Number: 889					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.375	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 890					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.268	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 247

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 891					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.181	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 892					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.339	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 893					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.410	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 894					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.415	Critical Load Case: 103	Location:	0.52	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 248

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 895					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.395	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 896					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.292	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 897					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.185	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 898					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.349	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 249

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 899					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.426	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 900					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.433	Critical Load Case: 103	Location:	0.46	
Critical Condition: Sec. 8.2.1.2					

Member Number: 901					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.416	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 902					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.319	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 250

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 903					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.188	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 8.2.1.2					

Member Number: 904					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.355	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 8.2.1.2					

Member Number: 905					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.436	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 8.2.1.2					

Member Number: 906					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.443	Critical Load Case:	103	Location:	0.46
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 251

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 907					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.429	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 908					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.335	Critical Load Case:	103	Location:	0.79
Critical Condition: Sec. 8.2.1.2					

Member Number: 909					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.191	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 8.2.1.2					

Member Number: 910					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.362	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 252

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 911					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.446	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 912					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.456	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

Member Number: 913					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.443	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 914					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.354	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 253

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 915					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.193	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 916					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.367	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 917					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.454	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 918					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.465	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 254

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 919					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.455	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 920					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.368	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 921					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.195	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 922					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.373	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 255

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 923					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.463	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 924					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.476	Critical Load Case: 103	Location:	0.39	
Critical Condition: Sec. 8.2.1.2					

Member Number: 925					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.466	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 926					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.383	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 256

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 927					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.197	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 928					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.377	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 929					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.469	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 930					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.483	Critical Load Case: 103	Location:	0.33	
Critical Condition: Sec. 8.2.1.2					

STAAD SPACE -- PAGE NO. 257

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 931					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.475	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 932					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.394	Critical Load Case: 103	Location:	0.79	
Critical Condition: Sec. 8.2.1.2					

Member Number: 934					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.081	Critical Load Case: 103	Location:	0.31	
Critical Condition: Sec. 9.3.2.2					

Member Number: 935					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.066	Critical Load Case: 103	Location:	0.31	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 258

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 936					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.033	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 937					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.023	Critical Load Case:	102	Location:	0.63
Critical Condition: Sec. 6.2					

Member Number: 938					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.036	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 939					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 259

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 940					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.036	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 941					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.050	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 942					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 944					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.073	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 260

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 945					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.074	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 946					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.071	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 947					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.069	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 948					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 261

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 949					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.066	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 950					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.064	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 951					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 952					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.061	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 262

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 953					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.060	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 955					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.073	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 956					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 957					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 263

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 958					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.059	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 959					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.056	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 960					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.053	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 961					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.051	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 264

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 962					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.049	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 963					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.047	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 964					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.045	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 966					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.026	Critical Load Case:	103	Location:	0.26
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 265

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 967					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.018	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 968					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.012	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 969					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.013	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 970					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.013	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 266

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 971					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.014	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 972					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.014	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 973					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.014	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 974					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.014	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 267

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 975					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.015	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 977					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.030	Critical Load Case:	103	Location:	0.26
Critical Condition: Sec. 9.3.2.2					

Member Number: 978					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 979					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 268

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 980					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.039	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 981					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.037	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 982					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.035	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 983					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.032	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 269

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 984					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.029	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 985					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.026	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 986					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.023	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 988					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.26
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 270

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 989					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.043	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

Member Number: 990					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.040	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 991					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.036	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 992					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.033	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 271

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 993					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.030	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 994					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.028	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 995					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.026	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 996					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.024	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 272

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 997					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.022	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 999					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.029	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1000					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.033	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1001					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.023	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 273

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1002					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.048	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1003					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.049	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1004					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.064	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1005					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.080	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 274

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1006					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.095	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1007					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.106	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1009					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.076	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1010					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.071	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 275

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1011					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.070	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1012					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.069	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1013					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.068	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1014					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.067	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 276

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1015					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.066	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1016					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.065	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1017					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1018					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.063	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 277

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1020					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.051	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1021					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.051	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1022					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.050	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1023					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.049	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 278

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1024					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.048	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1025					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.046	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1026					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.045	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1027					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.044	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 279

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1028					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.042	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1029					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.041	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1031					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1032					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 280

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1033					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1034					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1035					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1036					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 281

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1037					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1038					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.016	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1039					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1040					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.017	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 282

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1042					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.005	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1043					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1044					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1045					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 283

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1046					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1047					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1048					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1049					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 284

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1050					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1051					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.008	Critical Load Case:	102	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1053					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.26
Critical Condition: Sec. 9.3.2.2					

Member Number: 1054					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.30
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 285

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1055					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1056					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1057					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.007	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1058					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 286

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1059					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1060					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1061					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

Member Number: 1062					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.006	Critical Load Case:	103	Location:	0.31
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 287

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1066					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.075	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1067					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.096	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1068					
Member Section: ST TUB E (INDIAN SECTIONS)					
Status: PASS	Ratio: 0.073	Critical Load Case:	103	Location:	0.04
Critical Condition: Sec. 8.4					

Member Number: 1069					
Member Section: ST TUB E (INDIAN SECTIONS)					
Status: PASS	Ratio: 0.371	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 288

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1070					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.030	Critical Load Case: 103	Location:	0.04	
Critical Condition: Sec. 6.2					

Member Number: 1071					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.060	Critical Load Case: 103	Location:	0.36	
Critical Condition: Sec. 9.3.2.2					

Member Number: 1072					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.030	Critical Load Case: 103	Location:	0.27	
Critical Condition: Sec. 6.2					

Member Number: 1073					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.040	Critical Load Case: 103	Location:	0.36	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 289

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1074					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.085	Critical Load Case: 103	Location:	0.50	
Critical Condition: Sec. 6.2					

Member Number: 1075					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.073	Critical Load Case: 103	Location:	0.36	
Critical Condition: Sec. 9.3.2.2					

Member Number: 1076					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.024	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 9.3.2.2					

Member Number: 1077					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.018	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 290

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1078					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.042	Critical Load Case: 103	Location:	0.27	
Critical Condition: Sec. 6.2					

Member Number: 1079					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.007	Critical Load Case: 103	Location:	0.36	
Critical Condition: Sec. 9.3.2.2					

Member Number: 1080					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.048	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 8.2.1.2					

Member Number: 1081					
Member Section: ST 25X25X2.0SHS	(APL APOLLOTUBE SECTIONS)				
Status: PASS	Ratio: 0.009	Critical Load Case: 103	Location:	0.36	
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 291

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1082					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.050	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1083					
Member Section: ST 25X25X2.0SHS (APL APOLLOTUBE SECTIONS)					
Status: PASS	Ratio: 0.074	Critical Load Case:	103	Location:	0.00
Critical Condition: Sec. 6.2					

Member Number: 1084					
Member Section: ST TUB E (INDIAN SECTIONS)					
Status: PASS	Ratio: 0.050	Critical Load Case:	103	Location:	0.04
Critical Condition: Sec. 8.4					

Member Number: 1085					
Member Section: ST TUB E (INDIAN SECTIONS)					
Status: PASS	Ratio: 0.278	Critical Load Case:	103	Location:	0.50
Critical Condition: Sec. 9.3.2.2					

STAAD SPACE -- PAGE NO. 292

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1086					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.059	Critical Load Case: 103	Location:	1.14	
Critical Condition: Sec. 6.2					

Member Number: 1087					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.074	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1088					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.056	Critical Load Case: 103	Location:	1.14	
Critical Condition: Sec. 6.2					

Member Number: 1089					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.074	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

STAAD SPACE -- PAGE NO. 293

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1090					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.063	Critical Load Case: 103	Location:	1.27	
Critical Condition: Sec. 6.2					

Member Number: 1091					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.070	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1092					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.038	Critical Load Case: 103	Location:	1.20	
Critical Condition: Sec. 6.2					

Member Number: 1093					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.041	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

STAAD SPACE -- PAGE NO. 294

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1094					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.029	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1095					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.090	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1096					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.016	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1097					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.019	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 295

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1098					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.056	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1099					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.051	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 6.2					

Member Number: 1100					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.098	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1101					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.084	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 296

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1102					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.158	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1103					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.102	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 6.2					

Member Number: 1104					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.049	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1129					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.151	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 297

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1130					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.222	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 7.1.2					

Member Number: 1131					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.200	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 7.1.2					

Member Number: 1132					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.120	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1133					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.143	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 7.1.2					

STAAD SPACE -- PAGE NO. 298

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1134					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.086	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1135					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.100	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 7.1.2					

Member Number: 1136					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.053	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1137					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.060	Critical Load Case: 103	Location:	1.18	
Critical Condition: Sec. 7.1.2					

STAAD SPACE -- PAGE NO. 299

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1138					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.020	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1139					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.036	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1140					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.026	Critical Load Case: 102	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1141					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.020	Critical Load Case: 102	Location:	1.20	
Critical Condition: Sec. 7.1.2					

STAAD SPACE -- PAGE NO. 300

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

Member Number: 1142					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.036	Critical Load Case: 103	Location:	1.20	
Critical Condition: Sec. 7.1.2					

Member Number: 1143					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.032	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

Member Number: 1144					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.058	Critical Load Case: 103	Location:	1.27	
Critical Condition: Sec. 7.1.2					

Member Number: 1145					
Member Section: ST TUB E	(INDIAN SECTIONS)				
Status: PASS	Ratio: 0.039	Critical Load Case: 103	Location:	0.00	
Critical Condition: Sec. 6.2					

STAAD SPACE -- PAGE NO. 301

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.1)
****

|---|
| Member Number: 1146 |
| Member Section: ST TUB E (INDIAN SECTIONS) |
| Status: PASS Ratio: 0.051 Critical Load Case: 103 Location: 1.14 |
| Critical Condition: Sec. 7.1.2 |

|---|
| Member Number: 1147 |
| Member Section: ST TUB E (INDIAN SECTIONS) |
| Status: PASS Ratio: 0.038 Critical Load Case: 103 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| Member Number: 1148 |
| Member Section: ST TUB E (INDIAN SECTIONS) |
| Status: PASS Ratio: 0.054 Critical Load Case: 103 Location: 1.17 |
| Critical Condition: Sec. 7.1.2 |

495. FINISH

********** END OF THE STAAD.Pro RUN **********

**** DATE= DEC 19,2022 TIME= 13:19: 0 ****

```
*************************************************************
*   For technical assistance on STAAD.Pro, please visit     *
*   http://www.bentley.com/en/support/                      *
*                                                           *
*   Details about additional assistance from                *
*   Bentley and Partners can be found at program menu       *
*   Help->Technical Support                                 *
*                                                           *
*      Copyright (c) 1997-2017 Bentley Systems, Inc.        *
*                http://www.bentley.com                     *
*************************************************************
```