

Spare part list
RT 750



2013-05 Index 00

SIDAN 30



sp-121378-04_30 04-10-01


ILLUSTRATION 750-15

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Frame**	Illustration 750-15							
1	Side quadrant complete right			D75-4002-PC		C	m	1	
2	Distance. 8,2x18x15			D03-0119-25		A	pce	2	
3	Hinge, left hand 420 door			D42-4107-95		A	pce	3	
4	Square washer, bearing bracket			D42-4706-95		A	pce	1	
5	Finishing strip 920-3300-00			D50-3501-87		A	m	1	
6	Clip			D4121R0320		A	pce	2	
7	Bottom plate right hand			D75-4512-98		A	pce	1	
8	Backet for door stop			D77-4135-96		A	pce	2	
9	Strip yellow/red			D4050RG016	G	A	m	1	
10	Brush strip Mink 0,2/31 mm PA6 Curled			D4121RG026	G	A	pce	2	x
1	Side quadrant complete left			D75-4003-PC		C	m	1	
2	Distance. 8,2x18x15			D03-0119-25		A	pce	2	
12	Hinge, right hand 420			D42-4106-95		A	pce	3	
4	Square washer, bearing bracket			D42-4706-95		A	pce	1	
5	Finishing strip 920-3300-00			D50-3501-87		A	m	1	
6	Clip			D4121R0320		A	pce	2	
13	Bottom plate left hand			D75-4513-98		A	pce	1	
8	Backet for door stop			D77-4135-96		A	pce	2	
9	Strip yellow/red			D4050RG016	G	A	m	1	
10	Brush strip Mink 0,2/31 mm PA6 Curled			D4121RG026	G	A	pce	2	x
14	Frame side sealing complete			D3351VG001		A	m	1	
10	Brush strip Mink 0,2/31 mm PA6 Curled			D4121RG026	G	A	pce	2	x
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	

SIDAN 32



sp-121379-04_32 04-10-01


ILLUSTRATION 750-16


ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Frame**	Illustration 750-16							
1	Frame horizontal complete right			D75-4012-PC		B	m	1	
2	Guide block stop			D75-4301-03		A	pce	1	
3	Bearing bracket right hand			D75-4704-96		A	pce	1	
4	Cable clamp 5 mm			D96-1515-92		A	pce	1	
5	Bearing diameter 30 mm			D8140R0071		A	pce	1	
1	Frame horizontal complete left			D75-4013-PC		B	m	1	
2	Guide block stop			D75-4301-03		A	pce	1	
6	Bearing bracket left hand			D75-4705-96		A	pce	1	
4	Cable clamp 5 mm			D96-1515-92		A	pce	1	
5	Bearing diameter 30 mm			D8140R0071		A	pce	1	
7	Side quadrant door complete left			D75-4099-PC		B	m	1	
8	Hinge, right hand 420			D42-4106-95		A	pce	3	
9	Clip			D4121R0320		A	pce	2	
10	Brush strip Mink 0,2/31 mm PA6 Curled			D4121RG026	G	A	pce	2	x
7	Side quadrant door complete right			D75-4100-PC		B	m	1	
11	Hinge, left hand 420 door			D42-4107-95		A	pce	3	
9	Clip			D4121R0320		A	pce	2	
10	Brush strip Mink 0,2/31 mm PA6 Curled			D4121RG026	G	A	pce	2	x
	Photocell holder, rubber clip 10			D96-6092-97		A	pce	1	

SIDAN 34







ALBANY
ASSA ABLOY


RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
I	**Frame**	Illustration 750-17							
1	Frame profile, pre-drilled right			D75-4202-PC		C	m	1	
2	Frame profile, pre-drilled left			D75-4203-PC		C	m	1	
3	Frame guide vertical			D75-4220-PC		A	m	1	
4	Frame guide horizontal			D75-4221-PC		A	m	1	
15	Frame guide bended			D75-4220-10		A	pce	1	

SIDAN 2








ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
II	**Safety edge.**	Illustration 750-1							
1	Rebuilding kit STS to pneumatic			D75-1001-PC		B	m	1	
2	Finishing strip 920-3300-00			D50-3501-87		A	m	1	
3	Plastic tube			D4102RG002	G	A	m	1	
4	Endplugg d=20mm h=15mm			D96-1310-95		A	pce	5	
5	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
6	Pressure switch DWGK11DOE (mechanical)			D96-6000-79		A	pce	1	
7	Bracket for coily cable			D5006R0010		A	pce	2	
8	Coily cable 3x sq mm			D96-6105-96		A	pce	1	
9	Rubber profile pneumatic complete			D75-1200-PC		B	m	1	
3	Plastic tube			D4102RG002	G	A	m	1	
4	Endplugg d=20mm h=15mm			D96-1310-95		A	pce	5	
5	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	

SIDAN 4



sp-121365-04_04 04-10-01


ILLUSTRATION 750-2

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
III	**Safety edge / Panel.**	Illustration 750-2							
1	Bottom panel complete			D75-3011-PC		C	m	1	
	Inc. Pneumatic safety edge								
2	Steel cable w. pvc 35tr 1.83.0			D5105RG006	G	A	m	1	
3	Finishing strip 920-3300-00			D50-3501-87		A	m	1	
4	Plastic tube			D4102RG002	G	A	m	1	
5	Endplugg d=20mm h=15mm			D96-1310-95		A	pce	5	
6	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
7	Lock 3,5 mm for safety wire			D97-0008-92		A	pce	4	
8	Albany sticker 250 x 100			D6403V0001		A	pce	2	
9	Guide bottom complete			D75-4302-XX		A	pce	2	
10	Guide block STS / standard			D75-4301-02		A	pce	1	x
9	Guide bottom complete			D75-4308-XX		A	pce	2	
	Door area > 20 m2								
10	Guide block STS / standard			D75-4301-02		A	pce	1	x

SIDAN 6




sp-121366-04_06 04-10-01

ILLUSTRATION 750-3

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
III	**Safety edge / Panel.**	Illustration 750-3							
1	STS unit complete inc. Cable chain			D75-1570-XX		C	pce	1	
6	Cable support chain 0/30			D8250RG014	G	A	m	2	
3	Cable support chain 01 (bracket)			D4121R0228		A	pce	2	
4	Photocell holder, rubber clip 10			D96-6092-97		A	pce	2	
5	Rubber inlet 55-005-25			D97-6891-94		A	pce	2	
6	Bottom panel complete STS			D75-3010-PC		C	m	1	
7	Steel cable w. pvc 35tr 1.83.0			D5105RG006	G	A	m	1	
8	Finishing strip 920-3300-00			D50-3501-87		A	m	1	
9	Safety edge fabric yellow/red			D4050RG017	G	A	m	1	
10	Lock 3,5 mm for safety wire			D97-0008-92		A	pce	4	
11	Albany sticker 250 x 100			D6403V0001		A	pce	2	
12	End profile bottom panel			D75-3212-11		B	pce	2	
13	Guide profile bottom panel			D75-3212-12		B	pce	2	



2
4
3
1
5

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
IV	**Panel**	Illustration 750-4							
1	Toggle joint locking			D75-4312-XX		A	pce	2	
2	Hinge plate inner, safety wire			D75-4330-XX		A	pce	2	
3	Steel cable w. pvc 35tr 1.83.0			D5105RG006	G	A	m	1	
4	Lock 3,5 mm for safety wire			D97-0008-92		A	pce	2	
5	Spring loaded brake plate, 1 set			D75-4342-XX		A	pce	2	

SIDAN 10



sp-121368-04_10 04-10-01


ILLUSTRATION 750-5

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Panel**	Illustration 750-5							
1	Guide standard complete			D75-4301-XX		A	pce	2	
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
1	Guide standard complete			D75-4307-XX		A	pce	2	
	Doorwidth > 4,5 m								
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
3	Guide upper bottom panel complete			D75-4303-XX		A	pce	2	
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
4	Repair case, mail toggle joint		► 1998-08	D75-3201-10		A	pce	1	
	Valid for doors to 08.98								
5	End profile standard panel			D75-3212-21		B	pce	2	
5	End profile low panel			D75-3212-31		B	pce	2	
6	Toggle joint male with lock			D75-3203-PC		A	pce	1	
7	Toggle joint female with lock			D75-3204-PC		A	pce	1	

SIDAN 12



sp-121369-04_12 04-10-01

ILLUSTRATION 750-6

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
IV	**Panel**	Illustration 750-6							
1	Panel 600 mm complete	(*)		D75-3020-PC		C	m	1	
		Window				C	pce	1	
6	Panel 400 mm complete			D75-3030-PC		C	m	1	
7	Cover profile pre-cut, delivered from -97			D75-3206-PC		A	m	1	
	Additionally to deliver:		► 1996-12						
	Toggle joint female with lock			D75-3204-PC		A	pce	1	
8	Window, TC97 (*) *Just for Panels D75-3020-PC ordered after 2012-01 *Just as Panel compl D75-3020-PC ►2011-12	(D4102R0024) (D75-3020-PC)	2012-01 ► ► 2011-12	D4102R0024		B	pce	1	






ILLUSTRATION 750–7

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
IV	**Panel**	Illustration 750-7							
1	Guide upper panel complete		► 1995-09	D75-4304-XX		B	pce	2	
	Delivered until week 37.95								
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
3	Guide upper chain tensioner complete			D75-4305-XX		B	pce	2	
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
4	Guide upper panel complete		1995-09 ►	D75-4306-XX		B	pce	2	
	Delivered from -95 week 38								
2	Guide block STS / standard			D75-4301-02		A	pce	1	x
6	Guide flexible arm L=450 mm		1995-09 ►	D75-3210-53		B	pce	2	
	Delivered from 950918								
7	Rubberlip W=175, t=5, L=5000			D96-4307-99		A	m	5	





2
1
3
4


ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
V	**Balancing system**	Illustration 750-10							
1	Balance spring Type A, inc. Guide			D75-2500-XX		A	pce		
2	Spring guide			D75-2450-94		A	pce	1	
3	Balance spring Type B, inc. Guide			D75-2510-XX		A	pce		
2	Spring guide			D75-2450-94		A	pce	1	
4	Balance spring Type O, inc. Guide			D75-2520-XX		A	pce		
2	Spring guide			D75-2450-94		A	pce	1	

SIDAN 24






ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
V	**Balancing system**	Illustration 750-11							
	Spring tube complete, from 1997-03-01		1997-03 ►	D75-2000-PC		B	pce	2	
1	Complete chain pulley diam 56 with beari			D5101V0004		A	pce	1	
2	Articulated coupling 455			D75-1701-94		A	pce	1	
3	Aluminium holder for grease tube			D75-1710-99		A	pce	1	
4	Rear lid			D75-2400-94		A	pce	1	
5	Spring guide			D75-2450-94		A	pce	1	
6	Articulated coupling 462			D75-9211-94		A	pce	1	
7	Grease tube			D97-6520-99		A	pce	1	x
8	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	
	Spring tube complete, until 1997-02-28		► 1997-03	D75-2001-PC		B	pce	2	
	Reference 75-2000-PC modified:								


SIDAN 22



ALBANY
ASSA ABLOY

RT 750, Version 07


Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
V	**Balancing system**	Illustration 750-12							
1	Sprockets complete set. State ratio			D75-2301-PC		A	pce		
2	Complete chain pulley diam 56 with beari			D5101V0004		A	pce	1	
3	Sprocket front/outer chain 455			D75-2305-XX		A	pce		
4	Rear chain pulley unit, all ratios			D75-2402-XX		A	pce		
2	Complete chain pulley diam 56 with beari			D5101V0004		A	pce	1	



3
2
3
2
1

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Balancing system < 25 m2**	Illustration 750-13							
1	Sprocket unit, front, stand.lift, chain 455		1997-03 ►	D75-2410-XX		A	pce		
	for doors delivered from 97-03-01								
2	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	
1	Sprocket unit, front, low lift, chain 455		1997-03 ►	D75-2411-XX		A	pce		
	for doors delivered from 97-03-01								
2	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	
3	Sprocket unit, front, chain 455		► 1997-03	D75-2412-XX		A	pce		
	for doors delivered to 97-02-28								
2	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	






5
1
4
3
1
2

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
V	**Balancing system > 25 m2**	Illustration 750-14							
1	Set of sprockets, all ratios chain 462			D75-2302-XX		A	pce		
2	Sprocket front/outer chain 462			D75-2306-XX		A	pce		
3	Sprocket unit, front, normal lift, chain 462			D75-2413-XX		A	pce		
4	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	
3	Sprocket unit, front, low lift, chain 462			D75-2414-XX		A	pce		
4	Prohibition sign 'no tools'			D97-6731-97		A	pce	1	
5	Rear sprocket unit all ratios, chain 462			D75-2403-XX		A	pce		






5
4
6
9
8
7
11
1
2
9
8
11
3
10
10

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Drive system**	Illustration 750-8							
1	Drive shaft 750			D75-3310-PC		B	m	1	
2	Drive shaft 750 complete			D75-3315-PC		B	m	1	
3	Stub axle 30 mm not drive side 750/770			D75-3602-99		A	pce	1	
4	Stub axle motor side 750/770			D75-3623-99		A	pce	1	
5	Key 8 x 7 x 45			D77-3668-96		A	pce	4	
6	Torque bracket with shock absorber			D75-4820-XX		A	pce	1	
7	Rubber bush, stc 539 886			D5004V0001		A	pce	2	
6	Torque brack.double w.shock absorber			D75-4821-XX		A	pce	1	
7	Rubber bush, stc 539 886			D5004V0001		A	pce	4	
8	Chain anti lift device complete			D77-2300-XX		A	pce	4	
9	Spacer for bearing			D96-2212-96		A	pce	1	
10	Cover for sprocket 1 set			D75-9220-XX		A	pce	1	
11	Sprocket 32/462, 2 pcs			D75-9200-XX		A	pce	1	




6
3
1
2
5
2
3
4

ALBANY
ASSA ABLOY

RT 750, Version 07

Pos.	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Lieferzeit Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
VI	**Drive system**	Illustration 750-9							
1	Upper chain tensioner complete			D75-1816-XX		A	pce	2	
2	Articulated coupling 455			D75-1701-94		A	pce	1	
3	Articulated coupling 462			D75-9211-94		A	pce	1	
4	Bottom chain tensioner complete			D75-1821-XX		A	pce	2	
3	Articulated coupling 462			D75-9211-94		A	pce	1	
5	Balancing chain complete			D75-1700-PC		A	m	2	
2	Articulated coupling 455			D75-1701-94		A	pce	2	
6	Drive chain 462 complete			D75-9210-PC		A	m	1	
3	Articulated coupling 462			D75-9211-94		A	pce	4	

	Legend
	1
S	No automatic price calculation
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

