TASA ENGINEERING EQUIPMENTS

Office Address and Work Address : GAT NO. 1617, Patra shade N0.8 ,Chikhali Dehu Rd, near hotel amrale and MRF tyer,Patilnagar, Chikhali, Pune, Maharashtra 411062

Contact no: +917066630078 / 79 / 80

Mail Id: sales@tasaengineering.com , tasaengineering01@gmail.com

GSTIN: 27AAPFT9870L1Z3

Date: 16/02/2024

Quotation No: 202402_223

To,

NIHVA Technologies

Subject: Quotation for Hydraulic Scissor Lift

Dear Sir,

Ref: You're Enquiry for Scissor lift dated 16/02/2024

Thank you for showing interest in our products & contacting us. Please find our exclusive quotation for Your requirement of **Hydraulic Scissor Lift (Pit)**

S.No	Product Description	Product Image	Qty	Price/unit	Total Amount
1.	Hydraulic Scissor Lift (Pit) Capacity : 3 Ton Platform Length : 4750 mm Platform Width : 4150 mm Min Height : 800 mm Max Height : 3800 mm Lift Height : 3000 mm Commissioning charges Extra *(Refer page 2 for more details)*	NA	1	INR 6,90,000/-	INR 6,90,000/-
				Total	INR 6,90,000/-

Terms and Conditions:

1. Delivery Period: 4 to 5 Weeks after receiving purchase order, drawing approval and advance Payment.
2. Payment terms: 50 % advance with PO, 40 % against Performa invoice and 10 % after dispatch.
3. Taxes: SGST 9 % and CGST 9 % will be applicable.
4. Freight Charges Extra
5. Warranty : 1 year from date of commissioning
6. Validity: The quoted prices are valid for 90 days from date of quotation

Specification for Hydraulic Scissor Lift

Technical Specification:

Parameter	Specification/Make
1. Type	Hydraulic Scissor Lift (Pit)
2. Capacity	3 Ton
3. Platform length	4750 mm
4. Platform Width	4150 mm
5. Minimum Height	800 mm
6. Maximum Height	3800 mm
7. Lift Height	3000 mm
8. Operating Mode	Push Button Control
9. Platform Sheet	Check. Sheet
10. Roller Joint	Double Ball Bearing
11. Hydraulic Cylinder	TASA
12. Railing	2 side Railing
13. Flap	One side flap (Width Side)Hydraulic (L-4150mmXW-400mm)
14. Joint	Oil Less Bush Joint (No Greasing)
15. Power Pack	7.5 HP
16. Puppet Type Solenoid Value	Lifter Block 24V
17. Power Pack Tank	Fabricated Tank
18. Lift Cylinder	Tasa Make Single Acting Cylinder
19. Power Source	3 Phase, 415v, 50Hz, R, Y, B, N
20. Control Voltage	24V, AC
21. Limit Switches	Jai Balaji
22. Switch Gear	SCHNEIDER
23. Relays	Omron
24. Push Button	TEKNIK OR EQUIVALENT
25. Power Pack Location	Outside
26. Cables	Polycab
27. Cable Routing	Flexible Conduit

Please call us in case of any query/ doubts.

Sincerely yours,
Prajakta Pawar
Sales Engineer

+91-7066630078 / 79 / 80
Tasa Engineering Equipments *(Passion To Lift)*

Website : www.tasaengineering.com