LUPIN LIMITED

PURCHASE ORDER

Corp. Off. : 4th Floor, Laxmi Towers,Bandra Kurla Complex, Bandra (East)
Mumbai 400051

For any Queries :

Name : Aashish Hande
Email Id :aashishhande@lupin.com

PO Number : 3400135982
PO Date : 23-Dec-2020
Quotation No. : 2809R5
Quotation Date : 22-Dec-2020

Vendor & Invoicing Party :
To,
NIHVA TECHNOLOGIES PVT. LTD. (312127)
Attention :
187, G-Block, Thermax chowk
Above Renault Showroom,MIDC, Chinchwad
PUNE - 411019
Maharashtra , India

GSTIN : 27AAECN0437H1ZM

Please deliver / dispatch the material(s) ordered / as per enclosed Annexure(s) subject to the instructions mentioned below as well as Terms and Conditions attached herewith.

S.No	Material Code/ HSN Code	Description	Quantity	Unit Rate	Discount	SGST /UGST Rate	CGST Rate	IGST Rate	Net Amount
001	**918092 / 7308**	**SINGLE SKIN ROLLING SHUTTER:HT 3M xW2.5M**	2.000 EA	94,000.00		9.00 %	9.00 %		188,000.00

WBS Elem: PB/0470.EQP

Purchase Specification:
FIRE PUMP ROOM & BOILER ROOM SOUTH SIDE
Description:Motorised Rolling Shutter with GI Slats with thickness of 1 mm.
Mounting Location area: Inside area / Outside area
Mounting Surface: Side Brackets: Optional = On Concrete /Steel & Side
Curtain Panel: The panel made of 1.0mm thick GI.
Curtain panel size: 75mm wide
Curtain Profile: Curved with 1000mm Honeycomb Grill to be installed at eyelevel height
Bottom Profile: M. S. Plate 100 mm x 2.5 mm thick with angle stiffener
Side Guide Profile : M.S." U" Shaped profile.
Roller Shaft: M.S. Tubular Pipe with Flange & machined shaft at the ends Pipe Día -100 to 300 mm as per w x h
Side Brackets: MS Plate 3 mm to 10 mm thick, as per the opening dimension.
Hood Cover: Made of GI Sheet Thickness 0.9 mm GF mm
Surface finish: Powder coated - Finish with two coats of Polyurethane spray paint similar to RAL9006over one coat of Epoxy Primer.
Drive Unit & Mounting Type: Electric Motor - Indirect Mounting - Sprocket chain arrangement # IP54 Protection
Control Panel: Three Station Push Button with Deadman Control
Safety: Safety Catch

Delivery Schedule (Arrival at Lupin's Site):
14-Jan-2021 2.000 EA

002	**918092 / 7308**	**SINGLE SKIN ROLLING SHUTTER:HT3.2x W3.95M**	2.000 EA	116,000.00		9.00 %	9.00 %		232,000.00

WBS Elem: PB/0470.EQP

Purchase Specification:
BOILER ROOM WEST SIDE - 2 NOS.
Description:Motorised Rolling Shutter with GI Slats with thickness of 1 mm.
Mounting Location area: Inside area / Outside area
Mounting Surface: Side Brackets: Optional = On Concrete /Steel &

PO Number	: 3400135982	**Quotation No.**	: 2809R5
PO Date	: 23-Dec-2020	**Quotation Date**	: 22-Dec-2020

Side
Curtain Panel: The panel made of 1.0mm thick GI.
Curtain panel size: 75mm wide
Curtain Profile: Curved with 1000mm Honeycomb Grill to be installed at eyelevel height
Bottom Profile: M. S. Plate 100 mm x 2.5 mm thick with angle stiffener
Side Guide Profile : M.S." U" Shaped profile.
Roller Shaft: M.S. Tubular Pipe with Flange & machined shaft at the ends Pipe Día -100 to 300 mm as per w x h
Side Brackets: MS Plate 3 mm to 10 mm thick, as per the opening dimension.
Hood Cover: Made of GI Sheet Thickness 0.9 mm GF mm
Surface finish: Powder coated - Finish with two coats of Polyurethane spray paint similar to RAL9006over one coat of Epoxy Primer.
Drive Unit & Mounting Type: Electric Motor - Indirect Mounting - Sprocket chain arrangement # IP54 Protection
Control Panel: Three Station Push Button with Deadman Control
Safety: Safety Catch

Delivery Schedule (Arrival at Lupin's Site):
14-Jan-2021 2.000 EA

003	**918092 / 7308**	**SINGLE SKIN ROLLING SHUTTER:HT4Mx W4.65M**	1.000 EA	142,000.00		9.00 %	9.00 %	142,000.00

WBS Elem: PB/0470.EQP
Purchase Specification:
DG AREA
Description:Motorised Rolling Shutter with GI Slats with thickness of 1 mm.
Mounting Location area: Inside area / Outside area
Mounting Surface: Side Brackets: Optional = On Concrete /Steel & Side
Curtain Panel: The panel made of 1.0mm thick GI.
Curtain panel size: 75mm wide
Curtain Profile: Curved with 1000mm Honeycomb Grill to be installed at eyelevel height
Bottom Profile: M. S. Plate 100 mm x 2.5 mm thick with angle stiffener
Side Guide Profile : M.S." U" Shaped profile.
Roller Shaft: M.S. Tubular Pipe with Flange & machined shaft at the ends Pipe Día -100 to 300 mm as per w x h
Side Brackets: MS Plate 3 mm to 10 mm thick, as per the opening dimension.
Hood Cover: Made of GI Sheet Thickness 0.9 mm GF mm
Surface finish: Powder coated - Finish with two coats of Polyurethane spray paint similar to RAL9006over one coat of Epoxy Primer.
Drive Unit & Mounting Type: Electric Motor - Indirect Mounting - Sprocket chain arrangement # IP54 Protection
Control Panel: Three Station Push Button with Deadman Control
Safety: Safety Catch

Delivery Schedule (Arrival at Lupin's Site):
14-Jan-2021 1.000 EA

004	**918092 / 7308**	**SINGLE SKIN ROLLING SHUTTER:HT4Mx W5.3M**	1.000 EA	155,000.00		9.00 %	9.00 %	155,000.00

WBS Elem: PB/0470.EQP
Purchase Specification:
DG AREA
Description:Motorised Rolling Shutter with GI Slats with thickness of 1 mm.
Mounting Location area: Inside area / Outside area
Mounting Surface: Side Brackets: Optional = On Concrete /Steel & Side

LUPIN LIMITED

Corp. Off. : 4th Floor, Laxmi Towers,Bandra Kurla Complex, Bandra (East)
Mumbai 400051

PO Number	: 3400135982	**Quotation No.**	: 2809R5
PO Date	: 23-Dec-2020	**Quotation Date**	: 22-Dec-2020

Curtain Panel: The panel made of 1.0mm thick GI.
Curtain panel size: 75mm wide
Curtain Profile: Curved with 1000mm Honeycomb Grill to be installed at eyelevel height
Bottom Profile: M. S. Plate 100 mm x 2.5 mm thick with angle stiffener
Side Guide Profile : M.S." U" Shaped profile.
Roller Shaft: M.S. Tubular Pipe with Flange & machined shaft at the ends Pipe Día -100 to 300 mm as per w x h
Side Brackets: MS Plate 3 mm to 10 mm thick, as per the opening dimension.
Hood Cover: Made of GI Sheet Thickness 0.9 mm GF mm
Surface finish: Powder coated - Finish with two coats of Polyurethane spray paint similar to RAL9006over one coat of Epoxy Primer.
Drive Unit & Mounting Type: Electric Motor - Indirect Mounting - Sprocket chain arrangement # IP54 Protection
Control Panel: Three Station Push Button with Deadman Control
Safety: Safety Catch

Delivery Schedule (Arrival at Lupin's Site):
14-Jan-2021 1.000 EA

005	**/ 998732**	**INST & COMMISSIONING OF ABOVE SHUTTERS**	1.000 AU	75,000.00		9.00 %	9.00 %	75,000.00

WBS Elem: PB/0470.EQP

Delivery Schedule (Arrival at Lupin's Site):
21-Jan-2021 1.000 AU

Bill to & Ship to (Final destination) Address :
Lupin Limited,
Biotech - Pune,
Gat No-1156, Village:- Ghotawade,
Tal :- Mulshi,
Dist:- Pune - 412115
Maharashtra India

GSTIN : 27AAACL1069K1ZF

SUB TOTAL (INR)		
Basic Value	:	792,000.00
Packaging & Forwading	:	0.00
Insurance	:	0.00
Freight	:	0.00
Others	:	0.00
IGST	:	0.00
CGST	:	71,280.00
SGST / UGST	:	71,280.00
RCM	:	0.00
GRAND TOTAL		**934,560.00**

Amount (in words) : INR NINE LACS THIRTY FOUR THOUSAND FIVE HUNDRED SIXTY ONLY

Delivery Terms : CFR LUPIN LTD, PUNE (Incoterms 2020®)
Payment Terms : 30% Adv,60% agnst Proforma,10% after Installation

SR. NO. 1 TO 4:
30% ADVANCE(BASIC)
60% AGAINST PROFORMA INVOICE(CHEQUE WILL BE RELEASED AGAINST DISPATCH DETIALS AND FINAL INVOICE)
10% AFTER COMPLETION OF INSTALLATION AND COMMISSIONING.

SR. NO.5 :
100% AFTER COMPLETION OF WORK

* Transit Insurance:Tata AIG Marine Policy No - 0865085857 w.e.f. 01-Sept-2020, valid until 31-Aug-2021

LUPIN LIMITED

Corp. Off. : 4th Floor, Laxmi Towers,Bandra Kurla Complex, Bandra (East)
Mumbai 400051

PO Number	: 3400135982	**Quotation No.**	: 2809R5
PO Date	: 23-Dec-2020	**Quotation Date**	: 22-Dec-2020

Additional Instructions :

==========
VENDOR CONTACT PERSON NAME: MR. Shrikant Mirkute
VENDOR CONTACT PERSON NUMBER: 8551098333
VENDOR CONTACT PERSON EMAIL ID: shrikant.mirkute@nihva.com / arjun.patil@nihva.com / information@nihva.com
---
LUPIN CO-ORDINATING PERSON NAME: Mr. DHEERAJ SAWANT
LUPIN CO-ORDINATING PERSON NUMBER: 9833273706
LUPIN CO-ORDINATING PERSON EMAIL: dheerajsawant@lupin.com

ORDER PLACED BY NAME: Mr. Aashish Hande
ORDER PLACED BY CONTACT NUMBER: +91 22 66402573
ORDER PLACED BY EMAIL ID: aashishhande@lupin.com

LUPIN ACCOUNT PERSON NAME: Mr. Bhupendra Singh / Sumeet Ramane
LUPIN ACCOUNT PERSON CONTACT NUMBER: +91 22 66402568 / 66402575
LUPIN ACCOUNT PERSON EMAIL ID: bhupendrasingh@lupin.com / sumeetramane@lupin.com
==========
COMMERCIAL TERMS & CONDITIONS
1. PACKING & FORWARDING: NIL.
---
2. TRANSIT INSURANGE: WILL BE IN LUPIN LIMITED SCOPE, FROM YOUR FACTORY / WAREHOUSE / GODOWN TO OUR LUPIN WAREHOUSE.
---
3. TRANSPORTATION CHARGES: FREE DOOR DELIVERY AT OUR PLANT.
---
4. GST : EXTRA AS PER PO
---
5. DELIVERY: WITHIN 3 WEEKS FROM THE DATE OF PURCHASE ORDER/LOI
CONDITIONS FOR DESPATCH: MATERIAL SHOULD BE DESPATCHED ONLY AFTER RECEIVING OUR DESPATCH CLEARANCE. WHEREVER APPLICABLE LUPIN WILL PREPARE DESIGN QUALIFICATION (DQ), PERFORM FACTORY ACCEPTANCE TEST (FAT) AND THEN WILL GIVE DESPATCH CLEARANCE.
---
6. DOCUMENTS/T.C.: YOU SUBMIT ALL THE RELEVENT TEST CERTIFICATES AND OTHER DOCUMENTS WITH THE FINAL BILL.
---
7. COMMERCIAL INVOICE AND ALL OTHER DOCUMENTS SHOULD BE SENT TO OUR H.O. IN SANTACRUZ, MUMBAI-
MR. Bhupendra Singh / Sumeet Ramane
LUPIN LIMITED
Kalpataru Inspire, 6th Floor, Off Western Express Highway, Santacruz (East) | Mumbai | 400055
Tel |66402568 / 75 | Email: bhupendrasingh@lupin.com / sumeetramane@lupin.com

LUPIN LIMITED

Corp. Off. : 4th Floor, Laxmi Towers,Bandra Kurla Complex, Bandra (East)
Mumbai 400051

PO Number	: 3400135982	**Quotation No.**	: 2809R5
PO Date	: 23-Dec-2020	**Quotation Date**	: 22-Dec-2020

1. Please post / courier Invoice(s) & associated documents to:
   Lupin Limited # Central Invoice Processing Centre,
   Empire Towers 11th Floor, South Block C & D,
   Thane - Belapur Road, Airoli East,
   Navi Mumbai - 400708.
   Tel: +91 22 68652000

2. Digitally Signed (not scanned signatures) invoices can be sent via email to "**dsip@lupin.com**".
   Please send 1 invoice per email with <Lupin PO Number> and <your Invoice number> in the "Subject" line of the email.

3. If any of the information related to your vendor data registered with us - viz the contact details, email id or bank account details, etc - have changed-please log in to the online portal - **http://lupin.supplier.ariba.com/** and update the relevant data. If you need assistance, please connect with your purchase contact at Lupin.

Important note for suppliers Invoicing from India: Kindly ensure that the GST Compliant Invoice **must** have (i) GSTIN number(s) and PAN number(s) of both the supplier and the recipient Lupin **(BILL-TO)** Location, (ii) Lupin PO Number, (iii) Name of person who has availed the service(s), (iv) HSN code for all goods or Service Accounting Code(SAC) for all services (v) **If applicable,** please print / put a stamp ***"Unregistered under GST"*** or ***"Exempt under GST"*** or ***"Under GST Composite Tax Scheme"*** or ***"Under GST Reverse Charge Scheme"*** on the Invoice(s).

For enabling Lupin Limited to get timely GST credit, please ensure that details of all Invoice(s) generated during a month are submitted as GST return (GSTR-1) before 10th day of the following month. Lupin Limited reserves the right to recover unavailable GST credit amount & applicable penal interest (if any) from such delinquent suppliers.

Each shipment/delivery of goods made to Lupin Locations must be accompanied by a valid EWB as required by law

TCS (Not to exceed; if applicable*): 700.92
Amount in words: INR SEVEN HUNDRED RUPEES NINETY TWO PAISE ONLY

You may start collecting TCS (Tax Collected at Source) w.e.f. 01 Oct 2020, as per the provision of sec 206C(1H) of I T Act, 1961. Kindly credit the TCS to Lupin Ltd.'s PAN - **AAACL1069K**.

Every GST document issued (Tax Invoice, Credit Note, Debit Note, Bill of Supply, etc.) should be compliant in terms of the provisions contained in Chapter VI of the Central Goods and Services Tax Rules 2007. This includes provision of e-invoice wherever applicable.