NIHVA

We Make Possible












Scissor Lift

www.nihva.com



Introduction

Future Industries offers a wide range of Lift Tables in advanced features to cater to vast requirements of clients. The NIHVA Lift Table provided by us is safe & efficient and ways to endless Material Handling Applications at Distribution Centre, Logistics Companies, Industries etc. Our Lift Tables are popular in the market because we don't compromise on the quality and always endeavor to meet International Standards by stringent quality checking and using State-of-the-art Technologies in the manufacturing process.



Types of Scissor Lifts





Pit or Floor Mounted

The permanent scissor lifts are: scissor raise platforms, track lifting platform, loading and unloading platforms.

Capacity
0.3 to 12 Ton





Portable (MOBILE)

The portable scissor lifts divided into: several mobile lifting platforms, a couple of tractor-lift platforms, AC-DC dual-use working out with a platform, lightweight aluminium & Stainless-steel lift platform, working out with height from 1-10m.
As the scissor lift divided into: electro-hydraulic & manual-hydraulic.

Capacity
0.1 to 2 Ton
(Depends on Height)

Safety Features

Hydraulic Accessories



Pilot Operated Check Valves
Function of Pilot Operated Check Valves: Designed for use in applications requiring an actuator to be locked in position, Pilot Operated Check Valves allow free flow from the input port through the output port. Supplying a pilot pressure to the valve allows flow in the opposite direction.



Hose burst valve
The hose burst valve is a flow operated flat seat valve. Therefore, it prevents uncontrolled movement in the consumer in the event of a hose burst.The hose burst valve is open in the normal position and allows flow in both directions. If there is an excess of the pre-set actuating flow rate as a result of a hose burst, for example, the valve quickly closes and blocks the flow from port 1 to port 2.



Oil return line filter
Return Line Filter for cleaning the oil going through the filters. The return line filters have reliably remove the contamination from the operating fluid. Following this filtration, the fluid flows back into the tank

Electrical Accessories



Over load relay
A relay that opens a circuit when the load in the circuit exceeds a preset value, in order to provide over load protection; usually responds to excessive current, but may respond to excessive values of power, temperatureor other quantities. Also known as overload release.



M.C.B.
A miniature circuit breaker (MCB) automatically switches off electrical circuit during an abnormal condition of the network means in overload condition as well as faulty condition. Handling an MCB is electrically safer than a fuse.



Loto - Switch
A lockout device is a key or combination lock with a special tag with a worker's name. The lock must be attached to an isolating device, circuit breaker, and/or switch to prevent turning on the energy source or equipment or releasing energy.

NIHVA Technologies Pvt. Ltd

Head Office : 187, G-Block, 1st Floor, Thermax Chowk, MIDC, Above Renault Showroom, Chinchwad, Pune – 411019.

+91 2066 3040 33 +91 85 51091 333

sales@nihva.com www.nihva.com
www.nihvaautomation.com

Global Business Partners

ALBANY ASSA ABLOY | MEGADOOR ASSA ABLOY | Crawford ASSA ABLOY | besam ASSA ABLOY | ACO

Networks

WEST	NORTH	SOUTH	EAST
Pune Mumbai Nashik Nagpur Indore Ahmedabad Surat Vadodara	Delhi Chandigarh	Chennai Hyderabad Bengaluru	Kolkata Bhubaneshwar