NIHVA Technologies Pvt. Ltd.	POILCY	REF. NO.	COVID-1
		REVISION	00
	COVID-19 PREPAREDNESS AND RESPONSE	DATE	11 May 20
		TOTAL PAGES	8

1.0 PURPOSE

- COVID-19 Lockdown RESUMING OPERATIONS; Prevention & Preparedness
- Ongoing care and maintenance of office / workplace in view of COVID-19 pandemic guidelines
- Awareness on COVID-19, general precautions to follow

2.0 SCOPE

- All NIHVA Employees
- NIHVA offices and shop floor. All employees need to have their own self certification to follow this CVOID19 policy. If anyone found to be violating the policy below, will attract disciplinary action against the defaulting employee which may include termination

3.0 POLICY

3.1 The common symptoms of Covid-19 include fever, cough and shortness of breath, muscle pain, sputum production and sore throat. It is highly contagious and the infection is spread from one person to others via respiratory droplets and therefore all carriers need to be isolated immediately from the healthy. People can catch COVID-19 from the infected person through small droplets from the nose or mouth which are spread when a person sneezes, coughs or exhales by breathing in these droplets or by touching the objects and surfaces around the person where the droplets may have landed and then touching their eyes, nose or mouth

3.2 Employees who have travelled out of Pune during the lockdown or even prior to lockdown (those on leaves) would need to be listed down by HR

3.3 The employees reporting to work – on the day of reporting must keep following tips in mind. The measures enumerated are indicative, and may not be complete and exhaustive. Suggestion are always welcome to improve upon the same. All precautionary measures are to be ensured so that all employees / contract workers feel safe and secure at the workplace

- Any employee having fever, cough and shortness of breath, muscle pain, sputum production and sore throat, should not join office / shop and inform time to time his health condition to his immediate manager / HOD, even after if we found anyone with above symptoms, need to face further consequences, action or termination
- Employees residing in ‘containment areas / zones’ should not come to the office
- Company may conduct random / surprise check for pulse oximeter readings SpO2 Range Oxygen level (need to be more than 95%), Pulse rate (needed more the 74), BP (needed between 80-140), Temperature (needed less then 37F) to ensure health condition
- Employees to wear protective gear as guided by government, starting from their respective homes / place of residence – e.g. masks. The protective gear (homemade mask) need to be worn continuously.
- Any employee not feeling well must apprise their managers and HR to ascertain facts.
- While using own transport, do not ride with anyone else but alone and try to avoid commercial vehicle travel
- At the time of arrival, employees to avoid over-crowding near staircase, pantry, door etc.
- Keep your distance at your work desk from your next employee.
- Employees to work from their seats only and avoid going to other’s seats.
- Strictly adhere to the social distance of minimum 1 M even during meetings.
- Avoid hard copy files/papers.
- Avoid physical handshake with anyone. Put a practice of greeting via ‘Namaste’
- Washing hands at equal intervals help, so continue to do that.
- Avoid crowding during lunch or tea breaks
- At the time of the departure, employees not to overcrowd and maintain social distance

3.4 Temperature checking for any suspect employee can done by HR. Visitors may also be checked before being permitted entry. If the body temperature is beyond 37.2℃, the concerned employee will be sent home immediately wherein he need to consult a doctor.

3.5 The common and more critical/frequented areas to be disinfected on daily basis with the help of Chlorine solution or Sodium Hypo Chlorite.

3.6 Suggested to avoid use of ACs and use natural ventilation. Keep all doors and windows open.

3.7 Ensure regular cleaning of washrooms / toilets specially disinfecting of taps, knobs, handles etc. Soap solutions, paper towels to be placed and replenished periodically.

3.8 Guidelines while re-starting the operations (copied from the document published by National Disaster Management Authority)

Generic guidelines:

- While restarting the unit, consider the first week as the trial or test run period; ensure all safety protocols; and not try to achieve high production targets.
- To minimize the risk it is important that employees who work on specific equipment are sensitized and made aware of the need to identify abnormalities like strange sounds or smell, exposed wires, vibrations, leaks, smoke, abnormal wobbling, irregular grinding or other potentially hazardous signs which indicate the need for an immediate maintenance or if required shutdown.
- Especially during the Covid-19 times, ensure all lockout and tag out procedures are in place on a daily basis (not applicable for units running 24hrs).
- Inspection of all equipment as per the safety protocols during the restart phase
- In case the industry has any difficulty in managing crucial backward linkages that may be critical for their safe functioning, they should approach the local district administration for specific assistance. District Magistrates may be instructed to ensure that in such instances, the industrial

Unit may be facilitated to run their end to end operations, in the overall interests of industrial security.

For specific industrial processes:

1. Storage of raw material
   - Inspect the storage facilities for any signs of spills, wear and tear during the lockdown.
   - Check for already opened storage vessels/containers/bags/silos for possible oxidation/chemical reaction/ rusting/ rotting etc.
   - HAZMAT Chemicals in the storage need to be checked for chemical stability before using for any processes
   - Ensure ventilation and proper lighting before entering the storage areas
   - Sense for abnormalities like strange sounds or smell, exposed wires, leaks and smoke
   - Check supply pipelines/valves/conveyor belts for any signs of damage/wear & tear
   - Check the storage building for any signs of distress and damage to the roof.

2. Manufacturing Processes
   - Carry out a complete Safety Audit of the entire unit before taking up starting activities
   - Cleaning of pipelines, equipment and discharge lines: Mechanical cleaning followed by air /water flushing and chemical cleaning based on the type of the process equipment
   - Run-in of rotatory equipment under supervision
   - Boilers/ furnaces/ heat exchangers to be checked for lining and signs of wear and tear
   - Check supply pipelines/valves/conveyor belts for any residual material and wear and tear. Also check all the pipelines / valves for obstructions/ pressure levels.
   - Ensure all pressure, temperature gauges are functional
   - Tightness test: Many process units handle combustibles or toxic substances (or both), the leakage of which could result in disaster, damage, or economic loss. To prevent the occurrence of such incidents, it is necessary to confirm that the plant complies with the required tightness before start-up.

- Service test need to be performed for all water, compressed air, and steam piping and equipment with normal operating fluids. The system is first pressurized with operating fluids and then checked for leakage. For air lines, leaks can be found using soap solution. For water and condensate lines, the leakage can be observed visually. Leakage points found during the test are retightened. The test is deemed successful if no foam is observed from soap solution, or if no water or condensate is observed visually.
- Vacuum hold test: All vacuum systems must be leak tested. Air inside the system is first evacuated to attain the required vacuum. The best way is to start at one end of the section and work through to the other end, checking flanges, valves, fittings, instruments, and other equipment. Each leak is tagged, making it easy for the maintenance team and personnel of the next shift to continue with the work.
- Trial testing be carried out before the full-fledged production is initiated with full human resources
- Ensure the arrangement for round-the-clock emergency crews/ professional technical teams provided with MAH and cluster of MAH should have an extended coverage of 200 km to reach transport accident spots for help

3. Storage of products
- Check the storage facilities / silos for any damage or wear and tear
- Sterilise boxes and wrapping brought into factory premises
- Isolate and sanitise finished goods as appropriate
- Delivery of goods in shifts

3.8 Hazard, risks and actions for Novel Corona Virus (COVID – 19)

How the Virus Works

- COVID 19 spreads from an infected person to another and essentially needs liquid droplets to thrive. Aerosol carrying minute droplets & the virus is released through sneeze, cough or talking. This aerosol may be inhaled directly by a healthy person.
- From hands of infected person, it spreads to various surfaces and in turn to hands of a healthy person. May transfer during handshakes or hugging.
- Healthy person touches surface with hands and later brings to his mouth / nose or eyes.
- Virus finds a new host and infects this healthy person who in turn may affect others.
- Shelf life of virus is 14 days after which it subsides. If not managed in time, during these 14 days it can damage pulmonary system causing death.

To Know: Most Common Symptoms **Source: WHO**	**Precautions for prevention of infections / spreading** **Source: WHO**	**Actions required at Projects**	**Do's & Don't**
• Cold and Flu • Fever, • Tiredness, • Dry cough. Some patients may have • aches and pains, • nasal congestion, • runny nose, • Sore throat or diarrhoea. • Most people (about 80%) recover from the disease without needing special treatment. • Around 1 out of every 6 people gets COVID-19 becomes seriously ill due to breathing difficulties with Fever, cough, and throat infection. • These symptoms are usually mild and begin gradually. • Some people become infected but don't develop any	• Regularly and thoroughly clean your hands with an alcohol-based hand rub or wash them with soap and water. • Maintain at least 1 metre (3 feet) distance between yourself and anyone who is coughing or sneezing. • Avoid touching eyes, nose and mouth. • Avoid handshake with others • Make sure everyone around, follow good respiratory hygiene by covering mouth and nose by bent elbow or tissue or nose mask or handkerchief at the time of coughing or sneezing. Then dispose of the used tissue immediately. • Safe to stay @ home if anyone have mild fever, cough and difficulty while breathing & seek medical assistance ASAP. Strictly follow the directions of your local health authority. • Keep up to date on the latest COVID-19 hotspots (cities or local areas where COVID-19 is spreading widely). Avoid traveling to places – especially senior	**Create Awareness & Communication** • Training or briefing on the Covid – 19 precautions to the workers, staff & other stake holders etc. through meetings or induction training • Display signage and advisories to wash hands at conspicuous places • Arrangements / provisions to conduct temperature checks with non-contact infrared thermometer. • Notify if found with fever to HR. **Hygiene- Very Important** • Organise to clean toilets and bathrooms regularly. • Ensure hand wash with soap / hand sanitizer • Avoid personal meetings & have a conference call Emergency actions • Do the needful to eliminate panic situations & baseless beliefs.	**Do's** • Do report if anyone is noticed with COVID 19 symptoms or any non-routine health conditions • Do report if you travelled overseas in past 30 days even without any symptoms • Do track the suspect or identified person until recovery • Do stay hydrated • Do maintain good hygiene for immunity **Don'ts's** • Don't create panic situations. • Do not encourage to spread rumours • Don't forward unverified messages

symptoms and don't feel unwell. • Older people, and those with underlying with high blood pressure, heart problems or diabetes, are more likely to develop serious illness.	citizens diabetic, having heart or lung diseases. • Social distancing is very important ***Must Avoid, serious effects against COVID19 and can be more harmful:*** • Smoking • Using unhygienic masks • Taking antibiotics • Engaging in huge crowds. Attending parties • Close movement with recent travellers • Hiding travel history with your employers, health care provider. • Hiding or not disclosing non routine health conditions • Closely moving with family members while suffering with common symptoms • Avoid outside food • Carelessness in personal Hygiene	• Organise for Provision to isolate the suspected / identified person to prevent spread of Virus • Display & communicate the Contact details of ERT, Govt. hospital / camps nearby handling COVID 19 cases and Govt. helpline numbers • Ensure to organise sanitation of isolated area & all the places where the effected person moved & come in contact with different surfaces (doors, handles, walls, materials etc) • Inform family members & track the developments of the cases shifted to medical assistance.	• Don't give wrong information on the travel history or symptoms • Don't spit or throw trash in public places • Do not use unhygienic masks • Do not throw the used tissue papers openly • Do not spit in the construction sites • Do not shake hands

3.8 COVID – 19 SOP for home and community

1.0	**OBJECTIVE :**
1.1	To lay down the procedure for prevention from COVID-19 at home.
2.0	**SCOPE**
2.1	This procedure is applicable to the home of everyone.
3.0	**RESPONSIBILITY**
3.1	Every member of the home.
4.0	**ACCOUNTABILITY**
4.1	House leady in the home
5.0	**PROCEDURE**
5.1	**Visits to the Market**
5.1.1	Always wear a triple layer /N95/Surgical nose mask or use face cover when you go out of your home.
5.1.2	Wear dedicated plastic slippers for the market
5.1.3	Make a distance of minimum 6 feet from any person or shopkeeper in the market.
5.1.4	Don't touch anything unnecessarily outside your home
5.1.5	Don't touch your face with your hand when you are outside your home.
5.1.6	Keep a small pack of hand sanitizer (containing 70% alcohol) with you and always sanitize your hands if you feel you touched anything suspicious in the market.
5.1.7	Try to keep away the material from your body when carrying from market. It is better to have a plastic basket/bucket with you when going to the market. Put the material in bucket and carry it to your home.
5.1.8	In case you need to visit ATM for money, first sanitize the keyboard of ATM and Card after use, by hand sanitizer (containing 70% alcohol).
5.1.9	Go to market only when it is urgent. Try to go once or twice in a week.
	Note: You don't need to wear a nose mask at your home unless you have influenza like illness (ILI).
5.2	**Payment in Market:**
5.2.1	Try to make digital payment using G-Pay/Paytm App, Bheem App or your Bank App.
5.2.2	Don't take paper currency from any shopkeeper because it may carry corona virus.
5.2.3	If you give paper currency note to the shopkeeper then purchase with whole amount and don't take money back.
5.2.4	If in any circumstances you take paper currency from market then keep it in your hand until

	your home and disinfect it using cloth iron. Iron the currency on both sides. Person visited the market will not touch the iron, he will put the currency note on surface and other family member will iron.
5.2.5	Disinfect the currency coins with 70% alcohol based sanitizer or soap and water.
5.2.6	Wash your hands with soap and water after currency disinfection.
5.3	**Use of Public Lift/Staircase**
5.3.1	It is better to use staircase instead of public lift in current situation.
5.3.2	Don't touch the staircase with your hands.
5.3.3	If it is required to use lift then keep some paper pieces in your pocket and touch the push button with your finger covered with paper.
5.3.4	Remove and throw the paper in the waste bin immediately when you come out the lift without touching it from outside.
5.3.5	Maintain minimum 6 feet distance from others in lift, it is better to use it individually.
5.4	**Entrance in Home**
5.4.1	Don't touch the door, call house members to open the door when you enter.
5.4.2	Put the material at a dedicated place near the door like a table or any box.
5.4.3	Go to washroom and wash your hands and face with soap for at least 20 seconds.
5.4.4	Put off your cloths and dip those in detergent solution and bath with soap (you can skip this step if you feel that you have not visited a crowded area).
5.4.5	Wash your plastic street slipper properly with detergent solution.
5.5	**Visit of the Outsider**
5.5.1	If anyone outsider like plumber/electrician / mechanic visits your home then make sure he doesn't have fever. You can check it with digital /infrared thermometer.
5.5.2	First of all allow him to sanitize his hands with sanitizer or soap and water.
5.5.3	Don't allow him to touch anything except his work.
5.5.4	Sanitize the place and equipment's he used with soap solution after completion of work.
5.6	**Disinfection of Home**
5.6.1	Mop the floor daily in the morning with 2% detergent solution or 0.2%Lizol solution or Dettol/Savlon 3% solution.
5.6.2	Disinfect the main door handle and doorbell with 70% alcohol based liquid sanitizer.
5.7	**Disinfection of Kitchen Wares**
5.7.1	Kitchen wares are generally cleaned by dish washing soap/ washing liquid and don't need to disinfect separately

5.8	**Disinfection of Cloths**
5.8.1	Wash your cloths immediately with detergent when you come from outside the home.
5.8.2	Wash your towel and daily use cloths frequently.
5.9	**Disinfection of Hands**
5.9.1	Wash your hands for at least 20 seconds with water and soap.
5.9.2	Rub the soap on palm, middle of the finger, nails and wrist properly for 20 seconds and wash with water.
5.9.3	Alternatively you can use sufficient quantity of the alcohol based (70%) hand sanitizer to disinfect the hands.
	Note: You don't need to sanitize your hands frequently unless you go out of your home but sanitize your hand before eating anything.
5.10	**Disinfection of Vegetables and Fruits**
5.10.1	In current circumstances it is necessary to disinfect the vegetables and fruits before consumption.
5.10.2	Depending upon type of vegetable, wash the vegetables and fruits with lukewarm water by adding salt/baking powder or water with 2% soap/detergent solution by rubbing with hands.
5.10.3	Clean with tap water.
5.10.4	Store in refrigerator for use.
5.11	**Disinfection of Packaged Milk**
5.11.1	Wash the packet with 2% soap/ detergent solution by rubbing with hand.
5.11.2	Wash with tap water.
5.11.3	Cut the pack; pour into pan and heat to boil.
5.11.4	If you take milk from milkman then make proper distance during the process and boil the milk immediately.
5.12	**Disinfection of Food Material**
5.12.1	Unpacked food material that can't be washed must be stored at a dedicated place for at least 72 hours or as per **Annexure - I** before its consumption.
5.12.2	Avoid purchasing the dairy product from market and you can prepare sweets and other product at your home.
5.13	**Disinfection of Other Items**
5.13.1	The non-food items must be stored at dedicated place for at least 72 hours.

5.14	**Boost your Immunity**
5.14.1	It is required for everyone to improve the immunity these days.
5.14.2	Daily practice Yogasana, Pranayam and Meditation for at least 30 minutes.
5.14.3	Drink herbal tea (Kadha) made from Basil (Tulsi), Cinnamon (Dalchini), Black Pepper (Kalimirch), Dry Ginger (Shunth), Mullethi and Raisin (Munakka) once or twice a day. Add jaggery (Gur) and /or fresh lemon juice to your taste, if needed.
7.0	**ANNEXURES 1**

Surface	**Time Duration**
Aluminium	2-8 hours
Wood	4 days
Plastic	2-5 days
Metal	5 days
Paper	3 hours to 5 days
Ceramic	5 days
Steel	2-28 days
Glass	4-5 days

8.0	**ABBREVIATIONS**
	COVID-19 : Corona Virus Disease 2019

STAY SAFE, STAY HEALTHY
Protect Yourself, Protect Your Family