EURO

HS9010P (9110)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000	6363	6457	6525	6648	6749	7001	7069	7162	7228	7321
2500	6563	6656	6753	6847	6948	7200	7268	7361	7427	7520
3000	6732	6825	6922	7015	7118	7369	7436	7528	7596	7691
3500	6885	7009	7076	7168	7270	7521	7589	7682	7795	7889
4000	6928	7051	7118	7212	7313	7565	7632	7770	8143	8236
4500	7179	7333	7435	7560	7697	7979	8127	8559	8661	8785
5000	7250	7372	7475	7601	7739	8065	8472	8600	8701	8825
5500	7335	7456	7559	7685	7823	8148	8557	8683	8785	8909

HS9010PL (9120)

Height \ Daylight width	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	10500	11000
2000	8719	9497	10724	10796	12025	12095	12192	12373	12469	12857	14168	14839
2500	9167	9561	10788	10907	12137	12524	12619	12753	12850	12919	14239	14913
3000	9414	9809	11037	11424	12653	12725	12820	12954	13049	13120	14460	15146
3500	9497	10316	11544	11615	12846	12916	13012	13146	13240	13897	15317	16044
4000	9654	10384	11613	11684	12913	12983	13081	13869	13963	14035	15467	16201
4500	10084	10842	12105	12210	13472	14233	14363	14533	14661	14767	16274	17046
5000	10488	10912	12175	12867	14198	14306	14434	14604	14731	14864	16352	17129
5500	10752	10978	12893	13000	14262	14368	14499	14668	14796	14903	16423	17204

HS9020G (9210)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	3713	3789	3907	3983	4133	4358	4908
2500	3758	3832	3983	4133	4432	4507	5125
3000	3907	4057	4133	4432	4882	5032	5701
3500	4057	4207	4358	4507	5032	5182	5845
4000	4548	4908	4979	5125	5701	5845	6421

HS9030G (9220)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	5867	5949	6029	6110	6418	6730	7482
2500	5899	6029	6110	6432	6836	6942	7795
3000	6103	6312	6418	6836	7468	7677	8656
3500	6312	6522	6730	6942	7677	7886	8871
4000	6936	7482	7580	7795	8656	8871	9729

HS9110P (9310)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000	6439	6534	6602	6727	6831	7084	7152	7245	7315	7409
2500	6640	6734	6834	6927	7030	7299	7354	7449	7515	7611
3000	6812	6907	7006	7100	7203	7456	7526	7619	7687	7781
3500	6966	7091	7161	7255	7357	7611	7680	7774	7889	7982
4000	7011	7136	7203	7298	7401	7655	7722	7863	8242	8335
4500	7264	7420	7524	7652	7788	8073	8223	8661	8764	8888
5000	7335	7462	7563	7693	7831	8162	8574	8702	8804	8930
5500	7421	7546	7650	7775	7916	8247	8661	8788	8889	9014

Crawford High Speed doors basic price (Outside applications "8" series door types)

EURO

HS8010P (8610)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000	6889	6990	7063	7196	7304	7580	7653	7752	7825	7926
2500	7104	7205	7309	7412	7523	7795	7869	7969	8041	8142
3000	7289	7388	7494	7595	7706	7979	8051	8151	8556	8656
3500	7453	7588	7660	7761	7873	8144	8216	8649	8770	8872
4000	7501	7634	7706	7808	7919	8189	8594	8745	8818	8917
4500	7772	7940	8049	8185	8334	8970	9132	9267	9378	9511
5000	7849	7982	8094	8229	8710	9063	9174	9311	9422	9556
5500	7940	8073	8184	8321	8801	9155	9265	9403	9513	9646

HS8010PL (8620)

Height \ Daylight width	5500	6000	6500	7000	7500	8000	8500	9000
2000	9442	10278	12204	12281	13615	13691	13795	13991
2500	9927	10360	12287	12414	13747	13823	14563	14707
3000	10195	10866	12792	13504	14837	14912	15017	15160
3500	10284	11720	13646	13723	15055	15132	15236	15834
4000	10453	11806	13733	13808	15596	15673	15777	15996
4500	10919	12312	14277	14845	16213	16402	16543	16727
5000	11357	12857	14820	14935	16375	16490	16632	16815
5500	11643	12937	14975	15090	16456	16573	16712	16897

HS8020P (8630)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000	7677	7786	7864	8008	8128	8421	8499	8608	9043	9153
2500	7921	8029	8143	8251	8370	8664	9099	9207	9286	9393
3000	8363	8471	8586	8694	8813	9464	9541	9650	9729	9836
3500	8553	8696	8775	8883	9359	9652	9730	9839	9970	10079
4000	8612	8757	8835	9301	9421	9712	9791	9953	10031	10140
4500	8917	9095	9214	9718	9878	10206	10380	10525	10645	10788
5000	9009	9154	9629	9777	9936	10318	10437	10584	10703	10846
5500	9119	9262	9739	9886	10046	10427	10547	10693	10812	10956

HS8020PL (8640)

Height \ Daylight width	5500	6000	6500	7000	7500	8000
2000	10565	11065	13139	13222	14657	14738
2500	10817	11153	13228	13364	14800	14882
3000	11276	11697	13772	14538	15974	16054
3500	11526	12617	14690	14772	16210	16291
4000	11587	12710	14785	14867	16791	16874
4500	12260	13255	15370	15984	17457	17660
5000	12320	13841	15954	16079	17630	17754
5500	12431	13928	16121	16246	17718	17842

HS8110P (8710)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000	6952	7052	7125	7261	7372	7648	7719	7822	7896	7996
2500	7168	7270	7377	7476	7589	7864	7937	8041	8112	8214
3000	7353	7454	7562	7662	7774	8048	8123	8223	8298	8400
3500	7520	7655	7727	7831	7942	8215	8290	8391	8515	8616
4000	7568	7703	7774	7874	7987	8263	8336	8489	8895	8997
4500	7841	8009	8123	8258	8407	8715	8876	9348	9462	9595
5000	7918	8053	8165	8304	8454	8810	9255	9393	9505	9640
5500	8011	8144	8256	8394	8545	8902	9348	9485	9597	9732

EURO

HS 9020 GHY (9210 HY)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	4893	4968	5087	5162	5312	5537	6087
2500	4937	5011	5162	5312	5611	5687	6304
3000	5087	5236	5312	5611	6062	6211	6880
3500	5236	5386	5537	5687	6211	6361	7025
4000	5727	6087	6159	6304	6880	7025	7600

HS9030GHY (9220 HY)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	6880	6961	7041	7122	7430	7742	8495
2500	6912	7041	7122	7445	7849	7955	8807
3000	7115	7324	7430	7849	8480	8689	9668
3500	7324	7535	7742	7955	8689	8899	9883
4000	7949	8495	8592	8807	9668	9883	10742

HS9020GAT (9210 AT)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	4209	4293	4425	4507	4672	4920	5532
2500	4259	4342	4507	4672	5002	5085	5763
3000	4425	4590	4672	5002	5496	5662	6398
3500	4590	4754	4920	5085	5662	5826	6556
4000	5129	5532	5604	5763	6398	6556	7190

HS9030GAT (9220 AT)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	6159	6244	6326	6415	6733	7067	7856
2500	6191	6326	6415	6753	7176	7285	8184
3000	6403	6624	6733	7176	7838	8056	9089
3500	6624	6845	7067	7285	8056	8278	9314
4000	7282	7856	7957	8184	9089	9314	10216

HS9030GEM (9220 EM)

Height \ Daylight width	1000	1500	2000	2500	3000	3500
2200	8135	8248	8361	8473	8899	9337
2500	8180	8361	8473	8922	9482	9628
3000	8460	8750	8899	9482	10357	10649
3500	8750	9044	9337	9628	10649	10942

HS9010PEM (9110 EM)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2200	9147	9249	9323	9458	9565	9839	9915	10015	10085	10187
2500	9368	9464	9571	9673	9785	10053	10129	10231	10300	10402
3000	9549	9651	9753	9854	9968	10241	10311	10413	10814	10918
3500	9839	9973	10043	10145	10257	10524	10601	11029	11153	11255
4000	10005	10139	10215	10311	10424	10697	11099	11249	11326	11421
4500	10402	10568	10675	10814	10964	11599	11758	11893	12005	12139
5000	10477	10611	10724	10857	11342	11695	11802	11941	12049	12183
5500	10568	10702	10814	10949	11432	11786	11893	12032	12139	12515

HS9010PFR (9110 FR)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000
2000	8110	8203	8270	8394	8496	8747	8813
2500	8308	8401	8499	8592	8694	8946	9012
3000	8478	8570	8669	8762	8865	9116	9183
3500	8630	8754	8822	8915	9017	9268	9336
4000	8673	8797	8865	8957	9058	9310	9378
4500	8923	9077	9180	9306	9444	9724	9873
5000	9012	9128	9228	9357	9496	9831	10295
5500	9118	9232	9333	9460	9599	9934	10400

Crawford High Speed Doors basic price (Special outside applications)

HS8010PDN (8610)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000				9181	9289	9565	9638	9737	9810	9911
2500	9089	9190	9294	9397	9508	9780	9854	9954	10026	10127
3000	9274	9373	9479	9580	9691	9964	10036	10136	10541	10641
3500	9438	9573	9645	9746	9858	10129	10201	10634	10755	10857
4000	9587	9720	9792	9894	10006	10276	10680	10832	10904	11004
4500	9858	10026	10136	10271	10420	11057	11218	11354	11464	11597
5000	10035	10169	10280	10415	10896	11249	11361	11497	11609	11742
5500	10127	10260	10370	10507	10987	11341	11452	11589	11700	11833

HS8020PDN (8630)

Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000				9993	10113	10406	10484	10593	11028	11138
2500	9906	10014	10128	10236	10354	10649	11083	11192	11271	11378
3000	10348	10456	10570	10679	10798	11448	11526	11635	11713	11821
3500	10537	10681	10760	10868	11344	11637	11715	11824	11955	12064
4000	10699	10843	10922	11388	11507	11799	11877	12040	12117	12226
4500	11003	11182	11300	11804	11965	12292	12466	12612	12731	12875
5000	11195	11340	11816	11963	12123	12504	12623	12770	12889	13033
5500	11305	11448	11925	12072	12232	12613	12733	12879	12998	13142

HS8110PDN (8710)


Height \ Daylight width	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
2000				9246	9356	9632	9704	9807	9881	9981
2500	9153	9255	9362	9461	9574	9849	9921	10026	10097	10199
3000	9338	9439	9547	9647	9759	10033	10107	10208	10283	10385
3500	9505	9640	9712	9815	9927	10200	10274	10376	10500	10601
4000	9654	9789	9860	9961	10074	10350	10423	10575	10982	11083
4500	9927	10096	10209	10344	10494	10802	10963	11435	11548	11682
5000	10104	10239	10351	10490	10640	10996	11442	11580	11691	11826
5500	10197	10330	10442	10580	10731	11089	11534	11671	11783	11918

Crawford High Speed Doors standard includings and rules

Curtain:		Description:	Remark:
Door curtain standard colour		For possible colours see colour curtain section	Included in basic price
		Self repairing	Included in basic price
Colour curtain / code:		**Description:**	**Remark:**
Yellow	(YEL)	(approx. RAL 1003)	Included in basic price
Orange	(ORA)	(approx. RAL 2004)	Included in basic price
Red	(RED)	(approx. RAL 3000)	Included in basic price
Blue	(BLU)	(approx. RAL 5002)	Included in basic price
Green	(GRE)	(approx. RAL 6005)	Included in basic price
Grey	(GRY)	(approx. RAL 7035)	Included in basic price
Black	(BLA)	(approx. RAL 9005)	Included in basic price
White	(WHI)	(approx. RAL 9010)	Included in basic price
Dynalumin curtain:		**Description:**	**Remark:**
Milky White translusent		(approx. RAL 9010)	See page 4:5
Insulated curtain (if drum cover headroom always 650 mm.):		**Description:**	**Remark:**
Colors see above (No windows possible)			See page 4:5
Electrical:		**Description:**	**Remark:**
Operator		Operator 230V power supply (single phased) (Ed3)	Included in basic price
-		Photo cell in the door opening 300 mm. from floor level	Included in basic price
-		Wireless Detection System WDD + Automatic Closing	Included in basic price
Control box		Steel (300x400x120) (Fg11)	Included in basic price
Note!		No industrial male plug Euro, to be ordered separately	See page 4:5
Mechanical		**Description:**	**Remark:**
-		DLFS-407 Lubricant cartridge 90g (Cf6)	Included in basic price
-	For Hygiene doors (9210 HY and 9220 HY)	DLFS-H1 Lubricant cartridge 60g (Cf50) Food-safe	Included in basic price
Wrapping:		**Description:**	**Remark:**
-		Standard wrapping	Included in basic price
-		Wooden Sea crate (Cf19)	On request
Branding:		**Description:**	**Remark:**
Logo		Standard Crawford / ASSA ABLOY logo	Included in basic price

Rules:


1) Fe4a	Vision panel ± 640x580 mm. PVC	No of window		For more information see Product datasheets	
	One window minimum size DLW 1140 mm.				
	One extra window per 790 mm.				
	Maximum number of windows will be placed per DLW			**Required daylight height:**	
	1140 - 1929 (DLW)	1	Pcs	Row 5 from floor level 4960 mm	cc ± 4520 mm.
	1930 - 2719 (DLW)	2	Pcs	Row 4 from floor level 4230 mm	cc ± 3790 mm.
	2720 - 3509 (DLW)	3	Pcs	Row 3 from floor level 3500 mm	cc ± 3060 mm.
	3510 - 4299 (DLW)	4	Pcs	Row 2 from floor level 2770 mm	cc ± 2330 mm.
	4300 - 5089 (DLW)	5	Pcs	Row 1 from floor level 2040 mm	cc ± 1600 mm.
	5090 - 5879 (DLW)	6	Pcs		
	5880 - 6669 (DLW)	7	Pcs		
	6670 - 7459 (DLW)	8	Pcs		
	7460 - 8249 (DLW)	9	Pcs	Note: For HS9010PL, HS801PL and HS8020PL	
	8250 - 9039 (DLW)	10	Pcs	(9120, 8620 & 8640) max. 1 row windows Fe4a is possible.	
	9040 - 9829 (DLW)	11	Pcs		
	9830 - 10619 (DLW)	12	Pcs		
	10620 - 11000 (DLW)	13	Pcs		



For HS9010PEM (9110EM) and for HS9030GEM (9220EM) optional vision panel Fe5. Due to the T shaped zipper max. 1 row possible.


2) Fe5/6	Transparent vision strip PVC H 400 mm. & 800 mm.	No of window	For more information see Product datasheets
	One up to 2200 mm. (DLW)		
	Two above 2200 mm. (DLW)		
Fe5	DLH Vision panel 400 mm. max. 2 rows		
	≥ 1950 mm.	cc ± 1600 mm.	
	≥ 2500 mm.	cc ± 2150 mm.	
Fe6	DLH Vision panel 800 mm. max. 2 rows		
	≥ 2150 mm.	cc ± 1600 mm.	
	≥ 3100 mm.	cc ± 2550 mm.	






3) Fe8	Vision (large) panel ± 1200x2400 mm. PVC	No of window	For more information see Product datasheets
	DLW ≥ 1700 mm.	1	Note: DLH only one row of these windows is possible.
	DLW ≥ 3050 mm.	2	Minimum DLH = 2900 mm.
	DLW ≥ 4400 mm	3	cc ± 1700 mm. (start = 500 mm. from floor level)

One window possible
DLW ≥ 1700 mm. ≤ 3049



Two window possible
DLW ≥ 3050 mm. ≤ 4399



Three window possible
DLW ≥ 4400 mm. ≤ 5500



Crawford High Speed Doors Mechenical options

EURO

S = Standard included the basic price

High Speed Doors Mechanical options				Valid for door type:																	
				Inside applications										Outside applications			Special Inside applications				Special Outside application	
			New	9010P	9010PL	9020G	9030G	9110P	8010P	8010PL	8020P	8020PL	8110P	9020G HY	9030G HY	9020G AT	9030G AT	9030G EM	9010P EM	9010P FR	8010P DN	8020P DN	8110P DN
Item no	Description		Old	9110	9120	9210	9220	9310	8610	8620	8630	8640	8710	9210 HY	9220 HY	9210 AT	9220 AT	9220 EM	9110 EM	9110 FR	8610	8630	8710
	Material	Price	Unit:	C M2	C M3	D 311	D 313	C 501	P M2	P M3	M2 AW	M3 AW	P 501	D 311 HY	D 313 HY	D 311 CL	D 313 CL	D 313 EM	M2 EM	M2 FR	P M2	M2 AW	P 501
Fa1	Structure Stainless Steel AISI 304	1151,00	Pcs											S									
Fa1	Structure Stainless Steel AISI 304	986,00	Pcs												S		●	●					
Fa1	Structure Stainless Steel AISI 304	1964,00	Pcs					●															
Fa1	Structure Stainless Steel AISI 304	1985,00	Pcs										●										
Fa1	Structure Stainless Steel AISI 304	2441,00	Pcs	●																			
Fa1	Structure Stainless Steel AISI 304	2463,00	Pcs						●														
Fa1	Structure Stainless Steel AISI 304	3768,00	Pcs								●												
Fa1	Structure Stainless Steel AISI 304	2441,00	Pcs																●				
Fa3	Structure Stainless Steel AISI 304	2299,00	Pcs													●							
Fa4	Structure Stainless Steel AISI 304	3170,00	Pcs																	●			
	Door curtain		**Unit:**																				
Fi21	Reinforced bottom seal	57,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	S	S	●	●		●	●	●
Fi22	Additional bottom bag	59,50	Pcs			●	●							●	●			●					
Fi22	Additional bottom bag	67,00	Pcs	●				●	●		●		●						●		●	●	●
Fi22	Additional bottom bag	78,00	Pcs		●					●		●											
Fi23	Stronger bottom bag black MWD	5,20	M¹DLW	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fi35	Dynalumin	55,50	M²	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			●	●	●
Fi30	Insulated curtain	228,00	M²	●				●	●		●		●							●	●	●	●
Cf49	Stronger bottom bag grey MWD	6,20	M¹DLW	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Vision panels		**Unit:**																				
Fe4a	Vision panel ± 640x580 mm. PVC **1) see 4:4**	80,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●	●	●
Fe5	Transparent vision strip PVC H 400 mm. **2) see 4:4**	55,50	M¹DLW	●		●	●	●	●		●		●	●	●	●	●	●	●		●	●	●
Fe6	Transparent vision strip PVC H 800 mm. **2) see 4:4**	137,00	M¹DLW	●		●	●	●	●		●		●	●	●	●	●				●	●	●
Fe8	Vision (large) panel ± 1200x2400 mm. PVC **3) see 4:4**	343,00	Pcs	●				●	●		●		●								●	●	●
Fe4b	Vision panel FREEZER ± 640x580 mm. PVC **1) see 4:4**	224,00	Pcs																	●			
	Covers		**Unit:**																				
Fi0a	Covers of the 2 door posts in galvanised steel H = ≤ 4000 mm.	137,00	Pcs			●		S					S			S				S			S
Fi0a	Covers of the 2 door posts in galvanised steel H = ≤ 4000 mm.	87,50	Pcs	●					●		●								●		●	●	
Fi0a	Covers of the 2 door posts in galvanised steel H = ≤ 4000 mm.	194,00	Pcs		●			S		●		●	S							S			S
Fi0b	Covers of the 2 door posts in galvanised steel H = > 4000 mm.	109,00	Pcs	●					●		●								●		●	●	
Fi0b	Covers of the 2 door posts in galvanised steel H = > 4000 mm.	272,00	Pcs		●					●		●											
Fi1a	Covers of the 2 door posts in stainless steel 304 H = ≤ 4000 mm.	264,00	Pcs					S					S	●		S							S
Fi1a	Covers of the 2 door posts in stainless steel 304 H = ≤ 4000 mm.	160,00	Pcs	●					●		●								●	S	●	●	
Fi1b	Covers of the 2 door posts in stainless steel 304 H = > 4000 mm.	220,00	Pcs	●				S	●		●		S						●	S	●	●	S
Fi2a	Covers of the 2 door posts in painted H = ≤ 4000 mm. (Std. 8 colours)	220,00	Pcs			●								●									
Fi2a	Covers of the 2 door posts in painted H = ≤ 4000 mm. (Std. 8 colours)	84,00	Pcs				●								●	●	●	●					
Fi2a	Covers of the 2 door posts in painted H = ≤ 4000 mm. (Std. 8 colours)	67,00	Pcs					●					●							●	●		
Fi2a	Covers of the 2 door posts in painted H = ≤ 4000 mm. (Std. 8 colours)	121,00	Pcs	●					●		●								●			●	●
Fi2a	Covers of the 2 door posts in painted H = ≤ 4000 mm. (Std. 8 colours)	242,00	Pcs		●					●		●											
Fi2b	Covers of the 2 door posts in painted H = > 4000 mm. (Std. 8 colours)	72,00	Pcs					●					●							●	●		
Fi2b	Covers of the 2 door posts in painted H = > 4000 mm. (Std. 8 colours)	141,00	Pcs	●					●		●								●			●	●
Fi2b	Covers of the 2 door posts in painted H = > 4000 mm. (Std. 8 colours)	282,00	Pcs		●					●		●											
Fi3a	Motor cover in galvanised steel H = ≤ 4000 mm.	119,00	Pcs			●										S				S			
Fi3a	Motor cover in galvanised steel H = ≤ 4000 mm.	194,00	Pcs	●				●	●		●		●						●		●	●	●
Fi3a	Motor cover in galvanised steel H = ≤ 4000 mm.	345,00	Pcs		●					●		●											
Fi3b	Motor cover in galvanised steel H = > 4000 mm.	303,00	Pcs	●				●	●		●		●						●	S	●	●	●
Fi3b	Motor cover in galvanised steel H = > 4000 mm.	345,00	Pcs		●					●		●											
Fi4a	Motor cover in stainless steel H = ≤ 4000 mm.	437,00	Pcs											●		S							
Fi4a	Motor cover in stainless steel H = ≤ 4000 mm.	798,00	Pcs	●				●	●		●		●						●	S	●	●	●
Fi4b	Motor cover in stainless steel H = > 4000 mm.	798,00	Pcs	●				●	●		●		●						●	S	●	●	●

Crawford High Speed Doors Mechenical options

EURO

S = Standard included the basic price

High Speed Doors Mechanical options				Valid for door type:																		
				Inside applications										Outside applications					Special Inside applications				Special Outside application		
			New	9010P	9010PL	9020G	9030G	9110P	8010P	8010PL	8020P	8020PL	8110P	9020G HY	9030G HY	9020G AT	9030G AT	9030G EM	9010P EM	9010P FR	8010P DN	8020P DN	8110P DN
Item no	Description		Old	9110	9120	9210	9220	9310	8610	8620	8630	8640	8710	9210 HY	9220 HY	9210 AT	9220 AT	9220 EM	9110 EM	9110 FR	8610	8630	8710
	Covers	Price	Unit:	C M2	C M3	D 311	D 313	C 501	P M2	P M3	M2 AW	M3 AW	P 501	D 311 HY	D 313 HY	D 311 CL	D 313 CL	D 313 EM	M2 EM	M2 FR	P M2	M2 AW	P 501
Fi5a	Motor cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	185,00	Pcs			●								●									
Fi5a	Motor cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	67,00	Pcs													●							
Fi5a	Motor cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	232,00	Pcs	●				●	●		●		●						●		●	●	●
Fi5a	Motor cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	38,00	Pcs																	●			
Fi5a	Motor cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	517,00	Pcs		●					●		●											
Fi5b	Motor cover in painted steel H = > 4000 mm. (Std. 8 colours)	339,00	Pcs	●				●	●		●		●						●		●	●	●
Fi5b	Motor cover in painted steel H = > 4000 mm. (Std. 8 colours)	73,00	Pcs																	●			
Fi5b	Motor cover in painted steel H = > 4000 mm. (Std. 8 colours)	517,00	Pcs		●					●		●											
Fi6a	Drum cover in galvanised steel H = ≤ 4000 mm.	80,00	M¹DLW			●										S							
Fi6a	Drum cover in galvanised steel H = ≤ 4000 mm.	109,00	M¹DLW	●				●	●		●		●						●				
Fi6a	Drum cover in galvanised steel H = ≤ 4000 mm.	250,00	M¹DLW		●					●		●											
Fi6b	Drum cover in galvanised steel H = > 4000 mm.	155,00	M¹DLW	●				●	●		●		●						●				
Fi6b	Drum cover in galvanised steel H = > 4000 mm.	250,00	M¹DLW		●					●		●											
Fi7a	Drum cover in stainless steel H = ≤ 4000 mm.	244,00	M¹DLW											●		S							
Fi7a	Drum cover in stainless steel H = ≤ 4000 mm.	252,00	M¹DLW	●				●	●		●		●						●				
Fi7b	Drum cover in stainless steel H = > 4000 mm.	294,00	M¹DLW	●				●	●		●		●						●				
Fi8a	Drum cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	125,00	Pcs			●								●									
Fi8a	Drum cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	47,00	Pcs				●								●	●	●	●					
Fi8a	Drum cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	159,00	Pcs	●				●	●		●		●						●				
Fi8a	Drum cover in painted steel H = ≤ 4000 mm. (Std. 8 colours)	375,00	Pcs		●					●		●											
Fi8b	Drum cover in painted steel H = > 4000 mm. (Std. 8 colours)	202,00	Pcs	●				●	●		●		●						●				
Fi8b	Drum cover in painted steel H = > 4000 mm. (Std. 8 colours)	375,00	Pcs		●					●		●											
Fi9	Shaft-drum-bearing in stainless steel AISI 304	448,00	Pcs											●		●							
Fi9	Shaft-drum-bearing in stainless steel AISI 304	1053,00	Pcs	●				●	●		●		●						●	●	●	●	●
Fi10	Special colour painting	196,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fi12	Reduced lintel (only if DLH ≤ 4000 mm. and no drum cover)	126,00	Pcs	●					●		●									●			
Fi25	Protection/sealing sheet	70,00	Pcs	●	●	●	●	●	●	●	●	S	●	●	●	S	S	●	●	S	●	●	●
Fi27	Chain winch (No motor cover possible)	544,00	Pcs	●	●	●		●	●	●	●	●	●	●					●		●	●	●
Fi34	Installation kit plastic	172,00	Pcs	●		●	●	●	●				●	●	●	●	●	●	●	●			
	Mounting		**Unit:**																				
Fm1a	Tube (120x80 mm.) in galvanised steel, Max. L=6000 mm.	240,00	Pcs	●	●	●	●	●	●	●	●	●	●			●	●				●	●	●
Fm1b	Tube (80x80 mm.) in galvanised steel, Max. L=6000 mm.	198,00	Pcs	●	●	●	●	●	●	●	●	●	●			●	●				●	●	●
Fm5a	Complete frame in galvanised steel (120x80 mm.)	803,00	Pcs	●	●				●	●	●	●	●						S				
Fm5c	Complete foreframe in galvanised steel (80x80 mm.)	593,00	Pcs			●	●									●	●	S					
Fm6a	Complete foreframe in stainless steel AISI 304 (80x80 mm.)	1926,00	Pcs	●				●	●		●		●						●				
Fm6b	Complete foreframe in stainless steel AISI 304 (80x80 mm.)	1753,00	Pcs											●	●	●	●						
Fm6b	Complete foreframe in stainless steel AISI 304 (80x80 mm.)	1162,00	Pcs															●					
Cf37	K002842/00016 Installation angle 60x40x4 L=50 mm. (set 16 pieces)	8,00	Pcs	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●
Cf47	K004440 Tube 80x40x2 in galvanized steel	15,50	Pcs	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●
Cf48	K004445 Tube 120x40x3 in galvanized steel	22,00	Pcs	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●
	Installation on:		**Unit:**																				
Cf20	Steel fixation materials	4,70	Set	S	S	S	S	S	S	S	S	S	S			S	S	S	S	S	S	S	S
Cf21	Steel fixation materials in stainless steel (Teflon coated)	19,00	Set	●	●			●	●	●	●	●	●	S	S	●	●	●	●	●			
Cf22	Concrete, brick & wood fixation materials	5,00	Set	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●			
Cf23	Concrete, brick & wood fixation materials in stainless steel	9,50	Set	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●			
CF20+Cf22	Unknown (all fixation materials)	9,50	Set	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●			
CF21+Cf23	Unknown (all fixation materials) in stainless steel	28,50	Set	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●			
Cf24	K003203 Fixation Material for floor/concrete	2,50	Set	S	S			S	S	S	S	S	S						S	S	S	S	S

Crawford High Speed Doors Mechenical options

EURO

S = Standard included the basic price

High Speed Doors Mechanical options				Valid for door type:																					
				Inside applications					Outside applications						Special Inside applications									Special Outside application		
			New	9010P	9010PL	9020G	9030G	9110P	8010P	8010PL	8020P	8020PL	8110P	9020G HY	9030G HY	9020G AT	9030G AT	9030G EM	9010P EM	9010P FR	8010P DN	8020P DN	8110P DN
Item no	Description		Old	9110	9120	9210	9220	9310	8610	8620	8630	8640	8710	9210 HY	9220 HY	9210 AT	9220 AT	9220 EM	9110 EM	9110 FR	8610	8630	8710
	Operator	**Price**	**Unit:**	C M2	C M3	D 311	D 313	C 501	P M2	P M3	M2 AW	M3 AW	P 501	D 311 HY	D 313 HY	D 311 CL	D 313 CL	D 313 EM	M2 EM	M2 FR	P M2	M2 AW	P 501
Fd2	Voltage three phased 400V with neutral (motor 0,75 KW)	763,00	Pcs			●	●							●	●	●	●	●					
Fd2	Voltage three phased 400V with neutral (motor 1,5 KW)	490,00	Pcs	●	●			●	●	●	●	●	●						●	●	●	●	●
	Controle box		**Unit:**																				
Fg12	Controle box stainless steel AISI 304 (500x395x210) IP-56	583,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Option controle box		**Unit:**																				
Fg15	5 meter additional encoder - motor cable (max. 2x)	44,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fg9	Heating for control box	111,00	Pcs	●	●			●	●	●	●	●	●						●	●	●	●	●
Cf39	K040221/15000 Cable RKKR 7x 0,75	26,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf40	K040237/15000 Cable RKKR 3x 0,75	11,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf40	K044876 Cable channel 30x30 L= 2000 mm.	2,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Plugs		**Unit:**																				
Fh1a	Industrial male plug Euro 16A / 230V / 2 poles + Earth (blue) / IP44	40,00	Pcs	●		●	●	●					●	●	●	●	●				●		
Fh1c	Industrial male plug Euro 16A / 400V / 3 poles + Earth + neutral (red) / IP44	44,50	Pcs	●	●	●		●	●	●	●	●	●	●		●			●	●	●	●	●
Fh1d	Industrial male plug Euro 32A / 230V / 2 poles + Earth (blue) / IP44	53,50	Pcs	●	●		●	●	●	●	●	●	●		●		●	●	●	●	●	●	●
	Auto manu		**Unit:**																				
Fh2	Function Auto/Manu	107,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	S	S	●			
Fj14b	Manual closing with only one impulse	128,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Interlock		**Unit:**																				
Fj1	Interlock operating (airlock function)	235,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●						
	Several electrical options		**Unit:**																				
Fj9	High speed opening	433,00	Pcs			●								●		●							
Fj12	Information door open	42,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fj13	Information door closed	42,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fj17	Two opening heights I/II with manual selection	128,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fj18	Two opening heights I/II with automatic selection	128,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fj20	Info door out of service by free potential contact	235,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fj25	Heated side guides	1513,00	Pcs	●	●			●	●	●	●	●	●						●	●	●	●	●
	Lights		**Unit:**																				
Cf1+Fj4	Crawford traffic light complete (2x Red & 2x Green lights included)	1243,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf2+Cf4	Crawford warning complete (2x Red light included)	299,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf3+Cf5	Crawford warning complete (2x Green light included)	111,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fg5+Fh4	Orange flashing lights complete (2x Orange lights included)	177,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fg6b+Fh4	Orange flashing lights with pre warnings complete (2x Orange lights incl.)	305,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fg6a	Card + function pre-flashing (3 sec.) before closing	235,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Acoustic signal		**Unit:**																				
Fj16a	Acoustic signal 24VAC -80 dB at 1 meter during movment of door	172,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Emergency openings battery		**Unit:**																				
K043701	K043701 UPS 1 Phase 230V 0,6 kW	1258,00	Pcs			●	●							●	●	●	●	●					
K046691	K046691 UPS 1 Phase 230V 1,0 kW	2041,00	Pcs	●	●			●	●	●	●	●	●						●	●	●	●	●
K046655	K046655 UPS 3 Phase 400V 1,0 kW	3641,00	Pcs	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	1 button		**Unit:**																				
G11	Box with 1 opening push button (arrow up)	36,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G12	Box with 1 emergency stop	55,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G13	Box with 1 emergency stop with key	122,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G15	Stainless steel AISI 304 support for box with 1 button	27,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G18	Box with switch interlock on/off (requires option interlock Fj1)	46,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G19	Box with switch interlock on/off with key (requires option interlock Fj1)	79,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G20	Box with large black "mushroom" button for opening	125,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf41	K034009 Key operated box open / close	35,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf43	K008000 Push button stop	14,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf44	K008001 Push button box 1-button	14,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	2 buttons		**Unit:**																				
G22	Box with push button for opening and for closing (requires Fh2 or Fj14b)	58,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G23	Stainless steel AISI 304 support for box with 2 buttons	34,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf42	K040294 Push button box 2-button	33,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	3 buttons		**Unit:**																				
G26	Box with push button for opening + stop + closing (IP54)	67,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Pull cord		**Unit:**																				
G31	Pull down switch + 5 meter long cord	57,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G32	Additional meter cord	4,10	M^1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf45a	K055245 Pull switch bracket in galvanised steel L=2958 mm.	144,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf45b	K055245 Pull switch bracket in steel painted L=2958 mm.	197,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf45c	K061294 Pull switch bracket in stainless steel AISI 304 L=2958 mm.	333,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Wireless Pull cord and 1 button		**Unit:**																				
G80	Wireless & battery less rope pull switch (incl 5 m cord)	140,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G81	Wireless & battery less 1 button	82,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G82	Receiver for wireless & battery less transmitter	119,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	HF radio remote contr.		**Unit:**																				
Cf10	K046081 Transmitter TX Robust Light 869-O1	37,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf11	K046087 Transmitter TX Robust Light 869-O8	39,50	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf12	K047186 Mini-Transmitter 869-O1	24,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf13	K047187 Mini-Transmitter 869-O3	25,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf14	K047184 Transmitter 869-O15	83,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf16	K047170 Receiver Kit WR 869	140,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf17	K047172 Receiver Kit 869	97,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf18	K045629 Bracket for Transmitter 869-O15	15,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Radars		**Unit:**																				
Cf8	K045454 Radar (Falcon)	134,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf9	K043192 Radar (Condor with presence detection)	301,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cf52	K046068 Remote Control, Radar	17,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G54a	Radar bracket in galvanised steel -950 mm	78,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G54b	Radar bracket in painted steel -950 mm	172,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
G55	Radar bracket in stainless steel AISI 304 -950 mm	172,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Inductive loops		**Unit:**																				
G61 + G62	Inductive loop detector + 100 m^1 of cable	401,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	IR barrier		**Unit:**																				
G71	Additional infrared safety barrier as additional safety	226,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
He2	Reflex photocell with reflector, 5m cable&bracket as operning command	200,00	Pcs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●