NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

Motorized Rolling Shutter Maintenance & Operation Manual

CLIENT	**: RBCCPL**
YEAR OF MFG.	**: November 2016**
PROJECT .	**: Godrej & Boyce Mgf. Co. Ltd, khalapur**

Rolling Shutter

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

A DESPATCH & UNLOADING

1. Loading, for dispatch, will be our responsibility. On receipt of the Rolling Shutter at site, please check and ensure that there is no physical damage to the equipment.

2. While unloading the equipment from the transporting vehicle, please ensure to use slings with rated capacity higher than the gross weight of the Stationary lift in packed condition.

B. ORDERING OF SPARES

1. When ordering for spare, please specify the following in your Purchase Order.

   - Shutter Size
   - Part name / Description
   - Quantity required
   - Delivery period / time
   - Mode of dispatch

   This would avoid ambiguity and help us serve you better.

❖ **EMERGENCY CONTACT DETAILS :-**

1) Chetan kharche - 9168940333
2) Abhishek kumar - 9168938333

Rolling Shutter

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

DATA SHEET FOR MOTOURISED ROLLING SHUTTER

1.0 CONSTRUCTION DETAILS:

1.	Shutter operation mode	:	230V AC/440 V AC
2.	Operation control	:	By push buttons
3.	Material	:	MS

Motor Specification:

1.Motor Type	:	Indirect Drive
2.Motor Make	:	jielong make
3.Motor Rating	:	In watt
4.Working Temperature	:	-15 to 45 deg C

5. Continuous Single Phase operation should not exceed 7 min
.
6. Continuous Three Phase operation should not exceed 15 min.

Rolling Shutter

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

INTRODUCTION:-

The Motorized Rolling Shutter is the result of many years' experience in Door Automation Technologies. "NIHVA" offers the best possible factor of safety with simple, easy to use controls. The high quality of manufacture gives a robust construction and many years of useful life. Each operation opens and closed movement can be individually controlled (or corrected) by push button

We take pride that our product & service range is offered with a high level of working safety, comfort, functionality and supported by services and added value solutions.

PRE – OPERATING INSTRUCTIONS:-

1. Check the door is not locked in any way and that there are no obstructions that may prevent the door from opening.
2. Check the door is not locked in any way and that there are no obstructions that may prevent the door from closing. Check that the area is clear of all personnel.
3. In the event of a power failure, the door is supplied with a manual over ride system. This is via a hand Chain and should only be used in emergencies. PLEASE NOTE that the emergency manual over ride system is not designed for everyday use and that excessive use will cause premature failure.
4. Ensure the shutter greasing properly.

ROUTINE MAINTENANCE

These recommendations are applicable to the Motorized rolling shutter considering average daily usage of 15 to 20 times. If it is used more frequently, the same time intervals for the maintenance should be adjusted accordingly.

DAILY:-

1. Check shutter lock is open before operation.
2. Check electrical connections for their proper working.
3. Visual inspection for damages

MONTHLY:-

1. Greasing between Guide and slats.
2. Check all Parts for wear out or damage.
3. Check all fixing are secure.
4. Check correct operations of control button.
5. Greasing to chain & bearing.

Rolling Shutter

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

ASSEMBLIES
&
SPARE PARTS LIST

Rolling Shutter



Rolling Shutter (8 x 8 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	MS Bracket	NS00101	Pc.	2
2	Indirect Drive Motor with chain(2 Ton)	NS00102	Pc.	1
3	Chain For Manual	NS00103	MTR.	14
4	Guide	NS00104	MTR	8
5	Slats width	NS00105	MTR.	8.25
6	Push Button	NS00106	Set.	1
7	Gasket	NS00107	MTR.	8

Rolling Shutter (8 x 6 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	Chain For Manual	NS00103	MTR.	10
2	Guide	NS00104	MTR	6
3	Slats (width)	NS00105	MTR.	8.25
4	Gasket	NS00107	MTR.	8

Rolling Shutter

Rolling Shutter (4 x 4.2 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	Chain For Manual	NS00103	MTR.	6
2	Guide	NS00104	MTR.	4.2
3	Slat	NS00105	MTR.	4.15
4	Gasket	NS00107	MTR.	4

Rolling Shutter (3 x 4 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	Chain For Manual	NS00103	MTR.	6
2	Guide	NS00104	MTR.	4
3	Slat	NS00105	MTR.	3.15
4	Gasket	NS00107	MTR.	3

Rolling Shutter (4 x 4 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	Chain For Manual	NS00103	MTR.	6
2	Guide	NS00104	MTR.	4
3	Slat	NS00105	MTR.	4.15
4	Gasket	NS00107	MTR.	4


Rolling Shutter (3 x 3.6 MTR.)

SR. No	Item Description	Part No	Unit	QTY
1	Chain For Manual	NS00103	MTR.	5
2	Guide	NS00104	MTR.	3.6
3	Slat	NS00105	MTR.	3.15
4	Gasket	NS00107	MTR.	3

Rolling Shutter


NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

Rolling shutter drawing :-



Rolling Shutter

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.



CLEAR WIDTH (CW)	CLEAR HEIGHT (CH)	QUANTITY
4000	4200	2
3000	4000	6
4000	4000	3
3000	3600	1

DIMENSION :

CLEAR WIDTH	CLEAR HEIGHT	QUANTITY
4000 mm	4200 mm	2 NOS.
3000 mm	4000 mm	6 NOS.
4000 mm	4000 mm	3 NOS.
3000 mm	3600 mm	1 NOS.

MATERIAL :

THICKNESS :

NOTE: REQUIRED STRUCTURE FOR SHUTTER SHALL BE IN CLIENT SCOPE.

CLIENT: & BOYCE MFG. CO. LTD.

PROJECT: GODREJ & BOYCE MFG. CO. LTD.

ARCHITECT/CONSULTANT: CONSULTING ENGINEERS LIMITED

PMC: CUSHMAN & WAKEFIELD

CONTRACTOR: RATILAL BHAGWANDAS CONSTRUCTION COMPANY PVT. LTD. PUNE.

NIHVA TECHNOLOGY PVT. LTD. PUNE

DWG TITLE: MOTORIZED ROLLING SHUTTER

DRN BY: DK/KR | SCALE: NTS | DWG NO: NIH/16/16-70257 | REV NO: 0

CHKD BY: ANIL K | DATE: 25-FEB-2016

If any queries contact : projects@nihva.com

NOTE: ALL DIMENSION ARE IN mm

THIS DRAWING & DESIGNING IS THE PROPERTY OF NIHVA TECHNOLOGIES, NOT BE SOLD OR COPY TO ANY OTHER CONCERN

Rolling Shutter