BN ENTERPRISES
TOTAL PACKAGING SOLUTION
THE COMPLETE CONTROL PANEL SOLUTION

Manufacturer of
All types of Industrial Conveyors, Shrink Wrapping Machines, Lable Applicaters, Special Purpose Machines, Control Panels & Automation



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

Quotation

Ref No: BN/20419 /2021-2022 **Date: 07.12.2021**

GST No: 27ANGPC6263Q1ZI

To,

Nihva Technologies Pvt Ltd.

Add: 187,G Block, 1st Floor, Above Renault
Show Room, MIDC, Chinchwad,
Pune- 411 019
Mob: 9730020333, 9168940333.
Email: purchase@nihva.com , procurement@nihva.com .
Kind Attn:

Sub: Offer For: FULLY AUTOMATIC LIQUID FILING MACHINE MODEL NO: BNE-FLF100-1000-FML6H With air cleaning

Dear Sir,

This is with refers to your telecom held with our Mr. Choure Sir; regarding your requirement for **FULLY AUTOMATIC LIQUID FILING MACHINE MODEL NO : BNE-FLF100-1000-FML6H with air cleaning** are submitting Herewith our techno commercial Offer for your perusal. Ours is an ISO 9001 - 2015 certified company. Our valued clients include Mahindra and Mahindra Limited, Coca Cola, Tirumalla Oil Refinery Pvt. Ltd., Century Enka Limited, Savera Auto Comps Pvt. Ltd., Candigra Vision Process Equipments Pvt. Ltd., Eton Industrial Systems Pvt. Ltd., Garaware Ropes Limited, Talbros Automotive Components Limited, Bakelite Food Processing Equipments Pvt. Ltd., Fulham India Pvt. Ltd., Feather feel Nonwoven Pvt. Ltd., Woodward India Pvt. Ltd., Fluid Controls Pvt. Ltd., Brainbees Solution Pvt. Ltd. Retier India Pvt. Ltd. Inoxpa India Pvt. Ltd. etc.

We hope you will find the offer in line of your requirement. If you need any further techno commercial clarifications
Please feel free to contact us.
Waiting for your favorable reply at earliest, Assuring for the best and personal attention at all times,

With Best regards,



Choure B.
Cell: +91-8308746511, +91-8308773422, 9765387438

Email: **inf.bnenterprises@gmail.com** / sales@bnenterprises.net



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205


FULLY AUTOMATIC LIQUID FILING MACHINE MODEL NO : BNE-FLF100-1000-FML6H

With air cleaning



Technical Specification:

Power Supply	230 V AC 50Hz 1.2 KW
Air pressure	0.4-0.6MPa
Filling speed	30-70 bottles/min
Filling accuracy	≤±1%
Dimension	2500*1300*1200mm
Weight	350 KG



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

SALIENT FEATURES OF THE EQUIPMENTS:

- NO CHANGE PARTS FOR ANY Bottles
- SINGLE POINT ON-LINE SPEED VARIATION CONTROL SYSTEM
- PRECISE BOTTLES PLACEMENT ACCURACY
- BUILT IN A.C. FREQ. DRIVE SYSTEM
- FULLY STAINLESS STEEL FINISH INCLUDING MAIN MACHINE FRAME
- MACHINE STRUCTURE OF S.S 304
- APLLICATION LIKE ANY TYPES OF BOTTLES IS POSSIBLE
- DELTA MAKE A.C VARIABLE FREQUENCY DRIVE FOR VARIABLE SPEED WITH CONSTANT TORQUE.
- MOTOR /GEARBOX OF MMC.
- FIBER OPTIC BASED PRODUCT SENSOR TO SENSE THE PRODUCT
- PLC BASED OPERATING SYSTEM FOR EASY OPERATING OF MACHINE
- OUTPUT SPEED FROM 10 TO 50 PRODUCTS PER MINUTE (SPEED DEPENDING UP ON THE PRODUCTS Viscosity)

PLC & HMI BASED OPERATING SYSTEM FOR EASY OPERATING OF MACHINE	
Bottel Types & Diameter	**Customize 30 to 120 mm**

Make of Components:

Material of Construction	SS 304
Conveyor- Drive Motor	AC MOTOR (MMC MAKE)
On/Off Switch	SIEMENS SALZER
Contactors /MCB	SIEMENS ABB, L&T OR ANY EQUIVALENT
Cables	POLYCAB
S. S. Sheet Thickness - 304	2 mm
PLC & HMI	MITSUBISHI
SS SLAT	SPECTRA PLAST INDIA PVT LTD
Pneumatics	Genetics
Product Sensor	LEUZE / AUTONIX / OMRON
SMPS INPUT 230 V AC OUTPUT 240V AC	OMARON
CABLE TRAY	TRINITY
FILING VALUM SENSOR (ERD SWITCH)	GENETICS
RELLAY BORD	TRINITY / OMRON



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

FULLY AUTOMATIC ROPP/ SCREW INNER WITH OUTER CAPPING MACHINE MODEL BNE- 040-C



Technical Specifications:

Automatic Cap Sealing machine is design to cap 30 to 40 bottles per min.The machine is fully automatic and is robust construction, complete with Vibrator for cap feeding and slat conveyor. A Star Plate of suitable size transfers the incoming bottle with caps and feed it under the Sealing Head. The synchronized movement of the bottles and the sealing mechanism provides perfect sealing.

The SS Slat conveyor shall be provided with guide rail, which can be adjusted for different size of bottles. A Star wheel with bottle guide is needed for different dia. Bottles.

Output:

2000 t 3000 bottles/hour depending upon the type of container and the cap

Bottles specifications;

Diameter	: 30 mm to 70 mm
Height	: 55 mm to 200 mm
Cap Specifications	: 22 mm to 53 mm dia

Electrical details:

Main Drive	: 1.0 HP 440 Volts, 3Phase TEFC Motor
Weight	: @ 700 kg.

The drive mechanism shall be arranged at the bottom in an enclosed cabinet. The control penal box shall be provided in front for easy operation.

All SS parts shall be met finish and MS parts duly painted.

For different types of bottles and caps, change parts required which will be charged extra.



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

Fully Automatic Box Strapping Machine (PW8060AS2B)



INKJET PRINTER FOR BATCH CODING





Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

Parameter:

Model NO :-M6 Handjet Expiry Date Inkjet Printer
Nozzle:-TIJ 2.5 Thermal foaming nozzle
Operating system:-Linux
CPU:-Quad core 1.4Hz
Language:-English, Chinese, Turkish, Arabic, Korean, Italian
Dimension:-120*100*240mm
Net weight:- 0.8kg
Printing height:-12.7mm
Printing distance:- 2-5mm
Print content:- Text, time, batch number, serial, number, logo, QRcode, barcode
Storage:-the system can store more than 1000 message(external USB make the information transfer in a freeway)
Printing length:-2000 characters for each message, no limitation onlength
Printing speed:-70m/min
Ink colour:-Black
External interface:-USB, Photoelectric interface
Voltage:-DC16.8 lithium battery(2600mAh*4) , work morethan 4 hours and 8 hours standby
Power consumption:-the average power consumption is lower than 5W
Working environment:-Temperature:0 - 38 degree;
Humidity: 10% - 80%
Printing material:- board, carton, stone, pipe, cable, metal, plastic product, electronic


Description:

1. Easy to operate plug out or insert HP Ink cartridge.
2. International design, imported core components and consumables.
3. IP54 protection grade, steady performance under poor working condition.
4. Modularized ink cartridge and print-head.
5. 4.3-inch touch screen operation system. You could use the touch pen or finger edit contents on portable inkjet coders.
6. Marking small objects, the effect familiar as small character machine.
7. The print height of Industrial TIJ small handheld inkjet coder: 1mm Minimum, 12.7mm Maximum.
8. The most suitable printing distance (from nozzle to products) is 2-5 mm.
9. Support multi-languages: English, Arabic, Korean, Turkish, Italian




Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

Secondary packaging automation for carton erector with pick and place with flap folding







Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

TECHNICAL SPECIFICATION:


Model	BNE-B 4035
Suitable Case	L200-600mm/W120-400mm/H120-350mm
Height of table	Min.H550mm Max.H700mm
Output Speed	10-12 carton/min.
Power	Single phase, 220V/ 50/60HZ , 300W
Air Source	500L/min 0.4~0.8 Mpa
Opp tape	W50mm or W60mm or W75mm

MAKE OF COMPONENTS:

No.	Name	Brand Name
1	Touch screen	Simens/German
2	PLC	Simens/German
3	Cylinder	Airtac/Taiwan
4	Mid-relay	OMRON/Japan
5	Switch	Schneider/German

BN ENTERPRISES
TOTAL PACKAGING SOLUTION
THE COMPLETE CONTROL PANEL SOLUTION

Manufacturer of
All types of Industrial Conveyors, Shrink Wrapping Machines, Lable Applicaters, Special Purpose Machines, Control Panels & Automation



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

PRICING STRUCTURE OF EQUIPMENT:

Sr. No.	Description	Qty.	Price INR
01	Fully Automatic Liquid Filing Machine Model No : Bne-Flf100-1000-Fml6h With air cleaning	01	11,90,000.00
02	Storage tank-3000 Liter	01	2,50,000.00
03	Mixing blender tank-3000 Liter	01	6,50,000.00
04	Fully automatic ROPP/screw inner with outer capping machine model no.:BNE-040-C	01	8,50,000.00
05	Inject Printer	01	95,000.00
06	Secondary packaging automation for carton erector with pick and place with flap folding	01	16,90,000.00
07	Fully automatic strapping machine	01	6,50,000.00
	Total		53,75,000.00

BN ENTERPRISES
TOTAL PACKAGING SOLUTION
THE COMPLETE CONTROL PANEL SOLUTION

Manufacturer of
All types of Industrial Conveyors, Shrink Wrapping Machines, Lable Applicaters, Special Purpose Machines, Control Panels & Automation



Factory: Gate No.20 ARVI Village Near Khedshivapur Industrial Estate Tal Haveli Pune-412205

Terms and Conditions:

Price Basis	The above prices are Ex Works, exclusive of all applicable taxes & duties.
Payment Terms	50 % advance payment along with the purchase order. 50 % balance payment against Performa Invoice before dispatch.
Delivery	15 days from the date of receipt of confirmed purchase order or from the date of receipt of the advance payment or from the date of receipt of the samples whichever is later.
Mode of Transport	BY Road, Freight – "TO PAY" Basis.
Taxes	18% extra GST
Packing	4 % for Box packing.
Insurance	To be borne by customer OR Covered by B.N. Enterprises @ 0.50% on the basic value.
Inspection	At our works before dispatch at your cost.
Manual	Machine instruction manual will be supplied free of cost.
Jurisdiction	In case of any dispute/s all the claims are subjects to Pune Jurisdiction only.
Cancellation	Once we confirm the technically & commercially clear order, we will take up the manufacture of the machine immediately in hand. Hence, we cannot accept any changes or cancellation of order and thus we cannot refund your advance amount back to you. The placing of an order with us implies acceptance of the conditions of sale here in stated regardless of any constricting clauses in the Buyers purchase order.
Warranty	We provide warranty of 12 months from the date of dispatch against manufacturing defects Or default workmanship. Warranty does not cover any electric or electronic parts such as AC variable drive, motor, PLC, sensor, relay etc.
Special Note	If the machine is not picked up after the final inspection (Beyond the delivery time) by you then we will charge 1.5% per week for the basic value of the machine and it has to be cleared before the Machine dispatch.
Validity	30 days from the date of quotation.

Important Installation Commissioning Terms And Conditions:

Inspection & Training	FAT at our works before dispatch. It is COMPULSORY that your technician is trained at our works for three days prior to dispatch of the machinery. A skilled technician is necessary for the same. We shall provide all the necessary training regarding the working/maintenance of the machine, the training charges will be free but the lodging and boarding and conveyance etc of our technician will be borne by you. If your operator is not trained we are not responsible for the satisfactory working of the machine.
Installation& Commissioning	The cost of installation and commissioning will be Rs. 5,000/- per person, per day plus to and fro charges for the visit. Before the visit of the technician, please ensure that all civil and ancillary works are completed. Samples of bottles, caps, label rolls should be available in sufficient quantity. In case the above is not ready during the visit of our technician, they will go back, and RE-VISIT charges will be to your account. Customer has to provide the required samples (bottles, caps, Ampoule, Label etc) required in the trial of the machine at his cost. Quantity of the samples will be mentioned prior to the trial. Please make sure the trail Samples are arranged in advance so this may not delay the delivery time. Or the delivery time scheduled in the quotation will not be valid.

Any addition other than the basic/standard machine details mention in the quotation will cost extra. This quotation cancels all the previous given quotation. Note: As per the Company rules the Company have right to change the specification/design for the better functioning of the machine.