



FOUNDATION PLAN
1:50




B01 TOP OF BEAM @ EL.(-)0.500

RCC TIE BEAM PLAN
@ EL.(-)0.500
1:50




B02/B02a TOP OF BEAM @ EL.(-)0.050

RCC PLINTH BEAM PLAN
@ EL.(-)0.050
1:50




B03 TOP OF BEAM @ EL.(+)1.530

RCC TIE BEAM PLAN
@ EL.(+)1.530
1:50




B04 TOP OF BEAM @ EL.(+)2.400

RCC TIE BEAM PLAN
@ EL.(+)2.400
1:50




KEY PLAN
1:200




B05 TOP OF BEAM @ EL.(+)3.700

RCC TIE BEAM PLAN
EL.(+)3.700
1:50




B06 TOP OF BEAM @ EL.(+)5.440


RCC TIE BEAM PLAN
@ EL.(+)5.440
1:50




ARCH PLAN
FROM EL.(±)0.000 TO EL.(+)1.122
(SHOWING BRICK WALL AREA)
1:50




ARCH PLAN
FROM EL.(+)1.122 TO EL.(+)2.400
(SHOWING BRICK WALL AREA)
1:50



ARCH PLAN
FROM EL.(+)2.400 TO EL.(+)3.700
(SHOWING BRICK WALL AREA)
1:50




ARCH PLAN
FROM EL.(+)3.700 TO EL.(+)4.50
(SHOWING BRICK WALL AREA)
1:50




ARCH PLAN
FROM EL.(+)4.5 TO EL.(+)5.45
(SHOWING BRICK WALL AREA)
1:50

BOQ. FOR TOWER (2 NOS.)


RCC	= 14 M^3
PCC	= 1 M^3
PRECAST	= 1.5 M^3
REINF	= 0.8 MT




TYP. C/S. OF COLUMN(C1)
1:20




B01 TO B06
TYP. C/S. OF BEAM
1:20




SECTION 1-1
1:50




ELEVATIONS
1:50




DETAIL A
(8 NOS-2 IN EACH CORNER)
1:20




SECTION 2-2
1:20




DETAIL B
(8 NOS-2 IN EACH CORNER)
1:20




DETAIL C1
(8 NOS-2 IN EACH CORNER)
1:20




DETAIL C
(8 NOS-2 IN EACH CORNER)
1:20




SECTION 5-5
1:20




DETAIL D
(4 NOS-1 IN EACH CORNER)
1:20




SECTION 7-7
1:20




SECTION 9-9
1:20




DETAIL E
1:20




DETAIL F
1:20




SECTION 10-10
1:20




SECTION 3-3
1:20




SECTION 4-4
1:20



SECTION 4a-4a
1:20



SECTION 6-6
1:20



SECTION 8-8
1:20

NOTES


1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES, UNO.
2. GRADE OF CONCRETE SHALL BE M25 (CONFIRMING TO IS : 456)
3. ALL REINFORCEMENT SHALL BE HIGH YEID STRENTH DEFORMED BARS CONFIRMING TO IS:1786 (GRADE OF Fe-500)

LEGEND


℄	: CENTER LINE	TB	: TIE BEAM
F	: FOOTING	PB	: PLINTH BEAM
TOC	: TOP OF CONCRETE	C	: COLUMN
BOF	: BOTTOM OF FOOTING	NGL	: NATURAL GROUND LEVEL
TYP	: TYPICAL	EL	: ELEVATION
		FGL	: FINISHED GROUND LEVEL

REFERENCE


1. FOR TOWNSHIP AREA COMPOUND WALL DETAILS REFER DWG NO: TPL-3452-X9660-EC-RC-6194.
2. FOR FACTORY AREA - COMPOUND WALL DETAILS REFER DWG NO: TPL-3452-X9660-EC-RC-6196.
3. READ THIS DRAWING IN CONJUNCTION WITH REFER DWG NO: TPL-3452-X9660-EC-RC-6195.




SECTION 11-11
1:20




SECTION 12-12
1:20




SECTION 13-13
1:20



CORNICE - G



CORNICE - H



SECTION 14-14
(SHOWN REINF. ONLY)
1:20

IMPORTANT NOTE

1. BOUNDARY WALL TO BE CONSTRUCTED AFTER FILLING
2. MS POST, HEAVY DUTY HINGES AND AUTOMATION SYSTEMS FOR THE AUTOMATIC MOTORIZED AND MANUAL GATES ARE FIXING BY USING ANCHOR FASTENER (BY M/S NIHVA SCOPE)
3. SIZES & RC DETAILS FOR THE FOOTING(F1),COLUMN(C3), PLINTH BEAM(PB1), TIE BEAM(TB1) REFER DRAWING NO.TPL-3452-X9660-EC-RC-6196 (Sht 2 & 3)
4. BEFORE CONSTRUCTION GATE COLUMNS, CROSS CHECK WITH THE GATE VENDOR DRAWING
5. PRECAST ELEMENT IS TO BE ATTACHED TO THE CONCRETE CORE USING CASTTECH ADHESIVE OR EQUIVALENT

REV.NO.	DATE	REVISION	CIVIL	MECH	ELEC	INST	APPD	DRAWN
			CLEARED					
3								
2								
1	05.10.17	ISSUED FOR APPROVAL					AS	GMN
0	12.09.17	ISSUED FOR APPROVAL					AS	GMN

THIS DRAWING IS PROPERTY OF **"TATA PROJECTS LIMITED"** MUST NOT BE PASSED ON TO ANY PERSON OR BODY NOT AUTHORIZED BY US TO RECEIVE IT NOR BE COPIED OR OTHERWISE MADE USE EITHER IN FULL OR IN PART BY SUCH PERSON OR BODY WITHOUT OUR PRIOR PERMISSION IN WRITING.

EPC CONTRACTOR
TATA PROJECTS LIMITED
H. NO.1-7-80 TO 87, "MITHONA TOWERS – 1"
PRENDERGHAST ROAD, SECUNDERABAD – 500003.

PROJECT TITLE
PLANT FACILITY FOR
MADHEPURA ELECTRIC LOCOMOTIVE PRIVATE LIMITED
AT MADHEPURA, BIHAR.

OWNER
MADHEPURA ELECTRIC LOCOMOTIVE PRIVATE LIMITED

OWNER A/E CONSULTANT :
SEMAC CONSULTANTS PVT LTD
6-1-276, 2ND FLOOR, ARCHANA BLOCK,
CONJEEVARAM HOUSE, PADMARAO NAGAR
SECUNDERABAD – 500025.

	SIGNATURE	DATE
DRAWN	GMN	12.09.17
DESIGNED	SR	12.09.17
CHECKED	AS	12.09.17
DEPT.HEAD	AS	12.09.17

RELEASED FOR: INFORMATION; APPROVAL; ENGINEERING; CONSTRUCTION ✓

DWG. TITLE:
FACTORY AREA
MAIN GATE – TOWER
PLAN & RC DETAILS OF TOWER

DEPT. CIVIL | JOB NO. 0000 | SCALE: – | SHEET: 1 OF 1 | SIZE : A0
FILE NAME. MELPL-M-RC-RDR-208 | REV./ISSUE
DWG.NO. TPL-3452-X9660-EC-RC-6197 | R1