CLIENT	**:**	**NEOTRAFO SOLUTIONS INDIA PRIVATE LIMITED**
PROJECT	**:**	**COLLAPSIBLE ROOF**
SITE	**:**	**HYDERABAD**
LOCATION	**:**	**HYDERABAD, INDIA**
NO.	**:**	**2041**
DOCUMENTNO.	**:**	**DBR-R00**

R00	14-08-2026	Design report	PRU	H.A.B	H.A.B
RevNo.	**Date**	**Description**	**PreparedBy**	**CheckedBy**	**ApprovedBy**

SALT Design Services


TABLE OF CONTENTS

Sr. No	Contents	Page No.
1	Design Philosophy	3
2	Design Codes and Standards	4
3	Material Specifications Construction	4
4	Load Calculations	5
4.1	Dead Load	5
4.2	Live Load	7
5	Primary Loads and Load Combinations	8
6	Deflection Check	8
	Annexure A – Staad Output	9

1. Design Philosophy

This report presents the structural design of the supporting steel framework for a moving roof system for Neotrafo Hyderabad. The supporting steel structure is to safely carry the load transferred from the moving roof. The overall dimensions of structure is 16.900 m (L) X 14.74 (W) X 3.5 m (H). The main sliding frame is of mild steel material. The wind load is not considered because the structure is inside the existing shade. The various DL and LL &Roof load acting at different points on frame are transferred to the nearest columns through the grid of beams.

The complete frame is modelled as 3D frame and analysed/designed for worst combination of loads through STAAD.pro.



(*Snapshot of Line Geometry from staad pro)*

2. DESIGN CODES AND STANDARDS

Code/Standard	Applicability	Remark
IS800-2007	Design of steel structures	--
IS875-PartI	For dead load calculation	--
IS875-Part III	For wind load calculation	


3. MATERIAL SPECIFICATION FOR CONSTRUCTION

Sr.no	Material	Specification	Minimum Strength
1	Mild steel	IS2062	Fy = 250 N/mm^2

4. LOAD CALCULATIONS


4.1 DEAD LOAD

1. Self weight Factor = 1.0




(Snapshot for self-weight applied in model)

2) Dead load for 10mm thk. plate assumed = 0.785kN/m^2




(Snapshot for plate dead load applied in model)

3) Roof load assumed = 2.8 kN (applied as point load on 8 points)



(Snapshot for Roof load applied in model)


4) Track load = 0.15 kN/m



(Snapshot for Track load applied in model)

4.2 LIVE LOAD

1) Live load assumed = 1.25kN/m^2



(Snapshot for live load applied in model)

5. PRIMARY LOADS& LOAD COMBINATIONS

5.1 PRIMARY LOADS

Load 1 Dead Load (DL)

Load 2 Live Load (LL)

5.2 LOAD COMBINATIONS

Load Combination for strength: -

1.5DL+1.5LL

Load Combination for serviceability: -

DL+LL

6. Deflection checks

Refer node no. –522 of Staad file for load combination 101

Max. Deflection in Y dir. =40.112 mm.

Allowable Deflection = Span /250 (as per IS 800-2007table 6)

= 16.9/250 = 67.6 mm .... Hence ok.

Annexure A Staad Output

PAGE NO. 1

1. STAAD SPACE
2. START JOB INFORMATION
3. ENGINEER DATE 16-DEC-22
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. UNIT METER KN
7. JOINT COORDINATES
8. 1 0.300001 0 0; 2 3.30501 0 0; 3 11.105 0 0; 6 1.09 0 0; 8 5.29001 0 0
9. 10 5.90001 0 0; 14 10.6 0 0; 16 14.69 0 0; 20 0.300001 0 12.545
10. 22 1.09 0 12.545; 32 14.69 0 12.545; 36 17.2 0 0; 38 0.300001 0 11.45
11. 40 0.300001 0 8.74402; 42 0.300001 0 7.04402; 44 0.300001 0 4.99401
12. 46 0.300001 0 3.29401; 48 0.300001 0 1.238; 50 0.300001 0 -2.191
13. 51 1.09 0 -2.191; 52 3.30501 0 -2.191; 53 5.29001 0 -2.191; 54 11.105 0 -2.191
14. 55 14.69 0 -2.191; 58 5.90001 0 -2.191; 62 10.6 0 -2.191; 67 17.2 0 -2.191
15. 69 18.905 0 -2.191; 76 1.09 0 11.45; 77 1.09 0 8.74402; 78 1.09 0 7.04402
16. 79 1.09 0 4.99401; 80 1.09 0 3.29401; 81 1.09 0 1.238; 83 4.96001 0 8.74402
17. 84 4.96001 0 7.04402; 85 4.96001 0 4.99401; 86 4.96001 0 3.29401
18. 89 5.90001 0 8.74402; 90 5.90001 0 7.04402; 91 5.90001 0 4.99401
19. 92 5.90001 0 3.29401; 95 9.66002 0 8.74402; 96 9.66002 0 7.04402
20. 97 9.66002 0 4.99401; 98 9.66002 0 3.29401; 101 10.6 0 8.74402
21. 102 10.6 0 7.04402; 103 10.6 0 4.99401; 104 10.6 0 3.29401; 106 14.69 0 11.45
22. 107 14.69 0 8.74402; 108 14.69 0 7.04402; 109 14.69 0 4.99401
23. 110 14.69 0 3.29401; 118 17.2 0 1.238; 119 17.2 0 3.29401; 120 17.2 0 4.99401
24. 121 17.2 0 7.04402; 122 17.2 0 8.74402; 123 17.2 0 11.45; 124 17.2 0 12.545
25. 223 1.09 0 -1.0955; 224 0.300001 0 -1.0955; 225 5.29001 0 -1.0955
26. 226 5.90001 0 -1.0955; 228 10.6 0 -1.0955; 229 14.69 0 -1.0955
27. 231 17.2 0 -1.0955; 232 0.300001 0 9.53801; 233 0.300001 0 10.538
28. 234 0.300001 0 6.03801; 236 0.300001 0 2.288; 244 1.09 0 9.53801
29. 245 1.09 0 10.538; 246 1.09 0 6.03801; 248 1.09 0 2.288; 280 17.2 0 2.288
30. 282 17.2 0 6.03801; 284 17.2 0 9.53801; 285 17.2 0 10.538
31. 318 4.96001 -0.600001 8.74402; 319 4.96001 -0.600001 7.04402
32. 320 4.96001 -0.600001 4.99401; 321 4.96001 -0.600001 3.29401
33. 324 5.90001 -0.600001 8.74402; 325 5.90001 -0.600001 7.04402
34. 326 5.90001 -0.600001 4.99401; 327 5.90001 -0.600001 3.29401
35. 330 9.66002 -0.600001 8.74402; 331 9.66002 -0.600001 7.04402
36. 332 9.66002 -0.600001 4.99401; 333 9.66002 -0.600001 3.29401
37. 336 10.6 -0.600001 8.74402; 337 10.6 -0.600001 7.04402
38. 338 10.6 -0.600001 4.99401; 339 10.6 -0.600001 3.29401

39. 341 14.69 -0.600001 11.45; 342 14.69 -0.600001 8.74402
40. 343 14.69 -0.600001 7.04402; 344 14.69 -0.600001 4.99401
41. 345 14.69 -0.600001 3.29401; 411 3.30501 -0.600001 0; 412 11.105 -0.600001 0
42. 415 5.29001 -0.600001 0; 416 5.90001 -0.600001 0; 418 10.6 -0.600001 0

43. 423 2.02951 0 0; 424 4.29751 0 0; 425 6.84001 0 0; 426 7.78001 0 0
44. 427 8.72002 0 0; 428 9.66002 0 0; 429 11.54 0 -1.0955; 430 12.59 0 -1.0955
45. 431 13.64 0 -1.0955; 433 16.3633 0 -1.0955; 434 2.02951 0 -2.191
46. 435 2.02951 0 -1.0955; 436 3.30501 0 -1.0955; 437 4.29751 0 -1.0955
47. 438 4.29751 0 -2.191; 439 6.84001 0 -1.0955; 440 6.84001 0 -2.191
48. 441 7.78002 0 -1.0955; 442 7.78002 0 -2.191; 443 8.72002 0 -1.0955
49. 444 8.72002 0 -2.191; 445 9.66002 0 -1.0955; 446 9.66002 0 -2.191
50. 447 11.54 0 0; 448 11.54 0 -2.191; 449 12.59 0 0; 450 12.59 0 -2.191
51. 451 13.64 0 0; 452 13.64 0 -2.191; 453 15.5266 0 0; 455 16.3633 0 0
52. 456 16.3633 0 -2.191; 458 16.3633 0 12.545; 459 16.3633 0 1.238
53. 461 16.3633 0 3.29401; 462 15.5496 0 3.29401; 463 16.3633 0 4.99401
54. 464 15.5496 0 4.99401; 465 16.3633 0 7.04402; 466 15.5496 0 7.04402
55. 467 16.3633 0 8.74402; 468 15.5496 0 8.74402; 469 16.3633 0 11.45
56. 470 15.5496 0 11.45; 471 16.3633 0 2.288; 475 16.3633 0 6.03801
57. 479 16.3633 0 9.53801; 481 16.3633 0 10.538; 485 13.64 -0.600001 0
58. 486 12.59 -0.600001 0; 487 11.54 -0.600001 0; 488 9.66002 -0.600001 0
59. 489 8.72002 -0.600001 0; 490 7.78001 -0.600001 0; 491 6.84001 -0.600001 0
60. 492 4.29751 -0.600001 0; 494 2.03 0 8.74402; 495 2.97001 0 8.74402
61. 496 3.91001 0 8.74402; 497 11.54 0 8.74402; 498 12.59 0 8.74402
62. 499 13.64 0 8.74402; 500 6.84001 0 8.74402; 501 7.78001 0 8.74402
63. 502 8.72002 0 8.74402; 503 2.03 0 7.04402; 504 2.97001 0 7.04402
64. 505 3.91001 0 7.04402; 506 6.84001 0 7.04402; 507 7.78001 0 7.04402
65. 508 8.72002 0 7.04402; 509 11.54 0 7.04402; 510 12.59 0 7.04402
66. 511 13.64 0 7.04402; 512 2.03 0 4.99401; 513 2.03 0 3.29401
67. 514 2.97001 0 4.99401; 515 2.97001 0 3.29401; 516 3.91001 0 4.99401
68. 517 3.91001 0 3.29401; 518 6.84001 0 4.99401; 519 6.84001 0 3.29401
69. 520 7.78001 0 4.99401; 521 7.78001 0 3.29401; 522 8.72002 0 4.99401
70. 523 8.72002 0 3.29401; 524 11.54 0 4.99401; 525 11.54 0 3.29401
71. 526 12.59 0 4.99401; 527 12.59 0 3.29401; 528 13.64 0 4.99401
72. 529 13.64 0 3.29401; 552 11.54 0 11.45; 553 11.54 0 12.545; 554 12.59 0 11.45
73. 555 12.59 0 12.545; 556 13.64 0 11.45; 557 13.64 0 12.545
74. 597 2.97001 -0.600001 8.74402; 598 3.91001 -0.600001 8.74402
75. 599 11.54 -0.600001 8.74402; 600 12.59 -0.600001 8.74402
76. 601 13.64 -0.600001 8.74402; 602 6.84001 -0.600001 8.74402
77. 603 7.78001 -0.600001 8.74402; 604 8.72002 -0.600001 8.74402
78. 606 2.97001 -0.600001 7.04402; 607 3.91001 -0.600001 7.04402
79. 608 6.84001 -0.600001 7.04402; 609 7.78001 -0.600001 7.04402
80. 610 8.72002 -0.600001 7.04402; 611 11.54 -0.600001 7.04402
81. 612 12.59 -0.600001 7.04402; 613 13.64 -0.600001 7.04402
82. 616 2.97001 -0.600001 4.99401; 617 2.97001 -0.600001 3.29401
83. 618 3.91001 -0.600001 4.99401; 619 3.91001 -0.600001 3.29401
84. 620 6.84001 -0.600001 4.99401; 621 6.84001 -0.600001 3.29401
85. 622 7.78001 -0.600001 4.99401; 623 7.78001 -0.600001 3.29401
86. 624 8.72002 -0.600001 4.99401; 625 8.72002 -0.600001 3.29401
87. 626 11.54 -0.600001 4.99401; 627 11.54 -0.600001 3.29401
88. 628 12.59 -0.600001 4.99401; 629 12.59 -0.600001 3.29401
89. 630 13.64 -0.600001 4.99401; 631 13.64 -0.600001 3.29401

90. 648 11.54 -0.600001 11.45; 650 13.64 -0.600001 11.45; 651 0.300001 0 7.89402
91. 652 0.300001 0 4.08801; 653 17.2 0 4.08801; 654 17.2 0 7.89402
92. 657 1.09 0 7.89402; 658 1.09 0 4.08801; 667 14.69 -0.600001 12.545
93. 677 11.54 -0.600001 12.545; 679 13.64 -0.600001 12.545; 684 14.69 -0.600001 0
94. 696 3.30501 -0.600001 -2.191; 697 5.29001 -0.600001 -2.191

95. 698 11.105 -0.600001 -2.191; 699 14.69 -0.600001 -2.191
96. 700 5.90001 -0.600001 -2.191; 702 10.6 -0.600001 -2.191
97. 704 17.2 -0.600001 -2.191; 705 18.905 -0.600001 -2.191
98. 708 4.29751 -0.600001 -2.191; 709 6.84001 -0.600001 -2.191
99. 710 7.78002 -0.600001 -2.191; 711 8.72002 -0.600001 -2.191
100. 712 9.66002 -0.600001 -2.191; 713 11.54 -0.600001 -2.191
101. 714 12.59 -0.600001 -2.191; 715 13.64 -0.600001 -2.191
102. 717 16.3633 -0.600001 -2.191; 729 15.55 0 12.545; 731 15.55 0 10.538
103. 732 15.55 0 6.03801; 733 15.55 0 2.288; 736 15.55 0 1.238; 739 15.55 0 9.53801
104. 745 1.973 0 6.03801; 749 1.973 0 2.288; 754 1.973 0 9.53801
105. 755 1.973 0 10.538; 769 1.973 0 11.45; 773 1.973 0 1.238; 776 15.55 0 -1.0955
106. 777 15.55 0 -2.191; 780 2.03 0 7.89402; 781 15.55 -0.600001 -2.191
107. 782 14.69 0 1.238; 783 10.6 0 1.238; 784 11.54 0 1.238; 785 9.66002 0 1.238
108. 786 5.90001 0 1.238; 787 6.84001 0 1.238; 788 5.29001 0 1.238
109. 790 2.66851 0 1.238; 791 4.29701 0 1.238; 792 7.78001 0 1.238
110. 793 8.72002 0 1.238; 794 12.59 0 1.238; 795 13.64 0 1.238
111. 798 2.66851 -0.600001 1.238; 799 4.29701 -0.600001 1.238
112. 800 6.84001 -0.600001 1.238; 801 7.78001 -0.600001 1.238
113. 802 8.72002 -0.600001 1.238; 803 11.54 -0.600001 1.238
114. 804 12.59 -0.600001 1.238; 805 13.64 -0.600001 1.238
115. 806 14.69 -0.600001 1.238; 807 10.6 -0.600001 1.238
116. 808 9.66002 -0.600001 1.238; 809 5.90001 -0.600001 1.238
117. 810 5.29001 -0.600001 1.238; 811 3.30501 0 1.238; 812 2.66851 0 0
118. 813 2.66851 0 -1.0955; 814 2.66851 0 -2.191; 823 11.105 0 1.238
119. 824 3.30501 -0.600001 1.238; 825 2.66851 -0.600001 0; 826 10.6 0 11.45
120. 827 9.66002 0 11.45; 828 5.90001 0 11.45; 829 6.84001 0 11.45
121. 830 4.96001 0 11.45; 833 2.97001 0 11.45; 834 3.91001 0 11.45
122. 835 7.78001 0 11.45; 836 8.72002 0 11.45; 840 2.97001 -0.600001 11.45
123. 841 3.91001 -0.600001 11.45; 842 12.59 -0.600001 11.45
124. 843 6.84001 -0.600001 11.45; 844 7.78001 -0.600001 11.45
125. 845 8.72002 -0.600001 11.45; 846 10.6 -0.600001 11.45
126. 847 9.66002 -0.600001 11.45; 848 5.90001 -0.600001 11.45
127. 849 4.96001 -0.600001 11.45; 850 10.6 0 12.545; 851 9.66002 0 12.545
128. 852 5.90001 0 12.545; 853 6.84001 0 12.545; 854 4.96001 0 12.545
129. 856 2.03 0 12.545; 857 2.97001 0 12.545; 858 3.91001 0 12.545
130. 859 7.78001 0 12.545; 860 8.72002 0 12.545; 863 2.97001 -0.600001 12.545
131. 864 3.91001 -0.600001 12.545; 865 12.59 -0.600001 12.545
132. 866 6.84001 -0.600001 12.545; 867 7.78001 -0.600001 12.545
133. 868 8.72002 -0.600001 12.545; 869 10.6 -0.600001 12.545
134. 870 9.66002 -0.600001 12.545; 871 5.90001 -0.600001 12.545

135. 872 4.96001 -0.600001 12.545; 901 2.02951 -1.3 -2.191
136. 902 2.02951 -3.50001 -2.191; 909 2.03 0 4.08801; 916 15.5496 0 7.89402
137. 920 15.5496 0 4.08801; 930 16.3633 0 7.89402; 931 16.3633 0 4.08801
138. 932 11.105 -0.600001 1.238; 933 11.105 0 -1.0955; 934 14.69 0 4.08801
139. 935 10.6 0 4.08801; 936 11.54 0 4.08801; 937 9.66002 0 4.08801
140. 938 5.90001 0 4.08801; 939 6.84001 0 4.08801; 940 4.96001 0 4.08801
141. 941 2.97001 0 4.08801; 942 3.91001 0 4.08801; 943 7.78001 0 4.08801
142. 944 8.72002 0 4.08801; 945 12.59 0 4.08801; 946 13.64 0 4.08801
143. 947 14.69 0 7.89402; 948 10.6 0 7.89402; 949 11.54 0 7.89402
144. 950 9.66002 0 7.89402; 951 5.90001 0 7.89402; 952 6.84001 0 7.89402
145. 953 4.96001 0 7.89402; 954 2.97001 0 7.89402; 955 3.91001 0 7.89402
146. 956 7.78001 0 7.89402; 957 8.72002 0 7.89402; 958 12.59 0 7.89402
147. 959 13.64 0 7.89402; 960 0.299507 -0.790002 11.45; 961 0.299507 -0.790002 0
148. 963 0.299507 -0.790002 4.08801; 965 0.299507 -0.790002 7.89402
149. 968 0.299507 -3.50001 0; 969 0.299507 -3.50001 11.45
150. 971 0.299507 -3.50001 7.89402; 973 0.299507 -3.50001 4.08801
_ STAAD SPACE -- PAGE NO. 4

151. 976 17.2 -0.790002 11.45; 977 17.1996 -0.790002 7.89402
152. 978 17.1996 -0.790002 4.08801; 980 17.2 -0.790002 0
153. 984 17.1996 -3.50001 11.45; 985 17.1996 -3.50001 7.89402
154. 986 17.1996 -3.50001 4.08801; 989 17.1996 -3.50001 0
155. 1001 1.08969 -0.598824 4.99401; 1002 2.02969 -0.599413 4.99401
156. 1003 2.02969 -0.599413 3.29401; 1004 1.08969 -0.598824 3.29401
157. 1005 2.02969 -0.599413 7.04402; 1006 1.08969 -0.598824 7.04402
158. 1007 2.02969 -0.599413 8.74402; 1008 1.08969 -0.598824 8.74402
159. 1009 2.02969 -0.599413 11.45; 1010 1.08969 -0.598824 11.45; 1011 2.03 0 11.45
160. 1012 2.02969 -0.599413 12.545; 1013 1.08969 -0.598824 12.545
161. 1017 15.5493 -0.600433 4.99401; 1018 16.363 -0.600842 4.99401
162. 1019 15.5493 -0.600433 3.29401; 1020 16.363 -0.600842 3.29401
163. 1021 15.5493 -0.600433 7.04402; 1022 16.363 -0.600842 7.04402
164. 1023 15.5493 -0.600433 8.74402; 1024 16.363 -0.600842 8.74402
165. 1025 15.5493 -0.600433 11.45; 1026 16.363 -0.600842 11.45
166. 1027 15.5493 -0.600433 12.545; 1028 16.363 -0.600842 12.545
167. 1029 15.5493 -0.600433 1.238; 1030 16.363 -0.600842 1.238
168. 1031 15.5493 -0.600433 0; 1032 16.363 -0.600842 0
169. 1035 1.08969 -0.598824 1.238; 1037 2.97001 -0.600001 0
170. 1038 2.02969 -0.599413 0; 1039 1.08969 -0.598824 0; 1040 1.973 -0.599377 1.238
171. MEMBER INCIDENCES
172. 1 1 6; 2 2 424; 3 3 447; 5 6 423; 11 428 14; 15 16 453; 19 1 48; 45 38 20
173. 47 40 232; 49 42 651; 51 44 234; 53 46 652; 55 48 236; 57 50 51; 58 52 438
174. 59 54 448; 61 51 434; 63 53 58; 65 58 440; 67 446 62; 69 62 54; 71 55 777
175. 75 67 69; 79 46 80; 81 44 79; 83 42 78; 85 40 77; 89 1 224; 90 6 223; 91 8 225
176. 92 10 226; 94 14 228; 95 16 229; 97 76 22; 100 79 246; 101 80 658; 102 81 248
177. 105 84 953; 107 86 940; 117 96 950; 119 98 937; 127 470 729; 128 468 739
178. 129 466 916; 130 464 732; 131 462 920; 132 736 733; 139 110 462; 140 104 525
179. 141 98 104; 142 92 519; 143 86 92; 144 80 513; 145 109 464; 146 103 524

180. 147 97 103; 148 91 518; 149 85 91; 150 79 512; 151 108 466; 152 102 509
181. 153 96 102; 154 90 506; 155 84 90; 156 78 503; 157 107 468; 158 101 497
182. 159 95 101; 160 89 500; 161 83 89; 162 77 494; 181 36 118; 182 118 280
183. 183 119 653; 184 120 282; 187 123 124; 188 36 231; 199 8 10; 293 223 51
184. 294 224 50; 295 225 53; 296 226 58; 298 228 62; 299 229 55; 301 231 67
185. 302 232 233; 303 233 38; 304 234 42; 306 236 46; 314 244 245; 315 245 76
186. 316 246 78; 318 248 80; 344 739 731; 345 731 470; 346 732 466; 348 733 462
187. 350 280 119; 352 282 121; 354 284 285; 355 285 123; 356 224 223; 357 236 248
188. 359 234 246; 361 232 244; 362 233 245; 363 226 225; 365 229 776; 629 2 411
189. 633 8 415; 634 10 416; 636 14 418; 642 411 492; 643 412 487; 645 415 416
190. 646 416 491; 647 488 418; 648 418 412; 653 223 435; 654 226 439; 655 228 933
191. 656 423 812; 657 424 8; 662 429 430; 663 430 431; 664 431 229; 666 433 231
192. 667 434 814; 668 423 435; 669 435 813; 670 435 434; 671 436 437; 672 2 436
193. 673 436 52; 674 437 225; 675 424 437; 676 438 53; 677 437 438; 678 439 441
194. 679 425 439; 680 440 442; 681 439 440; 682 441 443; 683 426 441; 684 442 444
195. 685 441 442; 686 443 445; 687 427 443; 688 444 446; 689 443 444; 691 428 445
196. 693 445 446; 694 447 449; 695 447 429; 696 448 450; 697 429 448; 698 449 451
197. 699 449 430; 700 450 452; 701 430 450; 702 451 16; 703 451 431; 704 452 55
198. 705 431 452; 710 455 36; 711 455 433; 712 456 67; 713 433 456; 720 461 119
199. 722 463 120; 724 465 121; 726 467 122; 734 475 282; 738 479 284; 740 481 285
200. 754 469 458; 755 481 469; 756 479 481; 757 467 479; 758 465 930; 759 475 465
201. 761 463 475; 762 461 931; 763 471 461; 765 459 471; 771 451 485; 772 486 485
202. 773 449 486; 774 487 486; 775 447 487; 777 428 488; 778 489 488; 779 427 489
203. 780 490 489; 781 426 490; 782 491 490; 783 425 491; 784 492 415; 785 424 492
204. 787 423 825; 789 494 495; 790 495 496; 791 496 83; 792 497 498; 793 498 499
205. 794 499 107; 795 500 501; 796 501 502; 797 502 95; 798 503 504; 799 494 780
206. 800 504 505; 801 495 954; 802 505 84; 803 496 955; 804 506 507; 805 500 952

207. 806 507 508; 807 501 956; 808 508 96; 809 502 957; 810 509 510; 811 497 949
208. 812 510 511; 813 498 958; 814 511 108; 815 499 959; 852 512 514; 853 513 515
209. 854 512 909; 855 514 516; 856 515 517; 857 514 941; 858 516 85; 859 517 86
210. 860 516 942; 861 518 520; 862 519 521; 863 518 939; 864 520 522; 865 521 523
211. 866 520 943; 867 522 97; 868 523 98; 869 522 944; 870 524 526; 871 525 527
212. 872 524 936; 873 526 528; 874 527 529; 875 526 945; 876 528 109; 877 529 110
213. 878 528 946; 925 552 553; 929 554 555; 933 556 557; 949 16 684; 1036 495 597
214. 1037 496 598; 1038 497 599; 1039 498 600; 1040 499 601; 1041 500 602
215. 1042 501 603; 1043 502 604; 1045 504 606; 1046 505 607; 1047 506 608
216. 1048 507 609; 1049 508 610; 1050 509 611; 1051 510 612; 1052 511 613
217. 1055 514 616; 1056 515 617; 1057 516 618; 1058 517 619; 1059 518 620
218. 1060 519 621; 1061 520 622; 1062 521 623; 1063 522 624; 1064 523 625
219. 1065 524 626; 1066 525 627; 1067 526 628; 1068 527 629; 1069 528 630
220. 1070 529 631; 1103 339 627; 1104 333 339; 1105 327 621; 1106 321 327
221. 1109 338 626; 1110 332 338; 1111 326 620; 1112 320 326; 1115 337 611
222. 1116 331 337; 1117 325 608; 1118 319 325; 1121 336 599; 1122 330 336
223. 1123 324 602; 1124 318 324; 1145 597 598; 1146 598 318; 1147 599 600
224. 1148 600 601; 1149 601 342; 1150 602 603; 1151 603 604; 1152 604 330

225. 1154 606 607; 1155 607 319; 1156 608 609; 1157 609 610; 1158 610 331
226. 1159 611 612; 1160 612 613; 1161 613 343; 1164 616 618; 1165 617 619
227. 1166 618 320; 1167 619 321; 1168 620 622; 1169 621 623; 1170 622 624
228. 1171 623 625; 1172 624 332; 1173 625 333; 1174 626 628; 1175 627 629
229. 1176 628 630; 1177 629 631; 1178 630 344; 1179 631 345; 1202 320 321
230. 1204 620 621; 1206 624 625; 1208 338 339; 1215 318 319; 1217 602 608
231. 1219 604 610; 1221 336 337; 1225 651 40; 1226 652 44; 1227 653 120
232. 1228 654 122; 1231 657 77; 1232 658 79; 1243 83 318; 1244 84 319; 1245 89 324
233. 1246 90 325; 1247 95 330; 1248 96 331; 1249 101 336; 1250 102 337
234. 1251 103 338; 1252 104 339; 1253 97 332; 1254 98 333; 1255 91 326; 1256 92 327
235. 1257 85 320; 1258 86 321; 1323 485 684; 1366 468 342; 1368 466 343
236. 1370 110 345; 1372 464 344; 1374 462 345; 1389 447 486; 1391 453 684
237. 1392 684 451; 1393 451 486; 1395 53 697; 1397 55 699; 1398 58 700; 1400 62 702
238. 1402 67 704; 1406 438 708; 1407 440 709; 1408 442 710; 1409 444 711
239. 1410 446 712; 1411 448 713; 1412 450 714; 1413 452 715; 1415 456 717
240. 1416 696 708; 1417 698 713; 1418 697 700; 1419 700 709; 1420 712 702
241. 1421 702 698; 1422 699 781; 1424 704 705; 1427 708 697; 1428 709 710
242. 1429 710 711; 1430 711 712; 1432 713 714; 1433 714 715; 1434 715 699
243. 1436 717 704; 1449 344 528; 1450 528 628; 1453 345 529; 1454 529 629
244. 1459 343 511; 1460 342 499; 1461 499 600; 1462 511 612; 1471 77 244
245. 1473 78 657; 1476 122 284; 1478 121 654; 1485 466 465; 1487 731 481
246. 1488 732 475; 1489 733 471; 1490 462 461; 1493 468 467; 1495 464 463
247. 1497 739 479; 1500 107 947; 1501 109 934; 1502 106 32; 1503 344 345
248. 1504 342 343; 1505 341 667; 1510 512 745; 1514 773 749; 1517 754 755
249. 1518 755 769; 1520 745 503; 1521 749 513; 1542 494 754; 1549 453 455
250. 1550 776 433; 1551 453 776; 1552 777 456; 1553 776 777; 1558 471 280
251. 1559 248 749; 1560 246 745; 1561 780 503; 1562 657 780; 1563 244 754
252. 1564 245 755; 1565 781 717; 1566 777 781; 1569 629 525; 1570 525 339
253. 1573 628 524; 1574 524 338; 1595 48 81; 1596 782 736; 1597 783 823
254. 1598 785 783; 1599 786 787; 1600 788 786; 1601 81 773; 1602 459 118
255. 1604 790 811; 1605 791 788; 1606 787 792; 1607 792 793; 1608 793 785
256. 1609 784 794; 1610 794 795; 1611 795 782; 1614 790 798; 1615 791 799
257. 1616 787 800; 1617 792 801; 1618 793 802; 1619 784 803; 1620 794 804
258. 1621 795 805; 1623 807 932; 1624 808 807; 1625 809 800; 1626 810 809
259. 1629 773 798; 1630 798 824; 1631 799 810; 1632 800 801; 1633 801 802
260. 1634 802 808; 1635 803 804; 1636 804 805; 1637 805 806; 1638 783 807
261. 1639 785 808; 1640 786 809; 1641 788 810; 1642 782 806; 1644 736 806
262. 1648 786 800; 1649 806 795; 1650 795 804; 1651 736 459; 1652 800 792

263. 1653 792 802; 1654 804 784; 1658 423 773; 1660 811 791; 1661 2 811; 1662 812 2
264. 1663 790 812; 1664 813 436; 1665 812 813; 1666 814 52; 1667 813 814; 1668 81 6
265. 1670 791 424; 1672 788 8; 1673 10 425; 1674 786 10; 1676 787 425; 1678 792 426
266. 1680 793 427; 1682 785 428; 1683 14 3; 1684 783 14; 1685 3 933; 1686 823 784
267. 1687 784 447; 1688 794 449; 1689 795 451; 1690 782 16; 1691 736 453
268. 1692 459 455; 1695 425 426; 1696 426 427; 1697 427 428; 1699 823 3
269. 1700 824 799; 1701 811 824; 1702 790 824; 1703 824 791; 1704 791 810

270. 1705 810 786; 1706 825 1037; 1707 812 825; 1709 812 411; 1710 411 424
271. 1711 424 415; 1712 415 10; 1713 10 491; 1714 92 938; 1715 104 935; 1716 90 951
272. 1717 102 948; 1718 491 426; 1719 426 489; 1721 97 338; 1723 98 339
273. 1732 612 509; 1733 509 337; 1734 96 337; 1739 600 497; 1740 497 336
274. 1741 95 336; 1746 38 76; 1747 106 470; 1748 826 552; 1749 827 826
275. 1750 828 829; 1751 830 828; 1752 76 769; 1753 469 123; 1754 769 1011
276. 1755 833 834; 1756 834 830; 1757 552 554; 1758 554 556; 1759 556 106
277. 1760 829 835; 1761 835 836; 1762 836 827; 1767 833 840; 1768 834 841
278. 1769 552 648; 1770 554 842; 1771 556 650; 1772 829 843; 1773 835 844
279. 1774 836 845; 1775 846 648; 1776 847 846; 1777 848 843; 1778 849 848
280. 1781 840 841; 1782 841 849; 1783 648 842; 1784 842 650; 1785 650 341
281. 1786 843 844; 1787 844 845; 1788 845 847; 1789 830 849; 1790 828 848
282. 1791 827 847; 1792 826 846; 1797 470 341; 1799 341 556; 1800 556 842
283. 1802 470 469; 1805 842 552; 1806 552 846; 1807 827 846; 1812 20 22
284. 1813 32 729; 1814 850 553; 1815 851 850; 1816 852 853; 1817 854 852
285. 1818 22 856; 1819 458 124; 1820 856 857; 1821 857 858; 1822 858 854
286. 1823 553 555; 1824 555 557; 1825 557 32; 1826 853 859; 1827 859 860
287. 1828 860 851; 1833 857 863; 1834 858 864; 1835 553 677; 1836 555 865
288. 1837 557 679; 1838 853 866; 1839 859 867; 1840 860 868; 1841 869 677
289. 1842 870 869; 1843 871 866; 1844 872 871; 1847 863 864; 1848 864 872
290. 1849 677 865; 1850 865 679; 1851 679 667; 1852 866 867; 1853 867 868
291. 1854 868 870; 1855 854 872; 1856 852 871; 1857 851 870; 1858 850 869
292. 1863 729 667; 1865 667 557; 1866 557 865; 1868 729 458; 1871 865 553
293. 1872 553 869; 1873 851 869; 1878 826 850; 1879 827 851; 1880 836 860
294. 1881 835 859; 1882 829 853; 1883 828 852; 1884 830 854; 1885 834 858
295. 1886 833 857; 1887 769 856; 1928 901 902; 1932 434 901; 1935 909 513
296. 1946 916 468; 1949 920 464; 1960 513 617; 1961 512 616; 1962 503 606
297. 1963 494 597; 1964 769 840; 1965 856 863; 1966 617 517; 1967 517 321
298. 1968 321 92; 1969 92 621; 1970 621 521; 1971 521 625; 1972 625 98
299. 1973 616 516; 1974 516 320; 1975 320 91; 1976 91 620; 1977 620 520
300. 1978 520 624; 1979 624 97; 1980 606 505; 1981 505 319; 1982 319 90
301. 1983 90 608; 1984 608 507; 1985 507 610; 1986 610 96; 1987 597 496
302. 1988 496 318; 1989 318 89; 1990 89 602; 1991 602 501; 1992 501 604
303. 1993 604 95; 1994 840 834; 1995 834 849; 1996 849 828; 1997 828 843
304. 1998 843 835; 1999 835 845; 2000 845 827; 2001 863 858; 2002 858 872
305. 2003 872 852; 2004 852 866; 2005 866 859; 2006 859 868; 2007 868 851
306. 2008 50 901; 2015 909 658; 2016 657 651; 2024 920 931; 2025 916 930
307. 2030 658 652; 2033 930 467; 2034 931 463; 2035 931 653; 2036 930 654
308. 2037 932 803; 2038 823 932; 2039 445 228; 2040 933 429; 2041 933 54
309. 2042 799 492; 2043 809 416; 2044 801 490; 2045 808 488; 2050 784 807
310. 2051 807 785; 2052 785 802; 2053 447 418; 2054 418 428; 2055 428 489
311. 2056 806 684; 2057 804 486; 2058 798 825; 2059 932 412; 2060 616 617
312. 2061 628 629; 2062 597 606; 2063 600 612; 2064 107 342; 2065 108 343
313. 2066 109 344; 2067 106 341; 2068 32 667; 2069 934 110; 2070 934 920
314. 2071 935 103; 2072 936 525; 2073 935 936; 2074 937 97; 2075 937 935
315. 2076 938 91; 2077 939 519; 2078 938 939; 2079 940 85; 2080 940 938
316. 2081 941 515; 2082 909 941; 2083 942 517; 2084 941 942; 2085 942 940

317. 2086 943 521; 2087 939 943; 2088 944 523; 2089 943 944; 2090 944 937
318. 2091 945 527; 2092 936 945; 2093 946 529; 2094 945 946; 2095 946 934

319. 2096 947 108; 2097 947 916; 2098 948 101; 2099 949 509; 2100 948 949
320. 2101 950 95; 2102 950 948; 2103 951 89; 2104 952 506; 2105 951 952
321. 2106 953 83; 2107 953 951; 2108 954 504; 2109 780 954; 2110 955 505
322. 2111 954 955; 2112 955 953; 2113 956 507; 2114 952 956; 2115 957 508
323. 2116 956 957; 2117 957 950; 2118 958 510; 2119 949 958; 2120 959 511
324. 2121 958 959; 2122 959 947; 2123 960 38; 2124 961 968; 2125 963 973
325. 2126 965 971; 2127 651 965; 2128 652 963; 2129 960 969; 2130 20 960
326. 2131 963 44; 2132 963 46; 2133 965 40; 2134 965 42; 2135 1 961; 2143 961 48
327. 2144 124 976; 2145 976 123; 2146 654 977; 2147 978 986; 2148 653 978
328. 2149 36 980; 2150 989 980; 2151 978 120; 2152 978 119; 2153 977 985
329. 2154 977 122; 2155 977 121; 2156 984 976; 2163 980 118; 2175 616 1002
330. 2177 79 1001; 2178 1002 1001; 2179 512 1002; 2180 512 1001; 2181 1001 44
331. 2182 617 1003; 2183 80 1004; 2184 1003 1004; 2185 513 1003; 2186 513 1004
332. 2187 1004 46; 2188 606 1005; 2189 78 1006; 2190 1005 1006; 2191 503 1005
333. 2192 503 1006; 2193 1006 42; 2194 597 1007; 2195 77 1008; 2196 1007 1008
334. 2197 494 1007; 2198 494 1008; 2199 1008 40; 2200 840 1009; 2201 76 1010
335. 2202 1009 1010; 2203 1011 833; 2204 1011 1009; 2205 1011 1010; 2206 1010 38
336. 2207 863 1012; 2208 22 1013; 2209 1012 1013; 2210 856 1012; 2211 856 1013
337. 2212 1013 20; 2216 344 1017; 2217 1017 1018; 2218 464 1017; 2220 463 1018
338. 2221 464 1018; 2222 1018 120; 2223 345 1019; 2224 1019 1020; 2225 462 1019
339. 2226 461 1020; 2227 462 1020; 2228 1020 119; 2229 343 1021; 2230 1021 1022
340. 2231 466 1021; 2232 465 1022; 2233 466 1022; 2234 1022 121; 2235 342 1023
341. 2236 1023 1024; 2237 468 1023; 2238 467 1024; 2239 468 1024; 2240 1024 122
342. 2241 341 1025; 2242 1025 1026; 2243 470 1025; 2244 469 1026; 2245 470 1026
343. 2246 1026 123; 2247 667 1027; 2248 1027 1028; 2249 729 1027; 2250 458 1028
344. 2251 729 1028; 2252 1028 124; 2253 1018 1020; 2254 1024 1022; 2255 1026 1028
345. 2261 1010 1013; 2262 842 865; 2263 846 869; 2264 845 868; 2265 843 866
346. 2266 849 872; 2267 840 863; 2268 1001 1004; 2269 1008 1006; 2270 806 1029
347. 2271 1029 1030; 2272 736 1029; 2273 459 1030; 2274 736 1030; 2275 1030 118
348. 2276 684 1031; 2277 1031 1032; 2278 453 1031; 2279 455 1032; 2280 453 1032
349. 2281 1032 36; 2284 81 1035; 2285 798 1040; 2286 773 790; 2288 773 1035
350. 2289 1035 48; 2290 1037 411; 2291 1037 825; 2292 6 1039; 2293 1038 1039
351. 2294 423 1038; 2295 423 1039; 2296 1039 1; 2298 1040 1035; 2299 773 1040
352. 2300 1035 1039; 2301 1030 1032; 2302 825 1038
353. START GROUP DEFINITION
354. FLOOR
355. _PLATE 1 TO 3 5 11 15 19 45 47 49 51 53 55 79 81 83 85 97 100 TO 102 105 107 -
356. 117 119 127 TO 132 139 TO 162 181 TO 184 187 199 302 TO 304 306 314 TO 316 -
357. 318 344 TO 346 348 350 352 354 355 357 359 361 362 656 657 694 698 702 710 -
358. 720 722 724 726 734 738 740 754 TO 759 761 TO 763 765 789 TO 815 852 TO 878 -
359. 925 929 933 1225 TO 1228 1231 1232 1471 1473 1476 1478 1485 1487 TO 1490 -
360. 1493 1495 1497 1500 TO 1502 1510 1514 1517 1518 1520 1521 1542 1549 1558 -

361. 1559 TO 1564 1595 TO 1602 1604 TO 1611 1651 1658 1660 TO 1663 1668 1670 1672 -
362. 1673 TO 1674 1676 1678 1680 1682 TO 1684 1686 TO 1692 1695 TO 1697 1699 1714 -
363. 1715 TO 1717 1746 TO 1762 1802 1812 TO 1828 1868 1878 TO 1887 1935 1946 1949 -
364. 2015 2016 2024 2025 2030 2033 TO 2036 2042 TO 2045 2056 2069 TO 2122 2203 -
365. 2286 2300 2301
366. _CUTOUT 128 130 132 139 TO 143 145 TO 149 151 TO 155 157 TO 161 344 TO 346 -
367. 348 789 TO 798 800 802 804 806 808 810 812 814 852 853 855 856 858 859 861 -
368. 862 864 865 867 868 870 871 873 874 876 877 1510 1514 1517 1518 1520 1521 -
369. 1542 1596 TO 1600 1604 TO 1611 1660 1686 1747 TO 1751 1754 TO 1762 -
370. 1813 TO 1817 1820 TO 1828 2070 2073 2075 2078 2080 2082 2084 2085 2087 2089 -
371. 2090 2092 2094 2095 2097 2100 2102 2105 2107 2109 2111 2112 2114 2116 2117 -
372. 2119 2121 2122 2203 2286
373. _NOPLATE 1 TO 3 5 11 15 57 TO 59 61 63 65 67 69 71 89 TO 92 94 95 188 199 -
374. 293 TO 296 298 299 301 356 363 365 653 TO 657 662 TO 664 666 TO 689 691 693 -
_ STAAD SPACE -- PAGE NO. 8

375. 694 TO 705 710 TO 713 1549 TO 1553 1662 1664 1666 1673 1683 1695 TO 1697 -
376. 2039 2040
377. END GROUP DEFINITION
378. SUPPORTS
379. 2 3 52 54 69 411 412 696 698 705 902 968 969 971 973 984 TO 986 989 FIXED
380. DEFINE MATERIAL START
381. ISOTROPIC ALUMINUM
382. E 6.89473E+07
383. POISSON 0.33
384. DENSITY 26.6017
385. ALPHA 1.28E-05
386. DAMP 0.03
387. ISOTROPIC STEEL
388. E 1.99947E+08
389. POISSON 0.3
390. DENSITY 76.8191
391. ALPHA 6.5E-06
392. DAMP 0.03
393. TYPE STEEL
394. STRENGTH RY 1.5 RT 1.2
395. END DEFINE MATERIAL
396. CONSTANTS
397. MATERIAL STEEL ALL
398. MEMBER PROPERTY APLAPOLLOTUBES
399. 19 45 47 49 51 53 55 57 TO 59 61 63 65 67 69 71 75 89 128 130 132 181 TO 184 -
400. 187 188 294 301 TO 304 306 344 TO 346 348 350 352 354 355 667 676 680 684 -

401. 688 696 700 704 712 1225 TO 1228 1476 1478 1510 1514 1517 1518 1520 1521 -
402. 1542 1552 1666 TABLE ST 125X125X6.0SHS
403. 642 643 645 TO 648 772 774 778 780 782 784 1103 TO 1106 1109 TO 1112 1115 -
404. 1116 TO 1118 1121 TO 1124 1145 TO 1152 1154 TO 1161 1164 TO 1179 1323 1416
-
405. 1417 TO 1422 1424 1427 TO 1430 1432 TO 1434 1436 1565 1623 TO 1626 -
406. 1630 TO 1637 1700 1706 1775 TO 1778 1781 TO 1788 1841 TO 1844 1847 TO 1854
-
407. 2008 2037 2130 TO 2134 2143 2144 2151 2152 2154 2155 2163 2175 2178 2181 -
408. 2184 2187 2188 2190 2193 2194 2196 2199 2200 2202 2206 2207 2209 2212 2216 -
409. 2217 2222 TO 2224 2228 TO 2230 2234 TO 2236 2240 TO 2242 2246 TO 2248 2252
-
410. 2270 2271 2275 TO 2277 2281 2285 2289 TO 2291 2293 2296 2298 -
411. 2302 TABLE ST 100X100X5.0SHS
412. 90 TO 92 94 95 97 100 TO 102 105 107 117 119 127 129 131 293 295 296 298 299 -
413. 314 TO 316 318 356 357 359 361 TO 363 365 653 TO 655 662 TO 664 666 -
414. 668 TO 675 677 TO 679 681 TO 683 685 TO 687 689 691 693 695 697 699 701 703 -
415. 705 711 713 734 738 740 754 TO 759 761 TO 763 765 799 801 803 805 807 809 -
416. 811 813 815 854 857 860 863 866 869 872 875 878 925 929 933 1231 1232 1471 -
417. 1473 1487 TO 1489 1497 1500 TO 1502 1550 1551 1553 1558 TO 1561 1563 1564 -
418. 1658 1661 1663 TO 1665 1667 1668 1670 1672 1674 1676 1678 1680 1682 1684 -
419. 1685 1687 TO 1692 1699 1714 TO 1717 1878 TO 1887 1935 1946 1949 2033 2034 -
420. 2039 TO 2041 2069 2071 2072 2074 2076 2077 2079 2081 2083 2086 2088 2091 -
421. 2093 2096 2098 2099 2101 2103 2104 2106 2108 2110 2113 2115 2118 2120 -
422. 2182 TABLE ST 75X75X6.0SHS
423. 629 633 634 636 771 773 775 777 779 781 783 785 787 949 1036 TO 1043 1045 -
424. 1046 TO 1052 1055 TO 1070 1243 TO 1258 1366 1368 1370 1372 1374 1389 1391 -
425. 1392 TO 1393 1395 1397 1398 1400 1402 1406 TO 1413 1415 1449 1450 1453 1454
-
426. 1459 TO 1462 1566 1569 1570 1573 1574 1614 TO 1621 1629 1638 TO 1642 1644 -
427. 1648 TO 1650 1652 TO 1654 1701 TO 1705 1707 1709 TO 1713 1718 1719 1721 -
428. 1723 1732 TO 1734 1739 TO 1741 1767 TO 1774 1789 TO 1792 1797 1799 1800 -
429. 1805 TO 1807 1833 TO 1840 1855 TO 1858 1863 1865 1866 1871 TO 1873 -
430. 1960 TO 2007 2038 2050 TO 2055 2064 TO 2068 2177 2179 2180 2183 2185 2186 -

431. 2189 2191 2192 2195 2197 2198 2201 2204 2205 2208 2210 2211 2218 2220 2221 -
432. 2225 TO 2227 2231 TO 2233 2237 TO 2239 2243 TO 2245 2249 TO 2251 -
433. 2272 TO 2274 2278 TO 2280 2284 2288 2292 2294 2295 -
434. 2299 TABLE ST 72X72X3.2SHS
435. MEMBER PROPERTY TATASTRUCTURA
436. 1202 1204 1206 1208 1215 1217 1219 1221 1503 TO 1505 2042 TO 2045 -
437. 2056 TO 2063 2253 TO 2255 2261 TO 2269 2300 2301 TABLE ST 32X32X3.2SHS
438. MEMBER PROPERTY APLAPOLLOTUBES
439. 1 TO 3 5 11 15 79 81 83 85 139 TO 162 199 656 657 694 698 702 710 720 722 -
440. 724 726 789 TO 798 800 802 804 806 808 810 812 814 852 853 855 856 858 859 -
441. 861 862 864 865 867 868 870 871 873 874 876 877 1485 1490 1493 1495 1549 -

442. 1562 1595 TO 1602 1604 TO 1611 1651 1660 1662 1673 1683 1686 1695 TO 1697 -
443. 1746 TO 1762 1802 1812 TO 1828 1868 2015 2016 2024 2025 2030 2035 2036 2070 -
444. 2073 2075 2078 2080 2082 2084 2085 2087 2089 2090 2092 2094 2095 2097 2100 -
445. 2102 2105 2107 2109 2111 2112 2114 2116 2117 2119 2121 2122 2203 -
446. 2286 TABLE ST 150X150X6.0SHS
447. 1928 1932 2123 TO 2129 2135 2145 TO 2150 2153 2156 TABLE ST 150X150X6.0SHS
448. MEMBER RELEASE
449. 19 45 69 75 90 TO 92 94 95 97 100 TO 102 127 187 293 TO 296 298 299 301 303 -
450. 304 306 314 TO 316 318 345 346 348 350 352 355 668 670 673 675 677 679 681 -
451. 683 685 687 689 691 693 695 697 699 701 703 705 711 713 734 738 740 -
452. 754 TO 759 761 TO 763 765 925 929 933 1225 TO 1228 1231 1232 1471 1473 1502 -
453. 1518 1520 1521 1551 1553 1558 TO 1561 1563 1564 1658 1661 TO 1663 -
454. 1665 TO 1668 1670 1672 1674 1676 1678 1680 1682 TO 1684 1687 TO 1692 1699 -
455. 1878 TO 1887 1935 1946 1949 2033 TO 2036 2042 TO 2045 2056 2069 2071 2072 -
456. 2074 2076 2077 2079 2081 2083 2086 2088 2091 2093 2096 2098 2099 2101 2103 -
457. 2104 2106 2108 2110 2113 2115 2118 2120 2300 2301 END MY MZ
458. 2 3 19 45 47 49 51 53 55 58 59 89 TO 92 94 95 97 100 TO 102 105 107 117 119 -
459. 127 TO 132 182 TO 184 187 293 295 296 298 299 314 TO 316 318 357 359 361 -
460. 362 668 670 672 675 677 679 681 683 685 687 689 691 693 695 697 699 701 703 -
461. 705 711 713 754 TO 759 761 TO 763 765 799 801 803 805 807 809 811 813 815 -
462. 854 857 860 863 866 869 872 875 878 925 929 933 1231 1232 1471 1473 1487 -
463. 1488 TO 1489 1497 1500 TO 1502 1510 1514 1551 1553 1658 1661 1663 1665 1667 -
464. 1668 1670 1672 1674 1676 1678 1680 1682 1684 1685 1687 TO 1692 1699 1714 -
465. 1715 TO 1717 1878 TO 1887 2024 2025 2033 2034 2042 TO 2045 2056 2300 -
466. 2301 START MY MZ
467. LOAD 1 LOADTYPE DEAD TITLE DL
**WARNING- MEMBERS 2291 & 1706 ARE BETWEEN THE SAME JOINTS.
468. SELFWEIGHT Y -1
469. MEMBER LOAD
470. 79 81 83 85 139 TO 162 720 722 724 726 789 TO 798 800 802 804 806 808 810 -
471. 812 814 852 853 855 856 858 859 861 862 864 865 867 868 870 871 873 874 876 -
472. 877 1485 1490 1493 1495 1595 TO 1602 1604 TO 1611 1651 1660 1686 -
473. 1746 TO 1762 1802 1812 TO 1817 1819 TO 1828 1868 2070 2073 2075 2078 2080 -
474. 2082 2084 2085 2087 2089 2090 2092 2094 2095 2097 2100 2102 2105 2107 2109 -
475. 2111 2112 2114 2116 2117 2119 2121 2122 2203 2286 UNI GY -0.15
476. 796 806 864 865 1761 1827 2089 2116 CON GY -2.8
477. FLOOR LOAD
478. _PLATE FLOAD -0.785 GY
_ STAAD SPACE -- PAGE NO. 10

NOTE about Floor/OneWay Loads/Weights.
Please note that depending on the shape of the floor you may
have to break up the FLOOR/ONEWAY LOAD into multiple commands.
For details please refer to Technical Reference Manual

Section 5.32.4.2 Note d and/or "5.32.4.3 Note f.

NOTE about FLOOR GROUP command

All floor panels in a floor group should lie in a single plane.
If not lying in a single plane break single FLOOR GROUP
command into multiple FLOOR GROUP commands where each
floor group lie in a single plane / height.

```
479. _CUTOUT FLOAD 0.785 GY
480. _NOPLATE FLOAD -0.1 GY
481. ***CRANE WEIGHT 10KN/2=5***
482. ***ROOF WEIGHT***
483. ***CRANE CAPACITY
484. LOAD 2 LOADTYPE DEAD  TITLE LL
485. FLOOR LOAD
486. _PLATE FLOAD -1.25 GY
487. _NOPLATE FLOAD -0.08 GY
488. _CUTOUT FLOAD 1.25 GY
489. LOAD COMB 101 1.5(DL+LL)
490. 1 1.5 2 1.5
491. *LOAD COMB 102 1.5(DL+WLX)
492. *1 1.5
493. *LOAD COMB 103 1.5(DL+WLZ)
494. *1 1.5
495. *LOAD COMB 104 1.5(DL+WL-X)
496. *1 1.5
497. *LOAD COMB 105 1.5(DL+WL-Z)
498. *1 1.5
499. LOAD COMB 201 DL + LL
500. 1 1.0 2 1.0
501. *LOAD COMB 203 DL+WLZ
502. *1 1.0
503. *LOAD COMB 204 DL+WL-X
504. *1 1.0
505. *LOAD COMB 205 DL+WL-Z
506. *1 1.0
507. *LOAD COMB 206 DL+0.8WLX
508. *1 1.0
509. *LOAD COMB 207 DL+0.8WLZ
510. *1 1.0
511. *LOAD COMB 208 DL+0.8WL-X
512. *1 1.0
513. *LOAD COMB 209 DL+0.8WL-Z
514. *1 1.0
515. PERFORM ANALYSIS PRINT ALL
_   STAAD SPACE                          -- PAGE NO.   11
```

_

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS 439 NUMBER OF MEMBERS 961
NUMBER OF PLATES 0 NUMBER OF SOLIDS 0
NUMBER OF SURFACES 0 NUMBER OF SUPPORTS 19

Using 64-bit analysis engine.

SOLVER USED IS THE IN-CORE ADVANCED MATH SOLVER

TOTAL PRIMARY LOAD CASES = 2, TOTAL DEGREES OF FREEDOM = 2520
TOTAL LOAD COMBINATION CASES = 2 SO FAR.

_
_ STAAD SPACE -- PAGE NO. 12

LOADING 1 LOADTYPE DEAD TITLE DL

SELFWEIGHT Y -1.000

ACTUAL WEIGHT OF THE STRUCTURE = 128.275 KN

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
79	-0.1500 GY	0.00	0.79				
81	-0.1500 GY	0.00	0.79				
83	-0.1500 GY	0.00	0.79				
85	-0.1500 GY	0.00	0.79				
139	-0.1500 GY	0.00	0.86				
140	-0.1500 GY	0.00	0.94				
141	-0.1500 GY	0.00	0.94				
142	-0.1500 GY	0.00	0.94				
143	-0.1500 GY	0.00	0.94				
144	-0.1500 GY	0.00	0.94				
145	-0.1500 GY	0.00	0.86				
146	-0.1500 GY	0.00	0.94				
147	-0.1500 GY	0.00	0.94				

148	-0.1500 GY	0.00	0.94
149	-0.1500 GY	0.00	0.94
150	-0.1500 GY	0.00	0.94
151	-0.1500 GY	0.00	0.86
152	-0.1500 GY	0.00	0.94
153	-0.1500 GY	0.00	0.94
154	-0.1500 GY	0.00	0.94
155	-0.1500 GY	0.00	0.94
156	-0.1500 GY	0.00	0.94
157	-0.1500 GY	0.00	0.86
158	-0.1500 GY	0.00	0.94
159	-0.1500 GY	0.00	0.94
160	-0.1500 GY	0.00	0.94
161	-0.1500 GY	0.00	0.94
162	-0.1500 GY	0.00	0.94
720	-0.1500 GY	0.00	0.84
722	-0.1500 GY	0.00	0.84
724	-0.1500 GY	0.00	0.84
726	-0.1500 GY	0.00	0.84
789	-0.1500 GY	0.00	0.94
790	-0.1500 GY	0.00	0.94
791	-0.1500 GY	0.00	1.05
792	-0.1500 GY	0.00	1.05
793	-0.1500 GY	0.00	1.05
794	-0.1500 GY	0.00	1.05
795	-0.1500 GY	0.00	0.94
796	-0.1500 GY	0.00	0.94
797	-0.1500 GY	0.00	0.94
798	-0.1500 GY	0.00	0.94

800	-0.1500 GY	0.00	0.94
802	-0.1500 GY	0.00	1.05
804	-0.1500 GY	0.00	0.94
806	-0.1500 GY	0.00	0.94
808	-0.1500 GY	0.00	0.94
810	-0.1500 GY	0.00	1.05
812	-0.1500 GY	0.00	1.05
814	-0.1500 GY	0.00	1.05
852	-0.1500 GY	0.00	0.94
853	-0.1500 GY	0.00	0.94
855	-0.1500 GY	0.00	0.94
856	-0.1500 GY	0.00	0.94
858	-0.1500 GY	0.00	1.05
859	-0.1500 GY	0.00	1.05
861	-0.1500 GY	0.00	0.94
862	-0.1500 GY	0.00	0.94

864	-0.1500 GY	0.00	0.94
865	-0.1500 GY	0.00	0.94
867	-0.1500 GY	0.00	0.94
868	-0.1500 GY	0.00	0.94
870	-0.1500 GY	0.00	1.05
871	-0.1500 GY	0.00	1.05
873	-0.1500 GY	0.00	1.05
874	-0.1500 GY	0.00	1.05
876	-0.1500 GY	0.00	1.05
877	-0.1500 GY	0.00	1.05
1485	-0.1500 GY	0.00	0.81
1490	-0.1500 GY	0.00	0.81
1493	-0.1500 GY	0.00	0.81
1495	-0.1500 GY	0.00	0.81
1595	-0.1500 GY	0.00	0.79
1596	-0.1500 GY	0.00	0.86
1597	-0.1500 GY	0.00	0.51
1598	-0.1500 GY	0.00	0.94
1599	-0.1500 GY	0.00	0.94
1600	-0.1500 GY	0.00	0.61
1601	-0.1500 GY	0.00	0.88
1602	-0.1500 GY	0.00	0.84
1604	-0.1500 GY	0.00	0.64
1605	-0.1500 GY	0.00	0.99
1606	-0.1500 GY	0.00	0.94
1607	-0.1500 GY	0.00	0.94
1608	-0.1500 GY	0.00	0.94
1609	-0.1500 GY	0.00	1.05
1610	-0.1500 GY	0.00	1.05
1611	-0.1500 GY	0.00	1.05
1651	-0.1500 GY	0.00	0.81
1660	-0.1500 GY	0.00	0.99
1686	-0.1500 GY	0.00	0.43
1746	-0.1500 GY	0.00	0.79
1747	-0.1500 GY	0.00	0.86
1748	-0.1500 GY	0.00	0.94
1749	-0.1500 GY	0.00	0.94
1750	-0.1500 GY	0.00	0.94
1751	-0.1500 GY	0.00	0.94
1752	-0.1500 GY	0.00	0.88

1753	-0.1500 GY	0.00	0.84
1754	-0.1500 GY	0.00	0.06
1755	-0.1500 GY	0.00	0.94
1756	-0.1500 GY	0.00	1.05
1757	-0.1500 GY	0.00	1.05

1758	-0.1500 GY	0.00	1.05
1759	-0.1500 GY	0.00	1.05
1760	-0.1500 GY	0.00	0.94
1761	-0.1500 GY	0.00	0.94
1762	-0.1500 GY	0.00	0.94
1802	-0.1500 GY	0.00	0.81
1812	-0.1500 GY	0.00	0.79
1813	-0.1500 GY	0.00	0.86
1814	-0.1500 GY	0.00	0.94
1815	-0.1500 GY	0.00	0.94
1816	-0.1500 GY	0.00	0.94
1817	-0.1500 GY	0.00	0.94
1819	-0.1500 GY	0.00	0.84
1820	-0.1500 GY	0.00	0.94
1821	-0.1500 GY	0.00	0.94
1822	-0.1500 GY	0.00	1.05
1823	-0.1500 GY	0.00	1.05
1824	-0.1500 GY	0.00	1.05
1825	-0.1500 GY	0.00	1.05
1826	-0.1500 GY	0.00	0.94
1827	-0.1500 GY	0.00	0.94
1828	-0.1500 GY	0.00	0.94
1868	-0.1500 GY	0.00	0.81
2070	-0.1500 GY	0.00	0.86
2073	-0.1500 GY	0.00	0.94
2075	-0.1500 GY	0.00	0.94
2078	-0.1500 GY	0.00	0.94
2080	-0.1500 GY	0.00	0.94
2082	-0.1500 GY	0.00	0.94
2084	-0.1500 GY	0.00	0.94
2085	-0.1500 GY	0.00	1.05
2087	-0.1500 GY	0.00	0.94
2089	-0.1500 GY	0.00	0.94
2090	-0.1500 GY	0.00	0.94
2092	-0.1500 GY	0.00	1.05
2094	-0.1500 GY	0.00	1.05
2095	-0.1500 GY	0.00	1.05
2097	-0.1500 GY	0.00	0.86
2100	-0.1500 GY	0.00	0.94
2102	-0.1500 GY	0.00	0.94
2105	-0.1500 GY	0.00	0.94
2107	-0.1500 GY	0.00	0.94
2109	-0.1500 GY	0.00	0.94
2111	-0.1500 GY	0.00	0.94
2112	-0.1500 GY	0.00	1.05
2114	-0.1500 GY	0.00	0.94
2116	-0.1500 GY	0.00	0.94

2117 -0.1500 GY 0.00 0.94
2119 -0.1500 GY 0.00 1.05
2121 -0.1500 GY 0.00 1.05
2122 -0.1500 GY 0.00 1.05
_ STAAD SPACE -- PAGE NO. 15

2203 -0.1500 GY 0.00 0.94
2286 -0.1500 GY 0.00 0.70
796 -2.8000 GY 0.47
806 -2.8000 GY 0.47
864 -2.8000 GY 0.47
865 -2.8000 GY 0.47
1761 -2.8000 GY 0.47
1827 -2.8000 GY 0.47
2089 -2.8000 GY 0.47
2116 -2.8000 GY 0.47

MEMBER LOAD - UNIT KN METE

MEMBER UDL L1 L2 CON L LIN1 LIN2

1 -0.0010 GY 0.03
1 -0.0029 GY 0.08
1 -0.0048 GY 0.13
1 -0.0067 GY 0.17
1 -0.0086 GY 0.22
1 -0.0105 GY 0.27
1 -0.0124 GY 0.32
1 -0.0144 GY 0.37
1 -0.0144 GY 0.42
1 -0.0124 GY 0.47
1 -0.0105 GY 0.52
1 -0.0086 GY 0.57
1 -0.0067 GY 0.62
1 -0.0048 GY 0.66
1 -0.0029 GY 0.71
1 -0.0010 GY 0.76
1668 -0.0010 GY 0.03
1668 -0.0029 GY 0.08
1668 -0.0048 GY 0.13
1668 -0.0067 GY 0.17
1668 -0.0086 GY 0.22
1668 -0.0105 GY 0.27
1668 -0.0124 GY 0.32
1668 -0.0144 GY 0.37
1668 -0.3101 GY 0.40 0.84

1668		-0.0144 GY	0.87
1668		-0.0124 GY	0.92
1668		-0.0105 GY	0.97
1668		-0.0086 GY	1.01
1668		-0.0067 GY	1.06
1668		-0.0048 GY	1.11
1668		-0.0029 GY	1.16
1668		-0.0010 GY	1.21
1595		-0.0010 GY	0.03
1595		-0.0029 GY	0.08
1595		-0.0048 GY	0.13
1595		-0.0067 GY	0.17
1595		-0.0086 GY	0.22
1595		-0.0105 GY	0.27
1595		-0.0124 GY	0.32

1595		-0.0144 GY	0.37
1595		-0.0144 GY	0.42
1595		-0.0124 GY	0.47
1595		-0.0105 GY	0.52
1595		-0.0086 GY	0.57
1595		-0.0067 GY	0.62
1595		-0.0048 GY	0.66
1595		-0.0029 GY	0.71
1595		-0.0010 GY	0.76
19		-0.0010 GY	0.03
19		-0.0029 GY	0.08
19		-0.0048 GY	0.13
19		-0.0067 GY	0.17
19		-0.0086 GY	0.22
19		-0.0105 GY	0.27
19		-0.0124 GY	0.32
19		-0.0144 GY	0.37
19	-0.3101 GY	0.39	0.84
19		-0.0144 GY	0.87
19		-0.0124 GY	0.92
19		-0.0105 GY	0.97
19		-0.0086 GY	1.01
19		-0.0067 GY	1.06
19		-0.0048 GY	1.11
19		-0.0029 GY	1.16
19		-0.0010 GY	1.21
2		-0.0015 GY	0.04
2		-0.0045 GY	0.10
2		-0.0076 GY	0.16
2		-0.0106 GY	0.22

```
     2                  -0.0136 GY   0.28
     2                  -0.0166 GY   0.34
     2                  -0.0196 GY   0.40
     2                  -0.0227 GY   0.47
     2                  -0.0227 GY   0.53
     2                  -0.0196 GY   0.59
     2                  -0.0166 GY   0.65
     2                  -0.0136 GY   0.71
     2                  -0.0106 GY   0.77
     2                  -0.0076 GY   0.84
     2                  -0.0045 GY   0.90
     2                  -0.0015 GY   0.95
  1670                    -0.0015 GY   0.04
  1670                    -0.0045 GY   0.10
  1670                    -0.0076 GY   0.16
  1670                    -0.0106 GY   0.22
  1670                    -0.0136 GY   0.28
  1670                    -0.0166 GY   0.34
  1670                    -0.0196 GY   0.40
  1670                    -0.0227 GY   0.47
  1670   -0.3897 GY   0.50    0.74
  1670                    -0.0227 GY   0.77
  1670                    -0.0196 GY   0.83
  1670                    -0.0166 GY   0.90
  1670                    -0.0136 GY   0.96
  1670                    -0.0106 GY   1.02
_   STAAD SPACE                              -- PAGE NO.   17

  1670                    -0.0076 GY   1.08
  1670                    -0.0045 GY   1.14
  1670                    -0.0015 GY   1.20
  1660                    -0.0015 GY   0.04
  1660                    -0.0045 GY   0.10
  1660                    -0.0075 GY   0.16
  1660                    -0.0106 GY   0.22
  1660                    -0.0136 GY   0.28
  1660                    -0.0166 GY   0.34
  1660                    -0.0196 GY   0.40
  1660                    -0.0226 GY   0.47
  1660                    -0.0226 GY   0.53
  1660                    -0.0196 GY   0.59
  1660                    -0.0166 GY   0.65
  1660                    -0.0136 GY   0.71
  1660                    -0.0106 GY   0.77
  1660                    -0.0075 GY   0.83
  1660                    -0.0045 GY   0.90
  1660                    -0.0015 GY   0.95
```

1661		-0.0015 GY	0.04
1661		-0.0045 GY	0.10
1661		-0.0076 GY	0.16
1661		-0.0106 GY	0.22
1661		-0.0136 GY	0.28
1661		-0.0166 GY	0.34
1661		-0.0196 GY	0.40
1661		-0.0227 GY	0.47
1661	-0.3895 GY	0.50	0.74
1661		-0.0226 GY	0.77
1661		-0.0196 GY	0.83
1661		-0.0166 GY	0.90
1661		-0.0136 GY	0.96
1661		-0.0106 GY	1.02
1661		-0.0075 GY	1.08
1661		-0.0045 GY	1.14
1661		-0.0015 GY	1.20
3		-0.0003 GY	0.02
3		-0.0009 GY	0.04
3		-0.0015 GY	0.07
3		-0.0020 GY	0.10
3		-0.0026 GY	0.12
3		-0.0032 GY	0.15
3		-0.0038 GY	0.18
3		-0.0044 GY	0.20
3		-0.0044 GY	0.23
3		-0.0038 GY	0.26
3		-0.0032 GY	0.29
3		-0.0026 GY	0.31
3		-0.0020 GY	0.34
3		-0.0015 GY	0.37
3		-0.0009 GY	0.39
3		-0.0003 GY	0.42
1687		-0.0003 GY	0.02
1687		-0.0009 GY	0.04
1687		-0.0015 GY	0.07
1687		-0.0020 GY	0.10

1687		-0.0026 GY	0.12
1687		-0.0032 GY	0.15
1687		-0.0038 GY	0.18
1687		-0.0044 GY	0.20
1687	-0.1707 GY	0.22	1.02
1687		-0.0044 GY	1.03
1687		-0.0038 GY	1.06
1687		-0.0032 GY	1.09

1687		-0.0026 GY	1.12
1687		-0.0020 GY	1.14
1687		-0.0015 GY	1.17
1687		-0.0009 GY	1.20
1687		-0.0003 GY	1.22
1686		-0.0003 GY	0.02
1686		-0.0009 GY	0.04
1686		-0.0015 GY	0.07
1686		-0.0020 GY	0.10
1686		-0.0026 GY	0.12
1686		-0.0032 GY	0.15
1686		-0.0038 GY	0.18
1686		-0.0044 GY	0.20
1686		-0.0044 GY	0.23
1686		-0.0038 GY	0.26
1686		-0.0032 GY	0.29
1686		-0.0026 GY	0.31
1686		-0.0020 GY	0.34
1686		-0.0015 GY	0.37
1686		-0.0009 GY	0.39
1686		-0.0003 GY	0.42
1699		-0.0003 GY	0.02
1699		-0.0009 GY	0.04
1699		-0.0015 GY	0.07
1699		-0.0020 GY	0.10
1699		-0.0026 GY	0.12
1699		-0.0032 GY	0.15
1699		-0.0038 GY	0.18
1699		-0.0044 GY	0.20
1699	-0.1707 GY	0.22	1.02
1699		-0.0044 GY	1.03
1699		-0.0038 GY	1.06
1699		-0.0032 GY	1.09
1699		-0.0026 GY	1.12
1699		-0.0020 GY	1.14
1699		-0.0015 GY	1.17
1699		-0.0009 GY	1.20
1699		-0.0003 GY	1.22
5		-0.0017 GY	0.04
5		-0.0051 GY	0.09
5		-0.0086 GY	0.14
5		-0.0120 GY	0.20
5		-0.0154 GY	0.26
5		-0.0188 GY	0.31
5		-0.0223 GY	0.37
5		-0.0257 GY	0.43
5		-0.0273 GY	0.49

5 -0.0236 GY 0.55

5 -0.0200 GY 0.61
5 -0.0164 GY 0.67
5 -0.0127 GY 0.73
5 -0.0091 GY 0.79
5 -0.0055 GY 0.85
5 -0.0018 GY 0.90
1658 -0.0018 GY 0.05
1658 -0.0053 GY 0.12
1658 -0.0089 GY 0.20
1658 -0.0124 GY 0.28
1658 -0.0159 GY 0.36
1658 -0.0195 GY 0.44
1658 -0.0230 GY 0.52
1658 -0.0266 GY 0.60
1658 -0.0254 GY 0.67
1658 -0.0220 GY 0.75
1658 -0.0186 GY 0.82
1658 -0.0152 GY 0.90
1658 -0.0118 GY 0.97
1658 -0.0085 GY 1.05
1658 -0.0051 GY 1.12
1658 -0.0017 GY 1.19
1601 -0.0017 GY 0.04
1601 -0.0052 GY 0.09
1601 -0.0087 GY 0.14
1601 -0.0122 GY 0.20
1601 -0.0157 GY 0.26
1601 -0.0192 GY 0.31
1601 -0.0227 GY 0.37
1601 -0.0262 GY 0.43
1601 -0.0246 GY 0.48
1601 -0.0213 GY 0.54
1601 -0.0180 GY 0.59
1601 -0.0147 GY 0.64
1601 -0.0115 GY 0.69
1601 -0.0082 GY 0.75
1601 -0.0049 GY 0.80
1601 -0.0016 GY 0.85
1668 -0.0017 GY 0.05
1668 -0.0052 GY 0.12
1668 -0.0087 GY 0.20
1668 -0.0122 GY 0.28
1668 -0.0157 GY 0.35
1668 -0.0192 GY 0.43

1668		-0.0227 GY	0.51
1668		-0.0262 GY	0.59
1668		-0.0257 GY	0.66
1668		-0.0223 GY	0.74
1668		-0.0188 GY	0.82
1668		-0.0154 GY	0.89
1668		-0.0120 GY	0.97
1668		-0.0086 GY	1.04
1668		-0.0051 GY	1.12
1668		-0.0017 GY	1.19
11		-0.0014 GY	0.04
11		-0.0041 GY	0.09

11		-0.0068 GY	0.15
11		-0.0095 GY	0.21
11		-0.0122 GY	0.27
11		-0.0149 GY	0.32
11		-0.0176 GY	0.38
11		-0.0203 GY	0.44
11		-0.0203 GY	0.50
11		-0.0176 GY	0.56
11		-0.0149 GY	0.62
11		-0.0122 GY	0.67
11		-0.0095 GY	0.73
11		-0.0068 GY	0.79
11		-0.0041 GY	0.85
11		-0.0014 GY	0.90
1684		-0.0014 GY	0.04
1684		-0.0041 GY	0.09
1684		-0.0068 GY	0.15
1684		-0.0095 GY	0.21
1684		-0.0122 GY	0.27
1684		-0.0149 GY	0.32
1684		-0.0176 GY	0.38
1684		-0.0203 GY	0.44
1684	-0.3689 GY	0.47	0.77
1684		-0.0203 GY	0.80
1684		-0.0176 GY	0.86
1684		-0.0149 GY	0.91
1684		-0.0122 GY	0.97
1684		-0.0095 GY	1.03
1684		-0.0068 GY	1.09
1684		-0.0041 GY	1.15
1684		-0.0014 GY	1.20
1598		-0.0014 GY	0.04
1598		-0.0041 GY	0.09

1598		-0.0068 GY	0.15
1598		-0.0095 GY	0.21
1598		-0.0122 GY	0.27
1598		-0.0149 GY	0.32
1598		-0.0176 GY	0.38
1598		-0.0203 GY	0.44
1598		-0.0203 GY	0.50
1598		-0.0176 GY	0.56
1598		-0.0149 GY	0.62
1598		-0.0122 GY	0.67
1598		-0.0095 GY	0.73
1598		-0.0068 GY	0.79
1598		-0.0041 GY	0.85
1598		-0.0014 GY	0.90
1682		-0.0014 GY	0.04
1682		-0.0041 GY	0.09
1682		-0.0068 GY	0.15
1682		-0.0095 GY	0.21
1682		-0.0122 GY	0.27
1682		-0.0149 GY	0.32
1682		-0.0176 GY	0.38
1682		-0.0203 GY	0.44
1682	-0.3689 GY	0.47	0.77

1682		-0.0203 GY	0.80
1682		-0.0176 GY	0.86
1682		-0.0149 GY	0.91
1682		-0.0122 GY	0.97
1682		-0.0095 GY	1.03
1682		-0.0068 GY	1.09
1682		-0.0041 GY	1.15
1682		-0.0014 GY	1.20
15		-0.0016 GY	0.04
15		-0.0049 GY	0.08
15		-0.0081 GY	0.13
15		-0.0113 GY	0.19
15		-0.0146 GY	0.24
15		-0.0178 GY	0.29
15		-0.0210 GY	0.35
15		-0.0243 GY	0.40
15		-0.0236 GY	0.45
15		-0.0204 GY	0.50
15		-0.0173 GY	0.55
15		-0.0142 GY	0.60
15		-0.0110 GY	0.65
15		-0.0079 GY	0.71

15	-0.0047 GY	0.76
15	-0.0016 GY	0.80
1691	-0.0016 GY	0.05
1691	-0.0049 GY	0.12
1691	-0.0081 GY	0.20
1691	-0.0114 GY	0.27
1691	-0.0146 GY	0.35
1691	-0.0179 GY	0.43
1691	-0.0211 GY	0.51
1691	-0.0244 GY	0.59
1691	-0.0240 GY	0.66
1691	-0.0208 GY	0.74
1691	-0.0176 GY	0.81
1691	-0.0144 GY	0.89
1691	-0.0112 GY	0.97
1691	-0.0080 GY	1.04
1691	-0.0048 GY	1.12
1691	-0.0016 GY	1.19
1596	-0.0016 GY	0.04
1596	-0.0048 GY	0.08
1596	-0.0080 GY	0.13
1596	-0.0112 GY	0.19
1596	-0.0144 GY	0.24
1596	-0.0176 GY	0.29
1596	-0.0208 GY	0.35
1596	-0.0240 GY	0.40
1596	-0.0247 GY	0.45
1596	-0.0214 GY	0.51
1596	-0.0181 GY	0.56
1596	-0.0148 GY	0.61
1596	-0.0115 GY	0.67
1596	-0.0082 GY	0.72
1596	-0.0049 GY	0.78
1596	-0.0016 GY	0.82

1690	-0.0016 GY	0.05
1690	-0.0048 GY	0.12
1690	-0.0080 GY	0.20
1690	-0.0112 GY	0.27
1690	-0.0144 GY	0.35
1690	-0.0176 GY	0.42
1690	-0.0208 GY	0.50
1690	-0.0240 GY	0.58
1690	-0.0243 GY	0.65
1690	-0.0210 GY	0.73
1690	-0.0178 GY	0.81

1690		-0.0146 GY	0.89
1690		-0.0113 GY	0.96
1690		-0.0081 GY	1.04
1690		-0.0049 GY	1.12
1690		-0.0016 GY	1.19
45		-0.0010 GY	0.03
45		-0.0029 GY	0.08
45		-0.0048 GY	0.13
45		-0.0067 GY	0.17
45		-0.0086 GY	0.22
45		-0.0105 GY	0.27
45		-0.0124 GY	0.32
45		-0.0144 GY	0.37
45	-0.3101 GY	0.40	0.70
45		-0.0144 GY	0.72
45		-0.0124 GY	0.77
45		-0.0105 GY	0.82
45		-0.0086 GY	0.87
45		-0.0067 GY	0.92
45		-0.0048 GY	0.97
45		-0.0029 GY	1.02
45		-0.0010 GY	1.06
1812		-0.0010 GY	0.03
1812		-0.0029 GY	0.08
1812		-0.0048 GY	0.13
1812		-0.0067 GY	0.17
1812		-0.0086 GY	0.22
1812		-0.0105 GY	0.27
1812		-0.0124 GY	0.32
1812		-0.0144 GY	0.37
1812		-0.0144 GY	0.42
1812		-0.0124 GY	0.47
1812		-0.0105 GY	0.52
1812		-0.0086 GY	0.57
1812		-0.0067 GY	0.62
1812		-0.0048 GY	0.66
1812		-0.0029 GY	0.71
1812		-0.0010 GY	0.76
97		-0.0010 GY	0.03
97		-0.0029 GY	0.08
97		-0.0048 GY	0.13
97		-0.0067 GY	0.17
97		-0.0086 GY	0.22
97		-0.0105 GY	0.27
97		-0.0124 GY	0.32

97		-0.0144 GY	0.37
97	-0.3101 GY	0.40	0.70
97		-0.0144 GY	0.72
97		-0.0124 GY	0.77
97		-0.0105 GY	0.82
97		-0.0086 GY	0.87
97		-0.0067 GY	0.92
97		-0.0048 GY	0.97
97		-0.0029 GY	1.02
97		-0.0010 GY	1.06
1746		-0.0010 GY	0.03
1746		-0.0029 GY	0.08
1746		-0.0048 GY	0.13
1746		-0.0067 GY	0.17
1746		-0.0086 GY	0.22
1746		-0.0105 GY	0.27
1746		-0.0124 GY	0.32
1746		-0.0144 GY	0.37
1746		-0.0144 GY	0.42
1746		-0.0124 GY	0.47
1746		-0.0105 GY	0.52
1746		-0.0086 GY	0.57
1746		-0.0067 GY	0.62
1746		-0.0048 GY	0.66
1746		-0.0029 GY	0.71
1746		-0.0010 GY	0.76
47		-0.0010 GY	0.03
47		-0.0029 GY	0.08
47		-0.0048 GY	0.13
47		-0.0067 GY	0.17
47		-0.0086 GY	0.22
47		-0.0105 GY	0.27
47		-0.0124 GY	0.32
47		-0.0144 GY	0.37
47	-0.3101 GY	0.40	0.40
47		-0.0144 GY	0.42
47		-0.0124 GY	0.47
47		-0.0105 GY	0.52
47		-0.0086 GY	0.57
47		-0.0067 GY	0.62
47		-0.0048 GY	0.67
47		-0.0029 GY	0.72
47		-0.0010 GY	0.76
361		-0.0010 GY	0.03
361		-0.0029 GY	0.08
361		-0.0048 GY	0.13
361		-0.0067 GY	0.17

361		-0.0086 GY	0.22
361		-0.0105 GY	0.27
361		-0.0124 GY	0.32
361		-0.0144 GY	0.37
361		-0.0144 GY	0.42
361		-0.0124 GY	0.47
361		-0.0105 GY	0.52
361		-0.0086 GY	0.57
361		-0.0067 GY	0.62

361		-0.0048 GY	0.66
361		-0.0029 GY	0.71
361		-0.0010 GY	0.76
1471		-0.0010 GY	0.03
1471		-0.0029 GY	0.08
1471		-0.0048 GY	0.13
1471		-0.0067 GY	0.17
1471		-0.0086 GY	0.22
1471		-0.0105 GY	0.27
1471		-0.0124 GY	0.32
1471		-0.0144 GY	0.37
1471	-0.3101 GY	0.40	0.40
1471		-0.0144 GY	0.42
1471		-0.0124 GY	0.47
1471		-0.0105 GY	0.52
1471		-0.0086 GY	0.57
1471		-0.0067 GY	0.62
1471		-0.0048 GY	0.67
1471		-0.0029 GY	0.72
1471		-0.0010 GY	0.76
85		-0.0010 GY	0.03
85		-0.0029 GY	0.08
85		-0.0048 GY	0.13
85		-0.0067 GY	0.17
85		-0.0086 GY	0.22
85		-0.0105 GY	0.27
85		-0.0124 GY	0.32
85		-0.0144 GY	0.37
85		-0.0144 GY	0.42
85		-0.0124 GY	0.47
85		-0.0105 GY	0.52
85		-0.0086 GY	0.57
85		-0.0067 GY	0.62
85		-0.0048 GY	0.66
85		-0.0029 GY	0.71
85		-0.0010 GY	0.76

49		-0.0010 GY	0.03
49		-0.0029 GY	0.08
49		-0.0048 GY	0.13
49		-0.0067 GY	0.17
49		-0.0086 GY	0.22
49		-0.0105 GY	0.27
49		-0.0124 GY	0.32
49		-0.0144 GY	0.37
49	-0.3101 GY	0.39	0.45
49		-0.0144 GY	0.48
49		-0.0124 GY	0.53
49		-0.0105 GY	0.58
49		-0.0086 GY	0.63
49		-0.0067 GY	0.68
49		-0.0048 GY	0.72
49		-0.0029 GY	0.77
49		-0.0010 GY	0.82
2016		-0.0010 GY	0.03
2016		-0.0029 GY	0.08
2016		-0.0048 GY	0.13

2016		-0.0067 GY	0.17
2016		-0.0086 GY	0.22
2016		-0.0105 GY	0.27
2016		-0.0124 GY	0.32
2016		-0.0144 GY	0.37
2016		-0.0144 GY	0.42
2016		-0.0124 GY	0.47
2016		-0.0105 GY	0.52
2016		-0.0086 GY	0.57
2016		-0.0067 GY	0.62
2016		-0.0048 GY	0.66
2016		-0.0029 GY	0.71
2016		-0.0010 GY	0.76
1473		-0.0010 GY	0.03
1473		-0.0029 GY	0.08
1473		-0.0048 GY	0.13
1473		-0.0067 GY	0.17
1473		-0.0086 GY	0.22
1473		-0.0105 GY	0.27
1473		-0.0124 GY	0.32
1473		-0.0144 GY	0.37
1473	-0.3101 GY	0.39	0.45
1473		-0.0144 GY	0.48
1473		-0.0124 GY	0.53
1473		-0.0105 GY	0.58

1473		-0.0086 GY	0.63
1473		-0.0067 GY	0.68
1473		-0.0048 GY	0.72
1473		-0.0029 GY	0.77
1473		-0.0010 GY	0.82
83		-0.0010 GY	0.03
83		-0.0029 GY	0.08
83		-0.0048 GY	0.13
83		-0.0067 GY	0.17
83		-0.0086 GY	0.22
83		-0.0105 GY	0.27
83		-0.0124 GY	0.32
83		-0.0144 GY	0.37
83		-0.0144 GY	0.42
83		-0.0124 GY	0.47
83		-0.0105 GY	0.52
83		-0.0086 GY	0.57
83		-0.0067 GY	0.62
83		-0.0048 GY	0.66
83		-0.0029 GY	0.71
83		-0.0010 GY	0.76
51		-0.0010 GY	0.03
51		-0.0029 GY	0.08
51		-0.0048 GY	0.13
51		-0.0067 GY	0.17
51		-0.0086 GY	0.22
51		-0.0105 GY	0.27
51		-0.0124 GY	0.32
51		-0.0144 GY	0.37
51	-0.3101 GY	0.40	0.65
51		-0.0144 GY	0.67

51		-0.0124 GY	0.72
51		-0.0105 GY	0.77
51		-0.0086 GY	0.82
51		-0.0067 GY	0.87
51		-0.0048 GY	0.92
51		-0.0029 GY	0.97
51		-0.0010 GY	1.01
359		-0.0010 GY	0.03
359		-0.0029 GY	0.08
359		-0.0048 GY	0.13
359		-0.0067 GY	0.17
359		-0.0086 GY	0.22
359		-0.0105 GY	0.27
359		-0.0124 GY	0.32

359		-0.0144 GY	0.37
359		-0.0144 GY	0.42
359		-0.0124 GY	0.47
359		-0.0105 GY	0.52
359		-0.0086 GY	0.57
359		-0.0067 GY	0.62
359		-0.0048 GY	0.66
359		-0.0029 GY	0.71
359		-0.0010 GY	0.76
100		-0.0010 GY	0.03
100		-0.0029 GY	0.08
100		-0.0048 GY	0.13
100		-0.0067 GY	0.17
100		-0.0086 GY	0.22
100		-0.0105 GY	0.27
100		-0.0124 GY	0.32
100		-0.0144 GY	0.37
100	-0.3101 GY	0.40	0.65
100		-0.0144 GY	0.67
100		-0.0124 GY	0.72
100		-0.0105 GY	0.77
100		-0.0086 GY	0.82
100		-0.0067 GY	0.87
100		-0.0048 GY	0.92
100		-0.0029 GY	0.97
100		-0.0010 GY	1.01
81		-0.0010 GY	0.03
81		-0.0029 GY	0.08
81		-0.0048 GY	0.13
81		-0.0067 GY	0.17
81		-0.0086 GY	0.22
81		-0.0105 GY	0.27
81		-0.0124 GY	0.32
81		-0.0144 GY	0.37
81		-0.0144 GY	0.42
81		-0.0124 GY	0.47
81		-0.0105 GY	0.52
81		-0.0086 GY	0.57
81		-0.0067 GY	0.62
81		-0.0048 GY	0.66
81		-0.0029 GY	0.71
81		-0.0010 GY	0.76

53		-0.0010 GY	0.03
53		-0.0029 GY	0.08
53		-0.0048 GY	0.13

53		-0.0067	GY	0.17
53		-0.0086	GY	0.22
53		-0.0105	GY	0.27
53		-0.0124	GY	0.32
53		-0.0144	GY	0.37
53	-0.3101	GY 0.40	0.40	
53		-0.0144	GY	0.42
53		-0.0124	GY	0.47
53		-0.0105	GY	0.52
53		-0.0086	GY	0.57
53		-0.0067	GY	0.62
53		-0.0048	GY	0.67
53		-0.0029	GY	0.72
53		-0.0010	GY	0.76
2030		-0.0010	GY	0.03
2030		-0.0029	GY	0.08
2030		-0.0048	GY	0.13
2030		-0.0067	GY	0.17
2030		-0.0086	GY	0.22
2030		-0.0105	GY	0.27
2030		-0.0124	GY	0.32
2030		-0.0144	GY	0.37
2030		-0.0144	GY	0.42
2030		-0.0124	GY	0.47
2030		-0.0105	GY	0.52
2030		-0.0086	GY	0.57
2030		-0.0067	GY	0.62
2030		-0.0048	GY	0.66
2030		-0.0029	GY	0.71
2030		-0.0010	GY	0.76
101		-0.0010	GY	0.03
101		-0.0029	GY	0.08
101		-0.0048	GY	0.13
101		-0.0067	GY	0.17
101		-0.0086	GY	0.22
101		-0.0105	GY	0.27
101		-0.0124	GY	0.32
101		-0.0144	GY	0.37
101	-0.3101	GY 0.40	0.40	
101		-0.0144	GY	0.42
101		-0.0124	GY	0.47
101		-0.0105	GY	0.52
101		-0.0086	GY	0.57
101		-0.0067	GY	0.62
101		-0.0048	GY	0.67
101		-0.0029	GY	0.72
101		-0.0010	GY	0.76

79		-0.0010 GY	0.03
79		-0.0029 GY	0.08
79		-0.0048 GY	0.13
79		-0.0067 GY	0.17
79		-0.0086 GY	0.22
79		-0.0105 GY	0.27

79		-0.0124 GY	0.32
79		-0.0144 GY	0.37
79		-0.0144 GY	0.42
79		-0.0124 GY	0.47
79		-0.0105 GY	0.52
79		-0.0086 GY	0.57
79		-0.0067 GY	0.62
79		-0.0048 GY	0.66
79		-0.0029 GY	0.71
79		-0.0010 GY	0.76
55		-0.0010 GY	0.03
55		-0.0029 GY	0.08
55		-0.0048 GY	0.13
55		-0.0067 GY	0.17
55		-0.0086 GY	0.22
55		-0.0105 GY	0.27
55		-0.0124 GY	0.32
55		-0.0144 GY	0.37
55	-0.3101 GY	0.40	0.65
55		-0.0144 GY	0.68
55		-0.0124 GY	0.73
55		-0.0105 GY	0.78
55		-0.0086 GY	0.83
55		-0.0067 GY	0.88
55		-0.0048 GY	0.92
55		-0.0029 GY	0.97
55		-0.0010 GY	1.02
357		-0.0010 GY	0.03
357		-0.0029 GY	0.08
357		-0.0048 GY	0.13
357		-0.0067 GY	0.17
357		-0.0086 GY	0.22
357		-0.0105 GY	0.27
357		-0.0124 GY	0.32
357		-0.0144 GY	0.37
357		-0.0144 GY	0.42
357		-0.0124 GY	0.47
357		-0.0105 GY	0.52
357		-0.0086 GY	0.57

357		-0.0067 GY	0.62
357		-0.0048 GY	0.66
357		-0.0029 GY	0.71
357		-0.0010 GY	0.76
102		-0.0010 GY	0.03
102		-0.0029 GY	0.08
102		-0.0048 GY	0.13
102		-0.0067 GY	0.17
102		-0.0086 GY	0.22
102		-0.0105 GY	0.27
102		-0.0124 GY	0.32
102		-0.0144 GY	0.37
102	-0.3101 GY	0.40	0.65
102		-0.0144 GY	0.68
102		-0.0124 GY	0.73
102		-0.0105 GY	0.78
102		-0.0086 GY	0.83

102		-0.0067 GY	0.88
102		-0.0048 GY	0.92
102		-0.0029 GY	0.97
102		-0.0010 GY	1.02
1595		-0.0010 GY	0.03
1595		-0.0029 GY	0.08
1595		-0.0048 GY	0.13
1595		-0.0067 GY	0.17
1595		-0.0086 GY	0.22
1595		-0.0105 GY	0.27
1595		-0.0124 GY	0.32
1595		-0.0144 GY	0.37
1595		-0.0144 GY	0.42
1595		-0.0124 GY	0.47
1595		-0.0105 GY	0.52
1595		-0.0086 GY	0.57
1595		-0.0067 GY	0.62
1595		-0.0048 GY	0.66
1595		-0.0029 GY	0.71
1595		-0.0010 GY	0.76
79		-0.0010 GY	0.03
79		-0.0029 GY	0.08
79		-0.0048 GY	0.13
79		-0.0067 GY	0.17
79		-0.0086 GY	0.22
79		-0.0105 GY	0.27
79		-0.0124 GY	0.32
79		-0.0144 GY	0.37

79		-0.0144 GY	0.42
79		-0.0124 GY	0.47
79		-0.0105 GY	0.52
79		-0.0086 GY	0.57
79		-0.0067 GY	0.62
79		-0.0048 GY	0.66
79		-0.0029 GY	0.71
79		-0.0010 GY	0.76
318		-0.0010 GY	0.03
318		-0.0029 GY	0.08
318		-0.0048 GY	0.13
318		-0.0067 GY	0.17
318		-0.0086 GY	0.22
318		-0.0105 GY	0.27
318		-0.0124 GY	0.32
318		-0.0144 GY	0.37
318	-0.3101 GY	0.39	0.61
318		-0.0144 GY	0.64
318		-0.0124 GY	0.68
318		-0.0105 GY	0.73
318		-0.0086 GY	0.78
318		-0.0067 GY	0.83
318		-0.0048 GY	0.88
318		-0.0029 GY	0.93
318		-0.0010 GY	0.97
357		-0.0010 GY	0.03
357		-0.0029 GY	0.08
357		-0.0048 GY	0.13

357		-0.0067 GY	0.17
357		-0.0086 GY	0.22
357		-0.0105 GY	0.27
357		-0.0124 GY	0.32
357		-0.0144 GY	0.37
357		-0.0144 GY	0.42
357		-0.0124 GY	0.47
357		-0.0105 GY	0.52
357		-0.0086 GY	0.57
357		-0.0067 GY	0.62
357		-0.0048 GY	0.66
357		-0.0029 GY	0.71
357		-0.0010 GY	0.76
306		-0.0010 GY	0.03
306		-0.0029 GY	0.08
306		-0.0048 GY	0.13
306		-0.0067 GY	0.17

306		-0.0086 GY	0.22
306		-0.0105 GY	0.27
306		-0.0124 GY	0.32
306		-0.0144 GY	0.37
306	-0.3101 GY	0.39	0.61
306		-0.0144 GY	0.64
306		-0.0124 GY	0.68
306		-0.0105 GY	0.73
306		-0.0086 GY	0.78
306		-0.0067 GY	0.83
306		-0.0048 GY	0.88
306		-0.0029 GY	0.93
306		-0.0010 GY	0.97
81		-0.0010 GY	0.03
81		-0.0029 GY	0.08
81		-0.0048 GY	0.13
81		-0.0067 GY	0.17
81		-0.0086 GY	0.22
81		-0.0105 GY	0.27
81		-0.0124 GY	0.32
81		-0.0144 GY	0.37
81		-0.0144 GY	0.42
81		-0.0124 GY	0.47
81		-0.0105 GY	0.52
81		-0.0086 GY	0.57
81		-0.0067 GY	0.62
81		-0.0048 GY	0.66
81		-0.0029 GY	0.71
81		-0.0010 GY	0.76
1232		-0.0010 GY	0.03
1232		-0.0029 GY	0.08
1232		-0.0048 GY	0.13
1232		-0.0067 GY	0.17
1232		-0.0086 GY	0.22
1232		-0.0105 GY	0.27
1232		-0.0124 GY	0.32
1232		-0.0144 GY	0.37
1232	-0.3101 GY	0.39	0.51
1232		-0.0144 GY	0.54

1232		-0.0124 GY	0.58
1232		-0.0105 GY	0.63
1232		-0.0086 GY	0.68
1232		-0.0067 GY	0.73
1232		-0.0048 GY	0.78
1232		-0.0029 GY	0.83

1232		-0.0010 GY	0.87
2030		-0.0010 GY	0.03
2030		-0.0029 GY	0.08
2030		-0.0048 GY	0.13
2030		-0.0067 GY	0.17
2030		-0.0086 GY	0.22
2030		-0.0105 GY	0.27
2030		-0.0124 GY	0.32
2030		-0.0144 GY	0.37
2030		-0.0144 GY	0.42
2030		-0.0124 GY	0.47
2030		-0.0105 GY	0.52
2030		-0.0086 GY	0.57
2030		-0.0067 GY	0.62
2030		-0.0048 GY	0.66
2030		-0.0029 GY	0.71
2030		-0.0010 GY	0.76
1226		-0.0010 GY	0.03
1226		-0.0029 GY	0.08
1226		-0.0048 GY	0.13
1226		-0.0067 GY	0.17
1226		-0.0086 GY	0.22
1226		-0.0105 GY	0.27
1226		-0.0124 GY	0.32
1226		-0.0144 GY	0.37
1226	-0.3101 GY	0.39	0.51
1226		-0.0144 GY	0.54
1226		-0.0124 GY	0.58
1226		-0.0105 GY	0.63
1226		-0.0086 GY	0.68
1226		-0.0067 GY	0.73
1226		-0.0048 GY	0.78
1226		-0.0029 GY	0.83
1226		-0.0010 GY	0.87
83		-0.0010 GY	0.03
83		-0.0029 GY	0.08
83		-0.0048 GY	0.13
83		-0.0067 GY	0.17
83		-0.0086 GY	0.22
83		-0.0105 GY	0.27
83		-0.0124 GY	0.32
83		-0.0144 GY	0.37
83		-0.0144 GY	0.42
83		-0.0124 GY	0.47
83		-0.0105 GY	0.52
83		-0.0086 GY	0.57
83		-0.0067 GY	0.62

83		-0.0048 GY	0.66
83		-0.0029 GY	0.71
83		-0.0010 GY	0.76

316		-0.0010 GY	0.03
316		-0.0029 GY	0.08
316		-0.0048 GY	0.13
316		-0.0067 GY	0.17
316		-0.0086 GY	0.22
316		-0.0105 GY	0.27
316		-0.0124 GY	0.32
316		-0.0144 GY	0.37
316	-0.3101 GY	0.39	0.61
316		-0.0144 GY	0.64
316		-0.0124 GY	0.68
316		-0.0105 GY	0.73
316		-0.0086 GY	0.78
316		-0.0067 GY	0.83
316		-0.0048 GY	0.88
316		-0.0029 GY	0.93
316		-0.0010 GY	0.97
359		-0.0010 GY	0.03
359		-0.0029 GY	0.08
359		-0.0048 GY	0.13
359		-0.0067 GY	0.17
359		-0.0086 GY	0.22
359		-0.0105 GY	0.27
359		-0.0124 GY	0.32
359		-0.0144 GY	0.37
359		-0.0144 GY	0.42
359		-0.0124 GY	0.47
359		-0.0105 GY	0.52
359		-0.0086 GY	0.57
359		-0.0067 GY	0.62
359		-0.0048 GY	0.66
359		-0.0029 GY	0.71
359		-0.0010 GY	0.76
304		-0.0010 GY	0.03
304		-0.0029 GY	0.08
304		-0.0048 GY	0.13
304		-0.0067 GY	0.17
304		-0.0086 GY	0.22
304		-0.0105 GY	0.27
304		-0.0124 GY	0.32
304		-0.0144 GY	0.37
304	-0.3101 GY	0.39	0.61

304		-0.0144 GY	0.64
304		-0.0124 GY	0.68
304		-0.0105 GY	0.73
304		-0.0086 GY	0.78
304		-0.0067 GY	0.83
304		-0.0048 GY	0.88
304		-0.0029 GY	0.93
304		-0.0010 GY	0.97
85		-0.0010 GY	0.03
85		-0.0029 GY	0.08
85		-0.0048 GY	0.13
85		-0.0067 GY	0.17
85		-0.0086 GY	0.22
85		-0.0105 GY	0.27

85		-0.0124 GY	0.32
85		-0.0144 GY	0.37
85		-0.0144 GY	0.42
85		-0.0124 GY	0.47
85		-0.0105 GY	0.52
85		-0.0086 GY	0.57
85		-0.0067 GY	0.62
85		-0.0048 GY	0.66
85		-0.0029 GY	0.71
85		-0.0010 GY	0.76
1231		-0.0010 GY	0.03
1231		-0.0029 GY	0.08
1231		-0.0048 GY	0.13
1231		-0.0067 GY	0.17
1231		-0.0086 GY	0.22
1231		-0.0105 GY	0.27
1231		-0.0124 GY	0.32
1231		-0.0144 GY	0.37
1231	-0.3101 GY	0.39	0.45
1231		-0.0144 GY	0.48
1231		-0.0124 GY	0.53
1231		-0.0105 GY	0.58
1231		-0.0086 GY	0.63
1231		-0.0067 GY	0.68
1231		-0.0048 GY	0.72
1231		-0.0029 GY	0.77
1231		-0.0010 GY	0.82
2016		-0.0010 GY	0.03
2016		-0.0029 GY	0.08
2016		-0.0048 GY	0.13
2016		-0.0067 GY	0.17

2016		-0.0086 GY	0.22
2016		-0.0105 GY	0.27
2016		-0.0124 GY	0.32
2016		-0.0144 GY	0.37
2016		-0.0144 GY	0.42
2016		-0.0124 GY	0.47
2016		-0.0105 GY	0.52
2016		-0.0086 GY	0.57
2016		-0.0067 GY	0.62
2016		-0.0048 GY	0.66
2016		-0.0029 GY	0.71
2016		-0.0010 GY	0.76
1225		-0.0010 GY	0.03
1225		-0.0029 GY	0.08
1225		-0.0048 GY	0.13
1225		-0.0067 GY	0.17
1225		-0.0086 GY	0.22
1225		-0.0105 GY	0.27
1225		-0.0124 GY	0.32
1225		-0.0144 GY	0.37
1225	-0.3101 GY	0.39	0.45
1225		-0.0144 GY	0.48
1225		-0.0124 GY	0.53
1225		-0.0105 GY	0.58
1225		-0.0086 GY	0.63

1225		-0.0067 GY	0.68
1225		-0.0048 GY	0.72
1225		-0.0029 GY	0.77
1225		-0.0010 GY	0.82
97		-0.0015 GY	0.05
97		-0.0046 GY	0.11
97		-0.0077 GY	0.18
97		-0.0108 GY	0.24
97		-0.0139 GY	0.31
97		-0.0170 GY	0.38
97		-0.0201 GY	0.45
97		-0.0232 GY	0.52
97		-0.0227 GY	0.59
97		-0.0197 GY	0.65
97		-0.0167 GY	0.72
97		-0.0136 GY	0.79
97		-0.0106 GY	0.86
97		-0.0076 GY	0.92
97		-0.0045 GY	0.99
97		-0.0015 GY	1.05

1818	-0.0015 GY	0.04
1818	-0.0045 GY	0.09
1818	-0.0076 GY	0.14
1818	-0.0106 GY	0.20
1818	-0.0136 GY	0.26
1818	-0.0167 GY	0.31
1818	-0.0197 GY	0.37
1818	-0.0227 GY	0.43
1818	-0.0241 GY	0.49
1818	-0.0209 GY	0.55
1818	-0.0177 GY	0.61
1818	-0.0145 GY	0.67
1818	-0.0113 GY	0.73
1818	-0.0080 GY	0.79
1818	-0.0048 GY	0.85
1818	-0.0016 GY	0.90
1887	-0.0015 GY	0.04
1887	-0.0044 GY	0.10
1887	-0.0074 GY	0.17
1887	-0.0104 GY	0.23
1887	-0.0133 GY	0.30
1887	-0.0163 GY	0.37
1887	-0.0192 GY	0.43
1887	-0.0222 GY	0.50
1887	-0.0237 GY	0.56
1887	-0.0206 GY	0.64
1887	-0.0174 GY	0.71
1887	-0.0142 GY	0.78
1887	-0.0111 GY	0.85
1887	-0.0079 GY	0.92
1887	-0.0047 GY	0.99
1887	-0.0016 GY	1.05
1752	-0.0015 GY	0.04
1752	-0.0046 GY	0.09
1752	-0.0077 GY	0.14
1752	-0.0108 GY	0.20

1752	-0.0139 GY	0.26
1752	-0.0170 GY	0.31
1752	-0.0201 GY	0.37
1752	-0.0232 GY	0.43
1752	-0.0217 GY	0.48
1752	-0.0188 GY	0.54
1752	-0.0159 GY	0.59
1752	-0.0130 GY	0.64
1752	-0.0101 GY	0.69

1752	-0.0072 GY	0.75
1752	-0.0043 GY	0.80
1752	-0.0014 GY	0.85
100	-0.0014 GY	0.04
100	-0.0043 GY	0.10
100	-0.0072 GY	0.16
100	-0.0101 GY	0.23
100	-0.0130 GY	0.29
100	-0.0159 GY	0.36
100	-0.0188 GY	0.42
100	-0.0217 GY	0.48
100	-0.0221 GY	0.55
100	-0.0192 GY	0.61
100	-0.0162 GY	0.68
100	-0.0133 GY	0.75
100	-0.0103 GY	0.81
100	-0.0074 GY	0.88
100	-0.0044 GY	0.94
100	-0.0015 GY	1.00
1560	-0.0015 GY	0.04
1560	-0.0044 GY	0.09
1560	-0.0074 GY	0.14
1560	-0.0103 GY	0.20
1560	-0.0133 GY	0.26
1560	-0.0162 GY	0.31
1560	-0.0192 GY	0.37
1560	-0.0221 GY	0.43
1560	-0.0207 GY	0.48
1560	-0.0180 GY	0.54
1560	-0.0152 GY	0.59
1560	-0.0124 GY	0.64
1560	-0.0097 GY	0.69
1560	-0.0069 GY	0.75
1560	-0.0041 GY	0.80
1560	-0.0014 GY	0.85
1510	-0.0015 GY	0.05
1510	-0.0045 GY	0.11
1510	-0.0076 GY	0.17
1510	-0.0106 GY	0.24
1510	-0.0136 GY	0.31
1510	-0.0167 GY	0.37
1510	-0.0197 GY	0.44
1510	-0.0227 GY	0.51
1510	-0.0211 GY	0.57
1510	-0.0183 GY	0.64
1510	-0.0155 GY	0.70
1510	-0.0126 GY	0.76

1510		-0.0098 GY	0.82
1510		-0.0070 GY	0.89
1510		-0.0042 GY	0.95
1510		-0.0014 GY	1.00
150		-0.0014 GY	0.04
150		-0.0043 GY	0.09
150		-0.0072 GY	0.14
150		-0.0101 GY	0.20
150		-0.0130 GY	0.26
150		-0.0159 GY	0.31
150		-0.0188 GY	0.37
150		-0.0217 GY	0.43
150		-0.0230 GY	0.49
150		-0.0199 GY	0.55
150		-0.0169 GY	0.61
150		-0.0138 GY	0.67
150		-0.0107 GY	0.73
150		-0.0077 GY	0.79
150		-0.0046 GY	0.85
150		-0.0015 GY	0.90
101		-0.0010 GY	0.03
101		-0.0029 GY	0.08
101		-0.0048 GY	0.13
101		-0.0068 GY	0.17
101		-0.0087 GY	0.22
101		-0.0106 GY	0.27
101		-0.0126 GY	0.32
101		-0.0145 GY	0.37
101		-0.0145 GY	0.42
101		-0.0126 GY	0.47
101		-0.0106 GY	0.52
101		-0.0087 GY	0.57
101		-0.0068 GY	0.62
101		-0.0048 GY	0.67
101		-0.0029 GY	0.72
101		-0.0010 GY	0.76
2015		-0.0010 GY	0.03
2015		-0.0029 GY	0.08
2015		-0.0048 GY	0.13
2015		-0.0068 GY	0.17
2015		-0.0087 GY	0.22
2015		-0.0106 GY	0.27
2015		-0.0126 GY	0.32
2015		-0.0145 GY	0.37
2015	-0.3116 GY	0.40	0.54

2015		-0.0145 GY	0.57
2015		-0.0126 GY	0.62
2015		-0.0106 GY	0.67
2015		-0.0087 GY	0.72
2015		-0.0068 GY	0.77
2015		-0.0048 GY	0.81
2015		-0.0029 GY	0.86
2015		-0.0010 GY	0.91
1935		-0.0010 GY	0.03
1935		-0.0029 GY	0.08
1935		-0.0048 GY	0.13

1935		-0.0068 GY	0.17
1935		-0.0087 GY	0.22
1935		-0.0106 GY	0.27
1935		-0.0126 GY	0.32
1935		-0.0145 GY	0.37
1935		-0.0145 GY	0.42
1935		-0.0126 GY	0.47
1935		-0.0106 GY	0.52
1935		-0.0087 GY	0.57
1935		-0.0068 GY	0.62
1935		-0.0048 GY	0.67
1935		-0.0029 GY	0.72
1935		-0.0010 GY	0.76
144		-0.0010 GY	0.03
144		-0.0029 GY	0.08
144		-0.0048 GY	0.13
144		-0.0068 GY	0.17
144		-0.0087 GY	0.22
144		-0.0106 GY	0.27
144		-0.0126 GY	0.32
144		-0.0145 GY	0.37
144	-0.3116 GY	0.40	0.54
144		-0.0145 GY	0.57
144		-0.0126 GY	0.62
144		-0.0106 GY	0.67
144		-0.0087 GY	0.72
144		-0.0068 GY	0.77
144		-0.0048 GY	0.81
144		-0.0029 GY	0.86
144		-0.0010 GY	0.91
102		-0.0012 GY	0.04
102		-0.0036 GY	0.09
102		-0.0060 GY	0.14
102		-0.0084 GY	0.19

102		-0.0108 GY	0.25
102		-0.0131 GY	0.30
102		-0.0155 GY	0.36
102		-0.0179 GY	0.41
102	-0.3466 GY	0.44	0.61
102		-0.0179 GY	0.64
102		-0.0155 GY	0.69
102		-0.0131 GY	0.75
102		-0.0108 GY	0.80
102		-0.0084 GY	0.86
102		-0.0060 GY	0.91
102		-0.0036 GY	0.96
102		-0.0012 GY	1.01
1559		-0.0012 GY	0.04
1559		-0.0036 GY	0.09
1559		-0.0060 GY	0.14
1559		-0.0084 GY	0.19
1559		-0.0108 GY	0.25
1559		-0.0131 GY	0.30
1559		-0.0155 GY	0.36
1559		-0.0179 GY	0.41
1559		-0.0179 GY	0.47

1559		-0.0155 GY	0.52
1559		-0.0131 GY	0.58
1559		-0.0108 GY	0.63
1559		-0.0084 GY	0.69
1559		-0.0060 GY	0.74
1559		-0.0036 GY	0.80
1559		-0.0012 GY	0.85
1514		-0.0012 GY	0.04
1514		-0.0036 GY	0.09
1514		-0.0060 GY	0.14
1514		-0.0084 GY	0.19
1514		-0.0108 GY	0.25
1514		-0.0131 GY	0.30
1514		-0.0155 GY	0.36
1514		-0.0179 GY	0.41
1514	-0.3466 GY	0.44	0.61
1514		-0.0179 GY	0.64
1514		-0.0155 GY	0.69
1514		-0.0131 GY	0.75
1514		-0.0108 GY	0.80
1514		-0.0084 GY	0.86
1514		-0.0060 GY	0.91
1514		-0.0036 GY	0.96

1514		-0.0012 GY	1.01
1601		-0.0012 GY	0.04
1601		-0.0036 GY	0.09
1601		-0.0060 GY	0.14
1601		-0.0084 GY	0.19
1601		-0.0108 GY	0.25
1601		-0.0131 GY	0.30
1601		-0.0155 GY	0.36
1601		-0.0179 GY	0.41
1601		-0.0179 GY	0.47
1601		-0.0155 GY	0.52
1601		-0.0131 GY	0.58
1601		-0.0108 GY	0.63
1601		-0.0084 GY	0.69
1601		-0.0060 GY	0.74
1601		-0.0036 GY	0.80
1601		-0.0012 GY	0.85
105		-0.0011 GY	0.04
105		-0.0033 GY	0.08
105		-0.0055 GY	0.13
105		-0.0078 GY	0.19
105		-0.0100 GY	0.24
105		-0.0122 GY	0.29
105		-0.0144 GY	0.35
105		-0.0166 GY	0.40
105		-0.0166 GY	0.45
105		-0.0144 GY	0.50
105		-0.0122 GY	0.56
105		-0.0100 GY	0.61
105		-0.0078 GY	0.66
105		-0.0055 GY	0.72
105		-0.0033 GY	0.77
105		-0.0011 GY	0.81

2107		-0.0011 GY	0.04
2107		-0.0033 GY	0.08
2107		-0.0055 GY	0.13
2107		-0.0078 GY	0.19
2107		-0.0100 GY	0.24
2107		-0.0122 GY	0.29
2107		-0.0144 GY	0.35
2107		-0.0166 GY	0.40
2107	-0.3336 GY	0.43	0.52
2107		-0.0166 GY	0.54
2107		-0.0144 GY	0.59
2107		-0.0122 GY	0.65

2107		-0.0100 GY	0.70	
2107		-0.0078 GY	0.75	
2107		-0.0055 GY	0.81	
2107		-0.0033 GY	0.86	
2107		-0.0011 GY	0.90	
1716		-0.0011 GY	0.04	
1716		-0.0033 GY	0.08	
1716		-0.0055 GY	0.13	
1716		-0.0078 GY	0.19	
1716		-0.0100 GY	0.24	
1716		-0.0122 GY	0.29	
1716		-0.0144 GY	0.35	
1716		-0.0166 GY	0.40	
1716		-0.0166 GY	0.45	
1716		-0.0144 GY	0.50	
1716		-0.0122 GY	0.56	
1716		-0.0100 GY	0.61	
1716		-0.0078 GY	0.66	
1716		-0.0055 GY	0.72	
1716		-0.0033 GY	0.77	
1716		-0.0011 GY	0.81	
155		-0.0011 GY	0.04	
155		-0.0033 GY	0.08	
155		-0.0055 GY	0.13	
155		-0.0078 GY	0.19	
155		-0.0100 GY	0.24	
155		-0.0122 GY	0.29	
155		-0.0144 GY	0.35	
155		-0.0166 GY	0.40	
155	-0.3336 GY	0.43	0.52	
155		-0.0166 GY	0.54	
155		-0.0144 GY	0.59	
155		-0.0122 GY	0.65	
155		-0.0100 GY	0.70	
155		-0.0078 GY	0.75	
155		-0.0055 GY	0.81	
155		-0.0033 GY	0.86	
155		-0.0011 GY	0.90	
105		-0.0011 GY	0.04	
105		-0.0033 GY	0.08	
105		-0.0055 GY	0.13	
105		-0.0078 GY	0.19	
105		-0.0100 GY	0.24	
105		-0.0122 GY	0.29	

105		-0.0144 GY	0.35	

105		-0.0166 GY	0.40
105		-0.0166 GY	0.45
105		-0.0144 GY	0.50
105		-0.0122 GY	0.56
105		-0.0100 GY	0.61
105		-0.0078 GY	0.66
105		-0.0055 GY	0.72
105		-0.0033 GY	0.77
105		-0.0011 GY	0.81
2112		-0.0011 GY	0.04
2112		-0.0033 GY	0.08
2112		-0.0055 GY	0.13
2112		-0.0078 GY	0.19
2112		-0.0100 GY	0.24
2112		-0.0122 GY	0.29
2112		-0.0144 GY	0.35
2112		-0.0166 GY	0.40
2112	-0.3336 GY	0.42	0.62
2112		-0.0166 GY	0.65
2112		-0.0144 GY	0.70
2112		-0.0122 GY	0.76
2112		-0.0100 GY	0.81
2112		-0.0078 GY	0.86
2112		-0.0055 GY	0.92
2112		-0.0033 GY	0.97
2112		-0.0011 GY	1.01
2110		-0.0011 GY	0.04
2110		-0.0033 GY	0.08
2110		-0.0055 GY	0.13
2110		-0.0078 GY	0.19
2110		-0.0100 GY	0.24
2110		-0.0122 GY	0.29
2110		-0.0144 GY	0.35
2110		-0.0166 GY	0.40
2110		-0.0166 GY	0.45
2110		-0.0144 GY	0.50
2110		-0.0122 GY	0.56
2110		-0.0100 GY	0.61
2110		-0.0078 GY	0.66
2110		-0.0055 GY	0.72
2110		-0.0033 GY	0.77
2110		-0.0011 GY	0.81
802		-0.0011 GY	0.04
802		-0.0033 GY	0.08
802		-0.0055 GY	0.13
802		-0.0078 GY	0.19
802		-0.0100 GY	0.24

802		-0.0122 GY	0.29	
802		-0.0144 GY	0.35	
802		-0.0166 GY	0.40	
802	-0.3336 GY	0.42	0.62	
802		-0.0166 GY	0.65	
802		-0.0144 GY	0.70	
802		-0.0122 GY	0.76	
802		-0.0100 GY	0.81	

802		-0.0078 GY	0.86	
802		-0.0055 GY	0.92	
802		-0.0033 GY	0.97	
802		-0.0011 GY	1.01	
107		-0.0010 GY	0.03	
107		-0.0029 GY	0.08	
107		-0.0048 GY	0.13	
107		-0.0068 GY	0.17	
107		-0.0087 GY	0.22	
107		-0.0106 GY	0.27	
107		-0.0126 GY	0.32	
107		-0.0145 GY	0.37	
107		-0.0145 GY	0.42	
107		-0.0126 GY	0.47	
107		-0.0106 GY	0.52	
107		-0.0087 GY	0.57	
107		-0.0068 GY	0.62	
107		-0.0048 GY	0.67	
107		-0.0029 GY	0.72	
107		-0.0010 GY	0.76	
2080		-0.0010 GY	0.03	
2080		-0.0029 GY	0.08	
2080		-0.0048 GY	0.13	
2080		-0.0068 GY	0.17	
2080		-0.0087 GY	0.22	
2080		-0.0106 GY	0.27	
2080		-0.0126 GY	0.32	
2080		-0.0145 GY	0.37	
2080	-0.3116 GY	0.40	0.54	
2080		-0.0145 GY	0.57	
2080		-0.0126 GY	0.62	
2080		-0.0106 GY	0.67	
2080		-0.0087 GY	0.72	
2080		-0.0068 GY	0.77	
2080		-0.0048 GY	0.81	
2080		-0.0029 GY	0.86	
2080		-0.0010 GY	0.91	

1714		-0.0010 GY	0.03
1714		-0.0029 GY	0.08
1714		-0.0048 GY	0.13
1714		-0.0068 GY	0.17
1714		-0.0087 GY	0.22
1714		-0.0106 GY	0.27
1714		-0.0126 GY	0.32
1714		-0.0145 GY	0.37
1714		-0.0145 GY	0.42
1714		-0.0126 GY	0.47
1714		-0.0106 GY	0.52
1714		-0.0087 GY	0.57
1714		-0.0068 GY	0.62
1714		-0.0048 GY	0.67
1714		-0.0029 GY	0.72
1714		-0.0010 GY	0.76
143		-0.0010 GY	0.03
143		-0.0029 GY	0.08
143		-0.0048 GY	0.13

143		-0.0068 GY	0.17
143		-0.0087 GY	0.22
143		-0.0106 GY	0.27
143		-0.0126 GY	0.32
143		-0.0145 GY	0.37
143	-0.3116 GY	0.40	0.54
143		-0.0145 GY	0.57
143		-0.0126 GY	0.62
143		-0.0106 GY	0.67
143		-0.0087 GY	0.72
143		-0.0068 GY	0.77
143		-0.0048 GY	0.81
143		-0.0029 GY	0.86
143		-0.0010 GY	0.91
107		-0.0010 GY	0.03
107		-0.0029 GY	0.08
107		-0.0048 GY	0.13
107		-0.0068 GY	0.17
107		-0.0087 GY	0.22
107		-0.0106 GY	0.27
107		-0.0126 GY	0.32
107		-0.0145 GY	0.37
107		-0.0145 GY	0.42
107		-0.0126 GY	0.47
107		-0.0106 GY	0.52
107		-0.0087 GY	0.57

107		-0.0068 GY	0.62
107		-0.0048 GY	0.67
107		-0.0029 GY	0.72
107		-0.0010 GY	0.76
2085		-0.0010 GY	0.03
2085		-0.0029 GY	0.08
2085		-0.0048 GY	0.13
2085		-0.0068 GY	0.17
2085		-0.0087 GY	0.22
2085		-0.0106 GY	0.27
2085		-0.0126 GY	0.32
2085		-0.0145 GY	0.37
2085	-0.3116 GY	0.40	0.65
2085		-0.0145 GY	0.68
2085		-0.0126 GY	0.73
2085		-0.0106 GY	0.78
2085		-0.0087 GY	0.83
2085		-0.0068 GY	0.88
2085		-0.0048 GY	0.92
2085		-0.0029 GY	0.97
2085		-0.0010 GY	1.02
2083		-0.0010 GY	0.03
2083		-0.0029 GY	0.08
2083		-0.0048 GY	0.13
2083		-0.0068 GY	0.17
2083		-0.0087 GY	0.22
2083		-0.0106 GY	0.27
2083		-0.0126 GY	0.32
2083		-0.0145 GY	0.37
2083		-0.0145 GY	0.42

2083	-0.0126 GY	0.47
2083	-0.0106 GY	0.52
2083	-0.0087 GY	0.57
2083	-0.0068 GY	0.62
2083	-0.0048 GY	0.67
2083	-0.0029 GY	0.72
2083	-0.0010 GY	0.76
859	-0.0010 GY	0.03
859	-0.0029 GY	0.08
859	-0.0048 GY	0.13
859	-0.0068 GY	0.17
859	-0.0087 GY	0.22
859	-0.0106 GY	0.27
859	-0.0126 GY	0.32
859	-0.0145 GY	0.37

859	-0.3116 GY	0.40	0.65
859		-0.0145 GY	0.68
859		-0.0126 GY	0.73
859		-0.0106 GY	0.78
859		-0.0087 GY	0.83
859		-0.0068 GY	0.88
859		-0.0048 GY	0.92
859		-0.0029 GY	0.97
859		-0.0010 GY	1.02
117		-0.0011 GY	0.04
117		-0.0033 GY	0.08
117		-0.0055 GY	0.13
117		-0.0078 GY	0.19
117		-0.0100 GY	0.24
117		-0.0122 GY	0.29
117		-0.0144 GY	0.35
117		-0.0166 GY	0.40
117		-0.0166 GY	0.45
117		-0.0144 GY	0.50
117		-0.0122 GY	0.56
117		-0.0100 GY	0.61
117		-0.0078 GY	0.66
117		-0.0055 GY	0.72
117		-0.0033 GY	0.77
117		-0.0011 GY	0.81
2102		-0.0011 GY	0.04
2102		-0.0033 GY	0.08
2102		-0.0055 GY	0.13
2102		-0.0078 GY	0.19
2102		-0.0100 GY	0.24
2102		-0.0122 GY	0.29
2102		-0.0144 GY	0.35
2102		-0.0166 GY	0.40
2102	-0.3336 GY	0.42	0.51
2102		-0.0166 GY	0.54
2102		-0.0144 GY	0.59
2102		-0.0122 GY	0.65
2102		-0.0100 GY	0.70
2102		-0.0078 GY	0.75
2102		-0.0055 GY	0.81
2102		-0.0033 GY	0.86

2102	-0.0011 GY	0.90
1717	-0.0011 GY	0.04
1717	-0.0033 GY	0.08
1717	-0.0055 GY	0.13

1717		-0.0078 GY	0.19
1717		-0.0100 GY	0.24
1717		-0.0122 GY	0.29
1717		-0.0144 GY	0.35
1717		-0.0166 GY	0.40
1717		-0.0166 GY	0.45
1717		-0.0144 GY	0.50
1717		-0.0122 GY	0.56
1717		-0.0100 GY	0.61
1717		-0.0078 GY	0.66
1717		-0.0055 GY	0.72
1717		-0.0033 GY	0.77
1717		-0.0011 GY	0.81
153		-0.0011 GY	0.04
153		-0.0033 GY	0.08
153		-0.0055 GY	0.13
153		-0.0078 GY	0.19
153		-0.0100 GY	0.24
153		-0.0122 GY	0.29
153		-0.0144 GY	0.35
153		-0.0166 GY	0.40
153	-0.3336 GY	0.42	0.51
153		-0.0166 GY	0.54
153		-0.0144 GY	0.59
153		-0.0122 GY	0.65
153		-0.0100 GY	0.70
153		-0.0078 GY	0.75
153		-0.0055 GY	0.81
153		-0.0033 GY	0.86
153		-0.0011 GY	0.90
117		-0.0011 GY	0.04
117		-0.0033 GY	0.08
117		-0.0055 GY	0.13
117		-0.0078 GY	0.19
117		-0.0100 GY	0.24
117		-0.0122 GY	0.29
117		-0.0144 GY	0.35
117		-0.0166 GY	0.40
117		-0.0166 GY	0.45
117		-0.0144 GY	0.50
117		-0.0122 GY	0.56
117		-0.0100 GY	0.61
117		-0.0078 GY	0.66
117		-0.0055 GY	0.72
117		-0.0033 GY	0.77
117		-0.0011 GY	0.81
2117		-0.0011 GY	0.04

2117		-0.0033 GY	0.08
2117		-0.0055 GY	0.13
2117		-0.0078 GY	0.19
2117		-0.0100 GY	0.24
2117		-0.0122 GY	0.29

2117		-0.0144 GY	0.35
2117		-0.0166 GY	0.40
2117	-0.3336 GY	0.42	0.52
2117		-0.0166 GY	0.54
2117		-0.0144 GY	0.59
2117		-0.0122 GY	0.65
2117		-0.0100 GY	0.70
2117		-0.0078 GY	0.75
2117		-0.0055 GY	0.81
2117		-0.0033 GY	0.86
2117		-0.0011 GY	0.90
2115		-0.0011 GY	0.04
2115		-0.0033 GY	0.08
2115		-0.0055 GY	0.13
2115		-0.0078 GY	0.19
2115		-0.0100 GY	0.24
2115		-0.0122 GY	0.29
2115		-0.0144 GY	0.35
2115		-0.0166 GY	0.40
2115		-0.0166 GY	0.45
2115		-0.0144 GY	0.50
2115		-0.0122 GY	0.56
2115		-0.0100 GY	0.61
2115		-0.0078 GY	0.66
2115		-0.0055 GY	0.72
2115		-0.0033 GY	0.77
2115		-0.0011 GY	0.81
808		-0.0011 GY	0.04
808		-0.0033 GY	0.08
808		-0.0055 GY	0.13
808		-0.0078 GY	0.19
808		-0.0100 GY	0.24
808		-0.0122 GY	0.29
808		-0.0144 GY	0.35
808		-0.0166 GY	0.40
808	-0.3336 GY	0.42	0.52
808		-0.0166 GY	0.54
808		-0.0144 GY	0.59
808		-0.0122 GY	0.65
808		-0.0100 GY	0.70

808		-0.0078 GY	0.75
808		-0.0055 GY	0.81
808		-0.0033 GY	0.86
808		-0.0011 GY	0.90
119		-0.0010 GY	0.03
119		-0.0029 GY	0.08
119		-0.0048 GY	0.13
119		-0.0068 GY	0.17
119		-0.0087 GY	0.22
119		-0.0106 GY	0.27
119		-0.0126 GY	0.32
119		-0.0145 GY	0.37
119		-0.0145 GY	0.42
119		-0.0126 GY	0.47
119		-0.0106 GY	0.52
119		-0.0087 GY	0.57

119		-0.0068 GY	0.62
119		-0.0048 GY	0.67
119		-0.0029 GY	0.72
119		-0.0010 GY	0.76
2075		-0.0010 GY	0.03
2075		-0.0029 GY	0.08
2075		-0.0048 GY	0.13
2075		-0.0068 GY	0.17
2075		-0.0087 GY	0.22
2075		-0.0106 GY	0.27
2075		-0.0126 GY	0.32
2075		-0.0145 GY	0.37
2075	-0.3116 GY	0.40	0.54
2075		-0.0145 GY	0.57
2075		-0.0126 GY	0.62
2075		-0.0106 GY	0.67
2075		-0.0087 GY	0.72
2075		-0.0068 GY	0.77
2075		-0.0048 GY	0.81
2075		-0.0029 GY	0.86
2075		-0.0010 GY	0.91
1715		-0.0010 GY	0.03
1715		-0.0029 GY	0.08
1715		-0.0048 GY	0.13
1715		-0.0068 GY	0.17
1715		-0.0087 GY	0.22
1715		-0.0106 GY	0.27
1715		-0.0126 GY	0.32
1715		-0.0145 GY	0.37

1715		-0.0145 GY	0.42
1715		-0.0126 GY	0.47
1715		-0.0106 GY	0.52
1715		-0.0087 GY	0.57
1715		-0.0068 GY	0.62
1715		-0.0048 GY	0.67
1715		-0.0029 GY	0.72
1715		-0.0010 GY	0.76
141		-0.0010 GY	0.03
141		-0.0029 GY	0.08
141		-0.0048 GY	0.13
141		-0.0068 GY	0.17
141		-0.0087 GY	0.22
141		-0.0106 GY	0.27
141		-0.0126 GY	0.32
141		-0.0145 GY	0.37
141	-0.3116 GY	0.40	0.54
141		-0.0145 GY	0.57
141		-0.0126 GY	0.62
141		-0.0106 GY	0.67
141		-0.0087 GY	0.72
141		-0.0068 GY	0.77
141		-0.0048 GY	0.81
141		-0.0029 GY	0.86
141		-0.0010 GY	0.91
119		-0.0010 GY	0.03
119		-0.0029 GY	0.08

119		-0.0048 GY	0.13
119		-0.0068 GY	0.17
119		-0.0087 GY	0.22
119		-0.0106 GY	0.27
119		-0.0126 GY	0.32
119		-0.0145 GY	0.37
119		-0.0145 GY	0.42
119		-0.0126 GY	0.47
119		-0.0106 GY	0.52
119		-0.0087 GY	0.57
119		-0.0068 GY	0.62
119		-0.0048 GY	0.67
119		-0.0029 GY	0.72
119		-0.0010 GY	0.76
2090		-0.0010 GY	0.03
2090		-0.0029 GY	0.08
2090		-0.0048 GY	0.13
2090		-0.0068 GY	0.17

2090		-0.0087 GY	0.22
2090		-0.0106 GY	0.27
2090		-0.0126 GY	0.32
2090		-0.0145 GY	0.37
2090	-0.3116 GY	0.40	0.54
2090		-0.0145 GY	0.57
2090		-0.0126 GY	0.62
2090		-0.0106 GY	0.67
2090		-0.0087 GY	0.72
2090		-0.0068 GY	0.77
2090		-0.0048 GY	0.81
2090		-0.0029 GY	0.86
2090		-0.0010 GY	0.91
2088		-0.0010 GY	0.03
2088		-0.0029 GY	0.08
2088		-0.0048 GY	0.13
2088		-0.0068 GY	0.17
2088		-0.0087 GY	0.22
2088		-0.0106 GY	0.27
2088		-0.0126 GY	0.32
2088		-0.0145 GY	0.37
2088		-0.0145 GY	0.42
2088		-0.0126 GY	0.47
2088		-0.0106 GY	0.52
2088		-0.0087 GY	0.57
2088		-0.0068 GY	0.62
2088		-0.0048 GY	0.67
2088		-0.0029 GY	0.72
2088		-0.0010 GY	0.76
868		-0.0010 GY	0.03
868		-0.0029 GY	0.08
868		-0.0048 GY	0.13
868		-0.0068 GY	0.17
868		-0.0087 GY	0.22
868		-0.0106 GY	0.27
868		-0.0126 GY	0.32
868		-0.0145 GY	0.37
868	-0.3116 GY	0.40	0.54

868		-0.0145 GY	0.57
868		-0.0126 GY	0.62
868		-0.0106 GY	0.67
868		-0.0087 GY	0.72
868		-0.0068 GY	0.77
868		-0.0048 GY	0.81
868		-0.0029 GY	0.86

868		-0.0010 GY	0.91
127		-0.0011 GY	0.04
127		-0.0034 GY	0.08
127		-0.0057 GY	0.14
127		-0.0079 GY	0.19
127		-0.0102 GY	0.24
127		-0.0125 GY	0.30
127		-0.0147 GY	0.35
127		-0.0170 GY	0.40
127	-0.3373 GY	0.43	0.66
127		-0.0170 GY	0.69
127		-0.0147 GY	0.74
127		-0.0125 GY	0.80
127		-0.0102 GY	0.85
127		-0.0079 GY	0.91
127		-0.0057 GY	0.96
127		-0.0034 GY	1.01
127		-0.0011 GY	1.06
1813		-0.0011 GY	0.04
1813		-0.0034 GY	0.08
1813		-0.0057 GY	0.14
1813		-0.0079 GY	0.19
1813		-0.0102 GY	0.24
1813		-0.0125 GY	0.30
1813		-0.0147 GY	0.35
1813		-0.0170 GY	0.40
1813		-0.0170 GY	0.46
1813		-0.0147 GY	0.51
1813		-0.0125 GY	0.56
1813		-0.0102 GY	0.62
1813		-0.0079 GY	0.67
1813		-0.0057 GY	0.72
1813		-0.0034 GY	0.78
1813		-0.0011 GY	0.82
1502		-0.0011 GY	0.04
1502		-0.0034 GY	0.08
1502		-0.0057 GY	0.14
1502		-0.0079 GY	0.19
1502		-0.0102 GY	0.24
1502		-0.0125 GY	0.30
1502		-0.0147 GY	0.35
1502		-0.0170 GY	0.40
1502	-0.3375 GY	0.43	0.66
1502		-0.0170 GY	0.69
1502		-0.0147 GY	0.74
1502		-0.0125 GY	0.80
1502		-0.0102 GY	0.85

1502		-0.0079 GY	0.91
1502		-0.0057 GY	0.96

1502		-0.0034 GY	1.01
1502		-0.0011 GY	1.06
1747		-0.0011 GY	0.04
1747		-0.0034 GY	0.08
1747		-0.0057 GY	0.14
1747		-0.0079 GY	0.19
1747		-0.0102 GY	0.24
1747		-0.0125 GY	0.30
1747		-0.0147 GY	0.35
1747		-0.0170 GY	0.40
1747		-0.0170 GY	0.46
1747		-0.0147 GY	0.51
1747		-0.0125 GY	0.56
1747		-0.0102 GY	0.62
1747		-0.0079 GY	0.67
1747		-0.0057 GY	0.72
1747		-0.0034 GY	0.78
1747		-0.0011 GY	0.82
127		-0.0010 GY	0.03
127		-0.0030 GY	0.08
127		-0.0051 GY	0.13
127		-0.0071 GY	0.18
127		-0.0091 GY	0.23
127		-0.0112 GY	0.28
127		-0.0132 GY	0.33
127		-0.0152 GY	0.38
127	-0.3194 GY	0.41	0.69
127		-0.0152 GY	0.71
127		-0.0132 GY	0.76
127		-0.0112 GY	0.81
127		-0.0091 GY	0.87
127		-0.0071 GY	0.92
127		-0.0051 GY	0.97
127		-0.0030 GY	1.02
127		-0.0010 GY	1.06
1868		-0.0010 GY	0.03
1868		-0.0030 GY	0.08
1868		-0.0051 GY	0.13
1868		-0.0071 GY	0.18
1868		-0.0091 GY	0.23
1868		-0.0112 GY	0.28
1868		-0.0132 GY	0.33
1868		-0.0152 GY	0.38

1868		-0.0152 GY	0.43
1868		-0.0132 GY	0.48
1868		-0.0112 GY	0.53
1868		-0.0091 GY	0.58
1868		-0.0071 GY	0.63
1868		-0.0051 GY	0.68
1868		-0.0030 GY	0.73
1868		-0.0010 GY	0.78
754		-0.0010 GY	0.03
754		-0.0030 GY	0.08
754		-0.0051 GY	0.13
754		-0.0071 GY	0.18
754		-0.0091 GY	0.23

754		-0.0112 GY	0.28
754		-0.0132 GY	0.33
754		-0.0152 GY	0.38
754	-0.3193 GY	0.41	0.69
754		-0.0152 GY	0.71
754		-0.0132 GY	0.76
754		-0.0112 GY	0.81
754		-0.0091 GY	0.87
754		-0.0071 GY	0.92
754		-0.0051 GY	0.97
754		-0.0030 GY	1.02
754		-0.0010 GY	1.06
1802		-0.0010 GY	0.03
1802		-0.0030 GY	0.08
1802		-0.0051 GY	0.13
1802		-0.0071 GY	0.18
1802		-0.0091 GY	0.23
1802		-0.0112 GY	0.28
1802		-0.0132 GY	0.33
1802		-0.0152 GY	0.38
1802		-0.0152 GY	0.43
1802		-0.0132 GY	0.48
1802		-0.0112 GY	0.53
1802		-0.0091 GY	0.58
1802		-0.0071 GY	0.63
1802		-0.0051 GY	0.68
1802		-0.0030 GY	0.73
1802		-0.0010 GY	0.78
128		-0.0010 GY	0.03
128		-0.0029 GY	0.08
128		-0.0048 GY	0.13
128		-0.0068 GY	0.17

128		-0.0087 GY	0.22
128		-0.0106 GY	0.27
128		-0.0126 GY	0.32
128		-0.0145 GY	0.37
128		-0.0145 GY	0.42
128		-0.0126 GY	0.47
128		-0.0106 GY	0.52
128		-0.0087 GY	0.57
128		-0.0068 GY	0.62
128		-0.0048 GY	0.67
128		-0.0029 GY	0.72
128		-0.0010 GY	0.76
1497		-0.0010 GY	0.03
1497		-0.0029 GY	0.08
1497		-0.0048 GY	0.13
1497		-0.0068 GY	0.17
1497		-0.0087 GY	0.22
1497		-0.0106 GY	0.27
1497		-0.0126 GY	0.32
1497		-0.0145 GY	0.37
1497	-0.3116 GY	0.40	0.42
1497		-0.0145 GY	0.44
1497		-0.0126 GY	0.49
1497		-0.0106 GY	0.54

1497		-0.0087 GY	0.59
1497		-0.0068 GY	0.64
1497		-0.0048 GY	0.69
1497		-0.0029 GY	0.74
1497		-0.0010 GY	0.78
757		-0.0010 GY	0.03
757		-0.0029 GY	0.08
757		-0.0048 GY	0.13
757		-0.0068 GY	0.17
757		-0.0087 GY	0.22
757		-0.0106 GY	0.27
757		-0.0126 GY	0.32
757		-0.0145 GY	0.37
757		-0.0145 GY	0.42
757		-0.0126 GY	0.47
757		-0.0106 GY	0.52
757		-0.0087 GY	0.57
757		-0.0068 GY	0.62
757		-0.0048 GY	0.67
757		-0.0029 GY	0.72
757		-0.0010 GY	0.76

1493		-0.0010 GY	0.03
1493		-0.0029 GY	0.08
1493		-0.0048 GY	0.13
1493		-0.0068 GY	0.17
1493		-0.0087 GY	0.22
1493		-0.0106 GY	0.27
1493		-0.0126 GY	0.32
1493		-0.0145 GY	0.37
1493	-0.3117 GY	0.40	0.42
1493		-0.0145 GY	0.44
1493		-0.0126 GY	0.49
1493		-0.0106 GY	0.54
1493		-0.0087 GY	0.59
1493		-0.0068 GY	0.64
1493		-0.0048 GY	0.69
1493		-0.0029 GY	0.74
1493		-0.0010 GY	0.78
128		-0.0194 GY	0.07
128		-0.0581 GY	0.15
128		-0.0969 GY	0.25
128		-0.1356 GY	0.35
128		-0.1744 GY	0.45
128		-0.2132 GY	0.55
128		-0.2519 GY	0.65
128		-0.2907 GY	0.75
344		-0.2282 GY	0.04
344		-0.2474 GY	0.11
344		-0.2667 GY	0.18
344		-0.2859 GY	0.25
344		-0.3052 GY	0.32
344		-0.3244 GY	0.39
344		-0.3437 GY	0.46
344		-0.3629 GY	0.53
344		-0.2872 GY	0.59
344		-0.2752 GY	0.64

344	-0.2633 GY	0.70
344	-0.2514 GY	0.75
344	-0.2394 GY	0.81
344	-0.2275 GY	0.86
344	-0.2156 GY	0.92
344	-0.2037 GY	0.97
345	-0.3839 GY	0.06
345	-0.3327 GY	0.17
345	-0.2815 GY	0.28
345	-0.2303 GY	0.40

345	-0.1791 GY	0.51
345	-0.1280 GY	0.62
345	-0.0768 GY	0.73
345	-0.0256 GY	0.84
1747	-0.0135 GY	0.05
1747	-0.0117 GY	0.16
1747	-0.0099 GY	0.27
1747	-0.0081 GY	0.37
1747	-0.0063 GY	0.48
1747	-0.0045 GY	0.59
1747	-0.0027 GY	0.69
1747	-0.0009 GY	0.79
1759	-0.0379 GY	0.06
1759	-0.0352 GY	0.20
1759	-0.0325 GY	0.33
1759	-0.0298 GY	0.46
1759	-0.0271 GY	0.59
1759	-0.0244 GY	0.72
1759	-0.0217 GY	0.85
1759	-0.0190 GY	0.98
1758	-0.0594 GY	0.07
1758	-0.0567 GY	0.20
1758	-0.0540 GY	0.33
1758	-0.0513 GY	0.46
1758	-0.0487 GY	0.59
1758	-0.0460 GY	0.72
1758	-0.0433 GY	0.85
1758	-0.0406 GY	0.98
1757	-0.0810 GY	0.07
1757	-0.0783 GY	0.20
1757	-0.0756 GY	0.33
1757	-0.0729 GY	0.46
1757	-0.0702 GY	0.59
1757	-0.0675 GY	0.72
1757	-0.0648 GY	0.85
1757	-0.0621 GY	0.98
1748	-0.0899 GY	0.06
1748	-0.0878 GY	0.18
1748	-0.0856 GY	0.29
1748	-0.0834 GY	0.41
1748	-0.0813 GY	0.53
1748	-0.0791 GY	0.65
1748	-0.0770 GY	0.76
1748	-0.0748 GY	0.88
1749	-0.1072 GY	0.06
1749	-0.1050 GY	0.18

1749	-0.1029 GY	0.29
1749	-0.1007 GY	0.41
1749	-0.0986 GY	0.53
1749	-0.0964 GY	0.65
1749	-0.0942 GY	0.76
1749	-0.0921 GY	0.88
1762	-0.0060 GY	0.00
1762	-0.0060 GY	0.01
1762	-0.0060 GY	0.01
1762	-0.0060 GY	0.02
1762	-0.0060 GY	0.03
1762	-0.0060 GY	0.03
1762	-0.0060 GY	0.04
1762	-0.0060 GY	0.04
1762	-0.1177 GY	0.10
1762	-0.1158 GY	0.21
1762	-0.1138 GY	0.32
1762	-0.1119 GY	0.44
1762	-0.1099 GY	0.55
1762	-0.1079 GY	0.66
1762	-0.1060 GY	0.77
1762	-0.1040 GY	0.88
1761	-0.1077 GY	0.06
1761	-0.1099 GY	0.18
1761	-0.1120 GY	0.29
1761	-0.1142 GY	0.41
1761	-0.1163 GY	0.53
1761	-0.1185 GY	0.65
1761	-0.1207 GY	0.76
1761	-0.1228 GY	0.88
1760	-0.0905 GY	0.06
1760	-0.0926 GY	0.18
1760	-0.0948 GY	0.29
1760	-0.0969 GY	0.41
1760	-0.0991 GY	0.53
1760	-0.1012 GY	0.65
1760	-0.1034 GY	0.76
1760	-0.1056 GY	0.88
1750	-0.0732 GY	0.06
1750	-0.0754 GY	0.18
1750	-0.0775 GY	0.29
1750	-0.0797 GY	0.41
1750	-0.0818 GY	0.53
1750	-0.0840 GY	0.65
1750	-0.0861 GY	0.76
1750	-0.0883 GY	0.88

1751	-0.0559 GY	0.06
1751	-0.0581 GY	0.18
1751	-0.0602 GY	0.29
1751	-0.0624 GY	0.41
1751	-0.0646 GY	0.53
1751	-0.0667 GY	0.65
1751	-0.0689 GY	0.76
1751	-0.0710 GY	0.88
1756	-0.0411 GY	0.07
1756	-0.0438 GY	0.20

1756	-0.0465 GY	0.33
1756	-0.0492 GY	0.46
1756	-0.0518 GY	0.59
1756	-0.0545 GY	0.72
1756	-0.0572 GY	0.85
1756	-0.0599 GY	0.98
1755	-0.0194 GY	0.06
1755	-0.0215 GY	0.18
1755	-0.0237 GY	0.29
1755	-0.0259 GY	0.41
1755	-0.0280 GY	0.53
1755	-0.0302 GY	0.65
1755	-0.0323 GY	0.76
1755	-0.0345 GY	0.88
2203	-0.0021 GY	0.07
2203	-0.0043 GY	0.18
2203	-0.0064 GY	0.30
2203	-0.0086 GY	0.41
2203	-0.0108 GY	0.53
2203	-0.0129 GY	0.65
2203	-0.0151 GY	0.77
2203	-0.0172 GY	0.88
1754	-0.0000 GY	0.00
1754	-0.0000 GY	0.01
1754	-0.0000 GY	0.02
1754	-0.0000 GY	0.03
1754	-0.0000 GY	0.03
1754	-0.0000 GY	0.04
1754	-0.0001 GY	0.05
1754	-0.0001 GY	0.05
1518	-0.3843 GY	0.06
1518	-0.3331 GY	0.17
1518	-0.2818 GY	0.28
1518	-0.2306 GY	0.40
1518	-0.1793 GY	0.51

1518		-0.1281 GY	0.62
1518		-0.0769 GY	0.73
1518		-0.0256 GY	0.84
1517		-0.0233 GY	0.05
1517		-0.0699 GY	0.11
1517		-0.1166 GY	0.18
1517		-0.1632 GY	0.25
1517		-0.2098 GY	0.32
1517		-0.2565 GY	0.39
1517		-0.3031 GY	0.46
1517		-0.3497 GY	0.53
1517		-0.2875 GY	0.59
1517		-0.2756 GY	0.64
1517		-0.2636 GY	0.70
1517		-0.2517 GY	0.75
1517		-0.2397 GY	0.81
1517		-0.2278 GY	0.86
1517		-0.2158 GY	0.92
1517		-0.2039 GY	0.97
1542	-2.6749 GY	0.00	0.80
789		-0.0011 GY	0.08

789		-0.0033 GY	0.18
789		-0.0054 GY	0.30
789		-0.0076 GY	0.41
789		-0.0098 GY	0.53
789		-0.0120 GY	0.65
789		-0.0142 GY	0.77
789		-0.0163 GY	0.88
790		-0.0185 GY	0.06
790		-0.0207 GY	0.18
790		-0.0229 GY	0.29
790		-0.0250 GY	0.41
790		-0.0272 GY	0.53
790		-0.0294 GY	0.65
790		-0.0316 GY	0.76
790		-0.0338 GY	0.88
791		-0.0403 GY	0.07
791		-0.0430 GY	0.20
791		-0.0457 GY	0.33
791		-0.0484 GY	0.46
791		-0.0512 GY	0.59
791		-0.0539 GY	0.72
791		-0.0566 GY	0.85
791		-0.0593 GY	0.98
161		-0.0554 GY	0.06

161	-0.0576 GY	0.18
161	-0.0598 GY	0.29
161	-0.0619 GY	0.41
161	-0.0641 GY	0.53
161	-0.0663 GY	0.65
161	-0.0685 GY	0.76
161	-0.0707 GY	0.88
160	-0.0728 GY	0.06
160	-0.0750 GY	0.18
160	-0.0772 GY	0.29
160	-0.0794 GY	0.41
160	-0.0815 GY	0.53
160	-0.0837 GY	0.65
160	-0.0859 GY	0.76
160	-0.0881 GY	0.88
795	-0.0903 GY	0.06
795	-0.0924 GY	0.18
795	-0.0946 GY	0.29
795	-0.0968 GY	0.41
795	-0.0990 GY	0.53
795	-0.1011 GY	0.65
795	-0.1033 GY	0.76
795	-0.1055 GY	0.88
796	-0.1077 GY	0.06
796	-0.1099 GY	0.18
796	-0.1120 GY	0.29
796	-0.1142 GY	0.41
796	-0.1164 GY	0.53
796	-0.1186 GY	0.65
796	-0.1207 GY	0.76
796	-0.1229 GY	0.88
797	-0.0060 GY	0.00

797	-0.0060 GY	0.01
797	-0.0060 GY	0.01
797	-0.0060 GY	0.02
797	-0.0060 GY	0.03
797	-0.0060 GY	0.03
797	-0.0060 GY	0.04
797	-0.0060 GY	0.04
797	-0.1178 GY	0.10
797	-0.1159 GY	0.21
797	-0.1139 GY	0.32
797	-0.1120 GY	0.44
797	-0.1100 GY	0.55
797	-0.1080 GY	0.66

797	-0.1061 GY	0.77
797	-0.1041 GY	0.88
159	-0.1073 GY	0.06
159	-0.1051 GY	0.18
159	-0.1030 GY	0.29
159	-0.1008 GY	0.41
159	-0.0987 GY	0.53
159	-0.0965 GY	0.65
159	-0.0943 GY	0.76
159	-0.0922 GY	0.88
158	-0.0900 GY	0.06
158	-0.0879 GY	0.18
158	-0.0857 GY	0.29
158	-0.0835 GY	0.41
158	-0.0814 GY	0.53
158	-0.0792 GY	0.65
158	-0.0770 GY	0.76
158	-0.0749 GY	0.88
792	-0.0811 GY	0.07
792	-0.0784 GY	0.20
792	-0.0757 GY	0.33
792	-0.0730 GY	0.46
792	-0.0703 GY	0.59
792	-0.0676 GY	0.72
792	-0.0649 GY	0.85
792	-0.0622 GY	0.98
793	-0.0595 GY	0.07
793	-0.0568 GY	0.20
793	-0.0541 GY	0.33
793	-0.0514 GY	0.46
793	-0.0487 GY	0.59
793	-0.0460 GY	0.72
793	-0.0433 GY	0.85
793	-0.0406 GY	0.98
794	-0.0379 GY	0.06
794	-0.0352 GY	0.20
794	-0.0325 GY	0.33
794	-0.0298 GY	0.46
794	-0.0271 GY	0.59
794	-0.0244 GY	0.72
794	-0.0217 GY	0.85
794	-0.0190 GY	0.98
157	-0.0136 GY	0.05

157	-0.0118 GY	0.16
157	-0.0099 GY	0.27

157		-0.0081 GY	0.37
157		-0.0063 GY	0.48
157		-0.0045 GY	0.59
157		-0.0027 GY	0.69
157		-0.0009 GY	0.79
129		-0.0010 GY	0.03
129		-0.0030 GY	0.08
129		-0.0051 GY	0.13
129		-0.0071 GY	0.18
129		-0.0091 GY	0.23
129		-0.0112 GY	0.28
129		-0.0132 GY	0.33
129		-0.0152 GY	0.38
129	-0.3194 GY	0.41	0.44
129		-0.0152 GY	0.47
129		-0.0132 GY	0.52
129		-0.0112 GY	0.57
129		-0.0091 GY	0.62
129		-0.0071 GY	0.67
129		-0.0051 GY	0.72
129		-0.0030 GY	0.77
129		-0.0010 GY	0.82
2025		-0.0010 GY	0.03
2025		-0.0030 GY	0.08
2025		-0.0051 GY	0.13
2025		-0.0071 GY	0.18
2025		-0.0091 GY	0.23
2025		-0.0112 GY	0.28
2025		-0.0132 GY	0.33
2025		-0.0152 GY	0.38
2025		-0.0152 GY	0.43
2025		-0.0132 GY	0.48
2025		-0.0112 GY	0.53
2025		-0.0091 GY	0.58
2025		-0.0071 GY	0.63
2025		-0.0051 GY	0.68
2025		-0.0030 GY	0.73
2025		-0.0010 GY	0.78
758		-0.0010 GY	0.03
758		-0.0030 GY	0.08
758		-0.0051 GY	0.13
758		-0.0071 GY	0.18
758		-0.0091 GY	0.23
758		-0.0112 GY	0.28
758		-0.0132 GY	0.33
758		-0.0152 GY	0.38
758	-0.3194 GY	0.41	0.44

758	-0.0152 GY	0.47
758	-0.0132 GY	0.52
758	-0.0112 GY	0.57
758	-0.0091 GY	0.62
758	-0.0071 GY	0.67
758	-0.0051 GY	0.72
758	-0.0030 GY	0.77

758	-0.0010 GY	0.82
1485	-0.0010 GY	0.03
1485	-0.0030 GY	0.08
1485	-0.0051 GY	0.13
1485	-0.0071 GY	0.18
1485	-0.0091 GY	0.23
1485	-0.0112 GY	0.28
1485	-0.0132 GY	0.33
1485	-0.0152 GY	0.38
1485	-0.0152 GY	0.43
1485	-0.0132 GY	0.48
1485	-0.0112 GY	0.53
1485	-0.0091 GY	0.58
1485	-0.0071 GY	0.63
1485	-0.0051 GY	0.68
1485	-0.0030 GY	0.73
1485	-0.0010 GY	0.78
129	-0.0011 GY	0.04
129	-0.0033 GY	0.08
129	-0.0055 GY	0.13
129	-0.0078 GY	0.19
129	-0.0100 GY	0.24
129	-0.0122 GY	0.29
129	-0.0144 GY	0.35
129	-0.0166 GY	0.40
129	-0.0166 GY	0.45
129	-0.0144 GY	0.50
129	-0.0122 GY	0.56
129	-0.0100 GY	0.61
129	-0.0078 GY	0.66
129	-0.0055 GY	0.72
129	-0.0033 GY	0.77
129	-0.0011 GY	0.81
2097	-0.0011 GY	0.04
2097	-0.0033 GY	0.08
2097	-0.0055 GY	0.13
2097	-0.0078 GY	0.19
2097	-0.0100 GY	0.24

2097		-0.0122	GY	0.29
2097		-0.0144	GY	0.35
2097		-0.0166	GY	0.40
2097	-0.3336 GY	0.42		0.43
2097		-0.0166	GY	0.46
2097		-0.0144	GY	0.51
2097		-0.0122	GY	0.57
2097		-0.0100	GY	0.62
2097		-0.0078	GY	0.67
2097		-0.0055	GY	0.73
2097		-0.0033	GY	0.78
2097		-0.0011	GY	0.82
2096		-0.0011	GY	0.04
2096		-0.0033	GY	0.08
2096		-0.0055	GY	0.13
2096		-0.0078	GY	0.19
2096		-0.0100	GY	0.24
2096		-0.0122	GY	0.29

2096		-0.0144	GY	0.35
2096		-0.0166	GY	0.40
2096		-0.0166	GY	0.45
2096		-0.0144	GY	0.50
2096		-0.0122	GY	0.56
2096		-0.0100	GY	0.61
2096		-0.0078	GY	0.66
2096		-0.0055	GY	0.72
2096		-0.0033	GY	0.77
2096		-0.0011	GY	0.81
151		-0.0011	GY	0.04
151		-0.0033	GY	0.08
151		-0.0055	GY	0.13
151		-0.0078	GY	0.19
151		-0.0100	GY	0.24
151		-0.0122	GY	0.29
151		-0.0144	GY	0.35
151		-0.0166	GY	0.40
151	-0.3336 GY	0.42		0.43
151		-0.0166	GY	0.46
151		-0.0144	GY	0.51
151		-0.0122	GY	0.57
151		-0.0100	GY	0.62
151		-0.0078	GY	0.67
151		-0.0055	GY	0.73
151		-0.0033	GY	0.78
151		-0.0011	GY	0.82

130		-0.0010 GY	0.03
130		-0.0030 GY	0.08
130		-0.0051 GY	0.13
130		-0.0071 GY	0.18
130		-0.0091 GY	0.23
130		-0.0112 GY	0.28
130		-0.0132 GY	0.33
130		-0.0152 GY	0.38
130	-0.3194 GY	0.41	0.64
130		-0.0152 GY	0.66
130		-0.0132 GY	0.71
130		-0.0112 GY	0.76
130		-0.0091 GY	0.81
130		-0.0071 GY	0.86
130		-0.0051 GY	0.92
130		-0.0030 GY	0.96
130		-0.0010 GY	1.01
1488		-0.0010 GY	0.03
1488		-0.0030 GY	0.08
1488		-0.0051 GY	0.13
1488		-0.0071 GY	0.18
1488		-0.0091 GY	0.23
1488		-0.0112 GY	0.28
1488		-0.0132 GY	0.33
1488		-0.0152 GY	0.38
1488		-0.0152 GY	0.43
1488		-0.0132 GY	0.48
1488		-0.0112 GY	0.53
1488		-0.0091 GY	0.58

1488		-0.0071 GY	0.63
1488		-0.0051 GY	0.68
1488		-0.0030 GY	0.73
1488		-0.0010 GY	0.78
761		-0.0010 GY	0.03
761		-0.0030 GY	0.08
761		-0.0051 GY	0.13
761		-0.0071 GY	0.18
761		-0.0091 GY	0.23
761		-0.0112 GY	0.28
761		-0.0132 GY	0.33
761		-0.0152 GY	0.38
761	-0.3193 GY	0.41	0.64
761		-0.0152 GY	0.66
761		-0.0132 GY	0.71
761		-0.0112 GY	0.76

761	-0.0091 GY	0.81
761	-0.0071 GY	0.86
761	-0.0051 GY	0.92
761	-0.0030 GY	0.96
761	-0.0010 GY	1.01
1495	-0.0010 GY	0.03
1495	-0.0030 GY	0.08
1495	-0.0051 GY	0.13
1495	-0.0071 GY	0.18
1495	-0.0091 GY	0.23
1495	-0.0112 GY	0.28
1495	-0.0132 GY	0.33
1495	-0.0152 GY	0.38
1495	-0.0152 GY	0.43
1495	-0.0132 GY	0.48
1495	-0.0112 GY	0.53
1495	-0.0091 GY	0.58
1495	-0.0071 GY	0.63
1495	-0.0051 GY	0.68
1495	-0.0030 GY	0.73
1495	-0.0010 GY	0.78
130	-0.0426 GY	0.09
130	-0.1278 GY	0.20
130	-0.2129 GY	0.32
130	-0.2981 GY	0.45
130	-0.3833 GY	0.58
130	-0.4684 GY	0.71
130	-0.5536 GY	0.83
130	-0.6388 GY	0.96
130	-0.0126 GY	1.03
130	-0.0126 GY	1.03
130	-0.0125 GY	1.03
130	-0.0125 GY	1.03
130	-0.0125 GY	1.04
130	-0.0125 GY	1.04
130	-0.0124 GY	1.04
130	-0.0124 GY	1.04
346	-0.6153 GY	0.06
346	-0.5333 GY	0.19
346	-0.4512 GY	0.31

346	-0.3692 GY	0.44
346	-0.2872 GY	0.56
346	-0.2051 GY	0.69
346	-0.1231 GY	0.81
346	-0.0410 GY	0.92

151	-0.0103 GY	0.05
151	-0.0089 GY	0.16
151	-0.0075 GY	0.27
151	-0.0062 GY	0.37
151	-0.0048 GY	0.48
151	-0.0034 GY	0.59
151	-0.0021 GY	0.69
151	-0.0007 GY	0.79
814	-0.0287 GY	0.06
814	-0.0267 GY	0.20
814	-0.0247 GY	0.33
814	-0.0226 GY	0.46
814	-0.0206 GY	0.59
814	-0.0185 GY	0.72
814	-0.0165 GY	0.85
814	-0.0144 GY	0.98
812	-0.0451 GY	0.07
812	-0.0431 GY	0.20
812	-0.0410 GY	0.33
812	-0.0390 GY	0.46
812	-0.0369 GY	0.59
812	-0.0349 GY	0.72
812	-0.0328 GY	0.85
812	-0.0308 GY	0.98
810	-0.0615 GY	0.07
810	-0.0594 GY	0.20
810	-0.0574 GY	0.33
810	-0.0553 GY	0.46
810	-0.0533 GY	0.59
810	-0.0513 GY	0.72
810	-0.0492 GY	0.85
810	-0.0472 GY	0.98
152	-0.0683 GY	0.06
152	-0.0666 GY	0.18
152	-0.0650 GY	0.29
152	-0.0633 GY	0.41
152	-0.0617 GY	0.53
152	-0.0601 GY	0.65
152	-0.0584 GY	0.76
152	-0.0568 GY	0.88
153	-0.0814 GY	0.06
153	-0.0797 GY	0.18
153	-0.0781 GY	0.29
153	-0.0765 GY	0.41
153	-0.0748 GY	0.53
153	-0.0732 GY	0.65
153	-0.0715 GY	0.76

153	-0.0699 GY	0.88
808	-0.0055 GY	0.00
808	-0.0055 GY	0.01
808	-0.0056 GY	0.02

808	-0.0056 GY	0.02
808	-0.0056 GY	0.03
808	-0.0056 GY	0.04
808	-0.0056 GY	0.05
808	-0.0056 GY	0.05
808	-0.0882 GY	0.11
808	-0.0868 GY	0.22
808	-0.0853 GY	0.33
808	-0.0839 GY	0.44
808	-0.0824 GY	0.55
808	-0.0810 GY	0.66
808	-0.0795 GY	0.77
808	-0.0781 GY	0.88
806	-0.0814 GY	0.06
806	-0.0831 GY	0.18
806	-0.0847 GY	0.29
806	-0.0864 GY	0.41
806	-0.0880 GY	0.53
806	-0.0896 GY	0.65
806	-0.0913 GY	0.76
806	-0.0929 GY	0.88
804	-0.0682 GY	0.06
804	-0.0699 GY	0.18
804	-0.0715 GY	0.29
804	-0.0732 GY	0.41
804	-0.0748 GY	0.53
804	-0.0765 GY	0.65
804	-0.0781 GY	0.76
804	-0.0798 GY	0.88
154	-0.0551 GY	0.06
154	-0.0567 GY	0.18
154	-0.0584 GY	0.29
154	-0.0600 GY	0.41
154	-0.0617 GY	0.53
154	-0.0633 GY	0.65
154	-0.0649 GY	0.76
154	-0.0666 GY	0.88
155	-0.0419 GY	0.06
155	-0.0435 GY	0.18
155	-0.0452 GY	0.29
155	-0.0468 GY	0.41

155	-0.0485 GY	0.53
155	-0.0501 GY	0.65
155	-0.0518 GY	0.76
155	-0.0534 GY	0.88
802	-0.0305 GY	0.07
802	-0.0325 GY	0.20
802	-0.0346 GY	0.33
802	-0.0366 GY	0.46
802	-0.0387 GY	0.59
802	-0.0407 GY	0.72
802	-0.0428 GY	0.85
802	-0.0448 GY	0.98
800	-0.0140 GY	0.06
800	-0.0156 GY	0.18
800	-0.0173 GY	0.29

800	-0.0189 GY	0.41
800	-0.0206 GY	0.53
800	-0.0222 GY	0.65
800	-0.0239 GY	0.76
800	-0.0255 GY	0.88
798	-0.0008 GY	0.08
798	-0.0025 GY	0.18
798	-0.0041 GY	0.30
798	-0.0058 GY	0.41
798	-0.0074 GY	0.53
798	-0.0091 GY	0.65
798	-0.0107 GY	0.77
798	-0.0124 GY	0.88
1520	-0.0152 GY	0.03
1520	-0.0457 GY	0.07
1520	-0.0762 GY	0.12
1520	-0.1067 GY	0.16
1520	-0.1372 GY	0.21
1520	-0.1677 GY	0.25
1520	-0.1981 GY	0.30
1520	-0.2286 GY	0.34
1520	-0.4010 GY	0.41
1520	-0.3475 GY	0.49
1520	-0.2941 GY	0.57
1520	-0.2406 GY	0.65
1520	-0.1871 GY	0.72
1520	-0.1337 GY	0.80
1520	-0.0802 GY	0.88
1520	-0.0267 GY	0.95
1510	-0.0273 GY	0.05

1510	-0.0819 GY	0.13
1510	-0.1366 GY	0.21
1510	-0.1912 GY	0.29
1510	-0.2458 GY	0.37
1510	-0.3004 GY	0.45
1510	-0.3551 GY	0.53
1510	-0.4097 GY	0.62
1510	-0.2435 GY	0.68
1510	-0.2111 GY	0.73
1510	-0.1786 GY	0.78
1510	-0.1461 GY	0.83
1510	-0.1137 GY	0.87
1510	-0.0812 GY	0.92
1510	-0.0487 GY	0.97
1510	-0.0162 GY	1.01
852	-0.0008 GY	0.08
852	-0.0025 GY	0.18
852	-0.0041 GY	0.30
852	-0.0058 GY	0.41
852	-0.0074 GY	0.53
852	-0.0091 GY	0.65
852	-0.0107 GY	0.77
852	-0.0124 GY	0.88
855	-0.0140 GY	0.06
855	-0.0156 GY	0.18
855	-0.0173 GY	0.29

855	-0.0189 GY	0.41
855	-0.0206 GY	0.53
855	-0.0222 GY	0.65
855	-0.0239 GY	0.76
855	-0.0255 GY	0.88
858	-0.0305 GY	0.07
858	-0.0325 GY	0.20
858	-0.0346 GY	0.33
858	-0.0366 GY	0.46
858	-0.0387 GY	0.59
858	-0.0407 GY	0.72
858	-0.0428 GY	0.85
858	-0.0448 GY	0.98
149	-0.0419 GY	0.06
149	-0.0435 GY	0.18
149	-0.0452 GY	0.29
149	-0.0468 GY	0.41
149	-0.0485 GY	0.53
149	-0.0501 GY	0.65

149	-0.0518 GY	0.76
149	-0.0534 GY	0.88
148	-0.0551 GY	0.06
148	-0.0567 GY	0.18
148	-0.0584 GY	0.29
148	-0.0600 GY	0.41
148	-0.0617 GY	0.53
148	-0.0633 GY	0.65
148	-0.0649 GY	0.76
148	-0.0666 GY	0.88
861	-0.0682 GY	0.06
861	-0.0699 GY	0.18
861	-0.0715 GY	0.29
861	-0.0732 GY	0.41
861	-0.0748 GY	0.53
861	-0.0765 GY	0.65
861	-0.0781 GY	0.76
861	-0.0798 GY	0.88
864	-0.0814 GY	0.06
864	-0.0831 GY	0.18
864	-0.0847 GY	0.29
864	-0.0864 GY	0.41
864	-0.0880 GY	0.53
864	-0.0897 GY	0.65
864	-0.0913 GY	0.76
864	-0.0929 GY	0.88
867	-0.0055 GY	0.00
867	-0.0055 GY	0.01
867	-0.0056 GY	0.02
867	-0.0056 GY	0.02
867	-0.0056 GY	0.03
867	-0.0056 GY	0.04
867	-0.0056 GY	0.05
867	-0.0056 GY	0.05
867	-0.0882 GY	0.11
867	-0.0868 GY	0.22
867	-0.0853 GY	0.33

867	-0.0839 GY	0.44
867	-0.0824 GY	0.55
867	-0.0810 GY	0.66
867	-0.0795 GY	0.77
867	-0.0781 GY	0.88
147	-0.0814 GY	0.06
147	-0.0797 GY	0.18
147	-0.0781 GY	0.29

147	-0.0765 GY	0.41
147	-0.0748 GY	0.53
147	-0.0732 GY	0.65
147	-0.0715 GY	0.76
147	-0.0699 GY	0.88
146	-0.0683 GY	0.06
146	-0.0666 GY	0.18
146	-0.0650 GY	0.29
146	-0.0633 GY	0.41
146	-0.0617 GY	0.53
146	-0.0601 GY	0.65
146	-0.0584 GY	0.76
146	-0.0568 GY	0.88
870	-0.0615 GY	0.07
870	-0.0594 GY	0.20
870	-0.0574 GY	0.33
870	-0.0553 GY	0.46
870	-0.0533 GY	0.59
870	-0.0513 GY	0.72
870	-0.0492 GY	0.85
870	-0.0472 GY	0.98
873	-0.0451 GY	0.07
873	-0.0431 GY	0.20
873	-0.0410 GY	0.33
873	-0.0390 GY	0.46
873	-0.0369 GY	0.59
873	-0.0349 GY	0.72
873	-0.0328 GY	0.85
873	-0.0308 GY	0.98
876	-0.0287 GY	0.06
876	-0.0267 GY	0.20
876	-0.0247 GY	0.33
876	-0.0226 GY	0.46
876	-0.0206 GY	0.59
876	-0.0185 GY	0.72
876	-0.0165 GY	0.85
876	-0.0144 GY	0.98
145	-0.0103 GY	0.05
145	-0.0089 GY	0.16
145	-0.0075 GY	0.27
145	-0.0062 GY	0.37
145	-0.0048 GY	0.48
145	-0.0034 GY	0.59
145	-0.0021 GY	0.69
145	-0.0007 GY	0.79
131	-0.0010 GY	0.03
131	-0.0029 GY	0.08

131		-0.0048 GY	0.13	

131		-0.0068 GY	0.17	
131		-0.0087 GY	0.22	
131		-0.0106 GY	0.27	
131		-0.0126 GY	0.32	
131		-0.0145 GY	0.37	
131		-0.0145 GY	0.42	
131		-0.0126 GY	0.47	
131		-0.0106 GY	0.52	
131		-0.0087 GY	0.57	
131		-0.0068 GY	0.62	
131		-0.0048 GY	0.67	
131		-0.0029 GY	0.72	
131		-0.0010 GY	0.76	
2024		-0.0010 GY	0.03	
2024		-0.0029 GY	0.08	
2024		-0.0048 GY	0.13	
2024		-0.0068 GY	0.17	
2024		-0.0087 GY	0.22	
2024		-0.0106 GY	0.27	
2024		-0.0126 GY	0.32	
2024		-0.0145 GY	0.37	
2024	-0.3116 GY	0.40	0.42	
2024		-0.0145 GY	0.44	
2024		-0.0126 GY	0.49	
2024		-0.0106 GY	0.54	
2024		-0.0087 GY	0.59	
2024		-0.0068 GY	0.64	
2024		-0.0048 GY	0.69	
2024		-0.0029 GY	0.74	
2024		-0.0010 GY	0.78	
762		-0.0010 GY	0.03	
762		-0.0029 GY	0.08	
762		-0.0048 GY	0.13	
762		-0.0068 GY	0.17	
762		-0.0087 GY	0.22	
762		-0.0106 GY	0.27	
762		-0.0126 GY	0.32	
762		-0.0145 GY	0.37	
762		-0.0145 GY	0.42	
762		-0.0126 GY	0.47	
762		-0.0106 GY	0.52	
762		-0.0087 GY	0.57	
762		-0.0068 GY	0.62	
762		-0.0048 GY	0.67	

762 -0.0029 GY 0.72
762 -0.0010 GY 0.76
1490 -0.0010 GY 0.03
1490 -0.0029 GY 0.08
1490 -0.0048 GY 0.13
1490 -0.0068 GY 0.17
1490 -0.0087 GY 0.22
1490 -0.0106 GY 0.27
1490 -0.0126 GY 0.32
1490 -0.0145 GY 0.37
1490 -0.3116 GY 0.40 0.42
1490 -0.0145 GY 0.44

1490 -0.0126 GY 0.49
1490 -0.0106 GY 0.54
1490 -0.0087 GY 0.59
1490 -0.0068 GY 0.64
1490 -0.0048 GY 0.69
1490 -0.0029 GY 0.74
1490 -0.0010 GY 0.78
131 -0.0010 GY 0.03
131 -0.0029 GY 0.08
131 -0.0048 GY 0.13
131 -0.0068 GY 0.17
131 -0.0087 GY 0.22
131 -0.0106 GY 0.27
131 -0.0126 GY 0.32
131 -0.0145 GY 0.37
131 -0.0145 GY 0.42
131 -0.0126 GY 0.47
131 -0.0106 GY 0.52
131 -0.0087 GY 0.57
131 -0.0068 GY 0.62
131 -0.0048 GY 0.67
131 -0.0029 GY 0.72
131 -0.0010 GY 0.76
2070 -0.0010 GY 0.03
2070 -0.0029 GY 0.08
2070 -0.0048 GY 0.13
2070 -0.0068 GY 0.17
2070 -0.0087 GY 0.22
2070 -0.0106 GY 0.27
2070 -0.0126 GY 0.32
2070 -0.0145 GY 0.37
2070 -0.3116 GY 0.40 0.46
2070 -0.0145 GY 0.49

2070		-0.0126 GY	0.54
2070		-0.0106 GY	0.59
2070		-0.0087 GY	0.64
2070		-0.0068 GY	0.68
2070		-0.0048 GY	0.73
2070		-0.0029 GY	0.78
2070		-0.0010 GY	0.83
2069		-0.0010 GY	0.03
2069		-0.0029 GY	0.08
2069		-0.0048 GY	0.13
2069		-0.0068 GY	0.17
2069		-0.0087 GY	0.22
2069		-0.0106 GY	0.27
2069		-0.0126 GY	0.32
2069		-0.0145 GY	0.37
2069		-0.0145 GY	0.42
2069		-0.0126 GY	0.47
2069		-0.0106 GY	0.52
2069		-0.0087 GY	0.57
2069		-0.0068 GY	0.62
2069		-0.0048 GY	0.67
2069		-0.0029 GY	0.72
2069		-0.0010 GY	0.76

139		-0.0010 GY	0.03
139		-0.0029 GY	0.08
139		-0.0048 GY	0.13
139		-0.0068 GY	0.17
139		-0.0087 GY	0.22
139		-0.0106 GY	0.27
139		-0.0126 GY	0.32
139		-0.0145 GY	0.37
139	-0.3116 GY	0.40	0.46
139		-0.0145 GY	0.49
139		-0.0126 GY	0.54
139		-0.0106 GY	0.59
139		-0.0087 GY	0.64
139		-0.0068 GY	0.68
139		-0.0048 GY	0.73
139		-0.0029 GY	0.78
139		-0.0010 GY	0.83
132		-0.0010 GY	0.03
132		-0.0030 GY	0.08
132		-0.0051 GY	0.13
132		-0.0071 GY	0.18
132		-0.0091 GY	0.23

132		-0.0112 GY	0.28
132		-0.0132 GY	0.33
132		-0.0152 GY	0.38
132	-0.3192 GY	0.41	0.64
132		-0.0152 GY	0.67
132		-0.0132 GY	0.72
132		-0.0112 GY	0.77
132		-0.0091 GY	0.82
132		-0.0071 GY	0.87
132		-0.0051 GY	0.92
132		-0.0030 GY	0.97
132		-0.0010 GY	1.02
1489		-0.0010 GY	0.03
1489		-0.0030 GY	0.08
1489		-0.0051 GY	0.13
1489		-0.0071 GY	0.18
1489		-0.0091 GY	0.23
1489		-0.0112 GY	0.28
1489		-0.0132 GY	0.33
1489		-0.0152 GY	0.38
1489		-0.0152 GY	0.43
1489		-0.0132 GY	0.48
1489		-0.0112 GY	0.53
1489		-0.0091 GY	0.58
1489		-0.0071 GY	0.63
1489		-0.0051 GY	0.68
1489		-0.0030 GY	0.73
1489		-0.0010 GY	0.78
765		-0.0010 GY	0.03
765		-0.0030 GY	0.08
765		-0.0051 GY	0.13
765		-0.0071 GY	0.18
765		-0.0091 GY	0.23
765		-0.0112 GY	0.28

765		-0.0132 GY	0.33
765		-0.0152 GY	0.38
765	-0.3192 GY	0.41	0.64
765		-0.0152 GY	0.67
765		-0.0132 GY	0.72
765		-0.0112 GY	0.77
765		-0.0091 GY	0.82
765		-0.0071 GY	0.87
765		-0.0051 GY	0.92
765		-0.0030 GY	0.97
765		-0.0010 GY	1.02

1651	-0.0010 GY	0.03
1651	-0.0030 GY	0.08
1651	-0.0051 GY	0.13
1651	-0.0071 GY	0.18
1651	-0.0091 GY	0.23
1651	-0.0112 GY	0.28
1651	-0.0132 GY	0.33
1651	-0.0152 GY	0.38
1651	-0.0152 GY	0.43
1651	-0.0132 GY	0.48
1651	-0.0112 GY	0.53
1651	-0.0091 GY	0.58
1651	-0.0071 GY	0.63
1651	-0.0051 GY	0.68
1651	-0.0030 GY	0.73
1651	-0.0010 GY	0.78
132	-0.0427 GY	0.09
132	-0.1282 GY	0.20
132	-0.2136 GY	0.33
132	-0.2991 GY	0.45
132	-0.3845 GY	0.58
132	-0.4700 GY	0.71
132	-0.5554 GY	0.84
132	-0.6409 GY	0.96
132	-0.0151 GY	1.03
132	-0.0151 GY	1.03
132	-0.0150 GY	1.03
132	-0.0150 GY	1.04
132	-0.0149 GY	1.04
132	-0.0149 GY	1.04
132	-0.0148 GY	1.05
132	-0.0148 GY	1.05
348	-0.6138 GY	0.06
348	-0.5319 GY	0.19
348	-0.4501 GY	0.31
348	-0.3683 GY	0.44
348	-0.2864 GY	0.56
348	-0.2046 GY	0.69
348	-0.1228 GY	0.81
348	-0.0409 GY	0.92
139	-0.0103 GY	0.05
139	-0.0089 GY	0.16
139	-0.0076 GY	0.27
139	-0.0062 GY	0.37
139	-0.0048 GY	0.48

139	-0.0034 GY	0.59
139	-0.0021 GY	0.69
139	-0.0007 GY	0.79
877	-0.0288 GY	0.06
877	-0.0268 GY	0.20
877	-0.0247 GY	0.33
877	-0.0227 GY	0.46
877	-0.0206 GY	0.59
877	-0.0186 GY	0.72
877	-0.0165 GY	0.85
877	-0.0145 GY	0.98
874	-0.0452 GY	0.07
874	-0.0432 GY	0.20
874	-0.0411 GY	0.33
874	-0.0391 GY	0.46
874	-0.0370 GY	0.59
874	-0.0350 GY	0.72
874	-0.0329 GY	0.85
874	-0.0309 GY	0.98
871	-0.0616 GY	0.07
871	-0.0596 GY	0.20
871	-0.0575 GY	0.33
871	-0.0555 GY	0.46
871	-0.0534 GY	0.59
871	-0.0514 GY	0.72
871	-0.0493 GY	0.85
871	-0.0473 GY	0.98
140	-0.0684 GY	0.06
140	-0.0668 GY	0.18
140	-0.0651 GY	0.29
140	-0.0635 GY	0.41
140	-0.0619 GY	0.53
140	-0.0602 GY	0.65
140	-0.0586 GY	0.76
140	-0.0569 GY	0.88
141	-0.0816 GY	0.06
141	-0.0799 GY	0.18
141	-0.0783 GY	0.29
141	-0.0767 GY	0.41
141	-0.0750 GY	0.53
141	-0.0734 GY	0.65
141	-0.0717 GY	0.76
141	-0.0701 GY	0.88
868	-0.0048 GY	0.00
868	-0.0049 GY	0.01
868	-0.0049 GY	0.02
868	-0.0049 GY	0.02

868	-0.0049 GY	0.03
868	-0.0049 GY	0.03
868	-0.0049 GY	0.04
868	-0.0049 GY	0.05
868	-0.0893 GY	0.10
868	-0.0878 GY	0.22
868	-0.0863 GY	0.33
868	-0.0848 GY	0.44
868	-0.0833 GY	0.55

868	-0.0819 GY	0.66
868	-0.0804 GY	0.77
868	-0.0789 GY	0.88
865	-0.0818 GY	0.06
865	-0.0835 GY	0.18
865	-0.0851 GY	0.29
865	-0.0868 GY	0.41
865	-0.0884 GY	0.53
865	-0.0901 GY	0.65
865	-0.0917 GY	0.76
865	-0.0934 GY	0.88
862	-0.0686 GY	0.06
862	-0.0702 GY	0.18
862	-0.0719 GY	0.29
862	-0.0735 GY	0.41
862	-0.0752 GY	0.53
862	-0.0768 GY	0.65
862	-0.0785 GY	0.76
862	-0.0801 GY	0.88
142	-0.0553 GY	0.06
142	-0.0570 GY	0.18
142	-0.0586 GY	0.29
142	-0.0603 GY	0.41
142	-0.0619 GY	0.53
142	-0.0636 GY	0.65
142	-0.0653 GY	0.76
142	-0.0669 GY	0.88
143	-0.0421 GY	0.06
143	-0.0437 GY	0.18
143	-0.0454 GY	0.29
143	-0.0471 GY	0.41
143	-0.0487 GY	0.53
143	-0.0504 GY	0.65
143	-0.0520 GY	0.76
143	-0.0537 GY	0.88
859	-0.0306 GY	0.07

859	-0.0327 GY	0.20
859	-0.0347 GY	0.33
859	-0.0368 GY	0.46
859	-0.0389 GY	0.59
859	-0.0409 GY	0.72
859	-0.0430 GY	0.85
859	-0.0451 GY	0.98
856	-0.0141 GY	0.06
856	-0.0157 GY	0.18
856	-0.0174 GY	0.29
856	-0.0190 GY	0.41
856	-0.0207 GY	0.53
856	-0.0223 GY	0.65
856	-0.0240 GY	0.76
856	-0.0256 GY	0.88
853	-0.0008 GY	0.08
853	-0.0025 GY	0.18
853	-0.0041 GY	0.30
853	-0.0058 GY	0.41
853	-0.0074 GY	0.53

853	-0.0091 GY	0.65
853	-0.0108 GY	0.77
853	-0.0124 GY	0.88
1521	-0.0151 GY	0.03
1521	-0.0452 GY	0.07
1521	-0.0753 GY	0.11
1521	-0.1054 GY	0.16
1521	-0.1355 GY	0.20
1521	-0.1656 GY	0.25
1521	-0.1957 GY	0.29
1521	-0.2258 GY	0.34
1521	-0.4032 GY	0.40
1521	-0.3494 GY	0.48
1521	-0.2957 GY	0.56
1521	-0.2419 GY	0.64
1521	-0.1882 GY	0.72
1521	-0.1344 GY	0.80
1521	-0.0806 GY	0.88
1521	-0.0269 GY	0.95
1514	-0.0428 GY	0.09
1514	-0.1284 GY	0.20
1514	-0.2141 GY	0.33
1514	-0.2997 GY	0.45
1514	-0.3853 GY	0.58
1514	-0.4709 GY	0.71

1514	-0.5566 GY	0.84
1514	-0.6422 GY	0.96
1514	-0.0142 GY	1.03
1514	-0.0123 GY	1.03
1514	-0.0104 GY	1.03
1514	-0.0085 GY	1.04
1514	-0.0066 GY	1.04
1514	-0.0047 GY	1.04
1514	-0.0028 GY	1.05
1514	-0.0009 GY	1.05
2286	-0.0004 GY	0.06
2286	-0.0013 GY	0.14
2286	-0.0022 GY	0.22
2286	-0.0031 GY	0.31
2286	-0.0040 GY	0.39
2286	-0.0049 GY	0.48
2286	-0.0058 GY	0.57
2286	-0.0067 GY	0.65
1604	-0.0069 GY	0.04
1604	-0.0077 GY	0.12
1604	-0.0084 GY	0.20
1604	-0.0092 GY	0.28
1604	-0.0099 GY	0.36
1604	-0.0107 GY	0.44
1604	-0.0114 GY	0.52
1604	-0.0122 GY	0.60
1660	-0.0205 GY	0.06
1660	-0.0223 GY	0.19
1660	-0.0242 GY	0.31
1660	-0.0260 GY	0.43
1660	-0.0278 GY	0.56

1660	-0.0296 GY	0.68
1660	-0.0315 GY	0.81
1660	-0.0333 GY	0.93
1605	-0.0351 GY	0.06
1605	-0.0370 GY	0.19
1605	-0.0388 GY	0.31
1605	-0.0406 GY	0.43
1605	-0.0425 GY	0.56
1605	-0.0443 GY	0.68
1605	-0.0461 GY	0.81
1605	-0.0479 GY	0.93
1600	-0.0304 GY	0.04
1600	-0.0310 GY	0.11
1600	-0.0317 GY	0.19

1600	-0.0324 GY	0.27
1600	-0.0331 GY	0.34
1600	-0.0338 GY	0.42
1600	-0.0345 GY	0.50
1600	-0.0352 GY	0.57
1599	-0.0556 GY	0.06
1599	-0.0572 GY	0.18
1599	-0.0589 GY	0.29
1599	-0.0605 GY	0.41
1599	-0.0621 GY	0.53
1599	-0.0638 GY	0.65
1599	-0.0654 GY	0.76
1599	-0.0670 GY	0.88
1606	-0.0687 GY	0.06
1606	-0.0703 GY	0.18
1606	-0.0720 GY	0.29
1606	-0.0736 GY	0.41
1606	-0.0752 GY	0.53
1606	-0.0769 GY	0.65
1606	-0.0785 GY	0.76
1606	-0.0802 GY	0.88
1607	-0.0818 GY	0.06
1607	-0.0834 GY	0.18
1607	-0.0851 GY	0.29
1607	-0.0867 GY	0.41
1607	-0.0883 GY	0.53
1607	-0.0900 GY	0.65
1607	-0.0916 GY	0.76
1607	-0.0933 GY	0.88
1608	-0.0048 GY	0.00
1608	-0.0048 GY	0.01
1608	-0.0048 GY	0.02
1608	-0.0049 GY	0.02
1608	-0.0049 GY	0.03
1608	-0.0049 GY	0.03
1608	-0.0049 GY	0.04
1608	-0.0049 GY	0.05
1608	-0.0891 GY	0.10
1608	-0.0877 GY	0.22
1608	-0.0862 GY	0.33
1608	-0.0847 GY	0.44
1608	-0.0832 GY	0.55

1608	-0.0818 GY	0.66
1608	-0.0803 GY	0.77
1608	-0.0788 GY	0.88

1598	-0.0815 GY	0.06
1598	-0.0798 GY	0.18
1598	-0.0782 GY	0.29
1598	-0.0765 GY	0.41
1598	-0.0749 GY	0.53
1598	-0.0733 GY	0.65
1598	-0.0716 GY	0.76
1598	-0.0700 GY	0.88
1597	-0.0369 GY	0.03
1597	-0.0364 GY	0.09
1597	-0.0360 GY	0.16
1597	-0.0355 GY	0.22
1597	-0.0350 GY	0.28
1597	-0.0346 GY	0.35
1597	-0.0341 GY	0.41
1597	-0.0336 GY	0.47
1686	-0.0286 GY	0.03
1686	-0.0282 GY	0.08
1686	-0.0279 GY	0.14
1686	-0.0275 GY	0.19
1686	-0.0272 GY	0.24
1686	-0.0268 GY	0.30
1686	-0.0265 GY	0.35
1686	-0.0261 GY	0.41
1609	-0.0616 GY	0.07
1609	-0.0595 GY	0.20
1609	-0.0575 GY	0.33
1609	-0.0554 GY	0.46
1609	-0.0534 GY	0.59
1609	-0.0513 GY	0.72
1609	-0.0493 GY	0.85
1609	-0.0472 GY	0.98
1610	-0.0452 GY	0.07
1610	-0.0431 GY	0.20
1610	-0.0411 GY	0.33
1610	-0.0390 GY	0.46
1610	-0.0370 GY	0.59
1610	-0.0349 GY	0.72
1610	-0.0329 GY	0.85
1610	-0.0308 GY	0.98
1611	-0.0288 GY	0.06
1611	-0.0267 GY	0.20
1611	-0.0247 GY	0.33
1611	-0.0226 GY	0.46
1611	-0.0206 GY	0.59
1611	-0.0185 GY	0.72
1611	-0.0165 GY	0.85

1611		-0.0144 GY	0.98
1596		-0.0103 GY	0.05
1596		-0.0089 GY	0.16
1596		-0.0076 GY	0.27
1596		-0.0062 GY	0.37
1596		-0.0048 GY	0.48

1596		-0.0034 GY	0.59
1596		-0.0021 GY	0.69
1596		-0.0007 GY	0.79
140		-0.0010 GY	0.03
140		-0.0029 GY	0.08
140		-0.0048 GY	0.13
140		-0.0068 GY	0.17
140		-0.0087 GY	0.22
140		-0.0106 GY	0.27
140		-0.0126 GY	0.32
140		-0.0145 GY	0.37
140	-0.3116 GY	0.40	0.54
140		-0.0145 GY	0.57
140		-0.0126 GY	0.62
140		-0.0106 GY	0.67
140		-0.0087 GY	0.72
140		-0.0068 GY	0.77
140		-0.0048 GY	0.81
140		-0.0029 GY	0.86
140		-0.0010 GY	0.91
2072		-0.0010 GY	0.03
2072		-0.0029 GY	0.08
2072		-0.0048 GY	0.13
2072		-0.0068 GY	0.17
2072		-0.0087 GY	0.22
2072		-0.0106 GY	0.27
2072		-0.0126 GY	0.32
2072		-0.0145 GY	0.37
2072		-0.0145 GY	0.42
2072		-0.0126 GY	0.47
2072		-0.0106 GY	0.52
2072		-0.0087 GY	0.57
2072		-0.0068 GY	0.62
2072		-0.0048 GY	0.67
2072		-0.0029 GY	0.72
2072		-0.0010 GY	0.76
2073		-0.0010 GY	0.03
2073		-0.0029 GY	0.08
2073		-0.0048 GY	0.13

2073		-0.0068	GY	0.17
2073		-0.0087	GY	0.22
2073		-0.0106	GY	0.27
2073		-0.0126	GY	0.32
2073		-0.0145	GY	0.37
2073	-0.3116 GY	0.40	0.54	
2073		-0.0145	GY	0.57
2073		-0.0126	GY	0.62
2073		-0.0106	GY	0.67
2073		-0.0087	GY	0.72
2073		-0.0068	GY	0.77
2073		-0.0048	GY	0.81
2073		-0.0029	GY	0.86
2073		-0.0010	GY	0.91
1715		-0.0010	GY	0.03
1715		-0.0029	GY	0.08
1715		-0.0048	GY	0.13

1715		-0.0068	GY	0.17
1715		-0.0087	GY	0.22
1715		-0.0106	GY	0.27
1715		-0.0126	GY	0.32
1715		-0.0145	GY	0.37
1715		-0.0145	GY	0.42
1715		-0.0126	GY	0.47
1715		-0.0106	GY	0.52
1715		-0.0087	GY	0.57
1715		-0.0068	GY	0.62
1715		-0.0048	GY	0.67
1715		-0.0029	GY	0.72
1715		-0.0010	GY	0.76
142		-0.0010	GY	0.03
142		-0.0029	GY	0.08
142		-0.0048	GY	0.13
142		-0.0068	GY	0.17
142		-0.0087	GY	0.22
142		-0.0106	GY	0.27
142		-0.0126	GY	0.32
142		-0.0145	GY	0.37
142	-0.3116 GY	0.40	0.54	
142		-0.0145	GY	0.57
142		-0.0126	GY	0.62
142		-0.0106	GY	0.67
142		-0.0087	GY	0.72
142		-0.0068	GY	0.77
142		-0.0048	GY	0.81

142		-0.0029 GY	0.86
142		-0.0010 GY	0.91
2077		-0.0010 GY	0.03
2077		-0.0029 GY	0.08
2077		-0.0048 GY	0.13
2077		-0.0068 GY	0.17
2077		-0.0087 GY	0.22
2077		-0.0106 GY	0.27
2077		-0.0126 GY	0.32
2077		-0.0145 GY	0.37
2077		-0.0145 GY	0.42
2077		-0.0126 GY	0.47
2077		-0.0106 GY	0.52
2077		-0.0087 GY	0.57
2077		-0.0068 GY	0.62
2077		-0.0048 GY	0.67
2077		-0.0029 GY	0.72
2077		-0.0010 GY	0.76
2078		-0.0010 GY	0.03
2078		-0.0029 GY	0.08
2078		-0.0048 GY	0.13
2078		-0.0068 GY	0.17
2078		-0.0087 GY	0.22
2078		-0.0106 GY	0.27
2078		-0.0126 GY	0.32
2078		-0.0145 GY	0.37
2078	-0.3116 GY	0.40	0.54
2078		-0.0145 GY	0.57

2078		-0.0126 GY	0.62
2078		-0.0106 GY	0.67
2078		-0.0087 GY	0.72
2078		-0.0068 GY	0.77
2078		-0.0048 GY	0.81
2078		-0.0029 GY	0.86
2078		-0.0010 GY	0.91
1714		-0.0010 GY	0.03
1714		-0.0029 GY	0.08
1714		-0.0048 GY	0.13
1714		-0.0068 GY	0.17
1714		-0.0087 GY	0.22
1714		-0.0106 GY	0.27
1714		-0.0126 GY	0.32
1714		-0.0145 GY	0.37
1714		-0.0145 GY	0.42
1714		-0.0126 GY	0.47

1714	-0.0106 GY	0.52
1714	-0.0087 GY	0.57
1714	-0.0068 GY	0.62
1714	-0.0048 GY	0.67
1714	-0.0029 GY	0.72
1714	-0.0010 GY	0.76
144	-0.0014 GY	0.04
144	-0.0042 GY	0.09
144	-0.0070 GY	0.14
144	-0.0097 GY	0.20
144	-0.0125 GY	0.26
144	-0.0153 GY	0.31
144	-0.0181 GY	0.37
144	-0.0209 GY	0.43
144	-0.0222 GY	0.49
144	-0.0192 GY	0.55
144	-0.0163 GY	0.61
144	-0.0133 GY	0.67
144	-0.0103 GY	0.73
144	-0.0074 GY	0.79
144	-0.0044 GY	0.85
144	-0.0015 GY	0.90
1521	-0.0013 GY	0.04
1521	-0.0040 GY	0.09
1521	-0.0067 GY	0.15
1521	-0.0094 GY	0.21
1521	-0.0121 GY	0.27
1521	-0.0148 GY	0.33
1521	-0.0175 GY	0.39
1521	-0.0202 GY	0.45
1521	-0.0220 GY	0.52
1521	-0.0190 GY	0.58
1521	-0.0161 GY	0.65
1521	-0.0132 GY	0.71
1521	-0.0102 GY	0.78
1521	-0.0073 GY	0.84
1521	-0.0044 GY	0.91
1521	-0.0015 GY	0.96
1559	-0.0014 GY	0.04

1559	-0.0043 GY	0.09
1559	-0.0071 GY	0.14
1559	-0.0099 GY	0.20
1559	-0.0128 GY	0.26
1559	-0.0156 GY	0.31
1559	-0.0185 GY	0.37

1559	-0.0213 GY	0.43
1559	-0.0200 GY	0.48
1559	-0.0173 GY	0.54
1559	-0.0146 GY	0.59
1559	-0.0120 GY	0.64
1559	-0.0093 GY	0.69
1559	-0.0067 GY	0.75
1559	-0.0040 GY	0.80
1559	-0.0013 GY	0.85
318	-0.0014 GY	0.04
318	-0.0043 GY	0.10
318	-0.0071 GY	0.16
318	-0.0099 GY	0.22
318	-0.0128 GY	0.29
318	-0.0156 GY	0.35
318	-0.0185 GY	0.41
318	-0.0213 GY	0.48
318	-0.0209 GY	0.54
318	-0.0181 GY	0.60
318	-0.0153 GY	0.66
318	-0.0125 GY	0.72
318	-0.0097 GY	0.79
318	-0.0070 GY	0.85
318	-0.0042 GY	0.91
318	-0.0014 GY	0.96
145	-0.0011 GY	0.04
145	-0.0034 GY	0.08
145	-0.0057 GY	0.14
145	-0.0079 GY	0.19
145	-0.0102 GY	0.24
145	-0.0125 GY	0.30
145	-0.0147 GY	0.35
145	-0.0170 GY	0.40
145	-0.0170 GY	0.46
145	-0.0147 GY	0.51
145	-0.0125 GY	0.56
145	-0.0102 GY	0.62
145	-0.0079 GY	0.67
145	-0.0057 GY	0.72
145	-0.0034 GY	0.78
145	-0.0011 GY	0.82
1949	-0.0011 GY	0.04
1949	-0.0034 GY	0.08
1949	-0.0057 GY	0.14
1949	-0.0079 GY	0.19
1949	-0.0102 GY	0.24
1949	-0.0125 GY	0.30

1949		-0.0147 GY	0.35
1949		-0.0170 GY	0.40
1949	-0.3374 GY	0.43	0.48

1949		-0.0170 GY	0.50
1949		-0.0147 GY	0.56
1949		-0.0125 GY	0.61
1949		-0.0102 GY	0.66
1949		-0.0079 GY	0.72
1949		-0.0057 GY	0.77
1949		-0.0034 GY	0.82
1949		-0.0011 GY	0.87
2070		-0.0011 GY	0.04
2070		-0.0034 GY	0.08
2070		-0.0057 GY	0.14
2070		-0.0079 GY	0.19
2070		-0.0102 GY	0.24
2070		-0.0125 GY	0.30
2070		-0.0147 GY	0.35
2070		-0.0170 GY	0.40
2070		-0.0170 GY	0.46
2070		-0.0147 GY	0.51
2070		-0.0125 GY	0.56
2070		-0.0102 GY	0.62
2070		-0.0079 GY	0.67
2070		-0.0057 GY	0.72
2070		-0.0034 GY	0.78
2070		-0.0011 GY	0.82
1501		-0.0011 GY	0.04
1501		-0.0034 GY	0.08
1501		-0.0057 GY	0.14
1501		-0.0079 GY	0.19
1501		-0.0102 GY	0.24
1501		-0.0125 GY	0.30
1501		-0.0147 GY	0.35
1501		-0.0170 GY	0.40
1501	-0.3374 GY	0.43	0.48
1501		-0.0170 GY	0.50
1501		-0.0147 GY	0.56
1501		-0.0125 GY	0.61
1501		-0.0102 GY	0.66
1501		-0.0079 GY	0.72
1501		-0.0057 GY	0.77
1501		-0.0034 GY	0.82
1501		-0.0011 GY	0.87
146		-0.0013 GY	0.04

146		-0.0038	GY	0.09
146		-0.0063	GY	0.14
146		-0.0088	GY	0.20
146		-0.0113	GY	0.26
146		-0.0138	GY	0.31
146		-0.0164	GY	0.37
146		-0.0189	GY	0.43
146	-0.3556 GY	0.45	0.49	
146		-0.0189	GY	0.51
146		-0.0164	GY	0.57
146		-0.0138	GY	0.63
146		-0.0113	GY	0.68
146		-0.0088	GY	0.74
146		-0.0063	GY	0.80

146		-0.0038	GY	0.85
146		-0.0013	GY	0.90
872		-0.0013	GY	0.04
872		-0.0038	GY	0.09
872		-0.0063	GY	0.14
872		-0.0088	GY	0.20
872		-0.0113	GY	0.26
872		-0.0138	GY	0.31
872		-0.0164	GY	0.37
872		-0.0189	GY	0.43
872		-0.0189	GY	0.48
872		-0.0164	GY	0.54
872		-0.0138	GY	0.59
872		-0.0113	GY	0.65
872		-0.0088	GY	0.71
872		-0.0063	GY	0.76
872		-0.0038	GY	0.82
872		-0.0013	GY	0.87
2073		-0.0013	GY	0.04
2073		-0.0038	GY	0.09
2073		-0.0063	GY	0.14
2073		-0.0088	GY	0.20
2073		-0.0113	GY	0.26
2073		-0.0138	GY	0.31
2073		-0.0164	GY	0.37
2073		-0.0189	GY	0.43
2073	-0.3556 GY	0.45	0.49	
2073		-0.0189	GY	0.51
2073		-0.0164	GY	0.57
2073		-0.0138	GY	0.63
2073		-0.0113	GY	0.68

2073		-0.0088 GY	0.74
2073		-0.0063 GY	0.80
2073		-0.0038 GY	0.85
2073		-0.0013 GY	0.90
2071		-0.0013 GY	0.04
2071		-0.0038 GY	0.09
2071		-0.0063 GY	0.14
2071		-0.0088 GY	0.20
2071		-0.0113 GY	0.26
2071		-0.0138 GY	0.31
2071		-0.0164 GY	0.37
2071		-0.0189 GY	0.43
2071		-0.0189 GY	0.48
2071		-0.0164 GY	0.54
2071		-0.0138 GY	0.59
2071		-0.0113 GY	0.65
2071		-0.0088 GY	0.71
2071		-0.0063 GY	0.76
2071		-0.0038 GY	0.82
2071		-0.0013 GY	0.87
147		-0.0013 GY	0.04
147		-0.0038 GY	0.09
147		-0.0063 GY	0.14
147		-0.0088 GY	0.20
147		-0.0113 GY	0.26

147		-0.0138 GY	0.31
147		-0.0164 GY	0.37
147		-0.0189 GY	0.43
147	-0.3556 GY	0.45	0.49
147		-0.0189 GY	0.51
147		-0.0164 GY	0.57
147		-0.0138 GY	0.63
147		-0.0113 GY	0.68
147		-0.0088 GY	0.74
147		-0.0063 GY	0.80
147		-0.0038 GY	0.85
147		-0.0013 GY	0.90
2071		-0.0013 GY	0.04
2071		-0.0038 GY	0.09
2071		-0.0063 GY	0.14
2071		-0.0088 GY	0.20
2071		-0.0113 GY	0.26
2071		-0.0138 GY	0.31
2071		-0.0164 GY	0.37
2071		-0.0189 GY	0.43

2071		-0.0189 GY	0.48
2071		-0.0164 GY	0.54
2071		-0.0138 GY	0.59
2071		-0.0113 GY	0.65
2071		-0.0088 GY	0.71
2071		-0.0063 GY	0.76
2071		-0.0038 GY	0.82
2071		-0.0013 GY	0.87
2075		-0.0013 GY	0.04
2075		-0.0038 GY	0.09
2075		-0.0063 GY	0.14
2075		-0.0088 GY	0.20
2075		-0.0113 GY	0.26
2075		-0.0138 GY	0.31
2075		-0.0164 GY	0.37
2075		-0.0189 GY	0.43
2075	-0.3556 GY	0.45	0.49
2075		-0.0189 GY	0.51
2075		-0.0164 GY	0.57
2075		-0.0138 GY	0.63
2075		-0.0113 GY	0.68
2075		-0.0088 GY	0.74
2075		-0.0063 GY	0.80
2075		-0.0038 GY	0.85
2075		-0.0013 GY	0.90
2074		-0.0013 GY	0.04
2074		-0.0038 GY	0.09
2074		-0.0063 GY	0.14
2074		-0.0088 GY	0.20
2074		-0.0113 GY	0.26
2074		-0.0138 GY	0.31
2074		-0.0164 GY	0.37
2074		-0.0189 GY	0.43
2074		-0.0189 GY	0.48
2074		-0.0164 GY	0.54
2074		-0.0138 GY	0.59

2074		-0.0113 GY	0.65
2074		-0.0088 GY	0.71
2074		-0.0063 GY	0.76
2074		-0.0038 GY	0.82
2074		-0.0013 GY	0.87
148		-0.0013 GY	0.04
148		-0.0038 GY	0.09
148		-0.0063 GY	0.14
148		-0.0088 GY	0.20

148		-0.0113 GY	0.26
148		-0.0138 GY	0.31
148		-0.0164 GY	0.37
148		-0.0189 GY	0.43
148	-0.3556 GY	0.45	0.49
148		-0.0189 GY	0.51
148		-0.0164 GY	0.57
148		-0.0138 GY	0.63
148		-0.0113 GY	0.68
148		-0.0088 GY	0.74
148		-0.0063 GY	0.80
148		-0.0038 GY	0.85
148		-0.0013 GY	0.90
863		-0.0013 GY	0.04
863		-0.0038 GY	0.09
863		-0.0063 GY	0.14
863		-0.0088 GY	0.20
863		-0.0113 GY	0.26
863		-0.0138 GY	0.31
863		-0.0164 GY	0.37
863		-0.0189 GY	0.43
863		-0.0189 GY	0.48
863		-0.0164 GY	0.54
863		-0.0138 GY	0.59
863		-0.0113 GY	0.65
863		-0.0088 GY	0.71
863		-0.0063 GY	0.76
863		-0.0038 GY	0.82
863		-0.0013 GY	0.87
2078		-0.0013 GY	0.04
2078		-0.0038 GY	0.09
2078		-0.0063 GY	0.14
2078		-0.0088 GY	0.20
2078		-0.0113 GY	0.26
2078		-0.0138 GY	0.31
2078		-0.0164 GY	0.37
2078		-0.0189 GY	0.43
2078	-0.3556 GY	0.45	0.49
2078		-0.0189 GY	0.51
2078		-0.0164 GY	0.57
2078		-0.0138 GY	0.63
2078		-0.0113 GY	0.68
2078		-0.0088 GY	0.74
2078		-0.0063 GY	0.80
2078		-0.0038 GY	0.85
2078		-0.0013 GY	0.90
2076		-0.0013 GY	0.04

2076		-0.0038 GY	0.09
2076		-0.0063 GY	0.14
2076		-0.0088 GY	0.20
2076		-0.0113 GY	0.26
2076		-0.0138 GY	0.31
2076		-0.0164 GY	0.37
2076		-0.0189 GY	0.43
2076		-0.0189 GY	0.48
2076		-0.0164 GY	0.54
2076		-0.0138 GY	0.59
2076		-0.0113 GY	0.65
2076		-0.0088 GY	0.71
2076		-0.0063 GY	0.76
2076		-0.0038 GY	0.82
2076		-0.0013 GY	0.87
149		-0.0013 GY	0.04
149		-0.0038 GY	0.09
149		-0.0063 GY	0.14
149		-0.0088 GY	0.20
149		-0.0113 GY	0.26
149		-0.0138 GY	0.31
149		-0.0164 GY	0.37
149		-0.0189 GY	0.43
149	-0.3556 GY	0.45	0.49
149		-0.0189 GY	0.51
149		-0.0164 GY	0.57
149		-0.0138 GY	0.63
149		-0.0113 GY	0.68
149		-0.0088 GY	0.74
149		-0.0063 GY	0.80
149		-0.0038 GY	0.85
149		-0.0013 GY	0.90
2076		-0.0013 GY	0.04
2076		-0.0038 GY	0.09
2076		-0.0063 GY	0.14
2076		-0.0088 GY	0.20
2076		-0.0113 GY	0.26
2076		-0.0138 GY	0.31
2076		-0.0164 GY	0.37
2076		-0.0189 GY	0.43
2076		-0.0189 GY	0.48
2076		-0.0164 GY	0.54
2076		-0.0138 GY	0.59
2076		-0.0113 GY	0.65
2076		-0.0088 GY	0.71

2076		-0.0063 GY	0.76
2076		-0.0038 GY	0.82
2076		-0.0013 GY	0.87
2080		-0.0013 GY	0.04
2080		-0.0038 GY	0.09
2080		-0.0063 GY	0.14
2080		-0.0088 GY	0.20
2080		-0.0113 GY	0.26
2080		-0.0138 GY	0.31
2080		-0.0164 GY	0.37
2080		-0.0189 GY	0.43

2080	-0.3556 GY	0.45	0.49
2080		-0.0189 GY	0.51
2080		-0.0164 GY	0.57
2080		-0.0138 GY	0.63
2080		-0.0113 GY	0.68
2080		-0.0088 GY	0.74
2080		-0.0063 GY	0.80
2080		-0.0038 GY	0.85
2080		-0.0013 GY	0.90
2079		-0.0013 GY	0.04
2079		-0.0038 GY	0.09
2079		-0.0063 GY	0.14
2079		-0.0088 GY	0.20
2079		-0.0113 GY	0.26
2079		-0.0138 GY	0.31
2079		-0.0164 GY	0.37
2079		-0.0189 GY	0.43
2079		-0.0189 GY	0.48
2079		-0.0164 GY	0.54
2079		-0.0138 GY	0.59
2079		-0.0113 GY	0.65
2079		-0.0088 GY	0.71
2079		-0.0063 GY	0.76
2079		-0.0038 GY	0.82
2079		-0.0013 GY	0.87
150		-0.0013 GY	0.04
150		-0.0038 GY	0.09
150		-0.0063 GY	0.14
150		-0.0088 GY	0.20
150		-0.0113 GY	0.26
150		-0.0138 GY	0.31
150		-0.0164 GY	0.37
150		-0.0189 GY	0.43
150	-0.3556 GY	0.45	0.49

150		-0.0189 GY	0.51
150		-0.0164 GY	0.57
150		-0.0138 GY	0.63
150		-0.0113 GY	0.68
150		-0.0088 GY	0.74
150		-0.0063 GY	0.80
150		-0.0038 GY	0.85
150		-0.0013 GY	0.90
854		-0.0013 GY	0.04
854		-0.0038 GY	0.09
854		-0.0063 GY	0.14
854		-0.0088 GY	0.20
854		-0.0113 GY	0.26
854		-0.0138 GY	0.31
854		-0.0164 GY	0.37
854		-0.0189 GY	0.43
854		-0.0189 GY	0.48
854		-0.0164 GY	0.54
854		-0.0138 GY	0.59
854		-0.0113 GY	0.65
854		-0.0088 GY	0.71
854		-0.0063 GY	0.76

854		-0.0038 GY	0.82
854		-0.0013 GY	0.87
2015		-0.0013 GY	0.04
2015		-0.0038 GY	0.09
2015		-0.0063 GY	0.14
2015		-0.0088 GY	0.20
2015		-0.0113 GY	0.26
2015		-0.0138 GY	0.31
2015		-0.0164 GY	0.37
2015		-0.0189 GY	0.43
2015	-0.3556 GY	0.45	0.49
2015		-0.0189 GY	0.51
2015		-0.0164 GY	0.57
2015		-0.0138 GY	0.63
2015		-0.0113 GY	0.68
2015		-0.0088 GY	0.74
2015		-0.0063 GY	0.80
2015		-0.0038 GY	0.85
2015		-0.0013 GY	0.90
1232		-0.0013 GY	0.04
1232		-0.0038 GY	0.09
1232		-0.0063 GY	0.14
1232		-0.0088 GY	0.20

1232		-0.0113 GY	0.26
1232		-0.0138 GY	0.31
1232		-0.0164 GY	0.37
1232		-0.0189 GY	0.43
1232		-0.0189 GY	0.48
1232		-0.0164 GY	0.54
1232		-0.0138 GY	0.59
1232		-0.0113 GY	0.65
1232		-0.0088 GY	0.71
1232		-0.0063 GY	0.76
1232		-0.0038 GY	0.82
1232		-0.0013 GY	0.87
152		-0.0011 GY	0.04
152		-0.0033 GY	0.08
152		-0.0055 GY	0.13
152		-0.0078 GY	0.19
152		-0.0100 GY	0.24
152		-0.0122 GY	0.29
152		-0.0144 GY	0.35
152		-0.0166 GY	0.40
152	-0.3336 GY	0.42	0.52
152		-0.0166 GY	0.54
152		-0.0144 GY	0.59
152		-0.0122 GY	0.65
152		-0.0100 GY	0.70
152		-0.0078 GY	0.75
152		-0.0055 GY	0.81
152		-0.0033 GY	0.86
152		-0.0011 GY	0.90
2099		-0.0011 GY	0.04
2099		-0.0033 GY	0.08
2099		-0.0055 GY	0.13
2099		-0.0078 GY	0.19

2099		-0.0100 GY	0.24
2099		-0.0122 GY	0.29
2099		-0.0144 GY	0.35
2099		-0.0166 GY	0.40
2099		-0.0166 GY	0.45
2099		-0.0144 GY	0.50
2099		-0.0122 GY	0.56
2099		-0.0100 GY	0.61
2099		-0.0078 GY	0.66
2099		-0.0055 GY	0.72
2099		-0.0033 GY	0.77
2099		-0.0011 GY	0.81

2100		-0.0011 GY	0.04
2100		-0.0033 GY	0.08
2100		-0.0055 GY	0.13
2100		-0.0078 GY	0.19
2100		-0.0100 GY	0.24
2100		-0.0122 GY	0.29
2100		-0.0144 GY	0.35
2100		-0.0166 GY	0.40
2100	-0.3336 GY	0.42	0.52
2100		-0.0166 GY	0.54
2100		-0.0144 GY	0.59
2100		-0.0122 GY	0.65
2100		-0.0100 GY	0.70
2100		-0.0078 GY	0.75
2100		-0.0055 GY	0.81
2100		-0.0033 GY	0.86
2100		-0.0011 GY	0.90
1717		-0.0011 GY	0.04
1717		-0.0033 GY	0.08
1717		-0.0055 GY	0.13
1717		-0.0078 GY	0.19
1717		-0.0100 GY	0.24
1717		-0.0122 GY	0.29
1717		-0.0144 GY	0.35
1717		-0.0166 GY	0.40
1717		-0.0166 GY	0.45
1717		-0.0144 GY	0.50
1717		-0.0122 GY	0.56
1717		-0.0100 GY	0.61
1717		-0.0078 GY	0.66
1717		-0.0055 GY	0.72
1717		-0.0033 GY	0.77
1717		-0.0011 GY	0.81
154		-0.0011 GY	0.04
154		-0.0033 GY	0.08
154		-0.0055 GY	0.13
154		-0.0078 GY	0.19
154		-0.0100 GY	0.24
154		-0.0122 GY	0.29
154		-0.0144 GY	0.35
154		-0.0166 GY	0.40
154	-0.3336 GY	0.42	0.51
154		-0.0166 GY	0.54
154		-0.0144 GY	0.59

154		-0.0122 GY	0.65

154		-0.0100 GY	0.70
154		-0.0078 GY	0.75
154		-0.0055 GY	0.81
154		-0.0033 GY	0.86
154		-0.0011 GY	0.90
2104		-0.0011 GY	0.04
2104		-0.0033 GY	0.08
2104		-0.0055 GY	0.13
2104		-0.0078 GY	0.19
2104		-0.0100 GY	0.24
2104		-0.0122 GY	0.29
2104		-0.0144 GY	0.35
2104		-0.0166 GY	0.40
2104		-0.0166 GY	0.45
2104		-0.0144 GY	0.50
2104		-0.0122 GY	0.56
2104		-0.0100 GY	0.61
2104		-0.0078 GY	0.66
2104		-0.0055 GY	0.72
2104		-0.0033 GY	0.77
2104		-0.0011 GY	0.81
2105		-0.0011 GY	0.04
2105		-0.0033 GY	0.08
2105		-0.0055 GY	0.13
2105		-0.0078 GY	0.19
2105		-0.0100 GY	0.24
2105		-0.0122 GY	0.29
2105		-0.0144 GY	0.35
2105		-0.0166 GY	0.40
2105	-0.3336 GY	0.42	0.51
2105		-0.0166 GY	0.54
2105		-0.0144 GY	0.59
2105		-0.0122 GY	0.65
2105		-0.0100 GY	0.70
2105		-0.0078 GY	0.75
2105		-0.0055 GY	0.81
2105		-0.0033 GY	0.86
2105		-0.0011 GY	0.90
1716		-0.0011 GY	0.04
1716		-0.0033 GY	0.08
1716		-0.0055 GY	0.13
1716		-0.0078 GY	0.19
1716		-0.0100 GY	0.24
1716		-0.0122 GY	0.29
1716		-0.0144 GY	0.35
1716		-0.0166 GY	0.40
1716		-0.0166 GY	0.45

1716	-0.0144 GY	0.50
1716	-0.0122 GY	0.56
1716	-0.0100 GY	0.61
1716	-0.0078 GY	0.66
1716	-0.0055 GY	0.72
1716	-0.0033 GY	0.77
1716	-0.0011 GY	0.81
156	-0.0014 GY	0.04

156	-0.0042 GY	0.09
156	-0.0070 GY	0.14
156	-0.0097 GY	0.20
156	-0.0125 GY	0.26
156	-0.0153 GY	0.31
156	-0.0181 GY	0.37
156	-0.0209 GY	0.43
156	-0.0222 GY	0.49
156	-0.0192 GY	0.55
156	-0.0163 GY	0.61
156	-0.0133 GY	0.67
156	-0.0103 GY	0.73
156	-0.0074 GY	0.79
156	-0.0044 GY	0.85
156	-0.0015 GY	0.90
1520	-0.0013 GY	0.04
1520	-0.0040 GY	0.09
1520	-0.0067 GY	0.15
1520	-0.0094 GY	0.21
1520	-0.0121 GY	0.27
1520	-0.0148 GY	0.33
1520	-0.0175 GY	0.39
1520	-0.0202 GY	0.45
1520	-0.0220 GY	0.52
1520	-0.0190 GY	0.58
1520	-0.0161 GY	0.65
1520	-0.0132 GY	0.71
1520	-0.0102 GY	0.78
1520	-0.0073 GY	0.84
1520	-0.0044 GY	0.91
1520	-0.0015 GY	0.96
1560	-0.0014 GY	0.04
1560	-0.0043 GY	0.09
1560	-0.0071 GY	0.14
1560	-0.0099 GY	0.20
1560	-0.0128 GY	0.26
1560	-0.0156 GY	0.31

1560		-0.0185 GY	0.37
1560		-0.0213 GY	0.43
1560		-0.0200 GY	0.48
1560		-0.0173 GY	0.54
1560		-0.0146 GY	0.59
1560		-0.0120 GY	0.64
1560		-0.0093 GY	0.69
1560		-0.0067 GY	0.75
1560		-0.0040 GY	0.80
1560		-0.0013 GY	0.85
316		-0.0014 GY	0.04
316		-0.0043 GY	0.10
316		-0.0071 GY	0.16
316		-0.0099 GY	0.22
316		-0.0128 GY	0.29
316		-0.0156 GY	0.35
316		-0.0185 GY	0.41
316		-0.0213 GY	0.48
316		-0.0209 GY	0.54

316		-0.0181 GY	0.60
316		-0.0153 GY	0.66
316		-0.0125 GY	0.72
316		-0.0097 GY	0.79
316		-0.0070 GY	0.85
316		-0.0042 GY	0.91
316		-0.0014 GY	0.96
156		-0.0011 GY	0.04
156		-0.0033 GY	0.08
156		-0.0055 GY	0.13
156		-0.0078 GY	0.19
156		-0.0100 GY	0.24
156		-0.0122 GY	0.29
156		-0.0144 GY	0.35
156		-0.0166 GY	0.40
156	-0.3336 GY	0.42	0.51
156		-0.0166 GY	0.54
156		-0.0144 GY	0.59
156		-0.0122 GY	0.65
156		-0.0100 GY	0.70
156		-0.0078 GY	0.75
156		-0.0055 GY	0.81
156		-0.0033 GY	0.86
156		-0.0011 GY	0.90
1561		-0.0011 GY	0.04
1561		-0.0033 GY	0.08

1561		-0.0055 GY	0.13
1561		-0.0078 GY	0.19
1561		-0.0100 GY	0.24
1561		-0.0122 GY	0.29
1561		-0.0144 GY	0.35
1561		-0.0166 GY	0.40
1561		-0.0166 GY	0.45
1561		-0.0144 GY	0.50
1561		-0.0122 GY	0.56
1561		-0.0100 GY	0.61
1561		-0.0078 GY	0.66
1561		-0.0055 GY	0.72
1561		-0.0033 GY	0.77
1561		-0.0011 GY	0.81
1562		-0.0011 GY	0.04
1562		-0.0033 GY	0.08
1562		-0.0055 GY	0.13
1562		-0.0078 GY	0.19
1562		-0.0100 GY	0.24
1562		-0.0122 GY	0.29
1562		-0.0144 GY	0.35
1562		-0.0166 GY	0.40
1562	-0.3336 GY	0.42	0.51
1562		-0.0166 GY	0.54
1562		-0.0144 GY	0.59
1562		-0.0122 GY	0.65
1562		-0.0100 GY	0.70
1562		-0.0078 GY	0.75
1562		-0.0055 GY	0.81
1562		-0.0033 GY	0.86

1562		-0.0011 GY	0.90
1473		-0.0011 GY	0.04
1473		-0.0033 GY	0.08
1473		-0.0055 GY	0.13
1473		-0.0078 GY	0.19
1473		-0.0100 GY	0.24
1473		-0.0122 GY	0.29
1473		-0.0144 GY	0.35
1473		-0.0166 GY	0.40
1473		-0.0166 GY	0.45
1473		-0.0144 GY	0.50
1473		-0.0122 GY	0.56
1473		-0.0100 GY	0.61
1473		-0.0078 GY	0.66
1473		-0.0055 GY	0.72

1473		-0.0033	GY	0.77
1473		-0.0011	GY	0.81
157		-0.0011	GY	0.04
157		-0.0033	GY	0.08
157		-0.0055	GY	0.13
157		-0.0078	GY	0.19
157		-0.0100	GY	0.24
157		-0.0122	GY	0.29
157		-0.0144	GY	0.35
157		-0.0166	GY	0.40
157	-0.3336	GY 0.43	0.43	
157		-0.0166	GY	0.46
157		-0.0144	GY	0.51
157		-0.0122	GY	0.57
157		-0.0100	GY	0.62
157		-0.0078	GY	0.67
157		-0.0055	GY	0.73
157		-0.0033	GY	0.78
157		-0.0011	GY	0.82
1946		-0.0011	GY	0.04
1946		-0.0033	GY	0.08
1946		-0.0055	GY	0.13
1946		-0.0078	GY	0.19
1946		-0.0100	GY	0.24
1946		-0.0122	GY	0.29
1946		-0.0144	GY	0.35
1946		-0.0166	GY	0.40
1946		-0.0166	GY	0.45
1946		-0.0144	GY	0.50
1946		-0.0122	GY	0.56
1946		-0.0100	GY	0.61
1946		-0.0078	GY	0.66
1946		-0.0055	GY	0.72
1946		-0.0033	GY	0.77
1946		-0.0011	GY	0.81
2097		-0.0011	GY	0.04
2097		-0.0033	GY	0.08
2097		-0.0055	GY	0.13
2097		-0.0078	GY	0.19
2097		-0.0100	GY	0.24
2097		-0.0122	GY	0.29

2097		-0.0144	GY	0.35
2097		-0.0166	GY	0.40
2097	-0.3336	GY 0.43	0.43	
2097		-0.0166	GY	0.46

2097		-0.0144 GY	0.51
2097		-0.0122 GY	0.57
2097		-0.0100 GY	0.62
2097		-0.0078 GY	0.67
2097		-0.0055 GY	0.73
2097		-0.0033 GY	0.78
2097		-0.0011 GY	0.82
1500		-0.0011 GY	0.04
1500		-0.0033 GY	0.08
1500		-0.0055 GY	0.13
1500		-0.0078 GY	0.19
1500		-0.0100 GY	0.24
1500		-0.0122 GY	0.29
1500		-0.0144 GY	0.35
1500		-0.0166 GY	0.40
1500		-0.0166 GY	0.45
1500		-0.0144 GY	0.50
1500		-0.0122 GY	0.56
1500		-0.0100 GY	0.61
1500		-0.0078 GY	0.66
1500		-0.0055 GY	0.72
1500		-0.0033 GY	0.77
1500		-0.0011 GY	0.81
158		-0.0011 GY	0.04
158		-0.0033 GY	0.08
158		-0.0055 GY	0.13
158		-0.0078 GY	0.19
158		-0.0100 GY	0.24
158		-0.0122 GY	0.29
158		-0.0144 GY	0.35
158		-0.0166 GY	0.40
158	-0.3336 GY	0.43	0.51
158		-0.0166 GY	0.54
158		-0.0144 GY	0.59
158		-0.0122 GY	0.65
158		-0.0100 GY	0.70
158		-0.0078 GY	0.75
158		-0.0055 GY	0.81
158		-0.0033 GY	0.86
158		-0.0011 GY	0.90
811		-0.0011 GY	0.04
811		-0.0033 GY	0.08
811		-0.0055 GY	0.13
811		-0.0078 GY	0.19
811		-0.0100 GY	0.24
811		-0.0122 GY	0.29
811		-0.0144 GY	0.35

811		-0.0166 GY	0.40
811		-0.0166 GY	0.45
811		-0.0144 GY	0.50
811		-0.0122 GY	0.56
811		-0.0100 GY	0.61

811		-0.0078 GY	0.66
811		-0.0055 GY	0.72
811		-0.0033 GY	0.77
811		-0.0011 GY	0.81
2100		-0.0011 GY	0.04
2100		-0.0033 GY	0.08
2100		-0.0055 GY	0.13
2100		-0.0078 GY	0.19
2100		-0.0100 GY	0.24
2100		-0.0122 GY	0.29
2100		-0.0144 GY	0.35
2100		-0.0166 GY	0.40
2100	-0.3336 GY	0.43	0.51
2100		-0.0166 GY	0.54
2100		-0.0144 GY	0.59
2100		-0.0122 GY	0.65
2100		-0.0100 GY	0.70
2100		-0.0078 GY	0.75
2100		-0.0055 GY	0.81
2100		-0.0033 GY	0.86
2100		-0.0011 GY	0.90
2098		-0.0011 GY	0.04
2098		-0.0033 GY	0.08
2098		-0.0055 GY	0.13
2098		-0.0078 GY	0.19
2098		-0.0100 GY	0.24
2098		-0.0122 GY	0.29
2098		-0.0144 GY	0.35
2098		-0.0166 GY	0.40
2098		-0.0166 GY	0.45
2098		-0.0144 GY	0.50
2098		-0.0122 GY	0.56
2098		-0.0100 GY	0.61
2098		-0.0078 GY	0.66
2098		-0.0055 GY	0.72
2098		-0.0033 GY	0.77
2098		-0.0011 GY	0.81
159		-0.0011 GY	0.04
159		-0.0033 GY	0.08
159		-0.0055 GY	0.13

159		-0.0078 GY	0.19
159		-0.0100 GY	0.24
159		-0.0122 GY	0.29
159		-0.0144 GY	0.35
159		-0.0166 GY	0.40
159	-0.3336 GY	0.43	0.51
159		-0.0166 GY	0.54
159		-0.0144 GY	0.59
159		-0.0122 GY	0.65
159		-0.0100 GY	0.70
159		-0.0078 GY	0.75
159		-0.0055 GY	0.81
159		-0.0033 GY	0.86
159		-0.0011 GY	0.90
2098		-0.0011 GY	0.04
2098		-0.0033 GY	0.08

2098		-0.0055 GY	0.13
2098		-0.0078 GY	0.19
2098		-0.0100 GY	0.24
2098		-0.0122 GY	0.29
2098		-0.0144 GY	0.35
2098		-0.0166 GY	0.40
2098		-0.0166 GY	0.45
2098		-0.0144 GY	0.50
2098		-0.0122 GY	0.56
2098		-0.0100 GY	0.61
2098		-0.0078 GY	0.66
2098		-0.0055 GY	0.72
2098		-0.0033 GY	0.77
2098		-0.0011 GY	0.81
2102		-0.0011 GY	0.04
2102		-0.0033 GY	0.08
2102		-0.0055 GY	0.13
2102		-0.0078 GY	0.19
2102		-0.0100 GY	0.24
2102		-0.0122 GY	0.29
2102		-0.0144 GY	0.35
2102		-0.0166 GY	0.40
2102	-0.3336 GY	0.43	0.51
2102		-0.0166 GY	0.54
2102		-0.0144 GY	0.59
2102		-0.0122 GY	0.65
2102		-0.0100 GY	0.70
2102		-0.0078 GY	0.75
2102		-0.0055 GY	0.81

2102		-0.0033 GY	0.86
2102		-0.0011 GY	0.90
2101		-0.0011 GY	0.04
2101		-0.0033 GY	0.08
2101		-0.0055 GY	0.13
2101		-0.0078 GY	0.19
2101		-0.0100 GY	0.24
2101		-0.0122 GY	0.29
2101		-0.0144 GY	0.35
2101		-0.0166 GY	0.40
2101		-0.0166 GY	0.45
2101		-0.0144 GY	0.50
2101		-0.0122 GY	0.56
2101		-0.0100 GY	0.61
2101		-0.0078 GY	0.66
2101		-0.0055 GY	0.72
2101		-0.0033 GY	0.77
2101		-0.0011 GY	0.81
160		-0.0011 GY	0.04
160		-0.0033 GY	0.08
160		-0.0055 GY	0.13
160		-0.0078 GY	0.19
160		-0.0100 GY	0.24
160		-0.0122 GY	0.29
160		-0.0144 GY	0.35
160		-0.0166 GY	0.40
160	-0.3336 GY	0.43	0.51

160		-0.0166 GY	0.54
160		-0.0144 GY	0.59
160		-0.0122 GY	0.65
160		-0.0100 GY	0.70
160		-0.0078 GY	0.75
160		-0.0055 GY	0.81
160		-0.0033 GY	0.86
160		-0.0011 GY	0.90
805		-0.0011 GY	0.04
805		-0.0033 GY	0.08
805		-0.0055 GY	0.13
805		-0.0078 GY	0.19
805		-0.0100 GY	0.24
805		-0.0122 GY	0.29
805		-0.0144 GY	0.35
805		-0.0166 GY	0.40
805		-0.0166 GY	0.45
805		-0.0144 GY	0.50

805		-0.0122 GY	0.56
805		-0.0100 GY	0.61
805		-0.0078 GY	0.66
805		-0.0055 GY	0.72
805		-0.0033 GY	0.77
805		-0.0011 GY	0.81
2105		-0.0011 GY	0.04
2105		-0.0033 GY	0.08
2105		-0.0055 GY	0.13
2105		-0.0078 GY	0.19
2105		-0.0100 GY	0.24
2105		-0.0122 GY	0.29
2105		-0.0144 GY	0.35
2105		-0.0166 GY	0.40
2105	-0.3336 GY	0.43	0.51
2105		-0.0166 GY	0.54
2105		-0.0144 GY	0.59
2105		-0.0122 GY	0.65
2105		-0.0100 GY	0.70
2105		-0.0078 GY	0.75
2105		-0.0055 GY	0.81
2105		-0.0033 GY	0.86
2105		-0.0011 GY	0.90
2103		-0.0011 GY	0.04
2103		-0.0033 GY	0.08
2103		-0.0055 GY	0.13
2103		-0.0078 GY	0.19
2103		-0.0100 GY	0.24
2103		-0.0122 GY	0.29
2103		-0.0144 GY	0.35
2103		-0.0166 GY	0.40
2103		-0.0166 GY	0.45
2103		-0.0144 GY	0.50
2103		-0.0122 GY	0.56
2103		-0.0100 GY	0.61
2103		-0.0078 GY	0.66
2103		-0.0055 GY	0.72
2103		-0.0033 GY	0.77

2103		-0.0011 GY	0.81
161		-0.0011 GY	0.04
161		-0.0033 GY	0.08
161		-0.0055 GY	0.13
161		-0.0078 GY	0.19
161		-0.0100 GY	0.24
161		-0.0122 GY	0.29

161			-0.0144 GY	0.35
161			-0.0166 GY	0.40
161	-0.3336 GY	0.42	0.51	
161			-0.0166 GY	0.54
161			-0.0144 GY	0.59
161			-0.0122 GY	0.65
161			-0.0100 GY	0.70
161			-0.0078 GY	0.75
161			-0.0055 GY	0.81
161			-0.0033 GY	0.86
161			-0.0011 GY	0.90
2103			-0.0011 GY	0.04
2103			-0.0033 GY	0.08
2103			-0.0055 GY	0.13
2103			-0.0078 GY	0.19
2103			-0.0100 GY	0.24
2103			-0.0122 GY	0.29
2103			-0.0144 GY	0.35
2103			-0.0166 GY	0.40
2103			-0.0166 GY	0.45
2103			-0.0144 GY	0.50
2103			-0.0122 GY	0.56
2103			-0.0100 GY	0.61
2103			-0.0078 GY	0.66
2103			-0.0055 GY	0.72
2103			-0.0033 GY	0.77
2103			-0.0011 GY	0.81
2107			-0.0011 GY	0.04
2107			-0.0033 GY	0.08
2107			-0.0055 GY	0.13
2107			-0.0078 GY	0.19
2107			-0.0100 GY	0.24
2107			-0.0122 GY	0.29
2107			-0.0144 GY	0.35
2107			-0.0166 GY	0.40
2107	-0.3336 GY	0.42	0.51	
2107			-0.0166 GY	0.54
2107			-0.0144 GY	0.59
2107			-0.0122 GY	0.65
2107			-0.0100 GY	0.70
2107			-0.0078 GY	0.75
2107			-0.0055 GY	0.81
2107			-0.0033 GY	0.86
2107			-0.0011 GY	0.90
2106			-0.0011 GY	0.04
2106			-0.0033 GY	0.08
2106			-0.0055 GY	0.13

2106	-0.0078 GY	0.19
2106	-0.0100 GY	0.24

2106	-0.0122 GY	0.29
2106	-0.0144 GY	0.35
2106	-0.0166 GY	0.40
2106	-0.0166 GY	0.45
2106	-0.0144 GY	0.50
2106	-0.0122 GY	0.56
2106	-0.0100 GY	0.61
2106	-0.0078 GY	0.66
2106	-0.0055 GY	0.72
2106	-0.0033 GY	0.77
2106	-0.0011 GY	0.81
162	-0.0011 GY	0.04
162	-0.0033 GY	0.09
162	-0.0055 GY	0.14
162	-0.0077 GY	0.20
162	-0.0099 GY	0.26
162	-0.0121 GY	0.31
162	-0.0143 GY	0.37
162	-0.0165 GY	0.43
162	-0.0175 GY	0.49
162	-0.0152 GY	0.55
162	-0.0128 GY	0.61
162	-0.0105 GY	0.67
162	-0.0082 GY	0.73
162	-0.0058 GY	0.79
162	-0.0035 GY	0.85
162	-0.0012 GY	0.90
1542	-0.0012 GY	0.04
1542	-0.0036 GY	0.08
1542	-0.0059 GY	0.14
1542	-0.0083 GY	0.19
1542	-0.0107 GY	0.24
1542	-0.0131 GY	0.29
1542	-0.0155 GY	0.35
1542	-0.0178 GY	0.40
1542	-0.0155 GY	0.45
1542	-0.0134 GY	0.50
1542	-0.0113 GY	0.54
1542	-0.0093 GY	0.59
1542	-0.0072 GY	0.63
1542	-0.0052 GY	0.68
1542	-0.0031 GY	0.72
1542	-0.0010 GY	0.77

1563		-0.0011 GY	0.04
1563		-0.0034 GY	0.09
1563		-0.0056 GY	0.14
1563		-0.0079 GY	0.20
1563		-0.0101 GY	0.26
1563		-0.0123 GY	0.31
1563		-0.0146 GY	0.37
1563		-0.0168 GY	0.43
1563		-0.0158 GY	0.48
1563		-0.0137 GY	0.54
1563		-0.0116 GY	0.59
1563		-0.0095 GY	0.64
1563		-0.0074 GY	0.69

1563		-0.0053 GY	0.75
1563		-0.0032 GY	0.80
1563		-0.0011 GY	0.85
1471		-0.0011 GY	0.03
1471		-0.0033 GY	0.08
1471		-0.0055 GY	0.12
1471		-0.0077 GY	0.17
1471		-0.0099 GY	0.22
1471		-0.0121 GY	0.27
1471		-0.0143 GY	0.32
1471		-0.0165 GY	0.37
1471		-0.0168 GY	0.42
1471		-0.0146 GY	0.47
1471		-0.0123 GY	0.52
1471		-0.0101 GY	0.57
1471		-0.0079 GY	0.62
1471		-0.0056 GY	0.67
1471		-0.0034 GY	0.72
1471		-0.0011 GY	0.76
162		-0.0011 GY	0.04
162		-0.0033 GY	0.08
162		-0.0055 GY	0.13
162		-0.0078 GY	0.19
162		-0.0100 GY	0.24
162		-0.0122 GY	0.29
162		-0.0144 GY	0.35
162		-0.0166 GY	0.40
162	-0.3336 GY	0.43	0.51
162		-0.0166 GY	0.54
162		-0.0144 GY	0.59
162		-0.0122 GY	0.65
162		-0.0100 GY	0.70

162		-0.0078 GY	0.75
162		-0.0055 GY	0.81
162		-0.0033 GY	0.86
162		-0.0011 GY	0.90
799		-0.0011 GY	0.04
799		-0.0033 GY	0.08
799		-0.0055 GY	0.13
799		-0.0078 GY	0.19
799		-0.0100 GY	0.24
799		-0.0122 GY	0.29
799		-0.0144 GY	0.35
799		-0.0166 GY	0.40
799		-0.0166 GY	0.45
799		-0.0144 GY	0.50
799		-0.0122 GY	0.56
799		-0.0100 GY	0.61
799		-0.0078 GY	0.66
799		-0.0055 GY	0.72
799		-0.0033 GY	0.77
799		-0.0011 GY	0.81
1562		-0.0011 GY	0.04
1562		-0.0033 GY	0.08
1562		-0.0055 GY	0.13
1562		-0.0078 GY	0.19

1562		-0.0100 GY	0.24
1562		-0.0122 GY	0.29
1562		-0.0144 GY	0.35
1562		-0.0166 GY	0.40
1562	-0.3336 GY	0.43	0.51
1562		-0.0166 GY	0.54
1562		-0.0144 GY	0.59
1562		-0.0122 GY	0.65
1562		-0.0100 GY	0.70
1562		-0.0078 GY	0.75
1562		-0.0055 GY	0.81
1562		-0.0033 GY	0.86
1562		-0.0011 GY	0.90
1231		-0.0011 GY	0.04
1231		-0.0033 GY	0.08
1231		-0.0055 GY	0.13
1231		-0.0078 GY	0.19
1231		-0.0100 GY	0.24
1231		-0.0122 GY	0.29
1231		-0.0144 GY	0.35
1231		-0.0166 GY	0.40

1231		-0.0166 GY	0.45
1231		-0.0144 GY	0.50
1231		-0.0122 GY	0.56
1231		-0.0100 GY	0.61
1231		-0.0078 GY	0.66
1231		-0.0055 GY	0.72
1231		-0.0033 GY	0.77
1231		-0.0011 GY	0.81
181		-0.0011 GY	0.03
181		-0.0032 GY	0.08
181		-0.0054 GY	0.13
181		-0.0075 GY	0.18
181		-0.0097 GY	0.24
181		-0.0118 GY	0.29
181		-0.0140 GY	0.34
181		-0.0161 GY	0.39
181	-0.3284 GY	0.42	0.82
181		-0.0161 GY	0.85
181		-0.0140 GY	0.90
181		-0.0118 GY	0.95
181		-0.0097 GY	1.00
181		-0.0075 GY	1.05
181		-0.0054 GY	1.11
181		-0.0032 GY	1.16
181		-0.0011 GY	1.20
1602		-0.0011 GY	0.03
1602		-0.0032 GY	0.08
1602		-0.0054 GY	0.13
1602		-0.0075 GY	0.18
1602		-0.0097 GY	0.24
1602		-0.0118 GY	0.29
1602		-0.0140 GY	0.34
1602		-0.0161 GY	0.39
1602		-0.0161 GY	0.44
1602		-0.0140 GY	0.50

1602		-0.0118 GY	0.55
1602		-0.0097 GY	0.60
1602		-0.0075 GY	0.65
1602		-0.0054 GY	0.70
1602		-0.0032 GY	0.76
1602		-0.0011 GY	0.80
1692		-0.0011 GY	0.03
1692		-0.0032 GY	0.08
1692		-0.0054 GY	0.13
1692		-0.0075 GY	0.18

1692		-0.0097 GY	0.24
1692		-0.0118 GY	0.29
1692		-0.0140 GY	0.34
1692		-0.0161 GY	0.39
1692	-0.3284 GY	0.42	0.82
1692		-0.0161 GY	0.85
1692		-0.0140 GY	0.90
1692		-0.0118 GY	0.95
1692		-0.0097 GY	1.00
1692		-0.0075 GY	1.05
1692		-0.0054 GY	1.11
1692		-0.0032 GY	1.16
1692		-0.0011 GY	1.20
710		-0.0011 GY	0.03
710		-0.0032 GY	0.08
710		-0.0054 GY	0.13
710		-0.0075 GY	0.18
710		-0.0097 GY	0.24
710		-0.0118 GY	0.29
710		-0.0140 GY	0.34
710		-0.0161 GY	0.39
710		-0.0161 GY	0.44
710		-0.0140 GY	0.50
710		-0.0118 GY	0.55
710		-0.0097 GY	0.60
710		-0.0075 GY	0.65
710		-0.0054 GY	0.70
710		-0.0032 GY	0.76
710		-0.0011 GY	0.80
182		-0.0011 GY	0.03
182		-0.0032 GY	0.08
182		-0.0054 GY	0.13
182		-0.0075 GY	0.18
182		-0.0097 GY	0.24
182		-0.0118 GY	0.29
182		-0.0140 GY	0.34
182		-0.0161 GY	0.39
182	-0.3284 GY	0.42	0.63
182		-0.0161 GY	0.66
182		-0.0140 GY	0.71
182		-0.0118 GY	0.76
182		-0.0097 GY	0.81
182		-0.0075 GY	0.87
182		-0.0054 GY	0.92
182		-0.0032 GY	0.97
182		-0.0011 GY	1.02

1558		-0.0011 GY	0.03
1558		-0.0032 GY	0.08
1558		-0.0054 GY	0.13
1558		-0.0075 GY	0.18
1558		-0.0097 GY	0.24
1558		-0.0118 GY	0.29
1558		-0.0140 GY	0.34
1558		-0.0161 GY	0.39
1558		-0.0161 GY	0.44
1558		-0.0140 GY	0.50
1558		-0.0118 GY	0.55
1558		-0.0097 GY	0.60
1558		-0.0075 GY	0.65
1558		-0.0054 GY	0.70
1558		-0.0032 GY	0.76
1558		-0.0011 GY	0.80
765		-0.0011 GY	0.03
765		-0.0032 GY	0.08
765		-0.0054 GY	0.13
765		-0.0075 GY	0.18
765		-0.0097 GY	0.24
765		-0.0118 GY	0.29
765		-0.0140 GY	0.34
765		-0.0161 GY	0.39
765	-0.3284 GY	0.42	0.63
765		-0.0161 GY	0.66
765		-0.0140 GY	0.71
765		-0.0118 GY	0.76
765		-0.0097 GY	0.81
765		-0.0075 GY	0.87
765		-0.0054 GY	0.92
765		-0.0032 GY	0.97
765		-0.0011 GY	1.02
1602		-0.0011 GY	0.03
1602		-0.0032 GY	0.08
1602		-0.0054 GY	0.13
1602		-0.0075 GY	0.18
1602		-0.0097 GY	0.24
1602		-0.0118 GY	0.29
1602		-0.0140 GY	0.34
1602		-0.0161 GY	0.39
1602		-0.0161 GY	0.44
1602		-0.0140 GY	0.50
1602		-0.0118 GY	0.55
1602		-0.0097 GY	0.60
1602		-0.0075 GY	0.65

1602		-0.0054 GY	0.70
1602		-0.0032 GY	0.76
1602		-0.0011 GY	0.80
183		-0.0010 GY	0.03
183		-0.0029 GY	0.08
183		-0.0048 GY	0.13
183		-0.0068 GY	0.17
183		-0.0087 GY	0.22
183		-0.0106 GY	0.27
183		-0.0126 GY	0.32

183		-0.0145 GY	0.37
183		-0.0145 GY	0.42
183		-0.0126 GY	0.47
183		-0.0106 GY	0.52
183		-0.0087 GY	0.57
183		-0.0068 GY	0.62
183		-0.0048 GY	0.67
183		-0.0029 GY	0.72
183		-0.0010 GY	0.76
2035		-0.0010 GY	0.03
2035		-0.0029 GY	0.08
2035		-0.0048 GY	0.13
2035		-0.0068 GY	0.17
2035		-0.0087 GY	0.22
2035		-0.0106 GY	0.27
2035		-0.0126 GY	0.32
2035		-0.0145 GY	0.37
2035	-0.3116 GY	0.40	0.44
2035		-0.0145 GY	0.46
2035		-0.0126 GY	0.51
2035		-0.0106 GY	0.56
2035		-0.0087 GY	0.61
2035		-0.0068 GY	0.66
2035		-0.0048 GY	0.71
2035		-0.0029 GY	0.76
2035		-0.0010 GY	0.80
762		-0.0010 GY	0.03
762		-0.0029 GY	0.08
762		-0.0048 GY	0.13
762		-0.0068 GY	0.17
762		-0.0087 GY	0.22
762		-0.0106 GY	0.27
762		-0.0126 GY	0.32
762		-0.0145 GY	0.37
762		-0.0145 GY	0.42

762		-0.0126 GY	0.47
762		-0.0106 GY	0.52
762		-0.0087 GY	0.57
762		-0.0068 GY	0.62
762		-0.0048 GY	0.67
762		-0.0029 GY	0.72
762		-0.0010 GY	0.76
720		-0.0010 GY	0.03
720		-0.0029 GY	0.08
720		-0.0048 GY	0.13
720		-0.0068 GY	0.17
720		-0.0087 GY	0.22
720		-0.0106 GY	0.27
720		-0.0126 GY	0.32
720		-0.0145 GY	0.37
720	-0.3116 GY	0.40	0.44
720		-0.0145 GY	0.46
720		-0.0126 GY	0.51
720		-0.0106 GY	0.56
720		-0.0087 GY	0.61
720		-0.0068 GY	0.66

720		-0.0048 GY	0.71
720		-0.0029 GY	0.76
720		-0.0010 GY	0.80
184		-0.0011 GY	0.03
184		-0.0032 GY	0.08
184		-0.0054 GY	0.13
184		-0.0075 GY	0.18
184		-0.0097 GY	0.24
184		-0.0118 GY	0.29
184		-0.0140 GY	0.34
184		-0.0161 GY	0.39
184	-0.3284 GY	0.42	0.63
184		-0.0161 GY	0.65
184		-0.0140 GY	0.70
184		-0.0118 GY	0.76
184		-0.0097 GY	0.81
184		-0.0075 GY	0.86
184		-0.0054 GY	0.91
184		-0.0032 GY	0.96
184		-0.0011 GY	1.01
734		-0.0011 GY	0.03
734		-0.0032 GY	0.08
734		-0.0054 GY	0.13
734		-0.0075 GY	0.18

734		-0.0097 GY	0.24
734		-0.0118 GY	0.29
734		-0.0140 GY	0.34
734		-0.0161 GY	0.39
734		-0.0161 GY	0.44
734		-0.0140 GY	0.50
734		-0.0118 GY	0.55
734		-0.0097 GY	0.60
734		-0.0075 GY	0.65
734		-0.0054 GY	0.70
734		-0.0032 GY	0.76
734		-0.0011 GY	0.80
761		-0.0011 GY	0.03
761		-0.0032 GY	0.08
761		-0.0054 GY	0.13
761		-0.0075 GY	0.18
761		-0.0097 GY	0.24
761		-0.0118 GY	0.29
761		-0.0140 GY	0.34
761		-0.0161 GY	0.39
761	-0.3284 GY	0.42	0.63
761		-0.0161 GY	0.65
761		-0.0140 GY	0.70
761		-0.0118 GY	0.76
761		-0.0097 GY	0.81
761		-0.0075 GY	0.86
761		-0.0054 GY	0.91
761		-0.0032 GY	0.96
761		-0.0011 GY	1.01
722		-0.0011 GY	0.03
722		-0.0032 GY	0.08
722		-0.0054 GY	0.13

722		-0.0075 GY	0.18
722		-0.0097 GY	0.24
722		-0.0118 GY	0.29
722		-0.0140 GY	0.34
722		-0.0161 GY	0.39
722		-0.0161 GY	0.44
722		-0.0140 GY	0.50
722		-0.0118 GY	0.55
722		-0.0097 GY	0.60
722		-0.0075 GY	0.65
722		-0.0054 GY	0.70
722		-0.0032 GY	0.76
722		-0.0011 GY	0.80

187		-0.0011 GY	0.03
187		-0.0032 GY	0.08
187		-0.0054 GY	0.13
187		-0.0075 GY	0.18
187		-0.0097 GY	0.24
187		-0.0118 GY	0.29
187		-0.0140 GY	0.34
187		-0.0161 GY	0.39
187	-0.3284 GY	0.42	0.68
187		-0.0161 GY	0.70
187		-0.0140 GY	0.75
187		-0.0118 GY	0.81
187		-0.0097 GY	0.86
187		-0.0075 GY	0.91
187		-0.0054 GY	0.96
187		-0.0032 GY	1.01
187		-0.0011 GY	1.06
1819		-0.0011 GY	0.03
1819		-0.0032 GY	0.08
1819		-0.0054 GY	0.13
1819		-0.0075 GY	0.18
1819		-0.0097 GY	0.24
1819		-0.0118 GY	0.29
1819		-0.0140 GY	0.34
1819		-0.0161 GY	0.39
1819		-0.0161 GY	0.44
1819		-0.0140 GY	0.50
1819		-0.0118 GY	0.55
1819		-0.0097 GY	0.60
1819		-0.0075 GY	0.65
1819		-0.0054 GY	0.70
1819		-0.0032 GY	0.76
1819		-0.0011 GY	0.80
754		-0.0011 GY	0.03
754		-0.0032 GY	0.08
754		-0.0054 GY	0.13
754		-0.0075 GY	0.18
754		-0.0097 GY	0.24
754		-0.0118 GY	0.29
754		-0.0140 GY	0.34
754		-0.0161 GY	0.39
754	-0.3284 GY	0.42	0.68
754		-0.0161 GY	0.70

754		-0.0140 GY	0.75
754		-0.0118 GY	0.81

754		-0.0097 GY	0.86
754		-0.0075 GY	0.91
754		-0.0054 GY	0.96
754		-0.0032 GY	1.01
754		-0.0011 GY	1.06
1753		-0.0011 GY	0.03
1753		-0.0032 GY	0.08
1753		-0.0054 GY	0.13
1753		-0.0075 GY	0.18
1753		-0.0097 GY	0.24
1753		-0.0118 GY	0.29
1753		-0.0140 GY	0.34
1753		-0.0161 GY	0.39
1753		-0.0161 GY	0.44
1753		-0.0140 GY	0.50
1753		-0.0118 GY	0.55
1753		-0.0097 GY	0.60
1753		-0.0075 GY	0.65
1753		-0.0054 GY	0.70
1753		-0.0032 GY	0.76
1753		-0.0011 GY	0.80
199		-0.0006 GY	0.03
199		-0.0017 GY	0.06
199		-0.0029 GY	0.10
199		-0.0040 GY	0.13
199		-0.0051 GY	0.17
199		-0.0063 GY	0.21
199		-0.0074 GY	0.25
199		-0.0086 GY	0.29
199		-0.0086 GY	0.32
199		-0.0074 GY	0.36
199		-0.0063 GY	0.40
199		-0.0051 GY	0.44
199		-0.0040 GY	0.48
199		-0.0029 GY	0.51
199		-0.0017 GY	0.55
199		-0.0006 GY	0.58
1674		-0.0006 GY	0.03
1674		-0.0017 GY	0.06
1674		-0.0029 GY	0.10
1674		-0.0040 GY	0.13
1674		-0.0051 GY	0.17
1674		-0.0063 GY	0.21
1674		-0.0074 GY	0.25
1674		-0.0086 GY	0.29
1674	-0.2394 GY	0.30	0.93
1674		-0.0086 GY	0.95

1674		-0.0074 GY	0.99
1674		-0.0063 GY	1.03
1674		-0.0051 GY	1.07
1674		-0.0040 GY	1.10
1674		-0.0029 GY	1.14
1674		-0.0017 GY	1.18
1674		-0.0006 GY	1.21

1600		-0.0006 GY	0.03
1600		-0.0017 GY	0.06
1600		-0.0029 GY	0.10
1600		-0.0040 GY	0.13
1600		-0.0051 GY	0.17
1600		-0.0063 GY	0.21
1600		-0.0074 GY	0.25
1600		-0.0086 GY	0.29
1600		-0.0086 GY	0.32
1600		-0.0074 GY	0.36
1600		-0.0063 GY	0.40
1600		-0.0051 GY	0.44
1600		-0.0040 GY	0.48
1600		-0.0029 GY	0.51
1600		-0.0017 GY	0.55
1600		-0.0006 GY	0.58
1672		-0.0006 GY	0.03
1672		-0.0017 GY	0.06
1672		-0.0029 GY	0.10
1672		-0.0040 GY	0.13
1672		-0.0051 GY	0.17
1672		-0.0063 GY	0.21
1672		-0.0074 GY	0.25
1672		-0.0086 GY	0.29
1672	-0.2394 GY	0.30	0.93
1672		-0.0086 GY	0.95
1672		-0.0074 GY	0.99
1672		-0.0063 GY	1.03
1672		-0.0051 GY	1.07
1672		-0.0040 GY	1.10
1672		-0.0029 GY	1.14
1672		-0.0017 GY	1.18
1672		-0.0006 GY	1.21
302		-0.0010 GY	0.03
302		-0.0029 GY	0.08
302		-0.0048 GY	0.13
302		-0.0067 GY	0.17
302		-0.0086 GY	0.22

302		-0.0105 GY	0.27
302		-0.0124 GY	0.32
302		-0.0144 GY	0.37
302	-0.3101 GY	0.40	0.60
302		-0.0144 GY	0.63
302		-0.0124 GY	0.68
302		-0.0105 GY	0.73
302		-0.0086 GY	0.78
302		-0.0067 GY	0.83
302		-0.0048 GY	0.87
302		-0.0029 GY	0.92
302		-0.0010 GY	0.97
362		-0.0010 GY	0.03
362		-0.0029 GY	0.08
362		-0.0048 GY	0.13
362		-0.0067 GY	0.17
362		-0.0086 GY	0.22
362		-0.0105 GY	0.27

362		-0.0124 GY	0.32
362		-0.0144 GY	0.37
362		-0.0144 GY	0.42
362		-0.0124 GY	0.47
362		-0.0105 GY	0.52
362		-0.0086 GY	0.57
362		-0.0067 GY	0.62
362		-0.0048 GY	0.66
362		-0.0029 GY	0.71
362		-0.0010 GY	0.76
314		-0.0010 GY	0.03
314		-0.0029 GY	0.08
314		-0.0048 GY	0.13
314		-0.0067 GY	0.17
314		-0.0086 GY	0.22
314		-0.0105 GY	0.27
314		-0.0124 GY	0.32
314		-0.0144 GY	0.37
314	-0.3101 GY	0.40	0.60
314		-0.0144 GY	0.63
314		-0.0124 GY	0.68
314		-0.0105 GY	0.73
314		-0.0086 GY	0.78
314		-0.0067 GY	0.83
314		-0.0048 GY	0.87
314		-0.0029 GY	0.92
314		-0.0010 GY	0.97

361		-0.0010 GY	0.03
361		-0.0029 GY	0.08
361		-0.0048 GY	0.13
361		-0.0067 GY	0.17
361		-0.0086 GY	0.22
361		-0.0105 GY	0.27
361		-0.0124 GY	0.32
361		-0.0144 GY	0.37
361		-0.0144 GY	0.42
361		-0.0124 GY	0.47
361		-0.0105 GY	0.52
361		-0.0086 GY	0.57
361		-0.0067 GY	0.62
361		-0.0048 GY	0.66
361		-0.0029 GY	0.71
361		-0.0010 GY	0.76
303		-0.0010 GY	0.03
303		-0.0029 GY	0.08
303		-0.0048 GY	0.13
303		-0.0067 GY	0.17
303		-0.0086 GY	0.22
303		-0.0105 GY	0.27
303		-0.0124 GY	0.32
303		-0.0144 GY	0.37
303	-0.3101 GY	0.40	0.52
303		-0.0144 GY	0.54
303		-0.0124 GY	0.59
303		-0.0105 GY	0.64
303		-0.0086 GY	0.69

303		-0.0067 GY	0.74
303		-0.0048 GY	0.79
303		-0.0029 GY	0.84
303		-0.0010 GY	0.88
1746		-0.0010 GY	0.03
1746		-0.0029 GY	0.08
1746		-0.0048 GY	0.13
1746		-0.0067 GY	0.17
1746		-0.0086 GY	0.22
1746		-0.0105 GY	0.27
1746		-0.0124 GY	0.32
1746		-0.0144 GY	0.37
1746		-0.0144 GY	0.42
1746		-0.0124 GY	0.47
1746		-0.0105 GY	0.52
1746		-0.0086 GY	0.57

1746		-0.0067 GY	0.62
1746		-0.0048 GY	0.66
1746		-0.0029 GY	0.71
1746		-0.0010 GY	0.76
315		-0.0010 GY	0.03
315		-0.0029 GY	0.08
315		-0.0048 GY	0.13
315		-0.0067 GY	0.17
315		-0.0086 GY	0.22
315		-0.0105 GY	0.27
315		-0.0124 GY	0.32
315		-0.0144 GY	0.37
315	-0.3101 GY	0.40	0.52
315		-0.0144 GY	0.54
315		-0.0124 GY	0.59
315		-0.0105 GY	0.64
315		-0.0086 GY	0.69
315		-0.0067 GY	0.74
315		-0.0048 GY	0.79
315		-0.0029 GY	0.84
315		-0.0010 GY	0.88
362		-0.0010 GY	0.03
362		-0.0029 GY	0.08
362		-0.0048 GY	0.13
362		-0.0067 GY	0.17
362		-0.0086 GY	0.22
362		-0.0105 GY	0.27
362		-0.0124 GY	0.32
362		-0.0144 GY	0.37
362		-0.0144 GY	0.42
362		-0.0124 GY	0.47
362		-0.0105 GY	0.52
362		-0.0086 GY	0.57
362		-0.0067 GY	0.62
362		-0.0048 GY	0.66
362		-0.0029 GY	0.71
362		-0.0010 GY	0.76
314		-0.0012 GY	0.04
314		-0.0036 GY	0.09
314		-0.0060 GY	0.14

314		-0.0084 GY	0.19
314		-0.0108 GY	0.25
314		-0.0131 GY	0.30
314		-0.0155 GY	0.36
314		-0.0179 GY	0.41

314	-0.3466 GY	0.44	0.56
314		-0.0179 GY	0.59
314		-0.0155 GY	0.64
314		-0.0131 GY	0.70
314		-0.0108 GY	0.75
314		-0.0084 GY	0.81
314		-0.0060 GY	0.86
314		-0.0036 GY	0.91
314		-0.0012 GY	0.96
1564		-0.0012 GY	0.04
1564		-0.0036 GY	0.09
1564		-0.0060 GY	0.14
1564		-0.0084 GY	0.19
1564		-0.0108 GY	0.25
1564		-0.0131 GY	0.30
1564		-0.0155 GY	0.36
1564		-0.0179 GY	0.41
1564		-0.0179 GY	0.47
1564		-0.0155 GY	0.52
1564		-0.0131 GY	0.58
1564		-0.0108 GY	0.63
1564		-0.0084 GY	0.69
1564		-0.0060 GY	0.74
1564		-0.0036 GY	0.80
1564		-0.0012 GY	0.85
1517		-0.0012 GY	0.04
1517		-0.0036 GY	0.09
1517		-0.0060 GY	0.14
1517		-0.0084 GY	0.19
1517		-0.0108 GY	0.25
1517		-0.0131 GY	0.30
1517		-0.0155 GY	0.36
1517		-0.0179 GY	0.41
1517	-0.3466 GY	0.44	0.56
1517		-0.0179 GY	0.59
1517		-0.0155 GY	0.64
1517		-0.0131 GY	0.70
1517		-0.0108 GY	0.75
1517		-0.0084 GY	0.81
1517		-0.0060 GY	0.86
1517		-0.0036 GY	0.91
1517		-0.0012 GY	0.96
1563		-0.0012 GY	0.04
1563		-0.0036 GY	0.09
1563		-0.0060 GY	0.14
1563		-0.0084 GY	0.19
1563		-0.0108 GY	0.25

1563		-0.0131 GY	0.30
1563		-0.0155 GY	0.36
1563		-0.0179 GY	0.41
1563		-0.0179 GY	0.47

1563		-0.0155 GY	0.52
1563		-0.0131 GY	0.58
1563		-0.0108 GY	0.63
1563		-0.0084 GY	0.69
1563		-0.0060 GY	0.74
1563		-0.0036 GY	0.80
1563		-0.0012 GY	0.85
315		-0.0012 GY	0.04
315		-0.0036 GY	0.09
315		-0.0060 GY	0.14
315		-0.0084 GY	0.19
315		-0.0108 GY	0.25
315		-0.0131 GY	0.30
315		-0.0155 GY	0.36
315		-0.0179 GY	0.41
315	-0.3466 GY	0.44	0.47
315		-0.0179 GY	0.50
315		-0.0155 GY	0.55
315		-0.0131 GY	0.61
315		-0.0108 GY	0.66
315		-0.0084 GY	0.72
315		-0.0060 GY	0.77
315		-0.0036 GY	0.83
315		-0.0012 GY	0.88
1752		-0.0012 GY	0.04
1752		-0.0036 GY	0.09
1752		-0.0060 GY	0.14
1752		-0.0084 GY	0.19
1752		-0.0108 GY	0.25
1752		-0.0131 GY	0.30
1752		-0.0155 GY	0.36
1752		-0.0179 GY	0.41
1752		-0.0179 GY	0.47
1752		-0.0155 GY	0.52
1752		-0.0131 GY	0.58
1752		-0.0108 GY	0.63
1752		-0.0084 GY	0.69
1752		-0.0060 GY	0.74
1752		-0.0036 GY	0.80
1752		-0.0012 GY	0.85
1518		-0.0012 GY	0.04

1518		-0.0036 GY	0.09	
1518		-0.0060 GY	0.14	
1518		-0.0084 GY	0.19	
1518		-0.0108 GY	0.25	
1518		-0.0131 GY	0.30	
1518		-0.0155 GY	0.36	
1518		-0.0179 GY	0.41	
1518	-0.3466 GY	0.44	0.47	
1518		-0.0179 GY	0.50	
1518		-0.0155 GY	0.55	
1518		-0.0131 GY	0.61	
1518		-0.0108 GY	0.66	
1518		-0.0084 GY	0.72	
1518		-0.0060 GY	0.77	
1518		-0.0036 GY	0.83	

1518		-0.0012 GY	0.88	
1564		-0.0012 GY	0.04	
1564		-0.0036 GY	0.09	
1564		-0.0060 GY	0.14	
1564		-0.0084 GY	0.19	
1564		-0.0108 GY	0.25	
1564		-0.0131 GY	0.30	
1564		-0.0155 GY	0.36	
1564		-0.0179 GY	0.41	
1564		-0.0179 GY	0.47	
1564		-0.0155 GY	0.52	
1564		-0.0131 GY	0.58	
1564		-0.0108 GY	0.63	
1564		-0.0084 GY	0.69	
1564		-0.0060 GY	0.74	
1564		-0.0036 GY	0.80	
1564		-0.0012 GY	0.85	
344		-0.0010 GY	0.03	
344		-0.0030 GY	0.08	
344		-0.0051 GY	0.13	
344		-0.0071 GY	0.18	
344		-0.0091 GY	0.23	
344		-0.0112 GY	0.28	
344		-0.0132 GY	0.33	
344		-0.0152 GY	0.38	
344	-0.3192 GY	0.41	0.59	
344		-0.0152 GY	0.62	
344		-0.0132 GY	0.67	
344		-0.0112 GY	0.72	
344		-0.0091 GY	0.77	

344		-0.0071 GY	0.82
344		-0.0051 GY	0.87
344		-0.0030 GY	0.92
344		-0.0010 GY	0.97
1487		-0.0010 GY	0.03
1487		-0.0030 GY	0.08
1487		-0.0051 GY	0.13
1487		-0.0071 GY	0.18
1487		-0.0091 GY	0.23
1487		-0.0112 GY	0.28
1487		-0.0132 GY	0.33
1487		-0.0152 GY	0.38
1487		-0.0152 GY	0.43
1487		-0.0132 GY	0.48
1487		-0.0112 GY	0.53
1487		-0.0091 GY	0.58
1487		-0.0071 GY	0.63
1487		-0.0051 GY	0.68
1487		-0.0030 GY	0.73
1487		-0.0010 GY	0.78
756		-0.0010 GY	0.03
756		-0.0030 GY	0.08
756		-0.0051 GY	0.13
756		-0.0071 GY	0.18
756		-0.0091 GY	0.23
756		-0.0112 GY	0.28

756		-0.0132 GY	0.33
756		-0.0152 GY	0.38
756	-0.3192 GY	0.41	0.59
756		-0.0152 GY	0.62
756		-0.0132 GY	0.67
756		-0.0112 GY	0.72
756		-0.0091 GY	0.77
756		-0.0071 GY	0.82
756		-0.0051 GY	0.87
756		-0.0030 GY	0.92
756		-0.0010 GY	0.97
1497		-0.0010 GY	0.03
1497		-0.0030 GY	0.08
1497		-0.0051 GY	0.13
1497		-0.0071 GY	0.18
1497		-0.0091 GY	0.23
1497		-0.0112 GY	0.28
1497		-0.0132 GY	0.33
1497		-0.0152 GY	0.38

1497		-0.0152 GY	0.43
1497		-0.0132 GY	0.48
1497		-0.0112 GY	0.53
1497		-0.0091 GY	0.58
1497		-0.0071 GY	0.63
1497		-0.0051 GY	0.68
1497		-0.0030 GY	0.73
1497		-0.0010 GY	0.78
345		-0.0010 GY	0.03
345		-0.0030 GY	0.08
345		-0.0051 GY	0.13
345		-0.0071 GY	0.18
345		-0.0091 GY	0.23
345		-0.0112 GY	0.28
345		-0.0132 GY	0.33
345		-0.0152 GY	0.38
345	-0.3192 GY	0.41	0.51
345		-0.0152 GY	0.53
345		-0.0132 GY	0.58
345		-0.0112 GY	0.63
345		-0.0091 GY	0.68
345		-0.0071 GY	0.73
345		-0.0051 GY	0.78
345		-0.0030 GY	0.83
345		-0.0010 GY	0.88
1802		-0.0010 GY	0.03
1802		-0.0030 GY	0.08
1802		-0.0051 GY	0.13
1802		-0.0071 GY	0.18
1802		-0.0091 GY	0.23
1802		-0.0112 GY	0.28
1802		-0.0132 GY	0.33
1802		-0.0152 GY	0.38
1802		-0.0152 GY	0.43
1802		-0.0132 GY	0.48
1802		-0.0112 GY	0.53
1802		-0.0091 GY	0.58

1802		-0.0071 GY	0.63
1802		-0.0051 GY	0.68
1802		-0.0030 GY	0.73
1802		-0.0010 GY	0.78
755		-0.0010 GY	0.03
755		-0.0030 GY	0.08
755		-0.0051 GY	0.13
755		-0.0071 GY	0.18

755		-0.0091 GY	0.23
755		-0.0112 GY	0.28
755		-0.0132 GY	0.33
755		-0.0152 GY	0.38
755	-0.3193 GY	0.41	0.51
755		-0.0152 GY	0.53
755		-0.0132 GY	0.58
755		-0.0112 GY	0.63
755		-0.0091 GY	0.68
755		-0.0071 GY	0.73
755		-0.0051 GY	0.78
755		-0.0030 GY	0.83
755		-0.0010 GY	0.88
1487		-0.0010 GY	0.03
1487		-0.0030 GY	0.08
1487		-0.0051 GY	0.13
1487		-0.0071 GY	0.18
1487		-0.0091 GY	0.23
1487		-0.0112 GY	0.28
1487		-0.0132 GY	0.33
1487		-0.0152 GY	0.38
1487		-0.0152 GY	0.43
1487		-0.0132 GY	0.48
1487		-0.0112 GY	0.53
1487		-0.0091 GY	0.58
1487		-0.0071 GY	0.63
1487		-0.0051 GY	0.68
1487		-0.0030 GY	0.73
1487		-0.0010 GY	0.78
346		-0.0010 GY	0.03
346		-0.0030 GY	0.08
346		-0.0051 GY	0.13
346		-0.0071 GY	0.18
346		-0.0091 GY	0.23
346		-0.0112 GY	0.28
346		-0.0132 GY	0.33
346		-0.0152 GY	0.38
346	-0.3192 GY	0.41	0.60
346		-0.0152 GY	0.62
346		-0.0132 GY	0.67
346		-0.0112 GY	0.73
346		-0.0091 GY	0.78
346		-0.0071 GY	0.83
346		-0.0051 GY	0.88
346		-0.0030 GY	0.93
346		-0.0010 GY	0.97
1485		-0.0010 GY	0.03

1485 -0.0030 GY 0.08

1485 -0.0051 GY 0.13
1485 -0.0071 GY 0.18
1485 -0.0091 GY 0.23
1485 -0.0112 GY 0.28
1485 -0.0132 GY 0.33
1485 -0.0152 GY 0.38
1485 -0.0152 GY 0.43
1485 -0.0132 GY 0.48
1485 -0.0112 GY 0.53
1485 -0.0091 GY 0.58
1485 -0.0071 GY 0.63
1485 -0.0051 GY 0.68
1485 -0.0030 GY 0.73
1485 -0.0010 GY 0.78
759 -0.0010 GY 0.03
759 -0.0030 GY 0.08
759 -0.0051 GY 0.13
759 -0.0071 GY 0.18
759 -0.0091 GY 0.23
759 -0.0112 GY 0.28
759 -0.0132 GY 0.33
759 -0.0152 GY 0.38
759 -0.3193 GY 0.41 0.60
759 -0.0152 GY 0.62
759 -0.0132 GY 0.67
759 -0.0112 GY 0.73
759 -0.0091 GY 0.78
759 -0.0071 GY 0.83
759 -0.0051 GY 0.88
759 -0.0030 GY 0.93
759 -0.0010 GY 0.97
1488 -0.0010 GY 0.03
1488 -0.0030 GY 0.08
1488 -0.0051 GY 0.13
1488 -0.0071 GY 0.18
1488 -0.0091 GY 0.23
1488 -0.0112 GY 0.28
1488 -0.0132 GY 0.33
1488 -0.0152 GY 0.38
1488 -0.0152 GY 0.43
1488 -0.0132 GY 0.48
1488 -0.0112 GY 0.53
1488 -0.0091 GY 0.58
1488 -0.0071 GY 0.63

1488		-0.0051 GY	0.68
1488		-0.0030 GY	0.73
1488		-0.0010 GY	0.78
348		-0.0010 GY	0.03
348		-0.0030 GY	0.08
348		-0.0051 GY	0.13
348		-0.0071 GY	0.18
348		-0.0091 GY	0.23
348		-0.0112 GY	0.28
348		-0.0132 GY	0.33
348		-0.0152 GY	0.38
348	-0.3192 GY	0.41	0.60

348		-0.0152 GY	0.62
348		-0.0132 GY	0.67
348		-0.0112 GY	0.73
348		-0.0091 GY	0.78
348		-0.0071 GY	0.83
348		-0.0051 GY	0.88
348		-0.0030 GY	0.93
348		-0.0010 GY	0.97
1490		-0.0010 GY	0.03
1490		-0.0030 GY	0.08
1490		-0.0051 GY	0.13
1490		-0.0071 GY	0.18
1490		-0.0091 GY	0.23
1490		-0.0112 GY	0.28
1490		-0.0132 GY	0.33
1490		-0.0152 GY	0.38
1490		-0.0152 GY	0.43
1490		-0.0132 GY	0.48
1490		-0.0112 GY	0.53
1490		-0.0091 GY	0.58
1490		-0.0071 GY	0.63
1490		-0.0051 GY	0.68
1490		-0.0030 GY	0.73
1490		-0.0010 GY	0.78
763		-0.0010 GY	0.03
763		-0.0030 GY	0.08
763		-0.0051 GY	0.13
763		-0.0071 GY	0.18
763		-0.0091 GY	0.23
763		-0.0112 GY	0.28
763		-0.0132 GY	0.33
763		-0.0152 GY	0.38
763	-0.3193 GY	0.41	0.60

763		-0.0152 GY	0.62
763		-0.0132 GY	0.67
763		-0.0112 GY	0.73
763		-0.0091 GY	0.78
763		-0.0071 GY	0.83
763		-0.0051 GY	0.88
763		-0.0030 GY	0.93
763		-0.0010 GY	0.97
1489		-0.0010 GY	0.03
1489		-0.0030 GY	0.08
1489		-0.0051 GY	0.13
1489		-0.0071 GY	0.18
1489		-0.0091 GY	0.23
1489		-0.0112 GY	0.28
1489		-0.0132 GY	0.33
1489		-0.0152 GY	0.38
1489		-0.0152 GY	0.43
1489		-0.0132 GY	0.48
1489		-0.0112 GY	0.53
1489		-0.0091 GY	0.58
1489		-0.0071 GY	0.63
1489		-0.0051 GY	0.68
1489		-0.0030 GY	0.73

1489		-0.0010 GY	0.78
350		-0.0011 GY	0.03
350		-0.0032 GY	0.08
350		-0.0054 GY	0.13
350		-0.0075 GY	0.18
350		-0.0097 GY	0.24
350		-0.0118 GY	0.29
350		-0.0140 GY	0.34
350		-0.0161 GY	0.39
350	-0.3284 GY	0.42	0.59
350		-0.0161 GY	0.61
350		-0.0140 GY	0.67
350		-0.0118 GY	0.72
350		-0.0097 GY	0.77
350		-0.0075 GY	0.82
350		-0.0054 GY	0.87
350		-0.0032 GY	0.92
350		-0.0011 GY	0.97
720		-0.0011 GY	0.03
720		-0.0032 GY	0.08
720		-0.0054 GY	0.13
720		-0.0075 GY	0.18

720		-0.0097 GY	0.24
720		-0.0118 GY	0.29
720		-0.0140 GY	0.34
720		-0.0161 GY	0.39
720		-0.0161 GY	0.44
720		-0.0140 GY	0.50
720		-0.0118 GY	0.55
720		-0.0097 GY	0.60
720		-0.0075 GY	0.65
720		-0.0054 GY	0.70
720		-0.0032 GY	0.76
720		-0.0011 GY	0.80
763		-0.0011 GY	0.03
763		-0.0032 GY	0.08
763		-0.0054 GY	0.13
763		-0.0075 GY	0.18
763		-0.0097 GY	0.24
763		-0.0118 GY	0.29
763		-0.0140 GY	0.34
763		-0.0161 GY	0.39
763	-0.3284 GY	0.42	0.59
763		-0.0161 GY	0.61
763		-0.0140 GY	0.67
763		-0.0118 GY	0.72
763		-0.0097 GY	0.77
763		-0.0075 GY	0.82
763		-0.0054 GY	0.87
763		-0.0032 GY	0.92
763		-0.0011 GY	0.97
1558		-0.0011 GY	0.03
1558		-0.0032 GY	0.08
1558		-0.0054 GY	0.13
1558		-0.0075 GY	0.18
1558		-0.0097 GY	0.24

1558		-0.0118 GY	0.29
1558		-0.0140 GY	0.34
1558		-0.0161 GY	0.39
1558		-0.0161 GY	0.44
1558		-0.0140 GY	0.50
1558		-0.0118 GY	0.55
1558		-0.0097 GY	0.60
1558		-0.0075 GY	0.65
1558		-0.0054 GY	0.70
1558		-0.0032 GY	0.76
1558		-0.0011 GY	0.80

352		-0.0011 GY	0.03
352		-0.0032 GY	0.08
352		-0.0054 GY	0.13
352		-0.0075 GY	0.18
352		-0.0097 GY	0.24
352		-0.0118 GY	0.29
352		-0.0140 GY	0.34
352		-0.0161 GY	0.39
352	-0.3284 GY	0.42	0.59
352		-0.0161 GY	0.61
352		-0.0140 GY	0.67
352		-0.0118 GY	0.72
352		-0.0097 GY	0.77
352		-0.0075 GY	0.82
352		-0.0054 GY	0.87
352		-0.0032 GY	0.92
352		-0.0011 GY	0.97
724		-0.0011 GY	0.03
724		-0.0032 GY	0.08
724		-0.0054 GY	0.13
724		-0.0075 GY	0.18
724		-0.0097 GY	0.24
724		-0.0118 GY	0.29
724		-0.0140 GY	0.34
724		-0.0161 GY	0.39
724		-0.0161 GY	0.44
724		-0.0140 GY	0.50
724		-0.0118 GY	0.55
724		-0.0097 GY	0.60
724		-0.0075 GY	0.65
724		-0.0054 GY	0.70
724		-0.0032 GY	0.76
724		-0.0011 GY	0.80
759		-0.0011 GY	0.03
759		-0.0032 GY	0.08
759		-0.0054 GY	0.13
759		-0.0075 GY	0.18
759		-0.0097 GY	0.24
759		-0.0118 GY	0.29
759		-0.0140 GY	0.34
759		-0.0161 GY	0.39
759	-0.3284 GY	0.42	0.59
759		-0.0161 GY	0.61
759		-0.0140 GY	0.67
759		-0.0118 GY	0.72

759		-0.0097 GY	0.77
759		-0.0075 GY	0.82
759		-0.0054 GY	0.87
759		-0.0032 GY	0.92
759		-0.0011 GY	0.97
734		-0.0011 GY	0.03
734		-0.0032 GY	0.08
734		-0.0054 GY	0.13
734		-0.0075 GY	0.18
734		-0.0097 GY	0.24
734		-0.0118 GY	0.29
734		-0.0140 GY	0.34
734		-0.0161 GY	0.39
734		-0.0161 GY	0.44
734		-0.0140 GY	0.50
734		-0.0118 GY	0.55
734		-0.0097 GY	0.60
734		-0.0075 GY	0.65
734		-0.0054 GY	0.70
734		-0.0032 GY	0.76
734		-0.0011 GY	0.80
354		-0.0011 GY	0.03
354		-0.0032 GY	0.08
354		-0.0054 GY	0.13
354		-0.0075 GY	0.18
354		-0.0097 GY	0.24
354		-0.0118 GY	0.29
354		-0.0140 GY	0.34
354		-0.0161 GY	0.39
354	-0.3284 GY	0.42	0.58
354		-0.0161 GY	0.61
354		-0.0140 GY	0.66
354		-0.0118 GY	0.71
354		-0.0097 GY	0.76
354		-0.0075 GY	0.82
354		-0.0054 GY	0.87
354		-0.0032 GY	0.92
354		-0.0011 GY	0.97
740		-0.0011 GY	0.03
740		-0.0032 GY	0.08
740		-0.0054 GY	0.13
740		-0.0075 GY	0.18
740		-0.0097 GY	0.24
740		-0.0118 GY	0.29
740		-0.0140 GY	0.34
740		-0.0161 GY	0.39
740		-0.0161 GY	0.44

740		-0.0140 GY	0.50
740		-0.0118 GY	0.55
740		-0.0097 GY	0.60
740		-0.0075 GY	0.65
740		-0.0054 GY	0.70
740		-0.0032 GY	0.76
740		-0.0011 GY	0.80
756		-0.0011 GY	0.03
756		-0.0032 GY	0.08

756		-0.0054 GY	0.13
756		-0.0075 GY	0.18
756		-0.0097 GY	0.24
756		-0.0118 GY	0.29
756		-0.0140 GY	0.34
756		-0.0161 GY	0.39
756	-0.3284 GY	0.42	0.58
756		-0.0161 GY	0.61
756		-0.0140 GY	0.66
756		-0.0118 GY	0.71
756		-0.0097 GY	0.76
756		-0.0075 GY	0.82
756		-0.0054 GY	0.87
756		-0.0032 GY	0.92
756		-0.0011 GY	0.97
738		-0.0011 GY	0.03
738		-0.0032 GY	0.08
738		-0.0054 GY	0.13
738		-0.0075 GY	0.18
738		-0.0097 GY	0.24
738		-0.0118 GY	0.29
738		-0.0140 GY	0.34
738		-0.0161 GY	0.39
738		-0.0161 GY	0.44
738		-0.0140 GY	0.50
738		-0.0118 GY	0.55
738		-0.0097 GY	0.60
738		-0.0075 GY	0.65
738		-0.0054 GY	0.70
738		-0.0032 GY	0.76
738		-0.0011 GY	0.80
355		-0.0011 GY	0.03
355		-0.0032 GY	0.08
355		-0.0054 GY	0.13
355		-0.0075 GY	0.18
355		-0.0097 GY	0.24

355		-0.0118 GY	0.29
355		-0.0140 GY	0.34
355		-0.0161 GY	0.39
355	-0.3284 GY	0.42	0.49
355		-0.0161 GY	0.52
355		-0.0140 GY	0.57
355		-0.0118 GY	0.62
355		-0.0097 GY	0.68
355		-0.0075 GY	0.73
355		-0.0054 GY	0.78
355		-0.0032 GY	0.83
355		-0.0011 GY	0.88
1753		-0.0011 GY	0.03
1753		-0.0032 GY	0.08
1753		-0.0054 GY	0.13
1753		-0.0075 GY	0.18
1753		-0.0097 GY	0.24
1753		-0.0118 GY	0.29
1753		-0.0140 GY	0.34
1753		-0.0161 GY	0.39

1753		-0.0161 GY	0.44
1753		-0.0140 GY	0.50
1753		-0.0118 GY	0.55
1753		-0.0097 GY	0.60
1753		-0.0075 GY	0.65
1753		-0.0054 GY	0.70
1753		-0.0032 GY	0.76
1753		-0.0011 GY	0.80
755		-0.0011 GY	0.03
755		-0.0032 GY	0.08
755		-0.0054 GY	0.13
755		-0.0075 GY	0.18
755		-0.0097 GY	0.24
755		-0.0118 GY	0.29
755		-0.0140 GY	0.34
755		-0.0161 GY	0.39
755	-0.3284 GY	0.42	0.49
755		-0.0161 GY	0.52
755		-0.0140 GY	0.57
755		-0.0118 GY	0.62
755		-0.0097 GY	0.68
755		-0.0075 GY	0.73
755		-0.0054 GY	0.78
755		-0.0032 GY	0.83
755		-0.0011 GY	0.88

740	-0.0011 GY	0.03
740	-0.0032 GY	0.08
740	-0.0054 GY	0.13
740	-0.0075 GY	0.18
740	-0.0097 GY	0.24
740	-0.0118 GY	0.29
740	-0.0140 GY	0.34
740	-0.0161 GY	0.39
740	-0.0161 GY	0.44
740	-0.0140 GY	0.50
740	-0.0118 GY	0.55
740	-0.0097 GY	0.60
740	-0.0075 GY	0.65
740	-0.0054 GY	0.70
740	-0.0032 GY	0.76
740	-0.0011 GY	0.80
656	-0.0012 GY	0.03
656	-0.0035 GY	0.06
656	-0.0059 GY	0.10
656	-0.0082 GY	0.13
656	-0.0106 GY	0.17
656	-0.0129 GY	0.21
656	-0.0153 GY	0.25
656	-0.0176 GY	0.29
656	-0.0193 GY	0.33
656	-0.0167 GY	0.37
656	-0.0141 GY	0.41
656	-0.0116 GY	0.45
656	-0.0090 GY	0.49
656	-0.0064 GY	0.53
656	-0.0039 GY	0.57

656	-0.0013 GY	0.61
1663	-0.0012 GY	0.05
1663	-0.0037 GY	0.12
1663	-0.0062 GY	0.19
1663	-0.0087 GY	0.27
1663	-0.0112 GY	0.34
1663	-0.0137 GY	0.42
1663	-0.0162 GY	0.50
1663	-0.0187 GY	0.57
1663	-0.0193 GY	0.65
1663	-0.0167 GY	0.73
1663	-0.0141 GY	0.81
1663	-0.0116 GY	0.88
1663	-0.0090 GY	0.96

1663	-0.0064 GY	1.04
1663	-0.0039 GY	1.12
1663	-0.0013 GY	1.19
2286	-0.0014 GY	0.03
2286	-0.0041 GY	0.07
2286	-0.0068 GY	0.11
2286	-0.0095 GY	0.16
2286	-0.0122 GY	0.20
2286	-0.0149 GY	0.25
2286	-0.0176 GY	0.29
2286	-0.0203 GY	0.34
2286	-0.0187 GY	0.38
2286	-0.0162 GY	0.42
2286	-0.0137 GY	0.47
2286	-0.0112 GY	0.51
2286	-0.0087 GY	0.55
2286	-0.0062 GY	0.59
2286	-0.0037 GY	0.63
2286	-0.0012 GY	0.67
1658	-0.0013 GY	0.05
1658	-0.0038 GY	0.12
1658	-0.0063 GY	0.19
1658	-0.0088 GY	0.27
1658	-0.0113 GY	0.35
1658	-0.0138 GY	0.42
1658	-0.0163 GY	0.50
1658	-0.0188 GY	0.58
1658	-0.0192 GY	0.65
1658	-0.0166 GY	0.73
1658	-0.0141 GY	0.81
1658	-0.0115 GY	0.89
1658	-0.0090 GY	0.96
1658	-0.0064 GY	1.04
1658	-0.0038 GY	1.12
1658	-0.0013 GY	1.19
657	-0.0015 GY	0.04
657	-0.0045 GY	0.10
657	-0.0075 GY	0.16
657	-0.0106 GY	0.22
657	-0.0136 GY	0.28
657	-0.0166 GY	0.34
657	-0.0196 GY	0.40

657	-0.0226 GY	0.47
657	-0.0227 GY	0.53
657	-0.0196 GY	0.59

657		-0.0166 GY	0.65
657		-0.0136 GY	0.71
657		-0.0106 GY	0.77
657		-0.0076 GY	0.84
657		-0.0045 GY	0.90
657		-0.0015 GY	0.95
1672		-0.0015 GY	0.04
1672		-0.0045 GY	0.10
1672		-0.0076 GY	0.16
1672		-0.0106 GY	0.22
1672		-0.0136 GY	0.28
1672		-0.0166 GY	0.34
1672		-0.0196 GY	0.40
1672		-0.0227 GY	0.47
1672	-0.3897 GY	0.50	0.74
1672		-0.0227 GY	0.77
1672		-0.0196 GY	0.83
1672		-0.0166 GY	0.90
1672		-0.0136 GY	0.96
1672		-0.0106 GY	1.02
1672		-0.0076 GY	1.08
1672		-0.0045 GY	1.14
1672		-0.0015 GY	1.20
1605		-0.0015 GY	0.04
1605		-0.0045 GY	0.10
1605		-0.0076 GY	0.16
1605		-0.0106 GY	0.22
1605		-0.0136 GY	0.28
1605		-0.0166 GY	0.34
1605		-0.0197 GY	0.40
1605		-0.0227 GY	0.47
1605		-0.0227 GY	0.53
1605		-0.0196 GY	0.59
1605		-0.0166 GY	0.65
1605		-0.0136 GY	0.71
1605		-0.0106 GY	0.77
1605		-0.0076 GY	0.84
1605		-0.0045 GY	0.90
1605		-0.0015 GY	0.95
1670		-0.0015 GY	0.04
1670		-0.0045 GY	0.10
1670		-0.0076 GY	0.16
1670		-0.0106 GY	0.22
1670		-0.0136 GY	0.28
1670		-0.0166 GY	0.34
1670		-0.0197 GY	0.40
1670		-0.0227 GY	0.47

1670	-0.3898 GY	0.50	0.74
1670		-0.0227 GY	0.77
1670		-0.0196 GY	0.83
1670		-0.0166 GY	0.90
1670		-0.0136 GY	0.96
1670		-0.0106 GY	1.02

1670		-0.0076 GY	1.08
1670		-0.0045 GY	1.14
1670		-0.0015 GY	1.20
694		-0.0017 GY	0.04
694		-0.0051 GY	0.10
694		-0.0085 GY	0.17
694		-0.0118 GY	0.23
694		-0.0152 GY	0.30
694		-0.0186 GY	0.36
694		-0.0220 GY	0.43
694		-0.0254 GY	0.49
694		-0.0254 GY	0.56
694		-0.0220 GY	0.62
694		-0.0186 GY	0.69
694		-0.0152 GY	0.75
694		-0.0118 GY	0.82
694		-0.0085 GY	0.88
694		-0.0051 GY	0.95
694		-0.0017 GY	1.01
1688		-0.0017 GY	0.04
1688		-0.0051 GY	0.10
1688		-0.0085 GY	0.17
1688		-0.0118 GY	0.23
1688		-0.0152 GY	0.30
1688		-0.0186 GY	0.36
1688		-0.0220 GY	0.43
1688		-0.0254 GY	0.49
1688	-0.4121 GY	0.52	0.71
1688		-0.0254 GY	0.75
1688		-0.0220 GY	0.81
1688		-0.0186 GY	0.88
1688		-0.0152 GY	0.94
1688		-0.0118 GY	1.01
1688		-0.0085 GY	1.07
1688		-0.0051 GY	1.14
1688		-0.0017 GY	1.19
1609		-0.0017 GY	0.04
1609		-0.0051 GY	0.10
1609		-0.0085 GY	0.17

1609		-0.0118 GY	0.23
1609		-0.0152 GY	0.30
1609		-0.0186 GY	0.36
1609		-0.0220 GY	0.43
1609		-0.0254 GY	0.49
1609		-0.0254 GY	0.56
1609		-0.0220 GY	0.62
1609		-0.0186 GY	0.69
1609		-0.0152 GY	0.75
1609		-0.0118 GY	0.82
1609		-0.0085 GY	0.88
1609		-0.0051 GY	0.95
1609		-0.0017 GY	1.01
1687		-0.0017 GY	0.04
1687		-0.0051 GY	0.10
1687		-0.0085 GY	0.17
1687		-0.0118 GY	0.23

1687		-0.0152 GY	0.30
1687		-0.0186 GY	0.36
1687		-0.0220 GY	0.43
1687		-0.0254 GY	0.49
1687	-0.4121 GY	0.52	0.71
1687		-0.0254 GY	0.75
1687		-0.0220 GY	0.81
1687		-0.0186 GY	0.88
1687		-0.0152 GY	0.94
1687		-0.0118 GY	1.01
1687		-0.0085 GY	1.07
1687		-0.0051 GY	1.14
1687		-0.0017 GY	1.19
698		-0.0017 GY	0.04
698		-0.0051 GY	0.10
698		-0.0085 GY	0.17
698		-0.0118 GY	0.23
698		-0.0152 GY	0.30
698		-0.0186 GY	0.36
698		-0.0220 GY	0.43
698		-0.0254 GY	0.49
698		-0.0254 GY	0.56
698		-0.0220 GY	0.62
698		-0.0186 GY	0.69
698		-0.0152 GY	0.75
698		-0.0118 GY	0.82
698		-0.0085 GY	0.88
698		-0.0051 GY	0.95

698		-0.0017 GY	1.01
1689		-0.0017 GY	0.04
1689		-0.0051 GY	0.10
1689		-0.0085 GY	0.17
1689		-0.0118 GY	0.23
1689		-0.0152 GY	0.30
1689		-0.0186 GY	0.36
1689		-0.0220 GY	0.43
1689		-0.0254 GY	0.49
1689	-0.4121 GY	0.53	0.71
1689		-0.0254 GY	0.75
1689		-0.0220 GY	0.81
1689		-0.0186 GY	0.88
1689		-0.0152 GY	0.94
1689		-0.0118 GY	1.01
1689		-0.0085 GY	1.07
1689		-0.0051 GY	1.14
1689		-0.0017 GY	1.19
1610		-0.0017 GY	0.04
1610		-0.0051 GY	0.10
1610		-0.0085 GY	0.17
1610		-0.0118 GY	0.23
1610		-0.0152 GY	0.30
1610		-0.0186 GY	0.36
1610		-0.0220 GY	0.43
1610		-0.0254 GY	0.49
1610		-0.0254 GY	0.56
1610		-0.0220 GY	0.62

1610		-0.0186 GY	0.69
1610		-0.0152 GY	0.75
1610		-0.0118 GY	0.82
1610		-0.0085 GY	0.88
1610		-0.0051 GY	0.95
1610		-0.0017 GY	1.01
1688		-0.0017 GY	0.04
1688		-0.0051 GY	0.10
1688		-0.0085 GY	0.17
1688		-0.0118 GY	0.23
1688		-0.0152 GY	0.30
1688		-0.0186 GY	0.36
1688		-0.0220 GY	0.43
1688		-0.0254 GY	0.49
1688	-0.4121 GY	0.53	0.71
1688		-0.0254 GY	0.75
1688		-0.0220 GY	0.81

1688		-0.0186 GY	0.88
1688		-0.0152 GY	0.94
1688		-0.0118 GY	1.01
1688		-0.0085 GY	1.07
1688		-0.0051 GY	1.14
1688		-0.0017 GY	1.19
702		-0.0017 GY	0.04
702		-0.0051 GY	0.10
702		-0.0085 GY	0.17
702		-0.0118 GY	0.23
702		-0.0152 GY	0.30
702		-0.0186 GY	0.36
702		-0.0220 GY	0.43
702		-0.0254 GY	0.49
702		-0.0254 GY	0.56
702		-0.0220 GY	0.62
702		-0.0186 GY	0.69
702		-0.0152 GY	0.75
702		-0.0118 GY	0.82
702		-0.0085 GY	0.88
702		-0.0051 GY	0.95
702		-0.0017 GY	1.01
1690		-0.0017 GY	0.04
1690		-0.0051 GY	0.10
1690		-0.0085 GY	0.17
1690		-0.0118 GY	0.23
1690		-0.0152 GY	0.30
1690		-0.0186 GY	0.36
1690		-0.0220 GY	0.43
1690		-0.0254 GY	0.49
1690	-0.4121 GY	0.52	0.71
1690		-0.0254 GY	0.75
1690		-0.0220 GY	0.81
1690		-0.0186 GY	0.88
1690		-0.0152 GY	0.94
1690		-0.0118 GY	1.01
1690		-0.0085 GY	1.07
1690		-0.0051 GY	1.14
1690		-0.0017 GY	1.19

1611	-0.0017 GY	0.04
1611	-0.0051 GY	0.10
1611	-0.0085 GY	0.17
1611	-0.0118 GY	0.23
1611	-0.0152 GY	0.30
1611	-0.0186 GY	0.36

1611		-0.0220 GY	0.43
1611		-0.0254 GY	0.49
1611		-0.0254 GY	0.56
1611		-0.0220 GY	0.62
1611		-0.0186 GY	0.69
1611		-0.0152 GY	0.75
1611		-0.0118 GY	0.82
1611		-0.0085 GY	0.88
1611		-0.0051 GY	0.95
1611		-0.0017 GY	1.01
1689		-0.0017 GY	0.04
1689		-0.0051 GY	0.10
1689		-0.0085 GY	0.17
1689		-0.0118 GY	0.23
1689		-0.0152 GY	0.30
1689		-0.0186 GY	0.36
1689		-0.0220 GY	0.43
1689		-0.0254 GY	0.49
1689	-0.4121 GY	0.52	0.71
1689		-0.0254 GY	0.75
1689		-0.0220 GY	0.81
1689		-0.0186 GY	0.88
1689		-0.0152 GY	0.94
1689		-0.0118 GY	1.01
1689		-0.0085 GY	1.07
1689		-0.0051 GY	1.14
1689		-0.0017 GY	1.19
722		-0.0011 GY	0.03
722		-0.0032 GY	0.08
722		-0.0054 GY	0.13
722		-0.0075 GY	0.18
722		-0.0097 GY	0.24
722		-0.0118 GY	0.29
722		-0.0140 GY	0.34
722		-0.0161 GY	0.39
722		-0.0161 GY	0.44
722		-0.0140 GY	0.50
722		-0.0118 GY	0.55
722		-0.0097 GY	0.60
722		-0.0075 GY	0.65
722		-0.0054 GY	0.70
722		-0.0032 GY	0.76
722		-0.0011 GY	0.80
1227		-0.0011 GY	0.03
1227		-0.0032 GY	0.08
1227		-0.0054 GY	0.13
1227		-0.0075 GY	0.18

1227		-0.0097	GY	0.24
1227		-0.0118	GY	0.29
1227		-0.0140	GY	0.34

1227		-0.0161	GY	0.39
1227	-0.3284 GY	0.42	0.49	
1227		-0.0161	GY	0.51
1227		-0.0140	GY	0.57
1227		-0.0118	GY	0.62
1227		-0.0097	GY	0.67
1227		-0.0075	GY	0.72
1227		-0.0054	GY	0.77
1227		-0.0032	GY	0.82
1227		-0.0011	GY	0.87
2035		-0.0011	GY	0.03
2035		-0.0032	GY	0.08
2035		-0.0054	GY	0.13
2035		-0.0075	GY	0.18
2035		-0.0097	GY	0.24
2035		-0.0118	GY	0.29
2035		-0.0140	GY	0.34
2035		-0.0161	GY	0.39
2035		-0.0161	GY	0.44
2035		-0.0140	GY	0.50
2035		-0.0118	GY	0.55
2035		-0.0097	GY	0.60
2035		-0.0075	GY	0.65
2035		-0.0054	GY	0.70
2035		-0.0032	GY	0.76
2035		-0.0011	GY	0.80
2034		-0.0011	GY	0.03
2034		-0.0032	GY	0.08
2034		-0.0054	GY	0.13
2034		-0.0075	GY	0.18
2034		-0.0097	GY	0.24
2034		-0.0118	GY	0.29
2034		-0.0140	GY	0.34
2034		-0.0161	GY	0.39
2034	-0.3284 GY	0.42	0.49	
2034		-0.0161	GY	0.51
2034		-0.0140	GY	0.57
2034		-0.0118	GY	0.62
2034		-0.0097	GY	0.67
2034		-0.0075	GY	0.72
2034		-0.0054	GY	0.77
2034		-0.0032	GY	0.82

2034		-0.0011 GY	0.87
724		-0.0011 GY	0.03
724		-0.0032 GY	0.08
724		-0.0054 GY	0.13
724		-0.0075 GY	0.18
724		-0.0097 GY	0.24
724		-0.0118 GY	0.29
724		-0.0140 GY	0.34
724		-0.0161 GY	0.39
724		-0.0161 GY	0.44
724		-0.0140 GY	0.50
724		-0.0118 GY	0.55
724		-0.0097 GY	0.60
724		-0.0075 GY	0.65

724		-0.0054 GY	0.70
724		-0.0032 GY	0.76
724		-0.0011 GY	0.80
1478		-0.0011 GY	0.03
1478		-0.0032 GY	0.08
1478		-0.0054 GY	0.13
1478		-0.0075 GY	0.18
1478		-0.0097 GY	0.24
1478		-0.0118 GY	0.29
1478		-0.0140 GY	0.34
1478		-0.0161 GY	0.39
1478	-0.3284 GY	0.42	0.43
1478		-0.0161 GY	0.46
1478		-0.0140 GY	0.51
1478		-0.0118 GY	0.56
1478		-0.0097 GY	0.61
1478		-0.0075 GY	0.67
1478		-0.0054 GY	0.72
1478		-0.0032 GY	0.77
1478		-0.0011 GY	0.82
2036		-0.0011 GY	0.03
2036		-0.0032 GY	0.08
2036		-0.0054 GY	0.13
2036		-0.0075 GY	0.18
2036		-0.0097 GY	0.24
2036		-0.0118 GY	0.29
2036		-0.0140 GY	0.34
2036		-0.0161 GY	0.39
2036		-0.0161 GY	0.44
2036		-0.0140 GY	0.50
2036		-0.0118 GY	0.55

2036		-0.0097 GY	0.60
2036		-0.0075 GY	0.65
2036		-0.0054 GY	0.70
2036		-0.0032 GY	0.76
2036		-0.0011 GY	0.80
758		-0.0011 GY	0.03
758		-0.0032 GY	0.08
758		-0.0054 GY	0.13
758		-0.0075 GY	0.18
758		-0.0097 GY	0.24
758		-0.0118 GY	0.29
758		-0.0140 GY	0.34
758		-0.0161 GY	0.39
758	-0.3284 GY	0.42	0.43
758		-0.0161 GY	0.46
758		-0.0140 GY	0.51
758		-0.0118 GY	0.56
758		-0.0097 GY	0.61
758		-0.0075 GY	0.67
758		-0.0054 GY	0.72
758		-0.0032 GY	0.77
758		-0.0011 GY	0.82
726		-0.0011 GY	0.03
726		-0.0032 GY	0.08
726		-0.0054 GY	0.13

726		-0.0075 GY	0.18
726		-0.0097 GY	0.24
726		-0.0118 GY	0.29
726		-0.0140 GY	0.34
726		-0.0161 GY	0.39
726		-0.0161 GY	0.44
726		-0.0140 GY	0.50
726		-0.0118 GY	0.55
726		-0.0097 GY	0.60
726		-0.0075 GY	0.65
726		-0.0054 GY	0.70
726		-0.0032 GY	0.76
726		-0.0011 GY	0.80
1228		-0.0011 GY	0.03
1228		-0.0032 GY	0.08
1228		-0.0054 GY	0.13
1228		-0.0075 GY	0.18
1228		-0.0097 GY	0.24
1228		-0.0118 GY	0.29
1228		-0.0140 GY	0.34

1228		-0.0161	GY	0.39
1228	-0.3284	GY	0.42	0.43
1228		-0.0161	GY	0.46
1228		-0.0140	GY	0.51
1228		-0.0118	GY	0.56
1228		-0.0097	GY	0.61
1228		-0.0075	GY	0.67
1228		-0.0054	GY	0.72
1228		-0.0032	GY	0.77
1228		-0.0011	GY	0.82
2036		-0.0011	GY	0.03
2036		-0.0032	GY	0.08
2036		-0.0054	GY	0.13
2036		-0.0075	GY	0.18
2036		-0.0097	GY	0.24
2036		-0.0118	GY	0.29
2036		-0.0140	GY	0.34
2036		-0.0161	GY	0.39
2036		-0.0161	GY	0.44
2036		-0.0140	GY	0.50
2036		-0.0118	GY	0.55
2036		-0.0097	GY	0.60
2036		-0.0075	GY	0.65
2036		-0.0054	GY	0.70
2036		-0.0032	GY	0.76
2036		-0.0011	GY	0.80
2033		-0.0011	GY	0.03
2033		-0.0032	GY	0.08
2033		-0.0054	GY	0.13
2033		-0.0075	GY	0.18
2033		-0.0097	GY	0.24
2033		-0.0118	GY	0.29
2033		-0.0140	GY	0.34
2033		-0.0161	GY	0.39
2033	-0.3284	GY	0.42	0.43
2033		-0.0161	GY	0.46

2033		-0.0140	GY	0.51
2033		-0.0118	GY	0.56
2033		-0.0097	GY	0.61
2033		-0.0075	GY	0.67
2033		-0.0054	GY	0.72
2033		-0.0032	GY	0.77
2033		-0.0011	GY	0.82
726		-0.0010	GY	0.03
726		-0.0029	GY	0.08

726		-0.0048 GY	0.13
726		-0.0068 GY	0.17
726		-0.0087 GY	0.22
726		-0.0106 GY	0.27
726		-0.0126 GY	0.32
726		-0.0145 GY	0.37
726	-0.3116 GY	0.40	0.44
726		-0.0145 GY	0.46
726		-0.0126 GY	0.51
726		-0.0106 GY	0.56
726		-0.0087 GY	0.61
726		-0.0068 GY	0.66
726		-0.0048 GY	0.71
726		-0.0029 GY	0.76
726		-0.0010 GY	0.80
1476		-0.0010 GY	0.03
1476		-0.0029 GY	0.08
1476		-0.0048 GY	0.13
1476		-0.0068 GY	0.17
1476		-0.0087 GY	0.22
1476		-0.0106 GY	0.27
1476		-0.0126 GY	0.32
1476		-0.0145 GY	0.37
1476		-0.0145 GY	0.42
1476		-0.0126 GY	0.47
1476		-0.0106 GY	0.52
1476		-0.0087 GY	0.57
1476		-0.0068 GY	0.62
1476		-0.0048 GY	0.67
1476		-0.0029 GY	0.72
1476		-0.0010 GY	0.76
738		-0.0010 GY	0.03
738		-0.0029 GY	0.08
738		-0.0048 GY	0.13
738		-0.0068 GY	0.17
738		-0.0087 GY	0.22
738		-0.0106 GY	0.27
738		-0.0126 GY	0.32
738		-0.0145 GY	0.37
738	-0.3116 GY	0.40	0.44
738		-0.0145 GY	0.46
738		-0.0126 GY	0.51
738		-0.0106 GY	0.56
738		-0.0087 GY	0.61
738		-0.0068 GY	0.66
738		-0.0048 GY	0.71
738		-0.0029 GY	0.76

738		-0.0010	GY	0.80
757		-0.0010	GY	0.03
757		-0.0029	GY	0.08
757		-0.0048	GY	0.13
757		-0.0068	GY	0.17
757		-0.0087	GY	0.22
757		-0.0106	GY	0.27
757		-0.0126	GY	0.32
757		-0.0145	GY	0.37
757		-0.0145	GY	0.42
757		-0.0126	GY	0.47
757		-0.0106	GY	0.52
757		-0.0087	GY	0.57
757		-0.0068	GY	0.62
757		-0.0048	GY	0.67
757		-0.0029	GY	0.72
757		-0.0010	GY	0.76
789		-0.0011	GY	0.04
789		-0.0033	GY	0.08
789		-0.0055	GY	0.13
789		-0.0078	GY	0.19
789		-0.0100	GY	0.24
789		-0.0122	GY	0.29
789		-0.0144	GY	0.35
789		-0.0166	GY	0.40
789	-0.3336 GY	0.42	0.52	
789		-0.0166	GY	0.54
789		-0.0144	GY	0.59
789		-0.0122	GY	0.65
789		-0.0100	GY	0.70
789		-0.0078	GY	0.75
789		-0.0055	GY	0.81
789		-0.0033	GY	0.86
789		-0.0011	GY	0.90
801		-0.0011	GY	0.04
801		-0.0033	GY	0.08
801		-0.0055	GY	0.13
801		-0.0078	GY	0.19
801		-0.0100	GY	0.24
801		-0.0122	GY	0.29
801		-0.0144	GY	0.35
801		-0.0166	GY	0.40
801		-0.0166	GY	0.45
801		-0.0144	GY	0.50
801		-0.0122	GY	0.56

801		-0.0100 GY	0.61
801		-0.0078 GY	0.66
801		-0.0055 GY	0.72
801		-0.0033 GY	0.77
801		-0.0011 GY	0.81
2109		-0.0011 GY	0.04
2109		-0.0033 GY	0.08
2109		-0.0055 GY	0.13
2109		-0.0078 GY	0.19
2109		-0.0100 GY	0.24
2109		-0.0122 GY	0.29

2109		-0.0144 GY	0.35
2109		-0.0166 GY	0.40
2109	-0.3336 GY	0.42	0.52
2109		-0.0166 GY	0.54
2109		-0.0144 GY	0.59
2109		-0.0122 GY	0.65
2109		-0.0100 GY	0.70
2109		-0.0078 GY	0.75
2109		-0.0055 GY	0.81
2109		-0.0033 GY	0.86
2109		-0.0011 GY	0.90
799		-0.0011 GY	0.04
799		-0.0033 GY	0.08
799		-0.0055 GY	0.13
799		-0.0078 GY	0.19
799		-0.0100 GY	0.24
799		-0.0122 GY	0.29
799		-0.0144 GY	0.35
799		-0.0166 GY	0.40
799		-0.0166 GY	0.45
799		-0.0144 GY	0.50
799		-0.0122 GY	0.56
799		-0.0100 GY	0.61
799		-0.0078 GY	0.66
799		-0.0055 GY	0.72
799		-0.0033 GY	0.77
799		-0.0011 GY	0.81
790		-0.0011 GY	0.04
790		-0.0033 GY	0.08
790		-0.0055 GY	0.13
790		-0.0078 GY	0.19
790		-0.0100 GY	0.24
790		-0.0122 GY	0.29
790		-0.0144 GY	0.35

790		-0.0166 GY	0.40
790	-0.3336 GY	0.42	0.52
790		-0.0166 GY	0.54
790		-0.0144 GY	0.59
790		-0.0122 GY	0.65
790		-0.0100 GY	0.70
790		-0.0078 GY	0.75
790		-0.0055 GY	0.81
790		-0.0033 GY	0.86
790		-0.0011 GY	0.90
803		-0.0011 GY	0.04
803		-0.0033 GY	0.08
803		-0.0055 GY	0.13
803		-0.0078 GY	0.19
803		-0.0100 GY	0.24
803		-0.0122 GY	0.29
803		-0.0144 GY	0.35
803		-0.0166 GY	0.40
803		-0.0166 GY	0.45
803		-0.0144 GY	0.50
803		-0.0122 GY	0.56
803		-0.0100 GY	0.61

803		-0.0078 GY	0.66
803		-0.0055 GY	0.72
803		-0.0033 GY	0.77
803		-0.0011 GY	0.81
2111		-0.0011 GY	0.04
2111		-0.0033 GY	0.08
2111		-0.0055 GY	0.13
2111		-0.0078 GY	0.19
2111		-0.0100 GY	0.24
2111		-0.0122 GY	0.29
2111		-0.0144 GY	0.35
2111		-0.0166 GY	0.40
2111	-0.3336 GY	0.42	0.52
2111		-0.0166 GY	0.54
2111		-0.0144 GY	0.59
2111		-0.0122 GY	0.65
2111		-0.0100 GY	0.70
2111		-0.0078 GY	0.75
2111		-0.0055 GY	0.81
2111		-0.0033 GY	0.86
2111		-0.0011 GY	0.90
801		-0.0011 GY	0.04
801		-0.0033 GY	0.08

801		-0.0055 GY	0.13
801		-0.0078 GY	0.19
801		-0.0100 GY	0.24
801		-0.0122 GY	0.29
801		-0.0144 GY	0.35
801		-0.0166 GY	0.40
801		-0.0166 GY	0.45
801		-0.0144 GY	0.50
801		-0.0122 GY	0.56
801		-0.0100 GY	0.61
801		-0.0078 GY	0.66
801		-0.0055 GY	0.72
801		-0.0033 GY	0.77
801		-0.0011 GY	0.81
791		-0.0011 GY	0.04
791		-0.0033 GY	0.08
791		-0.0055 GY	0.13
791		-0.0078 GY	0.19
791		-0.0100 GY	0.24
791		-0.0122 GY	0.29
791		-0.0144 GY	0.35
791		-0.0166 GY	0.40
791	-0.3336 GY	0.42	0.62
791		-0.0166 GY	0.65
791		-0.0144 GY	0.70
791		-0.0122 GY	0.76
791		-0.0100 GY	0.81
791		-0.0078 GY	0.86
791		-0.0055 GY	0.92
791		-0.0033 GY	0.97
791		-0.0011 GY	1.01
2106		-0.0011 GY	0.04
2106		-0.0033 GY	0.08

2106		-0.0055 GY	0.13
2106		-0.0078 GY	0.19
2106		-0.0100 GY	0.24
2106		-0.0122 GY	0.29
2106		-0.0144 GY	0.35
2106		-0.0166 GY	0.40
2106		-0.0166 GY	0.45
2106		-0.0144 GY	0.50
2106		-0.0122 GY	0.56
2106		-0.0100 GY	0.61
2106		-0.0078 GY	0.66
2106		-0.0055 GY	0.72

2106		-0.0033 GY	0.77	
2106		-0.0011 GY	0.81	
2112		-0.0011 GY	0.04	
2112		-0.0033 GY	0.08	
2112		-0.0055 GY	0.13	
2112		-0.0078 GY	0.19	
2112		-0.0100 GY	0.24	
2112		-0.0122 GY	0.29	
2112		-0.0144 GY	0.35	
2112		-0.0166 GY	0.40	
2112	-0.3336 GY	0.42	0.62	
2112		-0.0166 GY	0.65	
2112		-0.0144 GY	0.70	
2112		-0.0122 GY	0.76	
2112		-0.0100 GY	0.81	
2112		-0.0078 GY	0.86	
2112		-0.0055 GY	0.92	
2112		-0.0033 GY	0.97	
2112		-0.0011 GY	1.01	
803		-0.0011 GY	0.04	
803		-0.0033 GY	0.08	
803		-0.0055 GY	0.13	
803		-0.0078 GY	0.19	
803		-0.0100 GY	0.24	
803		-0.0122 GY	0.29	
803		-0.0144 GY	0.35	
803		-0.0166 GY	0.40	
803		-0.0166 GY	0.45	
803		-0.0144 GY	0.50	
803		-0.0122 GY	0.56	
803		-0.0100 GY	0.61	
803		-0.0078 GY	0.66	
803		-0.0055 GY	0.72	
803		-0.0033 GY	0.77	
803		-0.0011 GY	0.81	
792		-0.0011 GY	0.04	
792		-0.0033 GY	0.08	
792		-0.0055 GY	0.13	
792		-0.0078 GY	0.19	
792		-0.0100 GY	0.24	
792		-0.0122 GY	0.29	
792		-0.0144 GY	0.35	
792		-0.0166 GY	0.40	
792	-0.3336 GY	0.43	0.62	

792		-0.0166 GY	0.65	

792		-0.0144 GY	0.70
792		-0.0122 GY	0.76
792		-0.0100 GY	0.81
792		-0.0078 GY	0.86
792		-0.0055 GY	0.92
792		-0.0033 GY	0.97
792		-0.0011 GY	1.01
813		-0.0011 GY	0.04
813		-0.0033 GY	0.08
813		-0.0055 GY	0.13
813		-0.0078 GY	0.19
813		-0.0100 GY	0.24
813		-0.0122 GY	0.29
813		-0.0144 GY	0.35
813		-0.0166 GY	0.40
813		-0.0166 GY	0.45
813		-0.0144 GY	0.50
813		-0.0122 GY	0.56
813		-0.0100 GY	0.61
813		-0.0078 GY	0.66
813		-0.0055 GY	0.72
813		-0.0033 GY	0.77
813		-0.0011 GY	0.81
2119		-0.0011 GY	0.04
2119		-0.0033 GY	0.08
2119		-0.0055 GY	0.13
2119		-0.0078 GY	0.19
2119		-0.0100 GY	0.24
2119		-0.0122 GY	0.29
2119		-0.0144 GY	0.35
2119		-0.0166 GY	0.40
2119	-0.3336 GY	0.43	0.62
2119		-0.0166 GY	0.65
2119		-0.0144 GY	0.70
2119		-0.0122 GY	0.76
2119		-0.0100 GY	0.81
2119		-0.0078 GY	0.86
2119		-0.0055 GY	0.92
2119		-0.0033 GY	0.97
2119		-0.0011 GY	1.01
811		-0.0011 GY	0.04
811		-0.0033 GY	0.08
811		-0.0055 GY	0.13
811		-0.0078 GY	0.19
811		-0.0100 GY	0.24
811		-0.0122 GY	0.29
811		-0.0144 GY	0.35

811		-0.0166 GY	0.40
811		-0.0166 GY	0.45
811		-0.0144 GY	0.50
811		-0.0122 GY	0.56
811		-0.0100 GY	0.61
811		-0.0078 GY	0.66
811		-0.0055 GY	0.72
811		-0.0033 GY	0.77

811		-0.0011 GY	0.81
793		-0.0011 GY	0.04
793		-0.0033 GY	0.08
793		-0.0055 GY	0.13
793		-0.0078 GY	0.19
793		-0.0100 GY	0.24
793		-0.0122 GY	0.29
793		-0.0144 GY	0.35
793		-0.0166 GY	0.40
793	-0.3336 GY	0.43	0.63
793		-0.0166 GY	0.65
793		-0.0144 GY	0.70
793		-0.0122 GY	0.76
793		-0.0100 GY	0.81
793		-0.0078 GY	0.86
793		-0.0055 GY	0.92
793		-0.0033 GY	0.97
793		-0.0011 GY	1.01
815		-0.0011 GY	0.04
815		-0.0033 GY	0.08
815		-0.0055 GY	0.13
815		-0.0078 GY	0.19
815		-0.0100 GY	0.24
815		-0.0122 GY	0.29
815		-0.0144 GY	0.35
815		-0.0166 GY	0.40
815		-0.0166 GY	0.45
815		-0.0144 GY	0.50
815		-0.0122 GY	0.56
815		-0.0100 GY	0.61
815		-0.0078 GY	0.66
815		-0.0055 GY	0.72
815		-0.0033 GY	0.77
815		-0.0011 GY	0.81
2121		-0.0011 GY	0.04
2121		-0.0033 GY	0.08
2121		-0.0055 GY	0.13

2121		-0.0078	GY	0.19
2121		-0.0100	GY	0.24
2121		-0.0122	GY	0.29
2121		-0.0144	GY	0.35
2121		-0.0166	GY	0.40
2121	-0.3336 GY	0.43	0.63	
2121		-0.0166	GY	0.65
2121		-0.0144	GY	0.70
2121		-0.0122	GY	0.76
2121		-0.0100	GY	0.81
2121		-0.0078	GY	0.86
2121		-0.0055	GY	0.92
2121		-0.0033	GY	0.97
2121		-0.0011	GY	1.01
813		-0.0011	GY	0.04
813		-0.0033	GY	0.08
813		-0.0055	GY	0.13
813		-0.0078	GY	0.19
813		-0.0100	GY	0.24

813		-0.0122	GY	0.29
813		-0.0144	GY	0.35
813		-0.0166	GY	0.40
813		-0.0166	GY	0.45
813		-0.0144	GY	0.50
813		-0.0122	GY	0.56
813		-0.0100	GY	0.61
813		-0.0078	GY	0.66
813		-0.0055	GY	0.72
813		-0.0033	GY	0.77
813		-0.0011	GY	0.81
794		-0.0011	GY	0.04
794		-0.0033	GY	0.08
794		-0.0055	GY	0.13
794		-0.0078	GY	0.19
794		-0.0100	GY	0.24
794		-0.0122	GY	0.29
794		-0.0144	GY	0.35
794		-0.0166	GY	0.40
794	-0.3336 GY	0.43	0.62	
794		-0.0166	GY	0.65
794		-0.0144	GY	0.70
794		-0.0122	GY	0.76
794		-0.0100	GY	0.81
794		-0.0078	GY	0.86
794		-0.0055	GY	0.92

794		-0.0033 GY	0.97
794		-0.0011 GY	1.01
1500		-0.0011 GY	0.04
1500		-0.0033 GY	0.08
1500		-0.0055 GY	0.13
1500		-0.0078 GY	0.19
1500		-0.0100 GY	0.24
1500		-0.0122 GY	0.29
1500		-0.0144 GY	0.35
1500		-0.0166 GY	0.40
1500		-0.0166 GY	0.45
1500		-0.0144 GY	0.50
1500		-0.0122 GY	0.56
1500		-0.0100 GY	0.61
1500		-0.0078 GY	0.66
1500		-0.0055 GY	0.72
1500		-0.0033 GY	0.77
1500		-0.0011 GY	0.81
2122		-0.0011 GY	0.04
2122		-0.0033 GY	0.08
2122		-0.0055 GY	0.13
2122		-0.0078 GY	0.19
2122		-0.0100 GY	0.24
2122		-0.0122 GY	0.29
2122		-0.0144 GY	0.35
2122		-0.0166 GY	0.40
2122	-0.3336 GY	0.43	0.62
2122		-0.0166 GY	0.65
2122		-0.0144 GY	0.70
2122		-0.0122 GY	0.76

2122		-0.0100 GY	0.81
2122		-0.0078 GY	0.86
2122		-0.0055 GY	0.92
2122		-0.0033 GY	0.97
2122		-0.0011 GY	1.01
815		-0.0011 GY	0.04
815		-0.0033 GY	0.08
815		-0.0055 GY	0.13
815		-0.0078 GY	0.19
815		-0.0100 GY	0.24
815		-0.0122 GY	0.29
815		-0.0144 GY	0.35
815		-0.0166 GY	0.40
815		-0.0166 GY	0.45
815		-0.0144 GY	0.50

815		-0.0122 GY	0.56
815		-0.0100 GY	0.61
815		-0.0078 GY	0.66
815		-0.0055 GY	0.72
815		-0.0033 GY	0.77
815		-0.0011 GY	0.81
795		-0.0011 GY	0.04
795		-0.0033 GY	0.08
795		-0.0055 GY	0.13
795		-0.0078 GY	0.19
795		-0.0100 GY	0.24
795		-0.0122 GY	0.29
795		-0.0144 GY	0.35
795		-0.0166 GY	0.40
795	-0.3336 GY	0.42	0.51
795		-0.0166 GY	0.54
795		-0.0144 GY	0.59
795		-0.0122 GY	0.65
795		-0.0100 GY	0.70
795		-0.0078 GY	0.75
795		-0.0055 GY	0.81
795		-0.0033 GY	0.86
795		-0.0011 GY	0.90
807		-0.0011 GY	0.04
807		-0.0033 GY	0.08
807		-0.0055 GY	0.13
807		-0.0078 GY	0.19
807		-0.0100 GY	0.24
807		-0.0122 GY	0.29
807		-0.0144 GY	0.35
807		-0.0166 GY	0.40
807		-0.0166 GY	0.45
807		-0.0144 GY	0.50
807		-0.0122 GY	0.56
807		-0.0100 GY	0.61
807		-0.0078 GY	0.66
807		-0.0055 GY	0.72
807		-0.0033 GY	0.77
807		-0.0011 GY	0.81
2114		-0.0011 GY	0.04
2114		-0.0033 GY	0.08

2114		-0.0055 GY	0.13
2114		-0.0078 GY	0.19
2114		-0.0100 GY	0.24
2114		-0.0122 GY	0.29

2114		-0.0144 GY	0.35	
2114		-0.0166 GY	0.40	
2114	-0.3336 GY	0.42	0.51	
2114		-0.0166 GY	0.54	
2114		-0.0144 GY	0.59	
2114		-0.0122 GY	0.65	
2114		-0.0100 GY	0.70	
2114		-0.0078 GY	0.75	
2114		-0.0055 GY	0.81	
2114		-0.0033 GY	0.86	
2114		-0.0011 GY	0.90	
805		-0.0011 GY	0.04	
805		-0.0033 GY	0.08	
805		-0.0055 GY	0.13	
805		-0.0078 GY	0.19	
805		-0.0100 GY	0.24	
805		-0.0122 GY	0.29	
805		-0.0144 GY	0.35	
805		-0.0166 GY	0.40	
805		-0.0166 GY	0.45	
805		-0.0144 GY	0.50	
805		-0.0122 GY	0.56	
805		-0.0100 GY	0.61	
805		-0.0078 GY	0.66	
805		-0.0055 GY	0.72	
805		-0.0033 GY	0.77	
805		-0.0011 GY	0.81	
796		-0.0011 GY	0.04	
796		-0.0033 GY	0.08	
796		-0.0055 GY	0.13	
796		-0.0078 GY	0.19	
796		-0.0100 GY	0.24	
796		-0.0122 GY	0.29	
796		-0.0144 GY	0.35	
796		-0.0166 GY	0.40	
796	-0.3336 GY	0.43	0.52	
796		-0.0166 GY	0.54	
796		-0.0144 GY	0.59	
796		-0.0122 GY	0.65	
796		-0.0100 GY	0.70	
796		-0.0078 GY	0.75	
796		-0.0055 GY	0.81	
796		-0.0033 GY	0.86	
796		-0.0011 GY	0.90	
809		-0.0011 GY	0.04	
809		-0.0033 GY	0.08	
809		-0.0055 GY	0.13	

809		-0.0078 GY	0.19
809		-0.0100 GY	0.24
809		-0.0122 GY	0.29
809		-0.0144 GY	0.35
809		-0.0166 GY	0.40

809		-0.0166 GY	0.45
809		-0.0144 GY	0.50
809		-0.0122 GY	0.56
809		-0.0100 GY	0.61
809		-0.0078 GY	0.66
809		-0.0055 GY	0.72
809		-0.0033 GY	0.77
809		-0.0011 GY	0.81
2116		-0.0011 GY	0.04
2116		-0.0033 GY	0.08
2116		-0.0055 GY	0.13
2116		-0.0078 GY	0.19
2116		-0.0100 GY	0.24
2116		-0.0122 GY	0.29
2116		-0.0144 GY	0.35
2116		-0.0166 GY	0.40
2116	-0.3336 GY	0.43	0.52
2116		-0.0166 GY	0.54
2116		-0.0144 GY	0.59
2116		-0.0122 GY	0.65
2116		-0.0100 GY	0.70
2116		-0.0078 GY	0.75
2116		-0.0055 GY	0.81
2116		-0.0033 GY	0.86
2116		-0.0011 GY	0.90
807		-0.0011 GY	0.04
807		-0.0033 GY	0.08
807		-0.0055 GY	0.13
807		-0.0078 GY	0.19
807		-0.0100 GY	0.24
807		-0.0122 GY	0.29
807		-0.0144 GY	0.35
807		-0.0166 GY	0.40
807		-0.0166 GY	0.45
807		-0.0144 GY	0.50
807		-0.0122 GY	0.56
807		-0.0100 GY	0.61
807		-0.0078 GY	0.66
807		-0.0055 GY	0.72
807		-0.0033 GY	0.77

807		-0.0011	GY	0.81
797		-0.0011	GY	0.04
797		-0.0033	GY	0.08
797		-0.0055	GY	0.13
797		-0.0078	GY	0.19
797		-0.0100	GY	0.24
797		-0.0122	GY	0.29
797		-0.0144	GY	0.35
797		-0.0166	GY	0.40
797	-0.3336 GY	0.43	0.51	
797		-0.0166	GY	0.54
797		-0.0144	GY	0.59
797		-0.0122	GY	0.65
797		-0.0100	GY	0.70
797		-0.0078	GY	0.75
797		-0.0055	GY	0.81

797		-0.0033	GY	0.86
797		-0.0011	GY	0.90
2101		-0.0011	GY	0.04
2101		-0.0033	GY	0.08
2101		-0.0055	GY	0.13
2101		-0.0078	GY	0.19
2101		-0.0100	GY	0.24
2101		-0.0122	GY	0.29
2101		-0.0144	GY	0.35
2101		-0.0166	GY	0.40
2101		-0.0166	GY	0.45
2101		-0.0144	GY	0.50
2101		-0.0122	GY	0.56
2101		-0.0100	GY	0.61
2101		-0.0078	GY	0.66
2101		-0.0055	GY	0.72
2101		-0.0033	GY	0.77
2101		-0.0011	GY	0.81
2117		-0.0011	GY	0.04
2117		-0.0033	GY	0.08
2117		-0.0055	GY	0.13
2117		-0.0078	GY	0.19
2117		-0.0100	GY	0.24
2117		-0.0122	GY	0.29
2117		-0.0144	GY	0.35
2117		-0.0166	GY	0.40
2117	-0.3336 GY	0.43	0.51	
2117		-0.0166	GY	0.54
2117		-0.0144	GY	0.59

2117		-0.0122 GY	0.65
2117		-0.0100 GY	0.70
2117		-0.0078 GY	0.75
2117		-0.0055 GY	0.81
2117		-0.0033 GY	0.86
2117		-0.0011 GY	0.90
809		-0.0011 GY	0.04
809		-0.0033 GY	0.08
809		-0.0055 GY	0.13
809		-0.0078 GY	0.19
809		-0.0100 GY	0.24
809		-0.0122 GY	0.29
809		-0.0144 GY	0.35
809		-0.0166 GY	0.40
809		-0.0166 GY	0.45
809		-0.0144 GY	0.50
809		-0.0122 GY	0.56
809		-0.0100 GY	0.61
809		-0.0078 GY	0.66
809		-0.0055 GY	0.72
809		-0.0033 GY	0.77
809		-0.0011 GY	0.81
798		-0.0011 GY	0.04
798		-0.0033 GY	0.08
798		-0.0055 GY	0.13
798		-0.0078 GY	0.19
798		-0.0100 GY	0.24

798		-0.0122 GY	0.29
798		-0.0144 GY	0.35
798		-0.0166 GY	0.40
798	-0.3336 GY	0.43	0.52
798		-0.0166 GY	0.54
798		-0.0144 GY	0.59
798		-0.0122 GY	0.65
798		-0.0100 GY	0.70
798		-0.0078 GY	0.75
798		-0.0055 GY	0.81
798		-0.0033 GY	0.86
798		-0.0011 GY	0.90
2108		-0.0011 GY	0.04
2108		-0.0033 GY	0.08
2108		-0.0055 GY	0.13
2108		-0.0078 GY	0.19
2108		-0.0100 GY	0.24
2108		-0.0122 GY	0.29

2108		-0.0144 GY	0.35
2108		-0.0166 GY	0.40
2108		-0.0166 GY	0.45
2108		-0.0144 GY	0.50
2108		-0.0122 GY	0.56
2108		-0.0100 GY	0.61
2108		-0.0078 GY	0.66
2108		-0.0055 GY	0.72
2108		-0.0033 GY	0.77
2108		-0.0011 GY	0.81
2109		-0.0011 GY	0.04
2109		-0.0033 GY	0.08
2109		-0.0055 GY	0.13
2109		-0.0078 GY	0.19
2109		-0.0100 GY	0.24
2109		-0.0122 GY	0.29
2109		-0.0144 GY	0.35
2109		-0.0166 GY	0.40
2109	-0.3336 GY	0.43	0.52
2109		-0.0166 GY	0.54
2109		-0.0144 GY	0.59
2109		-0.0122 GY	0.65
2109		-0.0100 GY	0.70
2109		-0.0078 GY	0.75
2109		-0.0055 GY	0.81
2109		-0.0033 GY	0.86
2109		-0.0011 GY	0.90
1561		-0.0011 GY	0.04
1561		-0.0033 GY	0.08
1561		-0.0055 GY	0.13
1561		-0.0078 GY	0.19
1561		-0.0100 GY	0.24
1561		-0.0122 GY	0.29
1561		-0.0144 GY	0.35
1561		-0.0166 GY	0.40
1561		-0.0166 GY	0.45
1561		-0.0144 GY	0.50
1561		-0.0122 GY	0.56

1561		-0.0100 GY	0.61
1561		-0.0078 GY	0.66
1561		-0.0055 GY	0.72
1561		-0.0033 GY	0.77
1561		-0.0011 GY	0.81
800		-0.0011 GY	0.04
800		-0.0033 GY	0.08

800		-0.0055	GY	0.13
800		-0.0078	GY	0.19
800		-0.0100	GY	0.24
800		-0.0122	GY	0.29
800		-0.0144	GY	0.35
800		-0.0166	GY	0.40
800	-0.3336 GY	0.42	0.52	
800		-0.0166	GY	0.54
800		-0.0144	GY	0.59
800		-0.0122	GY	0.65
800		-0.0100	GY	0.70
800		-0.0078	GY	0.75
800		-0.0055	GY	0.81
800		-0.0033	GY	0.86
800		-0.0011	GY	0.90
2110		-0.0011	GY	0.04
2110		-0.0033	GY	0.08
2110		-0.0055	GY	0.13
2110		-0.0078	GY	0.19
2110		-0.0100	GY	0.24
2110		-0.0122	GY	0.29
2110		-0.0144	GY	0.35
2110		-0.0166	GY	0.40
2110		-0.0166	GY	0.45
2110		-0.0144	GY	0.50
2110		-0.0122	GY	0.56
2110		-0.0100	GY	0.61
2110		-0.0078	GY	0.66
2110		-0.0055	GY	0.72
2110		-0.0033	GY	0.77
2110		-0.0011	GY	0.81
2111		-0.0011	GY	0.04
2111		-0.0033	GY	0.08
2111		-0.0055	GY	0.13
2111		-0.0078	GY	0.19
2111		-0.0100	GY	0.24
2111		-0.0122	GY	0.29
2111		-0.0144	GY	0.35
2111		-0.0166	GY	0.40
2111	-0.3336 GY	0.42	0.52	
2111		-0.0166	GY	0.54
2111		-0.0144	GY	0.59
2111		-0.0122	GY	0.65
2111		-0.0100	GY	0.70
2111		-0.0078	GY	0.75
2111		-0.0055	GY	0.81
2111		-0.0033	GY	0.86

2111		-0.0011 GY	0.90
2108		-0.0011 GY	0.04

2108		-0.0033 GY	0.08
2108		-0.0055 GY	0.13
2108		-0.0078 GY	0.19
2108		-0.0100 GY	0.24
2108		-0.0122 GY	0.29
2108		-0.0144 GY	0.35
2108		-0.0166 GY	0.40
2108		-0.0166 GY	0.45
2108		-0.0144 GY	0.50
2108		-0.0122 GY	0.56
2108		-0.0100 GY	0.61
2108		-0.0078 GY	0.66
2108		-0.0055 GY	0.72
2108		-0.0033 GY	0.77
2108		-0.0011 GY	0.81
804		-0.0011 GY	0.04
804		-0.0033 GY	0.08
804		-0.0055 GY	0.13
804		-0.0078 GY	0.19
804		-0.0100 GY	0.24
804		-0.0122 GY	0.29
804		-0.0144 GY	0.35
804		-0.0166 GY	0.40
804	-0.3336 GY	0.43	0.52
804		-0.0166 GY	0.54
804		-0.0144 GY	0.59
804		-0.0122 GY	0.65
804		-0.0100 GY	0.70
804		-0.0078 GY	0.75
804		-0.0055 GY	0.81
804		-0.0033 GY	0.86
804		-0.0011 GY	0.90
2113		-0.0011 GY	0.04
2113		-0.0033 GY	0.08
2113		-0.0055 GY	0.13
2113		-0.0078 GY	0.19
2113		-0.0100 GY	0.24
2113		-0.0122 GY	0.29
2113		-0.0144 GY	0.35
2113		-0.0166 GY	0.40
2113		-0.0166 GY	0.45
2113		-0.0144 GY	0.50
2113		-0.0122 GY	0.56

2113		-0.0100 GY	0.61
2113		-0.0078 GY	0.66
2113		-0.0055 GY	0.72
2113		-0.0033 GY	0.77
2113		-0.0011 GY	0.81
2114		-0.0011 GY	0.04
2114		-0.0033 GY	0.08
2114		-0.0055 GY	0.13
2114		-0.0078 GY	0.19
2114		-0.0100 GY	0.24
2114		-0.0122 GY	0.29
2114		-0.0144 GY	0.35
2114		-0.0166 GY	0.40

2114	-0.3336 GY	0.43	0.52
2114		-0.0166 GY	0.54
2114		-0.0144 GY	0.59
2114		-0.0122 GY	0.65
2114		-0.0100 GY	0.70
2114		-0.0078 GY	0.75
2114		-0.0055 GY	0.81
2114		-0.0033 GY	0.86
2114		-0.0011 GY	0.90
2104		-0.0011 GY	0.04
2104		-0.0033 GY	0.08
2104		-0.0055 GY	0.13
2104		-0.0078 GY	0.19
2104		-0.0100 GY	0.24
2104		-0.0122 GY	0.29
2104		-0.0144 GY	0.35
2104		-0.0166 GY	0.40
2104		-0.0166 GY	0.45
2104		-0.0144 GY	0.50
2104		-0.0122 GY	0.56
2104		-0.0100 GY	0.61
2104		-0.0078 GY	0.66
2104		-0.0055 GY	0.72
2104		-0.0033 GY	0.77
2104		-0.0011 GY	0.81
806		-0.0011 GY	0.04
806		-0.0033 GY	0.08
806		-0.0055 GY	0.13
806		-0.0078 GY	0.19
806		-0.0100 GY	0.24
806		-0.0122 GY	0.29
806		-0.0144 GY	0.35

806 -0.0166 GY 0.40
806 -0.3336 GY 0.42 0.52
806 -0.0166 GY 0.54
806 -0.0144 GY 0.59
806 -0.0122 GY 0.65
806 -0.0100 GY 0.70
806 -0.0078 GY 0.75
806 -0.0055 GY 0.81
806 -0.0033 GY 0.86
806 -0.0011 GY 0.90
2115 -0.0011 GY 0.04
2115 -0.0033 GY 0.08
2115 -0.0055 GY 0.13
2115 -0.0078 GY 0.19
2115 -0.0100 GY 0.24
2115 -0.0122 GY 0.29
2115 -0.0144 GY 0.35
2115 -0.0166 GY 0.40
2115 -0.0166 GY 0.45
2115 -0.0144 GY 0.50
2115 -0.0122 GY 0.56
2115 -0.0100 GY 0.61
2115 -0.0078 GY 0.66
2115 -0.0055 GY 0.72

2115 -0.0033 GY 0.77
2115 -0.0011 GY 0.81
2116 -0.0011 GY 0.04
2116 -0.0033 GY 0.08
2116 -0.0055 GY 0.13
2116 -0.0078 GY 0.19
2116 -0.0100 GY 0.24
2116 -0.0122 GY 0.29
2116 -0.0144 GY 0.35
2116 -0.0166 GY 0.40
2116 -0.3336 GY 0.42 0.52
2116 -0.0166 GY 0.54
2116 -0.0144 GY 0.59
2116 -0.0122 GY 0.65
2116 -0.0100 GY 0.70
2116 -0.0078 GY 0.75
2116 -0.0055 GY 0.81
2116 -0.0033 GY 0.86
2116 -0.0011 GY 0.90
2113 -0.0011 GY 0.04
2113 -0.0033 GY 0.08

2113		-0.0055 GY	0.13
2113		-0.0078 GY	0.19
2113		-0.0100 GY	0.24
2113		-0.0122 GY	0.29
2113		-0.0144 GY	0.35
2113		-0.0166 GY	0.40
2113		-0.0166 GY	0.45
2113		-0.0144 GY	0.50
2113		-0.0122 GY	0.56
2113		-0.0100 GY	0.61
2113		-0.0078 GY	0.66
2113		-0.0055 GY	0.72
2113		-0.0033 GY	0.77
2113		-0.0011 GY	0.81
810		-0.0011 GY	0.04
810		-0.0033 GY	0.08
810		-0.0055 GY	0.13
810		-0.0078 GY	0.19
810		-0.0100 GY	0.24
810		-0.0122 GY	0.29
810		-0.0144 GY	0.35
810		-0.0166 GY	0.40
810	-0.3336 GY	0.42	0.62
810		-0.0166 GY	0.65
810		-0.0144 GY	0.70
810		-0.0122 GY	0.76
810		-0.0100 GY	0.81
810		-0.0078 GY	0.86
810		-0.0055 GY	0.92
810		-0.0033 GY	0.97
810		-0.0011 GY	1.01
2118		-0.0011 GY	0.04
2118		-0.0033 GY	0.08
2118		-0.0055 GY	0.13
2118		-0.0078 GY	0.19

2118		-0.0100 GY	0.24
2118		-0.0122 GY	0.29
2118		-0.0144 GY	0.35
2118		-0.0166 GY	0.40
2118		-0.0166 GY	0.45
2118		-0.0144 GY	0.50
2118		-0.0122 GY	0.56
2118		-0.0100 GY	0.61
2118		-0.0078 GY	0.66
2118		-0.0055 GY	0.72

2118		-0.0033	GY	0.77
2118		-0.0011	GY	0.81
2119		-0.0011	GY	0.04
2119		-0.0033	GY	0.08
2119		-0.0055	GY	0.13
2119		-0.0078	GY	0.19
2119		-0.0100	GY	0.24
2119		-0.0122	GY	0.29
2119		-0.0144	GY	0.35
2119		-0.0166	GY	0.40
2119	-0.3336 GY	0.42	0.62	
2119		-0.0166	GY	0.65
2119		-0.0144	GY	0.70
2119		-0.0122	GY	0.76
2119		-0.0100	GY	0.81
2119		-0.0078	GY	0.86
2119		-0.0055	GY	0.92
2119		-0.0033	GY	0.97
2119		-0.0011	GY	1.01
2099		-0.0011	GY	0.04
2099		-0.0033	GY	0.08
2099		-0.0055	GY	0.13
2099		-0.0078	GY	0.19
2099		-0.0100	GY	0.24
2099		-0.0122	GY	0.29
2099		-0.0144	GY	0.35
2099		-0.0166	GY	0.40
2099		-0.0166	GY	0.45
2099		-0.0144	GY	0.50
2099		-0.0122	GY	0.56
2099		-0.0100	GY	0.61
2099		-0.0078	GY	0.66
2099		-0.0055	GY	0.72
2099		-0.0033	GY	0.77
2099		-0.0011	GY	0.81
812		-0.0011	GY	0.04
812		-0.0033	GY	0.08
812		-0.0055	GY	0.13
812		-0.0078	GY	0.19
812		-0.0100	GY	0.24
812		-0.0122	GY	0.29
812		-0.0144	GY	0.35
812		-0.0166	GY	0.40
812	-0.3336 GY	0.42	0.63	
812		-0.0166	GY	0.65
812		-0.0144	GY	0.70

812		-0.0122 GY	0.76
812		-0.0100 GY	0.81
812		-0.0078 GY	0.86
812		-0.0055 GY	0.92
812		-0.0033 GY	0.97
812		-0.0011 GY	1.01
2120		-0.0011 GY	0.04
2120		-0.0033 GY	0.08
2120		-0.0055 GY	0.13
2120		-0.0078 GY	0.19
2120		-0.0100 GY	0.24
2120		-0.0122 GY	0.29
2120		-0.0144 GY	0.35
2120		-0.0166 GY	0.40
2120		-0.0166 GY	0.45
2120		-0.0144 GY	0.50
2120		-0.0122 GY	0.56
2120		-0.0100 GY	0.61
2120		-0.0078 GY	0.66
2120		-0.0055 GY	0.72
2120		-0.0033 GY	0.77
2120		-0.0011 GY	0.81
2121		-0.0011 GY	0.04
2121		-0.0033 GY	0.08
2121		-0.0055 GY	0.13
2121		-0.0078 GY	0.19
2121		-0.0100 GY	0.24
2121		-0.0122 GY	0.29
2121		-0.0144 GY	0.35
2121		-0.0166 GY	0.40
2121	-0.3336 GY	0.42	0.63
2121		-0.0166 GY	0.65
2121		-0.0144 GY	0.70
2121		-0.0122 GY	0.76
2121		-0.0100 GY	0.81
2121		-0.0078 GY	0.86
2121		-0.0055 GY	0.92
2121		-0.0033 GY	0.97
2121		-0.0011 GY	1.01
2118		-0.0011 GY	0.04
2118		-0.0033 GY	0.08
2118		-0.0055 GY	0.13
2118		-0.0078 GY	0.19
2118		-0.0100 GY	0.24
2118		-0.0122 GY	0.29
2118		-0.0144 GY	0.35

2118		-0.0166 GY	0.40
2118		-0.0166 GY	0.45
2118		-0.0144 GY	0.50
2118		-0.0122 GY	0.56
2118		-0.0100 GY	0.61
2118		-0.0078 GY	0.66
2118		-0.0055 GY	0.72
2118		-0.0033 GY	0.77
2118		-0.0011 GY	0.81
814		-0.0011 GY	0.04

814		-0.0033 GY	0.08
814		-0.0055 GY	0.13
814		-0.0078 GY	0.19
814		-0.0100 GY	0.24
814		-0.0122 GY	0.29
814		-0.0144 GY	0.35
814		-0.0166 GY	0.40
814	-0.3336 GY	0.42	0.62
814		-0.0166 GY	0.65
814		-0.0144 GY	0.70
814		-0.0122 GY	0.76
814		-0.0100 GY	0.81
814		-0.0078 GY	0.86
814		-0.0055 GY	0.92
814		-0.0033 GY	0.97
814		-0.0011 GY	1.01
2096		-0.0011 GY	0.04
2096		-0.0033 GY	0.08
2096		-0.0055 GY	0.13
2096		-0.0078 GY	0.19
2096		-0.0100 GY	0.24
2096		-0.0122 GY	0.29
2096		-0.0144 GY	0.35
2096		-0.0166 GY	0.40
2096		-0.0166 GY	0.45
2096		-0.0144 GY	0.50
2096		-0.0122 GY	0.56
2096		-0.0100 GY	0.61
2096		-0.0078 GY	0.66
2096		-0.0055 GY	0.72
2096		-0.0033 GY	0.77
2096		-0.0011 GY	0.81
2122		-0.0011 GY	0.04
2122		-0.0033 GY	0.08
2122		-0.0055 GY	0.13

2122		-0.0078 GY	0.19	
2122		-0.0100 GY	0.24	
2122		-0.0122 GY	0.29	
2122		-0.0144 GY	0.35	
2122		-0.0166 GY	0.40	
2122	-0.3336 GY	0.42	0.62	
2122		-0.0166 GY	0.65	
2122		-0.0144 GY	0.70	
2122		-0.0122 GY	0.76	
2122		-0.0100 GY	0.81	
2122		-0.0078 GY	0.86	
2122		-0.0055 GY	0.92	
2122		-0.0033 GY	0.97	
2122		-0.0011 GY	1.01	
2120		-0.0011 GY	0.04	
2120		-0.0033 GY	0.08	
2120		-0.0055 GY	0.13	
2120		-0.0078 GY	0.19	
2120		-0.0100 GY	0.24	
2120		-0.0122 GY	0.29	
2120		-0.0144 GY	0.35	

2120		-0.0166 GY	0.40	
2120		-0.0166 GY	0.45	
2120		-0.0144 GY	0.50	
2120		-0.0122 GY	0.56	
2120		-0.0100 GY	0.61	
2120		-0.0078 GY	0.66	
2120		-0.0055 GY	0.72	
2120		-0.0033 GY	0.77	
2120		-0.0011 GY	0.81	
852		-0.0013 GY	0.04	
852		-0.0038 GY	0.09	
852		-0.0063 GY	0.14	
852		-0.0088 GY	0.20	
852		-0.0113 GY	0.26	
852		-0.0138 GY	0.31	
852		-0.0164 GY	0.37	
852		-0.0189 GY	0.43	
852	-0.3556 GY	0.45	0.49	
852		-0.0189 GY	0.51	
852		-0.0164 GY	0.57	
852		-0.0138 GY	0.63	
852		-0.0113 GY	0.68	
852		-0.0088 GY	0.74	
852		-0.0063 GY	0.80	

852		-0.0038 GY	0.85
852		-0.0013 GY	0.90
857		-0.0013 GY	0.04
857		-0.0038 GY	0.09
857		-0.0063 GY	0.14
857		-0.0088 GY	0.20
857		-0.0113 GY	0.26
857		-0.0138 GY	0.31
857		-0.0164 GY	0.37
857		-0.0189 GY	0.43
857		-0.0189 GY	0.48
857		-0.0164 GY	0.54
857		-0.0138 GY	0.59
857		-0.0113 GY	0.65
857		-0.0088 GY	0.71
857		-0.0063 GY	0.76
857		-0.0038 GY	0.82
857		-0.0013 GY	0.87
2082		-0.0013 GY	0.04
2082		-0.0038 GY	0.09
2082		-0.0063 GY	0.14
2082		-0.0088 GY	0.20
2082		-0.0113 GY	0.26
2082		-0.0138 GY	0.31
2082		-0.0164 GY	0.37
2082		-0.0189 GY	0.43
2082	-0.3556 GY	0.45	0.49
2082		-0.0189 GY	0.51
2082		-0.0164 GY	0.57
2082		-0.0138 GY	0.63
2082		-0.0113 GY	0.68
2082		-0.0088 GY	0.74

2082		-0.0063 GY	0.80
2082		-0.0038 GY	0.85
2082		-0.0013 GY	0.90
854		-0.0013 GY	0.04
854		-0.0038 GY	0.09
854		-0.0063 GY	0.14
854		-0.0088 GY	0.20
854		-0.0113 GY	0.26
854		-0.0138 GY	0.31
854		-0.0164 GY	0.37
854		-0.0189 GY	0.43
854		-0.0189 GY	0.48
854		-0.0164 GY	0.54

854		-0.0138 GY	0.59
854		-0.0113 GY	0.65
854		-0.0088 GY	0.71
854		-0.0063 GY	0.76
854		-0.0038 GY	0.82
854		-0.0013 GY	0.87
853		-0.0010 GY	0.03
853		-0.0029 GY	0.08
853		-0.0048 GY	0.13
853		-0.0068 GY	0.17
853		-0.0087 GY	0.22
853		-0.0106 GY	0.27
853		-0.0126 GY	0.32
853		-0.0145 GY	0.37
853	-0.3116 GY	0.40	0.54
853		-0.0145 GY	0.57
853		-0.0126 GY	0.62
853		-0.0106 GY	0.67
853		-0.0087 GY	0.72
853		-0.0068 GY	0.77
853		-0.0048 GY	0.81
853		-0.0029 GY	0.86
853		-0.0010 GY	0.91
2081		-0.0010 GY	0.03
2081		-0.0029 GY	0.08
2081		-0.0048 GY	0.13
2081		-0.0068 GY	0.17
2081		-0.0087 GY	0.22
2081		-0.0106 GY	0.27
2081		-0.0126 GY	0.32
2081		-0.0145 GY	0.37
2081		-0.0145 GY	0.42
2081		-0.0126 GY	0.47
2081		-0.0106 GY	0.52
2081		-0.0087 GY	0.57
2081		-0.0068 GY	0.62
2081		-0.0048 GY	0.67
2081		-0.0029 GY	0.72
2081		-0.0010 GY	0.76
2082		-0.0010 GY	0.03
2082		-0.0029 GY	0.08
2082		-0.0048 GY	0.13
2082		-0.0068 GY	0.17

2082		-0.0087 GY	0.22
2082		-0.0106 GY	0.27

2082		-0.0126	GY	0.32
2082		-0.0145	GY	0.37
2082	-0.3116 GY	0.40	0.54	
2082		-0.0145	GY	0.57
2082		-0.0126	GY	0.62
2082		-0.0106	GY	0.67
2082		-0.0087	GY	0.72
2082		-0.0068	GY	0.77
2082		-0.0048	GY	0.81
2082		-0.0029	GY	0.86
2082		-0.0010	GY	0.91
1935		-0.0010	GY	0.03
1935		-0.0029	GY	0.08
1935		-0.0048	GY	0.13
1935		-0.0068	GY	0.17
1935		-0.0087	GY	0.22
1935		-0.0106	GY	0.27
1935		-0.0126	GY	0.32
1935		-0.0145	GY	0.37
1935		-0.0145	GY	0.42
1935		-0.0126	GY	0.47
1935		-0.0106	GY	0.52
1935		-0.0087	GY	0.57
1935		-0.0068	GY	0.62
1935		-0.0048	GY	0.67
1935		-0.0029	GY	0.72
1935		-0.0010	GY	0.76
855		-0.0013	GY	0.04
855		-0.0038	GY	0.09
855		-0.0063	GY	0.14
855		-0.0088	GY	0.20
855		-0.0113	GY	0.26
855		-0.0138	GY	0.31
855		-0.0164	GY	0.37
855		-0.0189	GY	0.43
855	-0.3556 GY	0.45	0.49	
855		-0.0189	GY	0.51
855		-0.0164	GY	0.57
855		-0.0138	GY	0.63
855		-0.0113	GY	0.68
855		-0.0088	GY	0.74
855		-0.0063	GY	0.80
855		-0.0038	GY	0.85
855		-0.0013	GY	0.90
860		-0.0013	GY	0.04
860		-0.0038	GY	0.09
860		-0.0063	GY	0.14

860		-0.0088 GY	0.20
860		-0.0113 GY	0.26
860		-0.0138 GY	0.31
860		-0.0164 GY	0.37
860		-0.0189 GY	0.43
860		-0.0189 GY	0.48
860		-0.0164 GY	0.54

860		-0.0138 GY	0.59
860		-0.0113 GY	0.65
860		-0.0088 GY	0.71
860		-0.0063 GY	0.76
860		-0.0038 GY	0.82
860		-0.0013 GY	0.87
2084		-0.0013 GY	0.04
2084		-0.0038 GY	0.09
2084		-0.0063 GY	0.14
2084		-0.0088 GY	0.20
2084		-0.0113 GY	0.26
2084		-0.0138 GY	0.31
2084		-0.0164 GY	0.37
2084		-0.0189 GY	0.43
2084	-0.3556 GY	0.45	0.49
2084		-0.0189 GY	0.51
2084		-0.0164 GY	0.57
2084		-0.0138 GY	0.63
2084		-0.0113 GY	0.68
2084		-0.0088 GY	0.74
2084		-0.0063 GY	0.80
2084		-0.0038 GY	0.85
2084		-0.0013 GY	0.90
857		-0.0013 GY	0.04
857		-0.0038 GY	0.09
857		-0.0063 GY	0.14
857		-0.0088 GY	0.20
857		-0.0113 GY	0.26
857		-0.0138 GY	0.31
857		-0.0164 GY	0.37
857		-0.0189 GY	0.43
857		-0.0189 GY	0.48
857		-0.0164 GY	0.54
857		-0.0138 GY	0.59
857		-0.0113 GY	0.65
857		-0.0088 GY	0.71
857		-0.0063 GY	0.76
857		-0.0038 GY	0.82

857		-0.0013 GY	0.87	
856		-0.0010 GY	0.03	
856		-0.0029 GY	0.08	
856		-0.0048 GY	0.13	
856		-0.0068 GY	0.17	
856		-0.0087 GY	0.22	
856		-0.0106 GY	0.27	
856		-0.0126 GY	0.32	
856		-0.0145 GY	0.37	
856	-0.3116 GY	0.40	0.54	
856		-0.0145 GY	0.57	
856		-0.0126 GY	0.62	
856		-0.0106 GY	0.67	
856		-0.0087 GY	0.72	
856		-0.0068 GY	0.77	
856		-0.0048 GY	0.81	
856		-0.0029 GY	0.86	
856		-0.0010 GY	0.91	

2083		-0.0010 GY	0.03
2083		-0.0029 GY	0.08
2083		-0.0048 GY	0.13
2083		-0.0068 GY	0.17
2083		-0.0087 GY	0.22
2083		-0.0106 GY	0.27
2083		-0.0126 GY	0.32
2083		-0.0145 GY	0.37
2083		-0.0145 GY	0.42
2083		-0.0126 GY	0.47
2083		-0.0106 GY	0.52
2083		-0.0087 GY	0.57
2083		-0.0068 GY	0.62
2083		-0.0048 GY	0.67
2083		-0.0029 GY	0.72
2083		-0.0010 GY	0.76
2084		-0.0010 GY	0.03
2084		-0.0029 GY	0.08
2084		-0.0048 GY	0.13
2084		-0.0068 GY	0.17
2084		-0.0087 GY	0.22
2084		-0.0106 GY	0.27
2084		-0.0126 GY	0.32
2084		-0.0145 GY	0.37
2084	-0.3116 GY	0.40	0.54
2084		-0.0145 GY	0.57
2084		-0.0126 GY	0.62

2084		-0.0106 GY	0.67
2084		-0.0087 GY	0.72
2084		-0.0068 GY	0.77
2084		-0.0048 GY	0.81
2084		-0.0029 GY	0.86
2084		-0.0010 GY	0.91
2081		-0.0010 GY	0.03
2081		-0.0029 GY	0.08
2081		-0.0048 GY	0.13
2081		-0.0068 GY	0.17
2081		-0.0087 GY	0.22
2081		-0.0106 GY	0.27
2081		-0.0126 GY	0.32
2081		-0.0145 GY	0.37
2081		-0.0145 GY	0.42
2081		-0.0126 GY	0.47
2081		-0.0106 GY	0.52
2081		-0.0087 GY	0.57
2081		-0.0068 GY	0.62
2081		-0.0048 GY	0.67
2081		-0.0029 GY	0.72
2081		-0.0010 GY	0.76
858		-0.0013 GY	0.04
858		-0.0038 GY	0.09
858		-0.0063 GY	0.14
858		-0.0088 GY	0.20
858		-0.0113 GY	0.26
858		-0.0138 GY	0.31
858		-0.0164 GY	0.37

858		-0.0189 GY	0.43
858	-0.3556 GY	0.45	0.60
858		-0.0189 GY	0.62
858		-0.0164 GY	0.68
858		-0.0138 GY	0.74
858		-0.0113 GY	0.79
858		-0.0088 GY	0.85
858		-0.0063 GY	0.91
858		-0.0038 GY	0.96
858		-0.0013 GY	1.01
2079		-0.0013 GY	0.04
2079		-0.0038 GY	0.09
2079		-0.0063 GY	0.14
2079		-0.0088 GY	0.20
2079		-0.0113 GY	0.26
2079		-0.0138 GY	0.31

2079		-0.0164 GY	0.37
2079		-0.0189 GY	0.43
2079		-0.0189 GY	0.48
2079		-0.0164 GY	0.54
2079		-0.0138 GY	0.59
2079		-0.0113 GY	0.65
2079		-0.0088 GY	0.71
2079		-0.0063 GY	0.76
2079		-0.0038 GY	0.82
2079		-0.0013 GY	0.87
2085		-0.0013 GY	0.04
2085		-0.0038 GY	0.09
2085		-0.0063 GY	0.14
2085		-0.0088 GY	0.20
2085		-0.0113 GY	0.26
2085		-0.0138 GY	0.31
2085		-0.0164 GY	0.37
2085		-0.0189 GY	0.43
2085	-0.3556 GY	0.45	0.60
2085		-0.0189 GY	0.62
2085		-0.0164 GY	0.68
2085		-0.0138 GY	0.74
2085		-0.0113 GY	0.79
2085		-0.0088 GY	0.85
2085		-0.0063 GY	0.91
2085		-0.0038 GY	0.96
2085		-0.0013 GY	1.01
860		-0.0013 GY	0.04
860		-0.0038 GY	0.09
860		-0.0063 GY	0.14
860		-0.0088 GY	0.20
860		-0.0113 GY	0.26
860		-0.0138 GY	0.31
860		-0.0164 GY	0.37
860		-0.0189 GY	0.43
860		-0.0189 GY	0.48
860		-0.0164 GY	0.54
860		-0.0138 GY	0.59
860		-0.0113 GY	0.65
860		-0.0088 GY	0.71

860		-0.0063 GY	0.76
860		-0.0038 GY	0.82
860		-0.0013 GY	0.87
861		-0.0013 GY	0.04
861		-0.0038 GY	0.09

861		-0.0063 GY	0.14
861		-0.0088 GY	0.20
861		-0.0113 GY	0.26
861		-0.0138 GY	0.31
861		-0.0164 GY	0.37
861		-0.0189 GY	0.43
861	-0.3556 GY	0.45	0.49
861		-0.0189 GY	0.51
861		-0.0164 GY	0.57
861		-0.0138 GY	0.63
861		-0.0113 GY	0.68
861		-0.0088 GY	0.74
861		-0.0063 GY	0.80
861		-0.0038 GY	0.85
861		-0.0013 GY	0.90
866		-0.0013 GY	0.04
866		-0.0038 GY	0.09
866		-0.0063 GY	0.14
866		-0.0088 GY	0.20
866		-0.0113 GY	0.26
866		-0.0138 GY	0.31
866		-0.0164 GY	0.37
866		-0.0189 GY	0.43
866		-0.0189 GY	0.48
866		-0.0164 GY	0.54
866		-0.0138 GY	0.59
866		-0.0113 GY	0.65
866		-0.0088 GY	0.71
866		-0.0063 GY	0.76
866		-0.0038 GY	0.82
866		-0.0013 GY	0.87
2087		-0.0013 GY	0.04
2087		-0.0038 GY	0.09
2087		-0.0063 GY	0.14
2087		-0.0088 GY	0.20
2087		-0.0113 GY	0.26
2087		-0.0138 GY	0.31
2087		-0.0164 GY	0.37
2087		-0.0189 GY	0.43
2087	-0.3556 GY	0.45	0.49
2087		-0.0189 GY	0.51
2087		-0.0164 GY	0.57
2087		-0.0138 GY	0.63
2087		-0.0113 GY	0.68
2087		-0.0088 GY	0.74
2087		-0.0063 GY	0.80
2087		-0.0038 GY	0.85

2087		-0.0013 GY	0.90
863		-0.0013 GY	0.04
863		-0.0038 GY	0.09
863		-0.0063 GY	0.14

863		-0.0088 GY	0.20
863		-0.0113 GY	0.26
863		-0.0138 GY	0.31
863		-0.0164 GY	0.37
863		-0.0189 GY	0.43
863		-0.0189 GY	0.48
863		-0.0164 GY	0.54
863		-0.0138 GY	0.59
863		-0.0113 GY	0.65
863		-0.0088 GY	0.71
863		-0.0063 GY	0.76
863		-0.0038 GY	0.82
863		-0.0013 GY	0.87
862		-0.0010 GY	0.03
862		-0.0029 GY	0.08
862		-0.0048 GY	0.13
862		-0.0068 GY	0.17
862		-0.0087 GY	0.22
862		-0.0106 GY	0.27
862		-0.0126 GY	0.32
862		-0.0145 GY	0.37
862	-0.3116 GY	0.40	0.54
862		-0.0145 GY	0.57
862		-0.0126 GY	0.62
862		-0.0106 GY	0.67
862		-0.0087 GY	0.72
862		-0.0068 GY	0.77
862		-0.0048 GY	0.81
862		-0.0029 GY	0.86
862		-0.0010 GY	0.91
2086		-0.0010 GY	0.03
2086		-0.0029 GY	0.08
2086		-0.0048 GY	0.13
2086		-0.0068 GY	0.17
2086		-0.0087 GY	0.22
2086		-0.0106 GY	0.27
2086		-0.0126 GY	0.32
2086		-0.0145 GY	0.37
2086		-0.0145 GY	0.42
2086		-0.0126 GY	0.47
2086		-0.0106 GY	0.52

2086		-0.0087 GY	0.57
2086		-0.0068 GY	0.62
2086		-0.0048 GY	0.67
2086		-0.0029 GY	0.72
2086		-0.0010 GY	0.76
2087		-0.0010 GY	0.03
2087		-0.0029 GY	0.08
2087		-0.0048 GY	0.13
2087		-0.0068 GY	0.17
2087		-0.0087 GY	0.22
2087		-0.0106 GY	0.27
2087		-0.0126 GY	0.32
2087		-0.0145 GY	0.37
2087	-0.3116 GY	0.40	0.54
2087		-0.0145 GY	0.57

2087		-0.0126 GY	0.62
2087		-0.0106 GY	0.67
2087		-0.0087 GY	0.72
2087		-0.0068 GY	0.77
2087		-0.0048 GY	0.81
2087		-0.0029 GY	0.86
2087		-0.0010 GY	0.91
2077		-0.0010 GY	0.03
2077		-0.0029 GY	0.08
2077		-0.0048 GY	0.13
2077		-0.0068 GY	0.17
2077		-0.0087 GY	0.22
2077		-0.0106 GY	0.27
2077		-0.0126 GY	0.32
2077		-0.0145 GY	0.37
2077		-0.0145 GY	0.42
2077		-0.0126 GY	0.47
2077		-0.0106 GY	0.52
2077		-0.0087 GY	0.57
2077		-0.0068 GY	0.62
2077		-0.0048 GY	0.67
2077		-0.0029 GY	0.72
2077		-0.0010 GY	0.76
864		-0.0013 GY	0.04
864		-0.0038 GY	0.09
864		-0.0063 GY	0.14
864		-0.0088 GY	0.20
864		-0.0113 GY	0.26
864		-0.0138 GY	0.31
864		-0.0164 GY	0.37

864		-0.0189 GY	0.43
864	-0.3556 GY	0.45	0.49
864		-0.0189 GY	0.51
864		-0.0164 GY	0.57
864		-0.0138 GY	0.63
864		-0.0113 GY	0.68
864		-0.0088 GY	0.74
864		-0.0063 GY	0.80
864		-0.0038 GY	0.85
864		-0.0013 GY	0.90
869		-0.0013 GY	0.04
869		-0.0038 GY	0.09
869		-0.0063 GY	0.14
869		-0.0088 GY	0.20
869		-0.0113 GY	0.26
869		-0.0138 GY	0.31
869		-0.0164 GY	0.37
869		-0.0189 GY	0.43
869		-0.0189 GY	0.48
869		-0.0164 GY	0.54
869		-0.0138 GY	0.59
869		-0.0113 GY	0.65
869		-0.0088 GY	0.71
869		-0.0063 GY	0.76
869		-0.0038 GY	0.82
869		-0.0013 GY	0.87

2089		-0.0013 GY	0.04
2089		-0.0038 GY	0.09
2089		-0.0063 GY	0.14
2089		-0.0088 GY	0.20
2089		-0.0113 GY	0.26
2089		-0.0138 GY	0.31
2089		-0.0164 GY	0.37
2089		-0.0189 GY	0.43
2089	-0.3556 GY	0.45	0.49
2089		-0.0189 GY	0.51
2089		-0.0164 GY	0.57
2089		-0.0138 GY	0.63
2089		-0.0113 GY	0.68
2089		-0.0088 GY	0.74
2089		-0.0063 GY	0.80
2089		-0.0038 GY	0.85
2089		-0.0013 GY	0.90
866		-0.0013 GY	0.04
866		-0.0038 GY	0.09

866		-0.0063 GY	0.14	
866		-0.0088 GY	0.20	
866		-0.0113 GY	0.26	
866		-0.0138 GY	0.31	
866		-0.0164 GY	0.37	
866		-0.0189 GY	0.43	
866		-0.0189 GY	0.48	
866		-0.0164 GY	0.54	
866		-0.0138 GY	0.59	
866		-0.0113 GY	0.65	
866		-0.0088 GY	0.71	
866		-0.0063 GY	0.76	
866		-0.0038 GY	0.82	
866		-0.0013 GY	0.87	
865		-0.0010 GY	0.03	
865		-0.0029 GY	0.08	
865		-0.0048 GY	0.13	
865		-0.0068 GY	0.17	
865		-0.0087 GY	0.22	
865		-0.0106 GY	0.27	
865		-0.0126 GY	0.32	
865		-0.0145 GY	0.37	
865	-0.3116 GY	0.40	0.54	
865		-0.0145 GY	0.57	
865		-0.0126 GY	0.62	
865		-0.0106 GY	0.67	
865		-0.0087 GY	0.72	
865		-0.0068 GY	0.77	
865		-0.0048 GY	0.81	
865		-0.0029 GY	0.86	
865		-0.0010 GY	0.91	
2088		-0.0010 GY	0.03	
2088		-0.0029 GY	0.08	
2088		-0.0048 GY	0.13	
2088		-0.0068 GY	0.17	
2088		-0.0087 GY	0.22	
2088		-0.0106 GY	0.27	

2088		-0.0126 GY	0.32	
2088		-0.0145 GY	0.37	
2088		-0.0145 GY	0.42	
2088		-0.0126 GY	0.47	
2088		-0.0106 GY	0.52	
2088		-0.0087 GY	0.57	
2088		-0.0068 GY	0.62	
2088		-0.0048 GY	0.67	

2088		-0.0029 GY	0.72	
2088		-0.0010 GY	0.76	
2089		-0.0010 GY	0.03	
2089		-0.0029 GY	0.08	
2089		-0.0048 GY	0.13	
2089		-0.0068 GY	0.17	
2089		-0.0087 GY	0.22	
2089		-0.0106 GY	0.27	
2089		-0.0126 GY	0.32	
2089		-0.0145 GY	0.37	
2089	-0.3116 GY	0.40	0.54	
2089		-0.0145 GY	0.57	
2089		-0.0126 GY	0.62	
2089		-0.0106 GY	0.67	
2089		-0.0087 GY	0.72	
2089		-0.0068 GY	0.77	
2089		-0.0048 GY	0.81	
2089		-0.0029 GY	0.86	
2089		-0.0010 GY	0.91	
2086		-0.0010 GY	0.03	
2086		-0.0029 GY	0.08	
2086		-0.0048 GY	0.13	
2086		-0.0068 GY	0.17	
2086		-0.0087 GY	0.22	
2086		-0.0106 GY	0.27	
2086		-0.0126 GY	0.32	
2086		-0.0145 GY	0.37	
2086		-0.0145 GY	0.42	
2086		-0.0126 GY	0.47	
2086		-0.0106 GY	0.52	
2086		-0.0087 GY	0.57	
2086		-0.0068 GY	0.62	
2086		-0.0048 GY	0.67	
2086		-0.0029 GY	0.72	
2086		-0.0010 GY	0.76	
867		-0.0013 GY	0.04	
867		-0.0038 GY	0.09	
867		-0.0063 GY	0.14	
867		-0.0088 GY	0.20	
867		-0.0113 GY	0.26	
867		-0.0138 GY	0.31	
867		-0.0164 GY	0.37	
867		-0.0189 GY	0.43	
867	-0.3556 GY	0.45	0.49	
867		-0.0189 GY	0.51	
867		-0.0164 GY	0.57	
867		-0.0138 GY	0.63	

867		-0.0113 GY	0.68

867		-0.0088 GY	0.74
867		-0.0063 GY	0.80
867		-0.0038 GY	0.85
867		-0.0013 GY	0.90
2074		-0.0013 GY	0.04
2074		-0.0038 GY	0.09
2074		-0.0063 GY	0.14
2074		-0.0088 GY	0.20
2074		-0.0113 GY	0.26
2074		-0.0138 GY	0.31
2074		-0.0164 GY	0.37
2074		-0.0189 GY	0.43
2074		-0.0189 GY	0.48
2074		-0.0164 GY	0.54
2074		-0.0138 GY	0.59
2074		-0.0113 GY	0.65
2074		-0.0088 GY	0.71
2074		-0.0063 GY	0.76
2074		-0.0038 GY	0.82
2074		-0.0013 GY	0.87
2090		-0.0013 GY	0.04
2090		-0.0038 GY	0.09
2090		-0.0063 GY	0.14
2090		-0.0088 GY	0.20
2090		-0.0113 GY	0.26
2090		-0.0138 GY	0.31
2090		-0.0164 GY	0.37
2090		-0.0189 GY	0.43
2090	-0.3556 GY	0.45	0.49
2090		-0.0189 GY	0.51
2090		-0.0164 GY	0.57
2090		-0.0138 GY	0.63
2090		-0.0113 GY	0.68
2090		-0.0088 GY	0.74
2090		-0.0063 GY	0.80
2090		-0.0038 GY	0.85
2090		-0.0013 GY	0.90
869		-0.0013 GY	0.04
869		-0.0038 GY	0.09
869		-0.0063 GY	0.14
869		-0.0088 GY	0.20
869		-0.0113 GY	0.26
869		-0.0138 GY	0.31
869		-0.0164 GY	0.37

869		-0.0189 GY	0.43
869		-0.0189 GY	0.48
869		-0.0164 GY	0.54
869		-0.0138 GY	0.59
869		-0.0113 GY	0.65
869		-0.0088 GY	0.71
869		-0.0063 GY	0.76
869		-0.0038 GY	0.82
869		-0.0013 GY	0.87
870		-0.0013 GY	0.04
870		-0.0038 GY	0.09
870		-0.0063 GY	0.14

870		-0.0088 GY	0.20
870		-0.0113 GY	0.26
870		-0.0138 GY	0.31
870		-0.0164 GY	0.37
870		-0.0189 GY	0.43
870	-0.3556 GY	0.45	0.60
870		-0.0189 GY	0.62
870		-0.0164 GY	0.68
870		-0.0138 GY	0.74
870		-0.0113 GY	0.79
870		-0.0088 GY	0.85
870		-0.0063 GY	0.91
870		-0.0038 GY	0.96
870		-0.0013 GY	1.01
875		-0.0013 GY	0.04
875		-0.0038 GY	0.09
875		-0.0063 GY	0.14
875		-0.0088 GY	0.20
875		-0.0113 GY	0.26
875		-0.0138 GY	0.31
875		-0.0164 GY	0.37
875		-0.0189 GY	0.43
875		-0.0189 GY	0.48
875		-0.0164 GY	0.54
875		-0.0138 GY	0.59
875		-0.0113 GY	0.65
875		-0.0088 GY	0.71
875		-0.0063 GY	0.76
875		-0.0038 GY	0.82
875		-0.0013 GY	0.87
2092		-0.0013 GY	0.04
2092		-0.0038 GY	0.09
2092		-0.0063 GY	0.14

2092		-0.0088 GY	0.20	
2092		-0.0113 GY	0.26	
2092		-0.0138 GY	0.31	
2092		-0.0164 GY	0.37	
2092		-0.0189 GY	0.43	
2092	-0.3556 GY	0.45	0.60	
2092		-0.0189 GY	0.62	
2092		-0.0164 GY	0.68	
2092		-0.0138 GY	0.74	
2092		-0.0113 GY	0.79	
2092		-0.0088 GY	0.85	
2092		-0.0063 GY	0.91	
2092		-0.0038 GY	0.96	
2092		-0.0013 GY	1.01	
872		-0.0013 GY	0.04	
872		-0.0038 GY	0.09	
872		-0.0063 GY	0.14	
872		-0.0088 GY	0.20	
872		-0.0113 GY	0.26	
872		-0.0138 GY	0.31	
872		-0.0164 GY	0.37	
872		-0.0189 GY	0.43	
872		-0.0189 GY	0.48	

872		-0.0164 GY	0.54	
872		-0.0138 GY	0.59	
872		-0.0113 GY	0.65	
872		-0.0088 GY	0.71	
872		-0.0063 GY	0.76	
872		-0.0038 GY	0.82	
872		-0.0013 GY	0.87	
871		-0.0010 GY	0.03	
871		-0.0029 GY	0.08	
871		-0.0048 GY	0.13	
871		-0.0068 GY	0.17	
871		-0.0087 GY	0.22	
871		-0.0106 GY	0.27	
871		-0.0126 GY	0.32	
871		-0.0145 GY	0.37	
871	-0.3116 GY	0.40	0.65	
871		-0.0145 GY	0.68	
871		-0.0126 GY	0.73	
871		-0.0106 GY	0.78	
871		-0.0087 GY	0.83	
871		-0.0068 GY	0.88	
871		-0.0048 GY	0.92	

871		-0.0029 GY	0.97
871		-0.0010 GY	1.02
2091		-0.0010 GY	0.03
2091		-0.0029 GY	0.08
2091		-0.0048 GY	0.13
2091		-0.0068 GY	0.17
2091		-0.0087 GY	0.22
2091		-0.0106 GY	0.27
2091		-0.0126 GY	0.32
2091		-0.0145 GY	0.37
2091		-0.0145 GY	0.42
2091		-0.0126 GY	0.47
2091		-0.0106 GY	0.52
2091		-0.0087 GY	0.57
2091		-0.0068 GY	0.62
2091		-0.0048 GY	0.67
2091		-0.0029 GY	0.72
2091		-0.0010 GY	0.76
2092		-0.0010 GY	0.03
2092		-0.0029 GY	0.08
2092		-0.0048 GY	0.13
2092		-0.0068 GY	0.17
2092		-0.0087 GY	0.22
2092		-0.0106 GY	0.27
2092		-0.0126 GY	0.32
2092		-0.0145 GY	0.37
2092	-0.3116 GY	0.40	0.65
2092		-0.0145 GY	0.68
2092		-0.0126 GY	0.73
2092		-0.0106 GY	0.78
2092		-0.0087 GY	0.83
2092		-0.0068 GY	0.88
2092		-0.0048 GY	0.92
2092		-0.0029 GY	0.97

2092		-0.0010 GY	1.02
2072		-0.0010 GY	0.03
2072		-0.0029 GY	0.08
2072		-0.0048 GY	0.13
2072		-0.0068 GY	0.17
2072		-0.0087 GY	0.22
2072		-0.0106 GY	0.27
2072		-0.0126 GY	0.32
2072		-0.0145 GY	0.37
2072		-0.0145 GY	0.42
2072		-0.0126 GY	0.47

2072		-0.0106 GY	0.52
2072		-0.0087 GY	0.57
2072		-0.0068 GY	0.62
2072		-0.0048 GY	0.67
2072		-0.0029 GY	0.72
2072		-0.0010 GY	0.76
873		-0.0013 GY	0.04
873		-0.0038 GY	0.09
873		-0.0063 GY	0.14
873		-0.0088 GY	0.20
873		-0.0113 GY	0.26
873		-0.0138 GY	0.31
873		-0.0164 GY	0.37
873		-0.0189 GY	0.43
873	-0.3556 GY	0.45	0.60
873		-0.0189 GY	0.62
873		-0.0164 GY	0.68
873		-0.0138 GY	0.74
873		-0.0113 GY	0.79
873		-0.0088 GY	0.85
873		-0.0063 GY	0.91
873		-0.0038 GY	0.96
873		-0.0013 GY	1.01
878		-0.0013 GY	0.04
878		-0.0038 GY	0.09
878		-0.0063 GY	0.14
878		-0.0088 GY	0.20
878		-0.0113 GY	0.26
878		-0.0138 GY	0.31
878		-0.0164 GY	0.37
878		-0.0189 GY	0.43
878		-0.0189 GY	0.48
878		-0.0164 GY	0.54
878		-0.0138 GY	0.59
878		-0.0113 GY	0.65
878		-0.0088 GY	0.71
878		-0.0063 GY	0.76
878		-0.0038 GY	0.82
878		-0.0013 GY	0.87
2094		-0.0013 GY	0.04
2094		-0.0038 GY	0.09
2094		-0.0063 GY	0.14
2094		-0.0088 GY	0.20
2094		-0.0113 GY	0.26
2094		-0.0138 GY	0.31

2094			-0.0164 GY	0.37
2094			-0.0189 GY	0.43
2094	-0.3556 GY	0.45	0.60	
2094			-0.0189 GY	0.62
2094			-0.0164 GY	0.68
2094			-0.0138 GY	0.74
2094			-0.0113 GY	0.79
2094			-0.0088 GY	0.85
2094			-0.0063 GY	0.91
2094			-0.0038 GY	0.96
2094			-0.0013 GY	1.01
875			-0.0013 GY	0.04
875			-0.0038 GY	0.09
875			-0.0063 GY	0.14
875			-0.0088 GY	0.20
875			-0.0113 GY	0.26
875			-0.0138 GY	0.31
875			-0.0164 GY	0.37
875			-0.0189 GY	0.43
875			-0.0189 GY	0.48
875			-0.0164 GY	0.54
875			-0.0138 GY	0.59
875			-0.0113 GY	0.65
875			-0.0088 GY	0.71
875			-0.0063 GY	0.76
875			-0.0038 GY	0.82
875			-0.0013 GY	0.87
874			-0.0010 GY	0.03
874			-0.0029 GY	0.08
874			-0.0048 GY	0.13
874			-0.0068 GY	0.17
874			-0.0087 GY	0.22
874			-0.0106 GY	0.27
874			-0.0126 GY	0.32
874			-0.0145 GY	0.37
874	-0.3116 GY	0.40	0.65	
874			-0.0145 GY	0.68
874			-0.0126 GY	0.73
874			-0.0106 GY	0.78
874			-0.0087 GY	0.83
874			-0.0068 GY	0.88
874			-0.0048 GY	0.92
874			-0.0029 GY	0.97
874			-0.0010 GY	1.02
2093			-0.0010 GY	0.03
2093			-0.0029 GY	0.08
2093			-0.0048 GY	0.13

2093		-0.0068 GY	0.17
2093		-0.0087 GY	0.22
2093		-0.0106 GY	0.27
2093		-0.0126 GY	0.32
2093		-0.0145 GY	0.37
2093		-0.0145 GY	0.42
2093		-0.0126 GY	0.47
2093		-0.0106 GY	0.52
2093		-0.0087 GY	0.57

2093		-0.0068 GY	0.62
2093		-0.0048 GY	0.67
2093		-0.0029 GY	0.72
2093		-0.0010 GY	0.76
2094		-0.0010 GY	0.03
2094		-0.0029 GY	0.08
2094		-0.0048 GY	0.13
2094		-0.0068 GY	0.17
2094		-0.0087 GY	0.22
2094		-0.0106 GY	0.27
2094		-0.0126 GY	0.32
2094		-0.0145 GY	0.37
2094	-0.3116 GY	0.40	0.65
2094		-0.0145 GY	0.68
2094		-0.0126 GY	0.73
2094		-0.0106 GY	0.78
2094		-0.0087 GY	0.83
2094		-0.0068 GY	0.88
2094		-0.0048 GY	0.92
2094		-0.0029 GY	0.97
2094		-0.0010 GY	1.02
2091		-0.0010 GY	0.03
2091		-0.0029 GY	0.08
2091		-0.0048 GY	0.13
2091		-0.0068 GY	0.17
2091		-0.0087 GY	0.22
2091		-0.0106 GY	0.27
2091		-0.0126 GY	0.32
2091		-0.0145 GY	0.37
2091		-0.0145 GY	0.42
2091		-0.0126 GY	0.47
2091		-0.0106 GY	0.52
2091		-0.0087 GY	0.57
2091		-0.0068 GY	0.62
2091		-0.0048 GY	0.67
2091		-0.0029 GY	0.72

2091		-0.0010	GY	0.76
876		-0.0013	GY	0.04
876		-0.0038	GY	0.09
876		-0.0063	GY	0.14
876		-0.0088	GY	0.20
876		-0.0113	GY	0.26
876		-0.0138	GY	0.31
876		-0.0164	GY	0.37
876		-0.0189	GY	0.43
876	-0.3556 GY	0.45	0.60	
876		-0.0189	GY	0.62
876		-0.0164	GY	0.68
876		-0.0138	GY	0.74
876		-0.0113	GY	0.79
876		-0.0088	GY	0.85
876		-0.0063	GY	0.91
876		-0.0038	GY	0.96
876		-0.0013	GY	1.01
1501		-0.0013	GY	0.04
1501		-0.0038	GY	0.09

1501		-0.0063	GY	0.14
1501		-0.0088	GY	0.20
1501		-0.0113	GY	0.26
1501		-0.0138	GY	0.31
1501		-0.0164	GY	0.37
1501		-0.0189	GY	0.43
1501		-0.0189	GY	0.48
1501		-0.0164	GY	0.54
1501		-0.0138	GY	0.59
1501		-0.0113	GY	0.65
1501		-0.0088	GY	0.71
1501		-0.0063	GY	0.76
1501		-0.0038	GY	0.82
1501		-0.0013	GY	0.87
2095		-0.0013	GY	0.04
2095		-0.0038	GY	0.09
2095		-0.0063	GY	0.14
2095		-0.0088	GY	0.20
2095		-0.0113	GY	0.26
2095		-0.0138	GY	0.31
2095		-0.0164	GY	0.37
2095		-0.0189	GY	0.43
2095	-0.3556 GY	0.45	0.60	
2095		-0.0189	GY	0.62
2095		-0.0164	GY	0.68

2095		-0.0138 GY	0.74
2095		-0.0113 GY	0.79
2095		-0.0088 GY	0.85
2095		-0.0063 GY	0.91
2095		-0.0038 GY	0.96
2095		-0.0013 GY	1.01
878		-0.0013 GY	0.04
878		-0.0038 GY	0.09
878		-0.0063 GY	0.14
878		-0.0088 GY	0.20
878		-0.0113 GY	0.26
878		-0.0138 GY	0.31
878		-0.0164 GY	0.37
878		-0.0189 GY	0.43
878		-0.0189 GY	0.48
878		-0.0164 GY	0.54
878		-0.0138 GY	0.59
878		-0.0113 GY	0.65
878		-0.0088 GY	0.71
878		-0.0063 GY	0.76
878		-0.0038 GY	0.82
878		-0.0013 GY	0.87
877		-0.0010 GY	0.03
877		-0.0029 GY	0.08
877		-0.0048 GY	0.13
877		-0.0068 GY	0.17
877		-0.0087 GY	0.22
877		-0.0106 GY	0.27
877		-0.0126 GY	0.32
877		-0.0145 GY	0.37
877	-0.3116 GY	0.40	0.65

877		-0.0145 GY	0.68
877		-0.0126 GY	0.73
877		-0.0106 GY	0.78
877		-0.0087 GY	0.83
877		-0.0068 GY	0.88
877		-0.0048 GY	0.92
877		-0.0029 GY	0.97
877		-0.0010 GY	1.02
2069		-0.0010 GY	0.03
2069		-0.0029 GY	0.08
2069		-0.0048 GY	0.13
2069		-0.0068 GY	0.17
2069		-0.0087 GY	0.22
2069		-0.0106 GY	0.27

2069		-0.0126 GY	0.32
2069		-0.0145 GY	0.37
2069		-0.0145 GY	0.42
2069		-0.0126 GY	0.47
2069		-0.0106 GY	0.52
2069		-0.0087 GY	0.57
2069		-0.0068 GY	0.62
2069		-0.0048 GY	0.67
2069		-0.0029 GY	0.72
2069		-0.0010 GY	0.76
2095		-0.0010 GY	0.03
2095		-0.0029 GY	0.08
2095		-0.0048 GY	0.13
2095		-0.0068 GY	0.17
2095		-0.0087 GY	0.22
2095		-0.0106 GY	0.27
2095		-0.0126 GY	0.32
2095		-0.0145 GY	0.37
2095	-0.3116 GY	0.40	0.65
2095		-0.0145 GY	0.68
2095		-0.0126 GY	0.73
2095		-0.0106 GY	0.78
2095		-0.0087 GY	0.83
2095		-0.0068 GY	0.88
2095		-0.0048 GY	0.92
2095		-0.0029 GY	0.97
2095		-0.0010 GY	1.02
2093		-0.0010 GY	0.03
2093		-0.0029 GY	0.08
2093		-0.0048 GY	0.13
2093		-0.0068 GY	0.17
2093		-0.0087 GY	0.22
2093		-0.0106 GY	0.27
2093		-0.0126 GY	0.32
2093		-0.0145 GY	0.37
2093		-0.0145 GY	0.42
2093		-0.0126 GY	0.47
2093		-0.0106 GY	0.52
2093		-0.0087 GY	0.57
2093		-0.0068 GY	0.62
2093		-0.0048 GY	0.67
2093		-0.0029 GY	0.72

2093		-0.0010 GY	0.76
925		-0.0014 GY	0.04
925		-0.0041 GY	0.09

925		-0.0068 GY	0.15
925		-0.0095 GY	0.21
925		-0.0122 GY	0.27
925		-0.0149 GY	0.32
925		-0.0176 GY	0.38
925		-0.0203 GY	0.44
925	-0.3690 GY	0.47	0.62
925		-0.0203 GY	0.65
925		-0.0176 GY	0.71
925		-0.0149 GY	0.77
925		-0.0122 GY	0.83
925		-0.0095 GY	0.89
925		-0.0068 GY	0.95
925		-0.0041 GY	1.00
925		-0.0014 GY	1.06
1814		-0.0014 GY	0.04
1814		-0.0041 GY	0.09
1814		-0.0068 GY	0.15
1814		-0.0095 GY	0.21
1814		-0.0122 GY	0.27
1814		-0.0149 GY	0.32
1814		-0.0176 GY	0.38
1814		-0.0203 GY	0.44
1814		-0.0203 GY	0.50
1814		-0.0176 GY	0.56
1814		-0.0149 GY	0.62
1814		-0.0122 GY	0.67
1814		-0.0095 GY	0.73
1814		-0.0068 GY	0.79
1814		-0.0041 GY	0.85
1814		-0.0014 GY	0.90
1878		-0.0014 GY	0.04
1878		-0.0041 GY	0.09
1878		-0.0068 GY	0.15
1878		-0.0095 GY	0.21
1878		-0.0122 GY	0.27
1878		-0.0149 GY	0.32
1878		-0.0176 GY	0.38
1878		-0.0203 GY	0.44
1878	-0.3689 GY	0.47	0.62
1878		-0.0203 GY	0.65
1878		-0.0176 GY	0.71
1878		-0.0149 GY	0.77
1878		-0.0122 GY	0.83
1878		-0.0095 GY	0.89
1878		-0.0068 GY	0.95
1878		-0.0041 GY	1.00

1878		-0.0014 GY	1.06
1748		-0.0014 GY	0.04
1748		-0.0041 GY	0.09
1748		-0.0068 GY	0.15
1748		-0.0095 GY	0.21
1748		-0.0122 GY	0.27

1748		-0.0149 GY	0.32
1748		-0.0176 GY	0.38
1748		-0.0203 GY	0.44
1748		-0.0203 GY	0.50
1748		-0.0176 GY	0.56
1748		-0.0149 GY	0.62
1748		-0.0122 GY	0.67
1748		-0.0095 GY	0.73
1748		-0.0068 GY	0.79
1748		-0.0041 GY	0.85
1748		-0.0014 GY	0.90
925		-0.0017 GY	0.04
925		-0.0051 GY	0.10
925		-0.0085 GY	0.17
925		-0.0118 GY	0.23
925		-0.0152 GY	0.30
925		-0.0186 GY	0.36
925		-0.0220 GY	0.43
925		-0.0254 GY	0.49
925	-0.4121 GY	0.52	0.57
925		-0.0254 GY	0.60
925		-0.0220 GY	0.67
925		-0.0186 GY	0.73
925		-0.0152 GY	0.80
925		-0.0118 GY	0.86
925		-0.0085 GY	0.93
925		-0.0051 GY	0.99
925		-0.0017 GY	1.05
1823		-0.0017 GY	0.04
1823		-0.0051 GY	0.10
1823		-0.0085 GY	0.17
1823		-0.0118 GY	0.23
1823		-0.0152 GY	0.30
1823		-0.0186 GY	0.36
1823		-0.0220 GY	0.43
1823		-0.0254 GY	0.49
1823		-0.0254 GY	0.56
1823		-0.0220 GY	0.62
1823		-0.0186 GY	0.69

1823		-0.0152 GY	0.75
1823		-0.0118 GY	0.82
1823		-0.0085 GY	0.88
1823		-0.0051 GY	0.95
1823		-0.0017 GY	1.01
929		-0.0017 GY	0.04
929		-0.0051 GY	0.10
929		-0.0085 GY	0.17
929		-0.0118 GY	0.23
929		-0.0152 GY	0.30
929		-0.0186 GY	0.36
929		-0.0220 GY	0.43
929		-0.0254 GY	0.49
929	-0.4121 GY	0.52	0.57
929		-0.0254 GY	0.60
929		-0.0220 GY	0.67
929		-0.0186 GY	0.73

929		-0.0152 GY	0.80
929		-0.0118 GY	0.86
929		-0.0085 GY	0.93
929		-0.0051 GY	0.99
929		-0.0017 GY	1.05
1757		-0.0017 GY	0.04
1757		-0.0051 GY	0.10
1757		-0.0085 GY	0.17
1757		-0.0118 GY	0.23
1757		-0.0152 GY	0.30
1757		-0.0186 GY	0.36
1757		-0.0220 GY	0.43
1757		-0.0254 GY	0.49
1757		-0.0254 GY	0.56
1757		-0.0220 GY	0.62
1757		-0.0186 GY	0.69
1757		-0.0152 GY	0.75
1757		-0.0118 GY	0.82
1757		-0.0085 GY	0.88
1757		-0.0051 GY	0.95
1757		-0.0017 GY	1.01
929		-0.0017 GY	0.04
929		-0.0051 GY	0.10
929		-0.0085 GY	0.17
929		-0.0118 GY	0.23
929		-0.0152 GY	0.30
929		-0.0186 GY	0.36
929		-0.0220 GY	0.43

929 -0.0254 GY 0.49
929 -0.4121 GY 0.53 0.57
929 -0.0254 GY 0.60
929 -0.0220 GY 0.67
929 -0.0186 GY 0.73
929 -0.0152 GY 0.80
929 -0.0118 GY 0.86
929 -0.0085 GY 0.93
929 -0.0051 GY 0.99
929 -0.0017 GY 1.05
1824 -0.0017 GY 0.04
1824 -0.0051 GY 0.10
1824 -0.0085 GY 0.17
1824 -0.0118 GY 0.23
1824 -0.0152 GY 0.30
1824 -0.0186 GY 0.36
1824 -0.0220 GY 0.43
1824 -0.0254 GY 0.49
1824 -0.0254 GY 0.56
1824 -0.0220 GY 0.62
1824 -0.0186 GY 0.69
1824 -0.0152 GY 0.75
1824 -0.0118 GY 0.82
1824 -0.0085 GY 0.88
1824 -0.0051 GY 0.95
1824 -0.0017 GY 1.01
933 -0.0017 GY 0.04
933 -0.0051 GY 0.10

933 -0.0085 GY 0.17
933 -0.0118 GY 0.23
933 -0.0152 GY 0.30
933 -0.0186 GY 0.36
933 -0.0220 GY 0.43
933 -0.0254 GY 0.49
933 -0.4121 GY 0.53 0.57
933 -0.0254 GY 0.60
933 -0.0220 GY 0.67
933 -0.0186 GY 0.73
933 -0.0152 GY 0.80
933 -0.0118 GY 0.86
933 -0.0085 GY 0.93
933 -0.0051 GY 0.99
933 -0.0017 GY 1.05
1758 -0.0017 GY 0.04
1758 -0.0051 GY 0.10

1758		-0.0085 GY	0.17
1758		-0.0118 GY	0.23
1758		-0.0152 GY	0.30
1758		-0.0186 GY	0.36
1758		-0.0220 GY	0.43
1758		-0.0254 GY	0.49
1758		-0.0254 GY	0.56
1758		-0.0220 GY	0.62
1758		-0.0186 GY	0.69
1758		-0.0152 GY	0.75
1758		-0.0118 GY	0.82
1758		-0.0085 GY	0.88
1758		-0.0051 GY	0.95
1758		-0.0017 GY	1.01
933		-0.0017 GY	0.04
933		-0.0051 GY	0.10
933		-0.0085 GY	0.17
933		-0.0118 GY	0.23
933		-0.0152 GY	0.30
933		-0.0186 GY	0.36
933		-0.0220 GY	0.43
933		-0.0254 GY	0.49
933	-0.4121 GY	0.52	0.57
933		-0.0254 GY	0.60
933		-0.0220 GY	0.67
933		-0.0186 GY	0.73
933		-0.0152 GY	0.80
933		-0.0118 GY	0.86
933		-0.0085 GY	0.93
933		-0.0051 GY	0.99
933		-0.0017 GY	1.05
1825		-0.0017 GY	0.04
1825		-0.0051 GY	0.10
1825		-0.0085 GY	0.17
1825		-0.0118 GY	0.23
1825		-0.0152 GY	0.30
1825		-0.0186 GY	0.36
1825		-0.0220 GY	0.43
1825		-0.0254 GY	0.49

1825	-0.0254 GY	0.56
1825	-0.0220 GY	0.62
1825	-0.0186 GY	0.69
1825	-0.0152 GY	0.75
1825	-0.0118 GY	0.82
1825	-0.0085 GY	0.88

1825		-0.0051 GY	0.95
1825		-0.0017 GY	1.01
1502		-0.0017 GY	0.04
1502		-0.0051 GY	0.10
1502		-0.0085 GY	0.17
1502		-0.0118 GY	0.23
1502		-0.0152 GY	0.30
1502		-0.0186 GY	0.36
1502		-0.0220 GY	0.43
1502		-0.0254 GY	0.49
1502	-0.4121 GY	0.52	0.57
1502		-0.0254 GY	0.60
1502		-0.0220 GY	0.67
1502		-0.0186 GY	0.73
1502		-0.0152 GY	0.80
1502		-0.0118 GY	0.86
1502		-0.0085 GY	0.93
1502		-0.0051 GY	0.99
1502		-0.0017 GY	1.05
1759		-0.0017 GY	0.04
1759		-0.0051 GY	0.10
1759		-0.0085 GY	0.17
1759		-0.0118 GY	0.23
1759		-0.0152 GY	0.30
1759		-0.0186 GY	0.36
1759		-0.0220 GY	0.43
1759		-0.0254 GY	0.49
1759		-0.0254 GY	0.56
1759		-0.0220 GY	0.62
1759		-0.0186 GY	0.69
1759		-0.0152 GY	0.75
1759		-0.0118 GY	0.82
1759		-0.0085 GY	0.88
1759		-0.0051 GY	0.95
1759		-0.0017 GY	1.01
1493		-0.0010 GY	0.03
1493		-0.0030 GY	0.08
1493		-0.0051 GY	0.13
1493		-0.0071 GY	0.18
1493		-0.0091 GY	0.23
1493		-0.0112 GY	0.28
1493		-0.0132 GY	0.33
1493		-0.0152 GY	0.38
1493		-0.0152 GY	0.43
1493		-0.0132 GY	0.48
1493		-0.0112 GY	0.53
1493		-0.0091 GY	0.58

1493		-0.0071 GY	0.63
1493		-0.0051 GY	0.68
1493		-0.0030 GY	0.73

1493		-0.0010 GY	0.78
2033		-0.0010 GY	0.03
2033		-0.0030 GY	0.08
2033		-0.0051 GY	0.13
2033		-0.0071 GY	0.18
2033		-0.0091 GY	0.23
2033		-0.0112 GY	0.28
2033		-0.0132 GY	0.33
2033		-0.0152 GY	0.38
2033	-0.3194 GY	0.41	0.44
2033		-0.0152 GY	0.47
2033		-0.0132 GY	0.52
2033		-0.0112 GY	0.57
2033		-0.0091 GY	0.62
2033		-0.0071 GY	0.67
2033		-0.0051 GY	0.72
2033		-0.0030 GY	0.77
2033		-0.0010 GY	0.82
2025		-0.0010 GY	0.03
2025		-0.0030 GY	0.08
2025		-0.0051 GY	0.13
2025		-0.0071 GY	0.18
2025		-0.0091 GY	0.23
2025		-0.0112 GY	0.28
2025		-0.0132 GY	0.33
2025		-0.0152 GY	0.38
2025		-0.0152 GY	0.43
2025		-0.0132 GY	0.48
2025		-0.0112 GY	0.53
2025		-0.0091 GY	0.58
2025		-0.0071 GY	0.63
2025		-0.0051 GY	0.68
2025		-0.0030 GY	0.73
2025		-0.0010 GY	0.78
1946		-0.0010 GY	0.03
1946		-0.0030 GY	0.08
1946		-0.0051 GY	0.13
1946		-0.0071 GY	0.18
1946		-0.0091 GY	0.23
1946		-0.0112 GY	0.28
1946		-0.0132 GY	0.33
1946		-0.0152 GY	0.38

1946	-0.3194 GY	0.41	0.44
1946		-0.0152 GY	0.47
1946		-0.0132 GY	0.52
1946		-0.0112 GY	0.57
1946		-0.0091 GY	0.62
1946		-0.0071 GY	0.67
1946		-0.0051 GY	0.72
1946		-0.0030 GY	0.77
1946		-0.0010 GY	0.82
1495		-0.0010 GY	0.03
1495		-0.0030 GY	0.08
1495		-0.0051 GY	0.13
1495		-0.0071 GY	0.18
1495		-0.0091 GY	0.23

1495		-0.0112 GY	0.28
1495		-0.0132 GY	0.33
1495		-0.0152 GY	0.38
1495		-0.0152 GY	0.43
1495		-0.0132 GY	0.48
1495		-0.0112 GY	0.53
1495		-0.0091 GY	0.58
1495		-0.0071 GY	0.63
1495		-0.0051 GY	0.68
1495		-0.0030 GY	0.73
1495		-0.0010 GY	0.78
2034		-0.0010 GY	0.03
2034		-0.0030 GY	0.08
2034		-0.0051 GY	0.13
2034		-0.0071 GY	0.18
2034		-0.0091 GY	0.23
2034		-0.0112 GY	0.28
2034		-0.0132 GY	0.33
2034		-0.0152 GY	0.38
2034	-0.3194 GY	0.41	0.50
2034		-0.0152 GY	0.52
2034		-0.0132 GY	0.57
2034		-0.0112 GY	0.63
2034		-0.0091 GY	0.68
2034		-0.0071 GY	0.73
2034		-0.0051 GY	0.78
2034		-0.0030 GY	0.83
2034		-0.0010 GY	0.87
2024		-0.0010 GY	0.03
2024		-0.0030 GY	0.08
2024		-0.0051 GY	0.13

2024		-0.0071 GY	0.18
2024		-0.0091 GY	0.23
2024		-0.0112 GY	0.28
2024		-0.0132 GY	0.33
2024		-0.0152 GY	0.38
2024		-0.0152 GY	0.43
2024		-0.0132 GY	0.48
2024		-0.0112 GY	0.53
2024		-0.0091 GY	0.58
2024		-0.0071 GY	0.63
2024		-0.0051 GY	0.68
2024		-0.0030 GY	0.73
2024		-0.0010 GY	0.78
1949		-0.0010 GY	0.03
1949		-0.0030 GY	0.08
1949		-0.0051 GY	0.13
1949		-0.0071 GY	0.18
1949		-0.0091 GY	0.23
1949		-0.0112 GY	0.28
1949		-0.0132 GY	0.33
1949		-0.0152 GY	0.38
1949	-0.3194 GY	0.41	0.50
1949		-0.0152 GY	0.52
1949		-0.0132 GY	0.57
1949		-0.0112 GY	0.63

1949		-0.0091 GY	0.68
1949		-0.0071 GY	0.73
1949		-0.0051 GY	0.78
1949		-0.0030 GY	0.83
1949		-0.0010 GY	0.87
1549		-0.0016 GY	0.04
1549		-0.0048 GY	0.08
1549		-0.0080 GY	0.13
1549		-0.0112 GY	0.19
1549		-0.0144 GY	0.24
1549		-0.0176 GY	0.29
1549		-0.0208 GY	0.35
1549		-0.0240 GY	0.40
1549		-0.0234 GY	0.45
1549		-0.0203 GY	0.50
1549		-0.0171 GY	0.55
1549		-0.0140 GY	0.60
1549		-0.0109 GY	0.65
1549		-0.0078 GY	0.71
1549		-0.0047 GY	0.76

1549	-0.0016 GY	0.80
1692	-0.0016 GY	0.05
1692	-0.0047 GY	0.12
1692	-0.0079 GY	0.20
1692	-0.0110 GY	0.27
1692	-0.0142 GY	0.35
1692	-0.0173 GY	0.43
1692	-0.0205 GY	0.51
1692	-0.0236 GY	0.58
1692	-0.0234 GY	0.66
1692	-0.0203 GY	0.74
1692	-0.0171 GY	0.81
1692	-0.0140 GY	0.89
1692	-0.0109 GY	0.97
1692	-0.0078 GY	1.04
1692	-0.0047 GY	1.12
1692	-0.0016 GY	1.19
1651	-0.0015 GY	0.03
1651	-0.0046 GY	0.08
1651	-0.0076 GY	0.13
1651	-0.0107 GY	0.18
1651	-0.0138 GY	0.23
1651	-0.0168 GY	0.28
1651	-0.0199 GY	0.33
1651	-0.0229 GY	0.38
1651	-0.0236 GY	0.43
1651	-0.0205 GY	0.48
1651	-0.0173 GY	0.53
1651	-0.0142 GY	0.58
1651	-0.0110 GY	0.63
1651	-0.0079 GY	0.68
1651	-0.0047 GY	0.73
1651	-0.0016 GY	0.78
1691	-0.0016 GY	0.05
1691	-0.0047 GY	0.12
1691	-0.0078 GY	0.19

1691	-0.0109 GY	0.27
1691	-0.0140 GY	0.35
1691	-0.0171 GY	0.42
1691	-0.0202 GY	0.50
1691	-0.0233 GY	0.58
1691	-0.0237 GY	0.65
1691	-0.0205 GY	0.73
1691	-0.0174 GY	0.81
1691	-0.0142 GY	0.89

1691		-0.0110 GY	0.96
1691		-0.0079 GY	1.04
1691		-0.0047 GY	1.12
1691		-0.0016 GY	1.19
1597		-0.0004 GY	0.02
1597		-0.0012 GY	0.05
1597		-0.0020 GY	0.08
1597		-0.0027 GY	0.11
1597		-0.0035 GY	0.14
1597		-0.0043 GY	0.17
1597		-0.0051 GY	0.21
1597		-0.0059 GY	0.24
1597		-0.0059 GY	0.27
1597		-0.0051 GY	0.30
1597		-0.0043 GY	0.33
1597		-0.0035 GY	0.36
1597		-0.0027 GY	0.39
1597		-0.0020 GY	0.43
1597		-0.0012 GY	0.46
1597		-0.0004 GY	0.48
1699		-0.0004 GY	0.02
1699		-0.0012 GY	0.05
1699		-0.0020 GY	0.08
1699		-0.0027 GY	0.11
1699		-0.0035 GY	0.14
1699		-0.0043 GY	0.17
1699		-0.0051 GY	0.21
1699		-0.0059 GY	0.24
1699	-0.1982 GY	0.25	0.99
1699		-0.0059 GY	1.00
1699		-0.0051 GY	1.03
1699		-0.0043 GY	1.06
1699		-0.0035 GY	1.10
1699		-0.0027 GY	1.13
1699		-0.0020 GY	1.16
1699		-0.0012 GY	1.19
1699		-0.0004 GY	1.22
1683		-0.0004 GY	0.02
1683		-0.0012 GY	0.05
1683		-0.0020 GY	0.08
1683		-0.0027 GY	0.11
1683		-0.0035 GY	0.14
1683		-0.0043 GY	0.17
1683		-0.0051 GY	0.21
1683		-0.0059 GY	0.24
1683		-0.0059 GY	0.27
1683		-0.0051 GY	0.30

1683		-0.0043	GY	0.33
1683		-0.0035	GY	0.36
1683		-0.0027	GY	0.39
1683		-0.0020	GY	0.43
1683		-0.0012	GY	0.46
1683		-0.0004	GY	0.48
1684		-0.0004	GY	0.02
1684		-0.0012	GY	0.05
1684		-0.0020	GY	0.08
1684		-0.0027	GY	0.11
1684		-0.0035	GY	0.14
1684		-0.0043	GY	0.17
1684		-0.0051	GY	0.21
1684		-0.0059	GY	0.24
1684	-0.1982 GY	0.25	0.99	
1684		-0.0059	GY	1.00
1684		-0.0051	GY	1.03
1684		-0.0043	GY	1.06
1684		-0.0035	GY	1.10
1684		-0.0027	GY	1.13
1684		-0.0020	GY	1.16
1684		-0.0012	GY	1.19
1684		-0.0004	GY	1.22
1599		-0.0014	GY	0.04
1599		-0.0041	GY	0.09
1599		-0.0068	GY	0.15
1599		-0.0095	GY	0.21
1599		-0.0122	GY	0.27
1599		-0.0149	GY	0.32
1599		-0.0176	GY	0.38
1599		-0.0203	GY	0.44
1599		-0.0203	GY	0.50
1599		-0.0176	GY	0.56
1599		-0.0149	GY	0.62
1599		-0.0122	GY	0.67
1599		-0.0095	GY	0.73
1599		-0.0068	GY	0.79
1599		-0.0041	GY	0.85
1599		-0.0014	GY	0.90
1676		-0.0014	GY	0.04
1676		-0.0041	GY	0.09
1676		-0.0068	GY	0.15
1676		-0.0095	GY	0.21
1676		-0.0122	GY	0.27
1676		-0.0149	GY	0.32

1676		-0.0176 GY	0.38
1676		-0.0203 GY	0.44
1676	-0.3690 GY	0.47	0.77
1676		-0.0203 GY	0.80
1676		-0.0176 GY	0.86
1676		-0.0149 GY	0.91
1676		-0.0122 GY	0.97
1676		-0.0095 GY	1.03
1676		-0.0068 GY	1.09
1676		-0.0041 GY	1.15
1676		-0.0014 GY	1.20

1673		-0.0014 GY	0.04
1673		-0.0041 GY	0.09
1673		-0.0068 GY	0.15
1673		-0.0095 GY	0.21
1673		-0.0122 GY	0.27
1673		-0.0149 GY	0.32
1673		-0.0176 GY	0.38
1673		-0.0203 GY	0.44
1673		-0.0203 GY	0.50
1673		-0.0176 GY	0.56
1673		-0.0149 GY	0.62
1673		-0.0122 GY	0.67
1673		-0.0095 GY	0.73
1673		-0.0068 GY	0.79
1673		-0.0041 GY	0.85
1673		-0.0014 GY	0.90
1674		-0.0014 GY	0.04
1674		-0.0041 GY	0.09
1674		-0.0068 GY	0.15
1674		-0.0095 GY	0.21
1674		-0.0122 GY	0.27
1674		-0.0149 GY	0.32
1674		-0.0176 GY	0.38
1674		-0.0203 GY	0.44
1674	-0.3690 GY	0.47	0.77
1674		-0.0203 GY	0.80
1674		-0.0176 GY	0.86
1674		-0.0149 GY	0.91
1674		-0.0122 GY	0.97
1674		-0.0095 GY	1.03
1674		-0.0068 GY	1.09
1674		-0.0041 GY	1.15
1674		-0.0014 GY	1.20
1604		-0.0006 GY	0.03

1604		-0.0019 GY	0.06
1604		-0.0031 GY	0.10
1604		-0.0043 GY	0.14
1604		-0.0056 GY	0.18
1604		-0.0068 GY	0.22
1604		-0.0081 GY	0.26
1604		-0.0093 GY	0.30
1604		-0.0093 GY	0.34
1604		-0.0081 GY	0.38
1604		-0.0068 GY	0.42
1604		-0.0056 GY	0.46
1604		-0.0043 GY	0.50
1604		-0.0031 GY	0.54
1604		-0.0019 GY	0.57
1604		-0.0006 GY	0.61
1661		-0.0006 GY	0.03
1661		-0.0019 GY	0.06
1661		-0.0031 GY	0.10
1661		-0.0043 GY	0.14
1661		-0.0056 GY	0.18
1661		-0.0068 GY	0.22
1661		-0.0081 GY	0.26

1661		-0.0093 GY	0.30
1661	-0.2498 GY	0.32	0.92
1661		-0.0093 GY	0.94
1661		-0.0081 GY	0.98
1661		-0.0068 GY	1.02
1661		-0.0056 GY	1.06
1661		-0.0043 GY	1.10
1661		-0.0031 GY	1.14
1661		-0.0019 GY	1.18
1661		-0.0006 GY	1.21
1662		-0.0006 GY	0.03
1662		-0.0019 GY	0.06
1662		-0.0031 GY	0.10
1662		-0.0043 GY	0.14
1662		-0.0056 GY	0.18
1662		-0.0068 GY	0.22
1662		-0.0081 GY	0.26
1662		-0.0093 GY	0.30
1662		-0.0093 GY	0.34
1662		-0.0081 GY	0.38
1662		-0.0068 GY	0.42
1662		-0.0056 GY	0.46
1662		-0.0043 GY	0.50

1662		-0.0031 GY	0.54
1662		-0.0019 GY	0.57
1662		-0.0006 GY	0.61
1663		-0.0006 GY	0.03
1663		-0.0019 GY	0.06
1663		-0.0031 GY	0.10
1663		-0.0043 GY	0.14
1663		-0.0056 GY	0.18
1663		-0.0068 GY	0.22
1663		-0.0081 GY	0.26
1663		-0.0093 GY	0.30
1663	-0.2498 GY	0.32	0.92
1663		-0.0093 GY	0.94
1663		-0.0081 GY	0.98
1663		-0.0068 GY	1.02
1663		-0.0056 GY	1.06
1663		-0.0043 GY	1.10
1663		-0.0031 GY	1.14
1663		-0.0019 GY	1.18
1663		-0.0006 GY	1.21
1606		-0.0014 GY	0.04
1606		-0.0041 GY	0.09
1606		-0.0068 GY	0.15
1606		-0.0095 GY	0.21
1606		-0.0122 GY	0.27
1606		-0.0149 GY	0.32
1606		-0.0176 GY	0.38
1606		-0.0203 GY	0.44
1606		-0.0203 GY	0.50
1606		-0.0176 GY	0.56
1606		-0.0149 GY	0.62
1606		-0.0122 GY	0.67
1606		-0.0095 GY	0.73

1606		-0.0068 GY	0.79
1606		-0.0041 GY	0.85
1606		-0.0014 GY	0.90
1678		-0.0014 GY	0.04
1678		-0.0041 GY	0.09
1678		-0.0068 GY	0.15
1678		-0.0095 GY	0.21
1678		-0.0122 GY	0.27
1678		-0.0149 GY	0.32
1678		-0.0176 GY	0.38
1678		-0.0203 GY	0.44
1678	-0.3690 GY	0.47	0.77

1678		-0.0203 GY	0.80
1678		-0.0176 GY	0.86
1678		-0.0149 GY	0.91
1678		-0.0122 GY	0.97
1678		-0.0095 GY	1.03
1678		-0.0068 GY	1.09
1678		-0.0041 GY	1.15
1678		-0.0014 GY	1.20
1695		-0.0014 GY	0.04
1695		-0.0041 GY	0.09
1695		-0.0068 GY	0.15
1695		-0.0095 GY	0.21
1695		-0.0122 GY	0.27
1695		-0.0149 GY	0.32
1695		-0.0176 GY	0.38
1695		-0.0203 GY	0.44
1695		-0.0203 GY	0.50
1695		-0.0176 GY	0.56
1695		-0.0149 GY	0.62
1695		-0.0122 GY	0.67
1695		-0.0095 GY	0.73
1695		-0.0068 GY	0.79
1695		-0.0041 GY	0.85
1695		-0.0014 GY	0.90
1676		-0.0014 GY	0.04
1676		-0.0041 GY	0.09
1676		-0.0068 GY	0.15
1676		-0.0095 GY	0.21
1676		-0.0122 GY	0.27
1676		-0.0149 GY	0.32
1676		-0.0176 GY	0.38
1676		-0.0203 GY	0.44
1676	-0.3690 GY	0.47	0.77
1676		-0.0203 GY	0.80
1676		-0.0176 GY	0.86
1676		-0.0149 GY	0.91
1676		-0.0122 GY	0.97
1676		-0.0095 GY	1.03
1676		-0.0068 GY	1.09
1676		-0.0041 GY	1.15
1676		-0.0014 GY	1.20
1607		-0.0014 GY	0.04
1607		-0.0041 GY	0.09
1607		-0.0068 GY	0.15

1607		-0.0095 GY	0.21

1607		-0.0122 GY	0.27	
1607		-0.0149 GY	0.32	
1607		-0.0176 GY	0.38	
1607		-0.0203 GY	0.44	
1607		-0.0203 GY	0.50	
1607		-0.0176 GY	0.56	
1607		-0.0149 GY	0.62	
1607		-0.0122 GY	0.67	
1607		-0.0095 GY	0.73	
1607		-0.0068 GY	0.79	
1607		-0.0041 GY	0.85	
1607		-0.0014 GY	0.90	
1680		-0.0014 GY	0.04	
1680		-0.0041 GY	0.09	
1680		-0.0068 GY	0.15	
1680		-0.0095 GY	0.21	
1680		-0.0122 GY	0.27	
1680		-0.0149 GY	0.32	
1680		-0.0176 GY	0.38	
1680		-0.0203 GY	0.44	
1680	-0.3690 GY	0.47	0.77	
1680		-0.0203 GY	0.80	
1680		-0.0176 GY	0.86	
1680		-0.0149 GY	0.91	
1680		-0.0122 GY	0.97	
1680		-0.0095 GY	1.03	
1680		-0.0068 GY	1.09	
1680		-0.0041 GY	1.15	
1680		-0.0014 GY	1.20	
1696		-0.0014 GY	0.04	
1696		-0.0041 GY	0.09	
1696		-0.0068 GY	0.15	
1696		-0.0095 GY	0.21	
1696		-0.0122 GY	0.27	
1696		-0.0149 GY	0.32	
1696		-0.0176 GY	0.38	
1696		-0.0203 GY	0.44	
1696		-0.0203 GY	0.50	
1696		-0.0176 GY	0.56	
1696		-0.0149 GY	0.62	
1696		-0.0122 GY	0.67	
1696		-0.0095 GY	0.73	
1696		-0.0068 GY	0.79	
1696		-0.0041 GY	0.85	
1696		-0.0014 GY	0.90	
1678		-0.0014 GY	0.04	
1678		-0.0041 GY	0.09	

1678		-0.0068	GY	0.15
1678		-0.0095	GY	0.21
1678		-0.0122	GY	0.27
1678		-0.0149	GY	0.32
1678		-0.0176	GY	0.38
1678		-0.0203	GY	0.44
1678	-0.3690 GY	0.47	0.77	
1678		-0.0203	GY	0.80

1678		-0.0176	GY	0.86
1678		-0.0149	GY	0.91
1678		-0.0122	GY	0.97
1678		-0.0095	GY	1.03
1678		-0.0068	GY	1.09
1678		-0.0041	GY	1.15
1678		-0.0014	GY	1.20
1608		-0.0014	GY	0.04
1608		-0.0041	GY	0.09
1608		-0.0068	GY	0.15
1608		-0.0095	GY	0.21
1608		-0.0122	GY	0.27
1608		-0.0149	GY	0.32
1608		-0.0176	GY	0.38
1608		-0.0203	GY	0.44
1608		-0.0203	GY	0.50
1608		-0.0176	GY	0.56
1608		-0.0149	GY	0.62
1608		-0.0122	GY	0.67
1608		-0.0095	GY	0.73
1608		-0.0068	GY	0.79
1608		-0.0041	GY	0.85
1608		-0.0014	GY	0.90
1682		-0.0014	GY	0.04
1682		-0.0041	GY	0.09
1682		-0.0068	GY	0.15
1682		-0.0095	GY	0.21
1682		-0.0122	GY	0.27
1682		-0.0149	GY	0.32
1682		-0.0176	GY	0.38
1682		-0.0203	GY	0.44
1682	-0.3690 GY	0.47	0.77	
1682		-0.0203	GY	0.80
1682		-0.0176	GY	0.86
1682		-0.0149	GY	0.91
1682		-0.0122	GY	0.97
1682		-0.0095	GY	1.03

1682		-0.0068 GY	1.09
1682		-0.0041 GY	1.15
1682		-0.0014 GY	1.20
1697		-0.0014 GY	0.04
1697		-0.0041 GY	0.09
1697		-0.0068 GY	0.15
1697		-0.0095 GY	0.21
1697		-0.0122 GY	0.27
1697		-0.0149 GY	0.32
1697		-0.0176 GY	0.38
1697		-0.0203 GY	0.44
1697		-0.0203 GY	0.50
1697		-0.0176 GY	0.56
1697		-0.0149 GY	0.62
1697		-0.0122 GY	0.67
1697		-0.0095 GY	0.73
1697		-0.0068 GY	0.79
1697		-0.0041 GY	0.85
1697		-0.0014 GY	0.90

1680		-0.0014 GY	0.04
1680		-0.0041 GY	0.09
1680		-0.0068 GY	0.15
1680		-0.0095 GY	0.21
1680		-0.0122 GY	0.27
1680		-0.0149 GY	0.32
1680		-0.0176 GY	0.38
1680		-0.0203 GY	0.44
1680	-0.3690 GY	0.47	0.77
1680		-0.0203 GY	0.80
1680		-0.0176 GY	0.86
1680		-0.0149 GY	0.91
1680		-0.0122 GY	0.97
1680		-0.0095 GY	1.03
1680		-0.0068 GY	1.09
1680		-0.0041 GY	1.15
1680		-0.0014 GY	1.20
1749		-0.0014 GY	0.04
1749		-0.0041 GY	0.09
1749		-0.0068 GY	0.15
1749		-0.0095 GY	0.21
1749		-0.0122 GY	0.27
1749		-0.0149 GY	0.32
1749		-0.0176 GY	0.38
1749		-0.0203 GY	0.44
1749		-0.0203 GY	0.50

1749		-0.0176 GY	0.56
1749		-0.0149 GY	0.62
1749		-0.0122 GY	0.67
1749		-0.0095 GY	0.73
1749		-0.0068 GY	0.79
1749		-0.0041 GY	0.85
1749		-0.0014 GY	0.90
1878		-0.0014 GY	0.04
1878		-0.0041 GY	0.09
1878		-0.0068 GY	0.15
1878		-0.0095 GY	0.21
1878		-0.0122 GY	0.27
1878		-0.0149 GY	0.32
1878		-0.0176 GY	0.38
1878		-0.0203 GY	0.44
1878	-0.3689 GY	0.47	0.63
1878		-0.0203 GY	0.65
1878		-0.0176 GY	0.71
1878		-0.0149 GY	0.77
1878		-0.0122 GY	0.83
1878		-0.0095 GY	0.89
1878		-0.0068 GY	0.95
1878		-0.0041 GY	1.00
1878		-0.0014 GY	1.06
1815		-0.0014 GY	0.04
1815		-0.0041 GY	0.09
1815		-0.0068 GY	0.15
1815		-0.0095 GY	0.21
1815		-0.0122 GY	0.27
1815		-0.0149 GY	0.32

1815		-0.0176 GY	0.38
1815		-0.0203 GY	0.44
1815		-0.0203 GY	0.50
1815		-0.0176 GY	0.56
1815		-0.0149 GY	0.62
1815		-0.0122 GY	0.67
1815		-0.0095 GY	0.73
1815		-0.0068 GY	0.79
1815		-0.0041 GY	0.85
1815		-0.0014 GY	0.90
1879		-0.0014 GY	0.04
1879		-0.0041 GY	0.09
1879		-0.0068 GY	0.15
1879		-0.0095 GY	0.21
1879		-0.0122 GY	0.27

1879		-0.0149	GY	0.32
1879		-0.0176	GY	0.38
1879		-0.0203	GY	0.44
1879	-0.3689 GY	0.47	0.63	
1879		-0.0203	GY	0.65
1879		-0.0176	GY	0.71
1879		-0.0149	GY	0.77
1879		-0.0122	GY	0.83
1879		-0.0095	GY	0.89
1879		-0.0068	GY	0.95
1879		-0.0041	GY	1.00
1879		-0.0014	GY	1.06
1750		-0.0014	GY	0.04
1750		-0.0041	GY	0.09
1750		-0.0068	GY	0.15
1750		-0.0095	GY	0.21
1750		-0.0122	GY	0.27
1750		-0.0149	GY	0.32
1750		-0.0176	GY	0.38
1750		-0.0203	GY	0.44
1750		-0.0203	GY	0.50
1750		-0.0176	GY	0.56
1750		-0.0149	GY	0.62
1750		-0.0122	GY	0.67
1750		-0.0095	GY	0.73
1750		-0.0068	GY	0.79
1750		-0.0041	GY	0.85
1750		-0.0014	GY	0.90
1882		-0.0014	GY	0.04
1882		-0.0041	GY	0.09
1882		-0.0068	GY	0.15
1882		-0.0095	GY	0.21
1882		-0.0122	GY	0.27
1882		-0.0149	GY	0.32
1882		-0.0176	GY	0.38
1882		-0.0203	GY	0.44
1882	-0.3690 GY	0.47	0.62	
1882		-0.0203	GY	0.65
1882		-0.0176	GY	0.71
1882		-0.0149	GY	0.77
1882		-0.0122	GY	0.83

1882		-0.0095	GY	0.89
1882		-0.0068	GY	0.95
1882		-0.0041	GY	1.00
1882		-0.0014	GY	1.06

1816		-0.0014 GY	0.04
1816		-0.0041 GY	0.09
1816		-0.0068 GY	0.15
1816		-0.0095 GY	0.21
1816		-0.0122 GY	0.27
1816		-0.0149 GY	0.32
1816		-0.0176 GY	0.38
1816		-0.0203 GY	0.44
1816		-0.0203 GY	0.50
1816		-0.0176 GY	0.56
1816		-0.0149 GY	0.62
1816		-0.0122 GY	0.67
1816		-0.0095 GY	0.73
1816		-0.0068 GY	0.79
1816		-0.0041 GY	0.85
1816		-0.0014 GY	0.90
1883		-0.0014 GY	0.04
1883		-0.0041 GY	0.09
1883		-0.0068 GY	0.15
1883		-0.0095 GY	0.21
1883		-0.0122 GY	0.27
1883		-0.0149 GY	0.32
1883		-0.0176 GY	0.38
1883		-0.0203 GY	0.44
1883	-0.3690 GY	0.47	0.62
1883		-0.0203 GY	0.65
1883		-0.0176 GY	0.71
1883		-0.0149 GY	0.77
1883		-0.0122 GY	0.83
1883		-0.0095 GY	0.89
1883		-0.0068 GY	0.95
1883		-0.0041 GY	1.00
1883		-0.0014 GY	1.06
1751		-0.0014 GY	0.04
1751		-0.0041 GY	0.09
1751		-0.0068 GY	0.15
1751		-0.0095 GY	0.21
1751		-0.0122 GY	0.27
1751		-0.0149 GY	0.32
1751		-0.0176 GY	0.38
1751		-0.0203 GY	0.44
1751		-0.0203 GY	0.50
1751		-0.0176 GY	0.56
1751		-0.0149 GY	0.62
1751		-0.0122 GY	0.67
1751		-0.0095 GY	0.73
1751		-0.0068 GY	0.79

1751		-0.0041 GY	0.85
1751		-0.0014 GY	0.90
1883		-0.0014 GY	0.04
1883		-0.0041 GY	0.09
1883		-0.0068 GY	0.15

1883		-0.0095 GY	0.21
1883		-0.0122 GY	0.27
1883		-0.0149 GY	0.32
1883		-0.0176 GY	0.38
1883		-0.0203 GY	0.44
1883	-0.3690 GY	0.47	0.62
1883		-0.0203 GY	0.65
1883		-0.0176 GY	0.71
1883		-0.0149 GY	0.77
1883		-0.0122 GY	0.83
1883		-0.0095 GY	0.89
1883		-0.0068 GY	0.95
1883		-0.0041 GY	1.00
1883		-0.0014 GY	1.06
1817		-0.0014 GY	0.04
1817		-0.0041 GY	0.09
1817		-0.0068 GY	0.15
1817		-0.0095 GY	0.21
1817		-0.0122 GY	0.27
1817		-0.0149 GY	0.32
1817		-0.0176 GY	0.38
1817		-0.0203 GY	0.44
1817		-0.0203 GY	0.50
1817		-0.0176 GY	0.56
1817		-0.0149 GY	0.62
1817		-0.0122 GY	0.67
1817		-0.0095 GY	0.73
1817		-0.0068 GY	0.79
1817		-0.0041 GY	0.85
1817		-0.0014 GY	0.90
1884		-0.0014 GY	0.04
1884		-0.0041 GY	0.09
1884		-0.0068 GY	0.15
1884		-0.0095 GY	0.21
1884		-0.0122 GY	0.27
1884		-0.0149 GY	0.32
1884		-0.0176 GY	0.38
1884		-0.0203 GY	0.44
1884	-0.3690 GY	0.47	0.62
1884		-0.0203 GY	0.65

1884	-0.0176 GY	0.71
1884	-0.0149 GY	0.77
1884	-0.0122 GY	0.83
1884	-0.0095 GY	0.89
1884	-0.0068 GY	0.95
1884	-0.0041 GY	1.00
1884	-0.0014 GY	1.06
1754	-0.0000 GY	0.00
1754	-0.0001 GY	0.01
1754	-0.0001 GY	0.02
1754	-0.0001 GY	0.03
1754	-0.0002 GY	0.03
1754	-0.0002 GY	0.04
1754	-0.0003 GY	0.05
1754	-0.0003 GY	0.05
2203	-0.0040 GY	0.03

2203	-0.0067 GY	0.09
2203	-0.0094 GY	0.14
2203	-0.0121 GY	0.20
2203	-0.0148 GY	0.26
2203	-0.0175 GY	0.31
2203	-0.0202 GY	0.37
2203	-0.0229 GY	0.43
2203	-0.0242 GY	0.49
2203	-0.0209 GY	0.55
2203	-0.0177 GY	0.61
2203	-0.0145 GY	0.67
2203	-0.0113 GY	0.73
2203	-0.0081 GY	0.79
2203	-0.0048 GY	0.85
2203	-0.0016 GY	0.90
1886	-0.0016 GY	0.05
1886	-0.0048 GY	0.11
1886	-0.0081 GY	0.17
1886	-0.0113 GY	0.24
1886	-0.0145 GY	0.31
1886	-0.0177 GY	0.37
1886	-0.0209 GY	0.44
1886	-0.0242 GY	0.51
1886	-0.0246 GY	0.58
1886	-0.0214 GY	0.64
1886	-0.0181 GY	0.71
1886	-0.0148 GY	0.78
1886	-0.0115 GY	0.85
1886	-0.0082 GY	0.92

1886	-0.0049 GY	0.99
1886	-0.0016 GY	1.05
1820	-0.0015 GY	0.04
1820	-0.0046 GY	0.09
1820	-0.0077 GY	0.14
1820	-0.0108 GY	0.20
1820	-0.0139 GY	0.26
1820	-0.0170 GY	0.31
1820	-0.0201 GY	0.37
1820	-0.0232 GY	0.43
1820	-0.0246 GY	0.49
1820	-0.0214 GY	0.55
1820	-0.0181 GY	0.61
1820	-0.0148 GY	0.67
1820	-0.0115 GY	0.73
1820	-0.0082 GY	0.79
1820	-0.0049 GY	0.85
1820	-0.0016 GY	0.90
1887	-0.0017 GY	0.05
1887	-0.0051 GY	0.11
1887	-0.0084 GY	0.18
1887	-0.0118 GY	0.25
1887	-0.0152 GY	0.32
1887	-0.0185 GY	0.39
1887	-0.0219 GY	0.46
1887	-0.0253 GY	0.53
1887	-0.0235 GY	0.60

1887	-0.0204 GY	0.67
1887	-0.0172 GY	0.73
1887	-0.0141 GY	0.80
1887	-0.0110 GY	0.86
1887	-0.0078 GY	0.93
1887	-0.0047 GY	0.99
1887	-0.0016 GY	1.05
1755	-0.0014 GY	0.04
1755	-0.0041 GY	0.09
1755	-0.0068 GY	0.15
1755	-0.0095 GY	0.21
1755	-0.0122 GY	0.27
1755	-0.0149 GY	0.32
1755	-0.0176 GY	0.38
1755	-0.0203 GY	0.44
1755	-0.0203 GY	0.50
1755	-0.0176 GY	0.56
1755	-0.0149 GY	0.62

1755		-0.0122 GY	0.67
1755		-0.0095 GY	0.73
1755		-0.0068 GY	0.79
1755		-0.0041 GY	0.85
1755		-0.0014 GY	0.90
1885		-0.0014 GY	0.04
1885		-0.0041 GY	0.09
1885		-0.0068 GY	0.15
1885		-0.0095 GY	0.21
1885		-0.0122 GY	0.27
1885		-0.0149 GY	0.32
1885		-0.0176 GY	0.38
1885		-0.0203 GY	0.44
1885	-0.3690 GY	0.47	0.62
1885		-0.0203 GY	0.65
1885		-0.0176 GY	0.71
1885		-0.0149 GY	0.77
1885		-0.0122 GY	0.83
1885		-0.0095 GY	0.89
1885		-0.0068 GY	0.95
1885		-0.0041 GY	1.00
1885		-0.0014 GY	1.06
1821		-0.0014 GY	0.04
1821		-0.0041 GY	0.09
1821		-0.0068 GY	0.15
1821		-0.0095 GY	0.21
1821		-0.0122 GY	0.27
1821		-0.0149 GY	0.32
1821		-0.0176 GY	0.38
1821		-0.0203 GY	0.44
1821		-0.0203 GY	0.50
1821		-0.0176 GY	0.56
1821		-0.0149 GY	0.62
1821		-0.0122 GY	0.67
1821		-0.0095 GY	0.73
1821		-0.0068 GY	0.79
1821		-0.0041 GY	0.85
1821		-0.0014 GY	0.90

1886		-0.0014 GY	0.04
1886		-0.0041 GY	0.09
1886		-0.0068 GY	0.15
1886		-0.0095 GY	0.21
1886		-0.0122 GY	0.27
1886		-0.0149 GY	0.32
1886		-0.0176 GY	0.38

1886			-0.0203 GY	0.44
1886	-0.3690 GY	0.47	0.62	
1886			-0.0203 GY	0.65
1886			-0.0176 GY	0.71
1886			-0.0149 GY	0.77
1886			-0.0122 GY	0.83
1886			-0.0095 GY	0.89
1886			-0.0068 GY	0.95
1886			-0.0041 GY	1.00
1886			-0.0014 GY	1.06
1756			-0.0017 GY	0.04
1756			-0.0051 GY	0.10
1756			-0.0085 GY	0.17
1756			-0.0118 GY	0.23
1756			-0.0152 GY	0.30
1756			-0.0186 GY	0.36
1756			-0.0220 GY	0.43
1756			-0.0254 GY	0.49
1756			-0.0254 GY	0.56
1756			-0.0220 GY	0.62
1756			-0.0186 GY	0.69
1756			-0.0152 GY	0.75
1756			-0.0118 GY	0.82
1756			-0.0085 GY	0.88
1756			-0.0051 GY	0.95
1756			-0.0017 GY	1.01
1884			-0.0017 GY	0.04
1884			-0.0051 GY	0.10
1884			-0.0085 GY	0.17
1884			-0.0118 GY	0.23
1884			-0.0152 GY	0.30
1884			-0.0186 GY	0.36
1884			-0.0220 GY	0.43
1884			-0.0254 GY	0.49
1884	-0.4121 GY	0.52	0.57	
1884			-0.0254 GY	0.60
1884			-0.0220 GY	0.67
1884			-0.0186 GY	0.73
1884			-0.0152 GY	0.80
1884			-0.0118 GY	0.86
1884			-0.0085 GY	0.93
1884			-0.0051 GY	0.99
1884			-0.0017 GY	1.05
1822			-0.0017 GY	0.04
1822			-0.0051 GY	0.10
1822			-0.0085 GY	0.17
1822			-0.0118 GY	0.23

1822		-0.0152 GY	0.30
1822		-0.0186 GY	0.36

1822		-0.0220 GY	0.43
1822		-0.0254 GY	0.49
1822		-0.0254 GY	0.56
1822		-0.0220 GY	0.62
1822		-0.0186 GY	0.69
1822		-0.0152 GY	0.75
1822		-0.0118 GY	0.82
1822		-0.0085 GY	0.88
1822		-0.0051 GY	0.95
1822		-0.0017 GY	1.01
1885		-0.0017 GY	0.04
1885		-0.0051 GY	0.10
1885		-0.0085 GY	0.17
1885		-0.0118 GY	0.23
1885		-0.0152 GY	0.30
1885		-0.0186 GY	0.36
1885		-0.0220 GY	0.43
1885		-0.0254 GY	0.49
1885	-0.4121 GY	0.52	0.57
1885		-0.0254 GY	0.60
1885		-0.0220 GY	0.67
1885		-0.0186 GY	0.73
1885		-0.0152 GY	0.80
1885		-0.0118 GY	0.86
1885		-0.0085 GY	0.93
1885		-0.0051 GY	0.99
1885		-0.0017 GY	1.05
1760		-0.0014 GY	0.04
1760		-0.0041 GY	0.09
1760		-0.0068 GY	0.15
1760		-0.0095 GY	0.21
1760		-0.0122 GY	0.27
1760		-0.0149 GY	0.32
1760		-0.0176 GY	0.38
1760		-0.0203 GY	0.44
1760		-0.0203 GY	0.50
1760		-0.0176 GY	0.56
1760		-0.0149 GY	0.62
1760		-0.0122 GY	0.67
1760		-0.0095 GY	0.73
1760		-0.0068 GY	0.79
1760		-0.0041 GY	0.85
1760		-0.0014 GY	0.90

1881		-0.0014 GY	0.04
1881		-0.0041 GY	0.09
1881		-0.0068 GY	0.15
1881		-0.0095 GY	0.21
1881		-0.0122 GY	0.27
1881		-0.0149 GY	0.32
1881		-0.0176 GY	0.38
1881		-0.0203 GY	0.44
1881	-0.3690 GY	0.47	0.62
1881		-0.0203 GY	0.65
1881		-0.0176 GY	0.71
1881		-0.0149 GY	0.77
1881		-0.0122 GY	0.83

1881		-0.0095 GY	0.89
1881		-0.0068 GY	0.95
1881		-0.0041 GY	1.00
1881		-0.0014 GY	1.06
1826		-0.0014 GY	0.04
1826		-0.0041 GY	0.09
1826		-0.0068 GY	0.15
1826		-0.0095 GY	0.21
1826		-0.0122 GY	0.27
1826		-0.0149 GY	0.32
1826		-0.0176 GY	0.38
1826		-0.0203 GY	0.44
1826		-0.0203 GY	0.50
1826		-0.0176 GY	0.56
1826		-0.0149 GY	0.62
1826		-0.0122 GY	0.67
1826		-0.0095 GY	0.73
1826		-0.0068 GY	0.79
1826		-0.0041 GY	0.85
1826		-0.0014 GY	0.90
1882		-0.0014 GY	0.04
1882		-0.0041 GY	0.09
1882		-0.0068 GY	0.15
1882		-0.0095 GY	0.21
1882		-0.0122 GY	0.27
1882		-0.0149 GY	0.32
1882		-0.0176 GY	0.38
1882		-0.0203 GY	0.44
1882	-0.3690 GY	0.47	0.62
1882		-0.0203 GY	0.65
1882		-0.0176 GY	0.71
1882		-0.0149 GY	0.77

1882		-0.0122 GY	0.83
1882		-0.0095 GY	0.89
1882		-0.0068 GY	0.95
1882		-0.0041 GY	1.00
1882		-0.0014 GY	1.06
1761		-0.0014 GY	0.04
1761		-0.0041 GY	0.09
1761		-0.0068 GY	0.15
1761		-0.0095 GY	0.21
1761		-0.0122 GY	0.27
1761		-0.0149 GY	0.32
1761		-0.0176 GY	0.38
1761		-0.0203 GY	0.44
1761		-0.0203 GY	0.50
1761		-0.0176 GY	0.56
1761		-0.0149 GY	0.62
1761		-0.0122 GY	0.67
1761		-0.0095 GY	0.73
1761		-0.0068 GY	0.79
1761		-0.0041 GY	0.85
1761		-0.0014 GY	0.90
1880		-0.0014 GY	0.04
1880		-0.0041 GY	0.09
1880		-0.0068 GY	0.15

_ STAAD SPACE -- PAGE NO. 192

1880		-0.0095 GY	0.21
1880		-0.0122 GY	0.27
1880		-0.0149 GY	0.32
1880		-0.0176 GY	0.38
1880		-0.0203 GY	0.44
1880	-0.3690 GY	0.47	0.62
1880		-0.0203 GY	0.65
1880		-0.0176 GY	0.71
1880		-0.0149 GY	0.77
1880		-0.0122 GY	0.83
1880		-0.0095 GY	0.89
1880		-0.0068 GY	0.95
1880		-0.0041 GY	1.00
1880		-0.0014 GY	1.06
1827		-0.0014 GY	0.04
1827		-0.0041 GY	0.09
1827		-0.0068 GY	0.15
1827		-0.0095 GY	0.21
1827		-0.0122 GY	0.27
1827		-0.0149 GY	0.32
1827		-0.0176 GY	0.38

1827		-0.0203 GY	0.44
1827		-0.0203 GY	0.50
1827		-0.0176 GY	0.56
1827		-0.0149 GY	0.62
1827		-0.0122 GY	0.67
1827		-0.0095 GY	0.73
1827		-0.0068 GY	0.79
1827		-0.0041 GY	0.85
1827		-0.0014 GY	0.90
1881		-0.0014 GY	0.04
1881		-0.0041 GY	0.09
1881		-0.0068 GY	0.15
1881		-0.0095 GY	0.21
1881		-0.0122 GY	0.27
1881		-0.0149 GY	0.32
1881		-0.0176 GY	0.38
1881		-0.0203 GY	0.44
1881	-0.3690 GY	0.47	0.62
1881		-0.0203 GY	0.65
1881		-0.0176 GY	0.71
1881		-0.0149 GY	0.77
1881		-0.0122 GY	0.83
1881		-0.0095 GY	0.89
1881		-0.0068 GY	0.95
1881		-0.0041 GY	1.00
1881		-0.0014 GY	1.06
1762		-0.0014 GY	0.04
1762		-0.0041 GY	0.09
1762		-0.0068 GY	0.15
1762		-0.0095 GY	0.21
1762		-0.0122 GY	0.27
1762		-0.0149 GY	0.32
1762		-0.0176 GY	0.38
1762		-0.0203 GY	0.44
1762		-0.0203 GY	0.50

1762		-0.0176 GY	0.56
1762		-0.0149 GY	0.62
1762		-0.0122 GY	0.67
1762		-0.0095 GY	0.73
1762		-0.0068 GY	0.79
1762		-0.0041 GY	0.85
1762		-0.0014 GY	0.90
1879		-0.0014 GY	0.04
1879		-0.0041 GY	0.09
1879		-0.0068 GY	0.15

1879			-0.0095 GY	0.21
1879			-0.0122 GY	0.27
1879			-0.0149 GY	0.32
1879			-0.0176 GY	0.38
1879			-0.0203 GY	0.44
1879	-0.3689 GY	0.47	0.63	
1879			-0.0203 GY	0.65
1879			-0.0176 GY	0.71
1879			-0.0149 GY	0.77
1879			-0.0122 GY	0.83
1879			-0.0095 GY	0.89
1879			-0.0068 GY	0.95
1879			-0.0041 GY	1.00
1879			-0.0014 GY	1.06
1828			-0.0014 GY	0.04
1828			-0.0041 GY	0.09
1828			-0.0068 GY	0.15
1828			-0.0095 GY	0.21
1828			-0.0122 GY	0.27
1828			-0.0149 GY	0.32
1828			-0.0176 GY	0.38
1828			-0.0203 GY	0.44
1828			-0.0203 GY	0.50
1828			-0.0176 GY	0.56
1828			-0.0149 GY	0.62
1828			-0.0122 GY	0.67
1828			-0.0095 GY	0.73
1828			-0.0068 GY	0.79
1828			-0.0041 GY	0.85
1828			-0.0014 GY	0.90
1880			-0.0014 GY	0.04
1880			-0.0041 GY	0.09
1880			-0.0068 GY	0.15
1880			-0.0095 GY	0.21
1880			-0.0122 GY	0.27
1880			-0.0149 GY	0.32
1880			-0.0176 GY	0.38
1880			-0.0203 GY	0.44
1880	-0.3690 GY	0.47	0.63	
1880			-0.0203 GY	0.65
1880			-0.0176 GY	0.71
1880			-0.0149 GY	0.77
1880			-0.0122 GY	0.83
1880			-0.0095 GY	0.89
1880			-0.0068 GY	0.95
1880			-0.0041 GY	1.00

1880		-0.0014	GY	1.06			

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
128		0.0194	GY	0.07			
128		0.0581	GY	0.15			
128		0.0969	GY	0.25			
128		0.1356	GY	0.35			
128		0.1744	GY	0.45			
128		0.2132	GY	0.55			
128		0.2519	GY	0.65			
128		0.2907	GY	0.75			
344		0.2282	GY	0.04			
344		0.2474	GY	0.11			
344		0.2667	GY	0.18			
344		0.2859	GY	0.25			
344		0.3052	GY	0.32			
344		0.3244	GY	0.39			
344		0.3437	GY	0.46			
344		0.3629	GY	0.53			
344		0.2872	GY	0.59			
344		0.2752	GY	0.64			
344		0.2633	GY	0.70			
344		0.2514	GY	0.75			
344		0.2394	GY	0.81			
344		0.2275	GY	0.86			
344		0.2156	GY	0.92			
344		0.2037	GY	0.97			
345		0.3839	GY	0.06			
345		0.3327	GY	0.17			
345		0.2815	GY	0.28			
345		0.2303	GY	0.40			
345		0.1791	GY	0.51			
345		0.1280	GY	0.62			
345		0.0768	GY	0.73			
345		0.0256	GY	0.84			
1747		0.0135	GY	0.05			
1747		0.0117	GY	0.16			
1747		0.0099	GY	0.27			
1747		0.0081	GY	0.37			
1747		0.0063	GY	0.48			
1747		0.0045	GY	0.59			
1747		0.0027	GY	0.69			

1747	0.0009 GY	0.79
1759	0.0379 GY	0.06
1759	0.0352 GY	0.20
1759	0.0325 GY	0.33
1759	0.0298 GY	0.46
1759	0.0271 GY	0.59
1759	0.0244 GY	0.72
1759	0.0217 GY	0.85
1759	0.0190 GY	0.98
1758	0.0594 GY	0.07

1758	0.0567 GY	0.20
1758	0.0540 GY	0.33
1758	0.0513 GY	0.46
1758	0.0487 GY	0.59
1758	0.0460 GY	0.72
1758	0.0433 GY	0.85
1758	0.0406 GY	0.98
1757	0.0810 GY	0.07
1757	0.0783 GY	0.20
1757	0.0756 GY	0.33
1757	0.0729 GY	0.46
1757	0.0702 GY	0.59
1757	0.0675 GY	0.72
1757	0.0648 GY	0.85
1757	0.0621 GY	0.98
1748	0.0899 GY	0.06
1748	0.0878 GY	0.18
1748	0.0856 GY	0.29
1748	0.0834 GY	0.41
1748	0.0813 GY	0.53
1748	0.0791 GY	0.65
1748	0.0770 GY	0.76
1748	0.0748 GY	0.88
1749	0.1072 GY	0.06
1749	0.1050 GY	0.18
1749	0.1029 GY	0.29
1749	0.1007 GY	0.41
1749	0.0986 GY	0.53
1749	0.0964 GY	0.65
1749	0.0942 GY	0.76
1749	0.0921 GY	0.88
1762	0.0060 GY	0.00
1762	0.0060 GY	0.01
1762	0.0060 GY	0.01
1762	0.0060 GY	0.02

1762	0.0060 GY	0.03
1762	0.0060 GY	0.03
1762	0.0060 GY	0.04
1762	0.0060 GY	0.04
1762	0.1177 GY	0.10
1762	0.1158 GY	0.21
1762	0.1138 GY	0.32
1762	0.1119 GY	0.44
1762	0.1099 GY	0.55
1762	0.1079 GY	0.66
1762	0.1060 GY	0.77
1762	0.1040 GY	0.88
1761	0.1077 GY	0.06
1761	0.1099 GY	0.18
1761	0.1120 GY	0.29
1761	0.1142 GY	0.41
1761	0.1163 GY	0.53
1761	0.1185 GY	0.65
1761	0.1207 GY	0.76
1761	0.1228 GY	0.88
1760	0.0905 GY	0.06

1760	0.0926 GY	0.18
1760	0.0948 GY	0.29
1760	0.0969 GY	0.41
1760	0.0991 GY	0.53
1760	0.1012 GY	0.65
1760	0.1034 GY	0.76
1760	0.1056 GY	0.88
1750	0.0732 GY	0.06
1750	0.0754 GY	0.18
1750	0.0775 GY	0.29
1750	0.0797 GY	0.41
1750	0.0818 GY	0.53
1750	0.0840 GY	0.65
1750	0.0861 GY	0.76
1750	0.0883 GY	0.88
1751	0.0559 GY	0.06
1751	0.0581 GY	0.18
1751	0.0602 GY	0.29
1751	0.0624 GY	0.41
1751	0.0646 GY	0.53
1751	0.0667 GY	0.65
1751	0.0689 GY	0.76
1751	0.0710 GY	0.88
1756	0.0411 GY	0.07

1756	0.0438 GY	0.20
1756	0.0465 GY	0.33
1756	0.0492 GY	0.46
1756	0.0518 GY	0.59
1756	0.0545 GY	0.72
1756	0.0572 GY	0.85
1756	0.0599 GY	0.98
1755	0.0194 GY	0.06
1755	0.0215 GY	0.18
1755	0.0237 GY	0.29
1755	0.0259 GY	0.41
1755	0.0280 GY	0.53
1755	0.0302 GY	0.65
1755	0.0323 GY	0.76
1755	0.0345 GY	0.88
2203	0.0021 GY	0.07
2203	0.0043 GY	0.18
2203	0.0064 GY	0.30
2203	0.0086 GY	0.41
2203	0.0108 GY	0.53
2203	0.0129 GY	0.65
2203	0.0151 GY	0.77
2203	0.0172 GY	0.88
1754	0.0000 GY	0.00
1754	0.0000 GY	0.01
1754	0.0000 GY	0.02
1754	0.0000 GY	0.03
1754	0.0000 GY	0.03
1754	0.0000 GY	0.04
1754	0.0001 GY	0.05
1754	0.0001 GY	0.05
1518	0.3843 GY	0.06

1518	0.3331 GY	0.17
1518	0.2818 GY	0.28
1518	0.2306 GY	0.40
1518	0.1793 GY	0.51
1518	0.1281 GY	0.62
1518	0.0769 GY	0.73
1518	0.0256 GY	0.84
1517	0.0233 GY	0.05
1517	0.0699 GY	0.11
1517	0.1166 GY	0.18
1517	0.1632 GY	0.25
1517	0.2098 GY	0.32
1517	0.2565 GY	0.39

1517		0.3031 GY	0.46
1517		0.3497 GY	0.53
1517		0.2875 GY	0.59
1517		0.2756 GY	0.64
1517		0.2636 GY	0.70
1517		0.2517 GY	0.75
1517		0.2397 GY	0.81
1517		0.2278 GY	0.86
1517		0.2158 GY	0.92
1517		0.2039 GY	0.97
1542	2.6749 GY	0.00	0.80
789		0.0011 GY	0.08
789		0.0033 GY	0.18
789		0.0054 GY	0.30
789		0.0076 GY	0.41
789		0.0098 GY	0.53
789		0.0120 GY	0.65
789		0.0142 GY	0.77
789		0.0163 GY	0.88
790		0.0185 GY	0.06
790		0.0207 GY	0.18
790		0.0229 GY	0.29
790		0.0250 GY	0.41
790		0.0272 GY	0.53
790		0.0294 GY	0.65
790		0.0316 GY	0.76
790		0.0338 GY	0.88
791		0.0403 GY	0.07
791		0.0430 GY	0.20
791		0.0457 GY	0.33
791		0.0484 GY	0.46
791		0.0512 GY	0.59
791		0.0539 GY	0.72
791		0.0566 GY	0.85
791		0.0593 GY	0.98
161		0.0554 GY	0.06
161		0.0576 GY	0.18
161		0.0598 GY	0.29
161		0.0619 GY	0.41
161		0.0641 GY	0.53
161		0.0663 GY	0.65
161		0.0685 GY	0.76
161		0.0707 GY	0.88

160	0.0728 GY	0.06
160	0.0750 GY	0.18

160	0.0772 GY	0.29
160	0.0794 GY	0.41
160	0.0815 GY	0.53
160	0.0837 GY	0.65
160	0.0859 GY	0.76
160	0.0881 GY	0.88
795	0.0903 GY	0.06
795	0.0924 GY	0.18
795	0.0946 GY	0.29
795	0.0968 GY	0.41
795	0.0990 GY	0.53
795	0.1011 GY	0.65
795	0.1033 GY	0.76
795	0.1055 GY	0.88
796	0.1077 GY	0.06
796	0.1099 GY	0.18
796	0.1120 GY	0.29
796	0.1142 GY	0.41
796	0.1164 GY	0.53
796	0.1186 GY	0.65
796	0.1207 GY	0.76
796	0.1229 GY	0.88
797	0.0060 GY	0.00
797	0.0060 GY	0.01
797	0.0060 GY	0.01
797	0.0060 GY	0.02
797	0.0060 GY	0.03
797	0.0060 GY	0.03
797	0.0060 GY	0.04
797	0.0060 GY	0.04
797	0.1178 GY	0.10
797	0.1159 GY	0.21
797	0.1139 GY	0.32
797	0.1120 GY	0.44
797	0.1100 GY	0.55
797	0.1080 GY	0.66
797	0.1061 GY	0.77
797	0.1041 GY	0.88
159	0.1073 GY	0.06
159	0.1051 GY	0.18
159	0.1030 GY	0.29
159	0.1008 GY	0.41
159	0.0987 GY	0.53
159	0.0965 GY	0.65
159	0.0943 GY	0.76
159	0.0922 GY	0.88
158	0.0900 GY	0.06

158	0.0879 GY	0.18
158	0.0857 GY	0.29
158	0.0835 GY	0.41
158	0.0814 GY	0.53
158	0.0792 GY	0.65
158	0.0770 GY	0.76
158	0.0749 GY	0.88

792	0.0811 GY	0.07
792	0.0784 GY	0.20
792	0.0757 GY	0.33
792	0.0730 GY	0.46
792	0.0703 GY	0.59
792	0.0676 GY	0.72
792	0.0649 GY	0.85
792	0.0622 GY	0.98
793	0.0595 GY	0.07
793	0.0568 GY	0.20
793	0.0541 GY	0.33
793	0.0514 GY	0.46
793	0.0487 GY	0.59
793	0.0460 GY	0.72
793	0.0433 GY	0.85
793	0.0406 GY	0.98
794	0.0379 GY	0.06
794	0.0352 GY	0.20
794	0.0325 GY	0.33
794	0.0298 GY	0.46
794	0.0271 GY	0.59
794	0.0244 GY	0.72
794	0.0217 GY	0.85
794	0.0190 GY	0.98
157	0.0136 GY	0.05
157	0.0118 GY	0.16
157	0.0099 GY	0.27
157	0.0081 GY	0.37
157	0.0063 GY	0.48
157	0.0045 GY	0.59
157	0.0027 GY	0.69
157	0.0009 GY	0.79
130	0.0426 GY	0.09
130	0.1278 GY	0.20
130	0.2129 GY	0.32
130	0.2981 GY	0.45
130	0.3833 GY	0.58
130	0.4684 GY	0.71

130	0.5536 GY	0.83
130	0.6388 GY	0.96
130	0.0126 GY	1.03
130	0.0126 GY	1.03
130	0.0125 GY	1.03
130	0.0125 GY	1.03
130	0.0125 GY	1.04
130	0.0125 GY	1.04
130	0.0124 GY	1.04
130	0.0124 GY	1.04
346	0.6153 GY	0.06
346	0.5333 GY	0.19
346	0.4512 GY	0.31
346	0.3692 GY	0.44
346	0.2872 GY	0.56
346	0.2051 GY	0.69
346	0.1231 GY	0.81
346	0.0410 GY	0.92

151	0.0103 GY	0.05
151	0.0089 GY	0.16
151	0.0075 GY	0.27
151	0.0062 GY	0.37
151	0.0048 GY	0.48
151	0.0034 GY	0.59
151	0.0021 GY	0.69
151	0.0007 GY	0.79
814	0.0287 GY	0.06
814	0.0267 GY	0.20
814	0.0247 GY	0.33
814	0.0226 GY	0.46
814	0.0206 GY	0.59
814	0.0185 GY	0.72
814	0.0165 GY	0.85
814	0.0144 GY	0.98
812	0.0451 GY	0.07
812	0.0431 GY	0.20
812	0.0410 GY	0.33
812	0.0390 GY	0.46
812	0.0369 GY	0.59
812	0.0349 GY	0.72
812	0.0328 GY	0.85
812	0.0308 GY	0.98
810	0.0615 GY	0.07
810	0.0594 GY	0.20
810	0.0574 GY	0.33

810	0.0553 GY	0.46
810	0.0533 GY	0.59
810	0.0513 GY	0.72
810	0.0492 GY	0.85
810	0.0472 GY	0.98
152	0.0683 GY	0.06
152	0.0666 GY	0.18
152	0.0650 GY	0.29
152	0.0633 GY	0.41
152	0.0617 GY	0.53
152	0.0601 GY	0.65
152	0.0584 GY	0.76
152	0.0568 GY	0.88
153	0.0814 GY	0.06
153	0.0797 GY	0.18
153	0.0781 GY	0.29
153	0.0765 GY	0.41
153	0.0748 GY	0.53
153	0.0732 GY	0.65
153	0.0715 GY	0.76
153	0.0699 GY	0.88
808	0.0055 GY	0.00
808	0.0055 GY	0.01
808	0.0056 GY	0.02
808	0.0056 GY	0.02
808	0.0056 GY	0.03
808	0.0056 GY	0.04
808	0.0056 GY	0.05
808	0.0056 GY	0.05

808	0.0882 GY	0.11
808	0.0868 GY	0.22
808	0.0853 GY	0.33
808	0.0839 GY	0.44
808	0.0824 GY	0.55
808	0.0810 GY	0.66
808	0.0795 GY	0.77
808	0.0781 GY	0.88
806	0.0814 GY	0.06
806	0.0831 GY	0.18
806	0.0847 GY	0.29
806	0.0864 GY	0.41
806	0.0880 GY	0.53
806	0.0896 GY	0.65
806	0.0913 GY	0.76
806	0.0929 GY	0.88

804	0.0682 GY	0.06
804	0.0699 GY	0.18
804	0.0715 GY	0.29
804	0.0732 GY	0.41
804	0.0748 GY	0.53
804	0.0765 GY	0.65
804	0.0781 GY	0.76
804	0.0798 GY	0.88
154	0.0551 GY	0.06
154	0.0567 GY	0.18
154	0.0584 GY	0.29
154	0.0600 GY	0.41
154	0.0617 GY	0.53
154	0.0633 GY	0.65
154	0.0649 GY	0.76
154	0.0666 GY	0.88
155	0.0419 GY	0.06
155	0.0435 GY	0.18
155	0.0452 GY	0.29
155	0.0468 GY	0.41
155	0.0485 GY	0.53
155	0.0501 GY	0.65
155	0.0518 GY	0.76
155	0.0534 GY	0.88
802	0.0305 GY	0.07
802	0.0325 GY	0.20
802	0.0346 GY	0.33
802	0.0366 GY	0.46
802	0.0387 GY	0.59
802	0.0407 GY	0.72
802	0.0428 GY	0.85
802	0.0448 GY	0.98
800	0.0140 GY	0.06
800	0.0156 GY	0.18
800	0.0173 GY	0.29
800	0.0189 GY	0.41
800	0.0206 GY	0.53
800	0.0222 GY	0.65
800	0.0239 GY	0.76
800	0.0255 GY	0.88

798	0.0008 GY	0.08
798	0.0025 GY	0.18
798	0.0041 GY	0.30
798	0.0058 GY	0.41
798	0.0074 GY	0.53

798	0.0091 GY	0.65
798	0.0107 GY	0.77
798	0.0124 GY	0.88
1520	0.0152 GY	0.03
1520	0.0457 GY	0.07
1520	0.0762 GY	0.12
1520	0.1067 GY	0.16
1520	0.1372 GY	0.21
1520	0.1677 GY	0.25
1520	0.1981 GY	0.30
1520	0.2286 GY	0.34
1520	0.4010 GY	0.41
1520	0.3476 GY	0.49
1520	0.2941 GY	0.57
1520	0.2406 GY	0.65
1520	0.1871 GY	0.72
1520	0.1337 GY	0.80
1520	0.0802 GY	0.88
1520	0.0267 GY	0.95
1510	0.0273 GY	0.05
1510	0.0819 GY	0.13
1510	0.1366 GY	0.21
1510	0.1912 GY	0.29
1510	0.2458 GY	0.37
1510	0.3004 GY	0.45
1510	0.3551 GY	0.53
1510	0.4097 GY	0.62
1510	0.2435 GY	0.68
1510	0.2111 GY	0.73
1510	0.1786 GY	0.78
1510	0.1461 GY	0.83
1510	0.1136 GY	0.87
1510	0.0812 GY	0.92
1510	0.0487 GY	0.97
1510	0.0162 GY	1.01
852	0.0008 GY	0.08
852	0.0025 GY	0.18
852	0.0041 GY	0.30
852	0.0058 GY	0.41
852	0.0074 GY	0.53
852	0.0091 GY	0.65
852	0.0107 GY	0.77
852	0.0124 GY	0.88
855	0.0140 GY	0.06
855	0.0156 GY	0.18
855	0.0173 GY	0.29
855	0.0189 GY	0.41

855	0.0206 GY	0.53
855	0.0222 GY	0.65
855	0.0239 GY	0.76
855	0.0255 GY	0.88

858	0.0305 GY	0.07
858	0.0325 GY	0.20
858	0.0346 GY	0.33
858	0.0366 GY	0.46
858	0.0387 GY	0.59
858	0.0407 GY	0.72
858	0.0428 GY	0.85
858	0.0448 GY	0.98
149	0.0419 GY	0.06
149	0.0435 GY	0.18
149	0.0452 GY	0.29
149	0.0468 GY	0.41
149	0.0485 GY	0.53
149	0.0501 GY	0.65
149	0.0518 GY	0.76
149	0.0534 GY	0.88
148	0.0551 GY	0.06
148	0.0567 GY	0.18
148	0.0584 GY	0.29
148	0.0600 GY	0.41
148	0.0617 GY	0.53
148	0.0633 GY	0.65
148	0.0649 GY	0.76
148	0.0666 GY	0.88
861	0.0682 GY	0.06
861	0.0699 GY	0.18
861	0.0715 GY	0.29
861	0.0732 GY	0.41
861	0.0748 GY	0.53
861	0.0765 GY	0.65
861	0.0781 GY	0.76
861	0.0798 GY	0.88
864	0.0814 GY	0.06
864	0.0831 GY	0.18
864	0.0847 GY	0.29
864	0.0864 GY	0.41
864	0.0880 GY	0.53
864	0.0897 GY	0.65
864	0.0913 GY	0.76
864	0.0929 GY	0.88
867	0.0055 GY	0.00

867	0.0055 GY	0.01
867	0.0056 GY	0.02
867	0.0056 GY	0.02
867	0.0056 GY	0.03
867	0.0056 GY	0.04
867	0.0056 GY	0.05
867	0.0056 GY	0.05
867	0.0882 GY	0.11
867	0.0868 GY	0.22
867	0.0853 GY	0.33
867	0.0839 GY	0.44
867	0.0824 GY	0.55
867	0.0810 GY	0.66
867	0.0795 GY	0.77
867	0.0781 GY	0.88

147	0.0814 GY	0.06
147	0.0797 GY	0.18
147	0.0781 GY	0.29
147	0.0765 GY	0.41
147	0.0748 GY	0.53
147	0.0732 GY	0.65
147	0.0715 GY	0.76
147	0.0699 GY	0.88
146	0.0683 GY	0.06
146	0.0666 GY	0.18
146	0.0650 GY	0.29
146	0.0633 GY	0.41
146	0.0617 GY	0.53
146	0.0601 GY	0.65
146	0.0584 GY	0.76
146	0.0568 GY	0.88
870	0.0615 GY	0.07
870	0.0594 GY	0.20
870	0.0574 GY	0.33
870	0.0553 GY	0.46
870	0.0533 GY	0.59
870	0.0513 GY	0.72
870	0.0492 GY	0.85
870	0.0472 GY	0.98
873	0.0451 GY	0.07
873	0.0431 GY	0.20
873	0.0410 GY	0.33
873	0.0390 GY	0.46
873	0.0369 GY	0.59
873	0.0349 GY	0.72

873	0.0328 GY	0.85
873	0.0308 GY	0.98
876	0.0287 GY	0.06
876	0.0267 GY	0.20
876	0.0247 GY	0.33
876	0.0226 GY	0.46
876	0.0206 GY	0.59
876	0.0185 GY	0.72
876	0.0165 GY	0.85
876	0.0144 GY	0.98
145	0.0103 GY	0.05
145	0.0089 GY	0.16
145	0.0075 GY	0.27
145	0.0062 GY	0.37
145	0.0048 GY	0.48
145	0.0034 GY	0.59
145	0.0021 GY	0.69
145	0.0007 GY	0.79
132	0.0427 GY	0.09
132	0.1282 GY	0.20
132	0.2136 GY	0.33
132	0.2991 GY	0.45
132	0.3845 GY	0.58
132	0.4700 GY	0.71
132	0.5554 GY	0.84
132	0.6409 GY	0.96

132	0.0151 GY	1.03
132	0.0151 GY	1.03
132	0.0150 GY	1.03
132	0.0150 GY	1.04
132	0.0149 GY	1.04
132	0.0149 GY	1.04
132	0.0148 GY	1.05
132	0.0148 GY	1.05
348	0.6138 GY	0.06
348	0.5319 GY	0.19
348	0.4501 GY	0.31
348	0.3683 GY	0.44
348	0.2864 GY	0.56
348	0.2046 GY	0.69
348	0.1228 GY	0.81
348	0.0409 GY	0.92
139	0.0103 GY	0.05
139	0.0089 GY	0.16
139	0.0076 GY	0.27

139	0.0062 GY	0.37
139	0.0048 GY	0.48
139	0.0034 GY	0.59
139	0.0021 GY	0.69
139	0.0007 GY	0.79
877	0.0288 GY	0.06
877	0.0268 GY	0.20
877	0.0247 GY	0.33
877	0.0227 GY	0.46
877	0.0206 GY	0.59
877	0.0186 GY	0.72
877	0.0165 GY	0.85
877	0.0145 GY	0.98
874	0.0452 GY	0.07
874	0.0432 GY	0.20
874	0.0411 GY	0.33
874	0.0391 GY	0.46
874	0.0370 GY	0.59
874	0.0350 GY	0.72
874	0.0329 GY	0.85
874	0.0309 GY	0.98
871	0.0616 GY	0.07
871	0.0596 GY	0.20
871	0.0575 GY	0.33
871	0.0555 GY	0.46
871	0.0534 GY	0.59
871	0.0514 GY	0.72
871	0.0493 GY	0.85
871	0.0473 GY	0.98
140	0.0684 GY	0.06
140	0.0668 GY	0.18
140	0.0651 GY	0.29
140	0.0635 GY	0.41
140	0.0619 GY	0.53
140	0.0602 GY	0.65
140	0.0586 GY	0.76
140	0.0569 GY	0.88

141	0.0816 GY	0.06
141	0.0799 GY	0.18
141	0.0783 GY	0.29
141	0.0767 GY	0.41
141	0.0750 GY	0.53
141	0.0734 GY	0.65
141	0.0717 GY	0.76
141	0.0701 GY	0.88

868	0.0048 GY	0.00
868	0.0049 GY	0.01
868	0.0049 GY	0.02
868	0.0049 GY	0.02
868	0.0049 GY	0.03
868	0.0049 GY	0.03
868	0.0049 GY	0.04
868	0.0049 GY	0.05
868	0.0893 GY	0.10
868	0.0878 GY	0.22
868	0.0863 GY	0.33
868	0.0848 GY	0.44
868	0.0833 GY	0.55
868	0.0819 GY	0.66
868	0.0804 GY	0.77
868	0.0789 GY	0.88
865	0.0818 GY	0.06
865	0.0835 GY	0.18
865	0.0851 GY	0.29
865	0.0868 GY	0.41
865	0.0884 GY	0.53
865	0.0901 GY	0.65
865	0.0917 GY	0.76
865	0.0934 GY	0.88
862	0.0686 GY	0.06
862	0.0702 GY	0.18
862	0.0719 GY	0.29
862	0.0735 GY	0.41
862	0.0752 GY	0.53
862	0.0768 GY	0.65
862	0.0785 GY	0.76
862	0.0801 GY	0.88
142	0.0553 GY	0.06
142	0.0570 GY	0.18
142	0.0586 GY	0.29
142	0.0603 GY	0.41
142	0.0619 GY	0.53
142	0.0636 GY	0.65
142	0.0653 GY	0.76
142	0.0669 GY	0.88
143	0.0421 GY	0.06
143	0.0437 GY	0.18
143	0.0454 GY	0.29
143	0.0471 GY	0.41
143	0.0487 GY	0.53
143	0.0504 GY	0.65
143	0.0520 GY	0.76

143	0.0537 GY	0.88

859	0.0306 GY	0.07
859	0.0327 GY	0.20
859	0.0347 GY	0.33
859	0.0368 GY	0.46
859	0.0389 GY	0.59
859	0.0409 GY	0.72
859	0.0430 GY	0.85
859	0.0451 GY	0.98
856	0.0141 GY	0.06
856	0.0157 GY	0.18
856	0.0174 GY	0.29
856	0.0190 GY	0.41
856	0.0207 GY	0.53
856	0.0223 GY	0.65
856	0.0240 GY	0.76
856	0.0256 GY	0.88
853	0.0008 GY	0.08
853	0.0025 GY	0.18
853	0.0041 GY	0.30
853	0.0058 GY	0.41
853	0.0074 GY	0.53
853	0.0091 GY	0.65
853	0.0108 GY	0.77
853	0.0124 GY	0.88
1521	0.0151 GY	0.03
1521	0.0452 GY	0.07
1521	0.0753 GY	0.11
1521	0.1054 GY	0.16
1521	0.1355 GY	0.20
1521	0.1656 GY	0.25
1521	0.1957 GY	0.29
1521	0.2258 GY	0.34
1521	0.4032 GY	0.40
1521	0.3494 GY	0.48
1521	0.2957 GY	0.56
1521	0.2419 GY	0.64
1521	0.1882 GY	0.72
1521	0.1344 GY	0.80
1521	0.0806 GY	0.88
1521	0.0269 GY	0.95
1514	0.0428 GY	0.09
1514	0.1284 GY	0.20
1514	0.2141 GY	0.33
1514	0.2997 GY	0.45

1514	0.3853 GY	0.58
1514	0.4709 GY	0.71
1514	0.5566 GY	0.84
1514	0.6422 GY	0.96
1514	0.0142 GY	1.03
1514	0.0123 GY	1.03
1514	0.0104 GY	1.03
1514	0.0085 GY	1.04
1514	0.0066 GY	1.04
1514	0.0047 GY	1.04
1514	0.0028 GY	1.05
1514	0.0009 GY	1.05

_ STAAD SPACE -- PAGE NO. 208

2286	0.0004 GY	0.06
2286	0.0013 GY	0.14
2286	0.0022 GY	0.22
2286	0.0031 GY	0.31
2286	0.0040 GY	0.39
2286	0.0049 GY	0.48
2286	0.0058 GY	0.57
2286	0.0067 GY	0.65
1604	0.0069 GY	0.04
1604	0.0077 GY	0.12
1604	0.0084 GY	0.20
1604	0.0092 GY	0.28
1604	0.0099 GY	0.36
1604	0.0107 GY	0.44
1604	0.0114 GY	0.52
1604	0.0122 GY	0.60
1660	0.0205 GY	0.06
1660	0.0223 GY	0.19
1660	0.0242 GY	0.31
1660	0.0260 GY	0.43
1660	0.0278 GY	0.56
1660	0.0296 GY	0.68
1660	0.0315 GY	0.81
1660	0.0333 GY	0.93
1605	0.0351 GY	0.06
1605	0.0370 GY	0.19
1605	0.0388 GY	0.31
1605	0.0406 GY	0.43
1605	0.0425 GY	0.56
1605	0.0443 GY	0.68
1605	0.0461 GY	0.81
1605	0.0479 GY	0.93
1600	0.0304 GY	0.04

1600	0.0310 GY	0.11
1600	0.0317 GY	0.19
1600	0.0324 GY	0.27
1600	0.0331 GY	0.34
1600	0.0338 GY	0.42
1600	0.0345 GY	0.50
1600	0.0352 GY	0.57
1599	0.0556 GY	0.06
1599	0.0572 GY	0.18
1599	0.0589 GY	0.29
1599	0.0605 GY	0.41
1599	0.0621 GY	0.53
1599	0.0638 GY	0.65
1599	0.0654 GY	0.76
1599	0.0670 GY	0.88
1606	0.0687 GY	0.06
1606	0.0703 GY	0.18
1606	0.0720 GY	0.29
1606	0.0736 GY	0.41
1606	0.0752 GY	0.53
1606	0.0769 GY	0.65
1606	0.0785 GY	0.76
1606	0.0802 GY	0.88

1607	0.0818 GY	0.06
1607	0.0834 GY	0.18
1607	0.0851 GY	0.29
1607	0.0867 GY	0.41
1607	0.0883 GY	0.53
1607	0.0900 GY	0.65
1607	0.0916 GY	0.76
1607	0.0933 GY	0.88
1608	0.0048 GY	0.00
1608	0.0048 GY	0.01
1608	0.0048 GY	0.02
1608	0.0049 GY	0.02
1608	0.0049 GY	0.03
1608	0.0049 GY	0.03
1608	0.0049 GY	0.04
1608	0.0049 GY	0.05
1608	0.0891 GY	0.10
1608	0.0877 GY	0.22
1608	0.0862 GY	0.33
1608	0.0847 GY	0.44
1608	0.0832 GY	0.55
1608	0.0818 GY	0.66

1608	0.0803 GY	0.77
1608	0.0788 GY	0.88
1598	0.0815 GY	0.06
1598	0.0798 GY	0.18
1598	0.0782 GY	0.29
1598	0.0765 GY	0.41
1598	0.0749 GY	0.53
1598	0.0733 GY	0.65
1598	0.0716 GY	0.76
1598	0.0700 GY	0.88
1597	0.0369 GY	0.03
1597	0.0364 GY	0.09
1597	0.0360 GY	0.16
1597	0.0355 GY	0.22
1597	0.0350 GY	0.28
1597	0.0346 GY	0.35
1597	0.0341 GY	0.41
1597	0.0336 GY	0.47
1686	0.0286 GY	0.03
1686	0.0282 GY	0.08
1686	0.0279 GY	0.14
1686	0.0275 GY	0.19
1686	0.0272 GY	0.24
1686	0.0268 GY	0.30
1686	0.0265 GY	0.35
1686	0.0261 GY	0.41
1609	0.0616 GY	0.07
1609	0.0595 GY	0.20
1609	0.0575 GY	0.33
1609	0.0554 GY	0.46
1609	0.0534 GY	0.59
1609	0.0513 GY	0.72
1609	0.0493 GY	0.85
1609	0.0472 GY	0.98

1610	0.0452 GY	0.07
1610	0.0431 GY	0.20
1610	0.0411 GY	0.33
1610	0.0390 GY	0.46
1610	0.0370 GY	0.59
1610	0.0349 GY	0.72
1610	0.0329 GY	0.85
1610	0.0308 GY	0.98
1611	0.0288 GY	0.06
1611	0.0267 GY	0.20
1611	0.0247 GY	0.33

1611		0.0226 GY	0.46
1611		0.0206 GY	0.59
1611		0.0185 GY	0.72
1611		0.0165 GY	0.85
1611		0.0144 GY	0.98
1596		0.0103 GY	0.05
1596		0.0089 GY	0.16
1596		0.0076 GY	0.27
1596		0.0062 GY	0.37
1596		0.0048 GY	0.48
1596		0.0034 GY	0.59
1596		0.0021 GY	0.69
1596		0.0007 GY	0.79

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
1		-0.0001 GY	0.03				
1		-0.0004 GY	0.08				
1		-0.0006 GY	0.13				
1		-0.0009 GY	0.17				
1		-0.0011 GY	0.22				
1		-0.0013 GY	0.27				
1		-0.0016 GY	0.32				
1		-0.0018 GY	0.37				
1		-0.0018 GY	0.42				
1		-0.0016 GY	0.47				
1		-0.0013 GY	0.52				
1		-0.0011 GY	0.57				
1		-0.0009 GY	0.62				
1		-0.0006 GY	0.66				
1		-0.0004 GY	0.71				
1		-0.0001 GY	0.76				
90		-0.0001 GY	0.03				
90		-0.0004 GY	0.08				
90		-0.0006 GY	0.13				
90		-0.0009 GY	0.17				
90		-0.0011 GY	0.22				
90		-0.0013 GY	0.27				
90		-0.0016 GY	0.32				
90		-0.0018 GY	0.37				
90	-0.0395 GY	0.40	0.70				
90		-0.0018 GY	0.72				

90		-0.0016 GY	0.77
90		-0.0013 GY	0.82
90		-0.0011 GY	0.87
90		-0.0009 GY	0.92
90		-0.0006 GY	0.97
90		-0.0004 GY	1.02
90		-0.0001 GY	1.06
356		-0.0001 GY	0.03
356		-0.0004 GY	0.08
356		-0.0006 GY	0.13
356		-0.0009 GY	0.17
356		-0.0011 GY	0.22
356		-0.0013 GY	0.27
356		-0.0016 GY	0.32
356		-0.0018 GY	0.37
356		-0.0018 GY	0.42
356		-0.0016 GY	0.47
356		-0.0013 GY	0.52
356		-0.0011 GY	0.57
356		-0.0009 GY	0.62
356		-0.0006 GY	0.66
356		-0.0004 GY	0.71
356		-0.0001 GY	0.76
89		-0.0001 GY	0.03
89		-0.0004 GY	0.08
89		-0.0006 GY	0.13
89		-0.0009 GY	0.17
89		-0.0011 GY	0.22
89		-0.0013 GY	0.27
89		-0.0016 GY	0.32
89		-0.0018 GY	0.37
89	-0.0395 GY	0.40	0.70
89		-0.0018 GY	0.72
89		-0.0016 GY	0.77
89		-0.0013 GY	0.82
89		-0.0011 GY	0.87
89		-0.0009 GY	0.92
89		-0.0006 GY	0.97
89		-0.0004 GY	1.02
89		-0.0001 GY	1.06
2		-0.0002 GY	0.04
2		-0.0006 GY	0.10
2		-0.0010 GY	0.16
2		-0.0013 GY	0.22
2		-0.0017 GY	0.28
2		-0.0021 GY	0.34
2		-0.0025 GY	0.40

2		-0.0029 GY	0.47
2		-0.0029 GY	0.53
2		-0.0025 GY	0.59
2		-0.0021 GY	0.65
2		-0.0017 GY	0.71
2		-0.0013 GY	0.77
2		-0.0010 GY	0.84
2		-0.0006 GY	0.90
2		-0.0002 GY	0.95

675		-0.0002 GY	0.04
675		-0.0006 GY	0.10
675		-0.0010 GY	0.16
675		-0.0013 GY	0.22
675		-0.0017 GY	0.28
675		-0.0021 GY	0.34
675		-0.0025 GY	0.40
675		-0.0029 GY	0.47
675	-0.0496 GY	0.50	0.60
675		-0.0029 GY	0.63
675		-0.0025 GY	0.69
675		-0.0021 GY	0.75
675		-0.0017 GY	0.82
675		-0.0013 GY	0.88
675		-0.0010 GY	0.94
675		-0.0006 GY	1.00
675		-0.0002 GY	1.05
671		-0.0002 GY	0.04
671		-0.0006 GY	0.10
671		-0.0010 GY	0.16
671		-0.0013 GY	0.22
671		-0.0017 GY	0.28
671		-0.0021 GY	0.34
671		-0.0025 GY	0.40
671		-0.0029 GY	0.47
671		-0.0029 GY	0.53
671		-0.0025 GY	0.59
671		-0.0021 GY	0.65
671		-0.0017 GY	0.71
671		-0.0013 GY	0.77
671		-0.0010 GY	0.84
671		-0.0006 GY	0.90
671		-0.0002 GY	0.95
672		-0.0002 GY	0.04
672		-0.0006 GY	0.10
672		-0.0010 GY	0.16

672		-0.0013 GY	0.22
672		-0.0017 GY	0.28
672		-0.0021 GY	0.34
672		-0.0025 GY	0.40
672		-0.0029 GY	0.47
672	-0.0496 GY	0.50	0.60
672		-0.0029 GY	0.63
672		-0.0025 GY	0.69
672		-0.0021 GY	0.75
672		-0.0017 GY	0.82
672		-0.0013 GY	0.88
672		-0.0010 GY	0.94
672		-0.0006 GY	1.00
672		-0.0002 GY	1.05
695		-0.0002 GY	0.04
695		-0.0005 GY	0.09
695		-0.0009 GY	0.15
695		-0.0012 GY	0.21
695		-0.0016 GY	0.27
695		-0.0019 GY	0.32

695		-0.0022 GY	0.38
695		-0.0026 GY	0.44
695	-0.0470 GY	0.47	0.63
695		-0.0026 GY	0.65
695		-0.0022 GY	0.71
695		-0.0019 GY	0.77
695		-0.0016 GY	0.83
695		-0.0012 GY	0.89
695		-0.0009 GY	0.95
695		-0.0005 GY	1.00
695		-0.0002 GY	1.06
2040		-0.0022 GY	0.03
2040		-0.0019 GY	0.08
2040		-0.0016 GY	0.14
2040		-0.0013 GY	0.19
2040		-0.0010 GY	0.24
2040		-0.0007 GY	0.30
2040		-0.0004 GY	0.35
2040		-0.0001 GY	0.40
655		-0.0002 GY	0.04
655		-0.0005 GY	0.09
655		-0.0009 GY	0.15
655		-0.0012 GY	0.21
655		-0.0016 GY	0.27
655		-0.0019 GY	0.32

655		-0.0022 GY	0.38
655		-0.0026 GY	0.44
655		-0.0002 GY	0.47
655		-0.0002 GY	0.48
655		-0.0002 GY	0.48
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.50
655		-0.0002 GY	0.50
94		-0.0002 GY	0.04
94		-0.0005 GY	0.09
94		-0.0009 GY	0.15
94		-0.0012 GY	0.21
94		-0.0016 GY	0.27
94		-0.0019 GY	0.32
94		-0.0022 GY	0.38
94		-0.0026 GY	0.44
94	-0.0470 GY	0.47	0.63
94		-0.0026 GY	0.65
94		-0.0022 GY	0.71
94		-0.0019 GY	0.77
94		-0.0016 GY	0.83
94		-0.0012 GY	0.89
94		-0.0009 GY	0.95
94		-0.0005 GY	1.00
94		-0.0002 GY	1.06
3		-0.0022 GY	0.03
3		-0.0019 GY	0.08
3		-0.0016 GY	0.14
3		-0.0013 GY	0.19

3		-0.0010 GY	0.24
3		-0.0007 GY	0.30
3		-0.0004 GY	0.35
3		-0.0001 GY	0.40
1683		-0.0002 GY	0.04
1683		-0.0005 GY	0.09
1683		-0.0009 GY	0.15
1683		-0.0012 GY	0.21
1683		-0.0016 GY	0.27
1683		-0.0019 GY	0.32
1683		-0.0022 GY	0.38
1683		-0.0026 GY	0.44
1683		-0.0002 GY	0.47
1683		-0.0002 GY	0.48

1683		-0.0002 GY	0.48
1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.50
1683		-0.0002 GY	0.50
5		-0.0002 GY	0.04
5		-0.0005 GY	0.09
5		-0.0009 GY	0.15
5		-0.0012 GY	0.21
5		-0.0016 GY	0.27
5		-0.0019 GY	0.32
5		-0.0022 GY	0.38
5		-0.0026 GY	0.44
5		-0.0026 GY	0.50
5		-0.0022 GY	0.56
5		-0.0019 GY	0.62
5		-0.0016 GY	0.67
5		-0.0012 GY	0.73
5		-0.0009 GY	0.79
5		-0.0005 GY	0.85
5		-0.0002 GY	0.90
668		-0.0002 GY	0.04
668		-0.0005 GY	0.09
668		-0.0009 GY	0.15
668		-0.0012 GY	0.21
668		-0.0016 GY	0.27
668		-0.0019 GY	0.32
668		-0.0022 GY	0.38
668		-0.0026 GY	0.44
668	-0.0470 GY	0.47	0.63
668		-0.0026 GY	0.65
668		-0.0022 GY	0.71
668		-0.0019 GY	0.77
668		-0.0016 GY	0.83
668		-0.0012 GY	0.89
668		-0.0009 GY	0.95
668		-0.0005 GY	1.00
668		-0.0002 GY	1.06
653		-0.0002 GY	0.04
653		-0.0005 GY	0.09
653		-0.0009 GY	0.15

653		-0.0012 GY	0.21
653		-0.0016 GY	0.27
653		-0.0019 GY	0.32

653		-0.0022 GY	0.38
653		-0.0026 GY	0.44
653		-0.0026 GY	0.50
653		-0.0022 GY	0.56
653		-0.0019 GY	0.62
653		-0.0016 GY	0.67
653		-0.0012 GY	0.73
653		-0.0009 GY	0.79
653		-0.0005 GY	0.85
653		-0.0002 GY	0.90
90		-0.0002 GY	0.04
90		-0.0005 GY	0.09
90		-0.0009 GY	0.15
90		-0.0012 GY	0.21
90		-0.0016 GY	0.27
90		-0.0019 GY	0.32
90		-0.0022 GY	0.38
90		-0.0026 GY	0.44
90	-0.0470 GY	0.47	0.63
90		-0.0026 GY	0.65
90		-0.0022 GY	0.71
90		-0.0019 GY	0.77
90		-0.0016 GY	0.83
90		-0.0012 GY	0.89
90		-0.0009 GY	0.95
90		-0.0005 GY	1.00
90		-0.0002 GY	1.06
11		-0.0002 GY	0.04
11		-0.0005 GY	0.09
11		-0.0009 GY	0.15
11		-0.0012 GY	0.21
11		-0.0016 GY	0.27
11		-0.0019 GY	0.32
11		-0.0022 GY	0.38
11		-0.0026 GY	0.44
11		-0.0026 GY	0.50
11		-0.0022 GY	0.56
11		-0.0019 GY	0.62
11		-0.0016 GY	0.67
11		-0.0012 GY	0.73
11		-0.0009 GY	0.79
11		-0.0005 GY	0.85
11		-0.0002 GY	0.90
94		-0.0002 GY	0.04
94		-0.0005 GY	0.09
94		-0.0009 GY	0.15
94		-0.0012 GY	0.21

94		-0.0016 GY	0.27
94		-0.0019 GY	0.32
94		-0.0022 GY	0.38
94		-0.0026 GY	0.44
94	-0.0470 GY	0.47	0.63
94		-0.0026 GY	0.65

94		-0.0022 GY	0.71
94		-0.0019 GY	0.77
94		-0.0016 GY	0.83
94		-0.0012 GY	0.89
94		-0.0009 GY	0.95
94		-0.0005 GY	1.00
94		-0.0002 GY	1.06
2039		-0.0002 GY	0.04
2039		-0.0005 GY	0.09
2039		-0.0009 GY	0.15
2039		-0.0012 GY	0.21
2039		-0.0016 GY	0.27
2039		-0.0019 GY	0.32
2039		-0.0022 GY	0.38
2039		-0.0026 GY	0.44
2039		-0.0026 GY	0.50
2039		-0.0022 GY	0.56
2039		-0.0019 GY	0.62
2039		-0.0016 GY	0.67
2039		-0.0012 GY	0.73
2039		-0.0009 GY	0.79
2039		-0.0005 GY	0.85
2039		-0.0002 GY	0.90
691		-0.0002 GY	0.04
691		-0.0005 GY	0.09
691		-0.0009 GY	0.15
691		-0.0012 GY	0.21
691		-0.0016 GY	0.27
691		-0.0019 GY	0.32
691		-0.0022 GY	0.38
691		-0.0026 GY	0.44
691	-0.0470 GY	0.47	0.63
691		-0.0026 GY	0.65
691		-0.0022 GY	0.71
691		-0.0019 GY	0.77
691		-0.0016 GY	0.83
691		-0.0012 GY	0.89
691		-0.0009 GY	0.95
691		-0.0005 GY	1.00

691	-0.0002 GY	1.06
15	-0.0002 GY	0.04
15	-0.0005 GY	0.08
15	-0.0009 GY	0.13
15	-0.0013 GY	0.19
15	-0.0016 GY	0.24
15	-0.0020 GY	0.29
15	-0.0024 GY	0.35
15	-0.0027 GY	0.40
15	-0.0027 GY	0.45
15	-0.0023 GY	0.50
15	-0.0020 GY	0.55
15	-0.0016 GY	0.60
15	-0.0012 GY	0.65
15	-0.0009 GY	0.71
15	-0.0005 GY	0.76
15	-0.0002 GY	0.80

1551	-0.0002 GY	0.05
1551	-0.0005 GY	0.11
1551	-0.0009 GY	0.17
1551	-0.0013 GY	0.24
1551	-0.0016 GY	0.31
1551	-0.0020 GY	0.37
1551	-0.0023 GY	0.44
1551	-0.0027 GY	0.51
1551	-0.0028 GY	0.58
1551	-0.0024 GY	0.64
1551	-0.0020 GY	0.71
1551	-0.0017 GY	0.78
1551	-0.0013 GY	0.85
1551	-0.0009 GY	0.92
1551	-0.0006 GY	0.99
1551	-0.0002 GY	1.05
365	-0.0002 GY	0.04
365	-0.0005 GY	0.08
365	-0.0009 GY	0.13
365	-0.0013 GY	0.19
365	-0.0016 GY	0.24
365	-0.0020 GY	0.29
365	-0.0023 GY	0.35
365	-0.0027 GY	0.40
365	-0.0028 GY	0.45
365	-0.0024 GY	0.51
365	-0.0020 GY	0.56
365	-0.0017 GY	0.61

365		-0.0013 GY	0.67
365		-0.0009 GY	0.72
365		-0.0006 GY	0.78
365		-0.0002 GY	0.82
95		-0.0002 GY	0.05
95		-0.0005 GY	0.11
95		-0.0009 GY	0.17
95		-0.0013 GY	0.24
95		-0.0016 GY	0.31
95		-0.0020 GY	0.38
95		-0.0024 GY	0.45
95		-0.0027 GY	0.52
95		-0.0027 GY	0.58
95		-0.0023 GY	0.65
95		-0.0020 GY	0.72
95		-0.0016 GY	0.79
95		-0.0013 GY	0.86
95		-0.0009 GY	0.92
95		-0.0005 GY	0.99
95		-0.0002 GY	1.05
57		-0.0001 GY	0.03
57		-0.0004 GY	0.08
57		-0.0006 GY	0.13
57		-0.0009 GY	0.17
57		-0.0011 GY	0.22
57		-0.0013 GY	0.27
57		-0.0016 GY	0.32
57		-0.0018 GY	0.37

57		-0.0018 GY	0.42
57		-0.0016 GY	0.47
57		-0.0013 GY	0.52
57		-0.0011 GY	0.57
57		-0.0009 GY	0.62
57		-0.0006 GY	0.66
57		-0.0004 GY	0.71
57		-0.0001 GY	0.76
293		-0.0001 GY	0.03
293		-0.0004 GY	0.08
293		-0.0006 GY	0.13
293		-0.0009 GY	0.17
293		-0.0011 GY	0.22
293		-0.0013 GY	0.27
293		-0.0016 GY	0.32
293		-0.0018 GY	0.37
293	-0.0395 GY	0.39	0.70

293		-0.0018 GY	0.72
293		-0.0016 GY	0.77
293		-0.0013 GY	0.82
293		-0.0011 GY	0.87
293		-0.0009 GY	0.92
293		-0.0006 GY	0.97
293		-0.0004 GY	1.02
293		-0.0001 GY	1.06
356		-0.0001 GY	0.03
356		-0.0004 GY	0.08
356		-0.0006 GY	0.13
356		-0.0009 GY	0.17
356		-0.0011 GY	0.22
356		-0.0013 GY	0.27
356		-0.0016 GY	0.32
356		-0.0018 GY	0.37
356		-0.0018 GY	0.42
356		-0.0016 GY	0.47
356		-0.0013 GY	0.52
356		-0.0011 GY	0.57
356		-0.0009 GY	0.62
356		-0.0006 GY	0.66
356		-0.0004 GY	0.71
356		-0.0001 GY	0.76
294		-0.0001 GY	0.03
294		-0.0004 GY	0.08
294		-0.0006 GY	0.13
294		-0.0009 GY	0.17
294		-0.0011 GY	0.22
294		-0.0013 GY	0.27
294		-0.0016 GY	0.32
294		-0.0018 GY	0.37
294	-0.0395 GY	0.39	0.70
294		-0.0018 GY	0.72
294		-0.0016 GY	0.77
294		-0.0013 GY	0.82
294		-0.0011 GY	0.87
294		-0.0009 GY	0.92
294		-0.0006 GY	0.97

294		-0.0004 GY	1.02
294		-0.0001 GY	1.06
58		-0.0002 GY	0.04
58		-0.0006 GY	0.10
58		-0.0010 GY	0.16
58		-0.0013 GY	0.22

58		-0.0017 GY	0.28
58		-0.0021 GY	0.34
58		-0.0025 GY	0.40
58		-0.0029 GY	0.47
58		-0.0029 GY	0.53
58		-0.0025 GY	0.59
58		-0.0021 GY	0.65
58		-0.0017 GY	0.71
58		-0.0013 GY	0.77
58		-0.0010 GY	0.84
58		-0.0006 GY	0.90
58		-0.0002 GY	0.95
677		-0.0002 GY	0.04
677		-0.0006 GY	0.10
677		-0.0010 GY	0.16
677		-0.0013 GY	0.22
677		-0.0017 GY	0.28
677		-0.0021 GY	0.34
677		-0.0025 GY	0.40
677		-0.0029 GY	0.47
677	-0.0496 GY	0.50	0.60
677		-0.0029 GY	0.63
677		-0.0025 GY	0.69
677		-0.0021 GY	0.75
677		-0.0017 GY	0.82
677		-0.0013 GY	0.88
677		-0.0010 GY	0.94
677		-0.0006 GY	1.00
677		-0.0002 GY	1.05
671		-0.0002 GY	0.04
671		-0.0006 GY	0.10
671		-0.0010 GY	0.16
671		-0.0013 GY	0.22
671		-0.0017 GY	0.28
671		-0.0021 GY	0.34
671		-0.0025 GY	0.40
671		-0.0029 GY	0.47
671		-0.0029 GY	0.53
671		-0.0025 GY	0.59
671		-0.0021 GY	0.65
671		-0.0017 GY	0.71
671		-0.0013 GY	0.77
671		-0.0010 GY	0.84
671		-0.0006 GY	0.90
671		-0.0002 GY	0.95
673		-0.0002 GY	0.04
673		-0.0006 GY	0.10

673 -0.0010 GY 0.16
673 -0.0013 GY 0.22
673 -0.0017 GY 0.28

673 -0.0021 GY 0.34
673 -0.0025 GY 0.40
673 -0.0029 GY 0.47
673 -0.0496 GY 0.50 0.60
673 -0.0029 GY 0.63
673 -0.0025 GY 0.69
673 -0.0021 GY 0.75
673 -0.0017 GY 0.82
673 -0.0013 GY 0.88
673 -0.0010 GY 0.94
673 -0.0006 GY 1.00
673 -0.0002 GY 1.05
697 -0.0002 GY 0.04
697 -0.0005 GY 0.09
697 -0.0009 GY 0.15
697 -0.0012 GY 0.21
697 -0.0016 GY 0.27
697 -0.0019 GY 0.32
697 -0.0022 GY 0.38
697 -0.0026 GY 0.44
697 -0.0470 GY 0.47 0.63
697 -0.0026 GY 0.65
697 -0.0022 GY 0.71
697 -0.0019 GY 0.77
697 -0.0016 GY 0.83
697 -0.0012 GY 0.89
697 -0.0009 GY 0.95
697 -0.0005 GY 1.00
697 -0.0002 GY 1.06
2040 -0.0022 GY 0.03
2040 -0.0019 GY 0.08
2040 -0.0016 GY 0.14
2040 -0.0013 GY 0.19
2040 -0.0010 GY 0.24
2040 -0.0007 GY 0.30
2040 -0.0004 GY 0.35
2040 -0.0001 GY 0.40
655 -0.0002 GY 0.04
655 -0.0005 GY 0.09
655 -0.0009 GY 0.15
655 -0.0012 GY 0.21
655 -0.0016 GY 0.27

655 -0.0019 GY 0.32
655 -0.0022 GY 0.38
655 -0.0026 GY 0.44
655 -0.0002 GY 0.47
655 -0.0002 GY 0.48
655 -0.0002 GY 0.48
655 -0.0002 GY 0.49
655 -0.0002 GY 0.49
655 -0.0002 GY 0.49
655 -0.0002 GY 0.50
655 -0.0002 GY 0.50
298 -0.0002 GY 0.04
298 -0.0005 GY 0.09
298 -0.0009 GY 0.15

298 -0.0012 GY 0.21
298 -0.0016 GY 0.27
298 -0.0019 GY 0.32
298 -0.0022 GY 0.38
298 -0.0026 GY 0.44
298 -0.0470 GY 0.47 0.63
298 -0.0026 GY 0.65
298 -0.0022 GY 0.71
298 -0.0019 GY 0.77
298 -0.0016 GY 0.83
298 -0.0012 GY 0.89
298 -0.0009 GY 0.95
298 -0.0005 GY 1.00
298 -0.0002 GY 1.06
59 -0.0022 GY 0.03
59 -0.0019 GY 0.08
59 -0.0016 GY 0.14
59 -0.0013 GY 0.19
59 -0.0010 GY 0.24
59 -0.0007 GY 0.30
59 -0.0004 GY 0.35
59 -0.0001 GY 0.40
69 -0.0002 GY 0.04
69 -0.0005 GY 0.09
69 -0.0009 GY 0.15
69 -0.0012 GY 0.21
69 -0.0016 GY 0.27
69 -0.0019 GY 0.32
69 -0.0022 GY 0.38
69 -0.0026 GY 0.44
69 -0.0002 GY 0.47

69		-0.0002 GY	0.48
69		-0.0002 GY	0.48
69		-0.0002 GY	0.49
69		-0.0002 GY	0.49
69		-0.0002 GY	0.49
69		-0.0002 GY	0.50
69		-0.0002 GY	0.50
61		-0.0002 GY	0.04
61		-0.0005 GY	0.09
61		-0.0009 GY	0.15
61		-0.0012 GY	0.21
61		-0.0016 GY	0.27
61		-0.0019 GY	0.32
61		-0.0022 GY	0.38
61		-0.0026 GY	0.44
61		-0.0026 GY	0.50
61		-0.0022 GY	0.56
61		-0.0019 GY	0.62
61		-0.0016 GY	0.67
61		-0.0012 GY	0.73
61		-0.0009 GY	0.79
61		-0.0005 GY	0.85
61		-0.0002 GY	0.90
670		-0.0002 GY	0.04
670		-0.0005 GY	0.09

670		-0.0009 GY	0.15
670		-0.0012 GY	0.21
670		-0.0016 GY	0.27
670		-0.0019 GY	0.32
670		-0.0022 GY	0.38
670		-0.0026 GY	0.44
670	-0.0470 GY	0.47	0.63
670		-0.0026 GY	0.65
670		-0.0022 GY	0.71
670		-0.0019 GY	0.77
670		-0.0016 GY	0.83
670		-0.0012 GY	0.89
670		-0.0009 GY	0.95
670		-0.0005 GY	1.00
670		-0.0002 GY	1.06
653		-0.0002 GY	0.04
653		-0.0005 GY	0.09
653		-0.0009 GY	0.15
653		-0.0012 GY	0.21
653		-0.0016 GY	0.27

653		-0.0019 GY	0.32
653		-0.0022 GY	0.38
653		-0.0026 GY	0.44
653		-0.0026 GY	0.50
653		-0.0022 GY	0.56
653		-0.0019 GY	0.62
653		-0.0016 GY	0.67
653		-0.0012 GY	0.73
653		-0.0009 GY	0.79
653		-0.0005 GY	0.85
653		-0.0002 GY	0.90
293		-0.0002 GY	0.04
293		-0.0005 GY	0.09
293		-0.0009 GY	0.15
293		-0.0012 GY	0.21
293		-0.0016 GY	0.27
293		-0.0019 GY	0.32
293		-0.0022 GY	0.38
293		-0.0026 GY	0.44
293	-0.0470 GY	0.47	0.63
293		-0.0026 GY	0.65
293		-0.0022 GY	0.71
293		-0.0019 GY	0.77
293		-0.0016 GY	0.83
293		-0.0012 GY	0.89
293		-0.0009 GY	0.95
293		-0.0005 GY	1.00
293		-0.0002 GY	1.06
63		-0.0001 GY	0.03
63		-0.0002 GY	0.06
63		-0.0004 GY	0.10
63		-0.0005 GY	0.13
63		-0.0007 GY	0.17
63		-0.0008 GY	0.21
63		-0.0009 GY	0.25
63		-0.0011 GY	0.29

63		-0.0011 GY	0.32
63		-0.0009 GY	0.36
63		-0.0008 GY	0.40
63		-0.0007 GY	0.44
63		-0.0005 GY	0.48
63		-0.0004 GY	0.51
63		-0.0002 GY	0.55
63		-0.0001 GY	0.58
296		-0.0001 GY	0.03

296		-0.0002	GY	0.06
296		-0.0004	GY	0.10
296		-0.0005	GY	0.13
296		-0.0007	GY	0.17
296		-0.0008	GY	0.21
296		-0.0009	GY	0.25
296		-0.0011	GY	0.29
296	-0.0305 GY	0.30	0.79	
296		-0.0011	GY	0.81
296		-0.0009	GY	0.85
296		-0.0008	GY	0.89
296		-0.0007	GY	0.92
296		-0.0005	GY	0.96
296		-0.0004	GY	1.00
296		-0.0002	GY	1.04
296		-0.0001	GY	1.07
363		-0.0001	GY	0.03
363		-0.0002	GY	0.06
363		-0.0004	GY	0.10
363		-0.0005	GY	0.13
363		-0.0007	GY	0.17
363		-0.0008	GY	0.21
363		-0.0009	GY	0.25
363		-0.0011	GY	0.29
363		-0.0011	GY	0.32
363		-0.0009	GY	0.36
363		-0.0008	GY	0.40
363		-0.0007	GY	0.44
363		-0.0005	GY	0.48
363		-0.0004	GY	0.51
363		-0.0002	GY	0.55
363		-0.0001	GY	0.58
295		-0.0001	GY	0.03
295		-0.0002	GY	0.06
295		-0.0004	GY	0.10
295		-0.0005	GY	0.13
295		-0.0007	GY	0.17
295		-0.0008	GY	0.21
295		-0.0009	GY	0.25
295		-0.0011	GY	0.29
295	-0.0305 GY	0.30	0.79	
295		-0.0011	GY	0.81
295		-0.0009	GY	0.85
295		-0.0008	GY	0.89
295		-0.0007	GY	0.92
295		-0.0005	GY	0.96
295		-0.0004	GY	1.00

295		-0.0002 GY	1.04
295		-0.0001 GY	1.07
65		-0.0002 GY	0.04
65		-0.0005 GY	0.09
65		-0.0009 GY	0.15
65		-0.0012 GY	0.21
65		-0.0016 GY	0.27
65		-0.0019 GY	0.32
65		-0.0022 GY	0.38
65		-0.0026 GY	0.44
65		-0.0026 GY	0.50
65		-0.0022 GY	0.56
65		-0.0019 GY	0.62
65		-0.0016 GY	0.67
65		-0.0012 GY	0.73
65		-0.0009 GY	0.79
65		-0.0005 GY	0.85
65		-0.0002 GY	0.90
681		-0.0002 GY	0.04
681		-0.0005 GY	0.09
681		-0.0009 GY	0.15
681		-0.0012 GY	0.21
681		-0.0016 GY	0.27
681		-0.0019 GY	0.32
681		-0.0022 GY	0.38
681		-0.0026 GY	0.44
681	-0.0470 GY	0.47	0.63
681		-0.0026 GY	0.65
681		-0.0022 GY	0.71
681		-0.0019 GY	0.77
681		-0.0016 GY	0.83
681		-0.0012 GY	0.89
681		-0.0009 GY	0.95
681		-0.0005 GY	1.00
681		-0.0002 GY	1.06
654		-0.0002 GY	0.04
654		-0.0005 GY	0.09
654		-0.0009 GY	0.15
654		-0.0012 GY	0.21
654		-0.0016 GY	0.27
654		-0.0019 GY	0.32
654		-0.0022 GY	0.38
654		-0.0026 GY	0.44
654		-0.0026 GY	0.50
654		-0.0022 GY	0.56

654		-0.0019 GY	0.62
654		-0.0016 GY	0.67
654		-0.0012 GY	0.73
654		-0.0009 GY	0.79
654		-0.0005 GY	0.85
654		-0.0002 GY	0.90
296		-0.0002 GY	0.04
296		-0.0005 GY	0.09
296		-0.0009 GY	0.15
296		-0.0012 GY	0.21
296		-0.0016 GY	0.27

296		-0.0019 GY	0.32
296		-0.0022 GY	0.38
296		-0.0026 GY	0.44
296	-0.0470 GY	0.47	0.63
296		-0.0026 GY	0.65
296		-0.0022 GY	0.71
296		-0.0019 GY	0.77
296		-0.0016 GY	0.83
296		-0.0012 GY	0.89
296		-0.0009 GY	0.95
296		-0.0005 GY	1.00
296		-0.0002 GY	1.06
67		-0.0002 GY	0.04
67		-0.0005 GY	0.09
67		-0.0009 GY	0.15
67		-0.0012 GY	0.21
67		-0.0016 GY	0.27
67		-0.0019 GY	0.32
67		-0.0022 GY	0.38
67		-0.0026 GY	0.44
67		-0.0026 GY	0.50
67		-0.0022 GY	0.56
67		-0.0019 GY	0.62
67		-0.0016 GY	0.67
67		-0.0012 GY	0.73
67		-0.0009 GY	0.79
67		-0.0005 GY	0.85
67		-0.0002 GY	0.90
298		-0.0002 GY	0.04
298		-0.0005 GY	0.09
298		-0.0009 GY	0.15
298		-0.0012 GY	0.21
298		-0.0016 GY	0.27
298		-0.0019 GY	0.32

298		-0.0022 GY	0.38
298		-0.0026 GY	0.44
298	-0.0470 GY	0.47	0.63
298		-0.0026 GY	0.65
298		-0.0022 GY	0.71
298		-0.0019 GY	0.77
298		-0.0016 GY	0.83
298		-0.0012 GY	0.89
298		-0.0009 GY	0.95
298		-0.0005 GY	1.00
298		-0.0002 GY	1.06
2039		-0.0002 GY	0.04
2039		-0.0005 GY	0.09
2039		-0.0009 GY	0.15
2039		-0.0012 GY	0.21
2039		-0.0016 GY	0.27
2039		-0.0019 GY	0.32
2039		-0.0022 GY	0.38
2039		-0.0026 GY	0.44
2039		-0.0026 GY	0.50
2039		-0.0022 GY	0.56
2039		-0.0019 GY	0.62

2039		-0.0016 GY	0.67
2039		-0.0012 GY	0.73
2039		-0.0009 GY	0.79
2039		-0.0005 GY	0.85
2039		-0.0002 GY	0.90
693		-0.0002 GY	0.04
693		-0.0005 GY	0.09
693		-0.0009 GY	0.15
693		-0.0012 GY	0.21
693		-0.0016 GY	0.27
693		-0.0019 GY	0.32
693		-0.0022 GY	0.38
693		-0.0026 GY	0.44
693	-0.0470 GY	0.47	0.63
693		-0.0026 GY	0.65
693		-0.0022 GY	0.71
693		-0.0019 GY	0.77
693		-0.0016 GY	0.83
693		-0.0012 GY	0.89
693		-0.0009 GY	0.95
693		-0.0005 GY	1.00
693		-0.0002 GY	1.06
71		-0.0001 GY	0.04

71		-0.0004 GY	0.08
71		-0.0007 GY	0.14
71		-0.0010 GY	0.19
71		-0.0013 GY	0.24
71		-0.0016 GY	0.30
71		-0.0019 GY	0.35
71		-0.0022 GY	0.40
71		-0.0022 GY	0.46
71		-0.0019 GY	0.51
71		-0.0016 GY	0.56
71		-0.0013 GY	0.62
71		-0.0010 GY	0.67
71		-0.0007 GY	0.72
71		-0.0004 GY	0.78
71		-0.0001 GY	0.82
1553		-0.0001 GY	0.04
1553		-0.0004 GY	0.08
1553		-0.0007 GY	0.14
1553		-0.0010 GY	0.19
1553		-0.0013 GY	0.24
1553		-0.0016 GY	0.30
1553		-0.0019 GY	0.35
1553		-0.0022 GY	0.40
1553	-0.0430 GY	0.43	0.67
1553		-0.0022 GY	0.69
1553		-0.0019 GY	0.75
1553		-0.0016 GY	0.80
1553		-0.0013 GY	0.85
1553		-0.0010 GY	0.91
1553		-0.0007 GY	0.96
1553		-0.0004 GY	1.01
1553		-0.0001 GY	1.06
365		-0.0001 GY	0.04

365	-0.0004 GY	0.08
365	-0.0007 GY	0.14
365	-0.0010 GY	0.19
365	-0.0013 GY	0.24
365	-0.0016 GY	0.30
365	-0.0019 GY	0.35
365	-0.0022 GY	0.40
365	-0.0022 GY	0.46
365	-0.0019 GY	0.51
365	-0.0016 GY	0.56
365	-0.0013 GY	0.62
365	-0.0010 GY	0.67

365		-0.0007 GY	0.72
365		-0.0004 GY	0.78
365		-0.0001 GY	0.82
299		-0.0001 GY	0.04
299		-0.0004 GY	0.08
299		-0.0007 GY	0.14
299		-0.0010 GY	0.19
299		-0.0013 GY	0.24
299		-0.0016 GY	0.30
299		-0.0019 GY	0.35
299		-0.0022 GY	0.40
299	-0.0430 GY	0.43	0.67
299		-0.0022 GY	0.69
299		-0.0019 GY	0.75
299		-0.0016 GY	0.80
299		-0.0013 GY	0.85
299		-0.0010 GY	0.91
299		-0.0007 GY	0.96
299		-0.0004 GY	1.01
299		-0.0001 GY	1.06
91		-0.0001 GY	0.03
91		-0.0002 GY	0.06
91		-0.0004 GY	0.10
91		-0.0005 GY	0.13
91		-0.0007 GY	0.17
91		-0.0008 GY	0.21
91		-0.0009 GY	0.25
91		-0.0011 GY	0.29
91	-0.0305 GY	0.31	0.79
91		-0.0011 GY	0.81
91		-0.0009 GY	0.85
91		-0.0008 GY	0.89
91		-0.0007 GY	0.92
91		-0.0005 GY	0.96
91		-0.0004 GY	1.00
91		-0.0002 GY	1.04
91		-0.0001 GY	1.07
363		-0.0001 GY	0.03
363		-0.0002 GY	0.06
363		-0.0004 GY	0.10
363		-0.0005 GY	0.13
363		-0.0007 GY	0.17
363		-0.0008 GY	0.21
363		-0.0009 GY	0.25

363		-0.0011 GY	0.29

363		-0.0011 GY	0.32
363		-0.0009 GY	0.36
363		-0.0008 GY	0.40
363		-0.0007 GY	0.44
363		-0.0005 GY	0.48
363		-0.0004 GY	0.51
363		-0.0002 GY	0.55
363		-0.0001 GY	0.58
92		-0.0001 GY	0.03
92		-0.0002 GY	0.06
92		-0.0004 GY	0.10
92		-0.0005 GY	0.13
92		-0.0007 GY	0.17
92		-0.0008 GY	0.21
92		-0.0009 GY	0.25
92		-0.0011 GY	0.29
92	-0.0305 GY	0.30	0.79
92		-0.0011 GY	0.81
92		-0.0009 GY	0.85
92		-0.0008 GY	0.89
92		-0.0007 GY	0.92
92		-0.0005 GY	0.96
92		-0.0004 GY	1.00
92		-0.0002 GY	1.04
92		-0.0001 GY	1.07
199		-0.0001 GY	0.03
199		-0.0002 GY	0.06
199		-0.0004 GY	0.10
199		-0.0005 GY	0.13
199		-0.0007 GY	0.17
199		-0.0008 GY	0.21
199		-0.0009 GY	0.25
199		-0.0011 GY	0.29
199		-0.0011 GY	0.32
199		-0.0009 GY	0.36
199		-0.0008 GY	0.40
199		-0.0007 GY	0.44
199		-0.0005 GY	0.48
199		-0.0004 GY	0.51
199		-0.0002 GY	0.55
199		-0.0001 GY	0.58
91		-0.0002 GY	0.04
91		-0.0006 GY	0.10
91		-0.0010 GY	0.16
91		-0.0013 GY	0.22
91		-0.0017 GY	0.28
91		-0.0021 GY	0.34

91		-0.0025 GY	0.40
91		-0.0029 GY	0.47
91	-0.0496 GY	0.50	0.60
91		-0.0029 GY	0.63
91		-0.0025 GY	0.69
91		-0.0021 GY	0.75
91		-0.0017 GY	0.82
91		-0.0013 GY	0.88

91		-0.0010 GY	0.94
91		-0.0006 GY	1.00
91		-0.0002 GY	1.05
674		-0.0002 GY	0.04
674		-0.0006 GY	0.10
674		-0.0010 GY	0.16
674		-0.0013 GY	0.22
674		-0.0017 GY	0.28
674		-0.0021 GY	0.34
674		-0.0025 GY	0.40
674		-0.0029 GY	0.47
674		-0.0029 GY	0.53
674		-0.0025 GY	0.59
674		-0.0021 GY	0.65
674		-0.0017 GY	0.71
674		-0.0013 GY	0.77
674		-0.0010 GY	0.84
674		-0.0006 GY	0.90
674		-0.0002 GY	0.95
675		-0.0002 GY	0.04
675		-0.0006 GY	0.10
675		-0.0010 GY	0.16
675		-0.0013 GY	0.22
675		-0.0017 GY	0.28
675		-0.0021 GY	0.34
675		-0.0025 GY	0.40
675		-0.0029 GY	0.47
675	-0.0496 GY	0.50	0.60
675		-0.0029 GY	0.63
675		-0.0025 GY	0.69
675		-0.0021 GY	0.75
675		-0.0017 GY	0.82
675		-0.0013 GY	0.88
675		-0.0010 GY	0.94
675		-0.0006 GY	1.00
675		-0.0002 GY	1.05
657		-0.0002 GY	0.04

657		-0.0006 GY	0.10
657		-0.0010 GY	0.16
657		-0.0013 GY	0.22
657		-0.0017 GY	0.28
657		-0.0021 GY	0.34
657		-0.0025 GY	0.40
657		-0.0029 GY	0.47
657		-0.0029 GY	0.53
657		-0.0025 GY	0.59
657		-0.0021 GY	0.65
657		-0.0017 GY	0.71
657		-0.0013 GY	0.77
657		-0.0010 GY	0.84
657		-0.0006 GY	0.90
657		-0.0002 GY	0.95
92		-0.0002 GY	0.04
92		-0.0005 GY	0.09
92		-0.0009 GY	0.15
92		-0.0012 GY	0.21

92		-0.0016 GY	0.27
92		-0.0019 GY	0.32
92		-0.0022 GY	0.38
92		-0.0026 GY	0.44
92	-0.0470 GY	0.47	0.63
92		-0.0026 GY	0.65
92		-0.0022 GY	0.71
92		-0.0019 GY	0.77
92		-0.0016 GY	0.83
92		-0.0012 GY	0.89
92		-0.0009 GY	0.95
92		-0.0005 GY	1.00
92		-0.0002 GY	1.06
654		-0.0002 GY	0.04
654		-0.0005 GY	0.09
654		-0.0009 GY	0.15
654		-0.0012 GY	0.21
654		-0.0016 GY	0.27
654		-0.0019 GY	0.32
654		-0.0022 GY	0.38
654		-0.0026 GY	0.44
654		-0.0026 GY	0.50
654		-0.0022 GY	0.56
654		-0.0019 GY	0.62
654		-0.0016 GY	0.67
654		-0.0012 GY	0.73

654		-0.0009 GY	0.79
654		-0.0005 GY	0.85
654		-0.0002 GY	0.90
679		-0.0002 GY	0.04
679		-0.0005 GY	0.09
679		-0.0009 GY	0.15
679		-0.0012 GY	0.21
679		-0.0016 GY	0.27
679		-0.0019 GY	0.32
679		-0.0022 GY	0.38
679		-0.0026 GY	0.44
679	-0.0470 GY	0.47	0.63
679		-0.0026 GY	0.65
679		-0.0022 GY	0.71
679		-0.0019 GY	0.77
679		-0.0016 GY	0.83
679		-0.0012 GY	0.89
679		-0.0009 GY	0.95
679		-0.0005 GY	1.00
679		-0.0002 GY	1.06
1673		-0.0002 GY	0.04
1673		-0.0005 GY	0.09
1673		-0.0009 GY	0.15
1673		-0.0012 GY	0.21
1673		-0.0016 GY	0.27
1673		-0.0019 GY	0.32
1673		-0.0022 GY	0.38
1673		-0.0026 GY	0.44
1673		-0.0026 GY	0.50
1673		-0.0022 GY	0.56

1673		-0.0019 GY	0.62
1673		-0.0016 GY	0.67
1673		-0.0012 GY	0.73
1673		-0.0009 GY	0.79
1673		-0.0005 GY	0.85
1673		-0.0002 GY	0.90
95		-0.0002 GY	0.04
95		-0.0006 GY	0.10
95		-0.0011 GY	0.17
95		-0.0015 GY	0.23
95		-0.0019 GY	0.30
95		-0.0024 GY	0.36
95		-0.0028 GY	0.43
95		-0.0032 GY	0.49
95	-0.0525 GY	0.52	0.57

95		-0.0032 GY	0.60
95		-0.0028 GY	0.67
95		-0.0024 GY	0.73
95		-0.0019 GY	0.80
95		-0.0015 GY	0.86
95		-0.0011 GY	0.93
95		-0.0006 GY	0.99
95		-0.0002 GY	1.05
664		-0.0002 GY	0.04
664		-0.0006 GY	0.10
664		-0.0011 GY	0.17
664		-0.0015 GY	0.23
664		-0.0019 GY	0.30
664		-0.0024 GY	0.36
664		-0.0028 GY	0.43
664		-0.0032 GY	0.49
664		-0.0032 GY	0.56
664		-0.0028 GY	0.62
664		-0.0024 GY	0.69
664		-0.0019 GY	0.75
664		-0.0015 GY	0.82
664		-0.0011 GY	0.88
664		-0.0006 GY	0.95
664		-0.0002 GY	1.01
703		-0.0002 GY	0.04
703		-0.0006 GY	0.10
703		-0.0011 GY	0.17
703		-0.0015 GY	0.23
703		-0.0019 GY	0.30
703		-0.0024 GY	0.36
703		-0.0028 GY	0.43
703		-0.0032 GY	0.49
703	-0.0525 GY	0.52	0.57
703		-0.0032 GY	0.60
703		-0.0028 GY	0.67
703		-0.0024 GY	0.73
703		-0.0019 GY	0.80
703		-0.0015 GY	0.86
703		-0.0011 GY	0.93
703		-0.0006 GY	0.99
703		-0.0002 GY	1.05

702		-0.0002 GY	0.04
702		-0.0006 GY	0.10
702		-0.0011 GY	0.17
702		-0.0015 GY	0.23

702		-0.0019 GY	0.30
702		-0.0024 GY	0.36
702		-0.0028 GY	0.43
702		-0.0032 GY	0.49
702		-0.0032 GY	0.56
702		-0.0028 GY	0.62
702		-0.0024 GY	0.69
702		-0.0019 GY	0.75
702		-0.0015 GY	0.82
702		-0.0011 GY	0.88
702		-0.0006 GY	0.95
702		-0.0002 GY	1.01
188		-0.0001 GY	0.03
188		-0.0004 GY	0.08
188		-0.0007 GY	0.13
188		-0.0010 GY	0.18
188		-0.0012 GY	0.24
188		-0.0015 GY	0.29
188		-0.0018 GY	0.34
188		-0.0021 GY	0.39
188	-0.0418 GY	0.42	0.68
188		-0.0021 GY	0.70
188		-0.0018 GY	0.75
188		-0.0015 GY	0.81
188		-0.0012 GY	0.86
188		-0.0010 GY	0.91
188		-0.0007 GY	0.96
188		-0.0004 GY	1.01
188		-0.0001 GY	1.06
666		-0.0001 GY	0.03
666		-0.0004 GY	0.08
666		-0.0007 GY	0.13
666		-0.0010 GY	0.18
666		-0.0012 GY	0.24
666		-0.0015 GY	0.29
666		-0.0018 GY	0.34
666		-0.0021 GY	0.39
666		-0.0021 GY	0.44
666		-0.0018 GY	0.50
666		-0.0015 GY	0.55
666		-0.0012 GY	0.60
666		-0.0010 GY	0.65
666		-0.0007 GY	0.70
666		-0.0004 GY	0.76
666		-0.0001 GY	0.80
711		-0.0001 GY	0.03
711		-0.0004 GY	0.08

711		-0.0007 GY	0.13
711		-0.0010 GY	0.18
711		-0.0012 GY	0.24
711		-0.0015 GY	0.29
711		-0.0018 GY	0.34

711		-0.0021 GY	0.39
711	-0.0418 GY	0.42	0.68
711		-0.0021 GY	0.70
711		-0.0018 GY	0.75
711		-0.0015 GY	0.81
711		-0.0012 GY	0.86
711		-0.0010 GY	0.91
711		-0.0007 GY	0.96
711		-0.0004 GY	1.01
711		-0.0001 GY	1.06
710		-0.0001 GY	0.03
710		-0.0004 GY	0.08
710		-0.0007 GY	0.13
710		-0.0010 GY	0.18
710		-0.0012 GY	0.24
710		-0.0015 GY	0.29
710		-0.0018 GY	0.34
710		-0.0021 GY	0.39
710		-0.0021 GY	0.44
710		-0.0018 GY	0.50
710		-0.0015 GY	0.55
710		-0.0012 GY	0.60
710		-0.0010 GY	0.65
710		-0.0007 GY	0.70
710		-0.0004 GY	0.76
710		-0.0001 GY	0.80
295		-0.0002 GY	0.04
295		-0.0006 GY	0.10
295		-0.0010 GY	0.16
295		-0.0013 GY	0.22
295		-0.0017 GY	0.28
295		-0.0021 GY	0.34
295		-0.0025 GY	0.40
295		-0.0029 GY	0.47
295	-0.0496 GY	0.50	0.60
295		-0.0029 GY	0.63
295		-0.0025 GY	0.69
295		-0.0021 GY	0.75
295		-0.0017 GY	0.82
295		-0.0013 GY	0.88

295		-0.0010 GY	0.94
295		-0.0006 GY	1.00
295		-0.0002 GY	1.05
676		-0.0002 GY	0.04
676		-0.0006 GY	0.10
676		-0.0010 GY	0.16
676		-0.0013 GY	0.22
676		-0.0017 GY	0.28
676		-0.0021 GY	0.34
676		-0.0025 GY	0.40
676		-0.0029 GY	0.47
676		-0.0029 GY	0.53
676		-0.0025 GY	0.59
676		-0.0021 GY	0.65
676		-0.0017 GY	0.71
676		-0.0013 GY	0.77

_ STAAD SPACE -- PAGE NO. 234

676		-0.0010 GY	0.84
676		-0.0006 GY	0.90
676		-0.0002 GY	0.95
677		-0.0002 GY	0.04
677		-0.0006 GY	0.10
677		-0.0010 GY	0.16
677		-0.0013 GY	0.22
677		-0.0017 GY	0.28
677		-0.0021 GY	0.34
677		-0.0025 GY	0.40
677		-0.0029 GY	0.47
677	-0.0496 GY	0.50	0.60
677		-0.0029 GY	0.63
677		-0.0025 GY	0.69
677		-0.0021 GY	0.75
677		-0.0017 GY	0.82
677		-0.0013 GY	0.88
677		-0.0010 GY	0.94
677		-0.0006 GY	1.00
677		-0.0002 GY	1.05
674		-0.0002 GY	0.04
674		-0.0006 GY	0.10
674		-0.0010 GY	0.16
674		-0.0013 GY	0.22
674		-0.0017 GY	0.28
674		-0.0021 GY	0.34
674		-0.0025 GY	0.40
674		-0.0029 GY	0.47
674		-0.0029 GY	0.53

674		-0.0025 GY	0.59
674		-0.0021 GY	0.65
674		-0.0017 GY	0.71
674		-0.0013 GY	0.77
674		-0.0010 GY	0.84
674		-0.0006 GY	0.90
674		-0.0002 GY	0.95
299		-0.0002 GY	0.04
299		-0.0006 GY	0.10
299		-0.0011 GY	0.17
299		-0.0015 GY	0.23
299		-0.0019 GY	0.30
299		-0.0024 GY	0.36
299		-0.0028 GY	0.43
299		-0.0032 GY	0.49
299	-0.0525 GY	0.52	0.57
299		-0.0032 GY	0.60
299		-0.0028 GY	0.67
299		-0.0024 GY	0.73
299		-0.0019 GY	0.80
299		-0.0015 GY	0.86
299		-0.0011 GY	0.93
299		-0.0006 GY	0.99
299		-0.0002 GY	1.05
704		-0.0002 GY	0.04
704		-0.0006 GY	0.10
704		-0.0011 GY	0.17

704		-0.0015 GY	0.23
704		-0.0019 GY	0.30
704		-0.0024 GY	0.36
704		-0.0028 GY	0.43
704		-0.0032 GY	0.49
704		-0.0032 GY	0.56
704		-0.0028 GY	0.62
704		-0.0024 GY	0.69
704		-0.0019 GY	0.75
704		-0.0015 GY	0.82
704		-0.0011 GY	0.88
704		-0.0006 GY	0.95
704		-0.0002 GY	1.01
705		-0.0002 GY	0.04
705		-0.0006 GY	0.10
705		-0.0011 GY	0.17
705		-0.0015 GY	0.23
705		-0.0019 GY	0.30

705		-0.0024	GY	0.36
705		-0.0028	GY	0.43
705		-0.0032	GY	0.49
705	-0.0525 GY	0.52	0.57	
705		-0.0032	GY	0.60
705		-0.0028	GY	0.67
705		-0.0024	GY	0.73
705		-0.0019	GY	0.80
705		-0.0015	GY	0.86
705		-0.0011	GY	0.93
705		-0.0006	GY	0.99
705		-0.0002	GY	1.05
664		-0.0002	GY	0.04
664		-0.0006	GY	0.10
664		-0.0011	GY	0.17
664		-0.0015	GY	0.23
664		-0.0019	GY	0.30
664		-0.0024	GY	0.36
664		-0.0028	GY	0.43
664		-0.0032	GY	0.49
664		-0.0032	GY	0.56
664		-0.0028	GY	0.62
664		-0.0024	GY	0.69
664		-0.0019	GY	0.75
664		-0.0015	GY	0.82
664		-0.0011	GY	0.88
664		-0.0006	GY	0.95
664		-0.0002	GY	1.01
301		-0.0001	GY	0.03
301		-0.0004	GY	0.08
301		-0.0007	GY	0.13
301		-0.0010	GY	0.18
301		-0.0012	GY	0.24
301		-0.0015	GY	0.29
301		-0.0018	GY	0.34
301		-0.0021	GY	0.39
301	-0.0418 GY	0.42	0.68	
301		-0.0021	GY	0.70

301		-0.0018	GY	0.75
301		-0.0015	GY	0.81
301		-0.0012	GY	0.86
301		-0.0010	GY	0.91
301		-0.0007	GY	0.96
301		-0.0004	GY	1.01
301		-0.0001	GY	1.06

712		-0.0001 GY	0.03
712		-0.0004 GY	0.08
712		-0.0007 GY	0.13
712		-0.0010 GY	0.18
712		-0.0012 GY	0.24
712		-0.0015 GY	0.29
712		-0.0018 GY	0.34
712		-0.0021 GY	0.39
712		-0.0021 GY	0.44
712		-0.0018 GY	0.50
712		-0.0015 GY	0.55
712		-0.0012 GY	0.60
712		-0.0010 GY	0.65
712		-0.0007 GY	0.70
712		-0.0004 GY	0.76
712		-0.0001 GY	0.80
713		-0.0001 GY	0.03
713		-0.0004 GY	0.08
713		-0.0007 GY	0.13
713		-0.0010 GY	0.18
713		-0.0012 GY	0.24
713		-0.0015 GY	0.29
713		-0.0018 GY	0.34
713		-0.0021 GY	0.39
713	-0.0418 GY	0.42	0.68
713		-0.0021 GY	0.70
713		-0.0018 GY	0.75
713		-0.0015 GY	0.81
713		-0.0012 GY	0.86
713		-0.0010 GY	0.91
713		-0.0007 GY	0.96
713		-0.0004 GY	1.01
713		-0.0001 GY	1.06
666		-0.0001 GY	0.03
666		-0.0004 GY	0.08
666		-0.0007 GY	0.13
666		-0.0010 GY	0.18
666		-0.0012 GY	0.24
666		-0.0015 GY	0.29
666		-0.0018 GY	0.34
666		-0.0021 GY	0.39
666		-0.0021 GY	0.44
666		-0.0018 GY	0.50
666		-0.0015 GY	0.55
666		-0.0012 GY	0.60
666		-0.0010 GY	0.65
666		-0.0007 GY	0.70

666 -0.0004 GY 0.76
666 -0.0001 GY 0.80
_ STAAD SPACE -- PAGE NO. 237

656 -0.0548 GY 0.55 0.64
656 -0.0002 GY 0.05
656 -0.0007 GY 0.11
656 -0.0012 GY 0.17
656 -0.0016 GY 0.24
656 -0.0021 GY 0.31
656 -0.0026 GY 0.38
656 -0.0030 GY 0.45
656 -0.0035 GY 0.51
1662 -0.0548 GY 0.00 0.09
1662 -0.0035 GY 0.12
1662 -0.0030 GY 0.19
1662 -0.0026 GY 0.26
1662 -0.0021 GY 0.33
1662 -0.0016 GY 0.40
1662 -0.0012 GY 0.46
1662 -0.0007 GY 0.53
1662 -0.0002 GY 0.59
672 -0.0002 GY 0.05
672 -0.0007 GY 0.11
672 -0.0012 GY 0.17
672 -0.0016 GY 0.24
672 -0.0021 GY 0.31
672 -0.0026 GY 0.38
672 -0.0030 GY 0.45
672 -0.0035 GY 0.51
672 -0.0035 GY 0.58
672 -0.0030 GY 0.65
672 -0.0026 GY 0.72
672 -0.0021 GY 0.79
672 -0.0016 GY 0.85
672 -0.0012 GY 0.92
672 -0.0007 GY 0.99
672 -0.0002 GY 1.05
1664 -0.0035 GY 0.12
1664 -0.0030 GY 0.19
1664 -0.0026 GY 0.26
1664 -0.0021 GY 0.33
1664 -0.0016 GY 0.40
1664 -0.0012 GY 0.46
1664 -0.0007 GY 0.53
1664 -0.0002 GY 0.59
1664 -0.0548 GY 0.00 0.09

669 -0.0002 GY 0.05
669 -0.0007 GY 0.11
669 -0.0012 GY 0.17
669 -0.0016 GY 0.24
669 -0.0021 GY 0.31
669 -0.0026 GY 0.38
669 -0.0030 GY 0.45
669 -0.0035 GY 0.51
669 -0.0548 GY 0.55 0.64
668 -0.0002 GY 0.05
668 -0.0007 GY 0.11
668 -0.0012 GY 0.17
668 -0.0016 GY 0.24

668 -0.0021 GY 0.31
668 -0.0026 GY 0.38
668 -0.0030 GY 0.45
668 -0.0035 GY 0.51
668 -0.0035 GY 0.58
668 -0.0030 GY 0.65
668 -0.0026 GY 0.72
668 -0.0021 GY 0.79
668 -0.0016 GY 0.85
668 -0.0012 GY 0.92
668 -0.0007 GY 0.99
668 -0.0002 GY 1.05
662 -0.0002 GY 0.04
662 -0.0006 GY 0.10
662 -0.0011 GY 0.17
662 -0.0015 GY 0.23
662 -0.0019 GY 0.30
662 -0.0024 GY 0.36
662 -0.0028 GY 0.43
662 -0.0032 GY 0.49
662 -0.0032 GY 0.56
662 -0.0028 GY 0.62
662 -0.0024 GY 0.69
662 -0.0019 GY 0.75
662 -0.0015 GY 0.82
662 -0.0011 GY 0.88
662 -0.0006 GY 0.95
662 -0.0002 GY 1.01
699 -0.0002 GY 0.04
699 -0.0006 GY 0.10
699 -0.0011 GY 0.17
699 -0.0015 GY 0.23

699		-0.0019 GY	0.30
699		-0.0024 GY	0.36
699		-0.0028 GY	0.43
699		-0.0032 GY	0.49
699	-0.0525 GY	0.52	0.57
699		-0.0032 GY	0.60
699		-0.0028 GY	0.67
699		-0.0024 GY	0.73
699		-0.0019 GY	0.80
699		-0.0015 GY	0.86
699		-0.0011 GY	0.93
699		-0.0006 GY	0.99
699		-0.0002 GY	1.05
694		-0.0002 GY	0.04
694		-0.0006 GY	0.10
694		-0.0011 GY	0.17
694		-0.0015 GY	0.23
694		-0.0019 GY	0.30
694		-0.0024 GY	0.36
694		-0.0028 GY	0.43
694		-0.0032 GY	0.49
694		-0.0032 GY	0.56
694		-0.0028 GY	0.62
694		-0.0024 GY	0.69

694		-0.0019 GY	0.75
694		-0.0015 GY	0.82
694		-0.0011 GY	0.88
694		-0.0006 GY	0.95
694		-0.0002 GY	1.01
695		-0.0002 GY	0.04
695		-0.0006 GY	0.10
695		-0.0011 GY	0.17
695		-0.0015 GY	0.23
695		-0.0019 GY	0.30
695		-0.0024 GY	0.36
695		-0.0028 GY	0.43
695		-0.0032 GY	0.49
695	-0.0525 GY	0.52	0.57
695		-0.0032 GY	0.60
695		-0.0028 GY	0.67
695		-0.0024 GY	0.73
695		-0.0019 GY	0.80
695		-0.0015 GY	0.86
695		-0.0011 GY	0.93
695		-0.0006 GY	0.99

695 -0.0002 GY 1.05
662 -0.0002 GY 0.04
662 -0.0006 GY 0.10
662 -0.0011 GY 0.17
662 -0.0015 GY 0.23
662 -0.0019 GY 0.30
662 -0.0024 GY 0.36
662 -0.0028 GY 0.43
662 -0.0032 GY 0.49
662 -0.0032 GY 0.56
662 -0.0028 GY 0.62
662 -0.0024 GY 0.69
662 -0.0019 GY 0.75
662 -0.0015 GY 0.82
662 -0.0011 GY 0.88
662 -0.0006 GY 0.95
662 -0.0002 GY 1.01
701 -0.0002 GY 0.04
701 -0.0006 GY 0.10
701 -0.0011 GY 0.17
701 -0.0015 GY 0.23
701 -0.0019 GY 0.30
701 -0.0024 GY 0.36
701 -0.0028 GY 0.43
701 -0.0032 GY 0.49
701 -0.0525 GY 0.52 0.57
701 -0.0032 GY 0.60
701 -0.0028 GY 0.67
701 -0.0024 GY 0.73
701 -0.0019 GY 0.80
701 -0.0015 GY 0.86
701 -0.0011 GY 0.93
701 -0.0006 GY 0.99
701 -0.0002 GY 1.05
696 -0.0002 GY 0.04

696 -0.0006 GY 0.10
696 -0.0011 GY 0.17
696 -0.0015 GY 0.23
696 -0.0019 GY 0.30
696 -0.0024 GY 0.36
696 -0.0028 GY 0.43
696 -0.0032 GY 0.49
696 -0.0032 GY 0.56
696 -0.0028 GY 0.62
696 -0.0024 GY 0.69

696		-0.0019	GY	0.75
696		-0.0015	GY	0.82
696		-0.0011	GY	0.88
696		-0.0006	GY	0.95
696		-0.0002	GY	1.01
697		-0.0002	GY	0.04
697		-0.0006	GY	0.10
697		-0.0011	GY	0.17
697		-0.0015	GY	0.23
697		-0.0019	GY	0.30
697		-0.0024	GY	0.36
697		-0.0028	GY	0.43
697		-0.0032	GY	0.49
697	-0.0525 GY	0.52	0.57	
697		-0.0032	GY	0.60
697		-0.0028	GY	0.67
697		-0.0024	GY	0.73
697		-0.0019	GY	0.80
697		-0.0015	GY	0.86
697		-0.0011	GY	0.93
697		-0.0006	GY	0.99
697		-0.0002	GY	1.05
663		-0.0002	GY	0.04
663		-0.0006	GY	0.10
663		-0.0011	GY	0.17
663		-0.0015	GY	0.23
663		-0.0019	GY	0.30
663		-0.0024	GY	0.36
663		-0.0028	GY	0.43
663		-0.0032	GY	0.49
663		-0.0032	GY	0.56
663		-0.0028	GY	0.62
663		-0.0024	GY	0.69
663		-0.0019	GY	0.75
663		-0.0015	GY	0.82
663		-0.0011	GY	0.88
663		-0.0006	GY	0.95
663		-0.0002	GY	1.01
703		-0.0002	GY	0.04
703		-0.0006	GY	0.10
703		-0.0011	GY	0.17
703		-0.0015	GY	0.23
703		-0.0019	GY	0.30
703		-0.0024	GY	0.36
703		-0.0028	GY	0.43
703		-0.0032	GY	0.49

703	-0.0525 GY	0.53	0.57
703		-0.0032 GY	0.60
703		-0.0028 GY	0.67
703		-0.0024 GY	0.73
703		-0.0019 GY	0.80
703		-0.0015 GY	0.86
703		-0.0011 GY	0.93
703		-0.0006 GY	0.99
703		-0.0002 GY	1.05
698		-0.0002 GY	0.04
698		-0.0006 GY	0.10
698		-0.0011 GY	0.17
698		-0.0015 GY	0.23
698		-0.0019 GY	0.30
698		-0.0024 GY	0.36
698		-0.0028 GY	0.43
698		-0.0032 GY	0.49
698		-0.0032 GY	0.56
698		-0.0028 GY	0.62
698		-0.0024 GY	0.69
698		-0.0019 GY	0.75
698		-0.0015 GY	0.82
698		-0.0011 GY	0.88
698		-0.0006 GY	0.95
698		-0.0002 GY	1.01
699		-0.0002 GY	0.04
699		-0.0006 GY	0.10
699		-0.0011 GY	0.17
699		-0.0015 GY	0.23
699		-0.0019 GY	0.30
699		-0.0024 GY	0.36
699		-0.0028 GY	0.43
699		-0.0032 GY	0.49
699	-0.0525 GY	0.53	0.57
699		-0.0032 GY	0.60
699		-0.0028 GY	0.67
699		-0.0024 GY	0.73
699		-0.0019 GY	0.80
699		-0.0015 GY	0.86
699		-0.0011 GY	0.93
699		-0.0006 GY	0.99
699		-0.0002 GY	1.05
663		-0.0002 GY	0.04
663		-0.0006 GY	0.10
663		-0.0011 GY	0.17
663		-0.0015 GY	0.23

663		-0.0019 GY	0.30
663		-0.0024 GY	0.36
663		-0.0028 GY	0.43
663		-0.0032 GY	0.49
663		-0.0032 GY	0.56
663		-0.0028 GY	0.62
663		-0.0024 GY	0.69
663		-0.0019 GY	0.75
663		-0.0015 GY	0.82
663		-0.0011 GY	0.88

663		-0.0006 GY	0.95
663		-0.0002 GY	1.01
705		-0.0002 GY	0.04
705		-0.0006 GY	0.10
705		-0.0011 GY	0.17
705		-0.0015 GY	0.23
705		-0.0019 GY	0.30
705		-0.0024 GY	0.36
705		-0.0028 GY	0.43
705		-0.0032 GY	0.49
705	-0.0525 GY	0.53	0.57
705		-0.0032 GY	0.60
705		-0.0028 GY	0.67
705		-0.0024 GY	0.73
705		-0.0019 GY	0.80
705		-0.0015 GY	0.86
705		-0.0011 GY	0.93
705		-0.0006 GY	0.99
705		-0.0002 GY	1.05
700		-0.0002 GY	0.04
700		-0.0006 GY	0.10
700		-0.0011 GY	0.17
700		-0.0015 GY	0.23
700		-0.0019 GY	0.30
700		-0.0024 GY	0.36
700		-0.0028 GY	0.43
700		-0.0032 GY	0.49
700		-0.0032 GY	0.56
700		-0.0028 GY	0.62
700		-0.0024 GY	0.69
700		-0.0019 GY	0.75
700		-0.0015 GY	0.82
700		-0.0011 GY	0.88
700		-0.0006 GY	0.95
700		-0.0002 GY	1.01

701 -0.0002 GY 0.04
701 -0.0006 GY 0.10
701 -0.0011 GY 0.17
701 -0.0015 GY 0.23
701 -0.0019 GY 0.30
701 -0.0024 GY 0.36
701 -0.0028 GY 0.43
701 -0.0032 GY 0.49
701 -0.0525 GY 0.53 0.57
701 -0.0032 GY 0.60
701 -0.0028 GY 0.67
701 -0.0024 GY 0.73
701 -0.0019 GY 0.80
701 -0.0015 GY 0.86
701 -0.0011 GY 0.93
701 -0.0006 GY 0.99
701 -0.0002 GY 1.05
667 -0.0548 GY 0.55 0.64
667 -0.0002 GY 0.05
667 -0.0007 GY 0.11
667 -0.0012 GY 0.17

667 -0.0016 GY 0.24
667 -0.0021 GY 0.31
667 -0.0026 GY 0.38
667 -0.0030 GY 0.45
667 -0.0035 GY 0.51
1666 -0.0548 GY 0.00 0.09
1666 -0.0035 GY 0.12
1666 -0.0030 GY 0.19
1666 -0.0026 GY 0.26
1666 -0.0021 GY 0.33
1666 -0.0016 GY 0.40
1666 -0.0012 GY 0.46
1666 -0.0007 GY 0.53
1666 -0.0002 GY 0.59
673 -0.0002 GY 0.05
673 -0.0007 GY 0.11
673 -0.0012 GY 0.17
673 -0.0016 GY 0.24
673 -0.0021 GY 0.31
673 -0.0026 GY 0.38
673 -0.0030 GY 0.45
673 -0.0035 GY 0.51
673 -0.0035 GY 0.58
673 -0.0030 GY 0.65

673 -0.0026 GY 0.72
673 -0.0021 GY 0.79
673 -0.0016 GY 0.85
673 -0.0012 GY 0.92
673 -0.0007 GY 0.99
673 -0.0002 GY 1.05
1664 -0.0035 GY 0.12
1664 -0.0030 GY 0.19
1664 -0.0026 GY 0.26
1664 -0.0021 GY 0.33
1664 -0.0016 GY 0.40
1664 -0.0012 GY 0.46
1664 -0.0007 GY 0.53
1664 -0.0002 GY 0.59
1664 -0.0548 GY 0.00 0.09
669 -0.0002 GY 0.05
669 -0.0007 GY 0.11
669 -0.0012 GY 0.17
669 -0.0016 GY 0.24
669 -0.0021 GY 0.31
669 -0.0026 GY 0.38
669 -0.0030 GY 0.45
669 -0.0035 GY 0.51
669 -0.0548 GY 0.55 0.64
670 -0.0002 GY 0.05
670 -0.0007 GY 0.11
670 -0.0012 GY 0.17
670 -0.0016 GY 0.24
670 -0.0021 GY 0.31
670 -0.0026 GY 0.38
670 -0.0030 GY 0.45
670 -0.0035 GY 0.51
_ STAAD SPACE -- PAGE NO. 244

670 -0.0035 GY 0.58
670 -0.0030 GY 0.65
670 -0.0026 GY 0.72
670 -0.0021 GY 0.79
670 -0.0016 GY 0.85
670 -0.0012 GY 0.92
670 -0.0007 GY 0.99
670 -0.0002 GY 1.05
678 -0.0002 GY 0.04
678 -0.0005 GY 0.09
678 -0.0009 GY 0.15
678 -0.0012 GY 0.21
678 -0.0016 GY 0.27

678		-0.0019 GY	0.32
678		-0.0022 GY	0.38
678		-0.0026 GY	0.44
678		-0.0026 GY	0.50
678		-0.0022 GY	0.56
678		-0.0019 GY	0.62
678		-0.0016 GY	0.67
678		-0.0012 GY	0.73
678		-0.0009 GY	0.79
678		-0.0005 GY	0.85
678		-0.0002 GY	0.90
683		-0.0002 GY	0.04
683		-0.0005 GY	0.09
683		-0.0009 GY	0.15
683		-0.0012 GY	0.21
683		-0.0016 GY	0.27
683		-0.0019 GY	0.32
683		-0.0022 GY	0.38
683		-0.0026 GY	0.44
683	-0.0470 GY	0.47	0.63
683		-0.0026 GY	0.65
683		-0.0022 GY	0.71
683		-0.0019 GY	0.77
683		-0.0016 GY	0.83
683		-0.0012 GY	0.89
683		-0.0009 GY	0.95
683		-0.0005 GY	1.00
683		-0.0002 GY	1.06
1695		-0.0002 GY	0.04
1695		-0.0005 GY	0.09
1695		-0.0009 GY	0.15
1695		-0.0012 GY	0.21
1695		-0.0016 GY	0.27
1695		-0.0019 GY	0.32
1695		-0.0022 GY	0.38
1695		-0.0026 GY	0.44
1695		-0.0026 GY	0.50
1695		-0.0022 GY	0.56
1695		-0.0019 GY	0.62
1695		-0.0016 GY	0.67
1695		-0.0012 GY	0.73
1695		-0.0009 GY	0.79
1695		-0.0005 GY	0.85

1695		-0.0002 GY	0.90
679		-0.0002 GY	0.04

679		-0.0005 GY	0.09
679		-0.0009 GY	0.15
679		-0.0012 GY	0.21
679		-0.0016 GY	0.27
679		-0.0019 GY	0.32
679		-0.0022 GY	0.38
679		-0.0026 GY	0.44
679	-0.0470 GY	0.47	0.63
679		-0.0026 GY	0.65
679		-0.0022 GY	0.71
679		-0.0019 GY	0.77
679		-0.0016 GY	0.83
679		-0.0012 GY	0.89
679		-0.0009 GY	0.95
679		-0.0005 GY	1.00
679		-0.0002 GY	1.06
678		-0.0002 GY	0.04
678		-0.0005 GY	0.09
678		-0.0009 GY	0.15
678		-0.0012 GY	0.21
678		-0.0016 GY	0.27
678		-0.0019 GY	0.32
678		-0.0022 GY	0.38
678		-0.0026 GY	0.44
678		-0.0026 GY	0.50
678		-0.0022 GY	0.56
678		-0.0019 GY	0.62
678		-0.0016 GY	0.67
678		-0.0012 GY	0.73
678		-0.0009 GY	0.79
678		-0.0005 GY	0.85
678		-0.0002 GY	0.90
685		-0.0002 GY	0.04
685		-0.0005 GY	0.09
685		-0.0009 GY	0.15
685		-0.0012 GY	0.21
685		-0.0016 GY	0.27
685		-0.0019 GY	0.32
685		-0.0022 GY	0.38
685		-0.0026 GY	0.44
685	-0.0470 GY	0.47	0.63
685		-0.0026 GY	0.65
685		-0.0022 GY	0.71
685		-0.0019 GY	0.77
685		-0.0016 GY	0.83
685		-0.0012 GY	0.89
685		-0.0009 GY	0.95

685		-0.0005 GY	1.00
685		-0.0002 GY	1.06
680		-0.0002 GY	0.04
680		-0.0005 GY	0.09
680		-0.0009 GY	0.15
680		-0.0012 GY	0.21
680		-0.0016 GY	0.27

680		-0.0019 GY	0.32
680		-0.0022 GY	0.38
680		-0.0026 GY	0.44
680		-0.0026 GY	0.50
680		-0.0022 GY	0.56
680		-0.0019 GY	0.62
680		-0.0016 GY	0.67
680		-0.0012 GY	0.73
680		-0.0009 GY	0.79
680		-0.0005 GY	0.85
680		-0.0002 GY	0.90
681		-0.0002 GY	0.04
681		-0.0005 GY	0.09
681		-0.0009 GY	0.15
681		-0.0012 GY	0.21
681		-0.0016 GY	0.27
681		-0.0019 GY	0.32
681		-0.0022 GY	0.38
681		-0.0026 GY	0.44
681	-0.0470 GY	0.47	0.63
681		-0.0026 GY	0.65
681		-0.0022 GY	0.71
681		-0.0019 GY	0.77
681		-0.0016 GY	0.83
681		-0.0012 GY	0.89
681		-0.0009 GY	0.95
681		-0.0005 GY	1.00
681		-0.0002 GY	1.06
682		-0.0002 GY	0.04
682		-0.0005 GY	0.09
682		-0.0009 GY	0.15
682		-0.0012 GY	0.21
682		-0.0016 GY	0.27
682		-0.0019 GY	0.32
682		-0.0022 GY	0.38
682		-0.0026 GY	0.44
682		-0.0026 GY	0.50
682		-0.0022 GY	0.56

682		-0.0019 GY	0.62
682		-0.0016 GY	0.67
682		-0.0012 GY	0.73
682		-0.0009 GY	0.79
682		-0.0005 GY	0.85
682		-0.0002 GY	0.90
687		-0.0002 GY	0.04
687		-0.0005 GY	0.09
687		-0.0009 GY	0.15
687		-0.0012 GY	0.21
687		-0.0016 GY	0.27
687		-0.0019 GY	0.32
687		-0.0022 GY	0.38
687		-0.0026 GY	0.44
687	-0.0470 GY	0.47	0.63
687		-0.0026 GY	0.65
687		-0.0022 GY	0.71
687		-0.0019 GY	0.77

687	-0.0016 GY	0.83
687	-0.0012 GY	0.89
687	-0.0009 GY	0.95
687	-0.0005 GY	1.00
687	-0.0002 GY	1.06
1696	-0.0002 GY	0.04
1696	-0.0005 GY	0.09
1696	-0.0009 GY	0.15
1696	-0.0012 GY	0.21
1696	-0.0016 GY	0.27
1696	-0.0019 GY	0.32
1696	-0.0022 GY	0.38
1696	-0.0026 GY	0.44
1696	-0.0026 GY	0.50
1696	-0.0022 GY	0.56
1696	-0.0019 GY	0.62
1696	-0.0016 GY	0.67
1696	-0.0012 GY	0.73
1696	-0.0009 GY	0.79
1696	-0.0005 GY	0.85
1696	-0.0002 GY	0.90
683	-0.0002 GY	0.04
683	-0.0005 GY	0.09
683	-0.0009 GY	0.15
683	-0.0012 GY	0.21
683	-0.0016 GY	0.27
683	-0.0019 GY	0.32

683		-0.0022 GY	0.38
683		-0.0026 GY	0.44
683	-0.0470 GY	0.47	0.63
683		-0.0026 GY	0.65
683		-0.0022 GY	0.71
683		-0.0019 GY	0.77
683		-0.0016 GY	0.83
683		-0.0012 GY	0.89
683		-0.0009 GY	0.95
683		-0.0005 GY	1.00
683		-0.0002 GY	1.06
682		-0.0002 GY	0.04
682		-0.0005 GY	0.09
682		-0.0009 GY	0.15
682		-0.0012 GY	0.21
682		-0.0016 GY	0.27
682		-0.0019 GY	0.32
682		-0.0022 GY	0.38
682		-0.0026 GY	0.44
682		-0.0026 GY	0.50
682		-0.0022 GY	0.56
682		-0.0019 GY	0.62
682		-0.0016 GY	0.67
682		-0.0012 GY	0.73
682		-0.0009 GY	0.79
682		-0.0005 GY	0.85
682		-0.0002 GY	0.90
689		-0.0002 GY	0.04
689		-0.0005 GY	0.09

689		-0.0009 GY	0.15
689		-0.0012 GY	0.21
689		-0.0016 GY	0.27
689		-0.0019 GY	0.32
689		-0.0022 GY	0.38
689		-0.0026 GY	0.44
689	-0.0470 GY	0.47	0.63
689		-0.0026 GY	0.65
689		-0.0022 GY	0.71
689		-0.0019 GY	0.77
689		-0.0016 GY	0.83
689		-0.0012 GY	0.89
689		-0.0009 GY	0.95
689		-0.0005 GY	1.00
689		-0.0002 GY	1.06
684		-0.0002 GY	0.04

684		-0.0005 GY	0.09
684		-0.0009 GY	0.15
684		-0.0012 GY	0.21
684		-0.0016 GY	0.27
684		-0.0019 GY	0.32
684		-0.0022 GY	0.38
684		-0.0026 GY	0.44
684		-0.0026 GY	0.50
684		-0.0022 GY	0.56
684		-0.0019 GY	0.62
684		-0.0016 GY	0.67
684		-0.0012 GY	0.73
684		-0.0009 GY	0.79
684		-0.0005 GY	0.85
684		-0.0002 GY	0.90
685		-0.0002 GY	0.04
685		-0.0005 GY	0.09
685		-0.0009 GY	0.15
685		-0.0012 GY	0.21
685		-0.0016 GY	0.27
685		-0.0019 GY	0.32
685		-0.0022 GY	0.38
685		-0.0026 GY	0.44
685	-0.0470 GY	0.47	0.63
685		-0.0026 GY	0.65
685		-0.0022 GY	0.71
685		-0.0019 GY	0.77
685		-0.0016 GY	0.83
685		-0.0012 GY	0.89
685		-0.0009 GY	0.95
685		-0.0005 GY	1.00
685		-0.0002 GY	1.06
686		-0.0002 GY	0.04
686		-0.0005 GY	0.09
686		-0.0009 GY	0.15
686		-0.0012 GY	0.21
686		-0.0016 GY	0.27
686		-0.0019 GY	0.32
686		-0.0022 GY	0.38
686		-0.0026 GY	0.44

686		-0.0026 GY	0.50
686		-0.0022 GY	0.56
686		-0.0019 GY	0.62
686		-0.0016 GY	0.67
686		-0.0012 GY	0.73

686		-0.0009 GY	0.79
686		-0.0005 GY	0.85
686		-0.0002 GY	0.90
691		-0.0002 GY	0.04
691		-0.0005 GY	0.09
691		-0.0009 GY	0.15
691		-0.0012 GY	0.21
691		-0.0016 GY	0.27
691		-0.0019 GY	0.32
691		-0.0022 GY	0.38
691		-0.0026 GY	0.44
691	-0.0470 GY	0.47	0.63
691		-0.0026 GY	0.65
691		-0.0022 GY	0.71
691		-0.0019 GY	0.77
691		-0.0016 GY	0.83
691		-0.0012 GY	0.89
691		-0.0009 GY	0.95
691		-0.0005 GY	1.00
691		-0.0002 GY	1.06
1697		-0.0002 GY	0.04
1697		-0.0005 GY	0.09
1697		-0.0009 GY	0.15
1697		-0.0012 GY	0.21
1697		-0.0016 GY	0.27
1697		-0.0019 GY	0.32
1697		-0.0022 GY	0.38
1697		-0.0026 GY	0.44
1697		-0.0026 GY	0.50
1697		-0.0022 GY	0.56
1697		-0.0019 GY	0.62
1697		-0.0016 GY	0.67
1697		-0.0012 GY	0.73
1697		-0.0009 GY	0.79
1697		-0.0005 GY	0.85
1697		-0.0002 GY	0.90
687		-0.0002 GY	0.04
687		-0.0005 GY	0.09
687		-0.0009 GY	0.15
687		-0.0012 GY	0.21
687		-0.0016 GY	0.27
687		-0.0019 GY	0.32
687		-0.0022 GY	0.38
687		-0.0026 GY	0.44
687	-0.0470 GY	0.47	0.63
687		-0.0026 GY	0.65
687		-0.0022 GY	0.71

687		-0.0019 GY	0.77
687		-0.0016 GY	0.83
687		-0.0012 GY	0.89
687		-0.0009 GY	0.95

687		-0.0005 GY	1.00
687		-0.0002 GY	1.06
686		-0.0002 GY	0.04
686		-0.0005 GY	0.09
686		-0.0009 GY	0.15
686		-0.0012 GY	0.21
686		-0.0016 GY	0.27
686		-0.0019 GY	0.32
686		-0.0022 GY	0.38
686		-0.0026 GY	0.44
686		-0.0026 GY	0.50
686		-0.0022 GY	0.56
686		-0.0019 GY	0.62
686		-0.0016 GY	0.67
686		-0.0012 GY	0.73
686		-0.0009 GY	0.79
686		-0.0005 GY	0.85
686		-0.0002 GY	0.90
693		-0.0002 GY	0.04
693		-0.0005 GY	0.09
693		-0.0009 GY	0.15
693		-0.0012 GY	0.21
693		-0.0016 GY	0.27
693		-0.0019 GY	0.32
693		-0.0022 GY	0.38
693		-0.0026 GY	0.44
693	-0.0470 GY	0.47	0.63
693		-0.0026 GY	0.65
693		-0.0022 GY	0.71
693		-0.0019 GY	0.77
693		-0.0016 GY	0.83
693		-0.0012 GY	0.89
693		-0.0009 GY	0.95
693		-0.0005 GY	1.00
693		-0.0002 GY	1.06
688		-0.0002 GY	0.04
688		-0.0005 GY	0.09
688		-0.0009 GY	0.15
688		-0.0012 GY	0.21
688		-0.0016 GY	0.27
688		-0.0019 GY	0.32

688		-0.0022 GY	0.38
688		-0.0026 GY	0.44
688		-0.0026 GY	0.50
688		-0.0022 GY	0.56
688		-0.0019 GY	0.62
688		-0.0016 GY	0.67
688		-0.0012 GY	0.73
688		-0.0009 GY	0.79
688		-0.0005 GY	0.85
688		-0.0002 GY	0.90
689		-0.0002 GY	0.04
689		-0.0005 GY	0.09
689		-0.0009 GY	0.15
689		-0.0012 GY	0.21
689		-0.0016 GY	0.27

689		-0.0019 GY	0.32
689		-0.0022 GY	0.38
689		-0.0026 GY	0.44
689	-0.0470 GY	0.47	0.63
689		-0.0026 GY	0.65
689		-0.0022 GY	0.71
689		-0.0019 GY	0.77
689		-0.0016 GY	0.83
689		-0.0012 GY	0.89
689		-0.0009 GY	0.95
689		-0.0005 GY	1.00
689		-0.0002 GY	1.06
711		-0.0002 GY	0.05
711		-0.0005 GY	0.11
711		-0.0009 GY	0.17
711		-0.0012 GY	0.24
711		-0.0016 GY	0.31
711		-0.0019 GY	0.38
711		-0.0023 GY	0.44
711		-0.0026 GY	0.51
711		-0.0027 GY	0.58
711		-0.0023 GY	0.65
711		-0.0020 GY	0.72
711		-0.0016 GY	0.78
711		-0.0012 GY	0.85
711		-0.0009 GY	0.92
711		-0.0005 GY	0.99
711		-0.0002 GY	1.05
1550		-0.0002 GY	0.03
1550		-0.0005 GY	0.08

1550	-0.0009 GY	0.13
1550	-0.0012 GY	0.18
1550	-0.0016 GY	0.23
1550	-0.0019 GY	0.28
1550	-0.0022 GY	0.33
1550	-0.0026 GY	0.38
1550	-0.0027 GY	0.43
1550	-0.0023 GY	0.48
1550	-0.0020 GY	0.53
1550	-0.0016 GY	0.58
1550	-0.0012 GY	0.63
1550	-0.0009 GY	0.68
1550	-0.0005 GY	0.73
1550	-0.0002 GY	0.78
1551	-0.0002 GY	0.05
1551	-0.0005 GY	0.11
1551	-0.0009 GY	0.18
1551	-0.0012 GY	0.24
1551	-0.0016 GY	0.31
1551	-0.0020 GY	0.38
1551	-0.0023 GY	0.45
1551	-0.0027 GY	0.52
1551	-0.0026 GY	0.59
1551	-0.0023 GY	0.65
1551	-0.0019 GY	0.72
1551	-0.0016 GY	0.79

1551	-0.0012 GY	0.86
1551	-0.0009 GY	0.92
1551	-0.0005 GY	0.99
1551	-0.0002 GY	1.05
1549	-0.0002 GY	0.04
1549	-0.0005 GY	0.08
1549	-0.0009 GY	0.13
1549	-0.0013 GY	0.19
1549	-0.0016 GY	0.24
1549	-0.0020 GY	0.29
1549	-0.0023 GY	0.35
1549	-0.0027 GY	0.40
1549	-0.0026 GY	0.45
1549	-0.0023 GY	0.50
1549	-0.0019 GY	0.55
1549	-0.0016 GY	0.60
1549	-0.0012 GY	0.65
1549	-0.0009 GY	0.71
1549	-0.0005 GY	0.76

1549		-0.0002 GY	0.80
713		-0.0001 GY	0.03
713		-0.0004 GY	0.08
713		-0.0006 GY	0.13
713		-0.0009 GY	0.18
713		-0.0012 GY	0.23
713		-0.0014 GY	0.28
713		-0.0017 GY	0.33
713		-0.0019 GY	0.38
713	-0.0407 GY	0.41	0.69
713		-0.0019 GY	0.71
713		-0.0017 GY	0.76
713		-0.0014 GY	0.82
713		-0.0012 GY	0.87
713		-0.0009 GY	0.92
713		-0.0006 GY	0.97
713		-0.0004 GY	1.02
713		-0.0001 GY	1.06
1552		-0.0001 GY	0.03
1552		-0.0004 GY	0.08
1552		-0.0006 GY	0.13
1552		-0.0009 GY	0.18
1552		-0.0012 GY	0.23
1552		-0.0014 GY	0.28
1552		-0.0017 GY	0.33
1552		-0.0019 GY	0.38
1552		-0.0019 GY	0.43
1552		-0.0017 GY	0.48
1552		-0.0014 GY	0.53
1552		-0.0012 GY	0.58
1552		-0.0009 GY	0.63
1552		-0.0006 GY	0.68
1552		-0.0004 GY	0.73
1552		-0.0001 GY	0.78
1553		-0.0001 GY	0.03
1553		-0.0004 GY	0.08
1553		-0.0006 GY	0.13

1553		-0.0009 GY	0.18
1553		-0.0012 GY	0.23
1553		-0.0014 GY	0.28
1553		-0.0017 GY	0.33
1553		-0.0019 GY	0.38
1553	-0.0407 GY	0.41	0.69
1553		-0.0019 GY	0.71
1553		-0.0017 GY	0.76

1553		-0.0014 GY	0.82
1553		-0.0012 GY	0.87
1553		-0.0009 GY	0.92
1553		-0.0006 GY	0.97
1553		-0.0004 GY	1.02
1553		-0.0001 GY	1.06
1550		-0.0001 GY	0.03
1550		-0.0004 GY	0.08
1550		-0.0006 GY	0.13
1550		-0.0009 GY	0.18
1550		-0.0012 GY	0.23
1550		-0.0014 GY	0.28
1550		-0.0017 GY	0.33
1550		-0.0019 GY	0.38
1550		-0.0019 GY	0.43
1550		-0.0017 GY	0.48
1550		-0.0014 GY	0.53
1550		-0.0012 GY	0.58
1550		-0.0009 GY	0.63
1550		-0.0006 GY	0.68
1550		-0.0004 GY	0.73
1550		-0.0001 GY	0.78

LOADING 2 LOADTYPE DEAD TITLE LL

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
1		-0.0015 GY	0.03				
1		-0.0046 GY	0.08				
1		-0.0076 GY	0.13				
1		-0.0107 GY	0.17				
1		-0.0137 GY	0.22				
1		-0.0168 GY	0.27				
1		-0.0198 GY	0.32				
1		-0.0229 GY	0.37				
1		-0.0229 GY	0.42				
1		-0.0198 GY	0.47				
1		-0.0168 GY	0.52				
1		-0.0137 GY	0.57				
1		-0.0107 GY	0.62				
1		-0.0076 GY	0.66				
1		-0.0046 GY	0.71				

1 -0.0015 GY 0.76

1668 -0.0015 GY 0.03
1668 -0.0046 GY 0.08
1668 -0.0076 GY 0.13
1668 -0.0107 GY 0.17
1668 -0.0137 GY 0.22
1668 -0.0168 GY 0.27
1668 -0.0198 GY 0.32
1668 -0.0229 GY 0.37
1668 -0.4937 GY 0.40 0.84
1668 -0.0229 GY 0.87
1668 -0.0198 GY 0.92
1668 -0.0168 GY 0.97
1668 -0.0137 GY 1.01
1668 -0.0107 GY 1.06
1668 -0.0076 GY 1.11
1668 -0.0046 GY 1.16
1668 -0.0015 GY 1.21
1595 -0.0015 GY 0.03
1595 -0.0046 GY 0.08
1595 -0.0076 GY 0.13
1595 -0.0107 GY 0.17
1595 -0.0137 GY 0.22
1595 -0.0168 GY 0.27
1595 -0.0198 GY 0.32
1595 -0.0229 GY 0.37
1595 -0.0229 GY 0.42
1595 -0.0198 GY 0.47
1595 -0.0168 GY 0.52
1595 -0.0137 GY 0.57
1595 -0.0107 GY 0.62
1595 -0.0076 GY 0.66
1595 -0.0046 GY 0.71
1595 -0.0015 GY 0.76
19 -0.0015 GY 0.03
19 -0.0046 GY 0.08
19 -0.0076 GY 0.13
19 -0.0107 GY 0.17
19 -0.0137 GY 0.22
19 -0.0168 GY 0.27
19 -0.0198 GY 0.32
19 -0.0229 GY 0.37
19 -0.4938 GY 0.39 0.84
19 -0.0229 GY 0.87
19 -0.0198 GY 0.92

19		-0.0168 GY	0.97
19		-0.0137 GY	1.01
19		-0.0107 GY	1.06
19		-0.0076 GY	1.11
19		-0.0046 GY	1.16
19		-0.0015 GY	1.21
2		-0.0024 GY	0.04
2		-0.0072 GY	0.10
2		-0.0120 GY	0.16
2		-0.0168 GY	0.22
2		-0.0216 GY	0.28
2		-0.0265 GY	0.34

_ STAAD SPACE -- PAGE NO. 255

2		-0.0313 GY	0.40
2		-0.0361 GY	0.47
2		-0.0361 GY	0.53
2		-0.0313 GY	0.59
2		-0.0265 GY	0.65
2		-0.0217 GY	0.71
2		-0.0168 GY	0.77
2		-0.0120 GY	0.84
2		-0.0072 GY	0.90
2		-0.0024 GY	0.95
1670		-0.0024 GY	0.04
1670		-0.0072 GY	0.10
1670		-0.0120 GY	0.16
1670		-0.0168 GY	0.22
1670		-0.0216 GY	0.28
1670		-0.0265 GY	0.34
1670		-0.0313 GY	0.40
1670		-0.0361 GY	0.47
1670	-0.6205 GY	0.50	0.74
1670		-0.0361 GY	0.77
1670		-0.0313 GY	0.83
1670		-0.0265 GY	0.90
1670		-0.0217 GY	0.96
1670		-0.0168 GY	1.02
1670		-0.0120 GY	1.08
1670		-0.0072 GY	1.14
1670		-0.0024 GY	1.20
1660		-0.0024 GY	0.04
1660		-0.0072 GY	0.10
1660		-0.0120 GY	0.16
1660		-0.0168 GY	0.22
1660		-0.0216 GY	0.28
1660		-0.0264 GY	0.34

1660		-0.0312 GY	0.40
1660		-0.0361 GY	0.47
1660		-0.0360 GY	0.53
1660		-0.0312 GY	0.59
1660		-0.0264 GY	0.65
1660		-0.0216 GY	0.71
1660		-0.0168 GY	0.77
1660		-0.0120 GY	0.83
1660		-0.0072 GY	0.90
1660		-0.0024 GY	0.95
1661		-0.0024 GY	0.04
1661		-0.0072 GY	0.10
1661		-0.0120 GY	0.16
1661		-0.0168 GY	0.22
1661		-0.0216 GY	0.28
1661		-0.0265 GY	0.34
1661		-0.0313 GY	0.40
1661		-0.0361 GY	0.47
1661	-0.6202 GY	0.50	0.74
1661		-0.0361 GY	0.77
1661		-0.0313 GY	0.83
1661		-0.0264 GY	0.90
1661		-0.0216 GY	0.96

1661		-0.0168 GY	1.02
1661		-0.0120 GY	1.08
1661		-0.0072 GY	1.14
1661		-0.0024 GY	1.20
3		-0.0005 GY	0.02
3		-0.0014 GY	0.04
3		-0.0023 GY	0.07
3		-0.0032 GY	0.10
3		-0.0042 GY	0.12
3		-0.0051 GY	0.15
3		-0.0060 GY	0.18
3		-0.0069 GY	0.20
3		-0.0069 GY	0.23
3		-0.0060 GY	0.26
3		-0.0051 GY	0.29
3		-0.0042 GY	0.31
3		-0.0032 GY	0.34
3		-0.0023 GY	0.37
3		-0.0014 GY	0.39
3		-0.0005 GY	0.42
1687		-0.0005 GY	0.02
1687		-0.0014 GY	0.04

1687		-0.0023 GY	0.07
1687		-0.0032 GY	0.10
1687		-0.0042 GY	0.12
1687		-0.0051 GY	0.15
1687		-0.0060 GY	0.18
1687		-0.0069 GY	0.20
1687	-0.2719 GY	0.22	1.02
1687		-0.0069 GY	1.03
1687		-0.0060 GY	1.06
1687		-0.0051 GY	1.09
1687		-0.0042 GY	1.12
1687		-0.0032 GY	1.14
1687		-0.0023 GY	1.17
1687		-0.0014 GY	1.20
1687		-0.0005 GY	1.22
1686		-0.0005 GY	0.02
1686		-0.0014 GY	0.04
1686		-0.0023 GY	0.07
1686		-0.0032 GY	0.10
1686		-0.0042 GY	0.12
1686		-0.0051 GY	0.15
1686		-0.0060 GY	0.18
1686		-0.0069 GY	0.20
1686		-0.0069 GY	0.23
1686		-0.0060 GY	0.26
1686		-0.0051 GY	0.29
1686		-0.0042 GY	0.31
1686		-0.0032 GY	0.34
1686		-0.0023 GY	0.37
1686		-0.0014 GY	0.39
1686		-0.0005 GY	0.42
1699		-0.0005 GY	0.02
1699		-0.0014 GY	0.04
1699		-0.0023 GY	0.07

1699		-0.0032 GY	0.10
1699		-0.0042 GY	0.12
1699		-0.0051 GY	0.15
1699		-0.0060 GY	0.18
1699		-0.0069 GY	0.20
1699	-0.2719 GY	0.22	1.02
1699		-0.0069 GY	1.03
1699		-0.0060 GY	1.06
1699		-0.0051 GY	1.09
1699		-0.0042 GY	1.12
1699		-0.0032 GY	1.14

1699	-0.0023 GY	1.17
1699	-0.0014 GY	1.20
1699	-0.0005 GY	1.22
5	-0.0027 GY	0.04
5	-0.0082 GY	0.09
5	-0.0136 GY	0.14
5	-0.0191 GY	0.20
5	-0.0245 GY	0.26
5	-0.0300 GY	0.31
5	-0.0354 GY	0.37
5	-0.0409 GY	0.43
5	-0.0434 GY	0.49
5	-0.0376 GY	0.55
5	-0.0318 GY	0.61
5	-0.0260 GY	0.67
5	-0.0203 GY	0.73
5	-0.0145 GY	0.79
5	-0.0087 GY	0.85
5	-0.0029 GY	0.90
1658	-0.0028 GY	0.05
1658	-0.0085 GY	0.12
1658	-0.0141 GY	0.20
1658	-0.0197 GY	0.28
1658	-0.0254 GY	0.36
1658	-0.0310 GY	0.44
1658	-0.0366 GY	0.52
1658	-0.0423 GY	0.60
1658	-0.0404 GY	0.67
1658	-0.0350 GY	0.75
1658	-0.0296 GY	0.82
1658	-0.0242 GY	0.90
1658	-0.0188 GY	0.97
1658	-0.0135 GY	1.05
1658	-0.0081 GY	1.12
1658	-0.0027 GY	1.19
1601	-0.0028 GY	0.04
1601	-0.0084 GY	0.09
1601	-0.0139 GY	0.14
1601	-0.0195 GY	0.20
1601	-0.0251 GY	0.26
1601	-0.0306 GY	0.31
1601	-0.0362 GY	0.37
1601	-0.0418 GY	0.43
1601	-0.0391 GY	0.48
1601	-0.0339 GY	0.54

1601		-0.0287 GY	0.59
1601		-0.0235 GY	0.64
1601		-0.0183 GY	0.69
1601		-0.0130 GY	0.75
1601		-0.0078 GY	0.80
1601		-0.0026 GY	0.85
1668		-0.0028 GY	0.05
1668		-0.0084 GY	0.12
1668		-0.0139 GY	0.20
1668		-0.0195 GY	0.28
1668		-0.0251 GY	0.35
1668		-0.0306 GY	0.43
1668		-0.0362 GY	0.51
1668		-0.0418 GY	0.59
1668		-0.0409 GY	0.66
1668		-0.0354 GY	0.74
1668		-0.0300 GY	0.82
1668		-0.0245 GY	0.89
1668		-0.0191 GY	0.97
1668		-0.0136 GY	1.04
1668		-0.0082 GY	1.12
1668		-0.0027 GY	1.19
11		-0.0022 GY	0.04
11		-0.0065 GY	0.09
11		-0.0108 GY	0.15
11		-0.0151 GY	0.21
11		-0.0194 GY	0.27
11		-0.0237 GY	0.32
11		-0.0280 GY	0.38
11		-0.0324 GY	0.44
11		-0.0324 GY	0.50
11		-0.0280 GY	0.56
11		-0.0237 GY	0.62
11		-0.0194 GY	0.67
11		-0.0151 GY	0.73
11		-0.0108 GY	0.79
11		-0.0065 GY	0.85
11		-0.0022 GY	0.90
1684		-0.0022 GY	0.04
1684		-0.0065 GY	0.09
1684		-0.0108 GY	0.15
1684		-0.0151 GY	0.21
1684		-0.0194 GY	0.27
1684		-0.0237 GY	0.32
1684		-0.0280 GY	0.38
1684		-0.0324 GY	0.44
1684	-0.5875 GY	0.47	0.77

1684		-0.0324 GY	0.80
1684		-0.0280 GY	0.86
1684		-0.0237 GY	0.91
1684		-0.0194 GY	0.97
1684		-0.0151 GY	1.03
1684		-0.0108 GY	1.09
1684		-0.0065 GY	1.15
1684		-0.0022 GY	1.20
1598		-0.0022 GY	0.04

1598		-0.0065 GY	0.09
1598		-0.0108 GY	0.15
1598		-0.0151 GY	0.21
1598		-0.0194 GY	0.27
1598		-0.0237 GY	0.32
1598		-0.0280 GY	0.38
1598		-0.0324 GY	0.44
1598		-0.0324 GY	0.50
1598		-0.0280 GY	0.56
1598		-0.0237 GY	0.62
1598		-0.0194 GY	0.67
1598		-0.0151 GY	0.73
1598		-0.0108 GY	0.79
1598		-0.0065 GY	0.85
1598		-0.0022 GY	0.90
1682		-0.0022 GY	0.04
1682		-0.0065 GY	0.09
1682		-0.0108 GY	0.15
1682		-0.0151 GY	0.21
1682		-0.0194 GY	0.27
1682		-0.0237 GY	0.32
1682		-0.0280 GY	0.38
1682		-0.0324 GY	0.44
1682	-0.5875 GY	0.47	0.77
1682		-0.0324 GY	0.80
1682		-0.0280 GY	0.86
1682		-0.0237 GY	0.91
1682		-0.0194 GY	0.97
1682		-0.0151 GY	1.03
1682		-0.0108 GY	1.09
1682		-0.0065 GY	1.15
1682		-0.0022 GY	1.20
15		-0.0026 GY	0.04
15		-0.0077 GY	0.08
15		-0.0129 GY	0.13
15		-0.0180 GY	0.19

15	-0.0232 GY	0.24
15	-0.0283 GY	0.29
15	-0.0335 GY	0.35
15	-0.0386 GY	0.40
15	-0.0376 GY	0.45
15	-0.0326 GY	0.50
15	-0.0275 GY	0.55
15	-0.0225 GY	0.60
15	-0.0175 GY	0.65
15	-0.0125 GY	0.71
15	-0.0075 GY	0.76
15	-0.0025 GY	0.80
1691	-0.0026 GY	0.05
1691	-0.0078 GY	0.12
1691	-0.0129 GY	0.20
1691	-0.0181 GY	0.27
1691	-0.0233 GY	0.35
1691	-0.0284 GY	0.43
1691	-0.0336 GY	0.51
1691	-0.0388 GY	0.59

1691	-0.0381 GY	0.66
1691	-0.0331 GY	0.74
1691	-0.0280 GY	0.81
1691	-0.0229 GY	0.89
1691	-0.0178 GY	0.97
1691	-0.0127 GY	1.04
1691	-0.0076 GY	1.12
1691	-0.0025 GY	1.19
1596	-0.0026 GY	0.04
1596	-0.0077 GY	0.08
1596	-0.0128 GY	0.13
1596	-0.0179 GY	0.19
1596	-0.0230 GY	0.24
1596	-0.0281 GY	0.29
1596	-0.0332 GY	0.35
1596	-0.0383 GY	0.40
1596	-0.0393 GY	0.45
1596	-0.0341 GY	0.51
1596	-0.0288 GY	0.56
1596	-0.0236 GY	0.61
1596	-0.0184 GY	0.67
1596	-0.0131 GY	0.72
1596	-0.0079 GY	0.78
1596	-0.0026 GY	0.82
1690	-0.0026 GY	0.05

1690		-0.0077 GY	0.12
1690		-0.0128 GY	0.20
1690		-0.0179 GY	0.27
1690		-0.0230 GY	0.35
1690		-0.0281 GY	0.42
1690		-0.0332 GY	0.50
1690		-0.0383 GY	0.58
1690		-0.0386 GY	0.65
1690		-0.0335 GY	0.73
1690		-0.0283 GY	0.81
1690		-0.0232 GY	0.89
1690		-0.0180 GY	0.96
1690		-0.0129 GY	1.04
1690		-0.0077 GY	1.12
1690		-0.0026 GY	1.19
45		-0.0015 GY	0.03
45		-0.0046 GY	0.08
45		-0.0076 GY	0.13
45		-0.0107 GY	0.17
45		-0.0137 GY	0.22
45		-0.0168 GY	0.27
45		-0.0198 GY	0.32
45		-0.0229 GY	0.37
45	-0.4937 GY	0.40	0.70
45		-0.0229 GY	0.72
45		-0.0198 GY	0.77
45		-0.0168 GY	0.82
45		-0.0137 GY	0.87
45		-0.0107 GY	0.92
45		-0.0076 GY	0.97
45		-0.0046 GY	1.02

45		-0.0015 GY	1.06
1812		-0.0015 GY	0.03
1812		-0.0046 GY	0.08
1812		-0.0076 GY	0.13
1812		-0.0107 GY	0.17
1812		-0.0137 GY	0.22
1812		-0.0168 GY	0.27
1812		-0.0198 GY	0.32
1812		-0.0229 GY	0.37
1812		-0.0229 GY	0.42
1812		-0.0198 GY	0.47
1812		-0.0168 GY	0.52
1812		-0.0137 GY	0.57
1812		-0.0107 GY	0.62

1812		-0.0076 GY	0.66
1812		-0.0046 GY	0.71
1812		-0.0015 GY	0.76
97		-0.0015 GY	0.03
97		-0.0046 GY	0.08
97		-0.0076 GY	0.13
97		-0.0107 GY	0.17
97		-0.0137 GY	0.22
97		-0.0168 GY	0.27
97		-0.0198 GY	0.32
97		-0.0229 GY	0.37
97	-0.4938 GY	0.40	0.70
97		-0.0229 GY	0.72
97		-0.0198 GY	0.77
97		-0.0168 GY	0.82
97		-0.0137 GY	0.87
97		-0.0107 GY	0.92
97		-0.0076 GY	0.97
97		-0.0046 GY	1.02
97		-0.0015 GY	1.06
1746		-0.0015 GY	0.03
1746		-0.0046 GY	0.08
1746		-0.0076 GY	0.13
1746		-0.0107 GY	0.17
1746		-0.0137 GY	0.22
1746		-0.0168 GY	0.27
1746		-0.0198 GY	0.32
1746		-0.0229 GY	0.37
1746		-0.0229 GY	0.42
1746		-0.0198 GY	0.47
1746		-0.0168 GY	0.52
1746		-0.0137 GY	0.57
1746		-0.0107 GY	0.62
1746		-0.0076 GY	0.66
1746		-0.0046 GY	0.71
1746		-0.0015 GY	0.76
47		-0.0015 GY	0.03
47		-0.0046 GY	0.08
47		-0.0076 GY	0.13
47		-0.0107 GY	0.17
47		-0.0137 GY	0.22
47		-0.0168 GY	0.27

47		-0.0198 GY	0.32
47		-0.0229 GY	0.37
47	-0.4937 GY	0.40	0.40

47		-0.0229 GY	0.42
47		-0.0198 GY	0.47
47		-0.0168 GY	0.52
47		-0.0137 GY	0.57
47		-0.0107 GY	0.62
47		-0.0076 GY	0.67
47		-0.0046 GY	0.72
47		-0.0015 GY	0.76
361		-0.0015 GY	0.03
361		-0.0046 GY	0.08
361		-0.0076 GY	0.13
361		-0.0107 GY	0.17
361		-0.0137 GY	0.22
361		-0.0168 GY	0.27
361		-0.0198 GY	0.32
361		-0.0229 GY	0.37
361		-0.0229 GY	0.42
361		-0.0198 GY	0.47
361		-0.0168 GY	0.52
361		-0.0137 GY	0.57
361		-0.0107 GY	0.62
361		-0.0076 GY	0.66
361		-0.0046 GY	0.71
361		-0.0015 GY	0.76
1471		-0.0015 GY	0.03
1471		-0.0046 GY	0.08
1471		-0.0076 GY	0.13
1471		-0.0107 GY	0.17
1471		-0.0137 GY	0.22
1471		-0.0168 GY	0.27
1471		-0.0198 GY	0.32
1471		-0.0229 GY	0.37
1471	-0.4938 GY	0.40	0.40
1471		-0.0229 GY	0.42
1471		-0.0198 GY	0.47
1471		-0.0168 GY	0.52
1471		-0.0137 GY	0.57
1471		-0.0107 GY	0.62
1471		-0.0076 GY	0.67
1471		-0.0046 GY	0.72
1471		-0.0015 GY	0.76
85		-0.0015 GY	0.03
85		-0.0046 GY	0.08
85		-0.0076 GY	0.13
85		-0.0107 GY	0.17
85		-0.0137 GY	0.22
85		-0.0168 GY	0.27

85		-0.0198 GY	0.32
85		-0.0229 GY	0.37
85		-0.0229 GY	0.42
85		-0.0198 GY	0.47
85		-0.0168 GY	0.52
85		-0.0137 GY	0.57

85		-0.0107 GY	0.62
85		-0.0076 GY	0.66
85		-0.0046 GY	0.71
85		-0.0015 GY	0.76
49		-0.0015 GY	0.03
49		-0.0046 GY	0.08
49		-0.0076 GY	0.13
49		-0.0107 GY	0.17
49		-0.0137 GY	0.22
49		-0.0168 GY	0.27
49		-0.0198 GY	0.32
49		-0.0229 GY	0.37
49	-0.4938 GY	0.39	0.45
49		-0.0229 GY	0.48
49		-0.0198 GY	0.53
49		-0.0168 GY	0.58
49		-0.0137 GY	0.63
49		-0.0107 GY	0.68
49		-0.0076 GY	0.72
49		-0.0046 GY	0.77
49		-0.0015 GY	0.82
2016		-0.0015 GY	0.03
2016		-0.0046 GY	0.08
2016		-0.0076 GY	0.13
2016		-0.0107 GY	0.17
2016		-0.0137 GY	0.22
2016		-0.0168 GY	0.27
2016		-0.0198 GY	0.32
2016		-0.0229 GY	0.37
2016		-0.0229 GY	0.42
2016		-0.0198 GY	0.47
2016		-0.0168 GY	0.52
2016		-0.0137 GY	0.57
2016		-0.0107 GY	0.62
2016		-0.0076 GY	0.66
2016		-0.0046 GY	0.71
2016		-0.0015 GY	0.76
1473		-0.0015 GY	0.03
1473		-0.0046 GY	0.08

1473		-0.0076 GY	0.13
1473		-0.0107 GY	0.17
1473		-0.0137 GY	0.22
1473		-0.0168 GY	0.27
1473		-0.0198 GY	0.32
1473		-0.0229 GY	0.37
1473	-0.4937 GY	0.39	0.45
1473		-0.0229 GY	0.48
1473		-0.0198 GY	0.53
1473		-0.0168 GY	0.58
1473		-0.0137 GY	0.63
1473		-0.0107 GY	0.68
1473		-0.0076 GY	0.72
1473		-0.0046 GY	0.77
1473		-0.0015 GY	0.82
83		-0.0015 GY	0.03
83		-0.0046 GY	0.08

83		-0.0076 GY	0.13
83		-0.0107 GY	0.17
83		-0.0137 GY	0.22
83		-0.0168 GY	0.27
83		-0.0198 GY	0.32
83		-0.0229 GY	0.37
83		-0.0229 GY	0.42
83		-0.0198 GY	0.47
83		-0.0168 GY	0.52
83		-0.0137 GY	0.57
83		-0.0107 GY	0.62
83		-0.0076 GY	0.66
83		-0.0046 GY	0.71
83		-0.0015 GY	0.76
51		-0.0015 GY	0.03
51		-0.0046 GY	0.08
51		-0.0076 GY	0.13
51		-0.0107 GY	0.17
51		-0.0137 GY	0.22
51		-0.0168 GY	0.27
51		-0.0198 GY	0.32
51		-0.0229 GY	0.37
51	-0.4937 GY	0.40	0.65
51		-0.0229 GY	0.67
51		-0.0198 GY	0.72
51		-0.0168 GY	0.77
51		-0.0137 GY	0.82
51		-0.0107 GY	0.87

51		-0.0076 GY	0.92
51		-0.0046 GY	0.97
51		-0.0015 GY	1.01
359		-0.0015 GY	0.03
359		-0.0046 GY	0.08
359		-0.0076 GY	0.13
359		-0.0107 GY	0.17
359		-0.0137 GY	0.22
359		-0.0168 GY	0.27
359		-0.0198 GY	0.32
359		-0.0229 GY	0.37
359		-0.0229 GY	0.42
359		-0.0198 GY	0.47
359		-0.0168 GY	0.52
359		-0.0137 GY	0.57
359		-0.0107 GY	0.62
359		-0.0076 GY	0.66
359		-0.0046 GY	0.71
359		-0.0015 GY	0.76
100		-0.0015 GY	0.03
100		-0.0046 GY	0.08
100		-0.0076 GY	0.13
100		-0.0107 GY	0.17
100		-0.0137 GY	0.22
100		-0.0168 GY	0.27
100		-0.0198 GY	0.32
100		-0.0229 GY	0.37
100	-0.4938 GY	0.40	0.65

100		-0.0229 GY	0.67
100		-0.0198 GY	0.72
100		-0.0168 GY	0.77
100		-0.0137 GY	0.82
100		-0.0107 GY	0.87
100		-0.0076 GY	0.92
100		-0.0046 GY	0.97
100		-0.0015 GY	1.01
81		-0.0015 GY	0.03
81		-0.0046 GY	0.08
81		-0.0076 GY	0.13
81		-0.0107 GY	0.17
81		-0.0137 GY	0.22
81		-0.0168 GY	0.27
81		-0.0198 GY	0.32
81		-0.0229 GY	0.37
81		-0.0229 GY	0.42

81		-0.0198 GY	0.47
81		-0.0168 GY	0.52
81		-0.0137 GY	0.57
81		-0.0107 GY	0.62
81		-0.0076 GY	0.66
81		-0.0046 GY	0.71
81		-0.0015 GY	0.76
53		-0.0015 GY	0.03
53		-0.0046 GY	0.08
53		-0.0076 GY	0.13
53		-0.0107 GY	0.17
53		-0.0137 GY	0.22
53		-0.0168 GY	0.27
53		-0.0198 GY	0.32
53		-0.0229 GY	0.37
53	-0.4937 GY	0.40	0.40
53		-0.0229 GY	0.42
53		-0.0198 GY	0.47
53		-0.0168 GY	0.52
53		-0.0137 GY	0.57
53		-0.0107 GY	0.62
53		-0.0076 GY	0.67
53		-0.0046 GY	0.72
53		-0.0015 GY	0.76
2030		-0.0015 GY	0.03
2030		-0.0046 GY	0.08
2030		-0.0076 GY	0.13
2030		-0.0107 GY	0.17
2030		-0.0137 GY	0.22
2030		-0.0168 GY	0.27
2030		-0.0198 GY	0.32
2030		-0.0229 GY	0.37
2030		-0.0229 GY	0.42
2030		-0.0198 GY	0.47
2030		-0.0168 GY	0.52
2030		-0.0137 GY	0.57
2030		-0.0107 GY	0.62
2030		-0.0076 GY	0.66
2030		-0.0046 GY	0.71

2030		-0.0015 GY	0.76
101		-0.0015 GY	0.03
101		-0.0046 GY	0.08
101		-0.0076 GY	0.13
101		-0.0107 GY	0.17
101		-0.0137 GY	0.22

101		-0.0168 GY	0.27
101		-0.0198 GY	0.32
101		-0.0229 GY	0.37
101	-0.4938 GY	0.40	0.40
101		-0.0229 GY	0.42
101		-0.0198 GY	0.47
101		-0.0168 GY	0.52
101		-0.0137 GY	0.57
101		-0.0107 GY	0.62
101		-0.0076 GY	0.67
101		-0.0046 GY	0.72
101		-0.0015 GY	0.76
79		-0.0015 GY	0.03
79		-0.0046 GY	0.08
79		-0.0076 GY	0.13
79		-0.0107 GY	0.17
79		-0.0137 GY	0.22
79		-0.0168 GY	0.27
79		-0.0198 GY	0.32
79		-0.0229 GY	0.37
79		-0.0229 GY	0.42
79		-0.0198 GY	0.47
79		-0.0168 GY	0.52
79		-0.0137 GY	0.57
79		-0.0107 GY	0.62
79		-0.0076 GY	0.66
79		-0.0046 GY	0.71
79		-0.0015 GY	0.76
55		-0.0015 GY	0.03
55		-0.0046 GY	0.08
55		-0.0076 GY	0.13
55		-0.0107 GY	0.17
55		-0.0137 GY	0.22
55		-0.0168 GY	0.27
55		-0.0198 GY	0.32
55		-0.0229 GY	0.37
55	-0.4937 GY	0.40	0.65
55		-0.0229 GY	0.68
55		-0.0198 GY	0.73
55		-0.0168 GY	0.78
55		-0.0137 GY	0.83
55		-0.0107 GY	0.88
55		-0.0076 GY	0.92
55		-0.0046 GY	0.97
55		-0.0015 GY	1.02
357		-0.0015 GY	0.03
357		-0.0046 GY	0.08

357		-0.0076 GY	0.13
357		-0.0107 GY	0.17
357		-0.0137 GY	0.22

357		-0.0168 GY	0.27
357		-0.0198 GY	0.32
357		-0.0229 GY	0.37
357		-0.0229 GY	0.42
357		-0.0198 GY	0.47
357		-0.0168 GY	0.52
357		-0.0137 GY	0.57
357		-0.0107 GY	0.62
357		-0.0076 GY	0.66
357		-0.0046 GY	0.71
357		-0.0015 GY	0.76
102		-0.0015 GY	0.03
102		-0.0046 GY	0.08
102		-0.0076 GY	0.13
102		-0.0107 GY	0.17
102		-0.0137 GY	0.22
102		-0.0168 GY	0.27
102		-0.0198 GY	0.32
102		-0.0229 GY	0.37
102	-0.4938 GY	0.40	0.65
102		-0.0229 GY	0.68
102		-0.0198 GY	0.73
102		-0.0168 GY	0.78
102		-0.0137 GY	0.83
102		-0.0107 GY	0.88
102		-0.0076 GY	0.92
102		-0.0046 GY	0.97
102		-0.0015 GY	1.02
1595		-0.0015 GY	0.03
1595		-0.0046 GY	0.08
1595		-0.0076 GY	0.13
1595		-0.0107 GY	0.17
1595		-0.0137 GY	0.22
1595		-0.0168 GY	0.27
1595		-0.0198 GY	0.32
1595		-0.0229 GY	0.37
1595		-0.0229 GY	0.42
1595		-0.0198 GY	0.47
1595		-0.0168 GY	0.52
1595		-0.0137 GY	0.57
1595		-0.0107 GY	0.62
1595		-0.0076 GY	0.66

1595		-0.0046 GY	0.71
1595		-0.0015 GY	0.76
79		-0.0015 GY	0.03
79		-0.0046 GY	0.08
79		-0.0076 GY	0.13
79		-0.0107 GY	0.17
79		-0.0137 GY	0.22
79		-0.0168 GY	0.27
79		-0.0198 GY	0.32
79		-0.0229 GY	0.37
79		-0.0229 GY	0.42
79		-0.0198 GY	0.47
79		-0.0168 GY	0.52
79		-0.0137 GY	0.57

79		-0.0107 GY	0.62
79		-0.0076 GY	0.66
79		-0.0046 GY	0.71
79		-0.0015 GY	0.76
318		-0.0015 GY	0.03
318		-0.0046 GY	0.08
318		-0.0076 GY	0.13
318		-0.0107 GY	0.17
318		-0.0137 GY	0.22
318		-0.0168 GY	0.27
318		-0.0198 GY	0.32
318		-0.0229 GY	0.37
318	-0.4938 GY	0.39	0.61
318		-0.0229 GY	0.64
318		-0.0198 GY	0.68
318		-0.0168 GY	0.73
318		-0.0137 GY	0.78
318		-0.0107 GY	0.83
318		-0.0076 GY	0.88
318		-0.0046 GY	0.93
318		-0.0015 GY	0.97
357		-0.0015 GY	0.03
357		-0.0046 GY	0.08
357		-0.0076 GY	0.13
357		-0.0107 GY	0.17
357		-0.0137 GY	0.22
357		-0.0168 GY	0.27
357		-0.0198 GY	0.32
357		-0.0229 GY	0.37
357		-0.0229 GY	0.42
357		-0.0198 GY	0.47

357		-0.0168 GY	0.52
357		-0.0137 GY	0.57
357		-0.0107 GY	0.62
357		-0.0076 GY	0.66
357		-0.0046 GY	0.71
357		-0.0015 GY	0.76
306		-0.0015 GY	0.03
306		-0.0046 GY	0.08
306		-0.0076 GY	0.13
306		-0.0107 GY	0.17
306		-0.0137 GY	0.22
306		-0.0168 GY	0.27
306		-0.0198 GY	0.32
306		-0.0229 GY	0.37
306	-0.4937 GY	0.39	0.61
306		-0.0229 GY	0.64
306		-0.0198 GY	0.68
306		-0.0168 GY	0.73
306		-0.0137 GY	0.78
306		-0.0107 GY	0.83
306		-0.0076 GY	0.88
306		-0.0046 GY	0.93
306		-0.0015 GY	0.97
81		-0.0015 GY	0.03
81		-0.0046 GY	0.08

81		-0.0076 GY	0.13
81		-0.0107 GY	0.17
81		-0.0137 GY	0.22
81		-0.0168 GY	0.27
81		-0.0198 GY	0.32
81		-0.0229 GY	0.37
81		-0.0229 GY	0.42
81		-0.0198 GY	0.47
81		-0.0168 GY	0.52
81		-0.0137 GY	0.57
81		-0.0107 GY	0.62
81		-0.0076 GY	0.66
81		-0.0046 GY	0.71
81		-0.0015 GY	0.76
1232		-0.0015 GY	0.03
1232		-0.0046 GY	0.08
1232		-0.0076 GY	0.13
1232		-0.0107 GY	0.17
1232		-0.0137 GY	0.22
1232		-0.0168 GY	0.27

1232 -0.0198 GY 0.32
1232 -0.0229 GY 0.37
1232 -0.4938 GY 0.39 0.51
1232 -0.0229 GY 0.54
1232 -0.0198 GY 0.58
1232 -0.0168 GY 0.63
1232 -0.0137 GY 0.68
1232 -0.0107 GY 0.73
1232 -0.0076 GY 0.78
1232 -0.0046 GY 0.83
1232 -0.0015 GY 0.87
2030 -0.0015 GY 0.03
2030 -0.0046 GY 0.08
2030 -0.0076 GY 0.13
2030 -0.0107 GY 0.17
2030 -0.0137 GY 0.22
2030 -0.0168 GY 0.27
2030 -0.0198 GY 0.32
2030 -0.0229 GY 0.37
2030 -0.0229 GY 0.42
2030 -0.0198 GY 0.47
2030 -0.0168 GY 0.52
2030 -0.0137 GY 0.57
2030 -0.0107 GY 0.62
2030 -0.0076 GY 0.66
2030 -0.0046 GY 0.71
2030 -0.0015 GY 0.76
1226 -0.0015 GY 0.03
1226 -0.0046 GY 0.08
1226 -0.0076 GY 0.13
1226 -0.0107 GY 0.17
1226 -0.0137 GY 0.22
1226 -0.0168 GY 0.27
1226 -0.0198 GY 0.32
1226 -0.0229 GY 0.37
1226 -0.4937 GY 0.39 0.51
_ STAAD SPACE -- PAGE NO. 270

1226 -0.0229 GY 0.54
1226 -0.0198 GY 0.58
1226 -0.0168 GY 0.63
1226 -0.0137 GY 0.68
1226 -0.0107 GY 0.73
1226 -0.0076 GY 0.78
1226 -0.0046 GY 0.83
1226 -0.0015 GY 0.87
83 -0.0015 GY 0.03

83		-0.0046 GY	0.08
83		-0.0076 GY	0.13
83		-0.0107 GY	0.17
83		-0.0137 GY	0.22
83		-0.0168 GY	0.27
83		-0.0198 GY	0.32
83		-0.0229 GY	0.37
83		-0.0229 GY	0.42
83		-0.0198 GY	0.47
83		-0.0168 GY	0.52
83		-0.0137 GY	0.57
83		-0.0107 GY	0.62
83		-0.0076 GY	0.66
83		-0.0046 GY	0.71
83		-0.0015 GY	0.76
316		-0.0015 GY	0.03
316		-0.0046 GY	0.08
316		-0.0076 GY	0.13
316		-0.0107 GY	0.17
316		-0.0137 GY	0.22
316		-0.0168 GY	0.27
316		-0.0198 GY	0.32
316		-0.0229 GY	0.37
316	-0.4938 GY	0.39	0.61
316		-0.0229 GY	0.64
316		-0.0198 GY	0.68
316		-0.0168 GY	0.73
316		-0.0137 GY	0.78
316		-0.0107 GY	0.83
316		-0.0076 GY	0.88
316		-0.0046 GY	0.93
316		-0.0015 GY	0.97
359		-0.0015 GY	0.03
359		-0.0046 GY	0.08
359		-0.0076 GY	0.13
359		-0.0107 GY	0.17
359		-0.0137 GY	0.22
359		-0.0168 GY	0.27
359		-0.0198 GY	0.32
359		-0.0229 GY	0.37
359		-0.0229 GY	0.42
359		-0.0198 GY	0.47
359		-0.0168 GY	0.52
359		-0.0137 GY	0.57
359		-0.0107 GY	0.62
359		-0.0076 GY	0.66
359		-0.0046 GY	0.71

359		-0.0015	GY	0.76
304		-0.0015	GY	0.03
304		-0.0046	GY	0.08
304		-0.0076	GY	0.13
304		-0.0107	GY	0.17
304		-0.0137	GY	0.22
304		-0.0168	GY	0.27
304		-0.0198	GY	0.32
304		-0.0229	GY	0.37
304	-0.4937 GY	0.39	0.61	
304		-0.0229	GY	0.64
304		-0.0198	GY	0.68
304		-0.0168	GY	0.73
304		-0.0137	GY	0.78
304		-0.0107	GY	0.83
304		-0.0076	GY	0.88
304		-0.0046	GY	0.93
304		-0.0015	GY	0.97
85		-0.0015	GY	0.03
85		-0.0046	GY	0.08
85		-0.0076	GY	0.13
85		-0.0107	GY	0.17
85		-0.0137	GY	0.22
85		-0.0168	GY	0.27
85		-0.0198	GY	0.32
85		-0.0229	GY	0.37
85		-0.0229	GY	0.42
85		-0.0198	GY	0.47
85		-0.0168	GY	0.52
85		-0.0137	GY	0.57
85		-0.0107	GY	0.62
85		-0.0076	GY	0.66
85		-0.0046	GY	0.71
85		-0.0015	GY	0.76
1231		-0.0015	GY	0.03
1231		-0.0046	GY	0.08
1231		-0.0076	GY	0.13
1231		-0.0107	GY	0.17
1231		-0.0137	GY	0.22
1231		-0.0168	GY	0.27
1231		-0.0198	GY	0.32
1231		-0.0229	GY	0.37
1231	-0.4938 GY	0.39	0.45	
1231		-0.0229	GY	0.48
1231		-0.0198	GY	0.53

1231		-0.0168 GY	0.58
1231		-0.0137 GY	0.63
1231		-0.0107 GY	0.68
1231		-0.0076 GY	0.72
1231		-0.0046 GY	0.77
1231		-0.0015 GY	0.82
2016		-0.0015 GY	0.03
2016		-0.0046 GY	0.08
2016		-0.0076 GY	0.13
2016		-0.0107 GY	0.17
2016		-0.0137 GY	0.22

2016		-0.0168 GY	0.27
2016		-0.0198 GY	0.32
2016		-0.0229 GY	0.37
2016		-0.0229 GY	0.42
2016		-0.0198 GY	0.47
2016		-0.0168 GY	0.52
2016		-0.0137 GY	0.57
2016		-0.0107 GY	0.62
2016		-0.0076 GY	0.66
2016		-0.0046 GY	0.71
2016		-0.0015 GY	0.76
1225		-0.0015 GY	0.03
1225		-0.0046 GY	0.08
1225		-0.0076 GY	0.13
1225		-0.0107 GY	0.17
1225		-0.0137 GY	0.22
1225		-0.0168 GY	0.27
1225		-0.0198 GY	0.32
1225		-0.0229 GY	0.37
1225	-0.4937 GY	0.39	0.45
1225		-0.0229 GY	0.48
1225		-0.0198 GY	0.53
1225		-0.0168 GY	0.58
1225		-0.0137 GY	0.63
1225		-0.0107 GY	0.68
1225		-0.0076 GY	0.72
1225		-0.0046 GY	0.77
1225		-0.0015 GY	0.82
97		-0.0025 GY	0.05
97		-0.0074 GY	0.11
97		-0.0123 GY	0.18
97		-0.0172 GY	0.24
97		-0.0222 GY	0.31
97		-0.0271 GY	0.38

97	-0.0320 GY	0.45
97	-0.0369 GY	0.52
97	-0.0362 GY	0.59
97	-0.0314 GY	0.65
97	-0.0265 GY	0.72
97	-0.0217 GY	0.79
97	-0.0169 GY	0.86
97	-0.0121 GY	0.92
97	-0.0072 GY	0.99
97	-0.0024 GY	1.05
1818	-0.0024 GY	0.04
1818	-0.0072 GY	0.09
1818	-0.0121 GY	0.14
1818	-0.0169 GY	0.20
1818	-0.0217 GY	0.26
1818	-0.0265 GY	0.31
1818	-0.0314 GY	0.37
1818	-0.0362 GY	0.43
1818	-0.0384 GY	0.49
1818	-0.0333 GY	0.55
1818	-0.0282 GY	0.61
1818	-0.0231 GY	0.67

1818	-0.0179 GY	0.73
1818	-0.0128 GY	0.79
1818	-0.0077 GY	0.85
1818	-0.0026 GY	0.90
1887	-0.0024 GY	0.04
1887	-0.0071 GY	0.10
1887	-0.0118 GY	0.17
1887	-0.0165 GY	0.23
1887	-0.0212 GY	0.30
1887	-0.0259 GY	0.37
1887	-0.0306 GY	0.43
1887	-0.0354 GY	0.50
1887	-0.0378 GY	0.56
1887	-0.0327 GY	0.64
1887	-0.0277 GY	0.71
1887	-0.0227 GY	0.78
1887	-0.0176 GY	0.85
1887	-0.0126 GY	0.92
1887	-0.0076 GY	0.99
1887	-0.0025 GY	1.05
1752	-0.0025 GY	0.04
1752	-0.0074 GY	0.09
1752	-0.0123 GY	0.14

1752	-0.0172 GY	0.20
1752	-0.0222 GY	0.26
1752	-0.0271 GY	0.31
1752	-0.0320 GY	0.37
1752	-0.0369 GY	0.43
1752	-0.0346 GY	0.48
1752	-0.0300 GY	0.54
1752	-0.0254 GY	0.59
1752	-0.0208 GY	0.64
1752	-0.0162 GY	0.69
1752	-0.0115 GY	0.75
1752	-0.0069 GY	0.80
1752	-0.0023 GY	0.85
100	-0.0023 GY	0.04
100	-0.0069 GY	0.10
100	-0.0115 GY	0.16
100	-0.0161 GY	0.23
100	-0.0207 GY	0.29
100	-0.0253 GY	0.36
100	-0.0299 GY	0.42
100	-0.0345 GY	0.48
100	-0.0352 GY	0.55
100	-0.0305 GY	0.61
100	-0.0258 GY	0.68
100	-0.0211 GY	0.75
100	-0.0164 GY	0.81
100	-0.0117 GY	0.88
100	-0.0070 GY	0.94
100	-0.0023 GY	1.00
1560	-0.0023 GY	0.04
1560	-0.0070 GY	0.09
1560	-0.0117 GY	0.14
1560	-0.0164 GY	0.20

1560	-0.0211 GY	0.26
1560	-0.0258 GY	0.31
1560	-0.0305 GY	0.37
1560	-0.0352 GY	0.43
1560	-0.0330 GY	0.48
1560	-0.0286 GY	0.54
1560	-0.0242 GY	0.59
1560	-0.0198 GY	0.64
1560	-0.0154 GY	0.69
1560	-0.0110 GY	0.75
1560	-0.0066 GY	0.80
1560	-0.0022 GY	0.85

1510	-0.0024 GY	0.05
1510	-0.0072 GY	0.11
1510	-0.0121 GY	0.17
1510	-0.0169 GY	0.24
1510	-0.0217 GY	0.31
1510	-0.0265 GY	0.37
1510	-0.0313 GY	0.44
1510	-0.0362 GY	0.51
1510	-0.0336 GY	0.57
1510	-0.0291 GY	0.64
1510	-0.0246 GY	0.70
1510	-0.0201 GY	0.76
1510	-0.0157 GY	0.82
1510	-0.0112 GY	0.89
1510	-0.0067 GY	0.95
1510	-0.0022 GY	1.00
150	-0.0023 GY	0.04
150	-0.0069 GY	0.09
150	-0.0115 GY	0.14
150	-0.0161 GY	0.20
150	-0.0207 GY	0.26
150	-0.0253 GY	0.31
150	-0.0299 GY	0.37
150	-0.0345 GY	0.43
150	-0.0366 GY	0.49
150	-0.0317 GY	0.55
150	-0.0269 GY	0.61
150	-0.0220 GY	0.67
150	-0.0171 GY	0.73
150	-0.0122 GY	0.79
150	-0.0073 GY	0.85
150	-0.0024 GY	0.90
101	-0.0015 GY	0.03
101	-0.0046 GY	0.08
101	-0.0077 GY	0.13
101	-0.0108 GY	0.17
101	-0.0139 GY	0.22
101	-0.0169 GY	0.27
101	-0.0200 GY	0.32
101	-0.0231 GY	0.37
101	-0.0231 GY	0.42
101	-0.0200 GY	0.47
101	-0.0169 GY	0.52
101	-0.0139 GY	0.57

101	-0.0108 GY	0.62

101		-0.0077 GY	0.67	
101		-0.0046 GY	0.72	
101		-0.0015 GY	0.76	
2015		-0.0015 GY	0.03	
2015		-0.0046 GY	0.08	
2015		-0.0077 GY	0.13	
2015		-0.0108 GY	0.17	
2015		-0.0139 GY	0.22	
2015		-0.0169 GY	0.27	
2015		-0.0200 GY	0.32	
2015		-0.0231 GY	0.37	
2015	-0.4962 GY	0.40	0.54	
2015		-0.0231 GY	0.57	
2015		-0.0200 GY	0.62	
2015		-0.0169 GY	0.67	
2015		-0.0139 GY	0.72	
2015		-0.0108 GY	0.77	
2015		-0.0077 GY	0.81	
2015		-0.0046 GY	0.86	
2015		-0.0015 GY	0.91	
1935		-0.0015 GY	0.03	
1935		-0.0046 GY	0.08	
1935		-0.0077 GY	0.13	
1935		-0.0108 GY	0.17	
1935		-0.0139 GY	0.22	
1935		-0.0169 GY	0.27	
1935		-0.0200 GY	0.32	
1935		-0.0231 GY	0.37	
1935		-0.0231 GY	0.42	
1935		-0.0200 GY	0.47	
1935		-0.0169 GY	0.52	
1935		-0.0139 GY	0.57	
1935		-0.0108 GY	0.62	
1935		-0.0077 GY	0.67	
1935		-0.0046 GY	0.72	
1935		-0.0015 GY	0.76	
144		-0.0015 GY	0.03	
144		-0.0046 GY	0.08	
144		-0.0077 GY	0.13	
144		-0.0108 GY	0.17	
144		-0.0139 GY	0.22	
144		-0.0169 GY	0.27	
144		-0.0200 GY	0.32	
144		-0.0231 GY	0.37	
144	-0.4962 GY	0.40	0.54	
144		-0.0231 GY	0.57	
144		-0.0200 GY	0.62	

144		-0.0169 GY	0.67
144		-0.0139 GY	0.72
144		-0.0108 GY	0.77
144		-0.0077 GY	0.81
144		-0.0046 GY	0.86
144		-0.0015 GY	0.91
102		-0.0019 GY	0.04
102		-0.0057 GY	0.09

102		-0.0095 GY	0.14
102		-0.0133 GY	0.19
102		-0.0171 GY	0.25
102		-0.0209 GY	0.30
102		-0.0247 GY	0.36
102		-0.0286 GY	0.41
102	-0.5519 GY	0.44	0.61
102		-0.0286 GY	0.64
102		-0.0247 GY	0.69
102		-0.0209 GY	0.75
102		-0.0171 GY	0.80
102		-0.0133 GY	0.86
102		-0.0095 GY	0.91
102		-0.0057 GY	0.96
102		-0.0019 GY	1.01
1559		-0.0019 GY	0.04
1559		-0.0057 GY	0.09
1559		-0.0095 GY	0.14
1559		-0.0133 GY	0.19
1559		-0.0171 GY	0.25
1559		-0.0209 GY	0.30
1559		-0.0247 GY	0.36
1559		-0.0286 GY	0.41
1559		-0.0286 GY	0.47
1559		-0.0247 GY	0.52
1559		-0.0209 GY	0.58
1559		-0.0171 GY	0.63
1559		-0.0133 GY	0.69
1559		-0.0095 GY	0.74
1559		-0.0057 GY	0.80
1559		-0.0019 GY	0.85
1514		-0.0019 GY	0.04
1514		-0.0057 GY	0.09
1514		-0.0095 GY	0.14
1514		-0.0133 GY	0.19
1514		-0.0171 GY	0.25
1514		-0.0209 GY	0.30

1514		-0.0247 GY	0.36
1514		-0.0286 GY	0.41
1514	-0.5519 GY	0.44	0.61
1514		-0.0286 GY	0.64
1514		-0.0247 GY	0.69
1514		-0.0209 GY	0.75
1514		-0.0171 GY	0.80
1514		-0.0133 GY	0.86
1514		-0.0095 GY	0.91
1514		-0.0057 GY	0.96
1514		-0.0019 GY	1.01
1601		-0.0019 GY	0.04
1601		-0.0057 GY	0.09
1601		-0.0095 GY	0.14
1601		-0.0133 GY	0.19
1601		-0.0171 GY	0.25
1601		-0.0209 GY	0.30
1601		-0.0247 GY	0.36
1601		-0.0286 GY	0.41

1601		-0.0286 GY	0.47
1601		-0.0247 GY	0.52
1601		-0.0209 GY	0.58
1601		-0.0171 GY	0.63
1601		-0.0133 GY	0.69
1601		-0.0095 GY	0.74
1601		-0.0057 GY	0.80
1601		-0.0019 GY	0.85
105		-0.0018 GY	0.04
105		-0.0053 GY	0.08
105		-0.0088 GY	0.13
105		-0.0123 GY	0.19
105		-0.0159 GY	0.24
105		-0.0194 GY	0.29
105		-0.0229 GY	0.35
105		-0.0265 GY	0.40
105		-0.0265 GY	0.45
105		-0.0229 GY	0.50
105		-0.0194 GY	0.56
105		-0.0159 GY	0.61
105		-0.0123 GY	0.66
105		-0.0088 GY	0.72
105		-0.0053 GY	0.77
105		-0.0018 GY	0.81
2107		-0.0018 GY	0.04
2107		-0.0053 GY	0.08

2107		-0.0088	GY	0.13
2107		-0.0123	GY	0.19
2107		-0.0159	GY	0.24
2107		-0.0194	GY	0.29
2107		-0.0229	GY	0.35
2107		-0.0265	GY	0.40
2107	-0.5313 GY	0.43	0.52	
2107		-0.0265	GY	0.54
2107		-0.0229	GY	0.59
2107		-0.0194	GY	0.65
2107		-0.0159	GY	0.70
2107		-0.0123	GY	0.75
2107		-0.0088	GY	0.81
2107		-0.0053	GY	0.86
2107		-0.0018	GY	0.90
1716		-0.0018	GY	0.04
1716		-0.0053	GY	0.08
1716		-0.0088	GY	0.13
1716		-0.0123	GY	0.19
1716		-0.0159	GY	0.24
1716		-0.0194	GY	0.29
1716		-0.0229	GY	0.35
1716		-0.0265	GY	0.40
1716		-0.0265	GY	0.45
1716		-0.0229	GY	0.50
1716		-0.0194	GY	0.56
1716		-0.0159	GY	0.61
1716		-0.0123	GY	0.66
1716		-0.0088	GY	0.72
1716		-0.0053	GY	0.77

1716		-0.0018	GY	0.81
155		-0.0018	GY	0.04
155		-0.0053	GY	0.08
155		-0.0088	GY	0.13
155		-0.0123	GY	0.19
155		-0.0159	GY	0.24
155		-0.0194	GY	0.29
155		-0.0229	GY	0.35
155		-0.0265	GY	0.40
155	-0.5312 GY	0.43	0.52	
155		-0.0265	GY	0.54
155		-0.0229	GY	0.59
155		-0.0194	GY	0.65
155		-0.0159	GY	0.70
155		-0.0123	GY	0.75

155		-0.0088 GY	0.81
155		-0.0053 GY	0.86
155		-0.0018 GY	0.90
105		-0.0018 GY	0.04
105		-0.0053 GY	0.08
105		-0.0088 GY	0.13
105		-0.0123 GY	0.19
105		-0.0159 GY	0.24
105		-0.0194 GY	0.29
105		-0.0229 GY	0.35
105		-0.0265 GY	0.40
105		-0.0265 GY	0.45
105		-0.0229 GY	0.50
105		-0.0194 GY	0.56
105		-0.0159 GY	0.61
105		-0.0123 GY	0.66
105		-0.0088 GY	0.72
105		-0.0053 GY	0.77
105		-0.0018 GY	0.81
2112		-0.0018 GY	0.04
2112		-0.0053 GY	0.08
2112		-0.0088 GY	0.13
2112		-0.0123 GY	0.19
2112		-0.0159 GY	0.24
2112		-0.0194 GY	0.29
2112		-0.0229 GY	0.35
2112		-0.0265 GY	0.40
2112	-0.5312 GY	0.42	0.62
2112		-0.0265 GY	0.65
2112		-0.0229 GY	0.70
2112		-0.0194 GY	0.76
2112		-0.0159 GY	0.81
2112		-0.0123 GY	0.86
2112		-0.0088 GY	0.92
2112		-0.0053 GY	0.97
2112		-0.0018 GY	1.01
2110		-0.0018 GY	0.04
2110		-0.0053 GY	0.08
2110		-0.0088 GY	0.13
2110		-0.0123 GY	0.19
2110		-0.0159 GY	0.24

2110	-0.0194 GY	0.29
2110	-0.0229 GY	0.35
2110	-0.0265 GY	0.40
2110	-0.0265 GY	0.45

2110		-0.0229 GY	0.50
2110		-0.0194 GY	0.56
2110		-0.0159 GY	0.61
2110		-0.0123 GY	0.66
2110		-0.0088 GY	0.72
2110		-0.0053 GY	0.77
2110		-0.0018 GY	0.81
802		-0.0018 GY	0.04
802		-0.0053 GY	0.08
802		-0.0088 GY	0.13
802		-0.0123 GY	0.19
802		-0.0159 GY	0.24
802		-0.0194 GY	0.29
802		-0.0229 GY	0.35
802		-0.0265 GY	0.40
802	-0.5312 GY	0.42	0.62
802		-0.0265 GY	0.65
802		-0.0229 GY	0.70
802		-0.0194 GY	0.76
802		-0.0159 GY	0.81
802		-0.0123 GY	0.86
802		-0.0088 GY	0.92
802		-0.0053 GY	0.97
802		-0.0018 GY	1.01
107		-0.0015 GY	0.03
107		-0.0046 GY	0.08
107		-0.0077 GY	0.13
107		-0.0108 GY	0.17
107		-0.0139 GY	0.22
107		-0.0169 GY	0.27
107		-0.0200 GY	0.32
107		-0.0231 GY	0.37
107		-0.0231 GY	0.42
107		-0.0200 GY	0.47
107		-0.0169 GY	0.52
107		-0.0139 GY	0.57
107		-0.0108 GY	0.62
107		-0.0077 GY	0.67
107		-0.0046 GY	0.72
107		-0.0015 GY	0.76
2080		-0.0015 GY	0.03
2080		-0.0046 GY	0.08
2080		-0.0077 GY	0.13
2080		-0.0108 GY	0.17
2080		-0.0139 GY	0.22
2080		-0.0169 GY	0.27
2080		-0.0200 GY	0.32

2080		-0.0231 GY	0.37
2080	-0.4963 GY	0.40	0.54
2080		-0.0231 GY	0.57
2080		-0.0200 GY	0.62
2080		-0.0169 GY	0.67

2080		-0.0139 GY	0.72
2080		-0.0108 GY	0.77
2080		-0.0077 GY	0.81
2080		-0.0046 GY	0.86
2080		-0.0015 GY	0.91
1714		-0.0015 GY	0.03
1714		-0.0046 GY	0.08
1714		-0.0077 GY	0.13
1714		-0.0108 GY	0.17
1714		-0.0139 GY	0.22
1714		-0.0169 GY	0.27
1714		-0.0200 GY	0.32
1714		-0.0231 GY	0.37
1714		-0.0231 GY	0.42
1714		-0.0200 GY	0.47
1714		-0.0169 GY	0.52
1714		-0.0139 GY	0.57
1714		-0.0108 GY	0.62
1714		-0.0077 GY	0.67
1714		-0.0046 GY	0.72
1714		-0.0015 GY	0.76
143		-0.0015 GY	0.03
143		-0.0046 GY	0.08
143		-0.0077 GY	0.13
143		-0.0108 GY	0.17
143		-0.0139 GY	0.22
143		-0.0169 GY	0.27
143		-0.0200 GY	0.32
143		-0.0231 GY	0.37
143	-0.4962 GY	0.40	0.54
143		-0.0231 GY	0.57
143		-0.0200 GY	0.62
143		-0.0169 GY	0.67
143		-0.0139 GY	0.72
143		-0.0108 GY	0.77
143		-0.0077 GY	0.81
143		-0.0046 GY	0.86
143		-0.0015 GY	0.91
107		-0.0015 GY	0.03
107		-0.0046 GY	0.08

107		-0.0077 GY	0.13
107		-0.0108 GY	0.17
107		-0.0139 GY	0.22
107		-0.0169 GY	0.27
107		-0.0200 GY	0.32
107		-0.0231 GY	0.37
107		-0.0231 GY	0.42
107		-0.0200 GY	0.47
107		-0.0169 GY	0.52
107		-0.0139 GY	0.57
107		-0.0108 GY	0.62
107		-0.0077 GY	0.67
107		-0.0046 GY	0.72
107		-0.0015 GY	0.76
2085		-0.0015 GY	0.03
2085		-0.0046 GY	0.08

2085		-0.0077 GY	0.13
2085		-0.0108 GY	0.17
2085		-0.0139 GY	0.22
2085		-0.0169 GY	0.27
2085		-0.0200 GY	0.32
2085		-0.0231 GY	0.37
2085	-0.4962 GY	0.40	0.65
2085		-0.0231 GY	0.68
2085		-0.0200 GY	0.73
2085		-0.0169 GY	0.78
2085		-0.0139 GY	0.83
2085		-0.0108 GY	0.88
2085		-0.0077 GY	0.92
2085		-0.0046 GY	0.97
2085		-0.0015 GY	1.02
2083		-0.0015 GY	0.03
2083		-0.0046 GY	0.08
2083		-0.0077 GY	0.13
2083		-0.0108 GY	0.17
2083		-0.0139 GY	0.22
2083		-0.0169 GY	0.27
2083		-0.0200 GY	0.32
2083		-0.0231 GY	0.37
2083		-0.0231 GY	0.42
2083		-0.0200 GY	0.47
2083		-0.0169 GY	0.52
2083		-0.0139 GY	0.57
2083		-0.0108 GY	0.62
2083		-0.0077 GY	0.67

2083 -0.0046 GY 0.72
2083 -0.0015 GY 0.76
859 -0.0015 GY 0.03
859 -0.0046 GY 0.08
859 -0.0077 GY 0.13
859 -0.0108 GY 0.17
859 -0.0139 GY 0.22
859 -0.0169 GY 0.27
859 -0.0200 GY 0.32
859 -0.0231 GY 0.37
859 -0.4963 GY 0.40 0.65
859 -0.0231 GY 0.68
859 -0.0200 GY 0.73
859 -0.0169 GY 0.78
859 -0.0139 GY 0.83
859 -0.0108 GY 0.88
859 -0.0077 GY 0.92
859 -0.0046 GY 0.97
859 -0.0015 GY 1.02
117 -0.0018 GY 0.04
117 -0.0053 GY 0.08
117 -0.0088 GY 0.13
117 -0.0123 GY 0.19
117 -0.0159 GY 0.24
117 -0.0194 GY 0.29
117 -0.0229 GY 0.35
117 -0.0265 GY 0.40

117 -0.0265 GY 0.45
117 -0.0229 GY 0.50
117 -0.0194 GY 0.56
117 -0.0159 GY 0.61
117 -0.0123 GY 0.66
117 -0.0088 GY 0.72
117 -0.0053 GY 0.77
117 -0.0018 GY 0.81
2102 -0.0018 GY 0.04
2102 -0.0053 GY 0.08
2102 -0.0088 GY 0.13
2102 -0.0123 GY 0.19
2102 -0.0159 GY 0.24
2102 -0.0194 GY 0.29
2102 -0.0229 GY 0.35
2102 -0.0265 GY 0.40
2102 -0.5312 GY 0.42 0.51
2102 -0.0265 GY 0.54

2102		-0.0229 GY	0.59
2102		-0.0194 GY	0.65
2102		-0.0159 GY	0.70
2102		-0.0123 GY	0.75
2102		-0.0088 GY	0.81
2102		-0.0053 GY	0.86
2102		-0.0018 GY	0.90
1717		-0.0018 GY	0.04
1717		-0.0053 GY	0.08
1717		-0.0088 GY	0.13
1717		-0.0123 GY	0.19
1717		-0.0159 GY	0.24
1717		-0.0194 GY	0.29
1717		-0.0229 GY	0.35
1717		-0.0265 GY	0.40
1717		-0.0265 GY	0.45
1717		-0.0229 GY	0.50
1717		-0.0194 GY	0.56
1717		-0.0159 GY	0.61
1717		-0.0123 GY	0.66
1717		-0.0088 GY	0.72
1717		-0.0053 GY	0.77
1717		-0.0018 GY	0.81
153		-0.0018 GY	0.04
153		-0.0053 GY	0.08
153		-0.0088 GY	0.13
153		-0.0123 GY	0.19
153		-0.0159 GY	0.24
153		-0.0194 GY	0.29
153		-0.0229 GY	0.35
153		-0.0265 GY	0.40
153	-0.5312 GY	0.42	0.51
153		-0.0265 GY	0.54
153		-0.0229 GY	0.59
153		-0.0194 GY	0.65
153		-0.0159 GY	0.70
153		-0.0123 GY	0.75
153		-0.0088 GY	0.81

153		-0.0053 GY	0.86
153		-0.0018 GY	0.90
117		-0.0018 GY	0.04
117		-0.0053 GY	0.08
117		-0.0088 GY	0.13
117		-0.0123 GY	0.19
117		-0.0159 GY	0.24

117		-0.0194 GY	0.29	
117		-0.0229 GY	0.35	
117		-0.0265 GY	0.40	
117		-0.0265 GY	0.45	
117		-0.0229 GY	0.50	
117		-0.0194 GY	0.56	
117		-0.0159 GY	0.61	
117		-0.0123 GY	0.66	
117		-0.0088 GY	0.72	
117		-0.0053 GY	0.77	
117		-0.0018 GY	0.81	
2117		-0.0018 GY	0.04	
2117		-0.0053 GY	0.08	
2117		-0.0088 GY	0.13	
2117		-0.0123 GY	0.19	
2117		-0.0159 GY	0.24	
2117		-0.0194 GY	0.29	
2117		-0.0229 GY	0.35	
2117		-0.0265 GY	0.40	
2117	-0.5312 GY	0.42	0.52	
2117		-0.0265 GY	0.54	
2117		-0.0229 GY	0.59	
2117		-0.0194 GY	0.65	
2117		-0.0159 GY	0.70	
2117		-0.0123 GY	0.75	
2117		-0.0088 GY	0.81	
2117		-0.0053 GY	0.86	
2117		-0.0018 GY	0.90	
2115		-0.0018 GY	0.04	
2115		-0.0053 GY	0.08	
2115		-0.0088 GY	0.13	
2115		-0.0123 GY	0.19	
2115		-0.0159 GY	0.24	
2115		-0.0194 GY	0.29	
2115		-0.0229 GY	0.35	
2115		-0.0265 GY	0.40	
2115		-0.0265 GY	0.45	
2115		-0.0229 GY	0.50	
2115		-0.0194 GY	0.56	
2115		-0.0159 GY	0.61	
2115		-0.0123 GY	0.66	
2115		-0.0088 GY	0.72	
2115		-0.0053 GY	0.77	
2115		-0.0018 GY	0.81	
808		-0.0018 GY	0.04	
808		-0.0053 GY	0.08	
808		-0.0088 GY	0.13	

808		-0.0123 GY	0.19	
808		-0.0159 GY	0.24	

808		-0.0194 GY	0.29	
808		-0.0229 GY	0.35	
808		-0.0265 GY	0.40	
808	-0.5312 GY	0.42	0.52	
808		-0.0265 GY	0.54	
808		-0.0229 GY	0.59	
808		-0.0194 GY	0.65	
808		-0.0159 GY	0.70	
808		-0.0123 GY	0.75	
808		-0.0088 GY	0.81	
808		-0.0053 GY	0.86	
808		-0.0018 GY	0.90	
119		-0.0015 GY	0.03	
119		-0.0046 GY	0.08	
119		-0.0077 GY	0.13	
119		-0.0108 GY	0.17	
119		-0.0139 GY	0.22	
119		-0.0169 GY	0.27	
119		-0.0200 GY	0.32	
119		-0.0231 GY	0.37	
119		-0.0231 GY	0.42	
119		-0.0200 GY	0.47	
119		-0.0169 GY	0.52	
119		-0.0139 GY	0.57	
119		-0.0108 GY	0.62	
119		-0.0077 GY	0.67	
119		-0.0046 GY	0.72	
119		-0.0015 GY	0.76	
2075		-0.0015 GY	0.03	
2075		-0.0046 GY	0.08	
2075		-0.0077 GY	0.13	
2075		-0.0108 GY	0.17	
2075		-0.0139 GY	0.22	
2075		-0.0169 GY	0.27	
2075		-0.0200 GY	0.32	
2075		-0.0231 GY	0.37	
2075	-0.4962 GY	0.40	0.54	
2075		-0.0231 GY	0.57	
2075		-0.0200 GY	0.62	
2075		-0.0169 GY	0.67	
2075		-0.0139 GY	0.72	
2075		-0.0108 GY	0.77	
2075		-0.0077 GY	0.81	

2075		-0.0046 GY	0.86
2075		-0.0015 GY	0.91
1715		-0.0015 GY	0.03
1715		-0.0046 GY	0.08
1715		-0.0077 GY	0.13
1715		-0.0108 GY	0.17
1715		-0.0139 GY	0.22
1715		-0.0169 GY	0.27
1715		-0.0200 GY	0.32
1715		-0.0231 GY	0.37
1715		-0.0231 GY	0.42
1715		-0.0200 GY	0.47
1715		-0.0169 GY	0.52

1715		-0.0139 GY	0.57
1715		-0.0108 GY	0.62
1715		-0.0077 GY	0.67
1715		-0.0046 GY	0.72
1715		-0.0015 GY	0.76
141		-0.0015 GY	0.03
141		-0.0046 GY	0.08
141		-0.0077 GY	0.13
141		-0.0108 GY	0.17
141		-0.0139 GY	0.22
141		-0.0169 GY	0.27
141		-0.0200 GY	0.32
141		-0.0231 GY	0.37
141	-0.4963 GY	0.40	0.54
141		-0.0231 GY	0.57
141		-0.0200 GY	0.62
141		-0.0169 GY	0.67
141		-0.0139 GY	0.72
141		-0.0108 GY	0.77
141		-0.0077 GY	0.81
141		-0.0046 GY	0.86
141		-0.0015 GY	0.91
119		-0.0015 GY	0.03
119		-0.0046 GY	0.08
119		-0.0077 GY	0.13
119		-0.0108 GY	0.17
119		-0.0139 GY	0.22
119		-0.0169 GY	0.27
119		-0.0200 GY	0.32
119		-0.0231 GY	0.37
119		-0.0231 GY	0.42
119		-0.0200 GY	0.47

119		-0.0169 GY	0.52
119		-0.0139 GY	0.57
119		-0.0108 GY	0.62
119		-0.0077 GY	0.67
119		-0.0046 GY	0.72
119		-0.0015 GY	0.76
2090		-0.0015 GY	0.03
2090		-0.0046 GY	0.08
2090		-0.0077 GY	0.13
2090		-0.0108 GY	0.17
2090		-0.0139 GY	0.22
2090		-0.0169 GY	0.27
2090		-0.0200 GY	0.32
2090		-0.0231 GY	0.37
2090	-0.4962 GY	0.40	0.54
2090		-0.0231 GY	0.57
2090		-0.0200 GY	0.62
2090		-0.0169 GY	0.67
2090		-0.0139 GY	0.72
2090		-0.0108 GY	0.77
2090		-0.0077 GY	0.81
2090		-0.0046 GY	0.86
2090		-0.0015 GY	0.91
2088		-0.0015 GY	0.03

2088		-0.0046 GY	0.08
2088		-0.0077 GY	0.13
2088		-0.0108 GY	0.17
2088		-0.0139 GY	0.22
2088		-0.0169 GY	0.27
2088		-0.0200 GY	0.32
2088		-0.0231 GY	0.37
2088		-0.0231 GY	0.42
2088		-0.0200 GY	0.47
2088		-0.0169 GY	0.52
2088		-0.0139 GY	0.57
2088		-0.0108 GY	0.62
2088		-0.0077 GY	0.67
2088		-0.0046 GY	0.72
2088		-0.0015 GY	0.76
868		-0.0015 GY	0.03
868		-0.0046 GY	0.08
868		-0.0077 GY	0.13
868		-0.0108 GY	0.17
868		-0.0139 GY	0.22
868		-0.0169 GY	0.27

868		-0.0200 GY	0.32
868		-0.0231 GY	0.37
868	-0.4963 GY	0.40	0.54
868		-0.0231 GY	0.57
868		-0.0200 GY	0.62
868		-0.0169 GY	0.67
868		-0.0139 GY	0.72
868		-0.0108 GY	0.77
868		-0.0077 GY	0.81
868		-0.0046 GY	0.86
868		-0.0015 GY	0.91
127		-0.0018 GY	0.04
127		-0.0054 GY	0.08
127		-0.0090 GY	0.14
127		-0.0126 GY	0.19
127		-0.0162 GY	0.24
127		-0.0198 GY	0.30
127		-0.0235 GY	0.35
127		-0.0271 GY	0.40
127	-0.5372 GY	0.43	0.66
127		-0.0271 GY	0.69
127		-0.0235 GY	0.74
127		-0.0199 GY	0.80
127		-0.0162 GY	0.85
127		-0.0126 GY	0.91
127		-0.0090 GY	0.96
127		-0.0054 GY	1.01
127		-0.0018 GY	1.06
1813		-0.0018 GY	0.04
1813		-0.0054 GY	0.08
1813		-0.0090 GY	0.14
1813		-0.0126 GY	0.19
1813		-0.0163 GY	0.24
1813		-0.0199 GY	0.30
1813		-0.0235 GY	0.35

1813		-0.0271 GY	0.40
1813		-0.0271 GY	0.46
1813		-0.0235 GY	0.51
1813		-0.0199 GY	0.56
1813		-0.0163 GY	0.62
1813		-0.0126 GY	0.67
1813		-0.0090 GY	0.72
1813		-0.0054 GY	0.78
1813		-0.0018 GY	0.82
1502		-0.0018 GY	0.04

1502			-0.0054 GY	0.08
1502			-0.0090 GY	0.14
1502			-0.0126 GY	0.19
1502			-0.0162 GY	0.24
1502			-0.0199 GY	0.30
1502			-0.0235 GY	0.35
1502			-0.0271 GY	0.40
1502	-0.5373 GY	0.43	0.66	
1502			-0.0271 GY	0.69
1502			-0.0235 GY	0.74
1502			-0.0199 GY	0.80
1502			-0.0162 GY	0.85
1502			-0.0126 GY	0.91
1502			-0.0090 GY	0.96
1502			-0.0054 GY	1.01
1502			-0.0018 GY	1.06
1747			-0.0018 GY	0.04
1747			-0.0054 GY	0.08
1747			-0.0090 GY	0.14
1747			-0.0126 GY	0.19
1747			-0.0162 GY	0.24
1747			-0.0199 GY	0.30
1747			-0.0235 GY	0.35
1747			-0.0271 GY	0.40
1747			-0.0271 GY	0.46
1747			-0.0235 GY	0.51
1747			-0.0198 GY	0.56
1747			-0.0162 GY	0.62
1747			-0.0126 GY	0.67
1747			-0.0090 GY	0.72
1747			-0.0054 GY	0.78
1747			-0.0018 GY	0.82
127			-0.0016 GY	0.03
127			-0.0048 GY	0.08
127			-0.0081 GY	0.13
127			-0.0113 GY	0.18
127			-0.0145 GY	0.23
127			-0.0178 GY	0.28
127			-0.0210 GY	0.33
127			-0.0242 GY	0.38
127	-0.5087 GY	0.41	0.69	
127			-0.0242 GY	0.71
127			-0.0210 GY	0.76
127			-0.0178 GY	0.81
127			-0.0145 GY	0.87
127			-0.0113 GY	0.92

127		-0.0081 GY	0.97
127		-0.0048 GY	1.02
127		-0.0016 GY	1.06
1868		-0.0016 GY	0.03
1868		-0.0048 GY	0.08
1868		-0.0081 GY	0.13
1868		-0.0113 GY	0.18
1868		-0.0145 GY	0.23
1868		-0.0178 GY	0.28
1868		-0.0210 GY	0.33
1868		-0.0242 GY	0.38
1868		-0.0242 GY	0.43
1868		-0.0210 GY	0.48
1868		-0.0178 GY	0.53
1868		-0.0145 GY	0.58
1868		-0.0113 GY	0.63
1868		-0.0081 GY	0.68
1868		-0.0048 GY	0.73
1868		-0.0016 GY	0.78
754		-0.0016 GY	0.03
754		-0.0048 GY	0.08
754		-0.0081 GY	0.13
754		-0.0113 GY	0.18
754		-0.0145 GY	0.23
754		-0.0178 GY	0.28
754		-0.0210 GY	0.33
754		-0.0242 GY	0.38
754	-0.5085 GY	0.41	0.69
754		-0.0242 GY	0.71
754		-0.0210 GY	0.76
754		-0.0178 GY	0.81
754		-0.0145 GY	0.87
754		-0.0113 GY	0.92
754		-0.0081 GY	0.97
754		-0.0048 GY	1.02
754		-0.0016 GY	1.06
1802		-0.0016 GY	0.03
1802		-0.0048 GY	0.08
1802		-0.0081 GY	0.13
1802		-0.0113 GY	0.18
1802		-0.0145 GY	0.23
1802		-0.0178 GY	0.28
1802		-0.0210 GY	0.33
1802		-0.0242 GY	0.38
1802		-0.0242 GY	0.43
1802		-0.0210 GY	0.48

1802		-0.0178 GY	0.53
1802		-0.0145 GY	0.58
1802		-0.0113 GY	0.63
1802		-0.0081 GY	0.68
1802		-0.0048 GY	0.73
1802		-0.0016 GY	0.78
128		-0.0015 GY	0.03
128		-0.0046 GY	0.08
128		-0.0077 GY	0.13
128		-0.0108 GY	0.17

128		-0.0139 GY	0.22
128		-0.0169 GY	0.27
128		-0.0200 GY	0.32
128		-0.0231 GY	0.37
128		-0.0231 GY	0.42
128		-0.0200 GY	0.47
128		-0.0169 GY	0.52
128		-0.0139 GY	0.57
128		-0.0108 GY	0.62
128		-0.0077 GY	0.67
128		-0.0046 GY	0.72
128		-0.0015 GY	0.76
1497		-0.0015 GY	0.03
1497		-0.0046 GY	0.08
1497		-0.0077 GY	0.13
1497		-0.0108 GY	0.17
1497		-0.0138 GY	0.22
1497		-0.0169 GY	0.27
1497		-0.0200 GY	0.32
1497		-0.0231 GY	0.37
1497	-0.4961 GY	0.40	0.42
1497		-0.0231 GY	0.44
1497		-0.0200 GY	0.49
1497		-0.0169 GY	0.54
1497		-0.0139 GY	0.59
1497		-0.0108 GY	0.64
1497		-0.0077 GY	0.69
1497		-0.0046 GY	0.74
1497		-0.0015 GY	0.78
757		-0.0015 GY	0.03
757		-0.0046 GY	0.08
757		-0.0077 GY	0.13
757		-0.0108 GY	0.17
757		-0.0139 GY	0.22
757		-0.0169 GY	0.27

757		-0.0200 GY	0.32
757		-0.0231 GY	0.37
757		-0.0231 GY	0.42
757		-0.0200 GY	0.47
757		-0.0169 GY	0.52
757		-0.0139 GY	0.57
757		-0.0108 GY	0.62
757		-0.0077 GY	0.67
757		-0.0046 GY	0.72
757		-0.0015 GY	0.76
1493		-0.0015 GY	0.03
1493		-0.0046 GY	0.08
1493		-0.0077 GY	0.13
1493		-0.0108 GY	0.17
1493		-0.0139 GY	0.22
1493		-0.0169 GY	0.27
1493		-0.0200 GY	0.32
1493		-0.0231 GY	0.37
1493	-0.4964 GY	0.40	0.42
1493		-0.0231 GY	0.44
1493		-0.0200 GY	0.49

1493		-0.0169 GY	0.54
1493		-0.0139 GY	0.59
1493		-0.0108 GY	0.64
1493		-0.0077 GY	0.69
1493		-0.0046 GY	0.74
1493		-0.0015 GY	0.78
128		-0.0309 GY	0.07
128		-0.0926 GY	0.15
128		-0.1543 GY	0.25
128		-0.2160 GY	0.35
128		-0.2777 GY	0.45
128		-0.3394 GY	0.55
128		-0.4011 GY	0.65
128		-0.4629 GY	0.75
344		-0.3633 GY	0.04
344		-0.3940 GY	0.11
344		-0.4247 GY	0.18
344		-0.4553 GY	0.25
344		-0.4860 GY	0.32
344		-0.5166 GY	0.39
344		-0.5473 GY	0.46
344		-0.5779 GY	0.53
344		-0.4573 GY	0.59
344		-0.4383 GY	0.64

344	-0.4193 GY	0.70
344	-0.4003 GY	0.75
344	-0.3813 GY	0.81
344	-0.3623 GY	0.86
344	-0.3433 GY	0.92
344	-0.3243 GY	0.97
345	-0.6113 GY	0.06
345	-0.5298 GY	0.17
345	-0.4483 GY	0.28
345	-0.3668 GY	0.40
345	-0.2853 GY	0.51
345	-0.2038 GY	0.62
345	-0.1223 GY	0.73
345	-0.0408 GY	0.84
1747	-0.0216 GY	0.05
1747	-0.0187 GY	0.16
1747	-0.0158 GY	0.27
1747	-0.0129 GY	0.37
1747	-0.0101 GY	0.48
1747	-0.0072 GY	0.59
1747	-0.0043 GY	0.69
1747	-0.0014 GY	0.79
1759	-0.0603 GY	0.06
1759	-0.0560 GY	0.20
1759	-0.0517 GY	0.33
1759	-0.0474 GY	0.46
1759	-0.0431 GY	0.59
1759	-0.0388 GY	0.72
1759	-0.0346 GY	0.85
1759	-0.0303 GY	0.98
1758	-0.0946 GY	0.07
1758	-0.0904 GY	0.20

1758	-0.0861 GY	0.33
1758	-0.0818 GY	0.46
1758	-0.0775 GY	0.59
1758	-0.0732 GY	0.72
1758	-0.0689 GY	0.85
1758	-0.0646 GY	0.98
1757	-0.1290 GY	0.07
1757	-0.1247 GY	0.20
1757	-0.1204 GY	0.33
1757	-0.1161 GY	0.46
1757	-0.1118 GY	0.59
1757	-0.1075 GY	0.72
1757	-0.1032 GY	0.85

1757	-0.0989 GY	0.98
1748	-0.1432 GY	0.06
1748	-0.1398 GY	0.18
1748	-0.1363 GY	0.29
1748	-0.1329 GY	0.41
1748	-0.1294 GY	0.53
1748	-0.1260 GY	0.65
1748	-0.1226 GY	0.76
1748	-0.1191 GY	0.88
1749	-0.1707 GY	0.06
1749	-0.1673 GY	0.18
1749	-0.1638 GY	0.29
1749	-0.1604 GY	0.41
1749	-0.1569 GY	0.53
1749	-0.1535 GY	0.65
1749	-0.1501 GY	0.76
1749	-0.1466 GY	0.88
1762	-0.0095 GY	0.00
1762	-0.0096 GY	0.01
1762	-0.0096 GY	0.01
1762	-0.0096 GY	0.02
1762	-0.0096 GY	0.03
1762	-0.0096 GY	0.03
1762	-0.0096 GY	0.04
1762	-0.0096 GY	0.04
1762	-0.1875 GY	0.10
1762	-0.1843 GY	0.21
1762	-0.1812 GY	0.32
1762	-0.1781 GY	0.44
1762	-0.1750 GY	0.55
1762	-0.1719 GY	0.66
1762	-0.1688 GY	0.77
1762	-0.1657 GY	0.88
1761	-0.1715 GY	0.06
1761	-0.1750 GY	0.18
1761	-0.1784 GY	0.29
1761	-0.1818 GY	0.41
1761	-0.1853 GY	0.53
1761	-0.1887 GY	0.65
1761	-0.1921 GY	0.76
1761	-0.1956 GY	0.88
1760	-0.1440 GY	0.06
1760	-0.1475 GY	0.18

1760	-0.1509 GY	0.29
1760	-0.1543 GY	0.41

1760	-0.1578 GY	0.53
1760	-0.1612 GY	0.65
1760	-0.1647 GY	0.76
1760	-0.1681 GY	0.88
1750	-0.1165 GY	0.06
1750	-0.1200 GY	0.18
1750	-0.1234 GY	0.29
1750	-0.1269 GY	0.41
1750	-0.1303 GY	0.53
1750	-0.1337 GY	0.65
1750	-0.1372 GY	0.76
1750	-0.1406 GY	0.88
1751	-0.0891 GY	0.06
1751	-0.0925 GY	0.18
1751	-0.0959 GY	0.29
1751	-0.0994 GY	0.41
1751	-0.1028 GY	0.53
1751	-0.1062 GY	0.65
1751	-0.1097 GY	0.76
1751	-0.1131 GY	0.88
1756	-0.0654 GY	0.07
1756	-0.0697 GY	0.20
1756	-0.0740 GY	0.33
1756	-0.0783 GY	0.46
1756	-0.0826 GY	0.59
1756	-0.0868 GY	0.72
1756	-0.0911 GY	0.85
1756	-0.0954 GY	0.98
1755	-0.0309 GY	0.06
1755	-0.0343 GY	0.18
1755	-0.0377 GY	0.29
1755	-0.0412 GY	0.41
1755	-0.0446 GY	0.53
1755	-0.0481 GY	0.65
1755	-0.0515 GY	0.76
1755	-0.0549 GY	0.88
2203	-0.0034 GY	0.07
2203	-0.0068 GY	0.18
2203	-0.0103 GY	0.30
2203	-0.0137 GY	0.41
2203	-0.0171 GY	0.53
2203	-0.0206 GY	0.65
2203	-0.0240 GY	0.77
2203	-0.0274 GY	0.88
1754	-0.0000 GY	0.00
1754	-0.0000 GY	0.01
1754	-0.0000 GY	0.02

1754		-0.0000 GY	0.03
1754		-0.0001 GY	0.03
1754		-0.0001 GY	0.04
1754		-0.0001 GY	0.05
1754		-0.0001 GY	0.05
1518		-0.6120 GY	0.06
1518		-0.5304 GY	0.17

1518		-0.4488 GY	0.28
1518		-0.3672 GY	0.40
1518		-0.2856 GY	0.51
1518		-0.2040 GY	0.62
1518		-0.1224 GY	0.73
1518		-0.0408 GY	0.84
1517		-0.0371 GY	0.05
1517		-0.1114 GY	0.11
1517		-0.1856 GY	0.18
1517		-0.2599 GY	0.25
1517		-0.3341 GY	0.32
1517		-0.4084 GY	0.39
1517		-0.4826 GY	0.46
1517		-0.5569 GY	0.53
1517		-0.4578 GY	0.59
1517		-0.4388 GY	0.64
1517		-0.4198 GY	0.70
1517		-0.4008 GY	0.75
1517		-0.3817 GY	0.81
1517		-0.3627 GY	0.86
1517		-0.3437 GY	0.92
1517		-0.3247 GY	0.97
1542	-4.2594 GY	0.00	0.80
789		-0.0017 GY	0.08
789		-0.0052 GY	0.18
789		-0.0087 GY	0.30
789		-0.0121 GY	0.41
789		-0.0156 GY	0.53
789		-0.0191 GY	0.65
789		-0.0225 GY	0.77
789		-0.0260 GY	0.88
790		-0.0295 GY	0.06
790		-0.0330 GY	0.18
790		-0.0364 GY	0.29
790		-0.0399 GY	0.41
790		-0.0434 GY	0.53
790		-0.0468 GY	0.65
790		-0.0503 GY	0.76

790	-0.0538 GY	0.88
791	-0.0642 GY	0.07
791	-0.0685 GY	0.20
791	-0.0728 GY	0.33
791	-0.0771 GY	0.46
791	-0.0815 GY	0.59
791	-0.0858 GY	0.72
791	-0.0901 GY	0.85
791	-0.0944 GY	0.98
161	-0.0882 GY	0.06
161	-0.0917 GY	0.18
161	-0.0952 GY	0.29
161	-0.0986 GY	0.41
161	-0.1021 GY	0.53
161	-0.1056 GY	0.65
161	-0.1090 GY	0.76
161	-0.1125 GY	0.88
160	-0.1160 GY	0.06

160	-0.1194 GY	0.18
160	-0.1229 GY	0.29
160	-0.1264 GY	0.41
160	-0.1298 GY	0.53
160	-0.1333 GY	0.65
160	-0.1368 GY	0.76
160	-0.1402 GY	0.88
795	-0.1437 GY	0.06
795	-0.1472 GY	0.18
795	-0.1507 GY	0.29
795	-0.1541 GY	0.41
795	-0.1576 GY	0.53
795	-0.1611 GY	0.65
795	-0.1645 GY	0.76
795	-0.1680 GY	0.88
796	-0.1715 GY	0.06
796	-0.1749 GY	0.18
796	-0.1784 GY	0.29
796	-0.1819 GY	0.41
796	-0.1853 GY	0.53
796	-0.1888 GY	0.65
796	-0.1923 GY	0.76
796	-0.1957 GY	0.88
797	-0.0096 GY	0.00
797	-0.0096 GY	0.01
797	-0.0096 GY	0.01
797	-0.0096 GY	0.02

797	-0.0096 GY	0.03
797	-0.0096 GY	0.03
797	-0.0096 GY	0.04
797	-0.0096 GY	0.04
797	-0.1876 GY	0.10
797	-0.1845 GY	0.21
797	-0.1814 GY	0.32
797	-0.1783 GY	0.44
797	-0.1752 GY	0.55
797	-0.1721 GY	0.66
797	-0.1689 GY	0.77
797	-0.1658 GY	0.88
159	-0.1709 GY	0.06
159	-0.1674 GY	0.18
159	-0.1640 GY	0.29
159	-0.1605 GY	0.41
159	-0.1571 GY	0.53
159	-0.1537 GY	0.65
159	-0.1502 GY	0.76
159	-0.1468 GY	0.88
158	-0.1433 GY	0.06
158	-0.1399 GY	0.18
158	-0.1364 GY	0.29
158	-0.1330 GY	0.41
158	-0.1296 GY	0.53
158	-0.1261 GY	0.65
158	-0.1227 GY	0.76
158	-0.1192 GY	0.88
792	-0.1291 GY	0.07

792	-0.1248 GY	0.20
792	-0.1205 GY	0.33
792	-0.1162 GY	0.46
792	-0.1119 GY	0.59
792	-0.1076 GY	0.72
792	-0.1033 GY	0.85
792	-0.0990 GY	0.98
793	-0.0947 GY	0.07
793	-0.0904 GY	0.20
793	-0.0861 GY	0.33
793	-0.0818 GY	0.46
793	-0.0776 GY	0.59
793	-0.0733 GY	0.72
793	-0.0690 GY	0.85
793	-0.0647 GY	0.98
794	-0.0604 GY	0.06

794		-0.0561 GY	0.20
794		-0.0518 GY	0.33
794		-0.0475 GY	0.46
794		-0.0432 GY	0.59
794		-0.0389 GY	0.72
794		-0.0346 GY	0.85
794		-0.0303 GY	0.98
157		-0.0216 GY	0.05
157		-0.0187 GY	0.16
157		-0.0158 GY	0.27
157		-0.0130 GY	0.37
157		-0.0101 GY	0.48
157		-0.0072 GY	0.59
157		-0.0043 GY	0.69
157		-0.0014 GY	0.79
129		-0.0016 GY	0.03
129		-0.0048 GY	0.08
129		-0.0081 GY	0.13
129		-0.0113 GY	0.18
129		-0.0145 GY	0.23
129		-0.0178 GY	0.28
129		-0.0210 GY	0.33
129		-0.0242 GY	0.38
129	-0.5086 GY	0.41	0.44
129		-0.0242 GY	0.47
129		-0.0210 GY	0.52
129		-0.0178 GY	0.57
129		-0.0145 GY	0.62
129		-0.0113 GY	0.67
129		-0.0081 GY	0.72
129		-0.0048 GY	0.77
129		-0.0016 GY	0.82
2025		-0.0016 GY	0.03
2025		-0.0048 GY	0.08
2025		-0.0081 GY	0.13
2025		-0.0113 GY	0.18
2025		-0.0145 GY	0.23
2025		-0.0178 GY	0.28
2025		-0.0210 GY	0.33
2025		-0.0242 GY	0.38

2025	-0.0242 GY	0.43
2025	-0.0210 GY	0.48
2025	-0.0178 GY	0.53
2025	-0.0145 GY	0.58
2025	-0.0113 GY	0.63

2025		-0.0081 GY	0.68
2025		-0.0048 GY	0.73
2025		-0.0016 GY	0.78
758		-0.0016 GY	0.03
758		-0.0048 GY	0.08
758		-0.0081 GY	0.13
758		-0.0113 GY	0.18
758		-0.0145 GY	0.23
758		-0.0178 GY	0.28
758		-0.0210 GY	0.33
758		-0.0242 GY	0.38
758	-0.5086 GY	0.41	0.44
758		-0.0242 GY	0.47
758		-0.0210 GY	0.52
758		-0.0178 GY	0.57
758		-0.0145 GY	0.62
758		-0.0113 GY	0.67
758		-0.0081 GY	0.72
758		-0.0048 GY	0.77
758		-0.0016 GY	0.82
1485		-0.0016 GY	0.03
1485		-0.0048 GY	0.08
1485		-0.0081 GY	0.13
1485		-0.0113 GY	0.18
1485		-0.0145 GY	0.23
1485		-0.0178 GY	0.28
1485		-0.0210 GY	0.33
1485		-0.0242 GY	0.38
1485		-0.0242 GY	0.43
1485		-0.0210 GY	0.48
1485		-0.0178 GY	0.53
1485		-0.0145 GY	0.58
1485		-0.0113 GY	0.63
1485		-0.0081 GY	0.68
1485		-0.0048 GY	0.73
1485		-0.0016 GY	0.78
129		-0.0018 GY	0.04
129		-0.0053 GY	0.08
129		-0.0088 GY	0.13
129		-0.0123 GY	0.19
129		-0.0159 GY	0.24
129		-0.0194 GY	0.29
129		-0.0229 GY	0.35
129		-0.0265 GY	0.40
129		-0.0265 GY	0.45
129		-0.0229 GY	0.50
129		-0.0194 GY	0.56

129		-0.0159 GY	0.61
129		-0.0123 GY	0.66
129		-0.0088 GY	0.72
129		-0.0053 GY	0.77

129		-0.0018 GY	0.81
2097		-0.0018 GY	0.04
2097		-0.0053 GY	0.08
2097		-0.0088 GY	0.13
2097		-0.0123 GY	0.19
2097		-0.0159 GY	0.24
2097		-0.0194 GY	0.29
2097		-0.0229 GY	0.35
2097		-0.0265 GY	0.40
2097	-0.5312 GY	0.42	0.43
2097		-0.0265 GY	0.46
2097		-0.0229 GY	0.51
2097		-0.0194 GY	0.57
2097		-0.0159 GY	0.62
2097		-0.0123 GY	0.67
2097		-0.0088 GY	0.73
2097		-0.0053 GY	0.78
2097		-0.0018 GY	0.82
2096		-0.0018 GY	0.04
2096		-0.0053 GY	0.08
2096		-0.0088 GY	0.13
2096		-0.0123 GY	0.19
2096		-0.0159 GY	0.24
2096		-0.0194 GY	0.29
2096		-0.0229 GY	0.35
2096		-0.0265 GY	0.40
2096		-0.0265 GY	0.45
2096		-0.0229 GY	0.50
2096		-0.0194 GY	0.56
2096		-0.0159 GY	0.61
2096		-0.0123 GY	0.66
2096		-0.0088 GY	0.72
2096		-0.0053 GY	0.77
2096		-0.0018 GY	0.81
151		-0.0018 GY	0.04
151		-0.0053 GY	0.08
151		-0.0088 GY	0.13
151		-0.0123 GY	0.19
151		-0.0159 GY	0.24
151		-0.0194 GY	0.29
151		-0.0229 GY	0.35

151		-0.0265	GY	0.40
151	-0.5312	GY 0.42	0.43	
151		-0.0265	GY	0.46
151		-0.0229	GY	0.51
151		-0.0194	GY	0.57
151		-0.0159	GY	0.62
151		-0.0123	GY	0.67
151		-0.0088	GY	0.73
151		-0.0053	GY	0.78
151		-0.0018	GY	0.82
130		-0.0016	GY	0.03
130		-0.0048	GY	0.08
130		-0.0081	GY	0.13
130		-0.0113	GY	0.18
130		-0.0145	GY	0.23

130		-0.0178	GY	0.28
130		-0.0210	GY	0.33
130		-0.0242	GY	0.38
130	-0.5087	GY 0.41	0.64	
130		-0.0242	GY	0.66
130		-0.0210	GY	0.71
130		-0.0178	GY	0.76
130		-0.0145	GY	0.81
130		-0.0113	GY	0.86
130		-0.0081	GY	0.92
130		-0.0048	GY	0.96
130		-0.0016	GY	1.01
1488		-0.0016	GY	0.03
1488		-0.0048	GY	0.08
1488		-0.0081	GY	0.13
1488		-0.0113	GY	0.18
1488		-0.0145	GY	0.23
1488		-0.0178	GY	0.28
1488		-0.0210	GY	0.33
1488		-0.0242	GY	0.38
1488		-0.0242	GY	0.43
1488		-0.0210	GY	0.48
1488		-0.0178	GY	0.53
1488		-0.0145	GY	0.58
1488		-0.0113	GY	0.63
1488		-0.0081	GY	0.68
1488		-0.0048	GY	0.73
1488		-0.0016	GY	0.78
761		-0.0016	GY	0.03
761		-0.0048	GY	0.08

761		-0.0081 GY	0.13
761		-0.0113 GY	0.18
761		-0.0145 GY	0.23
761		-0.0178 GY	0.28
761		-0.0210 GY	0.33
761		-0.0242 GY	0.38
761	-0.5085 GY	0.41	0.64
761		-0.0242 GY	0.66
761		-0.0210 GY	0.71
761		-0.0178 GY	0.76
761		-0.0145 GY	0.81
761		-0.0113 GY	0.86
761		-0.0081 GY	0.92
761		-0.0048 GY	0.96
761		-0.0016 GY	1.01
1495		-0.0016 GY	0.03
1495		-0.0048 GY	0.08
1495		-0.0081 GY	0.13
1495		-0.0113 GY	0.18
1495		-0.0145 GY	0.23
1495		-0.0178 GY	0.28
1495		-0.0210 GY	0.33
1495		-0.0242 GY	0.38
1495		-0.0242 GY	0.43
1495		-0.0210 GY	0.48
1495		-0.0178 GY	0.53

1495		-0.0145 GY	0.58
1495		-0.0113 GY	0.63
1495		-0.0081 GY	0.68
1495		-0.0048 GY	0.73
1495		-0.0016 GY	0.78
130		-0.0678 GY	0.09
130		-0.2034 GY	0.20
130		-0.3390 GY	0.32
130		-0.4747 GY	0.45
130		-0.6103 GY	0.58
130		-0.7459 GY	0.71
130		-0.8815 GY	0.83
130		-1.0171 GY	0.96
130		-0.0201 GY	1.03
130		-0.0200 GY	1.03
130		-0.0200 GY	1.03
130		-0.0199 GY	1.03
130		-0.0199 GY	1.04
130		-0.0198 GY	1.04

130	-0.0198 GY	1.04
130	-0.0197 GY	1.04
346	-0.9798 GY	0.06
346	-0.8492 GY	0.19
346	-0.7185 GY	0.31
346	-0.5879 GY	0.44
346	-0.4573 GY	0.56
346	-0.3266 GY	0.69
346	-0.1960 GY	0.81
346	-0.0653 GY	0.92
151	-0.0164 GY	0.05
151	-0.0142 GY	0.16
151	-0.0120 GY	0.27
151	-0.0098 GY	0.37
151	-0.0076 GY	0.48
151	-0.0055 GY	0.59
151	-0.0033 GY	0.69
151	-0.0011 GY	0.79
814	-0.0458 GY	0.06
814	-0.0425 GY	0.20
814	-0.0393 GY	0.33
814	-0.0360 GY	0.46
814	-0.0327 GY	0.59
814	-0.0295 GY	0.72
814	-0.0262 GY	0.85
814	-0.0230 GY	0.98
812	-0.0718 GY	0.07
812	-0.0686 GY	0.20
812	-0.0653 GY	0.33
812	-0.0621 GY	0.46
812	-0.0588 GY	0.59
812	-0.0556 GY	0.72
812	-0.0523 GY	0.85
812	-0.0490 GY	0.98
810	-0.0979 GY	0.07
810	-0.0946 GY	0.20
810	-0.0914 GY	0.33

810	-0.0881 GY	0.46
810	-0.0849 GY	0.59
810	-0.0816 GY	0.72
810	-0.0784 GY	0.85
810	-0.0751 GY	0.98
152	-0.1087 GY	0.06
152	-0.1061 GY	0.18
152	-0.1035 GY	0.29

152	-0.1009 GY	0.41
152	-0.0982 GY	0.53
152	-0.0956 GY	0.65
152	-0.0930 GY	0.76
152	-0.0904 GY	0.88
153	-0.1296 GY	0.06
153	-0.1270 GY	0.18
153	-0.1244 GY	0.29
153	-0.1217 GY	0.41
153	-0.1191 GY	0.53
153	-0.1165 GY	0.65
153	-0.1139 GY	0.76
153	-0.1113 GY	0.88
808	-0.0088 GY	0.00
808	-0.0088 GY	0.01
808	-0.0088 GY	0.02
808	-0.0089 GY	0.02
808	-0.0089 GY	0.03
808	-0.0089 GY	0.04
808	-0.0089 GY	0.05
808	-0.0089 GY	0.05
808	-0.1405 GY	0.11
808	-0.1382 GY	0.22
808	-0.1359 GY	0.33
808	-0.1336 GY	0.44
808	-0.1313 GY	0.55
808	-0.1289 GY	0.66
808	-0.1266 GY	0.77
808	-0.1243 GY	0.88
806	-0.1296 GY	0.06
806	-0.1323 GY	0.18
806	-0.1349 GY	0.29
806	-0.1375 GY	0.41
806	-0.1401 GY	0.53
806	-0.1428 GY	0.65
806	-0.1454 GY	0.76
806	-0.1480 GY	0.88
804	-0.1087 GY	0.06
804	-0.1113 GY	0.18
804	-0.1139 GY	0.29
804	-0.1165 GY	0.41
804	-0.1191 GY	0.53
804	-0.1218 GY	0.65
804	-0.1244 GY	0.76
804	-0.1270 GY	0.88
154	-0.0877 GY	0.06
154	-0.0903 GY	0.18

154	-0.0929 GY	0.29

154	-0.0955 GY	0.41
154	-0.0982 GY	0.53
154	-0.1008 GY	0.65
154	-0.1034 GY	0.76
154	-0.1060 GY	0.88
155	-0.0667 GY	0.06
155	-0.0693 GY	0.18
155	-0.0719 GY	0.29
155	-0.0746 GY	0.41
155	-0.0772 GY	0.53
155	-0.0798 GY	0.65
155	-0.0824 GY	0.76
155	-0.0851 GY	0.88
802	-0.0485 GY	0.07
802	-0.0518 GY	0.20
802	-0.0550 GY	0.33
802	-0.0583 GY	0.46
802	-0.0616 GY	0.59
802	-0.0649 GY	0.72
802	-0.0681 GY	0.85
802	-0.0714 GY	0.98
800	-0.0223 GY	0.06
800	-0.0249 GY	0.18
800	-0.0275 GY	0.29
800	-0.0302 GY	0.41
800	-0.0328 GY	0.53
800	-0.0354 GY	0.65
800	-0.0380 GY	0.76
800	-0.0406 GY	0.88
798	-0.0013 GY	0.08
798	-0.0039 GY	0.18
798	-0.0066 GY	0.30
798	-0.0092 GY	0.41
798	-0.0118 GY	0.53
798	-0.0144 GY	0.65
798	-0.0170 GY	0.77
798	-0.0197 GY	0.88
1520	-0.0243 GY	0.03
1520	-0.0728 GY	0.07
1520	-0.1214 GY	0.12
1520	-0.1699 GY	0.16
1520	-0.2184 GY	0.21
1520	-0.2670 GY	0.25
1520	-0.3155 GY	0.30

1520	-0.3641 GY	0.34
1520	-0.6386 GY	0.41
1520	-0.5534 GY	0.49
1520	-0.4683 GY	0.57
1520	-0.3831 GY	0.65
1520	-0.2980 GY	0.72
1520	-0.2129 GY	0.80
1520	-0.1277 GY	0.88
1520	-0.0426 GY	0.95
1510	-0.0435 GY	0.05
1510	-0.1305 GY	0.13
1510	-0.2174 GY	0.21

1510	-0.3044 GY	0.29
1510	-0.3914 GY	0.37
1510	-0.4784 GY	0.45
1510	-0.5654 GY	0.53
1510	-0.6523 GY	0.62
1510	-0.3878 GY	0.68
1510	-0.3361 GY	0.73
1510	-0.2844 GY	0.78
1510	-0.2327 GY	0.83
1510	-0.1810 GY	0.87
1510	-0.1293 GY	0.92
1510	-0.0776 GY	0.97
1510	-0.0259 GY	1.01
852	-0.0013 GY	0.08
852	-0.0039 GY	0.18
852	-0.0066 GY	0.30
852	-0.0092 GY	0.41
852	-0.0118 GY	0.53
852	-0.0144 GY	0.65
852	-0.0170 GY	0.77
852	-0.0197 GY	0.88
855	-0.0223 GY	0.06
855	-0.0249 GY	0.18
855	-0.0275 GY	0.29
855	-0.0302 GY	0.41
855	-0.0328 GY	0.53
855	-0.0354 GY	0.65
855	-0.0380 GY	0.76
855	-0.0406 GY	0.88
858	-0.0485 GY	0.07
858	-0.0518 GY	0.20
858	-0.0550 GY	0.33
858	-0.0583 GY	0.46

858	-0.0616 GY	0.59
858	-0.0649 GY	0.72
858	-0.0681 GY	0.85
858	-0.0714 GY	0.98
149	-0.0667 GY	0.06
149	-0.0693 GY	0.18
149	-0.0719 GY	0.29
149	-0.0746 GY	0.41
149	-0.0772 GY	0.53
149	-0.0798 GY	0.65
149	-0.0824 GY	0.76
149	-0.0851 GY	0.88
148	-0.0877 GY	0.06
148	-0.0903 GY	0.18
148	-0.0929 GY	0.29
148	-0.0956 GY	0.41
148	-0.0982 GY	0.53
148	-0.1008 GY	0.65
148	-0.1034 GY	0.76
148	-0.1060 GY	0.88
861	-0.1087 GY	0.06
861	-0.1113 GY	0.18
861	-0.1139 GY	0.29

861	-0.1165 GY	0.41
861	-0.1192 GY	0.53
861	-0.1218 GY	0.65
861	-0.1244 GY	0.76
861	-0.1270 GY	0.88
864	-0.1296 GY	0.06
864	-0.1323 GY	0.18
864	-0.1349 GY	0.29
864	-0.1375 GY	0.41
864	-0.1401 GY	0.53
864	-0.1428 GY	0.65
864	-0.1454 GY	0.76
864	-0.1480 GY	0.88
867	-0.0088 GY	0.00
867	-0.0088 GY	0.01
867	-0.0088 GY	0.02
867	-0.0089 GY	0.02
867	-0.0089 GY	0.03
867	-0.0089 GY	0.04
867	-0.0089 GY	0.05
867	-0.0089 GY	0.05
867	-0.1405 GY	0.11

867	-0.1382 GY	0.22
867	-0.1359 GY	0.33
867	-0.1336 GY	0.44
867	-0.1313 GY	0.55
867	-0.1289 GY	0.66
867	-0.1266 GY	0.77
867	-0.1243 GY	0.88
147	-0.1296 GY	0.06
147	-0.1270 GY	0.18
147	-0.1244 GY	0.29
147	-0.1218 GY	0.41
147	-0.1191 GY	0.53
147	-0.1165 GY	0.65
147	-0.1139 GY	0.76
147	-0.1113 GY	0.88
146	-0.1087 GY	0.06
146	-0.1061 GY	0.18
146	-0.1035 GY	0.29
146	-0.1009 GY	0.41
146	-0.0983 GY	0.53
146	-0.0956 GY	0.65
146	-0.0930 GY	0.76
146	-0.0904 GY	0.88
870	-0.0979 GY	0.07
870	-0.0947 GY	0.20
870	-0.0914 GY	0.33
870	-0.0881 GY	0.46
870	-0.0849 GY	0.59
870	-0.0816 GY	0.72
870	-0.0784 GY	0.85
870	-0.0751 GY	0.98
873	-0.0718 GY	0.07
873	-0.0686 GY	0.20
873	-0.0653 GY	0.33

873	-0.0621 GY	0.46
873	-0.0588 GY	0.59
873	-0.0556 GY	0.72
873	-0.0523 GY	0.85
873	-0.0490 GY	0.98
876	-0.0458 GY	0.06
876	-0.0425 GY	0.20
876	-0.0393 GY	0.33
876	-0.0360 GY	0.46
876	-0.0327 GY	0.59
876	-0.0295 GY	0.72

876		-0.0262 GY	0.85
876		-0.0230 GY	0.98
145		-0.0164 GY	0.05
145		-0.0142 GY	0.16
145		-0.0120 GY	0.27
145		-0.0098 GY	0.37
145		-0.0076 GY	0.48
145		-0.0055 GY	0.59
145		-0.0033 GY	0.69
145		-0.0011 GY	0.79
131		-0.0015 GY	0.03
131		-0.0046 GY	0.08
131		-0.0077 GY	0.13
131		-0.0108 GY	0.17
131		-0.0139 GY	0.22
131		-0.0169 GY	0.27
131		-0.0200 GY	0.32
131		-0.0231 GY	0.37
131		-0.0231 GY	0.42
131		-0.0200 GY	0.47
131		-0.0169 GY	0.52
131		-0.0139 GY	0.57
131		-0.0108 GY	0.62
131		-0.0077 GY	0.67
131		-0.0046 GY	0.72
131		-0.0015 GY	0.76
2024		-0.0015 GY	0.03
2024		-0.0046 GY	0.08
2024		-0.0077 GY	0.13
2024		-0.0108 GY	0.17
2024		-0.0139 GY	0.22
2024		-0.0169 GY	0.27
2024		-0.0200 GY	0.32
2024		-0.0231 GY	0.37
2024	-0.4962 GY	0.40	0.42
2024		-0.0231 GY	0.44
2024		-0.0200 GY	0.49
2024		-0.0169 GY	0.54
2024		-0.0139 GY	0.59
2024		-0.0108 GY	0.64
2024		-0.0077 GY	0.69
2024		-0.0046 GY	0.74
2024		-0.0015 GY	0.78
762		-0.0015 GY	0.03
762		-0.0046 GY	0.08

762		-0.0077 GY	0.13
762		-0.0108 GY	0.17
762		-0.0139 GY	0.22
762		-0.0169 GY	0.27
762		-0.0200 GY	0.32
762		-0.0231 GY	0.37
762		-0.0231 GY	0.42
762		-0.0200 GY	0.47
762		-0.0169 GY	0.52
762		-0.0139 GY	0.57
762		-0.0108 GY	0.62
762		-0.0077 GY	0.67
762		-0.0046 GY	0.72
762		-0.0015 GY	0.76
1490		-0.0015 GY	0.03
1490		-0.0046 GY	0.08
1490		-0.0077 GY	0.13
1490		-0.0108 GY	0.17
1490		-0.0139 GY	0.22
1490		-0.0169 GY	0.27
1490		-0.0200 GY	0.32
1490		-0.0231 GY	0.37
1490	-0.4963 GY	0.40	0.42
1490		-0.0231 GY	0.44
1490		-0.0200 GY	0.49
1490		-0.0169 GY	0.54
1490		-0.0139 GY	0.59
1490		-0.0108 GY	0.64
1490		-0.0077 GY	0.69
1490		-0.0046 GY	0.74
1490		-0.0015 GY	0.78
131		-0.0015 GY	0.03
131		-0.0046 GY	0.08
131		-0.0077 GY	0.13
131		-0.0108 GY	0.17
131		-0.0139 GY	0.22
131		-0.0169 GY	0.27
131		-0.0200 GY	0.32
131		-0.0231 GY	0.37
131		-0.0231 GY	0.42
131		-0.0200 GY	0.47
131		-0.0169 GY	0.52
131		-0.0139 GY	0.57
131		-0.0108 GY	0.62
131		-0.0077 GY	0.67
131		-0.0046 GY	0.72
131		-0.0015 GY	0.76

2070		-0.0015 GY	0.03
2070		-0.0046 GY	0.08
2070		-0.0077 GY	0.13
2070		-0.0108 GY	0.17
2070		-0.0139 GY	0.22
2070		-0.0169 GY	0.27
2070		-0.0200 GY	0.32
2070		-0.0231 GY	0.37
2070	-0.4962 GY	0.40	0.46

2070		-0.0231 GY	0.49
2070		-0.0200 GY	0.54
2070		-0.0169 GY	0.59
2070		-0.0139 GY	0.64
2070		-0.0108 GY	0.68
2070		-0.0077 GY	0.73
2070		-0.0046 GY	0.78
2070		-0.0015 GY	0.83
2069		-0.0015 GY	0.03
2069		-0.0046 GY	0.08
2069		-0.0077 GY	0.13
2069		-0.0108 GY	0.17
2069		-0.0139 GY	0.22
2069		-0.0169 GY	0.27
2069		-0.0200 GY	0.32
2069		-0.0231 GY	0.37
2069		-0.0231 GY	0.42
2069		-0.0200 GY	0.47
2069		-0.0169 GY	0.52
2069		-0.0139 GY	0.57
2069		-0.0108 GY	0.62
2069		-0.0077 GY	0.67
2069		-0.0046 GY	0.72
2069		-0.0015 GY	0.76
139		-0.0015 GY	0.03
139		-0.0046 GY	0.08
139		-0.0077 GY	0.13
139		-0.0108 GY	0.17
139		-0.0139 GY	0.22
139		-0.0169 GY	0.27
139		-0.0200 GY	0.32
139		-0.0231 GY	0.37
139	-0.4963 GY	0.40	0.46
139		-0.0231 GY	0.49
139		-0.0200 GY	0.54
139		-0.0169 GY	0.59

139		-0.0139 GY	0.64
139		-0.0108 GY	0.68
139		-0.0077 GY	0.73
139		-0.0046 GY	0.78
139		-0.0015 GY	0.83
132		-0.0016 GY	0.03
132		-0.0048 GY	0.08
132		-0.0081 GY	0.13
132		-0.0113 GY	0.18
132		-0.0145 GY	0.23
132		-0.0178 GY	0.28
132		-0.0210 GY	0.33
132		-0.0242 GY	0.38
132	-0.5083 GY	0.41	0.64
132		-0.0242 GY	0.67
132		-0.0210 GY	0.72
132		-0.0178 GY	0.77
132		-0.0145 GY	0.82
132		-0.0113 GY	0.87
132		-0.0081 GY	0.92

132		-0.0048 GY	0.97
132		-0.0016 GY	1.02
1489		-0.0016 GY	0.03
1489		-0.0048 GY	0.08
1489		-0.0081 GY	0.13
1489		-0.0113 GY	0.18
1489		-0.0145 GY	0.23
1489		-0.0178 GY	0.28
1489		-0.0210 GY	0.33
1489		-0.0242 GY	0.38
1489		-0.0242 GY	0.43
1489		-0.0210 GY	0.48
1489		-0.0178 GY	0.53
1489		-0.0145 GY	0.58
1489		-0.0113 GY	0.63
1489		-0.0081 GY	0.68
1489		-0.0048 GY	0.73
1489		-0.0016 GY	0.78
765		-0.0016 GY	0.03
765		-0.0048 GY	0.08
765		-0.0081 GY	0.13
765		-0.0113 GY	0.18
765		-0.0145 GY	0.23
765		-0.0178 GY	0.28
765		-0.0210 GY	0.33

765		-0.0242 GY	0.38
765	-0.5083 GY	0.41	0.64
765		-0.0242 GY	0.67
765		-0.0210 GY	0.72
765		-0.0178 GY	0.77
765		-0.0145 GY	0.82
765		-0.0113 GY	0.87
765		-0.0081 GY	0.92
765		-0.0048 GY	0.97
765		-0.0016 GY	1.02
1651		-0.0016 GY	0.03
1651		-0.0048 GY	0.08
1651		-0.0081 GY	0.13
1651		-0.0113 GY	0.18
1651		-0.0145 GY	0.23
1651		-0.0178 GY	0.28
1651		-0.0210 GY	0.33
1651		-0.0242 GY	0.38
1651		-0.0242 GY	0.43
1651		-0.0210 GY	0.48
1651		-0.0178 GY	0.53
1651		-0.0145 GY	0.58
1651		-0.0113 GY	0.63
1651		-0.0081 GY	0.68
1651		-0.0048 GY	0.73
1651		-0.0016 GY	0.78
132		-0.0680 GY	0.09
132		-0.2041 GY	0.20
132		-0.3402 GY	0.33
132		-0.4762 GY	0.45
132		-0.6123 GY	0.58

132		-0.7484 GY	0.71
132		-0.8844 GY	0.84
132		-1.0205 GY	0.96
132		-0.0240 GY	1.03
132		-0.0240 GY	1.03
132		-0.0239 GY	1.03
132		-0.0238 GY	1.04
132		-0.0238 GY	1.04
132		-0.0237 GY	1.04
132		-0.0236 GY	1.05
132		-0.0236 GY	1.05
348		-0.9773 GY	0.06
348		-0.8470 GY	0.19
348		-0.7167 GY	0.31

348	-0.5864 GY	0.44
348	-0.4561 GY	0.56
348	-0.3258 GY	0.69
348	-0.1955 GY	0.81
348	-0.0652 GY	0.92
139	-0.0164 GY	0.05
139	-0.0142 GY	0.16
139	-0.0120 GY	0.27
139	-0.0099 GY	0.37
139	-0.0077 GY	0.48
139	-0.0055 GY	0.59
139	-0.0033 GY	0.69
139	-0.0011 GY	0.79
877	-0.0459 GY	0.06
877	-0.0426 GY	0.20
877	-0.0394 GY	0.33
877	-0.0361 GY	0.46
877	-0.0328 GY	0.59
877	-0.0296 GY	0.72
877	-0.0263 GY	0.85
877	-0.0230 GY	0.98
874	-0.0720 GY	0.07
874	-0.0688 GY	0.20
874	-0.0655 GY	0.33
874	-0.0622 GY	0.46
874	-0.0590 GY	0.59
874	-0.0557 GY	0.72
874	-0.0524 GY	0.85
874	-0.0492 GY	0.98
871	-0.0982 GY	0.07
871	-0.0949 GY	0.20
871	-0.0916 GY	0.33
871	-0.0884 GY	0.46
871	-0.0851 GY	0.59
871	-0.0818 GY	0.72
871	-0.0786 GY	0.85
871	-0.0753 GY	0.98
140	-0.1090 GY	0.06
140	-0.1064 GY	0.18
140	-0.1037 GY	0.29
140	-0.1011 GY	0.41
140	-0.0985 GY	0.53

140	-0.0959 GY	0.65
140	-0.0933 GY	0.76
140	-0.0906 GY	0.88

141	-0.1299 GY	0.06
141	-0.1273 GY	0.18
141	-0.1247 GY	0.29
141	-0.1221 GY	0.41
141	-0.1194 GY	0.53
141	-0.1168 GY	0.65
141	-0.1142 GY	0.76
141	-0.1116 GY	0.88
868	-0.0077 GY	0.00
868	-0.0077 GY	0.01
868	-0.0077 GY	0.02
868	-0.0077 GY	0.02
868	-0.0077 GY	0.03
868	-0.0078 GY	0.03
868	-0.0078 GY	0.04
868	-0.0078 GY	0.05
868	-0.1421 GY	0.10
868	-0.1398 GY	0.22
868	-0.1374 GY	0.33
868	-0.1351 GY	0.44
868	-0.1327 GY	0.55
868	-0.1304 GY	0.66
868	-0.1280 GY	0.77
868	-0.1257 GY	0.88
865	-0.1303 GY	0.06
865	-0.1329 GY	0.18
865	-0.1355 GY	0.29
865	-0.1382 GY	0.41
865	-0.1408 GY	0.53
865	-0.1434 GY	0.65
865	-0.1461 GY	0.76
865	-0.1487 GY	0.88
862	-0.1092 GY	0.06
862	-0.1118 GY	0.18
862	-0.1144 GY	0.29
862	-0.1171 GY	0.41
862	-0.1197 GY	0.53
862	-0.1223 GY	0.65
862	-0.1250 GY	0.76
862	-0.1276 GY	0.88
142	-0.0881 GY	0.06
142	-0.0907 GY	0.18
142	-0.0934 GY	0.29
142	-0.0960 GY	0.41
142	-0.0986 GY	0.53
142	-0.1013 GY	0.65
142	-0.1039 GY	0.76

142	-0.1065 GY	0.88
143	-0.0670 GY	0.06
143	-0.0697 GY	0.18
143	-0.0723 GY	0.29
143	-0.0749 GY	0.41
143	-0.0776 GY	0.53

143	-0.0802 GY	0.65
143	-0.0828 GY	0.76
143	-0.0855 GY	0.88
859	-0.0487 GY	0.07
859	-0.0520 GY	0.20
859	-0.0553 GY	0.33
859	-0.0586 GY	0.46
859	-0.0619 GY	0.59
859	-0.0652 GY	0.72
859	-0.0685 GY	0.85
859	-0.0717 GY	0.98
856	-0.0224 GY	0.06
856	-0.0250 GY	0.18
856	-0.0277 GY	0.29
856	-0.0303 GY	0.41
856	-0.0329 GY	0.53
856	-0.0356 GY	0.65
856	-0.0382 GY	0.76
856	-0.0408 GY	0.88
853	-0.0013 GY	0.08
853	-0.0040 GY	0.18
853	-0.0066 GY	0.30
853	-0.0092 GY	0.41
853	-0.0119 GY	0.53
853	-0.0145 GY	0.65
853	-0.0171 GY	0.77
853	-0.0198 GY	0.88
1521	-0.0240 GY	0.03
1521	-0.0719 GY	0.07
1521	-0.1199 GY	0.11
1521	-0.1678 GY	0.16
1521	-0.2157 GY	0.20
1521	-0.2637 GY	0.25
1521	-0.3116 GY	0.29
1521	-0.3596 GY	0.34
1521	-0.6420 GY	0.40
1521	-0.5564 GY	0.48
1521	-0.4708 GY	0.56
1521	-0.3852 GY	0.64

1521	-0.2996 GY	0.72
1521	-0.2140 GY	0.80
1521	-0.1284 GY	0.88
1521	-0.0428 GY	0.95
1514	-0.0682 GY	0.09
1514	-0.2045 GY	0.20
1514	-0.3409 GY	0.33
1514	-0.4772 GY	0.45
1514	-0.6135 GY	0.58
1514	-0.7499 GY	0.71
1514	-0.8862 GY	0.84
1514	-1.0226 GY	0.96
1514	-0.0226 GY	1.03
1514	-0.0196 GY	1.03
1514	-0.0166 GY	1.03
1514	-0.0136 GY	1.04
1514	-0.0106 GY	1.04

1514	-0.0075 GY	1.04
1514	-0.0045 GY	1.05
1514	-0.0015 GY	1.05
2286	-0.0007 GY	0.06
2286	-0.0021 GY	0.14
2286	-0.0036 GY	0.22
2286	-0.0050 GY	0.31
2286	-0.0064 GY	0.39
2286	-0.0079 GY	0.48
2286	-0.0093 GY	0.57
2286	-0.0107 GY	0.65
1604	-0.0111 GY	0.04
1604	-0.0123 GY	0.12
1604	-0.0134 GY	0.20
1604	-0.0146 GY	0.28
1604	-0.0158 GY	0.36
1604	-0.0170 GY	0.44
1604	-0.0182 GY	0.52
1604	-0.0194 GY	0.60
1660	-0.0327 GY	0.06
1660	-0.0356 GY	0.19
1660	-0.0385 GY	0.31
1660	-0.0414 GY	0.43
1660	-0.0443 GY	0.56
1660	-0.0472 GY	0.68
1660	-0.0501 GY	0.81
1660	-0.0530 GY	0.93
1605	-0.0560 GY	0.06

1605	-0.0589 GY	0.19
1605	-0.0618 GY	0.31
1605	-0.0647 GY	0.43
1605	-0.0676 GY	0.56
1605	-0.0705 GY	0.68
1605	-0.0734 GY	0.81
1605	-0.0763 GY	0.93
1600	-0.0483 GY	0.04
1600	-0.0494 GY	0.11
1600	-0.0505 GY	0.19
1600	-0.0516 GY	0.27
1600	-0.0527 GY	0.34
1600	-0.0538 GY	0.42
1600	-0.0549 GY	0.50
1600	-0.0560 GY	0.57
1599	-0.0885 GY	0.06
1599	-0.0911 GY	0.18
1599	-0.0937 GY	0.29
1599	-0.0963 GY	0.41
1599	-0.0989 GY	0.53
1599	-0.1015 GY	0.65
1599	-0.1042 GY	0.76
1599	-0.1068 GY	0.88
1606	-0.1094 GY	0.06
1606	-0.1120 GY	0.18
1606	-0.1146 GY	0.29
1606	-0.1172 GY	0.41
1606	-0.1198 GY	0.53

1606	-0.1224 GY	0.65
1606	-0.1250 GY	0.76
1606	-0.1276 GY	0.88
1607	-0.1302 GY	0.06
1607	-0.1329 GY	0.18
1607	-0.1355 GY	0.29
1607	-0.1381 GY	0.41
1607	-0.1407 GY	0.53
1607	-0.1433 GY	0.65
1607	-0.1459 GY	0.76
1607	-0.1485 GY	0.88
1608	-0.0077 GY	0.00
1608	-0.0077 GY	0.01
1608	-0.0077 GY	0.02
1608	-0.0077 GY	0.02
1608	-0.0077 GY	0.03
1608	-0.0077 GY	0.03

1608	-0.0077 GY	0.04
1608	-0.0078 GY	0.05
1608	-0.1419 GY	0.10
1608	-0.1396 GY	0.22
1608	-0.1372 GY	0.33
1608	-0.1349 GY	0.44
1608	-0.1325 GY	0.55
1608	-0.1302 GY	0.66
1608	-0.1278 GY	0.77
1608	-0.1255 GY	0.88
1598	-0.1297 GY	0.06
1598	-0.1271 GY	0.18
1598	-0.1245 GY	0.29
1598	-0.1219 GY	0.41
1598	-0.1193 GY	0.53
1598	-0.1167 GY	0.65
1598	-0.1141 GY	0.76
1598	-0.1114 GY	0.88
1597	-0.0588 GY	0.03
1597	-0.0580 GY	0.09
1597	-0.0573 GY	0.16
1597	-0.0565 GY	0.22
1597	-0.0558 GY	0.28
1597	-0.0550 GY	0.35
1597	-0.0543 GY	0.41
1597	-0.0535 GY	0.47
1686	-0.0455 GY	0.03
1686	-0.0449 GY	0.08
1686	-0.0444 GY	0.14
1686	-0.0438 GY	0.19
1686	-0.0432 GY	0.24
1686	-0.0427 GY	0.30
1686	-0.0421 GY	0.35
1686	-0.0416 GY	0.41
1609	-0.0980 GY	0.07
1609	-0.0948 GY	0.20
1609	-0.0915 GY	0.33
1609	-0.0882 GY	0.46
1609	-0.0850 GY	0.59

1609	-0.0817 GY	0.72
1609	-0.0785 GY	0.85
1609	-0.0752 GY	0.98
1610	-0.0719 GY	0.07
1610	-0.0687 GY	0.20
1610	-0.0654 GY	0.33

1610		-0.0621 GY	0.46
1610		-0.0589 GY	0.59
1610		-0.0556 GY	0.72
1610		-0.0524 GY	0.85
1610		-0.0491 GY	0.98
1611		-0.0458 GY	0.06
1611		-0.0426 GY	0.20
1611		-0.0393 GY	0.33
1611		-0.0361 GY	0.46
1611		-0.0328 GY	0.59
1611		-0.0295 GY	0.72
1611		-0.0263 GY	0.85
1611		-0.0230 GY	0.98
1596		-0.0164 GY	0.05
1596		-0.0142 GY	0.16
1596		-0.0120 GY	0.27
1596		-0.0098 GY	0.37
1596		-0.0077 GY	0.48
1596		-0.0055 GY	0.59
1596		-0.0033 GY	0.69
1596		-0.0011 GY	0.79
140		-0.0015 GY	0.03
140		-0.0046 GY	0.08
140		-0.0077 GY	0.13
140		-0.0108 GY	0.17
140		-0.0139 GY	0.22
140		-0.0169 GY	0.27
140		-0.0200 GY	0.32
140		-0.0231 GY	0.37
140	-0.4963 GY	0.40	0.54
140		-0.0231 GY	0.57
140		-0.0200 GY	0.62
140		-0.0169 GY	0.67
140		-0.0139 GY	0.72
140		-0.0108 GY	0.77
140		-0.0077 GY	0.81
140		-0.0046 GY	0.86
140		-0.0015 GY	0.91
2072		-0.0015 GY	0.03
2072		-0.0046 GY	0.08
2072		-0.0077 GY	0.13
2072		-0.0108 GY	0.17
2072		-0.0139 GY	0.22
2072		-0.0169 GY	0.27
2072		-0.0200 GY	0.32
2072		-0.0231 GY	0.37
2072		-0.0231 GY	0.42

2072		-0.0200 GY	0.47
2072		-0.0169 GY	0.52
2072		-0.0139 GY	0.57

2072		-0.0108 GY	0.62
2072		-0.0077 GY	0.67
2072		-0.0046 GY	0.72
2072		-0.0015 GY	0.76
2073		-0.0015 GY	0.03
2073		-0.0046 GY	0.08
2073		-0.0077 GY	0.13
2073		-0.0108 GY	0.17
2073		-0.0139 GY	0.22
2073		-0.0169 GY	0.27
2073		-0.0200 GY	0.32
2073		-0.0231 GY	0.37
2073	-0.4962 GY	0.40	0.54
2073		-0.0231 GY	0.57
2073		-0.0200 GY	0.62
2073		-0.0169 GY	0.67
2073		-0.0139 GY	0.72
2073		-0.0108 GY	0.77
2073		-0.0077 GY	0.81
2073		-0.0046 GY	0.86
2073		-0.0015 GY	0.91
1715		-0.0015 GY	0.03
1715		-0.0046 GY	0.08
1715		-0.0077 GY	0.13
1715		-0.0108 GY	0.17
1715		-0.0139 GY	0.22
1715		-0.0169 GY	0.27
1715		-0.0200 GY	0.32
1715		-0.0231 GY	0.37
1715		-0.0231 GY	0.42
1715		-0.0200 GY	0.47
1715		-0.0169 GY	0.52
1715		-0.0139 GY	0.57
1715		-0.0108 GY	0.62
1715		-0.0077 GY	0.67
1715		-0.0046 GY	0.72
1715		-0.0015 GY	0.76
142		-0.0015 GY	0.03
142		-0.0046 GY	0.08
142		-0.0077 GY	0.13
142		-0.0108 GY	0.17
142		-0.0139 GY	0.22

142		-0.0169 GY	0.27
142		-0.0200 GY	0.32
142		-0.0231 GY	0.37
142	-0.4963 GY	0.40	0.54
142		-0.0231 GY	0.57
142		-0.0200 GY	0.62
142		-0.0169 GY	0.67
142		-0.0139 GY	0.72
142		-0.0108 GY	0.77
142		-0.0077 GY	0.81
142		-0.0046 GY	0.86
142		-0.0015 GY	0.91
2077		-0.0015 GY	0.03
2077		-0.0046 GY	0.08

2077		-0.0077 GY	0.13
2077		-0.0108 GY	0.17
2077		-0.0139 GY	0.22
2077		-0.0169 GY	0.27
2077		-0.0200 GY	0.32
2077		-0.0231 GY	0.37
2077		-0.0231 GY	0.42
2077		-0.0200 GY	0.47
2077		-0.0169 GY	0.52
2077		-0.0139 GY	0.57
2077		-0.0108 GY	0.62
2077		-0.0077 GY	0.67
2077		-0.0046 GY	0.72
2077		-0.0015 GY	0.76
2078		-0.0015 GY	0.03
2078		-0.0046 GY	0.08
2078		-0.0077 GY	0.13
2078		-0.0108 GY	0.17
2078		-0.0139 GY	0.22
2078		-0.0169 GY	0.27
2078		-0.0200 GY	0.32
2078		-0.0231 GY	0.37
2078	-0.4962 GY	0.40	0.54
2078		-0.0231 GY	0.57
2078		-0.0200 GY	0.62
2078		-0.0169 GY	0.67
2078		-0.0139 GY	0.72
2078		-0.0108 GY	0.77
2078		-0.0077 GY	0.81
2078		-0.0046 GY	0.86
2078		-0.0015 GY	0.91

1714	-0.0015 GY	0.03
1714	-0.0046 GY	0.08
1714	-0.0077 GY	0.13
1714	-0.0108 GY	0.17
1714	-0.0139 GY	0.22
1714	-0.0169 GY	0.27
1714	-0.0200 GY	0.32
1714	-0.0231 GY	0.37
1714	-0.0231 GY	0.42
1714	-0.0200 GY	0.47
1714	-0.0169 GY	0.52
1714	-0.0139 GY	0.57
1714	-0.0108 GY	0.62
1714	-0.0077 GY	0.67
1714	-0.0046 GY	0.72
1714	-0.0015 GY	0.76
144	-0.0022 GY	0.04
144	-0.0066 GY	0.09
144	-0.0111 GY	0.14
144	-0.0155 GY	0.20
144	-0.0199 GY	0.26
144	-0.0244 GY	0.31
144	-0.0288 GY	0.37
144	-0.0332 GY	0.43
144	-0.0353 GY	0.49

144	-0.0306 GY	0.55
144	-0.0259 GY	0.61
144	-0.0212 GY	0.67
144	-0.0165 GY	0.73
144	-0.0118 GY	0.79
144	-0.0071 GY	0.85
144	-0.0024 GY	0.90
1521	-0.0021 GY	0.04
1521	-0.0064 GY	0.09
1521	-0.0107 GY	0.15
1521	-0.0150 GY	0.21
1521	-0.0193 GY	0.27
1521	-0.0236 GY	0.33
1521	-0.0279 GY	0.39
1521	-0.0322 GY	0.45
1521	-0.0350 GY	0.52
1521	-0.0303 GY	0.58
1521	-0.0256 GY	0.65
1521	-0.0210 GY	0.71
1521	-0.0163 GY	0.78

1521	-0.0117 GY	0.84
1521	-0.0070 GY	0.91
1521	-0.0023 GY	0.96
1559	-0.0023 GY	0.04
1559	-0.0068 GY	0.09
1559	-0.0113 GY	0.14
1559	-0.0158 GY	0.20
1559	-0.0204 GY	0.26
1559	-0.0249 GY	0.31
1559	-0.0294 GY	0.37
1559	-0.0339 GY	0.43
1559	-0.0318 GY	0.48
1559	-0.0276 GY	0.54
1559	-0.0233 GY	0.59
1559	-0.0191 GY	0.64
1559	-0.0148 GY	0.69
1559	-0.0106 GY	0.75
1559	-0.0064 GY	0.80
1559	-0.0021 GY	0.85
318	-0.0023 GY	0.04
318	-0.0068 GY	0.10
318	-0.0113 GY	0.16
318	-0.0158 GY	0.22
318	-0.0204 GY	0.29
318	-0.0249 GY	0.35
318	-0.0294 GY	0.41
318	-0.0339 GY	0.48
318	-0.0332 GY	0.54
318	-0.0288 GY	0.60
318	-0.0244 GY	0.66
318	-0.0199 GY	0.72
318	-0.0155 GY	0.79
318	-0.0111 GY	0.85
318	-0.0066 GY	0.91
318	-0.0022 GY	0.96
145	-0.0018 GY	0.04

145	-0.0054 GY	0.08
145	-0.0090 GY	0.14
145	-0.0126 GY	0.19
145	-0.0162 GY	0.24
145	-0.0198 GY	0.30
145	-0.0235 GY	0.35
145	-0.0271 GY	0.40
145	-0.0271 GY	0.46
145	-0.0235 GY	0.51

145		-0.0198 GY	0.56
145		-0.0162 GY	0.62
145		-0.0126 GY	0.67
145		-0.0090 GY	0.72
145		-0.0054 GY	0.78
145		-0.0018 GY	0.82
1949		-0.0018 GY	0.04
1949		-0.0054 GY	0.08
1949		-0.0090 GY	0.14
1949		-0.0126 GY	0.19
1949		-0.0162 GY	0.24
1949		-0.0198 GY	0.30
1949		-0.0235 GY	0.35
1949		-0.0271 GY	0.40
1949	-0.5373 GY	0.43	0.48
1949		-0.0271 GY	0.50
1949		-0.0235 GY	0.56
1949		-0.0198 GY	0.61
1949		-0.0162 GY	0.66
1949		-0.0126 GY	0.72
1949		-0.0090 GY	0.77
1949		-0.0054 GY	0.82
1949		-0.0018 GY	0.87
2070		-0.0018 GY	0.04
2070		-0.0054 GY	0.08
2070		-0.0090 GY	0.14
2070		-0.0126 GY	0.19
2070		-0.0162 GY	0.24
2070		-0.0198 GY	0.30
2070		-0.0235 GY	0.35
2070		-0.0271 GY	0.40
2070		-0.0271 GY	0.46
2070		-0.0235 GY	0.51
2070		-0.0198 GY	0.56
2070		-0.0162 GY	0.62
2070		-0.0126 GY	0.67
2070		-0.0090 GY	0.72
2070		-0.0054 GY	0.78
2070		-0.0018 GY	0.82
1501		-0.0018 GY	0.04
1501		-0.0054 GY	0.08
1501		-0.0090 GY	0.14
1501		-0.0126 GY	0.19
1501		-0.0162 GY	0.24
1501		-0.0198 GY	0.30
1501		-0.0235 GY	0.35
1501		-0.0271 GY	0.40

1501	-0.5373	GY	0.43	0.48
1501		-0.0271	GY	0.50
1501		-0.0235	GY	0.56
1501		-0.0198	GY	0.61
1501		-0.0162	GY	0.66
1501		-0.0126	GY	0.72
1501		-0.0090	GY	0.77
1501		-0.0054	GY	0.82
1501		-0.0018	GY	0.87
146		-0.0020	GY	0.04
146		-0.0060	GY	0.09
146		-0.0100	GY	0.14
146		-0.0140	GY	0.20
146		-0.0180	GY	0.26
146		-0.0220	GY	0.31
146		-0.0261	GY	0.37
146		-0.0301	GY	0.43
146	-0.5662	GY	0.45	0.49
146		-0.0301	GY	0.51
146		-0.0261	GY	0.57
146		-0.0220	GY	0.63
146		-0.0180	GY	0.68
146		-0.0140	GY	0.74
146		-0.0100	GY	0.80
146		-0.0060	GY	0.85
146		-0.0020	GY	0.90
872		-0.0020	GY	0.04
872		-0.0060	GY	0.09
872		-0.0100	GY	0.14
872		-0.0140	GY	0.20
872		-0.0180	GY	0.26
872		-0.0220	GY	0.31
872		-0.0261	GY	0.37
872		-0.0301	GY	0.43
872		-0.0301	GY	0.48
872		-0.0261	GY	0.54
872		-0.0220	GY	0.59
872		-0.0180	GY	0.65
872		-0.0140	GY	0.71
872		-0.0100	GY	0.76
872		-0.0060	GY	0.82
872		-0.0020	GY	0.87
2073		-0.0020	GY	0.04
2073		-0.0060	GY	0.09
2073		-0.0100	GY	0.14

2073		-0.0140 GY	0.20
2073		-0.0180 GY	0.26
2073		-0.0220 GY	0.31
2073		-0.0261 GY	0.37
2073		-0.0301 GY	0.43
2073	-0.5662 GY	0.45	0.49
2073		-0.0301 GY	0.51
2073		-0.0261 GY	0.57
2073		-0.0220 GY	0.63
2073		-0.0180 GY	0.68
2073		-0.0140 GY	0.74

2073		-0.0100 GY	0.80
2073		-0.0060 GY	0.85
2073		-0.0020 GY	0.90
2071		-0.0020 GY	0.04
2071		-0.0060 GY	0.09
2071		-0.0100 GY	0.14
2071		-0.0140 GY	0.20
2071		-0.0180 GY	0.26
2071		-0.0220 GY	0.31
2071		-0.0261 GY	0.37
2071		-0.0301 GY	0.43
2071		-0.0301 GY	0.48
2071		-0.0261 GY	0.54
2071		-0.0220 GY	0.59
2071		-0.0180 GY	0.65
2071		-0.0140 GY	0.71
2071		-0.0100 GY	0.76
2071		-0.0060 GY	0.82
2071		-0.0020 GY	0.87
147		-0.0020 GY	0.04
147		-0.0060 GY	0.09
147		-0.0100 GY	0.14
147		-0.0140 GY	0.20
147		-0.0180 GY	0.26
147		-0.0220 GY	0.31
147		-0.0261 GY	0.37
147		-0.0301 GY	0.43
147	-0.5662 GY	0.45	0.49
147		-0.0301 GY	0.51
147		-0.0261 GY	0.57
147		-0.0220 GY	0.63
147		-0.0180 GY	0.68
147		-0.0140 GY	0.74
147		-0.0100 GY	0.80

147		-0.0060 GY	0.85
147		-0.0020 GY	0.90
2071		-0.0020 GY	0.04
2071		-0.0060 GY	0.09
2071		-0.0100 GY	0.14
2071		-0.0140 GY	0.20
2071		-0.0180 GY	0.26
2071		-0.0220 GY	0.31
2071		-0.0261 GY	0.37
2071		-0.0301 GY	0.43
2071		-0.0301 GY	0.48
2071		-0.0261 GY	0.54
2071		-0.0220 GY	0.59
2071		-0.0180 GY	0.65
2071		-0.0140 GY	0.71
2071		-0.0100 GY	0.76
2071		-0.0060 GY	0.82
2071		-0.0020 GY	0.87
2075		-0.0020 GY	0.04
2075		-0.0060 GY	0.09
2075		-0.0100 GY	0.14
2075		-0.0140 GY	0.20

2075		-0.0180 GY	0.26
2075		-0.0220 GY	0.31
2075		-0.0261 GY	0.37
2075		-0.0301 GY	0.43
2075	-0.5662 GY	0.45	0.49
2075		-0.0301 GY	0.51
2075		-0.0261 GY	0.57
2075		-0.0220 GY	0.63
2075		-0.0180 GY	0.68
2075		-0.0140 GY	0.74
2075		-0.0100 GY	0.80
2075		-0.0060 GY	0.85
2075		-0.0020 GY	0.90
2074		-0.0020 GY	0.04
2074		-0.0060 GY	0.09
2074		-0.0100 GY	0.14
2074		-0.0140 GY	0.20
2074		-0.0180 GY	0.26
2074		-0.0220 GY	0.31
2074		-0.0261 GY	0.37
2074		-0.0301 GY	0.43
2074		-0.0301 GY	0.48
2074		-0.0261 GY	0.54

2074		-0.0220 GY	0.59
2074		-0.0180 GY	0.65
2074		-0.0140 GY	0.71
2074		-0.0100 GY	0.76
2074		-0.0060 GY	0.82
2074		-0.0020 GY	0.87
148		-0.0020 GY	0.04
148		-0.0060 GY	0.09
148		-0.0100 GY	0.14
148		-0.0140 GY	0.20
148		-0.0180 GY	0.26
148		-0.0220 GY	0.31
148		-0.0261 GY	0.37
148		-0.0301 GY	0.43
148	-0.5662 GY	0.45	0.49
148		-0.0301 GY	0.51
148		-0.0261 GY	0.57
148		-0.0220 GY	0.63
148		-0.0180 GY	0.68
148		-0.0140 GY	0.74
148		-0.0100 GY	0.80
148		-0.0060 GY	0.85
148		-0.0020 GY	0.90
863		-0.0020 GY	0.04
863		-0.0060 GY	0.09
863		-0.0100 GY	0.14
863		-0.0140 GY	0.20
863		-0.0180 GY	0.26
863		-0.0220 GY	0.31
863		-0.0261 GY	0.37
863		-0.0301 GY	0.43
863		-0.0301 GY	0.48
863		-0.0261 GY	0.54

863		-0.0220 GY	0.59
863		-0.0180 GY	0.65
863		-0.0140 GY	0.71
863		-0.0100 GY	0.76
863		-0.0060 GY	0.82
863		-0.0020 GY	0.87
2078		-0.0020 GY	0.04
2078		-0.0060 GY	0.09
2078		-0.0100 GY	0.14
2078		-0.0140 GY	0.20
2078		-0.0180 GY	0.26
2078		-0.0220 GY	0.31

2078		-0.0261 GY	0.37
2078		-0.0301 GY	0.43
2078	-0.5663 GY	0.45	0.49
2078		-0.0301 GY	0.51
2078		-0.0261 GY	0.57
2078		-0.0220 GY	0.63
2078		-0.0180 GY	0.68
2078		-0.0140 GY	0.74
2078		-0.0100 GY	0.80
2078		-0.0060 GY	0.85
2078		-0.0020 GY	0.90
2076		-0.0020 GY	0.04
2076		-0.0060 GY	0.09
2076		-0.0100 GY	0.14
2076		-0.0140 GY	0.20
2076		-0.0180 GY	0.26
2076		-0.0220 GY	0.31
2076		-0.0261 GY	0.37
2076		-0.0301 GY	0.43
2076		-0.0301 GY	0.48
2076		-0.0261 GY	0.54
2076		-0.0220 GY	0.59
2076		-0.0180 GY	0.65
2076		-0.0140 GY	0.71
2076		-0.0100 GY	0.76
2076		-0.0060 GY	0.82
2076		-0.0020 GY	0.87
149		-0.0020 GY	0.04
149		-0.0060 GY	0.09
149		-0.0100 GY	0.14
149		-0.0140 GY	0.20
149		-0.0180 GY	0.26
149		-0.0220 GY	0.31
149		-0.0261 GY	0.37
149		-0.0301 GY	0.43
149	-0.5662 GY	0.45	0.49
149		-0.0301 GY	0.51
149		-0.0261 GY	0.57
149		-0.0220 GY	0.63
149		-0.0180 GY	0.68
149		-0.0140 GY	0.74
149		-0.0100 GY	0.80
149		-0.0060 GY	0.85
149		-0.0020 GY	0.90

2076		-0.0020 GY	0.04

2076		-0.0060 GY	0.09
2076		-0.0100 GY	0.14
2076		-0.0140 GY	0.20
2076		-0.0180 GY	0.26
2076		-0.0220 GY	0.31
2076		-0.0261 GY	0.37
2076		-0.0301 GY	0.43
2076		-0.0301 GY	0.48
2076		-0.0261 GY	0.54
2076		-0.0220 GY	0.59
2076		-0.0180 GY	0.65
2076		-0.0140 GY	0.71
2076		-0.0100 GY	0.76
2076		-0.0060 GY	0.82
2076		-0.0020 GY	0.87
2080		-0.0020 GY	0.04
2080		-0.0060 GY	0.09
2080		-0.0100 GY	0.14
2080		-0.0140 GY	0.20
2080		-0.0180 GY	0.26
2080		-0.0220 GY	0.31
2080		-0.0261 GY	0.37
2080		-0.0301 GY	0.43
2080	-0.5663 GY	0.45	0.49
2080		-0.0301 GY	0.51
2080		-0.0261 GY	0.57
2080		-0.0220 GY	0.63
2080		-0.0180 GY	0.68
2080		-0.0140 GY	0.74
2080		-0.0100 GY	0.80
2080		-0.0060 GY	0.85
2080		-0.0020 GY	0.90
2079		-0.0020 GY	0.04
2079		-0.0060 GY	0.09
2079		-0.0100 GY	0.14
2079		-0.0140 GY	0.20
2079		-0.0180 GY	0.26
2079		-0.0220 GY	0.31
2079		-0.0261 GY	0.37
2079		-0.0301 GY	0.43
2079		-0.0301 GY	0.48
2079		-0.0261 GY	0.54
2079		-0.0220 GY	0.59
2079		-0.0180 GY	0.65
2079		-0.0140 GY	0.71
2079		-0.0100 GY	0.76
2079		-0.0060 GY	0.82

2079		-0.0020 GY	0.87
150		-0.0020 GY	0.04
150		-0.0060 GY	0.09
150		-0.0100 GY	0.14
150		-0.0140 GY	0.20
150		-0.0180 GY	0.26
150		-0.0220 GY	0.31
150		-0.0261 GY	0.37

150		-0.0301 GY	0.43
150	-0.5663 GY	0.45	0.49
150		-0.0301 GY	0.51
150		-0.0261 GY	0.57
150		-0.0220 GY	0.63
150		-0.0180 GY	0.68
150		-0.0140 GY	0.74
150		-0.0100 GY	0.80
150		-0.0060 GY	0.85
150		-0.0020 GY	0.90
854		-0.0020 GY	0.04
854		-0.0060 GY	0.09
854		-0.0100 GY	0.14
854		-0.0140 GY	0.20
854		-0.0180 GY	0.26
854		-0.0220 GY	0.31
854		-0.0261 GY	0.37
854		-0.0301 GY	0.43
854		-0.0301 GY	0.48
854		-0.0261 GY	0.54
854		-0.0220 GY	0.59
854		-0.0180 GY	0.65
854		-0.0140 GY	0.71
854		-0.0100 GY	0.76
854		-0.0060 GY	0.82
854		-0.0020 GY	0.87
2015		-0.0020 GY	0.04
2015		-0.0060 GY	0.09
2015		-0.0100 GY	0.14
2015		-0.0140 GY	0.20
2015		-0.0180 GY	0.26
2015		-0.0220 GY	0.31
2015		-0.0261 GY	0.37
2015		-0.0301 GY	0.43
2015	-0.5663 GY	0.45	0.49
2015		-0.0301 GY	0.51
2015		-0.0261 GY	0.57

2015		-0.0220 GY	0.63
2015		-0.0180 GY	0.68
2015		-0.0140 GY	0.74
2015		-0.0100 GY	0.80
2015		-0.0060 GY	0.85
2015		-0.0020 GY	0.90
1232		-0.0020 GY	0.04
1232		-0.0060 GY	0.09
1232		-0.0100 GY	0.14
1232		-0.0140 GY	0.20
1232		-0.0180 GY	0.26
1232		-0.0220 GY	0.31
1232		-0.0261 GY	0.37
1232		-0.0301 GY	0.43
1232		-0.0301 GY	0.48
1232		-0.0261 GY	0.54
1232		-0.0220 GY	0.59
1232		-0.0180 GY	0.65
1232		-0.0140 GY	0.71

1232		-0.0100 GY	0.76
1232		-0.0060 GY	0.82
1232		-0.0020 GY	0.87
152		-0.0018 GY	0.04
152		-0.0053 GY	0.08
152		-0.0088 GY	0.13
152		-0.0123 GY	0.19
152		-0.0159 GY	0.24
152		-0.0194 GY	0.29
152		-0.0229 GY	0.35
152		-0.0265 GY	0.40
152	-0.5312 GY	0.42	0.52
152		-0.0265 GY	0.54
152		-0.0229 GY	0.59
152		-0.0194 GY	0.65
152		-0.0159 GY	0.70
152		-0.0123 GY	0.75
152		-0.0088 GY	0.81
152		-0.0053 GY	0.86
152		-0.0018 GY	0.90
2099		-0.0018 GY	0.04
2099		-0.0053 GY	0.08
2099		-0.0088 GY	0.13
2099		-0.0123 GY	0.19
2099		-0.0159 GY	0.24
2099		-0.0194 GY	0.29

2099		-0.0229 GY	0.35
2099		-0.0265 GY	0.40
2099		-0.0265 GY	0.45
2099		-0.0229 GY	0.50
2099		-0.0194 GY	0.56
2099		-0.0159 GY	0.61
2099		-0.0123 GY	0.66
2099		-0.0088 GY	0.72
2099		-0.0053 GY	0.77
2099		-0.0018 GY	0.81
2100		-0.0018 GY	0.04
2100		-0.0053 GY	0.08
2100		-0.0088 GY	0.13
2100		-0.0123 GY	0.19
2100		-0.0159 GY	0.24
2100		-0.0194 GY	0.29
2100		-0.0229 GY	0.35
2100		-0.0265 GY	0.40
2100	-0.5312 GY	0.42	0.52
2100		-0.0265 GY	0.54
2100		-0.0229 GY	0.59
2100		-0.0194 GY	0.65
2100		-0.0159 GY	0.70
2100		-0.0123 GY	0.75
2100		-0.0088 GY	0.81
2100		-0.0053 GY	0.86
2100		-0.0018 GY	0.90
1717		-0.0018 GY	0.04
1717		-0.0053 GY	0.08
1717		-0.0088 GY	0.13

1717		-0.0123 GY	0.19
1717		-0.0159 GY	0.24
1717		-0.0194 GY	0.29
1717		-0.0229 GY	0.35
1717		-0.0265 GY	0.40
1717		-0.0265 GY	0.45
1717		-0.0229 GY	0.50
1717		-0.0194 GY	0.56
1717		-0.0159 GY	0.61
1717		-0.0123 GY	0.66
1717		-0.0088 GY	0.72
1717		-0.0053 GY	0.77
1717		-0.0018 GY	0.81
154		-0.0018 GY	0.04
154		-0.0053 GY	0.08

```
 154                    -0.0088 GY   0.13
 154                    -0.0123 GY   0.19
 154                    -0.0159 GY   0.24
 154                    -0.0194 GY   0.29
 154                    -0.0229 GY   0.35
 154                    -0.0265 GY   0.40
 154   -0.5313 GY   0.42    0.51
 154                    -0.0265 GY   0.54
 154                    -0.0229 GY   0.59
 154                    -0.0194 GY   0.65
 154                    -0.0159 GY   0.70
 154                    -0.0123 GY   0.75
 154                    -0.0088 GY   0.81
 154                    -0.0053 GY   0.86
 154                    -0.0018 GY   0.90
2104                     -0.0018 GY   0.04
2104                     -0.0053 GY   0.08
2104                     -0.0088 GY   0.13
2104                     -0.0123 GY   0.19
2104                     -0.0159 GY   0.24
2104                     -0.0194 GY   0.29
2104                     -0.0229 GY   0.35
2104                     -0.0265 GY   0.40
2104                     -0.0265 GY   0.45
2104                     -0.0229 GY   0.50
2104                     -0.0194 GY   0.56
2104                     -0.0159 GY   0.61
2104                     -0.0123 GY   0.66
2104                     -0.0088 GY   0.72
2104                     -0.0053 GY   0.77
2104                     -0.0018 GY   0.81
2105                     -0.0018 GY   0.04
2105                     -0.0053 GY   0.08
2105                     -0.0088 GY   0.13
2105                     -0.0123 GY   0.19
2105                     -0.0159 GY   0.24
2105                     -0.0194 GY   0.29
2105                     -0.0229 GY   0.35
2105                     -0.0265 GY   0.40
2105   -0.5312 GY   0.42    0.51
2105                     -0.0265 GY   0.54
_   STAAD SPACE                          -- PAGE NO.  326

2105                     -0.0229 GY   0.59
2105                     -0.0194 GY   0.65
2105                     -0.0159 GY   0.70
2105                     -0.0123 GY   0.75
```

2105	-0.0088 GY	0.81
2105	-0.0053 GY	0.86
2105	-0.0018 GY	0.90
1716	-0.0018 GY	0.04
1716	-0.0053 GY	0.08
1716	-0.0088 GY	0.13
1716	-0.0123 GY	0.19
1716	-0.0159 GY	0.24
1716	-0.0194 GY	0.29
1716	-0.0229 GY	0.35
1716	-0.0265 GY	0.40
1716	-0.0265 GY	0.45
1716	-0.0229 GY	0.50
1716	-0.0194 GY	0.56
1716	-0.0159 GY	0.61
1716	-0.0123 GY	0.66
1716	-0.0088 GY	0.72
1716	-0.0053 GY	0.77
1716	-0.0018 GY	0.81
156	-0.0022 GY	0.04
156	-0.0066 GY	0.09
156	-0.0111 GY	0.14
156	-0.0155 GY	0.20
156	-0.0199 GY	0.26
156	-0.0244 GY	0.31
156	-0.0288 GY	0.37
156	-0.0332 GY	0.43
156	-0.0353 GY	0.49
156	-0.0306 GY	0.55
156	-0.0259 GY	0.61
156	-0.0212 GY	0.67
156	-0.0165 GY	0.73
156	-0.0118 GY	0.79
156	-0.0071 GY	0.85
156	-0.0024 GY	0.90
1520	-0.0021 GY	0.04
1520	-0.0064 GY	0.09
1520	-0.0107 GY	0.15
1520	-0.0150 GY	0.21
1520	-0.0193 GY	0.27
1520	-0.0236 GY	0.33
1520	-0.0279 GY	0.39
1520	-0.0322 GY	0.45
1520	-0.0350 GY	0.52
1520	-0.0303 GY	0.58
1520	-0.0256 GY	0.65
1520	-0.0210 GY	0.71

1520		-0.0163 GY	0.78
1520		-0.0117 GY	0.84
1520		-0.0070 GY	0.91
1520		-0.0023 GY	0.96
1560		-0.0023 GY	0.04

1560		-0.0068 GY	0.09
1560		-0.0113 GY	0.14
1560		-0.0158 GY	0.20
1560		-0.0204 GY	0.26
1560		-0.0249 GY	0.31
1560		-0.0294 GY	0.37
1560		-0.0339 GY	0.43
1560		-0.0318 GY	0.48
1560		-0.0276 GY	0.54
1560		-0.0233 GY	0.59
1560		-0.0191 GY	0.64
1560		-0.0148 GY	0.69
1560		-0.0106 GY	0.75
1560		-0.0064 GY	0.80
1560		-0.0021 GY	0.85
316		-0.0023 GY	0.04
316		-0.0068 GY	0.10
316		-0.0113 GY	0.16
316		-0.0158 GY	0.22
316		-0.0204 GY	0.29
316		-0.0249 GY	0.35
316		-0.0294 GY	0.41
316		-0.0339 GY	0.48
316		-0.0332 GY	0.54
316		-0.0288 GY	0.60
316		-0.0244 GY	0.66
316		-0.0199 GY	0.72
316		-0.0155 GY	0.79
316		-0.0111 GY	0.85
316		-0.0066 GY	0.91
316		-0.0022 GY	0.96
156		-0.0018 GY	0.04
156		-0.0053 GY	0.08
156		-0.0088 GY	0.13
156		-0.0123 GY	0.19
156		-0.0159 GY	0.24
156		-0.0194 GY	0.29
156		-0.0229 GY	0.35
156		-0.0265 GY	0.40
156	-0.5313 GY	0.42	0.51

156		-0.0265 GY	0.54
156		-0.0229 GY	0.59
156		-0.0194 GY	0.65
156		-0.0159 GY	0.70
156		-0.0123 GY	0.75
156		-0.0088 GY	0.81
156		-0.0053 GY	0.86
156		-0.0018 GY	0.90
1561		-0.0018 GY	0.04
1561		-0.0053 GY	0.08
1561		-0.0088 GY	0.13
1561		-0.0123 GY	0.19
1561		-0.0159 GY	0.24
1561		-0.0194 GY	0.29
1561		-0.0229 GY	0.35
1561		-0.0265 GY	0.40

1561		-0.0265 GY	0.45
1561		-0.0229 GY	0.50
1561		-0.0194 GY	0.56
1561		-0.0159 GY	0.61
1561		-0.0123 GY	0.66
1561		-0.0088 GY	0.72
1561		-0.0053 GY	0.77
1561		-0.0018 GY	0.81
1562		-0.0018 GY	0.04
1562		-0.0053 GY	0.08
1562		-0.0088 GY	0.13
1562		-0.0123 GY	0.19
1562		-0.0159 GY	0.24
1562		-0.0194 GY	0.29
1562		-0.0229 GY	0.35
1562		-0.0265 GY	0.40
1562	-0.5312 GY	0.42	0.51
1562		-0.0265 GY	0.54
1562		-0.0229 GY	0.59
1562		-0.0194 GY	0.65
1562		-0.0159 GY	0.70
1562		-0.0123 GY	0.75
1562		-0.0088 GY	0.81
1562		-0.0053 GY	0.86
1562		-0.0018 GY	0.90
1473		-0.0018 GY	0.04
1473		-0.0053 GY	0.08
1473		-0.0088 GY	0.13
1473		-0.0123 GY	0.19

1473		-0.0159 GY	0.24
1473		-0.0194 GY	0.29
1473		-0.0229 GY	0.35
1473		-0.0265 GY	0.40
1473		-0.0265 GY	0.45
1473		-0.0229 GY	0.50
1473		-0.0194 GY	0.56
1473		-0.0159 GY	0.61
1473		-0.0123 GY	0.66
1473		-0.0088 GY	0.72
1473		-0.0053 GY	0.77
1473		-0.0018 GY	0.81
157		-0.0018 GY	0.04
157		-0.0053 GY	0.08
157		-0.0088 GY	0.13
157		-0.0123 GY	0.19
157		-0.0159 GY	0.24
157		-0.0194 GY	0.29
157		-0.0229 GY	0.35
157		-0.0265 GY	0.40
157	-0.5313 GY	0.43	0.43
157		-0.0265 GY	0.46
157		-0.0229 GY	0.51
157		-0.0194 GY	0.57
157		-0.0159 GY	0.62
157		-0.0123 GY	0.67
157		-0.0088 GY	0.73

157		-0.0053 GY	0.78
157		-0.0018 GY	0.82
1946		-0.0018 GY	0.04
1946		-0.0053 GY	0.08
1946		-0.0088 GY	0.13
1946		-0.0123 GY	0.19
1946		-0.0159 GY	0.24
1946		-0.0194 GY	0.29
1946		-0.0229 GY	0.35
1946		-0.0265 GY	0.40
1946		-0.0265 GY	0.45
1946		-0.0229 GY	0.50
1946		-0.0194 GY	0.56
1946		-0.0159 GY	0.61
1946		-0.0123 GY	0.66
1946		-0.0088 GY	0.72
1946		-0.0053 GY	0.77
1946		-0.0018 GY	0.81

2097		-0.0018 GY	0.04
2097		-0.0053 GY	0.08
2097		-0.0088 GY	0.13
2097		-0.0123 GY	0.19
2097		-0.0159 GY	0.24
2097		-0.0194 GY	0.29
2097		-0.0229 GY	0.35
2097		-0.0265 GY	0.40
2097	-0.5312 GY	0.43	0.43
2097		-0.0265 GY	0.46
2097		-0.0229 GY	0.51
2097		-0.0194 GY	0.57
2097		-0.0159 GY	0.62
2097		-0.0123 GY	0.67
2097		-0.0088 GY	0.73
2097		-0.0053 GY	0.78
2097		-0.0018 GY	0.82
1500		-0.0018 GY	0.04
1500		-0.0053 GY	0.08
1500		-0.0088 GY	0.13
1500		-0.0123 GY	0.19
1500		-0.0159 GY	0.24
1500		-0.0194 GY	0.29
1500		-0.0229 GY	0.35
1500		-0.0265 GY	0.40
1500		-0.0265 GY	0.45
1500		-0.0229 GY	0.50
1500		-0.0194 GY	0.56
1500		-0.0159 GY	0.61
1500		-0.0123 GY	0.66
1500		-0.0088 GY	0.72
1500		-0.0053 GY	0.77
1500		-0.0018 GY	0.81
158		-0.0018 GY	0.04
158		-0.0053 GY	0.08
158		-0.0088 GY	0.13
158		-0.0123 GY	0.19
158		-0.0159 GY	0.24

158		-0.0194 GY	0.29
158		-0.0229 GY	0.35
158		-0.0265 GY	0.40
158	-0.5313 GY	0.43	0.51
158		-0.0265 GY	0.54
158		-0.0229 GY	0.59
158		-0.0194 GY	0.65

158		-0.0159 GY	0.70
158		-0.0123 GY	0.75
158		-0.0088 GY	0.81
158		-0.0053 GY	0.86
158		-0.0018 GY	0.90
811		-0.0018 GY	0.04
811		-0.0053 GY	0.08
811		-0.0088 GY	0.13
811		-0.0123 GY	0.19
811		-0.0159 GY	0.24
811		-0.0194 GY	0.29
811		-0.0229 GY	0.35
811		-0.0265 GY	0.40
811		-0.0265 GY	0.45
811		-0.0229 GY	0.50
811		-0.0194 GY	0.56
811		-0.0159 GY	0.61
811		-0.0123 GY	0.66
811		-0.0088 GY	0.72
811		-0.0053 GY	0.77
811		-0.0018 GY	0.81
2100		-0.0018 GY	0.04
2100		-0.0053 GY	0.08
2100		-0.0088 GY	0.13
2100		-0.0123 GY	0.19
2100		-0.0159 GY	0.24
2100		-0.0194 GY	0.29
2100		-0.0229 GY	0.35
2100		-0.0265 GY	0.40
2100	-0.5312 GY	0.43	0.51
2100		-0.0265 GY	0.54
2100		-0.0229 GY	0.59
2100		-0.0194 GY	0.65
2100		-0.0159 GY	0.70
2100		-0.0123 GY	0.75
2100		-0.0088 GY	0.81
2100		-0.0053 GY	0.86
2100		-0.0018 GY	0.90
2098		-0.0018 GY	0.04
2098		-0.0053 GY	0.08
2098		-0.0088 GY	0.13
2098		-0.0123 GY	0.19
2098		-0.0159 GY	0.24
2098		-0.0194 GY	0.29
2098		-0.0229 GY	0.35
2098		-0.0265 GY	0.40
2098		-0.0265 GY	0.45

2098		-0.0229 GY	0.50
2098		-0.0194 GY	0.56

2098		-0.0159 GY	0.61
2098		-0.0123 GY	0.66
2098		-0.0088 GY	0.72
2098		-0.0053 GY	0.77
2098		-0.0018 GY	0.81
159		-0.0018 GY	0.04
159		-0.0053 GY	0.08
159		-0.0088 GY	0.13
159		-0.0123 GY	0.19
159		-0.0159 GY	0.24
159		-0.0194 GY	0.29
159		-0.0229 GY	0.35
159		-0.0265 GY	0.40
159	-0.5313 GY	0.43	0.51
159		-0.0265 GY	0.54
159		-0.0229 GY	0.59
159		-0.0194 GY	0.65
159		-0.0159 GY	0.70
159		-0.0123 GY	0.75
159		-0.0088 GY	0.81
159		-0.0053 GY	0.86
159		-0.0018 GY	0.90
2098		-0.0018 GY	0.04
2098		-0.0053 GY	0.08
2098		-0.0088 GY	0.13
2098		-0.0123 GY	0.19
2098		-0.0159 GY	0.24
2098		-0.0194 GY	0.29
2098		-0.0229 GY	0.35
2098		-0.0265 GY	0.40
2098		-0.0265 GY	0.45
2098		-0.0229 GY	0.50
2098		-0.0194 GY	0.56
2098		-0.0159 GY	0.61
2098		-0.0123 GY	0.66
2098		-0.0088 GY	0.72
2098		-0.0053 GY	0.77
2098		-0.0018 GY	0.81
2102		-0.0018 GY	0.04
2102		-0.0053 GY	0.08
2102		-0.0088 GY	0.13
2102		-0.0123 GY	0.19
2102		-0.0159 GY	0.24

2102		-0.0194 GY	0.29
2102		-0.0229 GY	0.35
2102		-0.0265 GY	0.40
2102	-0.5312 GY	0.43	0.51
2102		-0.0265 GY	0.54
2102		-0.0229 GY	0.59
2102		-0.0194 GY	0.65
2102		-0.0159 GY	0.70
2102		-0.0123 GY	0.75
2102		-0.0088 GY	0.81
2102		-0.0053 GY	0.86
2102		-0.0018 GY	0.90
2101		-0.0018 GY	0.04

2101		-0.0053 GY	0.08
2101		-0.0088 GY	0.13
2101		-0.0123 GY	0.19
2101		-0.0159 GY	0.24
2101		-0.0194 GY	0.29
2101		-0.0229 GY	0.35
2101		-0.0265 GY	0.40
2101		-0.0265 GY	0.45
2101		-0.0229 GY	0.50
2101		-0.0194 GY	0.56
2101		-0.0159 GY	0.61
2101		-0.0123 GY	0.66
2101		-0.0088 GY	0.72
2101		-0.0053 GY	0.77
2101		-0.0018 GY	0.81
160		-0.0018 GY	0.04
160		-0.0053 GY	0.08
160		-0.0088 GY	0.13
160		-0.0123 GY	0.19
160		-0.0159 GY	0.24
160		-0.0194 GY	0.29
160		-0.0229 GY	0.35
160		-0.0265 GY	0.40
160	-0.5313 GY	0.43	0.51
160		-0.0265 GY	0.54
160		-0.0229 GY	0.59
160		-0.0194 GY	0.65
160		-0.0159 GY	0.70
160		-0.0123 GY	0.75
160		-0.0088 GY	0.81
160		-0.0053 GY	0.86
160		-0.0018 GY	0.90

805		-0.0018 GY	0.04
805		-0.0053 GY	0.08
805		-0.0088 GY	0.13
805		-0.0123 GY	0.19
805		-0.0159 GY	0.24
805		-0.0194 GY	0.29
805		-0.0229 GY	0.35
805		-0.0265 GY	0.40
805		-0.0265 GY	0.45
805		-0.0229 GY	0.50
805		-0.0194 GY	0.56
805		-0.0159 GY	0.61
805		-0.0123 GY	0.66
805		-0.0088 GY	0.72
805		-0.0053 GY	0.77
805		-0.0018 GY	0.81
2105		-0.0018 GY	0.04
2105		-0.0053 GY	0.08
2105		-0.0088 GY	0.13
2105		-0.0123 GY	0.19
2105		-0.0159 GY	0.24
2105		-0.0194 GY	0.29
2105		-0.0229 GY	0.35
2105		-0.0265 GY	0.40

2105	-0.5312 GY	0.43	0.51	
2105			-0.0265 GY	0.54
2105			-0.0229 GY	0.59
2105			-0.0194 GY	0.65
2105			-0.0159 GY	0.70
2105			-0.0123 GY	0.75
2105			-0.0088 GY	0.81
2105			-0.0053 GY	0.86
2105			-0.0018 GY	0.90
2103			-0.0018 GY	0.04
2103			-0.0053 GY	0.08
2103			-0.0088 GY	0.13
2103			-0.0123 GY	0.19
2103			-0.0159 GY	0.24
2103			-0.0194 GY	0.29
2103			-0.0229 GY	0.35
2103			-0.0265 GY	0.40
2103			-0.0265 GY	0.45
2103			-0.0229 GY	0.50
2103			-0.0194 GY	0.56
2103			-0.0159 GY	0.61

2103		-0.0123 GY	0.66	
2103		-0.0088 GY	0.72	
2103		-0.0053 GY	0.77	
2103		-0.0018 GY	0.81	
161		-0.0018 GY	0.04	
161		-0.0053 GY	0.08	
161		-0.0088 GY	0.13	
161		-0.0123 GY	0.19	
161		-0.0159 GY	0.24	
161		-0.0194 GY	0.29	
161		-0.0229 GY	0.35	
161		-0.0265 GY	0.40	
161	-0.5312 GY	0.42	0.51	
161		-0.0265 GY	0.54	
161		-0.0229 GY	0.59	
161		-0.0194 GY	0.65	
161		-0.0159 GY	0.70	
161		-0.0123 GY	0.75	
161		-0.0088 GY	0.81	
161		-0.0053 GY	0.86	
161		-0.0018 GY	0.90	
2103		-0.0018 GY	0.04	
2103		-0.0053 GY	0.08	
2103		-0.0088 GY	0.13	
2103		-0.0123 GY	0.19	
2103		-0.0159 GY	0.24	
2103		-0.0194 GY	0.29	
2103		-0.0229 GY	0.35	
2103		-0.0265 GY	0.40	
2103		-0.0265 GY	0.45	
2103		-0.0229 GY	0.50	
2103		-0.0194 GY	0.56	
2103		-0.0159 GY	0.61	
2103		-0.0123 GY	0.66	
2103		-0.0088 GY	0.72	

2103		-0.0053 GY	0.77	
2103		-0.0018 GY	0.81	
2107		-0.0018 GY	0.04	
2107		-0.0053 GY	0.08	
2107		-0.0088 GY	0.13	
2107		-0.0123 GY	0.19	
2107		-0.0159 GY	0.24	
2107		-0.0194 GY	0.29	
2107		-0.0229 GY	0.35	
2107		-0.0265 GY	0.40	

2107	-0.5313 GY	0.42	0.51
2107		-0.0265 GY	0.54
2107		-0.0229 GY	0.59
2107		-0.0194 GY	0.65
2107		-0.0159 GY	0.70
2107		-0.0123 GY	0.75
2107		-0.0088 GY	0.81
2107		-0.0053 GY	0.86
2107		-0.0018 GY	0.90
2106		-0.0018 GY	0.04
2106		-0.0053 GY	0.08
2106		-0.0088 GY	0.13
2106		-0.0123 GY	0.19
2106		-0.0159 GY	0.24
2106		-0.0194 GY	0.29
2106		-0.0229 GY	0.35
2106		-0.0265 GY	0.40
2106		-0.0265 GY	0.45
2106		-0.0229 GY	0.50
2106		-0.0194 GY	0.56
2106		-0.0159 GY	0.61
2106		-0.0123 GY	0.66
2106		-0.0088 GY	0.72
2106		-0.0053 GY	0.77
2106		-0.0018 GY	0.81
162		-0.0017 GY	0.04
162		-0.0052 GY	0.09
162		-0.0087 GY	0.14
162		-0.0122 GY	0.20
162		-0.0157 GY	0.26
162		-0.0192 GY	0.31
162		-0.0227 GY	0.37
162		-0.0262 GY	0.43
162		-0.0279 GY	0.49
162		-0.0241 GY	0.55
162		-0.0204 GY	0.61
162		-0.0167 GY	0.67
162		-0.0130 GY	0.73
162		-0.0093 GY	0.79
162		-0.0056 GY	0.85
162		-0.0019 GY	0.90
1542		-0.0019 GY	0.04
1542		-0.0057 GY	0.08
1542		-0.0095 GY	0.14
1542		-0.0133 GY	0.19
1542		-0.0170 GY	0.24

1542	-0.0208 GY	0.29
1542	-0.0246 GY	0.35
1542	-0.0284 GY	0.40
1542	-0.0246 GY	0.45
1542	-0.0213 GY	0.50
1542	-0.0181 GY	0.54
1542	-0.0148 GY	0.59
1542	-0.0115 GY	0.63
1542	-0.0082 GY	0.68
1542	-0.0049 GY	0.72
1542	-0.0016 GY	0.77
1563	-0.0018 GY	0.04
1563	-0.0054 GY	0.09
1563	-0.0089 GY	0.14
1563	-0.0125 GY	0.20
1563	-0.0161 GY	0.26
1563	-0.0196 GY	0.31
1563	-0.0232 GY	0.37
1563	-0.0268 GY	0.43
1563	-0.0251 GY	0.48
1563	-0.0218 GY	0.54
1563	-0.0184 GY	0.59
1563	-0.0151 GY	0.64
1563	-0.0117 GY	0.69
1563	-0.0084 GY	0.75
1563	-0.0050 GY	0.80
1563	-0.0017 GY	0.85
1471	-0.0017 GY	0.03
1471	-0.0052 GY	0.08
1471	-0.0087 GY	0.12
1471	-0.0122 GY	0.17
1471	-0.0157 GY	0.22
1471	-0.0192 GY	0.27
1471	-0.0227 GY	0.32
1471	-0.0262 GY	0.37
1471	-0.0268 GY	0.42
1471	-0.0232 GY	0.47
1471	-0.0196 GY	0.52
1471	-0.0161 GY	0.57
1471	-0.0125 GY	0.62
1471	-0.0089 GY	0.67
1471	-0.0054 GY	0.72
1471	-0.0018 GY	0.76
162	-0.0018 GY	0.04
162	-0.0053 GY	0.08
162	-0.0088 GY	0.13

162		-0.0123	GY	0.19
162		-0.0159	GY	0.24
162		-0.0194	GY	0.29
162		-0.0229	GY	0.35
162		-0.0265	GY	0.40
162	-0.5313 GY	0.43	0.51	
162		-0.0265	GY	0.54
162		-0.0229	GY	0.59
162		-0.0194	GY	0.65
162		-0.0159	GY	0.70

162		-0.0123	GY	0.75
162		-0.0088	GY	0.81
162		-0.0053	GY	0.86
162		-0.0018	GY	0.90
799		-0.0018	GY	0.04
799		-0.0053	GY	0.08
799		-0.0088	GY	0.13
799		-0.0123	GY	0.19
799		-0.0159	GY	0.24
799		-0.0194	GY	0.29
799		-0.0229	GY	0.35
799		-0.0265	GY	0.40
799		-0.0265	GY	0.45
799		-0.0229	GY	0.50
799		-0.0194	GY	0.56
799		-0.0159	GY	0.61
799		-0.0123	GY	0.66
799		-0.0088	GY	0.72
799		-0.0053	GY	0.77
799		-0.0018	GY	0.81
1562		-0.0018	GY	0.04
1562		-0.0053	GY	0.08
1562		-0.0088	GY	0.13
1562		-0.0123	GY	0.19
1562		-0.0159	GY	0.24
1562		-0.0194	GY	0.29
1562		-0.0229	GY	0.35
1562		-0.0265	GY	0.40
1562	-0.5312 GY	0.43	0.51	
1562		-0.0265	GY	0.54
1562		-0.0229	GY	0.59
1562		-0.0194	GY	0.65
1562		-0.0159	GY	0.70
1562		-0.0123	GY	0.75
1562		-0.0088	GY	0.81

1562		-0.0053 GY	0.86
1562		-0.0018 GY	0.90
1231		-0.0018 GY	0.04
1231		-0.0053 GY	0.08
1231		-0.0088 GY	0.13
1231		-0.0123 GY	0.19
1231		-0.0159 GY	0.24
1231		-0.0194 GY	0.29
1231		-0.0229 GY	0.35
1231		-0.0265 GY	0.40
1231		-0.0265 GY	0.45
1231		-0.0229 GY	0.50
1231		-0.0194 GY	0.56
1231		-0.0159 GY	0.61
1231		-0.0123 GY	0.66
1231		-0.0088 GY	0.72
1231		-0.0053 GY	0.77
1231		-0.0018 GY	0.81
181		-0.0017 GY	0.03
181		-0.0051 GY	0.08
181		-0.0085 GY	0.13

181		-0.0120 GY	0.18
181		-0.0154 GY	0.24
181		-0.0188 GY	0.29
181		-0.0222 GY	0.34
181		-0.0256 GY	0.39
181	-0.5229 GY	0.42	0.82
181		-0.0256 GY	0.85
181		-0.0222 GY	0.90
181		-0.0188 GY	0.95
181		-0.0154 GY	1.00
181		-0.0120 GY	1.05
181		-0.0085 GY	1.11
181		-0.0051 GY	1.16
181		-0.0017 GY	1.20
1602		-0.0017 GY	0.03
1602		-0.0051 GY	0.08
1602		-0.0085 GY	0.13
1602		-0.0120 GY	0.18
1602		-0.0154 GY	0.24
1602		-0.0188 GY	0.29
1602		-0.0222 GY	0.34
1602		-0.0256 GY	0.39
1602		-0.0256 GY	0.44
1602		-0.0222 GY	0.50

1602		-0.0188 GY	0.55
1602		-0.0154 GY	0.60
1602		-0.0120 GY	0.65
1602		-0.0085 GY	0.70
1602		-0.0051 GY	0.76
1602		-0.0017 GY	0.80
1692		-0.0017 GY	0.03
1692		-0.0051 GY	0.08
1692		-0.0085 GY	0.13
1692		-0.0120 GY	0.18
1692		-0.0154 GY	0.24
1692		-0.0188 GY	0.29
1692		-0.0222 GY	0.34
1692		-0.0256 GY	0.39
1692	-0.5229 GY	0.42	0.82
1692		-0.0256 GY	0.85
1692		-0.0222 GY	0.90
1692		-0.0188 GY	0.95
1692		-0.0154 GY	1.00
1692		-0.0120 GY	1.05
1692		-0.0085 GY	1.11
1692		-0.0051 GY	1.16
1692		-0.0017 GY	1.20
710		-0.0017 GY	0.03
710		-0.0051 GY	0.08
710		-0.0085 GY	0.13
710		-0.0120 GY	0.18
710		-0.0154 GY	0.24
710		-0.0188 GY	0.29
710		-0.0222 GY	0.34
710		-0.0256 GY	0.39
710		-0.0256 GY	0.44

710		-0.0222 GY	0.50
710		-0.0188 GY	0.55
710		-0.0154 GY	0.60
710		-0.0120 GY	0.65
710		-0.0085 GY	0.70
710		-0.0051 GY	0.76
710		-0.0017 GY	0.80
182		-0.0017 GY	0.03
182		-0.0051 GY	0.08
182		-0.0085 GY	0.13
182		-0.0120 GY	0.18
182		-0.0154 GY	0.24
182		-0.0188 GY	0.29

182		-0.0222 GY	0.34
182		-0.0256 GY	0.39
182	-0.5229 GY	0.42	0.63
182		-0.0256 GY	0.66
182		-0.0222 GY	0.71
182		-0.0188 GY	0.76
182		-0.0154 GY	0.81
182		-0.0120 GY	0.87
182		-0.0085 GY	0.92
182		-0.0051 GY	0.97
182		-0.0017 GY	1.02
1558		-0.0017 GY	0.03
1558		-0.0051 GY	0.08
1558		-0.0085 GY	0.13
1558		-0.0120 GY	0.18
1558		-0.0154 GY	0.24
1558		-0.0188 GY	0.29
1558		-0.0222 GY	0.34
1558		-0.0256 GY	0.39
1558		-0.0256 GY	0.44
1558		-0.0222 GY	0.50
1558		-0.0188 GY	0.55
1558		-0.0154 GY	0.60
1558		-0.0120 GY	0.65
1558		-0.0085 GY	0.70
1558		-0.0051 GY	0.76
1558		-0.0017 GY	0.80
765		-0.0017 GY	0.03
765		-0.0051 GY	0.08
765		-0.0085 GY	0.13
765		-0.0120 GY	0.18
765		-0.0154 GY	0.24
765		-0.0188 GY	0.29
765		-0.0222 GY	0.34
765		-0.0256 GY	0.39
765	-0.5229 GY	0.42	0.63
765		-0.0256 GY	0.66
765		-0.0222 GY	0.71
765		-0.0188 GY	0.76
765		-0.0154 GY	0.81
765		-0.0120 GY	0.87
765		-0.0085 GY	0.92
765		-0.0051 GY	0.97

765		-0.0017 GY	1.02
1602		-0.0017 GY	0.03

1602		-0.0051 GY	0.08
1602		-0.0085 GY	0.13
1602		-0.0120 GY	0.18
1602		-0.0154 GY	0.24
1602		-0.0188 GY	0.29
1602		-0.0222 GY	0.34
1602		-0.0256 GY	0.39
1602		-0.0256 GY	0.44
1602		-0.0222 GY	0.50
1602		-0.0188 GY	0.55
1602		-0.0154 GY	0.60
1602		-0.0120 GY	0.65
1602		-0.0085 GY	0.70
1602		-0.0051 GY	0.76
1602		-0.0017 GY	0.80
183		-0.0015 GY	0.03
183		-0.0046 GY	0.08
183		-0.0077 GY	0.13
183		-0.0108 GY	0.17
183		-0.0139 GY	0.22
183		-0.0169 GY	0.27
183		-0.0200 GY	0.32
183		-0.0231 GY	0.37
183		-0.0231 GY	0.42
183		-0.0200 GY	0.47
183		-0.0169 GY	0.52
183		-0.0139 GY	0.57
183		-0.0108 GY	0.62
183		-0.0077 GY	0.67
183		-0.0046 GY	0.72
183		-0.0015 GY	0.76
2035		-0.0015 GY	0.03
2035		-0.0046 GY	0.08
2035		-0.0077 GY	0.13
2035		-0.0108 GY	0.17
2035		-0.0139 GY	0.22
2035		-0.0169 GY	0.27
2035		-0.0200 GY	0.32
2035		-0.0231 GY	0.37
2035	-0.4962 GY	0.40	0.44
2035		-0.0231 GY	0.46
2035		-0.0200 GY	0.51
2035		-0.0169 GY	0.56
2035		-0.0139 GY	0.61
2035		-0.0108 GY	0.66
2035		-0.0077 GY	0.71
2035		-0.0046 GY	0.76

2035		-0.0015 GY	0.80
762		-0.0015 GY	0.03
762		-0.0046 GY	0.08
762		-0.0077 GY	0.13
762		-0.0108 GY	0.17
762		-0.0139 GY	0.22
762		-0.0169 GY	0.27

762		-0.0200 GY	0.32
762		-0.0231 GY	0.37
762		-0.0231 GY	0.42
762		-0.0200 GY	0.47
762		-0.0169 GY	0.52
762		-0.0139 GY	0.57
762		-0.0108 GY	0.62
762		-0.0077 GY	0.67
762		-0.0046 GY	0.72
762		-0.0015 GY	0.76
720		-0.0015 GY	0.03
720		-0.0046 GY	0.08
720		-0.0077 GY	0.13
720		-0.0108 GY	0.17
720		-0.0139 GY	0.22
720		-0.0169 GY	0.27
720		-0.0200 GY	0.32
720		-0.0231 GY	0.37
720	-0.4963 GY	0.40	0.44
720		-0.0231 GY	0.46
720		-0.0200 GY	0.51
720		-0.0169 GY	0.56
720		-0.0139 GY	0.61
720		-0.0108 GY	0.66
720		-0.0077 GY	0.71
720		-0.0046 GY	0.76
720		-0.0015 GY	0.80
184		-0.0017 GY	0.03
184		-0.0051 GY	0.08
184		-0.0085 GY	0.13
184		-0.0120 GY	0.18
184		-0.0154 GY	0.24
184		-0.0188 GY	0.29
184		-0.0222 GY	0.34
184		-0.0256 GY	0.39
184	-0.5229 GY	0.42	0.63
184		-0.0256 GY	0.65
184		-0.0222 GY	0.70

184		-0.0188 GY	0.76
184		-0.0154 GY	0.81
184		-0.0120 GY	0.86
184		-0.0085 GY	0.91
184		-0.0051 GY	0.96
184		-0.0017 GY	1.01
734		-0.0017 GY	0.03
734		-0.0051 GY	0.08
734		-0.0085 GY	0.13
734		-0.0120 GY	0.18
734		-0.0154 GY	0.24
734		-0.0188 GY	0.29
734		-0.0222 GY	0.34
734		-0.0256 GY	0.39
734		-0.0256 GY	0.44
734		-0.0222 GY	0.50
734		-0.0188 GY	0.55
734		-0.0154 GY	0.60

734		-0.0120 GY	0.65
734		-0.0085 GY	0.70
734		-0.0051 GY	0.76
734		-0.0017 GY	0.80
761		-0.0017 GY	0.03
761		-0.0051 GY	0.08
761		-0.0085 GY	0.13
761		-0.0120 GY	0.18
761		-0.0154 GY	0.24
761		-0.0188 GY	0.29
761		-0.0222 GY	0.34
761		-0.0256 GY	0.39
761	-0.5229 GY	0.42	0.63
761		-0.0256 GY	0.65
761		-0.0222 GY	0.70
761		-0.0188 GY	0.76
761		-0.0154 GY	0.81
761		-0.0120 GY	0.86
761		-0.0085 GY	0.91
761		-0.0051 GY	0.96
761		-0.0017 GY	1.01
722		-0.0017 GY	0.03
722		-0.0051 GY	0.08
722		-0.0085 GY	0.13
722		-0.0120 GY	0.18
722		-0.0154 GY	0.24
722		-0.0188 GY	0.29

722		-0.0222 GY	0.34
722		-0.0256 GY	0.39
722		-0.0256 GY	0.44
722		-0.0222 GY	0.50
722		-0.0188 GY	0.55
722		-0.0154 GY	0.60
722		-0.0120 GY	0.65
722		-0.0085 GY	0.70
722		-0.0051 GY	0.76
722		-0.0017 GY	0.80
187		-0.0017 GY	0.03
187		-0.0051 GY	0.08
187		-0.0085 GY	0.13
187		-0.0120 GY	0.18
187		-0.0154 GY	0.24
187		-0.0188 GY	0.29
187		-0.0222 GY	0.34
187		-0.0256 GY	0.39
187	-0.5229 GY	0.42	0.68
187		-0.0256 GY	0.70
187		-0.0222 GY	0.75
187		-0.0188 GY	0.81
187		-0.0154 GY	0.86
187		-0.0120 GY	0.91
187		-0.0085 GY	0.96
187		-0.0051 GY	1.01
187		-0.0017 GY	1.06
1819		-0.0017 GY	0.03
1819		-0.0051 GY	0.08

1819		-0.0085 GY	0.13
1819		-0.0120 GY	0.18
1819		-0.0154 GY	0.24
1819		-0.0188 GY	0.29
1819		-0.0222 GY	0.34
1819		-0.0256 GY	0.39
1819		-0.0256 GY	0.44
1819		-0.0222 GY	0.50
1819		-0.0188 GY	0.55
1819		-0.0154 GY	0.60
1819		-0.0120 GY	0.65
1819		-0.0085 GY	0.70
1819		-0.0051 GY	0.76
1819		-0.0017 GY	0.80
754		-0.0017 GY	0.03
754		-0.0051 GY	0.08

754		-0.0085 GY	0.13
754		-0.0120 GY	0.18
754		-0.0154 GY	0.24
754		-0.0188 GY	0.29
754		-0.0222 GY	0.34
754		-0.0256 GY	0.39
754	-0.5229 GY	0.42	0.68
754		-0.0256 GY	0.70
754		-0.0222 GY	0.75
754		-0.0188 GY	0.81
754		-0.0154 GY	0.86
754		-0.0120 GY	0.91
754		-0.0085 GY	0.96
754		-0.0051 GY	1.01
754		-0.0017 GY	1.06
1753		-0.0017 GY	0.03
1753		-0.0051 GY	0.08
1753		-0.0085 GY	0.13
1753		-0.0120 GY	0.18
1753		-0.0154 GY	0.24
1753		-0.0188 GY	0.29
1753		-0.0222 GY	0.34
1753		-0.0256 GY	0.39
1753		-0.0256 GY	0.44
1753		-0.0222 GY	0.50
1753		-0.0188 GY	0.55
1753		-0.0154 GY	0.60
1753		-0.0120 GY	0.65
1753		-0.0085 GY	0.70
1753		-0.0051 GY	0.76
1753		-0.0017 GY	0.80
199		-0.0009 GY	0.03
199		-0.0027 GY	0.06
199		-0.0045 GY	0.10
199		-0.0064 GY	0.13
199		-0.0082 GY	0.17
199		-0.0100 GY	0.21
199		-0.0118 GY	0.25
199		-0.0136 GY	0.29
199		-0.0136 GY	0.32

199		-0.0118 GY	0.36
199		-0.0100 GY	0.40
199		-0.0082 GY	0.44
199		-0.0064 GY	0.48
199		-0.0045 GY	0.51

199		-0.0027 GY	0.55
199		-0.0009 GY	0.58
1674		-0.0009 GY	0.03
1674		-0.0027 GY	0.06
1674		-0.0045 GY	0.10
1674		-0.0064 GY	0.13
1674		-0.0082 GY	0.17
1674		-0.0100 GY	0.21
1674		-0.0118 GY	0.25
1674		-0.0136 GY	0.29
1674	-0.3812 GY	0.30	0.93
1674		-0.0136 GY	0.95
1674		-0.0118 GY	0.99
1674		-0.0100 GY	1.03
1674		-0.0082 GY	1.07
1674		-0.0064 GY	1.10
1674		-0.0045 GY	1.14
1674		-0.0027 GY	1.18
1674		-0.0009 GY	1.21
1600		-0.0009 GY	0.03
1600		-0.0027 GY	0.06
1600		-0.0045 GY	0.10
1600		-0.0064 GY	0.13
1600		-0.0082 GY	0.17
1600		-0.0100 GY	0.21
1600		-0.0118 GY	0.25
1600		-0.0136 GY	0.29
1600		-0.0136 GY	0.32
1600		-0.0118 GY	0.36
1600		-0.0100 GY	0.40
1600		-0.0082 GY	0.44
1600		-0.0064 GY	0.48
1600		-0.0045 GY	0.51
1600		-0.0027 GY	0.55
1600		-0.0009 GY	0.58
1672		-0.0009 GY	0.03
1672		-0.0027 GY	0.06
1672		-0.0045 GY	0.10
1672		-0.0064 GY	0.13
1672		-0.0082 GY	0.17
1672		-0.0100 GY	0.21
1672		-0.0118 GY	0.25
1672		-0.0136 GY	0.29
1672	-0.3812 GY	0.30	0.93
1672		-0.0136 GY	0.95
1672		-0.0118 GY	0.99
1672		-0.0100 GY	1.03

1672		-0.0082 GY	1.07
1672		-0.0064 GY	1.10
1672		-0.0045 GY	1.14
1672		-0.0027 GY	1.18

1672		-0.0009 GY	1.21
302		-0.0015 GY	0.03
302		-0.0046 GY	0.08
302		-0.0076 GY	0.13
302		-0.0107 GY	0.17
302		-0.0137 GY	0.22
302		-0.0168 GY	0.27
302		-0.0198 GY	0.32
302		-0.0229 GY	0.37
302	-0.4937 GY	0.40	0.60
302		-0.0229 GY	0.63
302		-0.0198 GY	0.68
302		-0.0168 GY	0.73
302		-0.0137 GY	0.78
302		-0.0107 GY	0.83
302		-0.0076 GY	0.87
302		-0.0046 GY	0.92
302		-0.0015 GY	0.97
362		-0.0015 GY	0.03
362		-0.0046 GY	0.08
362		-0.0076 GY	0.13
362		-0.0107 GY	0.17
362		-0.0137 GY	0.22
362		-0.0168 GY	0.27
362		-0.0198 GY	0.32
362		-0.0229 GY	0.37
362		-0.0229 GY	0.42
362		-0.0198 GY	0.47
362		-0.0168 GY	0.52
362		-0.0137 GY	0.57
362		-0.0107 GY	0.62
362		-0.0076 GY	0.66
362		-0.0046 GY	0.71
362		-0.0015 GY	0.76
314		-0.0015 GY	0.03
314		-0.0046 GY	0.08
314		-0.0076 GY	0.13
314		-0.0107 GY	0.17
314		-0.0137 GY	0.22
314		-0.0168 GY	0.27
314		-0.0198 GY	0.32

314 -0.0229 GY 0.37
314 -0.4938 GY 0.40 0.60
314 -0.0229 GY 0.63
314 -0.0198 GY 0.68
314 -0.0168 GY 0.73
314 -0.0137 GY 0.78
314 -0.0107 GY 0.83
314 -0.0076 GY 0.87
314 -0.0046 GY 0.92
314 -0.0015 GY 0.97
361 -0.0015 GY 0.03
361 -0.0046 GY 0.08
361 -0.0076 GY 0.13
361 -0.0107 GY 0.17
361 -0.0137 GY 0.22

361 -0.0168 GY 0.27
361 -0.0198 GY 0.32
361 -0.0229 GY 0.37
361 -0.0229 GY 0.42
361 -0.0198 GY 0.47
361 -0.0168 GY 0.52
361 -0.0137 GY 0.57
361 -0.0107 GY 0.62
361 -0.0076 GY 0.66
361 -0.0046 GY 0.71
361 -0.0015 GY 0.76
303 -0.0015 GY 0.03
303 -0.0046 GY 0.08
303 -0.0076 GY 0.13
303 -0.0107 GY 0.17
303 -0.0137 GY 0.22
303 -0.0168 GY 0.27
303 -0.0198 GY 0.32
303 -0.0229 GY 0.37
303 -0.4937 GY 0.40 0.52
303 -0.0229 GY 0.54
303 -0.0198 GY 0.59
303 -0.0168 GY 0.64
303 -0.0137 GY 0.69
303 -0.0107 GY 0.74
303 -0.0076 GY 0.79
303 -0.0046 GY 0.84
303 -0.0015 GY 0.88
1746 -0.0015 GY 0.03
1746 -0.0046 GY 0.08

1746		-0.0076 GY	0.13
1746		-0.0107 GY	0.17
1746		-0.0137 GY	0.22
1746		-0.0168 GY	0.27
1746		-0.0198 GY	0.32
1746		-0.0229 GY	0.37
1746		-0.0229 GY	0.42
1746		-0.0198 GY	0.47
1746		-0.0168 GY	0.52
1746		-0.0137 GY	0.57
1746		-0.0107 GY	0.62
1746		-0.0076 GY	0.66
1746		-0.0046 GY	0.71
1746		-0.0015 GY	0.76
315		-0.0015 GY	0.03
315		-0.0046 GY	0.08
315		-0.0076 GY	0.13
315		-0.0107 GY	0.17
315		-0.0137 GY	0.22
315		-0.0168 GY	0.27
315		-0.0198 GY	0.32
315		-0.0229 GY	0.37
315	-0.4938 GY	0.40	0.52
315		-0.0229 GY	0.54
315		-0.0198 GY	0.59
315		-0.0168 GY	0.64

315		-0.0137 GY	0.69
315		-0.0107 GY	0.74
315		-0.0076 GY	0.79
315		-0.0046 GY	0.84
315		-0.0015 GY	0.88
362		-0.0015 GY	0.03
362		-0.0046 GY	0.08
362		-0.0076 GY	0.13
362		-0.0107 GY	0.17
362		-0.0137 GY	0.22
362		-0.0168 GY	0.27
362		-0.0198 GY	0.32
362		-0.0229 GY	0.37
362		-0.0229 GY	0.42
362		-0.0198 GY	0.47
362		-0.0168 GY	0.52
362		-0.0137 GY	0.57
362		-0.0107 GY	0.62
362		-0.0076 GY	0.66

362 -0.0046 GY 0.71
362 -0.0015 GY 0.76
314 -0.0019 GY 0.04
314 -0.0057 GY 0.09
314 -0.0095 GY 0.14
314 -0.0133 GY 0.19
314 -0.0171 GY 0.25
314 -0.0209 GY 0.30
314 -0.0247 GY 0.36
314 -0.0286 GY 0.41
314 -0.5519 GY 0.44 0.56
314 -0.0286 GY 0.59
314 -0.0247 GY 0.64
314 -0.0209 GY 0.70
314 -0.0171 GY 0.75
314 -0.0133 GY 0.81
314 -0.0095 GY 0.86
314 -0.0057 GY 0.91
314 -0.0019 GY 0.96
1564 -0.0019 GY 0.04
1564 -0.0057 GY 0.09
1564 -0.0095 GY 0.14
1564 -0.0133 GY 0.19
1564 -0.0171 GY 0.25
1564 -0.0209 GY 0.30
1564 -0.0247 GY 0.36
1564 -0.0286 GY 0.41
1564 -0.0286 GY 0.47
1564 -0.0247 GY 0.52
1564 -0.0209 GY 0.58
1564 -0.0171 GY 0.63
1564 -0.0133 GY 0.69
1564 -0.0095 GY 0.74
1564 -0.0057 GY 0.80
1564 -0.0019 GY 0.85
1517 -0.0019 GY 0.04
1517 -0.0057 GY 0.09

1517 -0.0095 GY 0.14
1517 -0.0133 GY 0.19
1517 -0.0171 GY 0.25
1517 -0.0209 GY 0.30
1517 -0.0247 GY 0.36
1517 -0.0286 GY 0.41
1517 -0.5519 GY 0.44 0.56
1517 -0.0286 GY 0.59

1517		-0.0247 GY	0.64
1517		-0.0209 GY	0.70
1517		-0.0171 GY	0.75
1517		-0.0133 GY	0.81
1517		-0.0095 GY	0.86
1517		-0.0057 GY	0.91
1517		-0.0019 GY	0.96
1563		-0.0019 GY	0.04
1563		-0.0057 GY	0.09
1563		-0.0095 GY	0.14
1563		-0.0133 GY	0.19
1563		-0.0171 GY	0.25
1563		-0.0209 GY	0.30
1563		-0.0247 GY	0.36
1563		-0.0286 GY	0.41
1563		-0.0286 GY	0.47
1563		-0.0247 GY	0.52
1563		-0.0209 GY	0.58
1563		-0.0171 GY	0.63
1563		-0.0133 GY	0.69
1563		-0.0095 GY	0.74
1563		-0.0057 GY	0.80
1563		-0.0019 GY	0.85
315		-0.0019 GY	0.04
315		-0.0057 GY	0.09
315		-0.0095 GY	0.14
315		-0.0133 GY	0.19
315		-0.0171 GY	0.25
315		-0.0209 GY	0.30
315		-0.0247 GY	0.36
315		-0.0286 GY	0.41
315	-0.5519 GY	0.44	0.47
315		-0.0286 GY	0.50
315		-0.0247 GY	0.55
315		-0.0209 GY	0.61
315		-0.0171 GY	0.66
315		-0.0133 GY	0.72
315		-0.0095 GY	0.77
315		-0.0057 GY	0.83
315		-0.0019 GY	0.88
1752		-0.0019 GY	0.04
1752		-0.0057 GY	0.09
1752		-0.0095 GY	0.14
1752		-0.0133 GY	0.19
1752		-0.0171 GY	0.25
1752		-0.0209 GY	0.30
1752		-0.0247 GY	0.36

1752 -0.0286 GY 0.41

1752 -0.0286 GY 0.47
1752 -0.0247 GY 0.52
1752 -0.0209 GY 0.58
1752 -0.0171 GY 0.63
1752 -0.0133 GY 0.69
1752 -0.0095 GY 0.74
1752 -0.0057 GY 0.80
1752 -0.0019 GY 0.85
1518 -0.0019 GY 0.04
1518 -0.0057 GY 0.09
1518 -0.0095 GY 0.14
1518 -0.0133 GY 0.19
1518 -0.0171 GY 0.25
1518 -0.0209 GY 0.30
1518 -0.0247 GY 0.36
1518 -0.0286 GY 0.41
1518 -0.5519 GY 0.44 0.47
1518 -0.0286 GY 0.50
1518 -0.0247 GY 0.55
1518 -0.0209 GY 0.61
1518 -0.0171 GY 0.66
1518 -0.0133 GY 0.72
1518 -0.0095 GY 0.77
1518 -0.0057 GY 0.83
1518 -0.0019 GY 0.88
1564 -0.0019 GY 0.04
1564 -0.0057 GY 0.09
1564 -0.0095 GY 0.14
1564 -0.0133 GY 0.19
1564 -0.0171 GY 0.25
1564 -0.0209 GY 0.30
1564 -0.0247 GY 0.36
1564 -0.0286 GY 0.41
1564 -0.0286 GY 0.47
1564 -0.0247 GY 0.52
1564 -0.0209 GY 0.58
1564 -0.0171 GY 0.63
1564 -0.0133 GY 0.69
1564 -0.0095 GY 0.74
1564 -0.0057 GY 0.80
1564 -0.0019 GY 0.85
344 -0.0016 GY 0.03
344 -0.0048 GY 0.08
344 -0.0081 GY 0.13

344		-0.0113 GY	0.18
344		-0.0145 GY	0.23
344		-0.0178 GY	0.28
344		-0.0210 GY	0.33
344		-0.0242 GY	0.38
344	-0.5083 GY	0.41	0.59
344		-0.0242 GY	0.62
344		-0.0210 GY	0.67
344		-0.0178 GY	0.72
344		-0.0145 GY	0.77
344		-0.0113 GY	0.82
344		-0.0081 GY	0.87

344		-0.0048 GY	0.92
344		-0.0016 GY	0.97
1487		-0.0016 GY	0.03
1487		-0.0048 GY	0.08
1487		-0.0081 GY	0.13
1487		-0.0113 GY	0.18
1487		-0.0145 GY	0.23
1487		-0.0178 GY	0.28
1487		-0.0210 GY	0.33
1487		-0.0242 GY	0.38
1487		-0.0242 GY	0.43
1487		-0.0210 GY	0.48
1487		-0.0178 GY	0.53
1487		-0.0145 GY	0.58
1487		-0.0113 GY	0.63
1487		-0.0081 GY	0.68
1487		-0.0048 GY	0.73
1487		-0.0016 GY	0.78
756		-0.0016 GY	0.03
756		-0.0048 GY	0.08
756		-0.0081 GY	0.13
756		-0.0113 GY	0.18
756		-0.0145 GY	0.23
756		-0.0178 GY	0.28
756		-0.0210 GY	0.33
756		-0.0242 GY	0.38
756	-0.5083 GY	0.41	0.59
756		-0.0242 GY	0.62
756		-0.0210 GY	0.67
756		-0.0178 GY	0.72
756		-0.0145 GY	0.77
756		-0.0113 GY	0.82
756		-0.0081 GY	0.87

756		-0.0048 GY	0.92
756		-0.0016 GY	0.97
1497		-0.0016 GY	0.03
1497		-0.0048 GY	0.08
1497		-0.0081 GY	0.13
1497		-0.0113 GY	0.18
1497		-0.0145 GY	0.23
1497		-0.0178 GY	0.28
1497		-0.0210 GY	0.33
1497		-0.0242 GY	0.38
1497		-0.0242 GY	0.43
1497		-0.0210 GY	0.48
1497		-0.0178 GY	0.53
1497		-0.0145 GY	0.58
1497		-0.0113 GY	0.63
1497		-0.0081 GY	0.68
1497		-0.0048 GY	0.73
1497		-0.0016 GY	0.78
345		-0.0016 GY	0.03
345		-0.0048 GY	0.08
345		-0.0081 GY	0.13
345		-0.0113 GY	0.18
345		-0.0145 GY	0.23

345		-0.0178 GY	0.28
345		-0.0210 GY	0.33
345		-0.0242 GY	0.38
345	-0.5082 GY	0.41	0.51
345		-0.0242 GY	0.53
345		-0.0210 GY	0.58
345		-0.0178 GY	0.63
345		-0.0145 GY	0.68
345		-0.0113 GY	0.73
345		-0.0081 GY	0.78
345		-0.0048 GY	0.83
345		-0.0016 GY	0.88
1802		-0.0016 GY	0.03
1802		-0.0049 GY	0.08
1802		-0.0081 GY	0.13
1802		-0.0113 GY	0.18
1802		-0.0146 GY	0.23
1802		-0.0178 GY	0.28
1802		-0.0210 GY	0.33
1802		-0.0243 GY	0.38
1802		-0.0242 GY	0.43
1802		-0.0210 GY	0.48

1802		-0.0178 GY	0.53
1802		-0.0145 GY	0.58
1802		-0.0113 GY	0.63
1802		-0.0081 GY	0.68
1802		-0.0048 GY	0.73
1802		-0.0016 GY	0.78
755		-0.0016 GY	0.03
755		-0.0048 GY	0.08
755		-0.0081 GY	0.13
755		-0.0113 GY	0.18
755		-0.0145 GY	0.23
755		-0.0178 GY	0.28
755		-0.0210 GY	0.33
755		-0.0242 GY	0.38
755	-0.5084 GY	0.41	0.51
755		-0.0242 GY	0.53
755		-0.0210 GY	0.58
755		-0.0178 GY	0.63
755		-0.0145 GY	0.68
755		-0.0113 GY	0.73
755		-0.0081 GY	0.78
755		-0.0048 GY	0.83
755		-0.0016 GY	0.88
1487		-0.0016 GY	0.03
1487		-0.0048 GY	0.08
1487		-0.0081 GY	0.13
1487		-0.0113 GY	0.18
1487		-0.0145 GY	0.23
1487		-0.0178 GY	0.28
1487		-0.0210 GY	0.33
1487		-0.0242 GY	0.38
1487		-0.0242 GY	0.43
1487		-0.0210 GY	0.48
1487		-0.0178 GY	0.53

1487		-0.0145 GY	0.58
1487		-0.0113 GY	0.63
1487		-0.0081 GY	0.68
1487		-0.0048 GY	0.73
1487		-0.0016 GY	0.78
346		-0.0016 GY	0.03
346		-0.0048 GY	0.08
346		-0.0081 GY	0.13
346		-0.0113 GY	0.18
346		-0.0145 GY	0.23
346		-0.0178 GY	0.28

346		-0.0210 GY	0.33
346		-0.0242 GY	0.38
346	-0.5082 GY	0.41	0.60
346		-0.0242 GY	0.62
346		-0.0210 GY	0.67
346		-0.0178 GY	0.73
346		-0.0145 GY	0.78
346		-0.0113 GY	0.83
346		-0.0081 GY	0.88
346		-0.0048 GY	0.93
346		-0.0016 GY	0.97
1485		-0.0016 GY	0.03
1485		-0.0049 GY	0.08
1485		-0.0081 GY	0.13
1485		-0.0113 GY	0.18
1485		-0.0146 GY	0.23
1485		-0.0178 GY	0.28
1485		-0.0210 GY	0.33
1485		-0.0243 GY	0.38
1485		-0.0242 GY	0.43
1485		-0.0210 GY	0.48
1485		-0.0178 GY	0.53
1485		-0.0145 GY	0.58
1485		-0.0113 GY	0.63
1485		-0.0081 GY	0.68
1485		-0.0048 GY	0.73
1485		-0.0016 GY	0.78
759		-0.0016 GY	0.03
759		-0.0048 GY	0.08
759		-0.0081 GY	0.13
759		-0.0113 GY	0.18
759		-0.0145 GY	0.23
759		-0.0178 GY	0.28
759		-0.0210 GY	0.33
759		-0.0242 GY	0.38
759	-0.5084 GY	0.41	0.60
759		-0.0242 GY	0.62
759		-0.0210 GY	0.67
759		-0.0178 GY	0.73
759		-0.0145 GY	0.78
759		-0.0113 GY	0.83
759		-0.0081 GY	0.88
759		-0.0048 GY	0.93
759		-0.0016 GY	0.97
1488		-0.0016 GY	0.03

1488		-0.0048 GY	0.08
1488		-0.0081 GY	0.13
1488		-0.0113 GY	0.18
1488		-0.0145 GY	0.23
1488		-0.0178 GY	0.28
1488		-0.0210 GY	0.33
1488		-0.0242 GY	0.38
1488		-0.0242 GY	0.43
1488		-0.0210 GY	0.48
1488		-0.0178 GY	0.53
1488		-0.0145 GY	0.58
1488		-0.0113 GY	0.63
1488		-0.0081 GY	0.68
1488		-0.0048 GY	0.73
1488		-0.0016 GY	0.78
348		-0.0016 GY	0.03
348		-0.0048 GY	0.08
348		-0.0081 GY	0.13
348		-0.0113 GY	0.18
348		-0.0145 GY	0.23
348		-0.0178 GY	0.28
348		-0.0210 GY	0.33
348		-0.0242 GY	0.38
348	-0.5082 GY	0.41	0.60
348		-0.0242 GY	0.62
348		-0.0210 GY	0.67
348		-0.0178 GY	0.73
348		-0.0145 GY	0.78
348		-0.0113 GY	0.83
348		-0.0081 GY	0.88
348		-0.0048 GY	0.93
348		-0.0016 GY	0.97
1490		-0.0016 GY	0.03
1490		-0.0049 GY	0.08
1490		-0.0081 GY	0.13
1490		-0.0113 GY	0.18
1490		-0.0146 GY	0.23
1490		-0.0178 GY	0.28
1490		-0.0210 GY	0.33
1490		-0.0243 GY	0.38
1490		-0.0242 GY	0.43
1490		-0.0210 GY	0.48
1490		-0.0178 GY	0.53
1490		-0.0145 GY	0.58
1490		-0.0113 GY	0.63
1490		-0.0081 GY	0.68
1490		-0.0048 GY	0.73

1490		-0.0016 GY	0.78
763		-0.0016 GY	0.03
763		-0.0048 GY	0.08
763		-0.0081 GY	0.13
763		-0.0113 GY	0.18
763		-0.0145 GY	0.23
763		-0.0178 GY	0.28
763		-0.0210 GY	0.33
763		-0.0242 GY	0.38

763	-0.5084 GY	0.41	0.60
763		-0.0242 GY	0.62
763		-0.0210 GY	0.67
763		-0.0178 GY	0.73
763		-0.0145 GY	0.78
763		-0.0113 GY	0.83
763		-0.0081 GY	0.88
763		-0.0048 GY	0.93
763		-0.0016 GY	0.97
1489		-0.0016 GY	0.03
1489		-0.0048 GY	0.08
1489		-0.0081 GY	0.13
1489		-0.0113 GY	0.18
1489		-0.0145 GY	0.23
1489		-0.0178 GY	0.28
1489		-0.0210 GY	0.33
1489		-0.0242 GY	0.38
1489		-0.0242 GY	0.43
1489		-0.0210 GY	0.48
1489		-0.0178 GY	0.53
1489		-0.0145 GY	0.58
1489		-0.0113 GY	0.63
1489		-0.0081 GY	0.68
1489		-0.0048 GY	0.73
1489		-0.0016 GY	0.78
350		-0.0017 GY	0.03
350		-0.0051 GY	0.08
350		-0.0085 GY	0.13
350		-0.0120 GY	0.18
350		-0.0154 GY	0.24
350		-0.0188 GY	0.29
350		-0.0222 GY	0.34
350		-0.0256 GY	0.39
350	-0.5229 GY	0.42	0.59
350		-0.0256 GY	0.61
350		-0.0222 GY	0.67

350		-0.0188 GY	0.72
350		-0.0154 GY	0.77
350		-0.0120 GY	0.82
350		-0.0085 GY	0.87
350		-0.0051 GY	0.92
350		-0.0017 GY	0.97
720		-0.0017 GY	0.03
720		-0.0051 GY	0.08
720		-0.0085 GY	0.13
720		-0.0120 GY	0.18
720		-0.0154 GY	0.24
720		-0.0188 GY	0.29
720		-0.0222 GY	0.34
720		-0.0256 GY	0.39
720		-0.0256 GY	0.44
720		-0.0222 GY	0.50
720		-0.0188 GY	0.55
720		-0.0154 GY	0.60
720		-0.0120 GY	0.65
720		-0.0085 GY	0.70

720		-0.0051 GY	0.76
720		-0.0017 GY	0.80
763		-0.0017 GY	0.03
763		-0.0051 GY	0.08
763		-0.0085 GY	0.13
763		-0.0120 GY	0.18
763		-0.0154 GY	0.24
763		-0.0188 GY	0.29
763		-0.0222 GY	0.34
763		-0.0256 GY	0.39
763	-0.5229 GY	0.42	0.59
763		-0.0256 GY	0.61
763		-0.0222 GY	0.67
763		-0.0188 GY	0.72
763		-0.0154 GY	0.77
763		-0.0120 GY	0.82
763		-0.0085 GY	0.87
763		-0.0051 GY	0.92
763		-0.0017 GY	0.97
1558		-0.0017 GY	0.03
1558		-0.0051 GY	0.08
1558		-0.0085 GY	0.13
1558		-0.0120 GY	0.18
1558		-0.0154 GY	0.24
1558		-0.0188 GY	0.29

1558		-0.0222 GY	0.34
1558		-0.0256 GY	0.39
1558		-0.0256 GY	0.44
1558		-0.0222 GY	0.50
1558		-0.0188 GY	0.55
1558		-0.0154 GY	0.60
1558		-0.0120 GY	0.65
1558		-0.0085 GY	0.70
1558		-0.0051 GY	0.76
1558		-0.0017 GY	0.80
352		-0.0017 GY	0.03
352		-0.0051 GY	0.08
352		-0.0085 GY	0.13
352		-0.0120 GY	0.18
352		-0.0154 GY	0.24
352		-0.0188 GY	0.29
352		-0.0222 GY	0.34
352		-0.0256 GY	0.39
352	-0.5229 GY	0.42	0.59
352		-0.0256 GY	0.61
352		-0.0222 GY	0.67
352		-0.0188 GY	0.72
352		-0.0154 GY	0.77
352		-0.0120 GY	0.82
352		-0.0085 GY	0.87
352		-0.0051 GY	0.92
352		-0.0017 GY	0.97
724		-0.0017 GY	0.03
724		-0.0051 GY	0.08
724		-0.0085 GY	0.13
724		-0.0120 GY	0.18

724		-0.0154 GY	0.24
724		-0.0188 GY	0.29
724		-0.0222 GY	0.34
724		-0.0256 GY	0.39
724		-0.0256 GY	0.44
724		-0.0222 GY	0.50
724		-0.0188 GY	0.55
724		-0.0154 GY	0.60
724		-0.0120 GY	0.65
724		-0.0085 GY	0.70
724		-0.0051 GY	0.76
724		-0.0017 GY	0.80
759		-0.0017 GY	0.03
759		-0.0051 GY	0.08

759		-0.0085	GY	0.13
759		-0.0120	GY	0.18
759		-0.0154	GY	0.24
759		-0.0188	GY	0.29
759		-0.0222	GY	0.34
759		-0.0256	GY	0.39
759	-0.5229 GY	0.42	0.59	
759		-0.0256	GY	0.61
759		-0.0222	GY	0.67
759		-0.0188	GY	0.72
759		-0.0154	GY	0.77
759		-0.0120	GY	0.82
759		-0.0085	GY	0.87
759		-0.0051	GY	0.92
759		-0.0017	GY	0.97
734		-0.0017	GY	0.03
734		-0.0051	GY	0.08
734		-0.0085	GY	0.13
734		-0.0120	GY	0.18
734		-0.0154	GY	0.24
734		-0.0188	GY	0.29
734		-0.0222	GY	0.34
734		-0.0256	GY	0.39
734		-0.0256	GY	0.44
734		-0.0222	GY	0.50
734		-0.0188	GY	0.55
734		-0.0154	GY	0.60
734		-0.0120	GY	0.65
734		-0.0085	GY	0.70
734		-0.0051	GY	0.76
734		-0.0017	GY	0.80
354		-0.0017	GY	0.03
354		-0.0051	GY	0.08
354		-0.0085	GY	0.13
354		-0.0120	GY	0.18
354		-0.0154	GY	0.24
354		-0.0188	GY	0.29
354		-0.0222	GY	0.34
354		-0.0256	GY	0.39
354	-0.5229 GY	0.42	0.58	
354		-0.0256	GY	0.61
354		-0.0222	GY	0.66

354		-0.0188	GY	0.71
354		-0.0154	GY	0.76
354		-0.0120	GY	0.82

354		-0.0085 GY	0.87
354		-0.0051 GY	0.92
354		-0.0017 GY	0.97
740		-0.0017 GY	0.03
740		-0.0051 GY	0.08
740		-0.0085 GY	0.13
740		-0.0120 GY	0.18
740		-0.0154 GY	0.24
740		-0.0188 GY	0.29
740		-0.0222 GY	0.34
740		-0.0256 GY	0.39
740		-0.0256 GY	0.44
740		-0.0222 GY	0.50
740		-0.0188 GY	0.55
740		-0.0154 GY	0.60
740		-0.0120 GY	0.65
740		-0.0085 GY	0.70
740		-0.0051 GY	0.76
740		-0.0017 GY	0.80
756		-0.0017 GY	0.03
756		-0.0051 GY	0.08
756		-0.0085 GY	0.13
756		-0.0120 GY	0.18
756		-0.0154 GY	0.24
756		-0.0188 GY	0.29
756		-0.0222 GY	0.34
756		-0.0256 GY	0.39
756	-0.5229 GY	0.42	0.58
756		-0.0256 GY	0.61
756		-0.0222 GY	0.66
756		-0.0188 GY	0.71
756		-0.0154 GY	0.76
756		-0.0120 GY	0.82
756		-0.0085 GY	0.87
756		-0.0051 GY	0.92
756		-0.0017 GY	0.97
738		-0.0017 GY	0.03
738		-0.0051 GY	0.08
738		-0.0085 GY	0.13
738		-0.0120 GY	0.18
738		-0.0154 GY	0.24
738		-0.0188 GY	0.29
738		-0.0222 GY	0.34
738		-0.0256 GY	0.39
738		-0.0256 GY	0.44
738		-0.0222 GY	0.50
738		-0.0188 GY	0.55

738 -0.0154 GY 0.60
738 -0.0120 GY 0.65
738 -0.0085 GY 0.70
738 -0.0051 GY 0.76
738 -0.0017 GY 0.80
355 -0.0017 GY 0.03

355 -0.0051 GY 0.08
355 -0.0085 GY 0.13
355 -0.0120 GY 0.18
355 -0.0154 GY 0.24
355 -0.0188 GY 0.29
355 -0.0222 GY 0.34
355 -0.0256 GY 0.39
355 -0.5229 GY 0.42 0.49
355 -0.0256 GY 0.52
355 -0.0222 GY 0.57
355 -0.0188 GY 0.62
355 -0.0154 GY 0.68
355 -0.0120 GY 0.73
355 -0.0085 GY 0.78
355 -0.0051 GY 0.83
355 -0.0017 GY 0.88
1753 -0.0017 GY 0.03
1753 -0.0051 GY 0.08
1753 -0.0085 GY 0.13
1753 -0.0120 GY 0.18
1753 -0.0154 GY 0.24
1753 -0.0188 GY 0.29
1753 -0.0222 GY 0.34
1753 -0.0256 GY 0.39
1753 -0.0256 GY 0.44
1753 -0.0222 GY 0.50
1753 -0.0188 GY 0.55
1753 -0.0154 GY 0.60
1753 -0.0120 GY 0.65
1753 -0.0085 GY 0.70
1753 -0.0051 GY 0.76
1753 -0.0017 GY 0.80
755 -0.0017 GY 0.03
755 -0.0051 GY 0.08
755 -0.0085 GY 0.13
755 -0.0120 GY 0.18
755 -0.0154 GY 0.24
755 -0.0188 GY 0.29
755 -0.0222 GY 0.34

755		-0.0256 GY	0.39
755	-0.5229 GY	0.42	0.49
755		-0.0256 GY	0.52
755		-0.0222 GY	0.57
755		-0.0188 GY	0.62
755		-0.0154 GY	0.68
755		-0.0120 GY	0.73
755		-0.0085 GY	0.78
755		-0.0051 GY	0.83
755		-0.0017 GY	0.88
740		-0.0017 GY	0.03
740		-0.0051 GY	0.08
740		-0.0085 GY	0.13
740		-0.0120 GY	0.18
740		-0.0154 GY	0.24
740		-0.0188 GY	0.29
740		-0.0222 GY	0.34

740		-0.0256 GY	0.39
740		-0.0256 GY	0.44
740		-0.0222 GY	0.50
740		-0.0188 GY	0.55
740		-0.0154 GY	0.60
740		-0.0120 GY	0.65
740		-0.0085 GY	0.70
740		-0.0051 GY	0.76
740		-0.0017 GY	0.80
656		-0.0019 GY	0.03
656		-0.0056 GY	0.06
656		-0.0094 GY	0.10
656		-0.0131 GY	0.13
656		-0.0168 GY	0.17
656		-0.0206 GY	0.21
656		-0.0243 GY	0.25
656		-0.0281 GY	0.29
656		-0.0307 GY	0.33
656		-0.0266 GY	0.37
656		-0.0225 GY	0.41
656		-0.0184 GY	0.45
656		-0.0143 GY	0.49
656		-0.0102 GY	0.53
656		-0.0061 GY	0.57
656		-0.0020 GY	0.61
1663		-0.0020 GY	0.05
1663		-0.0060 GY	0.12
1663		-0.0099 GY	0.19

1663	-0.0139 GY	0.27
1663	-0.0179 GY	0.34
1663	-0.0219 GY	0.42
1663	-0.0259 GY	0.50
1663	-0.0298 GY	0.57
1663	-0.0307 GY	0.65
1663	-0.0266 GY	0.73
1663	-0.0225 GY	0.81
1663	-0.0184 GY	0.88
1663	-0.0143 GY	0.96
1663	-0.0102 GY	1.04
1663	-0.0061 GY	1.12
1663	-0.0020 GY	1.19
2286	-0.0022 GY	0.03
2286	-0.0065 GY	0.07
2286	-0.0108 GY	0.11
2286	-0.0151 GY	0.16
2286	-0.0194 GY	0.20
2286	-0.0237 GY	0.25
2286	-0.0280 GY	0.29
2286	-0.0323 GY	0.34
2286	-0.0298 GY	0.38
2286	-0.0259 GY	0.42
2286	-0.0219 GY	0.47
2286	-0.0179 GY	0.51
2286	-0.0139 GY	0.55
2286	-0.0099 GY	0.59
2286	-0.0060 GY	0.63

2286	-0.0020 GY	0.67
1658	-0.0020 GY	0.05
1658	-0.0060 GY	0.12
1658	-0.0100 GY	0.19
1658	-0.0140 GY	0.27
1658	-0.0180 GY	0.35
1658	-0.0220 GY	0.42
1658	-0.0260 GY	0.50
1658	-0.0300 GY	0.58
1658	-0.0306 GY	0.65
1658	-0.0265 GY	0.73
1658	-0.0224 GY	0.81
1658	-0.0184 GY	0.89
1658	-0.0143 GY	0.96
1658	-0.0102 GY	1.04
1658	-0.0061 GY	1.12
1658	-0.0020 GY	1.19

657		-0.0024 GY	0.04
657		-0.0072 GY	0.10
657		-0.0120 GY	0.16
657		-0.0168 GY	0.22
657		-0.0216 GY	0.28
657		-0.0264 GY	0.34
657		-0.0313 GY	0.40
657		-0.0361 GY	0.47
657		-0.0361 GY	0.53
657		-0.0313 GY	0.59
657		-0.0265 GY	0.65
657		-0.0216 GY	0.71
657		-0.0168 GY	0.77
657		-0.0120 GY	0.84
657		-0.0072 GY	0.90
657		-0.0024 GY	0.95
1672		-0.0024 GY	0.04
1672		-0.0072 GY	0.10
1672		-0.0120 GY	0.16
1672		-0.0168 GY	0.22
1672		-0.0217 GY	0.28
1672		-0.0265 GY	0.34
1672		-0.0313 GY	0.40
1672		-0.0361 GY	0.47
1672	-0.6205 GY	0.50	0.74
1672		-0.0361 GY	0.77
1672		-0.0313 GY	0.83
1672		-0.0265 GY	0.90
1672		-0.0216 GY	0.96
1672		-0.0168 GY	1.02
1672		-0.0120 GY	1.08
1672		-0.0072 GY	1.14
1672		-0.0024 GY	1.20
1605		-0.0024 GY	0.04
1605		-0.0072 GY	0.10
1605		-0.0120 GY	0.16
1605		-0.0168 GY	0.22
1605		-0.0217 GY	0.28
1605		-0.0265 GY	0.34

1605		-0.0313 GY	0.40
1605		-0.0361 GY	0.47
1605		-0.0361 GY	0.53
1605		-0.0313 GY	0.59
1605		-0.0265 GY	0.65
1605		-0.0217 GY	0.71

1605		-0.0168 GY	0.77	
1605		-0.0120 GY	0.84	
1605		-0.0072 GY	0.90	
1605		-0.0024 GY	0.95	
1670		-0.0024 GY	0.04	
1670		-0.0072 GY	0.10	
1670		-0.0120 GY	0.16	
1670		-0.0168 GY	0.22	
1670		-0.0217 GY	0.28	
1670		-0.0265 GY	0.34	
1670		-0.0313 GY	0.40	
1670		-0.0361 GY	0.47	
1670	-0.6207 GY	0.50	0.74	
1670		-0.0361 GY	0.77	
1670		-0.0313 GY	0.83	
1670		-0.0265 GY	0.90	
1670		-0.0217 GY	0.96	
1670		-0.0168 GY	1.02	
1670		-0.0120 GY	1.08	
1670		-0.0072 GY	1.14	
1670		-0.0024 GY	1.20	
694		-0.0027 GY	0.04	
694		-0.0081 GY	0.10	
694		-0.0135 GY	0.17	
694		-0.0188 GY	0.23	
694		-0.0242 GY	0.30	
694		-0.0296 GY	0.36	
694		-0.0350 GY	0.43	
694		-0.0404 GY	0.49	
694		-0.0404 GY	0.56	
694		-0.0350 GY	0.62	
694		-0.0296 GY	0.69	
694		-0.0242 GY	0.75	
694		-0.0188 GY	0.82	
694		-0.0135 GY	0.88	
694		-0.0081 GY	0.95	
694		-0.0027 GY	1.01	
1688		-0.0027 GY	0.04	
1688		-0.0081 GY	0.10	
1688		-0.0135 GY	0.17	
1688		-0.0188 GY	0.23	
1688		-0.0242 GY	0.30	
1688		-0.0296 GY	0.36	
1688		-0.0350 GY	0.43	
1688		-0.0404 GY	0.49	
1688	-0.6562 GY	0.52	0.71	
1688		-0.0404 GY	0.75	

1688		-0.0350 GY	0.81
1688		-0.0296 GY	0.88
1688		-0.0242 GY	0.94

1688		-0.0188 GY	1.01
1688		-0.0135 GY	1.07
1688		-0.0081 GY	1.14
1688		-0.0027 GY	1.19
1609		-0.0027 GY	0.04
1609		-0.0081 GY	0.10
1609		-0.0135 GY	0.17
1609		-0.0188 GY	0.23
1609		-0.0242 GY	0.30
1609		-0.0296 GY	0.36
1609		-0.0350 GY	0.43
1609		-0.0404 GY	0.49
1609		-0.0404 GY	0.56
1609		-0.0350 GY	0.62
1609		-0.0296 GY	0.69
1609		-0.0242 GY	0.75
1609		-0.0188 GY	0.82
1609		-0.0135 GY	0.88
1609		-0.0081 GY	0.95
1609		-0.0027 GY	1.01
1687		-0.0027 GY	0.04
1687		-0.0081 GY	0.10
1687		-0.0135 GY	0.17
1687		-0.0188 GY	0.23
1687		-0.0242 GY	0.30
1687		-0.0296 GY	0.36
1687		-0.0350 GY	0.43
1687		-0.0404 GY	0.49
1687	-0.6562 GY	0.52	0.71
1687		-0.0404 GY	0.75
1687		-0.0350 GY	0.81
1687		-0.0296 GY	0.88
1687		-0.0242 GY	0.94
1687		-0.0188 GY	1.01
1687		-0.0135 GY	1.07
1687		-0.0081 GY	1.14
1687		-0.0027 GY	1.19
698		-0.0027 GY	0.04
698		-0.0081 GY	0.10
698		-0.0135 GY	0.17
698		-0.0188 GY	0.23
698		-0.0242 GY	0.30

698		-0.0296 GY	0.36
698		-0.0350 GY	0.43
698		-0.0404 GY	0.49
698		-0.0404 GY	0.56
698		-0.0350 GY	0.62
698		-0.0296 GY	0.69
698		-0.0242 GY	0.75
698		-0.0188 GY	0.82
698		-0.0135 GY	0.88
698		-0.0081 GY	0.95
698		-0.0027 GY	1.01
1689		-0.0027 GY	0.04
1689		-0.0081 GY	0.10
1689		-0.0135 GY	0.17

1689		-0.0188 GY	0.23
1689		-0.0242 GY	0.30
1689		-0.0296 GY	0.36
1689		-0.0350 GY	0.43
1689		-0.0404 GY	0.49
1689	-0.6563 GY	0.53	0.71
1689		-0.0404 GY	0.75
1689		-0.0350 GY	0.81
1689		-0.0296 GY	0.88
1689		-0.0242 GY	0.94
1689		-0.0188 GY	1.01
1689		-0.0135 GY	1.07
1689		-0.0081 GY	1.14
1689		-0.0027 GY	1.19
1610		-0.0027 GY	0.04
1610		-0.0081 GY	0.10
1610		-0.0135 GY	0.17
1610		-0.0188 GY	0.23
1610		-0.0242 GY	0.30
1610		-0.0296 GY	0.36
1610		-0.0350 GY	0.43
1610		-0.0404 GY	0.49
1610		-0.0404 GY	0.56
1610		-0.0350 GY	0.62
1610		-0.0296 GY	0.69
1610		-0.0242 GY	0.75
1610		-0.0188 GY	0.82
1610		-0.0135 GY	0.88
1610		-0.0081 GY	0.95
1610		-0.0027 GY	1.01
1688		-0.0027 GY	0.04

1688		-0.0081	GY	0.10
1688		-0.0135	GY	0.17
1688		-0.0188	GY	0.23
1688		-0.0242	GY	0.30
1688		-0.0296	GY	0.36
1688		-0.0350	GY	0.43
1688		-0.0404	GY	0.49
1688	-0.6563 GY	0.53	0.71	
1688		-0.0404	GY	0.75
1688		-0.0350	GY	0.81
1688		-0.0296	GY	0.88
1688		-0.0242	GY	0.94
1688		-0.0188	GY	1.01
1688		-0.0135	GY	1.07
1688		-0.0081	GY	1.14
1688		-0.0027	GY	1.19
702		-0.0027	GY	0.04
702		-0.0081	GY	0.10
702		-0.0135	GY	0.17
702		-0.0188	GY	0.23
702		-0.0242	GY	0.30
702		-0.0296	GY	0.36
702		-0.0350	GY	0.43
702		-0.0404	GY	0.49
702		-0.0404	GY	0.56

702		-0.0350	GY	0.62
702		-0.0296	GY	0.69
702		-0.0242	GY	0.75
702		-0.0188	GY	0.82
702		-0.0135	GY	0.88
702		-0.0081	GY	0.95
702		-0.0027	GY	1.01
1690		-0.0027	GY	0.04
1690		-0.0081	GY	0.10
1690		-0.0135	GY	0.17
1690		-0.0188	GY	0.23
1690		-0.0242	GY	0.30
1690		-0.0296	GY	0.36
1690		-0.0350	GY	0.43
1690		-0.0404	GY	0.49
1690	-0.6562 GY	0.52	0.71	
1690		-0.0404	GY	0.75
1690		-0.0350	GY	0.81
1690		-0.0296	GY	0.88
1690		-0.0242	GY	0.94

1690		-0.0188 GY	1.01
1690		-0.0135 GY	1.07
1690		-0.0081 GY	1.14
1690		-0.0027 GY	1.19
1611		-0.0027 GY	0.04
1611		-0.0081 GY	0.10
1611		-0.0135 GY	0.17
1611		-0.0188 GY	0.23
1611		-0.0242 GY	0.30
1611		-0.0296 GY	0.36
1611		-0.0350 GY	0.43
1611		-0.0404 GY	0.49
1611		-0.0404 GY	0.56
1611		-0.0350 GY	0.62
1611		-0.0296 GY	0.69
1611		-0.0242 GY	0.75
1611		-0.0188 GY	0.82
1611		-0.0135 GY	0.88
1611		-0.0081 GY	0.95
1611		-0.0027 GY	1.01
1689		-0.0027 GY	0.04
1689		-0.0081 GY	0.10
1689		-0.0135 GY	0.17
1689		-0.0188 GY	0.23
1689		-0.0242 GY	0.30
1689		-0.0296 GY	0.36
1689		-0.0350 GY	0.43
1689		-0.0404 GY	0.49
1689	-0.6562 GY	0.52	0.71
1689		-0.0404 GY	0.75
1689		-0.0350 GY	0.81
1689		-0.0296 GY	0.88
1689		-0.0242 GY	0.94
1689		-0.0188 GY	1.01
1689		-0.0135 GY	1.07
1689		-0.0081 GY	1.14

1689	-0.0027 GY	1.19
722	-0.0017 GY	0.03
722	-0.0051 GY	0.08
722	-0.0085 GY	0.13
722	-0.0120 GY	0.18
722	-0.0154 GY	0.24
722	-0.0188 GY	0.29
722	-0.0222 GY	0.34
722	-0.0256 GY	0.39

722		-0.0256 GY	0.44
722		-0.0222 GY	0.50
722		-0.0188 GY	0.55
722		-0.0154 GY	0.60
722		-0.0120 GY	0.65
722		-0.0085 GY	0.70
722		-0.0051 GY	0.76
722		-0.0017 GY	0.80
1227		-0.0017 GY	0.03
1227		-0.0051 GY	0.08
1227		-0.0085 GY	0.13
1227		-0.0120 GY	0.18
1227		-0.0154 GY	0.24
1227		-0.0188 GY	0.29
1227		-0.0222 GY	0.34
1227		-0.0256 GY	0.39
1227	-0.5229 GY	0.42	0.49
1227		-0.0256 GY	0.51
1227		-0.0222 GY	0.57
1227		-0.0188 GY	0.62
1227		-0.0154 GY	0.67
1227		-0.0120 GY	0.72
1227		-0.0085 GY	0.77
1227		-0.0051 GY	0.82
1227		-0.0017 GY	0.87
2035		-0.0017 GY	0.03
2035		-0.0051 GY	0.08
2035		-0.0085 GY	0.13
2035		-0.0120 GY	0.18
2035		-0.0154 GY	0.24
2035		-0.0188 GY	0.29
2035		-0.0222 GY	0.34
2035		-0.0256 GY	0.39
2035		-0.0256 GY	0.44
2035		-0.0222 GY	0.50
2035		-0.0188 GY	0.55
2035		-0.0154 GY	0.60
2035		-0.0120 GY	0.65
2035		-0.0085 GY	0.70
2035		-0.0051 GY	0.76
2035		-0.0017 GY	0.80
2034		-0.0017 GY	0.03
2034		-0.0051 GY	0.08
2034		-0.0085 GY	0.13
2034		-0.0120 GY	0.18
2034		-0.0154 GY	0.24
2034		-0.0188 GY	0.29

2034			-0.0222 GY	0.34
2034			-0.0256 GY	0.39
2034	-0.5229 GY	0.42	0.49	
2034			-0.0256 GY	0.51
2034			-0.0222 GY	0.57
2034			-0.0188 GY	0.62
2034			-0.0154 GY	0.67
2034			-0.0120 GY	0.72
2034			-0.0085 GY	0.77
2034			-0.0051 GY	0.82
2034			-0.0017 GY	0.87
724			-0.0017 GY	0.03
724			-0.0051 GY	0.08
724			-0.0085 GY	0.13
724			-0.0120 GY	0.18
724			-0.0154 GY	0.24
724			-0.0188 GY	0.29
724			-0.0222 GY	0.34
724			-0.0256 GY	0.39
724			-0.0256 GY	0.44
724			-0.0222 GY	0.50
724			-0.0188 GY	0.55
724			-0.0154 GY	0.60
724			-0.0120 GY	0.65
724			-0.0085 GY	0.70
724			-0.0051 GY	0.76
724			-0.0017 GY	0.80
1478			-0.0017 GY	0.03
1478			-0.0051 GY	0.08
1478			-0.0085 GY	0.13
1478			-0.0120 GY	0.18
1478			-0.0154 GY	0.24
1478			-0.0188 GY	0.29
1478			-0.0222 GY	0.34
1478			-0.0256 GY	0.39
1478	-0.5229 GY	0.42	0.43	
1478			-0.0256 GY	0.46
1478			-0.0222 GY	0.51
1478			-0.0188 GY	0.56
1478			-0.0154 GY	0.61
1478			-0.0120 GY	0.67
1478			-0.0085 GY	0.72
1478			-0.0051 GY	0.77
1478			-0.0017 GY	0.82
2036			-0.0017 GY	0.03

2036		-0.0051 GY	0.08
2036		-0.0085 GY	0.13
2036		-0.0120 GY	0.18
2036		-0.0154 GY	0.24
2036		-0.0188 GY	0.29
2036		-0.0222 GY	0.34
2036		-0.0256 GY	0.39
2036		-0.0256 GY	0.44
2036		-0.0222 GY	0.50
2036		-0.0188 GY	0.55
2036		-0.0154 GY	0.60

2036		-0.0120 GY	0.65
2036		-0.0085 GY	0.70
2036		-0.0051 GY	0.76
2036		-0.0017 GY	0.80
758		-0.0017 GY	0.03
758		-0.0051 GY	0.08
758		-0.0085 GY	0.13
758		-0.0120 GY	0.18
758		-0.0154 GY	0.24
758		-0.0188 GY	0.29
758		-0.0222 GY	0.34
758		-0.0256 GY	0.39
758	-0.5229 GY	0.42	0.43
758		-0.0256 GY	0.46
758		-0.0222 GY	0.51
758		-0.0188 GY	0.56
758		-0.0154 GY	0.61
758		-0.0120 GY	0.67
758		-0.0085 GY	0.72
758		-0.0051 GY	0.77
758		-0.0017 GY	0.82
726		-0.0017 GY	0.03
726		-0.0051 GY	0.08
726		-0.0085 GY	0.13
726		-0.0120 GY	0.18
726		-0.0154 GY	0.24
726		-0.0188 GY	0.29
726		-0.0222 GY	0.34
726		-0.0256 GY	0.39
726		-0.0256 GY	0.44
726		-0.0222 GY	0.50
726		-0.0188 GY	0.55
726		-0.0154 GY	0.60
726		-0.0120 GY	0.65

```
 726                  -0.0085 GY   0.70
 726                  -0.0051 GY   0.76
 726                  -0.0017 GY   0.80
1228                   -0.0017 GY   0.03
1228                   -0.0051 GY   0.08
1228                   -0.0085 GY   0.13
1228                   -0.0120 GY   0.18
1228                   -0.0154 GY   0.24
1228                   -0.0188 GY   0.29
1228                   -0.0222 GY   0.34
1228                   -0.0256 GY   0.39
1228   -0.5229 GY   0.42    0.43
1228                   -0.0256 GY   0.46
1228                   -0.0222 GY   0.51
1228                   -0.0188 GY   0.56
1228                   -0.0154 GY   0.61
1228                   -0.0120 GY   0.67
1228                   -0.0085 GY   0.72
1228                   -0.0051 GY   0.77
1228                   -0.0017 GY   0.82
2036                   -0.0017 GY   0.03
2036                   -0.0051 GY   0.08
_   STAAD SPACE                          -- PAGE NO.  367

2036                   -0.0085 GY   0.13
2036                   -0.0120 GY   0.18
2036                   -0.0154 GY   0.24
2036                   -0.0188 GY   0.29
2036                   -0.0222 GY   0.34
2036                   -0.0256 GY   0.39
2036                   -0.0256 GY   0.44
2036                   -0.0222 GY   0.50
2036                   -0.0188 GY   0.55
2036                   -0.0154 GY   0.60
2036                   -0.0120 GY   0.65
2036                   -0.0085 GY   0.70
2036                   -0.0051 GY   0.76
2036                   -0.0017 GY   0.80
2033                   -0.0017 GY   0.03
2033                   -0.0051 GY   0.08
2033                   -0.0085 GY   0.13
2033                   -0.0120 GY   0.18
2033                   -0.0154 GY   0.24
2033                   -0.0188 GY   0.29
2033                   -0.0222 GY   0.34
2033                   -0.0256 GY   0.39
2033   -0.5229 GY   0.42    0.43
```

2033		-0.0256 GY	0.46
2033		-0.0222 GY	0.51
2033		-0.0188 GY	0.56
2033		-0.0154 GY	0.61
2033		-0.0120 GY	0.67
2033		-0.0085 GY	0.72
2033		-0.0051 GY	0.77
2033		-0.0017 GY	0.82
726		-0.0015 GY	0.03
726		-0.0046 GY	0.08
726		-0.0077 GY	0.13
726		-0.0108 GY	0.17
726		-0.0139 GY	0.22
726		-0.0169 GY	0.27
726		-0.0200 GY	0.32
726		-0.0231 GY	0.37
726	-0.4962 GY	0.40	0.44
726		-0.0231 GY	0.46
726		-0.0200 GY	0.51
726		-0.0169 GY	0.56
726		-0.0139 GY	0.61
726		-0.0108 GY	0.66
726		-0.0077 GY	0.71
726		-0.0046 GY	0.76
726		-0.0015 GY	0.80
1476		-0.0015 GY	0.03
1476		-0.0046 GY	0.08
1476		-0.0077 GY	0.13
1476		-0.0108 GY	0.17
1476		-0.0139 GY	0.22
1476		-0.0169 GY	0.27
1476		-0.0200 GY	0.32
1476		-0.0231 GY	0.37

1476		-0.0231 GY	0.42
1476		-0.0200 GY	0.47
1476		-0.0169 GY	0.52
1476		-0.0139 GY	0.57
1476		-0.0108 GY	0.62
1476		-0.0077 GY	0.67
1476		-0.0046 GY	0.72
1476		-0.0015 GY	0.76
738		-0.0015 GY	0.03
738		-0.0046 GY	0.08
738		-0.0077 GY	0.13
738		-0.0108 GY	0.17

738 -0.0139 GY 0.22
738 -0.0169 GY 0.27
738 -0.0200 GY 0.32
738 -0.0231 GY 0.37
738 -0.4962 GY 0.40 0.44
738 -0.0231 GY 0.46
738 -0.0200 GY 0.51
738 -0.0169 GY 0.56
738 -0.0139 GY 0.61
738 -0.0108 GY 0.66
738 -0.0077 GY 0.71
738 -0.0046 GY 0.76
738 -0.0015 GY 0.80
757 -0.0015 GY 0.03
757 -0.0046 GY 0.08
757 -0.0077 GY 0.13
757 -0.0108 GY 0.17
757 -0.0139 GY 0.22
757 -0.0169 GY 0.27
757 -0.0200 GY 0.32
757 -0.0231 GY 0.37
757 -0.0231 GY 0.42
757 -0.0200 GY 0.47
757 -0.0169 GY 0.52
757 -0.0139 GY 0.57
757 -0.0108 GY 0.62
757 -0.0077 GY 0.67
757 -0.0046 GY 0.72
757 -0.0015 GY 0.76
789 -0.0018 GY 0.04
789 -0.0053 GY 0.08
789 -0.0088 GY 0.13
789 -0.0123 GY 0.19
789 -0.0159 GY 0.24
789 -0.0194 GY 0.29
789 -0.0229 GY 0.35
789 -0.0265 GY 0.40
789 -0.5312 GY 0.42 0.52
789 -0.0265 GY 0.54
789 -0.0229 GY 0.59
789 -0.0194 GY 0.65
789 -0.0159 GY 0.70
789 -0.0123 GY 0.75
789 -0.0088 GY 0.81
_ STAAD SPACE -- PAGE NO. 369

789 -0.0053 GY 0.86

789		-0.0018 GY	0.90
801		-0.0018 GY	0.04
801		-0.0053 GY	0.08
801		-0.0088 GY	0.13
801		-0.0123 GY	0.19
801		-0.0159 GY	0.24
801		-0.0194 GY	0.29
801		-0.0229 GY	0.35
801		-0.0265 GY	0.40
801		-0.0265 GY	0.45
801		-0.0229 GY	0.50
801		-0.0194 GY	0.56
801		-0.0159 GY	0.61
801		-0.0123 GY	0.66
801		-0.0088 GY	0.72
801		-0.0053 GY	0.77
801		-0.0018 GY	0.81
2109		-0.0018 GY	0.04
2109		-0.0053 GY	0.08
2109		-0.0088 GY	0.13
2109		-0.0123 GY	0.19
2109		-0.0159 GY	0.24
2109		-0.0194 GY	0.29
2109		-0.0229 GY	0.35
2109		-0.0265 GY	0.40
2109	-0.5313 GY	0.42	0.52
2109		-0.0265 GY	0.54
2109		-0.0229 GY	0.59
2109		-0.0194 GY	0.65
2109		-0.0159 GY	0.70
2109		-0.0123 GY	0.75
2109		-0.0088 GY	0.81
2109		-0.0053 GY	0.86
2109		-0.0018 GY	0.90
799		-0.0018 GY	0.04
799		-0.0053 GY	0.08
799		-0.0088 GY	0.13
799		-0.0123 GY	0.19
799		-0.0159 GY	0.24
799		-0.0194 GY	0.29
799		-0.0229 GY	0.35
799		-0.0265 GY	0.40
799		-0.0265 GY	0.45
799		-0.0229 GY	0.50
799		-0.0194 GY	0.56
799		-0.0159 GY	0.61
799		-0.0123 GY	0.66

799		-0.0088 GY	0.72
799		-0.0053 GY	0.77
799		-0.0018 GY	0.81
790		-0.0018 GY	0.04
790		-0.0053 GY	0.08
790		-0.0088 GY	0.13
790		-0.0123 GY	0.19
790		-0.0159 GY	0.24

790		-0.0194 GY	0.29
790		-0.0229 GY	0.35
790		-0.0265 GY	0.40
790	-0.5313 GY	0.42	0.52
790		-0.0265 GY	0.54
790		-0.0229 GY	0.59
790		-0.0194 GY	0.65
790		-0.0159 GY	0.70
790		-0.0123 GY	0.75
790		-0.0088 GY	0.81
790		-0.0053 GY	0.86
790		-0.0018 GY	0.90
803		-0.0018 GY	0.04
803		-0.0053 GY	0.08
803		-0.0088 GY	0.13
803		-0.0123 GY	0.19
803		-0.0159 GY	0.24
803		-0.0194 GY	0.29
803		-0.0229 GY	0.35
803		-0.0265 GY	0.40
803		-0.0265 GY	0.45
803		-0.0229 GY	0.50
803		-0.0194 GY	0.56
803		-0.0159 GY	0.61
803		-0.0123 GY	0.66
803		-0.0088 GY	0.72
803		-0.0053 GY	0.77
803		-0.0018 GY	0.81
2111		-0.0018 GY	0.04
2111		-0.0053 GY	0.08
2111		-0.0088 GY	0.13
2111		-0.0123 GY	0.19
2111		-0.0159 GY	0.24
2111		-0.0194 GY	0.29
2111		-0.0229 GY	0.35
2111		-0.0265 GY	0.40
2111	-0.5312 GY	0.42	0.52

2111		-0.0265 GY	0.54
2111		-0.0229 GY	0.59
2111		-0.0194 GY	0.65
2111		-0.0159 GY	0.70
2111		-0.0123 GY	0.75
2111		-0.0088 GY	0.81
2111		-0.0053 GY	0.86
2111		-0.0018 GY	0.90
801		-0.0018 GY	0.04
801		-0.0053 GY	0.08
801		-0.0088 GY	0.13
801		-0.0123 GY	0.19
801		-0.0159 GY	0.24
801		-0.0194 GY	0.29
801		-0.0229 GY	0.35
801		-0.0265 GY	0.40
801		-0.0265 GY	0.45
801		-0.0229 GY	0.50
801		-0.0194 GY	0.56

801		-0.0159 GY	0.61
801		-0.0123 GY	0.66
801		-0.0088 GY	0.72
801		-0.0053 GY	0.77
801		-0.0018 GY	0.81
791		-0.0018 GY	0.04
791		-0.0053 GY	0.08
791		-0.0088 GY	0.13
791		-0.0123 GY	0.19
791		-0.0159 GY	0.24
791		-0.0194 GY	0.29
791		-0.0229 GY	0.35
791		-0.0265 GY	0.40
791	-0.5313 GY	0.42	0.62
791		-0.0265 GY	0.65
791		-0.0229 GY	0.70
791		-0.0194 GY	0.76
791		-0.0159 GY	0.81
791		-0.0123 GY	0.86
791		-0.0088 GY	0.92
791		-0.0053 GY	0.97
791		-0.0018 GY	1.01
2106		-0.0018 GY	0.04
2106		-0.0053 GY	0.08
2106		-0.0088 GY	0.13
2106		-0.0123 GY	0.19

2106		-0.0159 GY	0.24
2106		-0.0194 GY	0.29
2106		-0.0229 GY	0.35
2106		-0.0265 GY	0.40
2106		-0.0265 GY	0.45
2106		-0.0229 GY	0.50
2106		-0.0194 GY	0.56
2106		-0.0159 GY	0.61
2106		-0.0123 GY	0.66
2106		-0.0088 GY	0.72
2106		-0.0053 GY	0.77
2106		-0.0018 GY	0.81
2112		-0.0018 GY	0.04
2112		-0.0053 GY	0.08
2112		-0.0088 GY	0.13
2112		-0.0123 GY	0.19
2112		-0.0159 GY	0.24
2112		-0.0194 GY	0.29
2112		-0.0229 GY	0.35
2112		-0.0265 GY	0.40
2112	-0.5312 GY	0.42	0.62
2112		-0.0265 GY	0.65
2112		-0.0229 GY	0.70
2112		-0.0194 GY	0.76
2112		-0.0159 GY	0.81
2112		-0.0123 GY	0.86
2112		-0.0088 GY	0.92
2112		-0.0053 GY	0.97
2112		-0.0018 GY	1.01
803		-0.0018 GY	0.04

803	-0.0053 GY	0.08
803	-0.0088 GY	0.13
803	-0.0123 GY	0.19
803	-0.0159 GY	0.24
803	-0.0194 GY	0.29
803	-0.0229 GY	0.35
803	-0.0265 GY	0.40
803	-0.0265 GY	0.45
803	-0.0229 GY	0.50
803	-0.0194 GY	0.56
803	-0.0159 GY	0.61
803	-0.0123 GY	0.66
803	-0.0088 GY	0.72
803	-0.0053 GY	0.77
803	-0.0018 GY	0.81

792		-0.0018 GY	0.04
792		-0.0053 GY	0.08
792		-0.0088 GY	0.13
792		-0.0123 GY	0.19
792		-0.0159 GY	0.24
792		-0.0194 GY	0.29
792		-0.0229 GY	0.35
792		-0.0265 GY	0.40
792	-0.5313 GY	0.43	0.62
792		-0.0265 GY	0.65
792		-0.0229 GY	0.70
792		-0.0194 GY	0.76
792		-0.0159 GY	0.81
792		-0.0123 GY	0.86
792		-0.0088 GY	0.92
792		-0.0053 GY	0.97
792		-0.0018 GY	1.01
813		-0.0018 GY	0.04
813		-0.0053 GY	0.08
813		-0.0088 GY	0.13
813		-0.0123 GY	0.19
813		-0.0159 GY	0.24
813		-0.0194 GY	0.29
813		-0.0229 GY	0.35
813		-0.0265 GY	0.40
813		-0.0265 GY	0.45
813		-0.0229 GY	0.50
813		-0.0194 GY	0.56
813		-0.0159 GY	0.61
813		-0.0123 GY	0.66
813		-0.0088 GY	0.72
813		-0.0053 GY	0.77
813		-0.0018 GY	0.81
2119		-0.0018 GY	0.04
2119		-0.0053 GY	0.08
2119		-0.0088 GY	0.13
2119		-0.0123 GY	0.19
2119		-0.0159 GY	0.24
2119		-0.0194 GY	0.29
2119		-0.0229 GY	0.35
2119		-0.0265 GY	0.40

2119	-0.5312 GY	0.43	0.62
2119		-0.0265 GY	0.65
2119		-0.0229 GY	0.70
2119		-0.0194 GY	0.76

2119		-0.0159 GY	0.81
2119		-0.0123 GY	0.86
2119		-0.0088 GY	0.92
2119		-0.0053 GY	0.97
2119		-0.0018 GY	1.01
811		-0.0018 GY	0.04
811		-0.0053 GY	0.08
811		-0.0088 GY	0.13
811		-0.0123 GY	0.19
811		-0.0159 GY	0.24
811		-0.0194 GY	0.29
811		-0.0229 GY	0.35
811		-0.0265 GY	0.40
811		-0.0265 GY	0.45
811		-0.0229 GY	0.50
811		-0.0194 GY	0.56
811		-0.0159 GY	0.61
811		-0.0123 GY	0.66
811		-0.0088 GY	0.72
811		-0.0053 GY	0.77
811		-0.0018 GY	0.81
793		-0.0018 GY	0.04
793		-0.0053 GY	0.08
793		-0.0088 GY	0.13
793		-0.0123 GY	0.19
793		-0.0159 GY	0.24
793		-0.0194 GY	0.29
793		-0.0229 GY	0.35
793		-0.0265 GY	0.40
793	-0.5313 GY	0.43	0.63
793		-0.0265 GY	0.65
793		-0.0229 GY	0.70
793		-0.0194 GY	0.76
793		-0.0159 GY	0.81
793		-0.0123 GY	0.86
793		-0.0088 GY	0.92
793		-0.0053 GY	0.97
793		-0.0018 GY	1.01
815		-0.0018 GY	0.04
815		-0.0053 GY	0.08
815		-0.0088 GY	0.13
815		-0.0123 GY	0.19
815		-0.0159 GY	0.24
815		-0.0194 GY	0.29
815		-0.0229 GY	0.35
815		-0.0265 GY	0.40
815		-0.0265 GY	0.45

815		-0.0229 GY	0.50
815		-0.0194 GY	0.56
815		-0.0159 GY	0.61
815		-0.0123 GY	0.66
815		-0.0088 GY	0.72

815		-0.0053 GY	0.77
815		-0.0018 GY	0.81
2121		-0.0018 GY	0.04
2121		-0.0053 GY	0.08
2121		-0.0088 GY	0.13
2121		-0.0123 GY	0.19
2121		-0.0159 GY	0.24
2121		-0.0194 GY	0.29
2121		-0.0229 GY	0.35
2121		-0.0265 GY	0.40
2121	-0.5312 GY	0.43	0.63
2121		-0.0265 GY	0.65
2121		-0.0229 GY	0.70
2121		-0.0194 GY	0.76
2121		-0.0159 GY	0.81
2121		-0.0123 GY	0.86
2121		-0.0088 GY	0.92
2121		-0.0053 GY	0.97
2121		-0.0018 GY	1.01
813		-0.0018 GY	0.04
813		-0.0053 GY	0.08
813		-0.0088 GY	0.13
813		-0.0123 GY	0.19
813		-0.0159 GY	0.24
813		-0.0194 GY	0.29
813		-0.0229 GY	0.35
813		-0.0265 GY	0.40
813		-0.0265 GY	0.45
813		-0.0229 GY	0.50
813		-0.0194 GY	0.56
813		-0.0159 GY	0.61
813		-0.0123 GY	0.66
813		-0.0088 GY	0.72
813		-0.0053 GY	0.77
813		-0.0018 GY	0.81
794		-0.0018 GY	0.04
794		-0.0053 GY	0.08
794		-0.0088 GY	0.13
794		-0.0123 GY	0.19
794		-0.0159 GY	0.24

794		-0.0194 GY	0.29
794		-0.0229 GY	0.35
794		-0.0265 GY	0.40
794	-0.5313 GY	0.43	0.62
794		-0.0265 GY	0.65
794		-0.0229 GY	0.70
794		-0.0194 GY	0.76
794		-0.0159 GY	0.81
794		-0.0123 GY	0.86
794		-0.0088 GY	0.92
794		-0.0053 GY	0.97
794		-0.0018 GY	1.01
1500		-0.0018 GY	0.04
1500		-0.0053 GY	0.08
1500		-0.0088 GY	0.13
1500		-0.0123 GY	0.19

1500		-0.0159 GY	0.24
1500		-0.0194 GY	0.29
1500		-0.0229 GY	0.35
1500		-0.0265 GY	0.40
1500		-0.0265 GY	0.45
1500		-0.0229 GY	0.50
1500		-0.0194 GY	0.56
1500		-0.0159 GY	0.61
1500		-0.0123 GY	0.66
1500		-0.0088 GY	0.72
1500		-0.0053 GY	0.77
1500		-0.0018 GY	0.81
2122		-0.0018 GY	0.04
2122		-0.0053 GY	0.08
2122		-0.0088 GY	0.13
2122		-0.0123 GY	0.19
2122		-0.0159 GY	0.24
2122		-0.0194 GY	0.29
2122		-0.0229 GY	0.35
2122		-0.0265 GY	0.40
2122	-0.5312 GY	0.43	0.62
2122		-0.0265 GY	0.65
2122		-0.0229 GY	0.70
2122		-0.0194 GY	0.76
2122		-0.0159 GY	0.81
2122		-0.0123 GY	0.86
2122		-0.0088 GY	0.92
2122		-0.0053 GY	0.97
2122		-0.0018 GY	1.01

815		-0.0018 GY	0.04
815		-0.0053 GY	0.08
815		-0.0088 GY	0.13
815		-0.0123 GY	0.19
815		-0.0159 GY	0.24
815		-0.0194 GY	0.29
815		-0.0229 GY	0.35
815		-0.0265 GY	0.40
815		-0.0265 GY	0.45
815		-0.0229 GY	0.50
815		-0.0194 GY	0.56
815		-0.0159 GY	0.61
815		-0.0123 GY	0.66
815		-0.0088 GY	0.72
815		-0.0053 GY	0.77
815		-0.0018 GY	0.81
795		-0.0018 GY	0.04
795		-0.0053 GY	0.08
795		-0.0088 GY	0.13
795		-0.0123 GY	0.19
795		-0.0159 GY	0.24
795		-0.0194 GY	0.29
795		-0.0229 GY	0.35
795		-0.0265 GY	0.40
795	-0.5312 GY	0.42	0.51
795		-0.0265 GY	0.54
795		-0.0229 GY	0.59

795		-0.0194 GY	0.65
795		-0.0159 GY	0.70
795		-0.0123 GY	0.75
795		-0.0088 GY	0.81
795		-0.0053 GY	0.86
795		-0.0018 GY	0.90
807		-0.0018 GY	0.04
807		-0.0053 GY	0.08
807		-0.0088 GY	0.13
807		-0.0123 GY	0.19
807		-0.0159 GY	0.24
807		-0.0194 GY	0.29
807		-0.0229 GY	0.35
807		-0.0265 GY	0.40
807		-0.0265 GY	0.45
807		-0.0229 GY	0.50
807		-0.0194 GY	0.56
807		-0.0159 GY	0.61

807		-0.0123 GY	0.66
807		-0.0088 GY	0.72
807		-0.0053 GY	0.77
807		-0.0018 GY	0.81
2114		-0.0018 GY	0.04
2114		-0.0053 GY	0.08
2114		-0.0088 GY	0.13
2114		-0.0123 GY	0.19
2114		-0.0159 GY	0.24
2114		-0.0194 GY	0.29
2114		-0.0229 GY	0.35
2114		-0.0265 GY	0.40
2114	-0.5313 GY	0.42	0.51
2114		-0.0265 GY	0.54
2114		-0.0229 GY	0.59
2114		-0.0194 GY	0.65
2114		-0.0159 GY	0.70
2114		-0.0123 GY	0.75
2114		-0.0088 GY	0.81
2114		-0.0053 GY	0.86
2114		-0.0018 GY	0.90
805		-0.0018 GY	0.04
805		-0.0053 GY	0.08
805		-0.0088 GY	0.13
805		-0.0123 GY	0.19
805		-0.0159 GY	0.24
805		-0.0194 GY	0.29
805		-0.0229 GY	0.35
805		-0.0265 GY	0.40
805		-0.0265 GY	0.45
805		-0.0229 GY	0.50
805		-0.0194 GY	0.56
805		-0.0159 GY	0.61
805		-0.0123 GY	0.66
805		-0.0088 GY	0.72
805		-0.0053 GY	0.77
805		-0.0018 GY	0.81
796		-0.0018 GY	0.04

796		-0.0053 GY	0.08
796		-0.0088 GY	0.13
796		-0.0123 GY	0.19
796		-0.0159 GY	0.24
796		-0.0194 GY	0.29
796		-0.0229 GY	0.35
796		-0.0265 GY	0.40

796	-0.5313 GY	0.43	0.52
796		-0.0265 GY	0.54
796		-0.0229 GY	0.59
796		-0.0194 GY	0.65
796		-0.0159 GY	0.70
796		-0.0123 GY	0.75
796		-0.0088 GY	0.81
796		-0.0053 GY	0.86
796		-0.0018 GY	0.90
809		-0.0018 GY	0.04
809		-0.0053 GY	0.08
809		-0.0088 GY	0.13
809		-0.0123 GY	0.19
809		-0.0159 GY	0.24
809		-0.0194 GY	0.29
809		-0.0229 GY	0.35
809		-0.0265 GY	0.40
809		-0.0265 GY	0.45
809		-0.0229 GY	0.50
809		-0.0194 GY	0.56
809		-0.0159 GY	0.61
809		-0.0123 GY	0.66
809		-0.0088 GY	0.72
809		-0.0053 GY	0.77
809		-0.0018 GY	0.81
2116		-0.0018 GY	0.04
2116		-0.0053 GY	0.08
2116		-0.0088 GY	0.13
2116		-0.0123 GY	0.19
2116		-0.0159 GY	0.24
2116		-0.0194 GY	0.29
2116		-0.0229 GY	0.35
2116		-0.0265 GY	0.40
2116	-0.5312 GY	0.43	0.52
2116		-0.0265 GY	0.54
2116		-0.0229 GY	0.59
2116		-0.0194 GY	0.65
2116		-0.0159 GY	0.70
2116		-0.0123 GY	0.75
2116		-0.0088 GY	0.81
2116		-0.0053 GY	0.86
2116		-0.0018 GY	0.90
807		-0.0018 GY	0.04
807		-0.0053 GY	0.08
807		-0.0088 GY	0.13
807		-0.0123 GY	0.19
807		-0.0159 GY	0.24

807		-0.0194 GY	0.29
807		-0.0229 GY	0.35

807		-0.0265 GY	0.40
807		-0.0265 GY	0.45
807		-0.0229 GY	0.50
807		-0.0194 GY	0.56
807		-0.0159 GY	0.61
807		-0.0123 GY	0.66
807		-0.0088 GY	0.72
807		-0.0053 GY	0.77
807		-0.0018 GY	0.81
797		-0.0018 GY	0.04
797		-0.0053 GY	0.08
797		-0.0088 GY	0.13
797		-0.0123 GY	0.19
797		-0.0159 GY	0.24
797		-0.0194 GY	0.29
797		-0.0229 GY	0.35
797		-0.0265 GY	0.40
797	-0.5313 GY	0.43	0.51
797		-0.0265 GY	0.54
797		-0.0229 GY	0.59
797		-0.0194 GY	0.65
797		-0.0159 GY	0.70
797		-0.0123 GY	0.75
797		-0.0088 GY	0.81
797		-0.0053 GY	0.86
797		-0.0018 GY	0.90
2101		-0.0018 GY	0.04
2101		-0.0053 GY	0.08
2101		-0.0088 GY	0.13
2101		-0.0123 GY	0.19
2101		-0.0159 GY	0.24
2101		-0.0194 GY	0.29
2101		-0.0229 GY	0.35
2101		-0.0265 GY	0.40
2101		-0.0265 GY	0.45
2101		-0.0229 GY	0.50
2101		-0.0194 GY	0.56
2101		-0.0159 GY	0.61
2101		-0.0123 GY	0.66
2101		-0.0088 GY	0.72
2101		-0.0053 GY	0.77
2101		-0.0018 GY	0.81
2117		-0.0018 GY	0.04

2117		-0.0053 GY	0.08	
2117		-0.0088 GY	0.13	
2117		-0.0123 GY	0.19	
2117		-0.0159 GY	0.24	
2117		-0.0194 GY	0.29	
2117		-0.0229 GY	0.35	
2117		-0.0265 GY	0.40	
2117	-0.5312 GY	0.43	0.51	
2117		-0.0265 GY	0.54	
2117		-0.0229 GY	0.59	
2117		-0.0194 GY	0.65	
2117		-0.0159 GY	0.70	
2117		-0.0123 GY	0.75	

2117		-0.0088 GY	0.81	
2117		-0.0053 GY	0.86	
2117		-0.0018 GY	0.90	
809		-0.0018 GY	0.04	
809		-0.0053 GY	0.08	
809		-0.0088 GY	0.13	
809		-0.0123 GY	0.19	
809		-0.0159 GY	0.24	
809		-0.0194 GY	0.29	
809		-0.0229 GY	0.35	
809		-0.0265 GY	0.40	
809		-0.0265 GY	0.45	
809		-0.0229 GY	0.50	
809		-0.0194 GY	0.56	
809		-0.0159 GY	0.61	
809		-0.0123 GY	0.66	
809		-0.0088 GY	0.72	
809		-0.0053 GY	0.77	
809		-0.0018 GY	0.81	
798		-0.0018 GY	0.04	
798		-0.0053 GY	0.08	
798		-0.0088 GY	0.13	
798		-0.0123 GY	0.19	
798		-0.0159 GY	0.24	
798		-0.0194 GY	0.29	
798		-0.0229 GY	0.35	
798		-0.0265 GY	0.40	
798	-0.5312 GY	0.43	0.52	
798		-0.0265 GY	0.54	
798		-0.0229 GY	0.59	
798		-0.0194 GY	0.65	
798		-0.0159 GY	0.70	

798		-0.0123 GY	0.75
798		-0.0088 GY	0.81
798		-0.0053 GY	0.86
798		-0.0018 GY	0.90
2108		-0.0018 GY	0.04
2108		-0.0053 GY	0.08
2108		-0.0088 GY	0.13
2108		-0.0123 GY	0.19
2108		-0.0159 GY	0.24
2108		-0.0194 GY	0.29
2108		-0.0229 GY	0.35
2108		-0.0265 GY	0.40
2108		-0.0265 GY	0.45
2108		-0.0229 GY	0.50
2108		-0.0194 GY	0.56
2108		-0.0159 GY	0.61
2108		-0.0123 GY	0.66
2108		-0.0088 GY	0.72
2108		-0.0053 GY	0.77
2108		-0.0018 GY	0.81
2109		-0.0018 GY	0.04
2109		-0.0053 GY	0.08
2109		-0.0088 GY	0.13
2109		-0.0123 GY	0.19

2109		-0.0159 GY	0.24
2109		-0.0194 GY	0.29
2109		-0.0229 GY	0.35
2109		-0.0265 GY	0.40
2109	-0.5313 GY	0.43	0.52
2109		-0.0265 GY	0.54
2109		-0.0229 GY	0.59
2109		-0.0194 GY	0.65
2109		-0.0159 GY	0.70
2109		-0.0123 GY	0.75
2109		-0.0088 GY	0.81
2109		-0.0053 GY	0.86
2109		-0.0018 GY	0.90
1561		-0.0018 GY	0.04
1561		-0.0053 GY	0.08
1561		-0.0088 GY	0.13
1561		-0.0123 GY	0.19
1561		-0.0159 GY	0.24
1561		-0.0194 GY	0.29
1561		-0.0229 GY	0.35
1561		-0.0265 GY	0.40

1561		-0.0265 GY	0.45
1561		-0.0229 GY	0.50
1561		-0.0194 GY	0.56
1561		-0.0159 GY	0.61
1561		-0.0123 GY	0.66
1561		-0.0088 GY	0.72
1561		-0.0053 GY	0.77
1561		-0.0018 GY	0.81
800		-0.0018 GY	0.04
800		-0.0053 GY	0.08
800		-0.0088 GY	0.13
800		-0.0123 GY	0.19
800		-0.0159 GY	0.24
800		-0.0194 GY	0.29
800		-0.0229 GY	0.35
800		-0.0265 GY	0.40
800	-0.5312 GY	0.42	0.52
800		-0.0265 GY	0.54
800		-0.0229 GY	0.59
800		-0.0194 GY	0.65
800		-0.0159 GY	0.70
800		-0.0123 GY	0.75
800		-0.0088 GY	0.81
800		-0.0053 GY	0.86
800		-0.0018 GY	0.90
2110		-0.0018 GY	0.04
2110		-0.0053 GY	0.08
2110		-0.0088 GY	0.13
2110		-0.0123 GY	0.19
2110		-0.0159 GY	0.24
2110		-0.0194 GY	0.29
2110		-0.0229 GY	0.35
2110		-0.0265 GY	0.40
2110		-0.0265 GY	0.45
2110		-0.0229 GY	0.50

2110		-0.0194 GY	0.56
2110		-0.0159 GY	0.61
2110		-0.0123 GY	0.66
2110		-0.0088 GY	0.72
2110		-0.0053 GY	0.77
2110		-0.0018 GY	0.81
2111		-0.0018 GY	0.04
2111		-0.0053 GY	0.08
2111		-0.0088 GY	0.13
2111		-0.0123 GY	0.19

2111			-0.0159 GY	0.24
2111			-0.0194 GY	0.29
2111			-0.0229 GY	0.35
2111			-0.0265 GY	0.40
2111	-0.5312 GY	0.42	0.52	
2111			-0.0265 GY	0.54
2111			-0.0229 GY	0.59
2111			-0.0194 GY	0.65
2111			-0.0159 GY	0.70
2111			-0.0123 GY	0.75
2111			-0.0088 GY	0.81
2111			-0.0053 GY	0.86
2111			-0.0018 GY	0.90
2108			-0.0018 GY	0.04
2108			-0.0053 GY	0.08
2108			-0.0088 GY	0.13
2108			-0.0123 GY	0.19
2108			-0.0159 GY	0.24
2108			-0.0194 GY	0.29
2108			-0.0229 GY	0.35
2108			-0.0265 GY	0.40
2108			-0.0265 GY	0.45
2108			-0.0229 GY	0.50
2108			-0.0194 GY	0.56
2108			-0.0159 GY	0.61
2108			-0.0123 GY	0.66
2108			-0.0088 GY	0.72
2108			-0.0053 GY	0.77
2108			-0.0018 GY	0.81
804			-0.0018 GY	0.04
804			-0.0053 GY	0.08
804			-0.0088 GY	0.13
804			-0.0123 GY	0.19
804			-0.0159 GY	0.24
804			-0.0194 GY	0.29
804			-0.0229 GY	0.35
804			-0.0265 GY	0.40
804	-0.5312 GY	0.43	0.52	
804			-0.0265 GY	0.54
804			-0.0229 GY	0.59
804			-0.0194 GY	0.65
804			-0.0159 GY	0.70
804			-0.0123 GY	0.75
804			-0.0088 GY	0.81
804			-0.0053 GY	0.86
804			-0.0018 GY	0.90

2113		-0.0018 GY	0.04
2113		-0.0053 GY	0.08
2113		-0.0088 GY	0.13
2113		-0.0123 GY	0.19
2113		-0.0159 GY	0.24
2113		-0.0194 GY	0.29
2113		-0.0229 GY	0.35
2113		-0.0265 GY	0.40
2113		-0.0265 GY	0.45
2113		-0.0229 GY	0.50
2113		-0.0194 GY	0.56
2113		-0.0159 GY	0.61
2113		-0.0123 GY	0.66
2113		-0.0088 GY	0.72
2113		-0.0053 GY	0.77
2113		-0.0018 GY	0.81
2114		-0.0018 GY	0.04
2114		-0.0053 GY	0.08
2114		-0.0088 GY	0.13
2114		-0.0123 GY	0.19
2114		-0.0159 GY	0.24
2114		-0.0194 GY	0.29
2114		-0.0229 GY	0.35
2114		-0.0265 GY	0.40
2114	-0.5313 GY	0.43	0.52
2114		-0.0265 GY	0.54
2114		-0.0229 GY	0.59
2114		-0.0194 GY	0.65
2114		-0.0159 GY	0.70
2114		-0.0123 GY	0.75
2114		-0.0088 GY	0.81
2114		-0.0053 GY	0.86
2114		-0.0018 GY	0.90
2104		-0.0018 GY	0.04
2104		-0.0053 GY	0.08
2104		-0.0088 GY	0.13
2104		-0.0123 GY	0.19
2104		-0.0159 GY	0.24
2104		-0.0194 GY	0.29
2104		-0.0229 GY	0.35
2104		-0.0265 GY	0.40
2104		-0.0265 GY	0.45
2104		-0.0229 GY	0.50
2104		-0.0194 GY	0.56
2104		-0.0159 GY	0.61
2104		-0.0123 GY	0.66

2104		-0.0088 GY	0.72
2104		-0.0053 GY	0.77
2104		-0.0018 GY	0.81
806		-0.0018 GY	0.04
806		-0.0053 GY	0.08
806		-0.0088 GY	0.13
806		-0.0123 GY	0.19
806		-0.0159 GY	0.24
806		-0.0194 GY	0.29
806		-0.0229 GY	0.35

806		-0.0265 GY	0.40
806	-0.5312 GY	0.42	0.52
806		-0.0265 GY	0.54
806		-0.0229 GY	0.59
806		-0.0194 GY	0.65
806		-0.0159 GY	0.70
806		-0.0123 GY	0.75
806		-0.0088 GY	0.81
806		-0.0053 GY	0.86
806		-0.0018 GY	0.90
2115		-0.0018 GY	0.04
2115		-0.0053 GY	0.08
2115		-0.0088 GY	0.13
2115		-0.0123 GY	0.19
2115		-0.0159 GY	0.24
2115		-0.0194 GY	0.29
2115		-0.0229 GY	0.35
2115		-0.0265 GY	0.40
2115		-0.0265 GY	0.45
2115		-0.0229 GY	0.50
2115		-0.0194 GY	0.56
2115		-0.0159 GY	0.61
2115		-0.0123 GY	0.66
2115		-0.0088 GY	0.72
2115		-0.0053 GY	0.77
2115		-0.0018 GY	0.81
2116		-0.0018 GY	0.04
2116		-0.0053 GY	0.08
2116		-0.0088 GY	0.13
2116		-0.0123 GY	0.19
2116		-0.0159 GY	0.24
2116		-0.0194 GY	0.29
2116		-0.0229 GY	0.35
2116		-0.0265 GY	0.40
2116	-0.5312 GY	0.42	0.52

2116		-0.0265 GY	0.54
2116		-0.0229 GY	0.59
2116		-0.0194 GY	0.65
2116		-0.0159 GY	0.70
2116		-0.0123 GY	0.75
2116		-0.0088 GY	0.81
2116		-0.0053 GY	0.86
2116		-0.0018 GY	0.90
2113		-0.0018 GY	0.04
2113		-0.0053 GY	0.08
2113		-0.0088 GY	0.13
2113		-0.0123 GY	0.19
2113		-0.0159 GY	0.24
2113		-0.0194 GY	0.29
2113		-0.0229 GY	0.35
2113		-0.0265 GY	0.40
2113		-0.0265 GY	0.45
2113		-0.0229 GY	0.50
2113		-0.0194 GY	0.56
2113		-0.0159 GY	0.61
2113		-0.0123 GY	0.66

2113		-0.0088 GY	0.72
2113		-0.0053 GY	0.77
2113		-0.0018 GY	0.81
810		-0.0018 GY	0.04
810		-0.0053 GY	0.08
810		-0.0088 GY	0.13
810		-0.0123 GY	0.19
810		-0.0159 GY	0.24
810		-0.0194 GY	0.29
810		-0.0229 GY	0.35
810		-0.0265 GY	0.40
810	-0.5312 GY	0.42	0.62
810		-0.0265 GY	0.65
810		-0.0229 GY	0.70
810		-0.0194 GY	0.76
810		-0.0159 GY	0.81
810		-0.0123 GY	0.86
810		-0.0088 GY	0.92
810		-0.0053 GY	0.97
810		-0.0018 GY	1.01
2118		-0.0018 GY	0.04
2118		-0.0053 GY	0.08
2118		-0.0088 GY	0.13
2118		-0.0123 GY	0.19

2118		-0.0159 GY	0.24
2118		-0.0194 GY	0.29
2118		-0.0229 GY	0.35
2118		-0.0265 GY	0.40
2118		-0.0265 GY	0.45
2118		-0.0229 GY	0.50
2118		-0.0194 GY	0.56
2118		-0.0159 GY	0.61
2118		-0.0123 GY	0.66
2118		-0.0088 GY	0.72
2118		-0.0053 GY	0.77
2118		-0.0018 GY	0.81
2119		-0.0018 GY	0.04
2119		-0.0053 GY	0.08
2119		-0.0088 GY	0.13
2119		-0.0123 GY	0.19
2119		-0.0159 GY	0.24
2119		-0.0194 GY	0.29
2119		-0.0229 GY	0.35
2119		-0.0265 GY	0.40
2119	-0.5312 GY	0.42	0.62
2119		-0.0265 GY	0.65
2119		-0.0229 GY	0.70
2119		-0.0194 GY	0.76
2119		-0.0159 GY	0.81
2119		-0.0123 GY	0.86
2119		-0.0088 GY	0.92
2119		-0.0053 GY	0.97
2119		-0.0018 GY	1.01
2099		-0.0018 GY	0.04
2099		-0.0053 GY	0.08
2099		-0.0088 GY	0.13

2099		-0.0123 GY	0.19
2099		-0.0159 GY	0.24
2099		-0.0194 GY	0.29
2099		-0.0229 GY	0.35
2099		-0.0265 GY	0.40
2099		-0.0265 GY	0.45
2099		-0.0229 GY	0.50
2099		-0.0194 GY	0.56
2099		-0.0159 GY	0.61
2099		-0.0123 GY	0.66
2099		-0.0088 GY	0.72
2099		-0.0053 GY	0.77
2099		-0.0018 GY	0.81

812		-0.0018 GY	0.04	
812		-0.0053 GY	0.08	
812		-0.0088 GY	0.13	
812		-0.0123 GY	0.19	
812		-0.0159 GY	0.24	
812		-0.0194 GY	0.29	
812		-0.0229 GY	0.35	
812		-0.0265 GY	0.40	
812	-0.5312 GY	0.42	0.63	
812		-0.0265 GY	0.65	
812		-0.0229 GY	0.70	
812		-0.0194 GY	0.76	
812		-0.0159 GY	0.81	
812		-0.0123 GY	0.86	
812		-0.0088 GY	0.92	
812		-0.0053 GY	0.97	
812		-0.0018 GY	1.01	
2120		-0.0018 GY	0.04	
2120		-0.0053 GY	0.08	
2120		-0.0088 GY	0.13	
2120		-0.0123 GY	0.19	
2120		-0.0159 GY	0.24	
2120		-0.0194 GY	0.29	
2120		-0.0229 GY	0.35	
2120		-0.0265 GY	0.40	
2120		-0.0265 GY	0.45	
2120		-0.0229 GY	0.50	
2120		-0.0194 GY	0.56	
2120		-0.0159 GY	0.61	
2120		-0.0123 GY	0.66	
2120		-0.0088 GY	0.72	
2120		-0.0053 GY	0.77	
2120		-0.0018 GY	0.81	
2121		-0.0018 GY	0.04	
2121		-0.0053 GY	0.08	
2121		-0.0088 GY	0.13	
2121		-0.0123 GY	0.19	
2121		-0.0159 GY	0.24	
2121		-0.0194 GY	0.29	
2121		-0.0229 GY	0.35	
2121		-0.0265 GY	0.40	
2121	-0.5312 GY	0.42	0.63	
2121		-0.0265 GY	0.65	

2121		-0.0229 GY	0.70
2121		-0.0194 GY	0.76

2121		-0.0159 GY	0.81
2121		-0.0123 GY	0.86
2121		-0.0088 GY	0.92
2121		-0.0053 GY	0.97
2121		-0.0018 GY	1.01
2118		-0.0018 GY	0.04
2118		-0.0053 GY	0.08
2118		-0.0088 GY	0.13
2118		-0.0123 GY	0.19
2118		-0.0159 GY	0.24
2118		-0.0194 GY	0.29
2118		-0.0229 GY	0.35
2118		-0.0265 GY	0.40
2118		-0.0265 GY	0.45
2118		-0.0229 GY	0.50
2118		-0.0194 GY	0.56
2118		-0.0159 GY	0.61
2118		-0.0123 GY	0.66
2118		-0.0088 GY	0.72
2118		-0.0053 GY	0.77
2118		-0.0018 GY	0.81
814		-0.0018 GY	0.04
814		-0.0053 GY	0.08
814		-0.0088 GY	0.13
814		-0.0123 GY	0.19
814		-0.0159 GY	0.24
814		-0.0194 GY	0.29
814		-0.0229 GY	0.35
814		-0.0265 GY	0.40
814	-0.5312 GY	0.42	0.62
814		-0.0265 GY	0.65
814		-0.0229 GY	0.70
814		-0.0194 GY	0.76
814		-0.0159 GY	0.81
814		-0.0123 GY	0.86
814		-0.0088 GY	0.92
814		-0.0053 GY	0.97
814		-0.0018 GY	1.01
2096		-0.0018 GY	0.04
2096		-0.0053 GY	0.08
2096		-0.0088 GY	0.13
2096		-0.0123 GY	0.19
2096		-0.0159 GY	0.24
2096		-0.0194 GY	0.29
2096		-0.0229 GY	0.35
2096		-0.0265 GY	0.40
2096		-0.0265 GY	0.45

2096		-0.0229 GY	0.50
2096		-0.0194 GY	0.56
2096		-0.0159 GY	0.61
2096		-0.0123 GY	0.66
2096		-0.0088 GY	0.72
2096		-0.0053 GY	0.77
2096		-0.0018 GY	0.81

2122		-0.0018 GY	0.04
2122		-0.0053 GY	0.08
2122		-0.0088 GY	0.13
2122		-0.0123 GY	0.19
2122		-0.0159 GY	0.24
2122		-0.0194 GY	0.29
2122		-0.0229 GY	0.35
2122		-0.0265 GY	0.40
2122	-0.5312 GY	0.42	0.62
2122		-0.0265 GY	0.65
2122		-0.0229 GY	0.70
2122		-0.0194 GY	0.76
2122		-0.0159 GY	0.81
2122		-0.0123 GY	0.86
2122		-0.0088 GY	0.92
2122		-0.0053 GY	0.97
2122		-0.0018 GY	1.01
2120		-0.0018 GY	0.04
2120		-0.0053 GY	0.08
2120		-0.0088 GY	0.13
2120		-0.0123 GY	0.19
2120		-0.0159 GY	0.24
2120		-0.0194 GY	0.29
2120		-0.0229 GY	0.35
2120		-0.0265 GY	0.40
2120		-0.0265 GY	0.45
2120		-0.0229 GY	0.50
2120		-0.0194 GY	0.56
2120		-0.0159 GY	0.61
2120		-0.0123 GY	0.66
2120		-0.0088 GY	0.72
2120		-0.0053 GY	0.77
2120		-0.0018 GY	0.81
852		-0.0020 GY	0.04
852		-0.0060 GY	0.09
852		-0.0100 GY	0.14
852		-0.0140 GY	0.20
852		-0.0180 GY	0.26

852		-0.0220 GY	0.31	
852		-0.0261 GY	0.37	
852		-0.0301 GY	0.43	
852	-0.5662 GY	0.45	0.49	
852		-0.0301 GY	0.51	
852		-0.0261 GY	0.57	
852		-0.0220 GY	0.63	
852		-0.0180 GY	0.68	
852		-0.0140 GY	0.74	
852		-0.0100 GY	0.80	
852		-0.0060 GY	0.85	
852		-0.0020 GY	0.90	
857		-0.0020 GY	0.04	
857		-0.0060 GY	0.09	
857		-0.0100 GY	0.14	
857		-0.0140 GY	0.20	
857		-0.0180 GY	0.26	
857		-0.0220 GY	0.31	

857		-0.0261 GY	0.37	
857		-0.0301 GY	0.43	
857		-0.0301 GY	0.48	
857		-0.0261 GY	0.54	
857		-0.0220 GY	0.59	
857		-0.0180 GY	0.65	
857		-0.0140 GY	0.71	
857		-0.0100 GY	0.76	
857		-0.0060 GY	0.82	
857		-0.0020 GY	0.87	
2082		-0.0020 GY	0.04	
2082		-0.0060 GY	0.09	
2082		-0.0100 GY	0.14	
2082		-0.0140 GY	0.20	
2082		-0.0180 GY	0.26	
2082		-0.0220 GY	0.31	
2082		-0.0261 GY	0.37	
2082		-0.0301 GY	0.43	
2082	-0.5663 GY	0.45	0.49	
2082		-0.0301 GY	0.51	
2082		-0.0261 GY	0.57	
2082		-0.0220 GY	0.63	
2082		-0.0180 GY	0.68	
2082		-0.0140 GY	0.74	
2082		-0.0100 GY	0.80	
2082		-0.0060 GY	0.85	
2082		-0.0020 GY	0.90	

854		-0.0020 GY	0.04
854		-0.0060 GY	0.09
854		-0.0100 GY	0.14
854		-0.0140 GY	0.20
854		-0.0180 GY	0.26
854		-0.0220 GY	0.31
854		-0.0261 GY	0.37
854		-0.0301 GY	0.43
854		-0.0301 GY	0.48
854		-0.0261 GY	0.54
854		-0.0220 GY	0.59
854		-0.0180 GY	0.65
854		-0.0140 GY	0.71
854		-0.0100 GY	0.76
854		-0.0060 GY	0.82
854		-0.0020 GY	0.87
853		-0.0015 GY	0.03
853		-0.0046 GY	0.08
853		-0.0077 GY	0.13
853		-0.0108 GY	0.17
853		-0.0139 GY	0.22
853		-0.0169 GY	0.27
853		-0.0200 GY	0.32
853		-0.0231 GY	0.37
853	-0.4962 GY	0.40	0.54
853		-0.0231 GY	0.57
853		-0.0200 GY	0.62
853		-0.0169 GY	0.67
853		-0.0139 GY	0.72

853		-0.0108 GY	0.77
853		-0.0077 GY	0.81
853		-0.0046 GY	0.86
853		-0.0015 GY	0.91
2081		-0.0015 GY	0.03
2081		-0.0046 GY	0.08
2081		-0.0077 GY	0.13
2081		-0.0108 GY	0.17
2081		-0.0139 GY	0.22
2081		-0.0169 GY	0.27
2081		-0.0200 GY	0.32
2081		-0.0231 GY	0.37
2081		-0.0231 GY	0.42
2081		-0.0200 GY	0.47
2081		-0.0169 GY	0.52
2081		-0.0139 GY	0.57

2081		-0.0108 GY	0.62
2081		-0.0077 GY	0.67
2081		-0.0046 GY	0.72
2081		-0.0015 GY	0.76
2082		-0.0015 GY	0.03
2082		-0.0046 GY	0.08
2082		-0.0077 GY	0.13
2082		-0.0108 GY	0.17
2082		-0.0139 GY	0.22
2082		-0.0169 GY	0.27
2082		-0.0200 GY	0.32
2082		-0.0231 GY	0.37
2082	-0.4963 GY	0.40	0.54
2082		-0.0231 GY	0.57
2082		-0.0200 GY	0.62
2082		-0.0169 GY	0.67
2082		-0.0139 GY	0.72
2082		-0.0108 GY	0.77
2082		-0.0077 GY	0.81
2082		-0.0046 GY	0.86
2082		-0.0015 GY	0.91
1935		-0.0015 GY	0.03
1935		-0.0046 GY	0.08
1935		-0.0077 GY	0.13
1935		-0.0108 GY	0.17
1935		-0.0139 GY	0.22
1935		-0.0169 GY	0.27
1935		-0.0200 GY	0.32
1935		-0.0231 GY	0.37
1935		-0.0231 GY	0.42
1935		-0.0200 GY	0.47
1935		-0.0169 GY	0.52
1935		-0.0139 GY	0.57
1935		-0.0108 GY	0.62
1935		-0.0077 GY	0.67
1935		-0.0046 GY	0.72
1935		-0.0015 GY	0.76
855		-0.0020 GY	0.04
855		-0.0060 GY	0.09
855		-0.0100 GY	0.14

855		-0.0140 GY	0.20
855		-0.0180 GY	0.26
855		-0.0220 GY	0.31
855		-0.0261 GY	0.37
855		-0.0301 GY	0.43

855	-0.5663 GY	0.45	0.49
855		-0.0301 GY	0.51
855		-0.0261 GY	0.57
855		-0.0220 GY	0.63
855		-0.0180 GY	0.68
855		-0.0140 GY	0.74
855		-0.0100 GY	0.80
855		-0.0060 GY	0.85
855		-0.0020 GY	0.90
860		-0.0020 GY	0.04
860		-0.0060 GY	0.09
860		-0.0100 GY	0.14
860		-0.0140 GY	0.20
860		-0.0180 GY	0.26
860		-0.0220 GY	0.31
860		-0.0261 GY	0.37
860		-0.0301 GY	0.43
860		-0.0301 GY	0.48
860		-0.0261 GY	0.54
860		-0.0220 GY	0.59
860		-0.0180 GY	0.65
860		-0.0140 GY	0.71
860		-0.0100 GY	0.76
860		-0.0060 GY	0.82
860		-0.0020 GY	0.87
2084		-0.0020 GY	0.04
2084		-0.0060 GY	0.09
2084		-0.0100 GY	0.14
2084		-0.0140 GY	0.20
2084		-0.0180 GY	0.26
2084		-0.0220 GY	0.31
2084		-0.0261 GY	0.37
2084		-0.0301 GY	0.43
2084	-0.5662 GY	0.45	0.49
2084		-0.0301 GY	0.51
2084		-0.0261 GY	0.57
2084		-0.0220 GY	0.63
2084		-0.0180 GY	0.68
2084		-0.0140 GY	0.74
2084		-0.0100 GY	0.80
2084		-0.0060 GY	0.85
2084		-0.0020 GY	0.90
857		-0.0020 GY	0.04
857		-0.0060 GY	0.09
857		-0.0100 GY	0.14
857		-0.0140 GY	0.20
857		-0.0180 GY	0.26

857		-0.0220 GY	0.31
857		-0.0261 GY	0.37
857		-0.0301 GY	0.43
857		-0.0301 GY	0.48

857		-0.0261 GY	0.54
857		-0.0220 GY	0.59
857		-0.0180 GY	0.65
857		-0.0140 GY	0.71
857		-0.0100 GY	0.76
857		-0.0060 GY	0.82
857		-0.0020 GY	0.87
856		-0.0015 GY	0.03
856		-0.0046 GY	0.08
856		-0.0077 GY	0.13
856		-0.0108 GY	0.17
856		-0.0139 GY	0.22
856		-0.0169 GY	0.27
856		-0.0200 GY	0.32
856		-0.0231 GY	0.37
856	-0.4962 GY	0.40	0.54
856		-0.0231 GY	0.57
856		-0.0200 GY	0.62
856		-0.0169 GY	0.67
856		-0.0139 GY	0.72
856		-0.0108 GY	0.77
856		-0.0077 GY	0.81
856		-0.0046 GY	0.86
856		-0.0015 GY	0.91
2083		-0.0015 GY	0.03
2083		-0.0046 GY	0.08
2083		-0.0077 GY	0.13
2083		-0.0108 GY	0.17
2083		-0.0139 GY	0.22
2083		-0.0169 GY	0.27
2083		-0.0200 GY	0.32
2083		-0.0231 GY	0.37
2083		-0.0231 GY	0.42
2083		-0.0200 GY	0.47
2083		-0.0169 GY	0.52
2083		-0.0139 GY	0.57
2083		-0.0108 GY	0.62
2083		-0.0077 GY	0.67
2083		-0.0046 GY	0.72
2083		-0.0015 GY	0.76
2084		-0.0015 GY	0.03

2084		-0.0046 GY	0.08
2084		-0.0077 GY	0.13
2084		-0.0108 GY	0.17
2084		-0.0139 GY	0.22
2084		-0.0169 GY	0.27
2084		-0.0200 GY	0.32
2084		-0.0231 GY	0.37
2084	-0.4963 GY	0.40	0.54
2084		-0.0231 GY	0.57
2084		-0.0200 GY	0.62
2084		-0.0169 GY	0.67
2084		-0.0139 GY	0.72
2084		-0.0108 GY	0.77
2084		-0.0077 GY	0.81
2084		-0.0046 GY	0.86

2084		-0.0015 GY	0.91
2081		-0.0015 GY	0.03
2081		-0.0046 GY	0.08
2081		-0.0077 GY	0.13
2081		-0.0108 GY	0.17
2081		-0.0139 GY	0.22
2081		-0.0169 GY	0.27
2081		-0.0200 GY	0.32
2081		-0.0231 GY	0.37
2081		-0.0231 GY	0.42
2081		-0.0200 GY	0.47
2081		-0.0169 GY	0.52
2081		-0.0139 GY	0.57
2081		-0.0108 GY	0.62
2081		-0.0077 GY	0.67
2081		-0.0046 GY	0.72
2081		-0.0015 GY	0.76
858		-0.0020 GY	0.04
858		-0.0060 GY	0.09
858		-0.0100 GY	0.14
858		-0.0140 GY	0.20
858		-0.0180 GY	0.26
858		-0.0220 GY	0.31
858		-0.0261 GY	0.37
858		-0.0301 GY	0.43
858	-0.5663 GY	0.45	0.60
858		-0.0301 GY	0.62
858		-0.0261 GY	0.68
858		-0.0220 GY	0.74
858		-0.0180 GY	0.79

858		-0.0140 GY	0.85
858		-0.0100 GY	0.91
858		-0.0060 GY	0.96
858		-0.0020 GY	1.01
2079		-0.0020 GY	0.04
2079		-0.0060 GY	0.09
2079		-0.0100 GY	0.14
2079		-0.0140 GY	0.20
2079		-0.0180 GY	0.26
2079		-0.0220 GY	0.31
2079		-0.0261 GY	0.37
2079		-0.0301 GY	0.43
2079		-0.0301 GY	0.48
2079		-0.0261 GY	0.54
2079		-0.0220 GY	0.59
2079		-0.0180 GY	0.65
2079		-0.0140 GY	0.71
2079		-0.0100 GY	0.76
2079		-0.0060 GY	0.82
2079		-0.0020 GY	0.87
2085		-0.0020 GY	0.04
2085		-0.0060 GY	0.09
2085		-0.0100 GY	0.14
2085		-0.0140 GY	0.20
2085		-0.0180 GY	0.26
2085		-0.0220 GY	0.31

2085		-0.0261 GY	0.37
2085		-0.0301 GY	0.43
2085	-0.5662 GY	0.45	0.60
2085		-0.0301 GY	0.62
2085		-0.0261 GY	0.68
2085		-0.0220 GY	0.74
2085		-0.0180 GY	0.79
2085		-0.0140 GY	0.85
2085		-0.0100 GY	0.91
2085		-0.0060 GY	0.96
2085		-0.0020 GY	1.01
860		-0.0020 GY	0.04
860		-0.0060 GY	0.09
860		-0.0100 GY	0.14
860		-0.0140 GY	0.20
860		-0.0180 GY	0.26
860		-0.0220 GY	0.31
860		-0.0261 GY	0.37
860		-0.0301 GY	0.43

860		-0.0301 GY	0.48
860		-0.0261 GY	0.54
860		-0.0220 GY	0.59
860		-0.0180 GY	0.65
860		-0.0140 GY	0.71
860		-0.0100 GY	0.76
860		-0.0060 GY	0.82
860		-0.0020 GY	0.87
861		-0.0020 GY	0.04
861		-0.0060 GY	0.09
861		-0.0100 GY	0.14
861		-0.0140 GY	0.20
861		-0.0180 GY	0.26
861		-0.0220 GY	0.31
861		-0.0261 GY	0.37
861		-0.0301 GY	0.43
861	-0.5662 GY	0.45	0.49
861		-0.0301 GY	0.51
861		-0.0261 GY	0.57
861		-0.0220 GY	0.63
861		-0.0180 GY	0.68
861		-0.0140 GY	0.74
861		-0.0100 GY	0.80
861		-0.0060 GY	0.85
861		-0.0020 GY	0.90
866		-0.0020 GY	0.04
866		-0.0060 GY	0.09
866		-0.0100 GY	0.14
866		-0.0140 GY	0.20
866		-0.0180 GY	0.26
866		-0.0220 GY	0.31
866		-0.0261 GY	0.37
866		-0.0301 GY	0.43
866		-0.0301 GY	0.48
866		-0.0261 GY	0.54
866		-0.0220 GY	0.59
866		-0.0180 GY	0.65

866		-0.0140 GY	0.71
866		-0.0100 GY	0.76
866		-0.0060 GY	0.82
866		-0.0020 GY	0.87
2087		-0.0020 GY	0.04
2087		-0.0060 GY	0.09
2087		-0.0100 GY	0.14
2087		-0.0140 GY	0.20

2087			-0.0180 GY	0.26
2087			-0.0220 GY	0.31
2087			-0.0261 GY	0.37
2087			-0.0301 GY	0.43
2087	-0.5663 GY	0.45	0.49	
2087			-0.0301 GY	0.51
2087			-0.0261 GY	0.57
2087			-0.0220 GY	0.63
2087			-0.0180 GY	0.68
2087			-0.0140 GY	0.74
2087			-0.0100 GY	0.80
2087			-0.0060 GY	0.85
2087			-0.0020 GY	0.90
863			-0.0020 GY	0.04
863			-0.0060 GY	0.09
863			-0.0100 GY	0.14
863			-0.0140 GY	0.20
863			-0.0180 GY	0.26
863			-0.0220 GY	0.31
863			-0.0261 GY	0.37
863			-0.0301 GY	0.43
863			-0.0301 GY	0.48
863			-0.0261 GY	0.54
863			-0.0220 GY	0.59
863			-0.0180 GY	0.65
863			-0.0140 GY	0.71
863			-0.0100 GY	0.76
863			-0.0060 GY	0.82
863			-0.0020 GY	0.87
862			-0.0015 GY	0.03
862			-0.0046 GY	0.08
862			-0.0077 GY	0.13
862			-0.0108 GY	0.17
862			-0.0139 GY	0.22
862			-0.0169 GY	0.27
862			-0.0200 GY	0.32
862			-0.0231 GY	0.37
862	-0.4963 GY	0.40	0.54	
862			-0.0231 GY	0.57
862			-0.0200 GY	0.62
862			-0.0169 GY	0.67
862			-0.0139 GY	0.72
862			-0.0108 GY	0.77
862			-0.0077 GY	0.81
862			-0.0046 GY	0.86
862			-0.0015 GY	0.91
2086			-0.0015 GY	0.03

2086 -0.0046 GY 0.08

2086 -0.0077 GY 0.13
2086 -0.0108 GY 0.17
2086 -0.0139 GY 0.22
2086 -0.0169 GY 0.27
2086 -0.0200 GY 0.32
2086 -0.0231 GY 0.37
2086 -0.0231 GY 0.42
2086 -0.0200 GY 0.47
2086 -0.0169 GY 0.52
2086 -0.0139 GY 0.57
2086 -0.0108 GY 0.62
2086 -0.0077 GY 0.67
2086 -0.0046 GY 0.72
2086 -0.0015 GY 0.76
2087 -0.0015 GY 0.03
2087 -0.0046 GY 0.08
2087 -0.0077 GY 0.13
2087 -0.0108 GY 0.17
2087 -0.0139 GY 0.22
2087 -0.0169 GY 0.27
2087 -0.0200 GY 0.32
2087 -0.0231 GY 0.37
2087 -0.4962 GY 0.40 0.54
2087 -0.0231 GY 0.57
2087 -0.0200 GY 0.62
2087 -0.0169 GY 0.67
2087 -0.0139 GY 0.72
2087 -0.0108 GY 0.77
2087 -0.0077 GY 0.81
2087 -0.0046 GY 0.86
2087 -0.0015 GY 0.91
2077 -0.0015 GY 0.03
2077 -0.0046 GY 0.08
2077 -0.0077 GY 0.13
2077 -0.0108 GY 0.17
2077 -0.0139 GY 0.22
2077 -0.0169 GY 0.27
2077 -0.0200 GY 0.32
2077 -0.0231 GY 0.37
2077 -0.0231 GY 0.42
2077 -0.0200 GY 0.47
2077 -0.0169 GY 0.52
2077 -0.0139 GY 0.57
2077 -0.0108 GY 0.62

2077		-0.0077 GY	0.67
2077		-0.0046 GY	0.72
2077		-0.0015 GY	0.76
864		-0.0020 GY	0.04
864		-0.0060 GY	0.09
864		-0.0100 GY	0.14
864		-0.0140 GY	0.20
864		-0.0180 GY	0.26
864		-0.0220 GY	0.31
864		-0.0261 GY	0.37
864		-0.0301 GY	0.43
864	-0.5662 GY	0.45	0.49

864		-0.0301 GY	0.51
864		-0.0261 GY	0.57
864		-0.0220 GY	0.63
864		-0.0180 GY	0.68
864		-0.0140 GY	0.74
864		-0.0100 GY	0.80
864		-0.0060 GY	0.85
864		-0.0020 GY	0.90
869		-0.0020 GY	0.04
869		-0.0060 GY	0.09
869		-0.0100 GY	0.14
869		-0.0140 GY	0.20
869		-0.0180 GY	0.26
869		-0.0220 GY	0.31
869		-0.0261 GY	0.37
869		-0.0301 GY	0.43
869		-0.0301 GY	0.48
869		-0.0261 GY	0.54
869		-0.0220 GY	0.59
869		-0.0180 GY	0.65
869		-0.0140 GY	0.71
869		-0.0100 GY	0.76
869		-0.0060 GY	0.82
869		-0.0020 GY	0.87
2089		-0.0020 GY	0.04
2089		-0.0060 GY	0.09
2089		-0.0100 GY	0.14
2089		-0.0140 GY	0.20
2089		-0.0180 GY	0.26
2089		-0.0220 GY	0.31
2089		-0.0261 GY	0.37
2089		-0.0301 GY	0.43
2089	-0.5662 GY	0.45	0.49

2089		-0.0301 GY	0.51
2089		-0.0261 GY	0.57
2089		-0.0220 GY	0.63
2089		-0.0180 GY	0.68
2089		-0.0140 GY	0.74
2089		-0.0100 GY	0.80
2089		-0.0060 GY	0.85
2089		-0.0020 GY	0.90
866		-0.0020 GY	0.04
866		-0.0060 GY	0.09
866		-0.0100 GY	0.14
866		-0.0140 GY	0.20
866		-0.0180 GY	0.26
866		-0.0220 GY	0.31
866		-0.0261 GY	0.37
866		-0.0301 GY	0.43
866		-0.0301 GY	0.48
866		-0.0261 GY	0.54
866		-0.0220 GY	0.59
866		-0.0180 GY	0.65
866		-0.0140 GY	0.71
866		-0.0100 GY	0.76
866		-0.0060 GY	0.82

866		-0.0020 GY	0.87
865		-0.0015 GY	0.03
865		-0.0046 GY	0.08
865		-0.0077 GY	0.13
865		-0.0108 GY	0.17
865		-0.0139 GY	0.22
865		-0.0169 GY	0.27
865		-0.0200 GY	0.32
865		-0.0231 GY	0.37
865	-0.4962 GY	0.40	0.54
865		-0.0231 GY	0.57
865		-0.0200 GY	0.62
865		-0.0169 GY	0.67
865		-0.0139 GY	0.72
865		-0.0108 GY	0.77
865		-0.0077 GY	0.81
865		-0.0046 GY	0.86
865		-0.0015 GY	0.91
2088		-0.0015 GY	0.03
2088		-0.0046 GY	0.08
2088		-0.0077 GY	0.13
2088		-0.0108 GY	0.17

2088		-0.0139 GY	0.22
2088		-0.0169 GY	0.27
2088		-0.0200 GY	0.32
2088		-0.0231 GY	0.37
2088		-0.0231 GY	0.42
2088		-0.0200 GY	0.47
2088		-0.0169 GY	0.52
2088		-0.0139 GY	0.57
2088		-0.0108 GY	0.62
2088		-0.0077 GY	0.67
2088		-0.0046 GY	0.72
2088		-0.0015 GY	0.76
2089		-0.0015 GY	0.03
2089		-0.0046 GY	0.08
2089		-0.0077 GY	0.13
2089		-0.0108 GY	0.17
2089		-0.0139 GY	0.22
2089		-0.0169 GY	0.27
2089		-0.0200 GY	0.32
2089		-0.0231 GY	0.37
2089	-0.4963 GY	0.40	0.54
2089		-0.0231 GY	0.57
2089		-0.0200 GY	0.62
2089		-0.0169 GY	0.67
2089		-0.0139 GY	0.72
2089		-0.0108 GY	0.77
2089		-0.0077 GY	0.81
2089		-0.0046 GY	0.86
2089		-0.0015 GY	0.91
2086		-0.0015 GY	0.03
2086		-0.0046 GY	0.08
2086		-0.0077 GY	0.13
2086		-0.0108 GY	0.17
2086		-0.0139 GY	0.22

2086		-0.0169 GY	0.27
2086		-0.0200 GY	0.32
2086		-0.0231 GY	0.37
2086		-0.0231 GY	0.42
2086		-0.0200 GY	0.47
2086		-0.0169 GY	0.52
2086		-0.0139 GY	0.57
2086		-0.0108 GY	0.62
2086		-0.0077 GY	0.67
2086		-0.0046 GY	0.72
2086		-0.0015 GY	0.76

867		-0.0020	GY	0.04
867		-0.0060	GY	0.09
867		-0.0100	GY	0.14
867		-0.0140	GY	0.20
867		-0.0180	GY	0.26
867		-0.0220	GY	0.31
867		-0.0261	GY	0.37
867		-0.0301	GY	0.43
867	-0.5662 GY	0.45	0.49	
867		-0.0301	GY	0.51
867		-0.0261	GY	0.57
867		-0.0220	GY	0.63
867		-0.0180	GY	0.68
867		-0.0140	GY	0.74
867		-0.0100	GY	0.80
867		-0.0060	GY	0.85
867		-0.0020	GY	0.90
2074		-0.0020	GY	0.04
2074		-0.0060	GY	0.09
2074		-0.0100	GY	0.14
2074		-0.0140	GY	0.20
2074		-0.0180	GY	0.26
2074		-0.0220	GY	0.31
2074		-0.0261	GY	0.37
2074		-0.0301	GY	0.43
2074		-0.0301	GY	0.48
2074		-0.0261	GY	0.54
2074		-0.0220	GY	0.59
2074		-0.0180	GY	0.65
2074		-0.0140	GY	0.71
2074		-0.0100	GY	0.76
2074		-0.0060	GY	0.82
2074		-0.0020	GY	0.87
2090		-0.0020	GY	0.04
2090		-0.0060	GY	0.09
2090		-0.0100	GY	0.14
2090		-0.0140	GY	0.20
2090		-0.0180	GY	0.26
2090		-0.0220	GY	0.31
2090		-0.0261	GY	0.37
2090		-0.0301	GY	0.43
2090	-0.5662 GY	0.45	0.49	
2090		-0.0301	GY	0.51
2090		-0.0261	GY	0.57
2090		-0.0220	GY	0.63

2090		-0.0180 GY	0.68
2090		-0.0140 GY	0.74
2090		-0.0100 GY	0.80
2090		-0.0060 GY	0.85
2090		-0.0020 GY	0.90
869		-0.0020 GY	0.04
869		-0.0060 GY	0.09
869		-0.0100 GY	0.14
869		-0.0140 GY	0.20
869		-0.0180 GY	0.26
869		-0.0220 GY	0.31
869		-0.0261 GY	0.37
869		-0.0301 GY	0.43
869		-0.0301 GY	0.48
869		-0.0261 GY	0.54
869		-0.0220 GY	0.59
869		-0.0180 GY	0.65
869		-0.0140 GY	0.71
869		-0.0100 GY	0.76
869		-0.0060 GY	0.82
869		-0.0020 GY	0.87
870		-0.0020 GY	0.04
870		-0.0060 GY	0.09
870		-0.0100 GY	0.14
870		-0.0140 GY	0.20
870		-0.0180 GY	0.26
870		-0.0220 GY	0.31
870		-0.0261 GY	0.37
870		-0.0301 GY	0.43
870	-0.5662 GY	0.45	0.60
870		-0.0301 GY	0.62
870		-0.0261 GY	0.68
870		-0.0220 GY	0.74
870		-0.0180 GY	0.79
870		-0.0140 GY	0.85
870		-0.0100 GY	0.91
870		-0.0060 GY	0.96
870		-0.0020 GY	1.01
875		-0.0020 GY	0.04
875		-0.0060 GY	0.09
875		-0.0100 GY	0.14
875		-0.0140 GY	0.20
875		-0.0180 GY	0.26
875		-0.0220 GY	0.31
875		-0.0261 GY	0.37
875		-0.0301 GY	0.43
875		-0.0301 GY	0.48

875		-0.0261 GY	0.54
875		-0.0220 GY	0.59
875		-0.0180 GY	0.65
875		-0.0140 GY	0.71
875		-0.0100 GY	0.76
875		-0.0060 GY	0.82
875		-0.0020 GY	0.87
2092		-0.0020 GY	0.04
2092		-0.0060 GY	0.09

2092		-0.0100 GY	0.14
2092		-0.0140 GY	0.20
2092		-0.0180 GY	0.26
2092		-0.0220 GY	0.31
2092		-0.0261 GY	0.37
2092		-0.0301 GY	0.43
2092	-0.5662 GY	0.45	0.60
2092		-0.0301 GY	0.62
2092		-0.0261 GY	0.68
2092		-0.0220 GY	0.74
2092		-0.0180 GY	0.79
2092		-0.0140 GY	0.85
2092		-0.0100 GY	0.91
2092		-0.0060 GY	0.96
2092		-0.0020 GY	1.01
872		-0.0020 GY	0.04
872		-0.0060 GY	0.09
872		-0.0100 GY	0.14
872		-0.0140 GY	0.20
872		-0.0180 GY	0.26
872		-0.0220 GY	0.31
872		-0.0261 GY	0.37
872		-0.0301 GY	0.43
872		-0.0301 GY	0.48
872		-0.0261 GY	0.54
872		-0.0220 GY	0.59
872		-0.0180 GY	0.65
872		-0.0140 GY	0.71
872		-0.0100 GY	0.76
872		-0.0060 GY	0.82
872		-0.0020 GY	0.87
871		-0.0015 GY	0.03
871		-0.0046 GY	0.08
871		-0.0077 GY	0.13
871		-0.0108 GY	0.17
871		-0.0139 GY	0.22

871 -0.0169 GY 0.27
871 -0.0200 GY 0.32
871 -0.0231 GY 0.37
871 -0.4963 GY 0.40 0.65
871 -0.0231 GY 0.68
871 -0.0200 GY 0.73
871 -0.0169 GY 0.78
871 -0.0139 GY 0.83
871 -0.0108 GY 0.88
871 -0.0077 GY 0.92
871 -0.0046 GY 0.97
871 -0.0015 GY 1.02
2091 -0.0015 GY 0.03
2091 -0.0046 GY 0.08
2091 -0.0077 GY 0.13
2091 -0.0108 GY 0.17
2091 -0.0139 GY 0.22
2091 -0.0169 GY 0.27
2091 -0.0200 GY 0.32
2091 -0.0231 GY 0.37

2091 -0.0231 GY 0.42
2091 -0.0200 GY 0.47
2091 -0.0169 GY 0.52
2091 -0.0139 GY 0.57
2091 -0.0108 GY 0.62
2091 -0.0077 GY 0.67
2091 -0.0046 GY 0.72
2091 -0.0015 GY 0.76
2092 -0.0015 GY 0.03
2092 -0.0046 GY 0.08
2092 -0.0077 GY 0.13
2092 -0.0108 GY 0.17
2092 -0.0139 GY 0.22
2092 -0.0169 GY 0.27
2092 -0.0200 GY 0.32
2092 -0.0231 GY 0.37
2092 -0.4962 GY 0.40 0.65
2092 -0.0231 GY 0.68
2092 -0.0200 GY 0.73
2092 -0.0169 GY 0.78
2092 -0.0139 GY 0.83
2092 -0.0108 GY 0.88
2092 -0.0077 GY 0.92
2092 -0.0046 GY 0.97
2092 -0.0015 GY 1.02

2072		-0.0015 GY	0.03
2072		-0.0046 GY	0.08
2072		-0.0077 GY	0.13
2072		-0.0108 GY	0.17
2072		-0.0139 GY	0.22
2072		-0.0169 GY	0.27
2072		-0.0200 GY	0.32
2072		-0.0231 GY	0.37
2072		-0.0231 GY	0.42
2072		-0.0200 GY	0.47
2072		-0.0169 GY	0.52
2072		-0.0139 GY	0.57
2072		-0.0108 GY	0.62
2072		-0.0077 GY	0.67
2072		-0.0046 GY	0.72
2072		-0.0015 GY	0.76
873		-0.0020 GY	0.04
873		-0.0060 GY	0.09
873		-0.0100 GY	0.14
873		-0.0140 GY	0.20
873		-0.0180 GY	0.26
873		-0.0220 GY	0.31
873		-0.0261 GY	0.37
873		-0.0301 GY	0.43
873	-0.5662 GY	0.45	0.60
873		-0.0301 GY	0.62
873		-0.0261 GY	0.68
873		-0.0220 GY	0.74
873		-0.0180 GY	0.79
873		-0.0140 GY	0.85
873		-0.0100 GY	0.91

873		-0.0060 GY	0.96
873		-0.0020 GY	1.01
878		-0.0020 GY	0.04
878		-0.0060 GY	0.09
878		-0.0100 GY	0.14
878		-0.0140 GY	0.20
878		-0.0180 GY	0.26
878		-0.0220 GY	0.31
878		-0.0261 GY	0.37
878		-0.0301 GY	0.43
878		-0.0301 GY	0.48
878		-0.0261 GY	0.54
878		-0.0220 GY	0.59
878		-0.0180 GY	0.65

878		-0.0140 GY	0.71
878		-0.0100 GY	0.76
878		-0.0060 GY	0.82
878		-0.0020 GY	0.87
2094		-0.0020 GY	0.04
2094		-0.0060 GY	0.09
2094		-0.0100 GY	0.14
2094		-0.0140 GY	0.20
2094		-0.0180 GY	0.26
2094		-0.0220 GY	0.31
2094		-0.0261 GY	0.37
2094		-0.0301 GY	0.43
2094	-0.5662 GY	0.45	0.60
2094		-0.0301 GY	0.62
2094		-0.0261 GY	0.68
2094		-0.0220 GY	0.74
2094		-0.0180 GY	0.79
2094		-0.0140 GY	0.85
2094		-0.0100 GY	0.91
2094		-0.0060 GY	0.96
2094		-0.0020 GY	1.01
875		-0.0020 GY	0.04
875		-0.0060 GY	0.09
875		-0.0100 GY	0.14
875		-0.0140 GY	0.20
875		-0.0180 GY	0.26
875		-0.0220 GY	0.31
875		-0.0261 GY	0.37
875		-0.0301 GY	0.43
875		-0.0301 GY	0.48
875		-0.0261 GY	0.54
875		-0.0220 GY	0.59
875		-0.0180 GY	0.65
875		-0.0140 GY	0.71
875		-0.0100 GY	0.76
875		-0.0060 GY	0.82
875		-0.0020 GY	0.87
874		-0.0015 GY	0.03
874		-0.0046 GY	0.08
874		-0.0077 GY	0.13
874		-0.0108 GY	0.17
874		-0.0139 GY	0.22

874		-0.0169 GY	0.27
874		-0.0200 GY	0.32
874		-0.0231 GY	0.37

874	-0.4963 GY	0.40	0.65
874		-0.0231 GY	0.68
874		-0.0200 GY	0.73
874		-0.0169 GY	0.78
874		-0.0139 GY	0.83
874		-0.0108 GY	0.88
874		-0.0077 GY	0.92
874		-0.0046 GY	0.97
874		-0.0015 GY	1.02
2093		-0.0015 GY	0.03
2093		-0.0046 GY	0.08
2093		-0.0077 GY	0.13
2093		-0.0108 GY	0.17
2093		-0.0139 GY	0.22
2093		-0.0169 GY	0.27
2093		-0.0200 GY	0.32
2093		-0.0231 GY	0.37
2093		-0.0231 GY	0.42
2093		-0.0200 GY	0.47
2093		-0.0169 GY	0.52
2093		-0.0139 GY	0.57
2093		-0.0108 GY	0.62
2093		-0.0077 GY	0.67
2093		-0.0046 GY	0.72
2093		-0.0015 GY	0.76
2094		-0.0015 GY	0.03
2094		-0.0046 GY	0.08
2094		-0.0077 GY	0.13
2094		-0.0108 GY	0.17
2094		-0.0139 GY	0.22
2094		-0.0169 GY	0.27
2094		-0.0200 GY	0.32
2094		-0.0231 GY	0.37
2094	-0.4962 GY	0.40	0.65
2094		-0.0231 GY	0.68
2094		-0.0200 GY	0.73
2094		-0.0169 GY	0.78
2094		-0.0139 GY	0.83
2094		-0.0108 GY	0.88
2094		-0.0077 GY	0.92
2094		-0.0046 GY	0.97
2094		-0.0015 GY	1.02
2091		-0.0015 GY	0.03
2091		-0.0046 GY	0.08
2091		-0.0077 GY	0.13
2091		-0.0108 GY	0.17
2091		-0.0139 GY	0.22

2091		-0.0169 GY	0.27
2091		-0.0200 GY	0.32
2091		-0.0231 GY	0.37
2091		-0.0231 GY	0.42
2091		-0.0200 GY	0.47
2091		-0.0169 GY	0.52

2091		-0.0139 GY	0.57
2091		-0.0108 GY	0.62
2091		-0.0077 GY	0.67
2091		-0.0046 GY	0.72
2091		-0.0015 GY	0.76
876		-0.0020 GY	0.04
876		-0.0060 GY	0.09
876		-0.0100 GY	0.14
876		-0.0140 GY	0.20
876		-0.0180 GY	0.26
876		-0.0220 GY	0.31
876		-0.0261 GY	0.37
876		-0.0301 GY	0.43
876	-0.5662 GY	0.45	0.60
876		-0.0301 GY	0.62
876		-0.0261 GY	0.68
876		-0.0220 GY	0.74
876		-0.0180 GY	0.79
876		-0.0140 GY	0.85
876		-0.0100 GY	0.91
876		-0.0060 GY	0.96
876		-0.0020 GY	1.01
1501		-0.0020 GY	0.04
1501		-0.0060 GY	0.09
1501		-0.0100 GY	0.14
1501		-0.0140 GY	0.20
1501		-0.0180 GY	0.26
1501		-0.0220 GY	0.31
1501		-0.0261 GY	0.37
1501		-0.0301 GY	0.43
1501		-0.0301 GY	0.48
1501		-0.0261 GY	0.54
1501		-0.0220 GY	0.59
1501		-0.0180 GY	0.65
1501		-0.0140 GY	0.71
1501		-0.0100 GY	0.76
1501		-0.0060 GY	0.82
1501		-0.0020 GY	0.87
2095		-0.0020 GY	0.04

2095		-0.0060 GY	0.09
2095		-0.0100 GY	0.14
2095		-0.0140 GY	0.20
2095		-0.0180 GY	0.26
2095		-0.0220 GY	0.31
2095		-0.0261 GY	0.37
2095		-0.0301 GY	0.43
2095	-0.5662 GY	0.45	0.60
2095		-0.0301 GY	0.62
2095		-0.0261 GY	0.68
2095		-0.0220 GY	0.74
2095		-0.0180 GY	0.79
2095		-0.0140 GY	0.85
2095		-0.0100 GY	0.91
2095		-0.0060 GY	0.96
2095		-0.0020 GY	1.01
878		-0.0020 GY	0.04

878		-0.0060 GY	0.09
878		-0.0100 GY	0.14
878		-0.0140 GY	0.20
878		-0.0180 GY	0.26
878		-0.0220 GY	0.31
878		-0.0261 GY	0.37
878		-0.0301 GY	0.43
878		-0.0301 GY	0.48
878		-0.0261 GY	0.54
878		-0.0220 GY	0.59
878		-0.0180 GY	0.65
878		-0.0140 GY	0.71
878		-0.0100 GY	0.76
878		-0.0060 GY	0.82
878		-0.0020 GY	0.87
877		-0.0015 GY	0.03
877		-0.0046 GY	0.08
877		-0.0077 GY	0.13
877		-0.0108 GY	0.17
877		-0.0139 GY	0.22
877		-0.0169 GY	0.27
877		-0.0200 GY	0.32
877		-0.0231 GY	0.37
877	-0.4963 GY	0.40	0.65
877		-0.0231 GY	0.68
877		-0.0200 GY	0.73
877		-0.0169 GY	0.78
877		-0.0139 GY	0.83

877	-0.0108 GY	0.88
877	-0.0077 GY	0.92
877	-0.0046 GY	0.97
877	-0.0015 GY	1.02
2069	-0.0015 GY	0.03
2069	-0.0046 GY	0.08
2069	-0.0077 GY	0.13
2069	-0.0108 GY	0.17
2069	-0.0139 GY	0.22
2069	-0.0169 GY	0.27
2069	-0.0200 GY	0.32
2069	-0.0231 GY	0.37
2069	-0.0231 GY	0.42
2069	-0.0200 GY	0.47
2069	-0.0169 GY	0.52
2069	-0.0139 GY	0.57
2069	-0.0108 GY	0.62
2069	-0.0077 GY	0.67
2069	-0.0046 GY	0.72
2069	-0.0015 GY	0.76
2095	-0.0015 GY	0.03
2095	-0.0046 GY	0.08
2095	-0.0077 GY	0.13
2095	-0.0108 GY	0.17
2095	-0.0139 GY	0.22
2095	-0.0169 GY	0.27
2095	-0.0200 GY	0.32
2095	-0.0231 GY	0.37

2095	-0.4962 GY	0.40	0.65
2095	-0.0231 GY	0.68	
2095	-0.0200 GY	0.73	
2095	-0.0169 GY	0.78	
2095	-0.0139 GY	0.83	
2095	-0.0108 GY	0.88	
2095	-0.0077 GY	0.92	
2095	-0.0046 GY	0.97	
2095	-0.0015 GY	1.02	
2093	-0.0015 GY	0.03	
2093	-0.0046 GY	0.08	
2093	-0.0077 GY	0.13	
2093	-0.0108 GY	0.17	
2093	-0.0139 GY	0.22	
2093	-0.0169 GY	0.27	
2093	-0.0200 GY	0.32	
2093	-0.0231 GY	0.37	

2093		-0.0231 GY	0.42
2093		-0.0200 GY	0.47
2093		-0.0169 GY	0.52
2093		-0.0139 GY	0.57
2093		-0.0108 GY	0.62
2093		-0.0077 GY	0.67
2093		-0.0046 GY	0.72
2093		-0.0015 GY	0.76
925		-0.0022 GY	0.04
925		-0.0065 GY	0.09
925		-0.0108 GY	0.15
925		-0.0151 GY	0.21
925		-0.0194 GY	0.27
925		-0.0237 GY	0.32
925		-0.0280 GY	0.38
925		-0.0324 GY	0.44
925	-0.5875 GY	0.47	0.62
925		-0.0324 GY	0.65
925		-0.0280 GY	0.71
925		-0.0237 GY	0.77
925		-0.0194 GY	0.83
925		-0.0151 GY	0.89
925		-0.0108 GY	0.95
925		-0.0065 GY	1.00
925		-0.0022 GY	1.06
1814		-0.0022 GY	0.04
1814		-0.0065 GY	0.09
1814		-0.0108 GY	0.15
1814		-0.0151 GY	0.21
1814		-0.0194 GY	0.27
1814		-0.0237 GY	0.32
1814		-0.0280 GY	0.38
1814		-0.0324 GY	0.44
1814		-0.0324 GY	0.50
1814		-0.0280 GY	0.56
1814		-0.0237 GY	0.62
1814		-0.0194 GY	0.67
1814		-0.0151 GY	0.73
1814		-0.0108 GY	0.79

1814		-0.0065 GY	0.85
1814		-0.0022 GY	0.90
1878		-0.0022 GY	0.04
1878		-0.0065 GY	0.09
1878		-0.0108 GY	0.15
1878		-0.0151 GY	0.21

1878		-0.0194 GY	0.27
1878		-0.0237 GY	0.32
1878		-0.0280 GY	0.38
1878		-0.0324 GY	0.44
1878	-0.5875 GY	0.47	0.62
1878		-0.0324 GY	0.65
1878		-0.0280 GY	0.71
1878		-0.0237 GY	0.77
1878		-0.0194 GY	0.83
1878		-0.0151 GY	0.89
1878		-0.0108 GY	0.95
1878		-0.0065 GY	1.00
1878		-0.0022 GY	1.06
1748		-0.0022 GY	0.04
1748		-0.0065 GY	0.09
1748		-0.0108 GY	0.15
1748		-0.0151 GY	0.21
1748		-0.0194 GY	0.27
1748		-0.0237 GY	0.32
1748		-0.0280 GY	0.38
1748		-0.0324 GY	0.44
1748		-0.0324 GY	0.50
1748		-0.0280 GY	0.56
1748		-0.0237 GY	0.62
1748		-0.0194 GY	0.67
1748		-0.0151 GY	0.73
1748		-0.0108 GY	0.79
1748		-0.0065 GY	0.85
1748		-0.0022 GY	0.90
925		-0.0027 GY	0.04
925		-0.0081 GY	0.10
925		-0.0135 GY	0.17
925		-0.0188 GY	0.23
925		-0.0242 GY	0.30
925		-0.0296 GY	0.36
925		-0.0350 GY	0.43
925		-0.0404 GY	0.49
925	-0.6563 GY	0.52	0.57
925		-0.0404 GY	0.60
925		-0.0350 GY	0.67
925		-0.0296 GY	0.73
925		-0.0242 GY	0.80
925		-0.0188 GY	0.86
925		-0.0135 GY	0.93
925		-0.0081 GY	0.99
925		-0.0027 GY	1.05
1823		-0.0027 GY	0.04

1823		-0.0081 GY	0.10
1823		-0.0135 GY	0.17
1823		-0.0188 GY	0.23

1823		-0.0242 GY	0.30
1823		-0.0296 GY	0.36
1823		-0.0350 GY	0.43
1823		-0.0404 GY	0.49
1823		-0.0404 GY	0.56
1823		-0.0350 GY	0.62
1823		-0.0296 GY	0.69
1823		-0.0242 GY	0.75
1823		-0.0188 GY	0.82
1823		-0.0135 GY	0.88
1823		-0.0081 GY	0.95
1823		-0.0027 GY	1.01
929		-0.0027 GY	0.04
929		-0.0081 GY	0.10
929		-0.0135 GY	0.17
929		-0.0188 GY	0.23
929		-0.0242 GY	0.30
929		-0.0296 GY	0.36
929		-0.0350 GY	0.43
929		-0.0404 GY	0.49
929	-0.6562 GY	0.52	0.57
929		-0.0404 GY	0.60
929		-0.0350 GY	0.67
929		-0.0296 GY	0.73
929		-0.0242 GY	0.80
929		-0.0188 GY	0.86
929		-0.0135 GY	0.93
929		-0.0081 GY	0.99
929		-0.0027 GY	1.05
1757		-0.0027 GY	0.04
1757		-0.0081 GY	0.10
1757		-0.0135 GY	0.17
1757		-0.0188 GY	0.23
1757		-0.0242 GY	0.30
1757		-0.0296 GY	0.36
1757		-0.0350 GY	0.43
1757		-0.0404 GY	0.49
1757		-0.0404 GY	0.56
1757		-0.0350 GY	0.62
1757		-0.0296 GY	0.69
1757		-0.0242 GY	0.75
1757		-0.0188 GY	0.82

1757		-0.0135 GY	0.88
1757		-0.0081 GY	0.95
1757		-0.0027 GY	1.01
929		-0.0027 GY	0.04
929		-0.0081 GY	0.10
929		-0.0135 GY	0.17
929		-0.0188 GY	0.23
929		-0.0242 GY	0.30
929		-0.0296 GY	0.36
929		-0.0350 GY	0.43
929		-0.0404 GY	0.49
929	-0.6562 GY	0.53	0.57
929		-0.0404 GY	0.60
929		-0.0350 GY	0.67

929		-0.0296 GY	0.73
929		-0.0242 GY	0.80
929		-0.0188 GY	0.86
929		-0.0135 GY	0.93
929		-0.0081 GY	0.99
929		-0.0027 GY	1.05
1824		-0.0027 GY	0.04
1824		-0.0081 GY	0.10
1824		-0.0135 GY	0.17
1824		-0.0188 GY	0.23
1824		-0.0242 GY	0.30
1824		-0.0296 GY	0.36
1824		-0.0350 GY	0.43
1824		-0.0404 GY	0.49
1824		-0.0404 GY	0.56
1824		-0.0350 GY	0.62
1824		-0.0296 GY	0.69
1824		-0.0242 GY	0.75
1824		-0.0188 GY	0.82
1824		-0.0135 GY	0.88
1824		-0.0081 GY	0.95
1824		-0.0027 GY	1.01
933		-0.0027 GY	0.04
933		-0.0081 GY	0.10
933		-0.0135 GY	0.17
933		-0.0188 GY	0.23
933		-0.0242 GY	0.30
933		-0.0296 GY	0.36
933		-0.0350 GY	0.43
933		-0.0404 GY	0.49
933	-0.6563 GY	0.53	0.57

933		-0.0404 GY	0.60
933		-0.0350 GY	0.67
933		-0.0296 GY	0.73
933		-0.0242 GY	0.80
933		-0.0188 GY	0.86
933		-0.0135 GY	0.93
933		-0.0081 GY	0.99
933		-0.0027 GY	1.05
1758		-0.0027 GY	0.04
1758		-0.0081 GY	0.10
1758		-0.0135 GY	0.17
1758		-0.0188 GY	0.23
1758		-0.0242 GY	0.30
1758		-0.0296 GY	0.36
1758		-0.0350 GY	0.43
1758		-0.0404 GY	0.49
1758		-0.0404 GY	0.56
1758		-0.0350 GY	0.62
1758		-0.0296 GY	0.69
1758		-0.0242 GY	0.75
1758		-0.0188 GY	0.82
1758		-0.0135 GY	0.88
1758		-0.0081 GY	0.95
1758		-0.0027 GY	1.01
933		-0.0027 GY	0.04

_ STAAD SPACE -- PAGE NO. 410

933		-0.0081 GY	0.10
933		-0.0135 GY	0.17
933		-0.0188 GY	0.23
933		-0.0242 GY	0.30
933		-0.0296 GY	0.36
933		-0.0350 GY	0.43
933		-0.0404 GY	0.49
933	-0.6562 GY	0.52	0.57
933		-0.0404 GY	0.60
933		-0.0350 GY	0.67
933		-0.0296 GY	0.73
933		-0.0242 GY	0.80
933		-0.0188 GY	0.86
933		-0.0135 GY	0.93
933		-0.0081 GY	0.99
933		-0.0027 GY	1.05
1825		-0.0027 GY	0.04
1825		-0.0081 GY	0.10
1825		-0.0135 GY	0.17
1825		-0.0188 GY	0.23

1825		-0.0242 GY	0.30
1825		-0.0296 GY	0.36
1825		-0.0350 GY	0.43
1825		-0.0404 GY	0.49
1825		-0.0404 GY	0.56
1825		-0.0350 GY	0.62
1825		-0.0296 GY	0.69
1825		-0.0242 GY	0.75
1825		-0.0188 GY	0.82
1825		-0.0135 GY	0.88
1825		-0.0081 GY	0.95
1825		-0.0027 GY	1.01
1502		-0.0027 GY	0.04
1502		-0.0081 GY	0.10
1502		-0.0135 GY	0.17
1502		-0.0188 GY	0.23
1502		-0.0242 GY	0.30
1502		-0.0296 GY	0.36
1502		-0.0350 GY	0.43
1502		-0.0404 GY	0.49
1502	-0.6562 GY	0.52	0.57
1502		-0.0404 GY	0.60
1502		-0.0350 GY	0.67
1502		-0.0296 GY	0.73
1502		-0.0242 GY	0.80
1502		-0.0188 GY	0.86
1502		-0.0135 GY	0.93
1502		-0.0081 GY	0.99
1502		-0.0027 GY	1.05
1759		-0.0027 GY	0.04
1759		-0.0081 GY	0.10
1759		-0.0135 GY	0.17
1759		-0.0188 GY	0.23
1759		-0.0242 GY	0.30
1759		-0.0296 GY	0.36
1759		-0.0350 GY	0.43

1759		-0.0404 GY	0.49
1759		-0.0404 GY	0.56
1759		-0.0350 GY	0.62
1759		-0.0296 GY	0.69
1759		-0.0242 GY	0.75
1759		-0.0188 GY	0.82
1759		-0.0135 GY	0.88
1759		-0.0081 GY	0.95
1759		-0.0027 GY	1.01

1493		-0.0016 GY	0.03
1493		-0.0048 GY	0.08
1493		-0.0081 GY	0.13
1493		-0.0113 GY	0.18
1493		-0.0145 GY	0.23
1493		-0.0178 GY	0.28
1493		-0.0210 GY	0.33
1493		-0.0242 GY	0.38
1493		-0.0242 GY	0.43
1493		-0.0210 GY	0.48
1493		-0.0178 GY	0.53
1493		-0.0145 GY	0.58
1493		-0.0113 GY	0.63
1493		-0.0081 GY	0.68
1493		-0.0048 GY	0.73
1493		-0.0016 GY	0.78
2033		-0.0016 GY	0.03
2033		-0.0048 GY	0.08
2033		-0.0081 GY	0.13
2033		-0.0113 GY	0.18
2033		-0.0145 GY	0.23
2033		-0.0178 GY	0.28
2033		-0.0210 GY	0.33
2033		-0.0242 GY	0.38
2033	-0.5086 GY	0.41	0.44
2033		-0.0242 GY	0.47
2033		-0.0210 GY	0.52
2033		-0.0178 GY	0.57
2033		-0.0145 GY	0.62
2033		-0.0113 GY	0.67
2033		-0.0081 GY	0.72
2033		-0.0048 GY	0.77
2033		-0.0016 GY	0.82
2025		-0.0016 GY	0.03
2025		-0.0048 GY	0.08
2025		-0.0081 GY	0.13
2025		-0.0113 GY	0.18
2025		-0.0145 GY	0.23
2025		-0.0178 GY	0.28
2025		-0.0210 GY	0.33
2025		-0.0242 GY	0.38
2025		-0.0242 GY	0.43
2025		-0.0210 GY	0.48
2025		-0.0178 GY	0.53
2025		-0.0145 GY	0.58
2025		-0.0113 GY	0.63
2025		-0.0081 GY	0.68

2025		-0.0048	GY	0.73
2025		-0.0016	GY	0.78
1946		-0.0016	GY	0.03
1946		-0.0048	GY	0.08
1946		-0.0081	GY	0.13
1946		-0.0113	GY	0.18
1946		-0.0145	GY	0.23
1946		-0.0178	GY	0.28
1946		-0.0210	GY	0.33
1946		-0.0242	GY	0.38
1946	-0.5086 GY	0.41	0.44	
1946		-0.0242	GY	0.47
1946		-0.0210	GY	0.52
1946		-0.0178	GY	0.57
1946		-0.0145	GY	0.62
1946		-0.0113	GY	0.67
1946		-0.0081	GY	0.72
1946		-0.0048	GY	0.77
1946		-0.0016	GY	0.82
1495		-0.0016	GY	0.03
1495		-0.0048	GY	0.08
1495		-0.0081	GY	0.13
1495		-0.0113	GY	0.18
1495		-0.0145	GY	0.23
1495		-0.0178	GY	0.28
1495		-0.0210	GY	0.33
1495		-0.0242	GY	0.38
1495		-0.0242	GY	0.43
1495		-0.0210	GY	0.48
1495		-0.0178	GY	0.53
1495		-0.0145	GY	0.58
1495		-0.0113	GY	0.63
1495		-0.0081	GY	0.68
1495		-0.0048	GY	0.73
1495		-0.0016	GY	0.78
2034		-0.0016	GY	0.03
2034		-0.0048	GY	0.08
2034		-0.0081	GY	0.13
2034		-0.0113	GY	0.18
2034		-0.0145	GY	0.23
2034		-0.0178	GY	0.28
2034		-0.0210	GY	0.33
2034		-0.0242	GY	0.38
2034	-0.5086 GY	0.41	0.50	
2034		-0.0242	GY	0.52

2034		-0.0210 GY	0.57
2034		-0.0178 GY	0.63
2034		-0.0145 GY	0.68
2034		-0.0113 GY	0.73
2034		-0.0081 GY	0.78
2034		-0.0048 GY	0.83
2034		-0.0016 GY	0.87
2024		-0.0016 GY	0.03
2024		-0.0048 GY	0.08
2024		-0.0081 GY	0.13
2024		-0.0113 GY	0.18

2024		-0.0145 GY	0.23
2024		-0.0178 GY	0.28
2024		-0.0210 GY	0.33
2024		-0.0242 GY	0.38
2024		-0.0242 GY	0.43
2024		-0.0210 GY	0.48
2024		-0.0178 GY	0.53
2024		-0.0145 GY	0.58
2024		-0.0113 GY	0.63
2024		-0.0081 GY	0.68
2024		-0.0048 GY	0.73
2024		-0.0016 GY	0.78
1949		-0.0016 GY	0.03
1949		-0.0048 GY	0.08
1949		-0.0081 GY	0.13
1949		-0.0113 GY	0.18
1949		-0.0145 GY	0.23
1949		-0.0178 GY	0.28
1949		-0.0210 GY	0.33
1949		-0.0242 GY	0.38
1949	-0.5086 GY	0.41	0.50
1949		-0.0242 GY	0.52
1949		-0.0210 GY	0.57
1949		-0.0178 GY	0.63
1949		-0.0145 GY	0.68
1949		-0.0113 GY	0.73
1949		-0.0081 GY	0.78
1949		-0.0048 GY	0.83
1949		-0.0016 GY	0.87
1549		-0.0026 GY	0.04
1549		-0.0077 GY	0.08
1549		-0.0128 GY	0.13
1549		-0.0179 GY	0.19
1549		-0.0230 GY	0.24

1549	-0.0281 GY	0.29
1549	-0.0332 GY	0.35
1549	-0.0383 GY	0.40
1549	-0.0372 GY	0.45
1549	-0.0323 GY	0.50
1549	-0.0273 GY	0.55
1549	-0.0223 GY	0.60
1549	-0.0174 GY	0.65
1549	-0.0124 GY	0.71
1549	-0.0074 GY	0.76
1549	-0.0025 GY	0.80
1692	-0.0025 GY	0.05
1692	-0.0075 GY	0.12
1692	-0.0125 GY	0.20
1692	-0.0175 GY	0.27
1692	-0.0225 GY	0.35
1692	-0.0276 GY	0.43
1692	-0.0326 GY	0.51
1692	-0.0376 GY	0.58
1692	-0.0372 GY	0.66
1692	-0.0323 GY	0.74
1692	-0.0273 GY	0.81

1692	-0.0223 GY	0.89
1692	-0.0174 GY	0.97
1692	-0.0124 GY	1.04
1692	-0.0074 GY	1.12
1692	-0.0025 GY	1.19
1651	-0.0024 GY	0.03
1651	-0.0073 GY	0.08
1651	-0.0122 GY	0.13
1651	-0.0170 GY	0.18
1651	-0.0219 GY	0.23
1651	-0.0268 GY	0.28
1651	-0.0316 GY	0.33
1651	-0.0365 GY	0.38
1651	-0.0376 GY	0.43
1651	-0.0326 GY	0.48
1651	-0.0276 GY	0.53
1651	-0.0225 GY	0.58
1651	-0.0175 GY	0.63
1651	-0.0125 GY	0.68
1651	-0.0075 GY	0.73
1651	-0.0025 GY	0.78
1691	-0.0025 GY	0.05
1691	-0.0074 GY	0.12

1691		-0.0124 GY	0.19
1691		-0.0173 GY	0.27
1691		-0.0223 GY	0.35
1691		-0.0272 GY	0.42
1691		-0.0322 GY	0.50
1691		-0.0371 GY	0.58
1691		-0.0377 GY	0.65
1691		-0.0327 GY	0.73
1691		-0.0276 GY	0.81
1691		-0.0226 GY	0.89
1691		-0.0176 GY	0.96
1691		-0.0126 GY	1.04
1691		-0.0075 GY	1.12
1691		-0.0025 GY	1.19
1597		-0.0006 GY	0.02
1597		-0.0019 GY	0.05
1597		-0.0031 GY	0.08
1597		-0.0044 GY	0.11
1597		-0.0056 GY	0.14
1597		-0.0068 GY	0.17
1597		-0.0081 GY	0.21
1597		-0.0093 GY	0.24
1597		-0.0093 GY	0.27
1597		-0.0081 GY	0.30
1597		-0.0068 GY	0.33
1597		-0.0056 GY	0.36
1597		-0.0044 GY	0.39
1597		-0.0031 GY	0.43
1597		-0.0019 GY	0.46
1597		-0.0006 GY	0.48
1699		-0.0006 GY	0.02
1699		-0.0019 GY	0.05
1699		-0.0031 GY	0.08

1699		-0.0044 GY	0.11
1699		-0.0056 GY	0.14
1699		-0.0068 GY	0.17
1699		-0.0081 GY	0.21
1699		-0.0093 GY	0.24
1699	-0.3156 GY	0.25	0.99
1699		-0.0093 GY	1.00
1699		-0.0081 GY	1.03
1699		-0.0068 GY	1.06
1699		-0.0056 GY	1.10
1699		-0.0044 GY	1.13
1699		-0.0031 GY	1.16

1699		-0.0019 GY	1.19
1699		-0.0006 GY	1.22
1683		-0.0006 GY	0.02
1683		-0.0019 GY	0.05
1683		-0.0031 GY	0.08
1683		-0.0044 GY	0.11
1683		-0.0056 GY	0.14
1683		-0.0068 GY	0.17
1683		-0.0081 GY	0.21
1683		-0.0093 GY	0.24
1683		-0.0093 GY	0.27
1683		-0.0081 GY	0.30
1683		-0.0068 GY	0.33
1683		-0.0056 GY	0.36
1683		-0.0044 GY	0.39
1683		-0.0031 GY	0.43
1683		-0.0019 GY	0.46
1683		-0.0006 GY	0.48
1684		-0.0006 GY	0.02
1684		-0.0019 GY	0.05
1684		-0.0031 GY	0.08
1684		-0.0044 GY	0.11
1684		-0.0056 GY	0.14
1684		-0.0068 GY	0.17
1684		-0.0081 GY	0.21
1684		-0.0093 GY	0.24
1684	-0.3156 GY	0.25	0.99
1684		-0.0093 GY	1.00
1684		-0.0081 GY	1.03
1684		-0.0068 GY	1.06
1684		-0.0056 GY	1.10
1684		-0.0044 GY	1.13
1684		-0.0031 GY	1.16
1684		-0.0019 GY	1.19
1684		-0.0006 GY	1.22
1599		-0.0022 GY	0.04
1599		-0.0065 GY	0.09
1599		-0.0108 GY	0.15
1599		-0.0151 GY	0.21
1599		-0.0194 GY	0.27
1599		-0.0237 GY	0.32
1599		-0.0280 GY	0.38
1599		-0.0324 GY	0.44
1599		-0.0324 GY	0.50

1599		-0.0280 GY	0.56

1599		-0.0237 GY	0.62
1599		-0.0194 GY	0.67
1599		-0.0151 GY	0.73
1599		-0.0108 GY	0.79
1599		-0.0065 GY	0.85
1599		-0.0022 GY	0.90
1676		-0.0022 GY	0.04
1676		-0.0065 GY	0.09
1676		-0.0108 GY	0.15
1676		-0.0151 GY	0.21
1676		-0.0194 GY	0.27
1676		-0.0237 GY	0.32
1676		-0.0280 GY	0.38
1676		-0.0324 GY	0.44
1676	-0.5875 GY	0.47	0.77
1676		-0.0324 GY	0.80
1676		-0.0280 GY	0.86
1676		-0.0237 GY	0.91
1676		-0.0194 GY	0.97
1676		-0.0151 GY	1.03
1676		-0.0108 GY	1.09
1676		-0.0065 GY	1.15
1676		-0.0022 GY	1.20
1673		-0.0022 GY	0.04
1673		-0.0065 GY	0.09
1673		-0.0108 GY	0.15
1673		-0.0151 GY	0.21
1673		-0.0194 GY	0.27
1673		-0.0237 GY	0.32
1673		-0.0280 GY	0.38
1673		-0.0324 GY	0.44
1673		-0.0324 GY	0.50
1673		-0.0280 GY	0.56
1673		-0.0237 GY	0.62
1673		-0.0194 GY	0.67
1673		-0.0151 GY	0.73
1673		-0.0108 GY	0.79
1673		-0.0065 GY	0.85
1673		-0.0022 GY	0.90
1674		-0.0022 GY	0.04
1674		-0.0065 GY	0.09
1674		-0.0108 GY	0.15
1674		-0.0151 GY	0.21
1674		-0.0194 GY	0.27
1674		-0.0237 GY	0.32
1674		-0.0280 GY	0.38
1674		-0.0324 GY	0.44

1674	-0.5875 GY	0.47	0.77
1674		-0.0324 GY	0.80
1674		-0.0280 GY	0.86
1674		-0.0237 GY	0.91
1674		-0.0194 GY	0.97
1674		-0.0151 GY	1.03
1674		-0.0108 GY	1.09
1674		-0.0065 GY	1.15

1674	-0.0022 GY	1.20
1604	-0.0010 GY	0.03
1604	-0.0030 GY	0.06
1604	-0.0049 GY	0.10
1604	-0.0069 GY	0.14
1604	-0.0089 GY	0.18
1604	-0.0109 GY	0.22
1604	-0.0129 GY	0.26
1604	-0.0148 GY	0.30
1604	-0.0148 GY	0.34
1604	-0.0129 GY	0.38
1604	-0.0109 GY	0.42
1604	-0.0089 GY	0.46
1604	-0.0069 GY	0.50
1604	-0.0049 GY	0.54
1604	-0.0030 GY	0.57
1604	-0.0010 GY	0.61
1661	-0.0010 GY	0.03
1661	-0.0030 GY	0.06
1661	-0.0049 GY	0.10
1661	-0.0069 GY	0.14
1661	-0.0089 GY	0.18
1661	-0.0109 GY	0.22
1661	-0.0129 GY	0.26
1661	-0.0148 GY	0.30
1661	-0.3978 GY	0.32 0.92
1661	-0.0148 GY	0.94
1661	-0.0129 GY	0.98
1661	-0.0109 GY	1.02
1661	-0.0089 GY	1.06
1661	-0.0069 GY	1.10
1661	-0.0049 GY	1.14
1661	-0.0030 GY	1.18
1661	-0.0010 GY	1.21
1662	-0.0010 GY	0.03
1662	-0.0030 GY	0.06
1662	-0.0049 GY	0.10

1662		-0.0069 GY	0.14
1662		-0.0089 GY	0.18
1662		-0.0109 GY	0.22
1662		-0.0129 GY	0.26
1662		-0.0148 GY	0.30
1662		-0.0148 GY	0.34
1662		-0.0129 GY	0.38
1662		-0.0109 GY	0.42
1662		-0.0089 GY	0.46
1662		-0.0069 GY	0.50
1662		-0.0049 GY	0.54
1662		-0.0030 GY	0.57
1662		-0.0010 GY	0.61
1663		-0.0010 GY	0.03
1663		-0.0030 GY	0.06
1663		-0.0049 GY	0.10
1663		-0.0069 GY	0.14
1663		-0.0089 GY	0.18
1663		-0.0109 GY	0.22

1663		-0.0129 GY	0.26
1663		-0.0148 GY	0.30
1663	-0.3978 GY	0.32	0.92
1663		-0.0148 GY	0.94
1663		-0.0129 GY	0.98
1663		-0.0109 GY	1.02
1663		-0.0089 GY	1.06
1663		-0.0069 GY	1.10
1663		-0.0049 GY	1.14
1663		-0.0030 GY	1.18
1663		-0.0010 GY	1.21
1606		-0.0022 GY	0.04
1606		-0.0065 GY	0.09
1606		-0.0108 GY	0.15
1606		-0.0151 GY	0.21
1606		-0.0194 GY	0.27
1606		-0.0237 GY	0.32
1606		-0.0280 GY	0.38
1606		-0.0324 GY	0.44
1606		-0.0324 GY	0.50
1606		-0.0280 GY	0.56
1606		-0.0237 GY	0.62
1606		-0.0194 GY	0.67
1606		-0.0151 GY	0.73
1606		-0.0108 GY	0.79
1606		-0.0065 GY	0.85

1606		-0.0022 GY	0.90
1678		-0.0022 GY	0.04
1678		-0.0065 GY	0.09
1678		-0.0108 GY	0.15
1678		-0.0151 GY	0.21
1678		-0.0194 GY	0.27
1678		-0.0237 GY	0.32
1678		-0.0280 GY	0.38
1678		-0.0324 GY	0.44
1678	-0.5875 GY	0.47	0.77
1678		-0.0324 GY	0.80
1678		-0.0280 GY	0.86
1678		-0.0237 GY	0.91
1678		-0.0194 GY	0.97
1678		-0.0151 GY	1.03
1678		-0.0108 GY	1.09
1678		-0.0065 GY	1.15
1678		-0.0022 GY	1.20
1695		-0.0022 GY	0.04
1695		-0.0065 GY	0.09
1695		-0.0108 GY	0.15
1695		-0.0151 GY	0.21
1695		-0.0194 GY	0.27
1695		-0.0237 GY	0.32
1695		-0.0280 GY	0.38
1695		-0.0324 GY	0.44
1695		-0.0324 GY	0.50
1695		-0.0280 GY	0.56
1695		-0.0237 GY	0.62
1695		-0.0194 GY	0.67

1695		-0.0151 GY	0.73
1695		-0.0108 GY	0.79
1695		-0.0065 GY	0.85
1695		-0.0022 GY	0.90
1676		-0.0022 GY	0.04
1676		-0.0065 GY	0.09
1676		-0.0108 GY	0.15
1676		-0.0151 GY	0.21
1676		-0.0194 GY	0.27
1676		-0.0237 GY	0.32
1676		-0.0280 GY	0.38
1676		-0.0324 GY	0.44
1676	-0.5875 GY	0.47	0.77
1676		-0.0324 GY	0.80
1676		-0.0280 GY	0.86

1676		-0.0237 GY	0.91
1676		-0.0194 GY	0.97
1676		-0.0151 GY	1.03
1676		-0.0108 GY	1.09
1676		-0.0065 GY	1.15
1676		-0.0022 GY	1.20
1607		-0.0022 GY	0.04
1607		-0.0065 GY	0.09
1607		-0.0108 GY	0.15
1607		-0.0151 GY	0.21
1607		-0.0194 GY	0.27
1607		-0.0237 GY	0.32
1607		-0.0280 GY	0.38
1607		-0.0324 GY	0.44
1607		-0.0324 GY	0.50
1607		-0.0280 GY	0.56
1607		-0.0237 GY	0.62
1607		-0.0194 GY	0.67
1607		-0.0151 GY	0.73
1607		-0.0108 GY	0.79
1607		-0.0065 GY	0.85
1607		-0.0022 GY	0.90
1680		-0.0022 GY	0.04
1680		-0.0065 GY	0.09
1680		-0.0108 GY	0.15
1680		-0.0151 GY	0.21
1680		-0.0194 GY	0.27
1680		-0.0237 GY	0.32
1680		-0.0280 GY	0.38
1680		-0.0324 GY	0.44
1680	-0.5875 GY	0.47	0.77
1680		-0.0324 GY	0.80
1680		-0.0280 GY	0.86
1680		-0.0237 GY	0.91
1680		-0.0194 GY	0.97
1680		-0.0151 GY	1.03
1680		-0.0108 GY	1.09
1680		-0.0065 GY	1.15
1680		-0.0022 GY	1.20
1696		-0.0022 GY	0.04
1696		-0.0065 GY	0.09

1696		-0.0108 GY	0.15
1696		-0.0151 GY	0.21
1696		-0.0194 GY	0.27
1696		-0.0237 GY	0.32

1696		-0.0280 GY	0.38
1696		-0.0324 GY	0.44
1696		-0.0324 GY	0.50
1696		-0.0280 GY	0.56
1696		-0.0237 GY	0.62
1696		-0.0194 GY	0.67
1696		-0.0151 GY	0.73
1696		-0.0108 GY	0.79
1696		-0.0065 GY	0.85
1696		-0.0022 GY	0.90
1678		-0.0022 GY	0.04
1678		-0.0065 GY	0.09
1678		-0.0108 GY	0.15
1678		-0.0151 GY	0.21
1678		-0.0194 GY	0.27
1678		-0.0237 GY	0.32
1678		-0.0280 GY	0.38
1678		-0.0324 GY	0.44
1678	-0.5875 GY	0.47	0.77
1678		-0.0324 GY	0.80
1678		-0.0280 GY	0.86
1678		-0.0237 GY	0.91
1678		-0.0194 GY	0.97
1678		-0.0151 GY	1.03
1678		-0.0108 GY	1.09
1678		-0.0065 GY	1.15
1678		-0.0022 GY	1.20
1608		-0.0022 GY	0.04
1608		-0.0065 GY	0.09
1608		-0.0108 GY	0.15
1608		-0.0151 GY	0.21
1608		-0.0194 GY	0.27
1608		-0.0237 GY	0.32
1608		-0.0280 GY	0.38
1608		-0.0324 GY	0.44
1608		-0.0324 GY	0.50
1608		-0.0280 GY	0.56
1608		-0.0237 GY	0.62
1608		-0.0194 GY	0.67
1608		-0.0151 GY	0.73
1608		-0.0108 GY	0.79
1608		-0.0065 GY	0.85
1608		-0.0022 GY	0.90
1682		-0.0022 GY	0.04
1682		-0.0065 GY	0.09
1682		-0.0108 GY	0.15
1682		-0.0151 GY	0.21

1682		-0.0194 GY	0.27
1682		-0.0237 GY	0.32
1682		-0.0280 GY	0.38
1682		-0.0324 GY	0.44
1682	-0.5875 GY	0.47	0.77

1682		-0.0324 GY	0.80
1682		-0.0280 GY	0.86
1682		-0.0237 GY	0.91
1682		-0.0194 GY	0.97
1682		-0.0151 GY	1.03
1682		-0.0108 GY	1.09
1682		-0.0065 GY	1.15
1682		-0.0022 GY	1.20
1697		-0.0022 GY	0.04
1697		-0.0065 GY	0.09
1697		-0.0108 GY	0.15
1697		-0.0151 GY	0.21
1697		-0.0194 GY	0.27
1697		-0.0237 GY	0.32
1697		-0.0280 GY	0.38
1697		-0.0324 GY	0.44
1697		-0.0324 GY	0.50
1697		-0.0280 GY	0.56
1697		-0.0237 GY	0.62
1697		-0.0194 GY	0.67
1697		-0.0151 GY	0.73
1697		-0.0108 GY	0.79
1697		-0.0065 GY	0.85
1697		-0.0022 GY	0.90
1680		-0.0022 GY	0.04
1680		-0.0065 GY	0.09
1680		-0.0108 GY	0.15
1680		-0.0151 GY	0.21
1680		-0.0194 GY	0.27
1680		-0.0237 GY	0.32
1680		-0.0280 GY	0.38
1680		-0.0324 GY	0.44
1680	-0.5875 GY	0.47	0.77
1680		-0.0324 GY	0.80
1680		-0.0280 GY	0.86
1680		-0.0237 GY	0.91
1680		-0.0194 GY	0.97
1680		-0.0151 GY	1.03
1680		-0.0108 GY	1.09
1680		-0.0065 GY	1.15

1680		-0.0022 GY	1.20
1749		-0.0022 GY	0.04
1749		-0.0065 GY	0.09
1749		-0.0108 GY	0.15
1749		-0.0151 GY	0.21
1749		-0.0194 GY	0.27
1749		-0.0237 GY	0.32
1749		-0.0280 GY	0.38
1749		-0.0324 GY	0.44
1749		-0.0324 GY	0.50
1749		-0.0280 GY	0.56
1749		-0.0237 GY	0.62
1749		-0.0194 GY	0.67
1749		-0.0151 GY	0.73
1749		-0.0108 GY	0.79
1749		-0.0065 GY	0.85

1749		-0.0022 GY	0.90
1878		-0.0022 GY	0.04
1878		-0.0065 GY	0.09
1878		-0.0108 GY	0.15
1878		-0.0151 GY	0.21
1878		-0.0194 GY	0.27
1878		-0.0237 GY	0.32
1878		-0.0280 GY	0.38
1878		-0.0324 GY	0.44
1878	-0.5875 GY	0.47	0.63
1878		-0.0324 GY	0.65
1878		-0.0280 GY	0.71
1878		-0.0237 GY	0.77
1878		-0.0194 GY	0.83
1878		-0.0151 GY	0.89
1878		-0.0108 GY	0.95
1878		-0.0065 GY	1.00
1878		-0.0022 GY	1.06
1815		-0.0022 GY	0.04
1815		-0.0065 GY	0.09
1815		-0.0108 GY	0.15
1815		-0.0151 GY	0.21
1815		-0.0194 GY	0.27
1815		-0.0237 GY	0.32
1815		-0.0280 GY	0.38
1815		-0.0324 GY	0.44
1815		-0.0324 GY	0.50
1815		-0.0280 GY	0.56
1815		-0.0237 GY	0.62

1815		-0.0194 GY	0.67
1815		-0.0151 GY	0.73
1815		-0.0108 GY	0.79
1815		-0.0065 GY	0.85
1815		-0.0022 GY	0.90
1879		-0.0022 GY	0.04
1879		-0.0065 GY	0.09
1879		-0.0108 GY	0.15
1879		-0.0151 GY	0.21
1879		-0.0194 GY	0.27
1879		-0.0237 GY	0.32
1879		-0.0280 GY	0.38
1879		-0.0324 GY	0.44
1879	-0.5875 GY	0.47	0.63
1879		-0.0324 GY	0.65
1879		-0.0280 GY	0.71
1879		-0.0237 GY	0.77
1879		-0.0194 GY	0.83
1879		-0.0151 GY	0.89
1879		-0.0108 GY	0.95
1879		-0.0065 GY	1.00
1879		-0.0022 GY	1.06
1750		-0.0022 GY	0.04
1750		-0.0065 GY	0.09
1750		-0.0108 GY	0.15
1750		-0.0151 GY	0.21
1750		-0.0194 GY	0.27

1750		-0.0237 GY	0.32
1750		-0.0280 GY	0.38
1750		-0.0324 GY	0.44
1750		-0.0324 GY	0.50
1750		-0.0280 GY	0.56
1750		-0.0237 GY	0.62
1750		-0.0194 GY	0.67
1750		-0.0151 GY	0.73
1750		-0.0108 GY	0.79
1750		-0.0065 GY	0.85
1750		-0.0022 GY	0.90
1882		-0.0022 GY	0.04
1882		-0.0065 GY	0.09
1882		-0.0108 GY	0.15
1882		-0.0151 GY	0.21
1882		-0.0194 GY	0.27
1882		-0.0237 GY	0.32
1882		-0.0280 GY	0.38

1882		-0.0324 GY	0.44
1882	-0.5875 GY	0.47	0.62
1882		-0.0324 GY	0.65
1882		-0.0280 GY	0.71
1882		-0.0237 GY	0.77
1882		-0.0194 GY	0.83
1882		-0.0151 GY	0.89
1882		-0.0108 GY	0.95
1882		-0.0065 GY	1.00
1882		-0.0022 GY	1.06
1816		-0.0022 GY	0.04
1816		-0.0065 GY	0.09
1816		-0.0108 GY	0.15
1816		-0.0151 GY	0.21
1816		-0.0194 GY	0.27
1816		-0.0237 GY	0.32
1816		-0.0280 GY	0.38
1816		-0.0324 GY	0.44
1816		-0.0324 GY	0.50
1816		-0.0280 GY	0.56
1816		-0.0237 GY	0.62
1816		-0.0194 GY	0.67
1816		-0.0151 GY	0.73
1816		-0.0108 GY	0.79
1816		-0.0065 GY	0.85
1816		-0.0022 GY	0.90
1883		-0.0022 GY	0.04
1883		-0.0065 GY	0.09
1883		-0.0108 GY	0.15
1883		-0.0151 GY	0.21
1883		-0.0194 GY	0.27
1883		-0.0237 GY	0.32
1883		-0.0280 GY	0.38
1883		-0.0324 GY	0.44
1883	-0.5875 GY	0.47	0.62
1883		-0.0324 GY	0.65
1883		-0.0280 GY	0.71
1883		-0.0237 GY	0.77

1883		-0.0194 GY	0.83
1883		-0.0151 GY	0.89
1883		-0.0108 GY	0.95
1883		-0.0065 GY	1.00
1883		-0.0022 GY	1.06
1751		-0.0022 GY	0.04
1751		-0.0065 GY	0.09

1751		-0.0108 GY	0.15
1751		-0.0151 GY	0.21
1751		-0.0194 GY	0.27
1751		-0.0237 GY	0.32
1751		-0.0280 GY	0.38
1751		-0.0324 GY	0.44
1751		-0.0324 GY	0.50
1751		-0.0280 GY	0.56
1751		-0.0237 GY	0.62
1751		-0.0194 GY	0.67
1751		-0.0151 GY	0.73
1751		-0.0108 GY	0.79
1751		-0.0065 GY	0.85
1751		-0.0022 GY	0.90
1883		-0.0022 GY	0.04
1883		-0.0065 GY	0.09
1883		-0.0108 GY	0.15
1883		-0.0151 GY	0.21
1883		-0.0194 GY	0.27
1883		-0.0237 GY	0.32
1883		-0.0280 GY	0.38
1883		-0.0324 GY	0.44
1883	-0.5875 GY	0.47	0.62
1883		-0.0324 GY	0.65
1883		-0.0280 GY	0.71
1883		-0.0237 GY	0.77
1883		-0.0194 GY	0.83
1883		-0.0151 GY	0.89
1883		-0.0108 GY	0.95
1883		-0.0065 GY	1.00
1883		-0.0022 GY	1.06
1817		-0.0022 GY	0.04
1817		-0.0065 GY	0.09
1817		-0.0108 GY	0.15
1817		-0.0151 GY	0.21
1817		-0.0194 GY	0.27
1817		-0.0237 GY	0.32
1817		-0.0280 GY	0.38
1817		-0.0324 GY	0.44
1817		-0.0324 GY	0.50
1817		-0.0280 GY	0.56
1817		-0.0237 GY	0.62
1817		-0.0194 GY	0.67
1817		-0.0151 GY	0.73
1817		-0.0108 GY	0.79
1817		-0.0065 GY	0.85
1817		-0.0022 GY	0.90

1884		-0.0022 GY	0.04
1884		-0.0065 GY	0.09

1884		-0.0108 GY	0.15
1884		-0.0151 GY	0.21
1884		-0.0194 GY	0.27
1884		-0.0237 GY	0.32
1884		-0.0280 GY	0.38
1884		-0.0324 GY	0.44
1884	-0.5875 GY	0.47	0.62
1884		-0.0324 GY	0.65
1884		-0.0280 GY	0.71
1884		-0.0237 GY	0.77
1884		-0.0194 GY	0.83
1884		-0.0151 GY	0.89
1884		-0.0108 GY	0.95
1884		-0.0065 GY	1.00
1884		-0.0022 GY	1.06
1754		-0.0000 GY	0.00
1754		-0.0001 GY	0.01
1754		-0.0002 GY	0.02
1754		-0.0002 GY	0.03
1754		-0.0003 GY	0.03
1754		-0.0004 GY	0.04
1754		-0.0004 GY	0.05
1754		-0.0005 GY	0.05
2203		-0.0064 GY	0.03
2203		-0.0107 GY	0.09
2203		-0.0150 GY	0.14
2203		-0.0193 GY	0.20
2203		-0.0236 GY	0.26
2203		-0.0279 GY	0.31
2203		-0.0322 GY	0.37
2203		-0.0365 GY	0.43
2203		-0.0385 GY	0.49
2203		-0.0333 GY	0.55
2203		-0.0282 GY	0.61
2203		-0.0231 GY	0.67
2203		-0.0180 GY	0.73
2203		-0.0128 GY	0.79
2203		-0.0077 GY	0.85
2203		-0.0026 GY	0.90
1886		-0.0026 GY	0.05
1886		-0.0077 GY	0.11
1886		-0.0128 GY	0.17
1886		-0.0180 GY	0.24

1886	-0.0231 GY	0.31
1886	-0.0282 GY	0.37
1886	-0.0333 GY	0.44
1886	-0.0385 GY	0.51
1886	-0.0392 GY	0.58
1886	-0.0340 GY	0.64
1886	-0.0288 GY	0.71
1886	-0.0235 GY	0.78
1886	-0.0183 GY	0.85
1886	-0.0131 GY	0.92
1886	-0.0078 GY	0.99
1886	-0.0026 GY	1.05
1820	-0.0025 GY	0.04

1820	-0.0074 GY	0.09
1820	-0.0123 GY	0.14
1820	-0.0172 GY	0.20
1820	-0.0221 GY	0.26
1820	-0.0271 GY	0.31
1820	-0.0320 GY	0.37
1820	-0.0369 GY	0.43
1820	-0.0392 GY	0.49
1820	-0.0340 GY	0.55
1820	-0.0288 GY	0.61
1820	-0.0235 GY	0.67
1820	-0.0183 GY	0.73
1820	-0.0131 GY	0.79
1820	-0.0078 GY	0.85
1820	-0.0026 GY	0.90
1887	-0.0027 GY	0.05
1887	-0.0081 GY	0.11
1887	-0.0134 GY	0.18
1887	-0.0188 GY	0.25
1887	-0.0242 GY	0.32
1887	-0.0295 GY	0.39
1887	-0.0349 GY	0.46
1887	-0.0403 GY	0.53
1887	-0.0374 GY	0.60
1887	-0.0325 GY	0.67
1887	-0.0275 GY	0.73
1887	-0.0225 GY	0.80
1887	-0.0175 GY	0.86
1887	-0.0125 GY	0.93
1887	-0.0075 GY	0.99
1887	-0.0025 GY	1.05
1755	-0.0022 GY	0.04

1755		-0.0065 GY	0.09
1755		-0.0108 GY	0.15
1755		-0.0151 GY	0.21
1755		-0.0194 GY	0.27
1755		-0.0237 GY	0.32
1755		-0.0280 GY	0.38
1755		-0.0324 GY	0.44
1755		-0.0324 GY	0.50
1755		-0.0280 GY	0.56
1755		-0.0237 GY	0.62
1755		-0.0194 GY	0.67
1755		-0.0151 GY	0.73
1755		-0.0108 GY	0.79
1755		-0.0065 GY	0.85
1755		-0.0022 GY	0.90
1885		-0.0022 GY	0.04
1885		-0.0065 GY	0.09
1885		-0.0108 GY	0.15
1885		-0.0151 GY	0.21
1885		-0.0194 GY	0.27
1885		-0.0237 GY	0.32
1885		-0.0280 GY	0.38
1885		-0.0324 GY	0.44
1885	-0.5875 GY	0.47	0.62

1885		-0.0324 GY	0.65
1885		-0.0280 GY	0.71
1885		-0.0237 GY	0.77
1885		-0.0194 GY	0.83
1885		-0.0151 GY	0.89
1885		-0.0108 GY	0.95
1885		-0.0065 GY	1.00
1885		-0.0022 GY	1.06
1821		-0.0022 GY	0.04
1821		-0.0065 GY	0.09
1821		-0.0108 GY	0.15
1821		-0.0151 GY	0.21
1821		-0.0194 GY	0.27
1821		-0.0237 GY	0.32
1821		-0.0280 GY	0.38
1821		-0.0324 GY	0.44
1821		-0.0324 GY	0.50
1821		-0.0280 GY	0.56
1821		-0.0237 GY	0.62
1821		-0.0194 GY	0.67
1821		-0.0151 GY	0.73

1821		-0.0108	GY	0.79
1821		-0.0065	GY	0.85
1821		-0.0022	GY	0.90
1886		-0.0022	GY	0.04
1886		-0.0065	GY	0.09
1886		-0.0108	GY	0.15
1886		-0.0151	GY	0.21
1886		-0.0194	GY	0.27
1886		-0.0237	GY	0.32
1886		-0.0280	GY	0.38
1886		-0.0324	GY	0.44
1886	-0.5875 GY	0.47	0.62	
1886		-0.0324	GY	0.65
1886		-0.0280	GY	0.71
1886		-0.0237	GY	0.77
1886		-0.0194	GY	0.83
1886		-0.0151	GY	0.89
1886		-0.0108	GY	0.95
1886		-0.0065	GY	1.00
1886		-0.0022	GY	1.06
1756		-0.0027	GY	0.04
1756		-0.0081	GY	0.10
1756		-0.0135	GY	0.17
1756		-0.0188	GY	0.23
1756		-0.0242	GY	0.30
1756		-0.0296	GY	0.36
1756		-0.0350	GY	0.43
1756		-0.0404	GY	0.49
1756		-0.0404	GY	0.56
1756		-0.0350	GY	0.62
1756		-0.0296	GY	0.69
1756		-0.0242	GY	0.75
1756		-0.0188	GY	0.82
1756		-0.0135	GY	0.88
1756		-0.0081	GY	0.95

1756		-0.0027	GY	1.01
1884		-0.0027	GY	0.04
1884		-0.0081	GY	0.10
1884		-0.0135	GY	0.17
1884		-0.0188	GY	0.23
1884		-0.0242	GY	0.30
1884		-0.0296	GY	0.36
1884		-0.0350	GY	0.43
1884		-0.0404	GY	0.49
1884	-0.6562 GY	0.52	0.57	

1884		-0.0404 GY	0.60
1884		-0.0350 GY	0.67
1884		-0.0296 GY	0.73
1884		-0.0242 GY	0.80
1884		-0.0188 GY	0.86
1884		-0.0135 GY	0.93
1884		-0.0081 GY	0.99
1884		-0.0027 GY	1.05
1822		-0.0027 GY	0.04
1822		-0.0081 GY	0.10
1822		-0.0135 GY	0.17
1822		-0.0188 GY	0.23
1822		-0.0242 GY	0.30
1822		-0.0296 GY	0.36
1822		-0.0350 GY	0.43
1822		-0.0404 GY	0.49
1822		-0.0404 GY	0.56
1822		-0.0350 GY	0.62
1822		-0.0296 GY	0.69
1822		-0.0242 GY	0.75
1822		-0.0188 GY	0.82
1822		-0.0135 GY	0.88
1822		-0.0081 GY	0.95
1822		-0.0027 GY	1.01
1885		-0.0027 GY	0.04
1885		-0.0081 GY	0.10
1885		-0.0135 GY	0.17
1885		-0.0188 GY	0.23
1885		-0.0242 GY	0.30
1885		-0.0296 GY	0.36
1885		-0.0350 GY	0.43
1885		-0.0404 GY	0.49
1885	-0.6563 GY	0.52	0.57
1885		-0.0404 GY	0.60
1885		-0.0350 GY	0.67
1885		-0.0296 GY	0.73
1885		-0.0242 GY	0.80
1885		-0.0188 GY	0.86
1885		-0.0135 GY	0.93
1885		-0.0081 GY	0.99
1885		-0.0027 GY	1.05
1760		-0.0022 GY	0.04
1760		-0.0065 GY	0.09
1760		-0.0108 GY	0.15
1760		-0.0151 GY	0.21
1760		-0.0194 GY	0.27

1760		-0.0237 GY	0.32
1760		-0.0280 GY	0.38
1760		-0.0324 GY	0.44
1760		-0.0324 GY	0.50
1760		-0.0280 GY	0.56
1760		-0.0237 GY	0.62
1760		-0.0194 GY	0.67
1760		-0.0151 GY	0.73
1760		-0.0108 GY	0.79
1760		-0.0065 GY	0.85
1760		-0.0022 GY	0.90
1881		-0.0022 GY	0.04
1881		-0.0065 GY	0.09
1881		-0.0108 GY	0.15
1881		-0.0151 GY	0.21
1881		-0.0194 GY	0.27
1881		-0.0237 GY	0.32
1881		-0.0280 GY	0.38
1881		-0.0324 GY	0.44
1881	-0.5875 GY	0.47	0.62
1881		-0.0324 GY	0.65
1881		-0.0280 GY	0.71
1881		-0.0237 GY	0.77
1881		-0.0194 GY	0.83
1881		-0.0151 GY	0.89
1881		-0.0108 GY	0.95
1881		-0.0065 GY	1.00
1881		-0.0022 GY	1.06
1826		-0.0022 GY	0.04
1826		-0.0065 GY	0.09
1826		-0.0108 GY	0.15
1826		-0.0151 GY	0.21
1826		-0.0194 GY	0.27
1826		-0.0237 GY	0.32
1826		-0.0280 GY	0.38
1826		-0.0324 GY	0.44
1826		-0.0324 GY	0.50
1826		-0.0280 GY	0.56
1826		-0.0237 GY	0.62
1826		-0.0194 GY	0.67
1826		-0.0151 GY	0.73
1826		-0.0108 GY	0.79
1826		-0.0065 GY	0.85
1826		-0.0022 GY	0.90
1882		-0.0022 GY	0.04
1882		-0.0065 GY	0.09

1882		-0.0108 GY	0.15
1882		-0.0151 GY	0.21
1882		-0.0194 GY	0.27
1882		-0.0237 GY	0.32
1882		-0.0280 GY	0.38
1882		-0.0324 GY	0.44
1882	-0.5875 GY	0.47	0.62
1882		-0.0324 GY	0.65
1882		-0.0280 GY	0.71
1882		-0.0237 GY	0.77

1882		-0.0194 GY	0.83
1882		-0.0151 GY	0.89
1882		-0.0108 GY	0.95
1882		-0.0065 GY	1.00
1882		-0.0022 GY	1.06
1761		-0.0022 GY	0.04
1761		-0.0065 GY	0.09
1761		-0.0108 GY	0.15
1761		-0.0151 GY	0.21
1761		-0.0194 GY	0.27
1761		-0.0237 GY	0.32
1761		-0.0280 GY	0.38
1761		-0.0324 GY	0.44
1761		-0.0324 GY	0.50
1761		-0.0280 GY	0.56
1761		-0.0237 GY	0.62
1761		-0.0194 GY	0.67
1761		-0.0151 GY	0.73
1761		-0.0108 GY	0.79
1761		-0.0065 GY	0.85
1761		-0.0022 GY	0.90
1880		-0.0022 GY	0.04
1880		-0.0065 GY	0.09
1880		-0.0108 GY	0.15
1880		-0.0151 GY	0.21
1880		-0.0194 GY	0.27
1880		-0.0237 GY	0.32
1880		-0.0280 GY	0.38
1880		-0.0324 GY	0.44
1880	-0.5875 GY	0.47	0.62
1880		-0.0324 GY	0.65
1880		-0.0280 GY	0.71
1880		-0.0237 GY	0.77
1880		-0.0194 GY	0.83
1880		-0.0151 GY	0.89

1880		-0.0108 GY	0.95
1880		-0.0065 GY	1.00
1880		-0.0022 GY	1.06
1827		-0.0022 GY	0.04
1827		-0.0065 GY	0.09
1827		-0.0108 GY	0.15
1827		-0.0151 GY	0.21
1827		-0.0194 GY	0.27
1827		-0.0237 GY	0.32
1827		-0.0280 GY	0.38
1827		-0.0324 GY	0.44
1827		-0.0324 GY	0.50
1827		-0.0280 GY	0.56
1827		-0.0237 GY	0.62
1827		-0.0194 GY	0.67
1827		-0.0151 GY	0.73
1827		-0.0108 GY	0.79
1827		-0.0065 GY	0.85
1827		-0.0022 GY	0.90
1881		-0.0022 GY	0.04
1881		-0.0065 GY	0.09

1881		-0.0108 GY	0.15
1881		-0.0151 GY	0.21
1881		-0.0194 GY	0.27
1881		-0.0237 GY	0.32
1881		-0.0280 GY	0.38
1881		-0.0324 GY	0.44
1881	-0.5875 GY	0.47	0.62
1881		-0.0324 GY	0.65
1881		-0.0280 GY	0.71
1881		-0.0237 GY	0.77
1881		-0.0194 GY	0.83
1881		-0.0151 GY	0.89
1881		-0.0108 GY	0.95
1881		-0.0065 GY	1.00
1881		-0.0022 GY	1.06
1762		-0.0022 GY	0.04
1762		-0.0065 GY	0.09
1762		-0.0108 GY	0.15
1762		-0.0151 GY	0.21
1762		-0.0194 GY	0.27
1762		-0.0237 GY	0.32
1762		-0.0280 GY	0.38
1762		-0.0324 GY	0.44
1762		-0.0324 GY	0.50

1762		-0.0280 GY	0.56
1762		-0.0237 GY	0.62
1762		-0.0194 GY	0.67
1762		-0.0151 GY	0.73
1762		-0.0108 GY	0.79
1762		-0.0065 GY	0.85
1762		-0.0022 GY	0.90
1879		-0.0022 GY	0.04
1879		-0.0065 GY	0.09
1879		-0.0108 GY	0.15
1879		-0.0151 GY	0.21
1879		-0.0194 GY	0.27
1879		-0.0237 GY	0.32
1879		-0.0280 GY	0.38
1879		-0.0324 GY	0.44
1879	-0.5875 GY	0.47	0.63
1879		-0.0324 GY	0.65
1879		-0.0280 GY	0.71
1879		-0.0237 GY	0.77
1879		-0.0194 GY	0.83
1879		-0.0151 GY	0.89
1879		-0.0108 GY	0.95
1879		-0.0065 GY	1.00
1879		-0.0022 GY	1.06
1828		-0.0022 GY	0.04
1828		-0.0065 GY	0.09
1828		-0.0108 GY	0.15
1828		-0.0151 GY	0.21
1828		-0.0194 GY	0.27
1828		-0.0237 GY	0.32
1828		-0.0280 GY	0.38
1828		-0.0324 GY	0.44

1828		-0.0324 GY	0.50
1828		-0.0280 GY	0.56
1828		-0.0237 GY	0.62
1828		-0.0194 GY	0.67
1828		-0.0151 GY	0.73
1828		-0.0108 GY	0.79
1828		-0.0065 GY	0.85
1828		-0.0022 GY	0.90
1880		-0.0022 GY	0.04
1880		-0.0065 GY	0.09
1880		-0.0108 GY	0.15
1880		-0.0151 GY	0.21
1880		-0.0194 GY	0.27

1880			-0.0237	GY	0.32		
1880			-0.0280	GY	0.38		
1880			-0.0324	GY	0.44		
1880	-0.5875	GY	0.47	0.63			
1880			-0.0324	GY	0.65		
1880			-0.0280	GY	0.71		
1880			-0.0237	GY	0.77		
1880			-0.0194	GY	0.83		
1880			-0.0151	GY	0.89		
1880			-0.0108	GY	0.95		
1880			-0.0065	GY	1.00		
1880			-0.0022	GY	1.06		

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
1		-0.0001	GY	0.03			
1		-0.0003	GY	0.08			
1		-0.0005	GY	0.13			
1		-0.0007	GY	0.17			
1		-0.0009	GY	0.22			
1		-0.0011	GY	0.27			
1		-0.0013	GY	0.32			
1		-0.0015	GY	0.37			
1		-0.0015	GY	0.42			
1		-0.0013	GY	0.47			
1		-0.0011	GY	0.52			
1		-0.0009	GY	0.57			
1		-0.0007	GY	0.62			
1		-0.0005	GY	0.66			
1		-0.0003	GY	0.71			
1		-0.0001	GY	0.76			
90		-0.0001	GY	0.03			
90		-0.0003	GY	0.08			
90		-0.0005	GY	0.13			
90		-0.0007	GY	0.17			
90		-0.0009	GY	0.22			
90		-0.0011	GY	0.27			
90		-0.0013	GY	0.32			
90		-0.0015	GY	0.37			
90	-0.0316	GY	0.40	0.70			

90		-0.0015	GY	0.72			
90		-0.0013	GY	0.77			

90		-0.0011 GY	0.82
90		-0.0009 GY	0.87
90		-0.0007 GY	0.92
90		-0.0005 GY	0.97
90		-0.0003 GY	1.02
90		-0.0001 GY	1.06
356		-0.0001 GY	0.03
356		-0.0003 GY	0.08
356		-0.0005 GY	0.13
356		-0.0007 GY	0.17
356		-0.0009 GY	0.22
356		-0.0011 GY	0.27
356		-0.0013 GY	0.32
356		-0.0015 GY	0.37
356		-0.0015 GY	0.42
356		-0.0013 GY	0.47
356		-0.0011 GY	0.52
356		-0.0009 GY	0.57
356		-0.0007 GY	0.62
356		-0.0005 GY	0.66
356		-0.0003 GY	0.71
356		-0.0001 GY	0.76
89		-0.0001 GY	0.03
89		-0.0003 GY	0.08
89		-0.0005 GY	0.13
89		-0.0007 GY	0.17
89		-0.0009 GY	0.22
89		-0.0011 GY	0.27
89		-0.0013 GY	0.32
89		-0.0015 GY	0.37
89	-0.0316 GY	0.40	0.70
89		-0.0015 GY	0.72
89		-0.0013 GY	0.77
89		-0.0011 GY	0.82
89		-0.0009 GY	0.87
89		-0.0007 GY	0.92
89		-0.0005 GY	0.97
89		-0.0003 GY	1.02
89		-0.0001 GY	1.06
2		-0.0002 GY	0.04
2		-0.0005 GY	0.10
2		-0.0008 GY	0.16
2		-0.0011 GY	0.22
2		-0.0014 GY	0.28
2		-0.0017 GY	0.34
2		-0.0020 GY	0.40
2		-0.0023 GY	0.47

2 -0.0023 GY 0.53
2 -0.0020 GY 0.59
2 -0.0017 GY 0.65
2 -0.0014 GY 0.71
2 -0.0011 GY 0.77
2 -0.0008 GY 0.84
2 -0.0005 GY 0.90

2 -0.0002 GY 0.95
675 -0.0002 GY 0.04
675 -0.0005 GY 0.10
675 -0.0008 GY 0.16
675 -0.0011 GY 0.22
675 -0.0014 GY 0.28
675 -0.0017 GY 0.34
675 -0.0020 GY 0.40
675 -0.0023 GY 0.47
675 -0.0397 GY 0.50 0.60
675 -0.0023 GY 0.63
675 -0.0020 GY 0.69
675 -0.0017 GY 0.75
675 -0.0014 GY 0.82
675 -0.0011 GY 0.88
675 -0.0008 GY 0.94
675 -0.0005 GY 1.00
675 -0.0002 GY 1.05
671 -0.0002 GY 0.04
671 -0.0005 GY 0.10
671 -0.0008 GY 0.16
671 -0.0011 GY 0.22
671 -0.0014 GY 0.28
671 -0.0017 GY 0.34
671 -0.0020 GY 0.40
671 -0.0023 GY 0.47
671 -0.0023 GY 0.53
671 -0.0020 GY 0.59
671 -0.0017 GY 0.65
671 -0.0014 GY 0.71
671 -0.0011 GY 0.77
671 -0.0008 GY 0.84
671 -0.0005 GY 0.90
671 -0.0002 GY 0.95
672 -0.0002 GY 0.04
672 -0.0005 GY 0.10
672 -0.0008 GY 0.16
672 -0.0011 GY 0.22

672		-0.0014 GY	0.28
672		-0.0017 GY	0.34
672		-0.0020 GY	0.40
672		-0.0023 GY	0.47
672	-0.0397 GY	0.50	0.60
672		-0.0023 GY	0.63
672		-0.0020 GY	0.69
672		-0.0017 GY	0.75
672		-0.0014 GY	0.82
672		-0.0011 GY	0.88
672		-0.0008 GY	0.94
672		-0.0005 GY	1.00
672		-0.0002 GY	1.05
695		-0.0001 GY	0.04
695		-0.0004 GY	0.09
695		-0.0007 GY	0.15
695		-0.0010 GY	0.21
695		-0.0012 GY	0.27

695		-0.0015 GY	0.32
695		-0.0018 GY	0.38
695		-0.0021 GY	0.44
695	-0.0376 GY	0.47	0.63
695		-0.0021 GY	0.65
695		-0.0018 GY	0.71
695		-0.0015 GY	0.77
695		-0.0012 GY	0.83
695		-0.0010 GY	0.89
695		-0.0007 GY	0.95
695		-0.0004 GY	1.00
695		-0.0001 GY	1.06
2040		-0.0018 GY	0.03
2040		-0.0015 GY	0.08
2040		-0.0013 GY	0.14
2040		-0.0011 GY	0.19
2040		-0.0008 GY	0.24
2040		-0.0006 GY	0.30
2040		-0.0004 GY	0.35
2040		-0.0001 GY	0.40
655		-0.0001 GY	0.04
655		-0.0004 GY	0.09
655		-0.0007 GY	0.15
655		-0.0010 GY	0.21
655		-0.0012 GY	0.27
655		-0.0015 GY	0.32
655		-0.0018 GY	0.38

655		-0.0021 GY	0.44
655		-0.0002 GY	0.47
655		-0.0002 GY	0.48
655		-0.0002 GY	0.48
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.50
655		-0.0002 GY	0.50
94		-0.0001 GY	0.04
94		-0.0004 GY	0.09
94		-0.0007 GY	0.15
94		-0.0010 GY	0.21
94		-0.0012 GY	0.27
94		-0.0015 GY	0.32
94		-0.0018 GY	0.38
94		-0.0021 GY	0.44
94	-0.0376 GY	0.47	0.63
94		-0.0021 GY	0.65
94		-0.0018 GY	0.71
94		-0.0015 GY	0.77
94		-0.0012 GY	0.83
94		-0.0010 GY	0.89
94		-0.0007 GY	0.95
94		-0.0004 GY	1.00
94		-0.0001 GY	1.06
3		-0.0018 GY	0.03
3		-0.0015 GY	0.08
3		-0.0013 GY	0.14

3		-0.0011 GY	0.19
3		-0.0008 GY	0.24
3		-0.0006 GY	0.30
3		-0.0004 GY	0.35
3		-0.0001 GY	0.40
1683		-0.0001 GY	0.04
1683		-0.0004 GY	0.09
1683		-0.0007 GY	0.15
1683		-0.0010 GY	0.21
1683		-0.0012 GY	0.27
1683		-0.0015 GY	0.32
1683		-0.0018 GY	0.38
1683		-0.0021 GY	0.44
1683		-0.0002 GY	0.47
1683		-0.0002 GY	0.48
1683		-0.0002 GY	0.48

1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.49
1683		-0.0002 GY	0.50
1683		-0.0002 GY	0.50
5		-0.0001 GY	0.04
5		-0.0004 GY	0.09
5		-0.0007 GY	0.15
5		-0.0010 GY	0.21
5		-0.0012 GY	0.27
5		-0.0015 GY	0.32
5		-0.0018 GY	0.38
5		-0.0021 GY	0.44
5		-0.0021 GY	0.50
5		-0.0018 GY	0.56
5		-0.0015 GY	0.62
5		-0.0012 GY	0.67
5		-0.0010 GY	0.73
5		-0.0007 GY	0.79
5		-0.0004 GY	0.85
5		-0.0001 GY	0.90
668		-0.0001 GY	0.04
668		-0.0004 GY	0.09
668		-0.0007 GY	0.15
668		-0.0010 GY	0.21
668		-0.0012 GY	0.27
668		-0.0015 GY	0.32
668		-0.0018 GY	0.38
668		-0.0021 GY	0.44
668	-0.0376 GY	0.47	0.63
668		-0.0021 GY	0.65
668		-0.0018 GY	0.71
668		-0.0015 GY	0.77
668		-0.0012 GY	0.83
668		-0.0010 GY	0.89
668		-0.0007 GY	0.95
668		-0.0004 GY	1.00
668		-0.0001 GY	1.06
653		-0.0001 GY	0.04
653		-0.0004 GY	0.09

653		-0.0007 GY	0.15
653		-0.0010 GY	0.21
653		-0.0012 GY	0.27
653		-0.0015 GY	0.32
653		-0.0018 GY	0.38

653		-0.0021 GY	0.44
653		-0.0021 GY	0.50
653		-0.0018 GY	0.56
653		-0.0015 GY	0.62
653		-0.0012 GY	0.67
653		-0.0010 GY	0.73
653		-0.0007 GY	0.79
653		-0.0004 GY	0.85
653		-0.0001 GY	0.90
90		-0.0001 GY	0.04
90		-0.0004 GY	0.09
90		-0.0007 GY	0.15
90		-0.0010 GY	0.21
90		-0.0012 GY	0.27
90		-0.0015 GY	0.32
90		-0.0018 GY	0.38
90		-0.0021 GY	0.44
90	-0.0376 GY	0.47	0.63
90		-0.0021 GY	0.65
90		-0.0018 GY	0.71
90		-0.0015 GY	0.77
90		-0.0012 GY	0.83
90		-0.0010 GY	0.89
90		-0.0007 GY	0.95
90		-0.0004 GY	1.00
90		-0.0001 GY	1.06
11		-0.0001 GY	0.04
11		-0.0004 GY	0.09
11		-0.0007 GY	0.15
11		-0.0010 GY	0.21
11		-0.0012 GY	0.27
11		-0.0015 GY	0.32
11		-0.0018 GY	0.38
11		-0.0021 GY	0.44
11		-0.0021 GY	0.50
11		-0.0018 GY	0.56
11		-0.0015 GY	0.62
11		-0.0012 GY	0.67
11		-0.0010 GY	0.73
11		-0.0007 GY	0.79
11		-0.0004 GY	0.85
11		-0.0001 GY	0.90
94		-0.0001 GY	0.04
94		-0.0004 GY	0.09
94		-0.0007 GY	0.15
94		-0.0010 GY	0.21
94		-0.0012 GY	0.27

94 -0.0015 GY 0.32
94 -0.0018 GY 0.38
94 -0.0021 GY 0.44
94 -0.0376 GY 0.47 0.63
_ STAAD SPACE -- PAGE NO. 438

94 -0.0021 GY 0.65
94 -0.0018 GY 0.71
94 -0.0015 GY 0.77
94 -0.0012 GY 0.83
94 -0.0010 GY 0.89
94 -0.0007 GY 0.95
94 -0.0004 GY 1.00
94 -0.0001 GY 1.06
2039 -0.0001 GY 0.04
2039 -0.0004 GY 0.09
2039 -0.0007 GY 0.15
2039 -0.0010 GY 0.21
2039 -0.0012 GY 0.27
2039 -0.0015 GY 0.32
2039 -0.0018 GY 0.38
2039 -0.0021 GY 0.44
2039 -0.0021 GY 0.50
2039 -0.0018 GY 0.56
2039 -0.0015 GY 0.62
2039 -0.0012 GY 0.67
2039 -0.0010 GY 0.73
2039 -0.0007 GY 0.79
2039 -0.0004 GY 0.85
2039 -0.0001 GY 0.90
691 -0.0001 GY 0.04
691 -0.0004 GY 0.09
691 -0.0007 GY 0.15
691 -0.0010 GY 0.21
691 -0.0012 GY 0.27
691 -0.0015 GY 0.32
691 -0.0018 GY 0.38
691 -0.0021 GY 0.44
691 -0.0376 GY 0.47 0.63
691 -0.0021 GY 0.65
691 -0.0018 GY 0.71
691 -0.0015 GY 0.77
691 -0.0012 GY 0.83
691 -0.0010 GY 0.89
691 -0.0007 GY 0.95
691 -0.0004 GY 1.00
691 -0.0001 GY 1.06

15	-0.0001 GY	0.04
15	-0.0004 GY	0.08
15	-0.0007 GY	0.13
15	-0.0010 GY	0.19
15	-0.0013 GY	0.24
15	-0.0016 GY	0.29
15	-0.0019 GY	0.35
15	-0.0022 GY	0.40
15	-0.0021 GY	0.45
15	-0.0018 GY	0.50
15	-0.0016 GY	0.55
15	-0.0013 GY	0.60
15	-0.0010 GY	0.65
15	-0.0007 GY	0.71
15	-0.0004 GY	0.76

15	-0.0001 GY	0.80
1551	-0.0001 GY	0.05
1551	-0.0004 GY	0.11
1551	-0.0007 GY	0.17
1551	-0.0010 GY	0.24
1551	-0.0013 GY	0.31
1551	-0.0016 GY	0.37
1551	-0.0019 GY	0.44
1551	-0.0022 GY	0.51
1551	-0.0022 GY	0.58
1551	-0.0019 GY	0.64
1551	-0.0016 GY	0.71
1551	-0.0013 GY	0.78
1551	-0.0010 GY	0.85
1551	-0.0007 GY	0.92
1551	-0.0004 GY	0.99
1551	-0.0001 GY	1.05
365	-0.0001 GY	0.04
365	-0.0004 GY	0.08
365	-0.0007 GY	0.13
365	-0.0010 GY	0.19
365	-0.0013 GY	0.24
365	-0.0016 GY	0.29
365	-0.0019 GY	0.35
365	-0.0022 GY	0.40
365	-0.0022 GY	0.45
365	-0.0019 GY	0.51
365	-0.0016 GY	0.56
365	-0.0013 GY	0.61
365	-0.0010 GY	0.67

365		-0.0007 GY	0.72
365		-0.0004 GY	0.78
365		-0.0001 GY	0.82
95		-0.0001 GY	0.05
95		-0.0004 GY	0.11
95		-0.0007 GY	0.17
95		-0.0010 GY	0.24
95		-0.0013 GY	0.31
95		-0.0016 GY	0.38
95		-0.0019 GY	0.45
95		-0.0022 GY	0.52
95		-0.0022 GY	0.58
95		-0.0019 GY	0.65
95		-0.0016 GY	0.72
95		-0.0013 GY	0.79
95		-0.0010 GY	0.86
95		-0.0007 GY	0.92
95		-0.0004 GY	0.99
95		-0.0001 GY	1.05
57		-0.0001 GY	0.03
57		-0.0003 GY	0.08
57		-0.0005 GY	0.13
57		-0.0007 GY	0.17
57		-0.0009 GY	0.22
57		-0.0011 GY	0.27
57		-0.0013 GY	0.32

57		-0.0015 GY	0.37
57		-0.0015 GY	0.42
57		-0.0013 GY	0.47
57		-0.0011 GY	0.52
57		-0.0009 GY	0.57
57		-0.0007 GY	0.62
57		-0.0005 GY	0.66
57		-0.0003 GY	0.71
57		-0.0001 GY	0.76
293		-0.0001 GY	0.03
293		-0.0003 GY	0.08
293		-0.0005 GY	0.13
293		-0.0007 GY	0.17
293		-0.0009 GY	0.22
293		-0.0011 GY	0.27
293		-0.0013 GY	0.32
293		-0.0015 GY	0.37
293	-0.0316 GY	0.39	0.70
293		-0.0015 GY	0.72

293		-0.0013 GY	0.77
293		-0.0011 GY	0.82
293		-0.0009 GY	0.87
293		-0.0007 GY	0.92
293		-0.0005 GY	0.97
293		-0.0003 GY	1.02
293		-0.0001 GY	1.06
356		-0.0001 GY	0.03
356		-0.0003 GY	0.08
356		-0.0005 GY	0.13
356		-0.0007 GY	0.17
356		-0.0009 GY	0.22
356		-0.0011 GY	0.27
356		-0.0013 GY	0.32
356		-0.0015 GY	0.37
356		-0.0015 GY	0.42
356		-0.0013 GY	0.47
356		-0.0011 GY	0.52
356		-0.0009 GY	0.57
356		-0.0007 GY	0.62
356		-0.0005 GY	0.66
356		-0.0003 GY	0.71
356		-0.0001 GY	0.76
294		-0.0001 GY	0.03
294		-0.0003 GY	0.08
294		-0.0005 GY	0.13
294		-0.0007 GY	0.17
294		-0.0009 GY	0.22
294		-0.0011 GY	0.27
294		-0.0013 GY	0.32
294		-0.0015 GY	0.37
294	-0.0316 GY	0.39	0.70
294		-0.0015 GY	0.72
294		-0.0013 GY	0.77
294		-0.0011 GY	0.82
294		-0.0009 GY	0.87
294		-0.0007 GY	0.92

294		-0.0005 GY	0.97
294		-0.0003 GY	1.02
294		-0.0001 GY	1.06
58		-0.0002 GY	0.04
58		-0.0005 GY	0.10
58		-0.0008 GY	0.16
58		-0.0011 GY	0.22
58		-0.0014 GY	0.28

58		-0.0017 GY	0.34
58		-0.0020 GY	0.40
58		-0.0023 GY	0.47
58		-0.0023 GY	0.53
58		-0.0020 GY	0.59
58		-0.0017 GY	0.65
58		-0.0014 GY	0.71
58		-0.0011 GY	0.77
58		-0.0008 GY	0.84
58		-0.0005 GY	0.90
58		-0.0002 GY	0.95
677		-0.0002 GY	0.04
677		-0.0005 GY	0.10
677		-0.0008 GY	0.16
677		-0.0011 GY	0.22
677		-0.0014 GY	0.28
677		-0.0017 GY	0.34
677		-0.0020 GY	0.40
677		-0.0023 GY	0.47
677	-0.0397 GY	0.50	0.60
677		-0.0023 GY	0.63
677		-0.0020 GY	0.69
677		-0.0017 GY	0.75
677		-0.0014 GY	0.82
677		-0.0011 GY	0.88
677		-0.0008 GY	0.94
677		-0.0005 GY	1.00
677		-0.0002 GY	1.05
671		-0.0002 GY	0.04
671		-0.0005 GY	0.10
671		-0.0008 GY	0.16
671		-0.0011 GY	0.22
671		-0.0014 GY	0.28
671		-0.0017 GY	0.34
671		-0.0020 GY	0.40
671		-0.0023 GY	0.47
671		-0.0023 GY	0.53
671		-0.0020 GY	0.59
671		-0.0017 GY	0.65
671		-0.0014 GY	0.71
671		-0.0011 GY	0.77
671		-0.0008 GY	0.84
671		-0.0005 GY	0.90
671		-0.0002 GY	0.95
673		-0.0002 GY	0.04
673		-0.0005 GY	0.10
673		-0.0008 GY	0.16

673 -0.0011 GY 0.22

673 -0.0014 GY 0.28
673 -0.0017 GY 0.34
673 -0.0020 GY 0.40
673 -0.0023 GY 0.47
673 -0.0397 GY 0.50 0.60
673 -0.0023 GY 0.63
673 -0.0020 GY 0.69
673 -0.0017 GY 0.75
673 -0.0014 GY 0.82
673 -0.0011 GY 0.88
673 -0.0008 GY 0.94
673 -0.0005 GY 1.00
673 -0.0002 GY 1.05
697 -0.0001 GY 0.04
697 -0.0004 GY 0.09
697 -0.0007 GY 0.15
697 -0.0010 GY 0.21
697 -0.0012 GY 0.27
697 -0.0015 GY 0.32
697 -0.0018 GY 0.38
697 -0.0021 GY 0.44
697 -0.0376 GY 0.47 0.63
697 -0.0021 GY 0.65
697 -0.0018 GY 0.71
697 -0.0015 GY 0.77
697 -0.0012 GY 0.83
697 -0.0010 GY 0.89
697 -0.0007 GY 0.95
697 -0.0004 GY 1.00
697 -0.0001 GY 1.06
2040 -0.0018 GY 0.03
2040 -0.0015 GY 0.08
2040 -0.0013 GY 0.14
2040 -0.0011 GY 0.19
2040 -0.0008 GY 0.24
2040 -0.0006 GY 0.30
2040 -0.0004 GY 0.35
2040 -0.0001 GY 0.40
655 -0.0001 GY 0.04
655 -0.0004 GY 0.09
655 -0.0007 GY 0.15
655 -0.0010 GY 0.21
655 -0.0012 GY 0.27
655 -0.0015 GY 0.32

655		-0.0018 GY	0.38
655		-0.0021 GY	0.44
655		-0.0002 GY	0.47
655		-0.0002 GY	0.48
655		-0.0002 GY	0.48
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.49
655		-0.0002 GY	0.50
655		-0.0002 GY	0.50
298		-0.0001 GY	0.04
298		-0.0004 GY	0.09

298		-0.0007 GY	0.15
298		-0.0010 GY	0.21
298		-0.0012 GY	0.27
298		-0.0015 GY	0.32
298		-0.0018 GY	0.38
298		-0.0021 GY	0.44
298	-0.0376 GY	0.47	0.63
298		-0.0021 GY	0.65
298		-0.0018 GY	0.71
298		-0.0015 GY	0.77
298		-0.0012 GY	0.83
298		-0.0010 GY	0.89
298		-0.0007 GY	0.95
298		-0.0004 GY	1.00
298		-0.0001 GY	1.06
59		-0.0018 GY	0.03
59		-0.0015 GY	0.08
59		-0.0013 GY	0.14
59		-0.0011 GY	0.19
59		-0.0008 GY	0.24
59		-0.0006 GY	0.30
59		-0.0004 GY	0.35
59		-0.0001 GY	0.40
69		-0.0001 GY	0.04
69		-0.0004 GY	0.09
69		-0.0007 GY	0.15
69		-0.0010 GY	0.21
69		-0.0012 GY	0.27
69		-0.0015 GY	0.32
69		-0.0018 GY	0.38
69		-0.0021 GY	0.44
69		-0.0002 GY	0.47
69		-0.0002 GY	0.48

69		-0.0002 GY	0.48
69		-0.0002 GY	0.49
69		-0.0002 GY	0.49
69		-0.0002 GY	0.49
69		-0.0002 GY	0.50
69		-0.0002 GY	0.50
61		-0.0001 GY	0.04
61		-0.0004 GY	0.09
61		-0.0007 GY	0.15
61		-0.0010 GY	0.21
61		-0.0012 GY	0.27
61		-0.0015 GY	0.32
61		-0.0018 GY	0.38
61		-0.0021 GY	0.44
61		-0.0021 GY	0.50
61		-0.0018 GY	0.56
61		-0.0015 GY	0.62
61		-0.0012 GY	0.67
61		-0.0010 GY	0.73
61		-0.0007 GY	0.79
61		-0.0004 GY	0.85
61		-0.0001 GY	0.90
670		-0.0001 GY	0.04

670		-0.0004 GY	0.09
670		-0.0007 GY	0.15
670		-0.0010 GY	0.21
670		-0.0012 GY	0.27
670		-0.0015 GY	0.32
670		-0.0018 GY	0.38
670		-0.0021 GY	0.44
670	-0.0376 GY	0.47	0.63
670		-0.0021 GY	0.65
670		-0.0018 GY	0.71
670		-0.0015 GY	0.77
670		-0.0012 GY	0.83
670		-0.0010 GY	0.89
670		-0.0007 GY	0.95
670		-0.0004 GY	1.00
670		-0.0001 GY	1.06
653		-0.0001 GY	0.04
653		-0.0004 GY	0.09
653		-0.0007 GY	0.15
653		-0.0010 GY	0.21
653		-0.0012 GY	0.27
653		-0.0015 GY	0.32

653		-0.0018 GY	0.38
653		-0.0021 GY	0.44
653		-0.0021 GY	0.50
653		-0.0018 GY	0.56
653		-0.0015 GY	0.62
653		-0.0012 GY	0.67
653		-0.0010 GY	0.73
653		-0.0007 GY	0.79
653		-0.0004 GY	0.85
653		-0.0001 GY	0.90
293		-0.0001 GY	0.04
293		-0.0004 GY	0.09
293		-0.0007 GY	0.15
293		-0.0010 GY	0.21
293		-0.0012 GY	0.27
293		-0.0015 GY	0.32
293		-0.0018 GY	0.38
293		-0.0021 GY	0.44
293	-0.0376 GY	0.47	0.63
293		-0.0021 GY	0.65
293		-0.0018 GY	0.71
293		-0.0015 GY	0.77
293		-0.0012 GY	0.83
293		-0.0010 GY	0.89
293		-0.0007 GY	0.95
293		-0.0004 GY	1.00
293		-0.0001 GY	1.06
63		-0.0001 GY	0.03
63		-0.0002 GY	0.06
63		-0.0003 GY	0.10
63		-0.0004 GY	0.13
63		-0.0005 GY	0.17
63		-0.0006 GY	0.21
63		-0.0008 GY	0.25

63		-0.0009 GY	0.29
63		-0.0009 GY	0.32
63		-0.0008 GY	0.36
63		-0.0006 GY	0.40
63		-0.0005 GY	0.44
63		-0.0004 GY	0.48
63		-0.0003 GY	0.51
63		-0.0002 GY	0.55
63		-0.0001 GY	0.58
296		-0.0001 GY	0.03
296		-0.0002 GY	0.06

296		-0.0003	GY	0.10
296		-0.0004	GY	0.13
296		-0.0005	GY	0.17
296		-0.0006	GY	0.21
296		-0.0008	GY	0.25
296		-0.0009	GY	0.29
296	-0.0244 GY	0.30	0.79	
296		-0.0009	GY	0.81
296		-0.0008	GY	0.85
296		-0.0006	GY	0.89
296		-0.0005	GY	0.92
296		-0.0004	GY	0.96
296		-0.0003	GY	1.00
296		-0.0002	GY	1.04
296		-0.0001	GY	1.07
363		-0.0001	GY	0.03
363		-0.0002	GY	0.06
363		-0.0003	GY	0.10
363		-0.0004	GY	0.13
363		-0.0005	GY	0.17
363		-0.0006	GY	0.21
363		-0.0008	GY	0.25
363		-0.0009	GY	0.29
363		-0.0009	GY	0.32
363		-0.0008	GY	0.36
363		-0.0006	GY	0.40
363		-0.0005	GY	0.44
363		-0.0004	GY	0.48
363		-0.0003	GY	0.51
363		-0.0002	GY	0.55
363		-0.0001	GY	0.58
295		-0.0001	GY	0.03
295		-0.0002	GY	0.06
295		-0.0003	GY	0.10
295		-0.0004	GY	0.13
295		-0.0005	GY	0.17
295		-0.0006	GY	0.21
295		-0.0008	GY	0.25
295		-0.0009	GY	0.29
295	-0.0244 GY	0.30	0.79	
295		-0.0009	GY	0.81
295		-0.0008	GY	0.85
295		-0.0006	GY	0.89
295		-0.0005	GY	0.92
295		-0.0004	GY	0.96

295		-0.0003 GY	1.00
295		-0.0002 GY	1.04
295		-0.0001 GY	1.07
65		-0.0001 GY	0.04
65		-0.0004 GY	0.09
65		-0.0007 GY	0.15
65		-0.0010 GY	0.21
65		-0.0012 GY	0.27
65		-0.0015 GY	0.32
65		-0.0018 GY	0.38
65		-0.0021 GY	0.44
65		-0.0021 GY	0.50
65		-0.0018 GY	0.56
65		-0.0015 GY	0.62
65		-0.0012 GY	0.67
65		-0.0010 GY	0.73
65		-0.0007 GY	0.79
65		-0.0004 GY	0.85
65		-0.0001 GY	0.90
681		-0.0001 GY	0.04
681		-0.0004 GY	0.09
681		-0.0007 GY	0.15
681		-0.0010 GY	0.21
681		-0.0012 GY	0.27
681		-0.0015 GY	0.32
681		-0.0018 GY	0.38
681		-0.0021 GY	0.44
681	-0.0376 GY	0.47	0.63
681		-0.0021 GY	0.65
681		-0.0018 GY	0.71
681		-0.0015 GY	0.77
681		-0.0012 GY	0.83
681		-0.0010 GY	0.89
681		-0.0007 GY	0.95
681		-0.0004 GY	1.00
681		-0.0001 GY	1.06
654		-0.0001 GY	0.04
654		-0.0004 GY	0.09
654		-0.0007 GY	0.15
654		-0.0010 GY	0.21
654		-0.0012 GY	0.27
654		-0.0015 GY	0.32
654		-0.0018 GY	0.38
654		-0.0021 GY	0.44
654		-0.0021 GY	0.50
654		-0.0018 GY	0.56
654		-0.0015 GY	0.62

654		-0.0012 GY	0.67
654		-0.0010 GY	0.73
654		-0.0007 GY	0.79
654		-0.0004 GY	0.85
654		-0.0001 GY	0.90
296		-0.0001 GY	0.04
296		-0.0004 GY	0.09
296		-0.0007 GY	0.15
296		-0.0010 GY	0.21

296		-0.0012 GY	0.27
296		-0.0015 GY	0.32
296		-0.0018 GY	0.38
296		-0.0021 GY	0.44
296	-0.0376 GY	0.47	0.63
296		-0.0021 GY	0.65
296		-0.0018 GY	0.71
296		-0.0015 GY	0.77
296		-0.0012 GY	0.83
296		-0.0010 GY	0.89
296		-0.0007 GY	0.95
296		-0.0004 GY	1.00
296		-0.0001 GY	1.06
67		-0.0001 GY	0.04
67		-0.0004 GY	0.09
67		-0.0007 GY	0.15
67		-0.0010 GY	0.21
67		-0.0012 GY	0.27
67		-0.0015 GY	0.32
67		-0.0018 GY	0.38
67		-0.0021 GY	0.44
67		-0.0021 GY	0.50
67		-0.0018 GY	0.56
67		-0.0015 GY	0.62
67		-0.0012 GY	0.67
67		-0.0010 GY	0.73
67		-0.0007 GY	0.79
67		-0.0004 GY	0.85
67		-0.0001 GY	0.90
298		-0.0001 GY	0.04
298		-0.0004 GY	0.09
298		-0.0007 GY	0.15
298		-0.0010 GY	0.21
298		-0.0012 GY	0.27
298		-0.0015 GY	0.32
298		-0.0018 GY	0.38

298		-0.0021 GY	0.44
298	-0.0376 GY	0.47	0.63
298		-0.0021 GY	0.65
298		-0.0018 GY	0.71
298		-0.0015 GY	0.77
298		-0.0012 GY	0.83
298		-0.0010 GY	0.89
298		-0.0007 GY	0.95
298		-0.0004 GY	1.00
298		-0.0001 GY	1.06
2039		-0.0001 GY	0.04
2039		-0.0004 GY	0.09
2039		-0.0007 GY	0.15
2039		-0.0010 GY	0.21
2039		-0.0012 GY	0.27
2039		-0.0015 GY	0.32
2039		-0.0018 GY	0.38
2039		-0.0021 GY	0.44
2039		-0.0021 GY	0.50
2039		-0.0018 GY	0.56

2039		-0.0015 GY	0.62
2039		-0.0012 GY	0.67
2039		-0.0010 GY	0.73
2039		-0.0007 GY	0.79
2039		-0.0004 GY	0.85
2039		-0.0001 GY	0.90
693		-0.0001 GY	0.04
693		-0.0004 GY	0.09
693		-0.0007 GY	0.15
693		-0.0010 GY	0.21
693		-0.0012 GY	0.27
693		-0.0015 GY	0.32
693		-0.0018 GY	0.38
693		-0.0021 GY	0.44
693	-0.0376 GY	0.47	0.63
693		-0.0021 GY	0.65
693		-0.0018 GY	0.71
693		-0.0015 GY	0.77
693		-0.0012 GY	0.83
693		-0.0010 GY	0.89
693		-0.0007 GY	0.95
693		-0.0004 GY	1.00
693		-0.0001 GY	1.06
71		-0.0001 GY	0.04
71		-0.0003 GY	0.08

71		-0.0006 GY	0.14
71		-0.0008 GY	0.19
71		-0.0010 GY	0.24
71		-0.0013 GY	0.30
71		-0.0015 GY	0.35
71		-0.0017 GY	0.40
71		-0.0017 GY	0.46
71		-0.0015 GY	0.51
71		-0.0013 GY	0.56
71		-0.0010 GY	0.62
71		-0.0008 GY	0.67
71		-0.0006 GY	0.72
71		-0.0003 GY	0.78
71		-0.0001 GY	0.82
1553		-0.0001 GY	0.04
1553		-0.0003 GY	0.08
1553		-0.0006 GY	0.14
1553		-0.0008 GY	0.19
1553		-0.0010 GY	0.24
1553		-0.0013 GY	0.30
1553		-0.0015 GY	0.35
1553		-0.0017 GY	0.40
1553	-0.0344 GY	0.43	0.67
1553		-0.0017 GY	0.69
1553		-0.0015 GY	0.75
1553		-0.0013 GY	0.80
1553		-0.0010 GY	0.85
1553		-0.0008 GY	0.91
1553		-0.0006 GY	0.96
1553		-0.0003 GY	1.01
1553		-0.0001 GY	1.06

365	-0.0001 GY	0.04
365	-0.0003 GY	0.08
365	-0.0006 GY	0.14
365	-0.0008 GY	0.19
365	-0.0010 GY	0.24
365	-0.0013 GY	0.30
365	-0.0015 GY	0.35
365	-0.0017 GY	0.40
365	-0.0017 GY	0.46
365	-0.0015 GY	0.51
365	-0.0013 GY	0.56
365	-0.0010 GY	0.62
365	-0.0008 GY	0.67
365	-0.0006 GY	0.72

365		-0.0003 GY	0.78
365		-0.0001 GY	0.82
299		-0.0001 GY	0.04
299		-0.0003 GY	0.08
299		-0.0006 GY	0.14
299		-0.0008 GY	0.19
299		-0.0010 GY	0.24
299		-0.0013 GY	0.30
299		-0.0015 GY	0.35
299		-0.0017 GY	0.40
299	-0.0344 GY	0.43	0.67
299		-0.0017 GY	0.69
299		-0.0015 GY	0.75
299		-0.0013 GY	0.80
299		-0.0010 GY	0.85
299		-0.0008 GY	0.91
299		-0.0006 GY	0.96
299		-0.0003 GY	1.01
299		-0.0001 GY	1.06
91		-0.0001 GY	0.03
91		-0.0002 GY	0.06
91		-0.0003 GY	0.10
91		-0.0004 GY	0.13
91		-0.0005 GY	0.17
91		-0.0006 GY	0.21
91		-0.0008 GY	0.25
91		-0.0009 GY	0.29
91	-0.0244 GY	0.31	0.79
91		-0.0009 GY	0.81
91		-0.0008 GY	0.85
91		-0.0006 GY	0.89
91		-0.0005 GY	0.92
91		-0.0004 GY	0.96
91		-0.0003 GY	1.00
91		-0.0002 GY	1.04
91		-0.0001 GY	1.07
363		-0.0001 GY	0.03
363		-0.0002 GY	0.06
363		-0.0003 GY	0.10
363		-0.0004 GY	0.13
363		-0.0005 GY	0.17
363		-0.0006 GY	0.21

363		-0.0008 GY	0.25
363		-0.0009 GY	0.29
363		-0.0009 GY	0.32

363		-0.0008 GY	0.36
363		-0.0006 GY	0.40
363		-0.0005 GY	0.44
363		-0.0004 GY	0.48
363		-0.0003 GY	0.51
363		-0.0002 GY	0.55
363		-0.0001 GY	0.58
92		-0.0001 GY	0.03
92		-0.0002 GY	0.06
92		-0.0003 GY	0.10
92		-0.0004 GY	0.13
92		-0.0005 GY	0.17
92		-0.0006 GY	0.21
92		-0.0008 GY	0.25
92		-0.0009 GY	0.29
92	-0.0244 GY	0.30	0.79
92		-0.0009 GY	0.81
92		-0.0008 GY	0.85
92		-0.0006 GY	0.89
92		-0.0005 GY	0.92
92		-0.0004 GY	0.96
92		-0.0003 GY	1.00
92		-0.0002 GY	1.04
92		-0.0001 GY	1.07
199		-0.0001 GY	0.03
199		-0.0002 GY	0.06
199		-0.0003 GY	0.10
199		-0.0004 GY	0.13
199		-0.0005 GY	0.17
199		-0.0006 GY	0.21
199		-0.0008 GY	0.25
199		-0.0009 GY	0.29
199		-0.0009 GY	0.32
199		-0.0008 GY	0.36
199		-0.0006 GY	0.40
199		-0.0005 GY	0.44
199		-0.0004 GY	0.48
199		-0.0003 GY	0.51
199		-0.0002 GY	0.55
199		-0.0001 GY	0.58
91		-0.0002 GY	0.04
91		-0.0005 GY	0.10
91		-0.0008 GY	0.16
91		-0.0011 GY	0.22
91		-0.0014 GY	0.28
91		-0.0017 GY	0.34
91		-0.0020 GY	0.40

91 -0.0023 GY 0.47
91 -0.0397 GY 0.50 0.60
91 -0.0023 GY 0.63
91 -0.0020 GY 0.69
91 -0.0017 GY 0.75
91 -0.0014 GY 0.82

91 -0.0011 GY 0.88
91 -0.0008 GY 0.94
91 -0.0005 GY 1.00
91 -0.0002 GY 1.05
674 -0.0002 GY 0.04
674 -0.0005 GY 0.10
674 -0.0008 GY 0.16
674 -0.0011 GY 0.22
674 -0.0014 GY 0.28
674 -0.0017 GY 0.34
674 -0.0020 GY 0.40
674 -0.0023 GY 0.47
674 -0.0023 GY 0.53
674 -0.0020 GY 0.59
674 -0.0017 GY 0.65
674 -0.0014 GY 0.71
674 -0.0011 GY 0.77
674 -0.0008 GY 0.84
674 -0.0005 GY 0.90
674 -0.0002 GY 0.95
675 -0.0002 GY 0.04
675 -0.0005 GY 0.10
675 -0.0008 GY 0.16
675 -0.0011 GY 0.22
675 -0.0014 GY 0.28
675 -0.0017 GY 0.34
675 -0.0020 GY 0.40
675 -0.0023 GY 0.47
675 -0.0397 GY 0.50 0.60
675 -0.0023 GY 0.63
675 -0.0020 GY 0.69
675 -0.0017 GY 0.75
675 -0.0014 GY 0.82
675 -0.0011 GY 0.88
675 -0.0008 GY 0.94
675 -0.0005 GY 1.00
675 -0.0002 GY 1.05
657 -0.0002 GY 0.04
657 -0.0005 GY 0.10

657		-0.0008 GY	0.16
657		-0.0011 GY	0.22
657		-0.0014 GY	0.28
657		-0.0017 GY	0.34
657		-0.0020 GY	0.40
657		-0.0023 GY	0.47
657		-0.0023 GY	0.53
657		-0.0020 GY	0.59
657		-0.0017 GY	0.65
657		-0.0014 GY	0.71
657		-0.0011 GY	0.77
657		-0.0008 GY	0.84
657		-0.0005 GY	0.90
657		-0.0002 GY	0.95
92		-0.0001 GY	0.04
92		-0.0004 GY	0.09
92		-0.0007 GY	0.15

92		-0.0010 GY	0.21
92		-0.0012 GY	0.27
92		-0.0015 GY	0.32
92		-0.0018 GY	0.38
92		-0.0021 GY	0.44
92	-0.0376 GY	0.47	0.63
92		-0.0021 GY	0.65
92		-0.0018 GY	0.71
92		-0.0015 GY	0.77
92		-0.0012 GY	0.83
92		-0.0010 GY	0.89
92		-0.0007 GY	0.95
92		-0.0004 GY	1.00
92		-0.0001 GY	1.06
654		-0.0001 GY	0.04
654		-0.0004 GY	0.09
654		-0.0007 GY	0.15
654		-0.0010 GY	0.21
654		-0.0012 GY	0.27
654		-0.0015 GY	0.32
654		-0.0018 GY	0.38
654		-0.0021 GY	0.44
654		-0.0021 GY	0.50
654		-0.0018 GY	0.56
654		-0.0015 GY	0.62
654		-0.0012 GY	0.67
654		-0.0010 GY	0.73
654		-0.0007 GY	0.79

654 -0.0004 GY 0.85
654 -0.0001 GY 0.90
679 -0.0001 GY 0.04
679 -0.0004 GY 0.09
679 -0.0007 GY 0.15
679 -0.0010 GY 0.21
679 -0.0012 GY 0.27
679 -0.0015 GY 0.32
679 -0.0018 GY 0.38
679 -0.0021 GY 0.44
679 -0.0376 GY 0.47 0.63
679 -0.0021 GY 0.65
679 -0.0018 GY 0.71
679 -0.0015 GY 0.77
679 -0.0012 GY 0.83
679 -0.0010 GY 0.89
679 -0.0007 GY 0.95
679 -0.0004 GY 1.00
679 -0.0001 GY 1.06
1673 -0.0001 GY 0.04
1673 -0.0004 GY 0.09
1673 -0.0007 GY 0.15
1673 -0.0010 GY 0.21
1673 -0.0012 GY 0.27
1673 -0.0015 GY 0.32
1673 -0.0018 GY 0.38
1673 -0.0021 GY 0.44
1673 -0.0021 GY 0.50

1673 -0.0018 GY 0.56
1673 -0.0015 GY 0.62
1673 -0.0012 GY 0.67
1673 -0.0010 GY 0.73
1673 -0.0007 GY 0.79
1673 -0.0004 GY 0.85
1673 -0.0001 GY 0.90
95 -0.0002 GY 0.04
95 -0.0005 GY 0.10
95 -0.0009 GY 0.17
95 -0.0012 GY 0.23
95 -0.0016 GY 0.30
95 -0.0019 GY 0.36
95 -0.0022 GY 0.43
95 -0.0026 GY 0.49
95 -0.0420 GY 0.52 0.57
95 -0.0026 GY 0.60

95		-0.0022 GY	0.67
95		-0.0019 GY	0.73
95		-0.0016 GY	0.80
95		-0.0012 GY	0.86
95		-0.0009 GY	0.93
95		-0.0005 GY	0.99
95		-0.0002 GY	1.05
664		-0.0002 GY	0.04
664		-0.0005 GY	0.10
664		-0.0009 GY	0.17
664		-0.0012 GY	0.23
664		-0.0016 GY	0.30
664		-0.0019 GY	0.36
664		-0.0022 GY	0.43
664		-0.0026 GY	0.49
664		-0.0026 GY	0.56
664		-0.0022 GY	0.62
664		-0.0019 GY	0.69
664		-0.0016 GY	0.75
664		-0.0012 GY	0.82
664		-0.0009 GY	0.88
664		-0.0005 GY	0.95
664		-0.0002 GY	1.01
703		-0.0002 GY	0.04
703		-0.0005 GY	0.10
703		-0.0009 GY	0.17
703		-0.0012 GY	0.23
703		-0.0016 GY	0.30
703		-0.0019 GY	0.36
703		-0.0022 GY	0.43
703		-0.0026 GY	0.49
703	-0.0420 GY	0.52	0.57
703		-0.0026 GY	0.60
703		-0.0022 GY	0.67
703		-0.0019 GY	0.73
703		-0.0016 GY	0.80
703		-0.0012 GY	0.86
703		-0.0009 GY	0.93
703		-0.0005 GY	0.99

703		-0.0002 GY	1.05
702		-0.0002 GY	0.04
702		-0.0005 GY	0.10
702		-0.0009 GY	0.17
702		-0.0012 GY	0.23
702		-0.0016 GY	0.30

702		-0.0019 GY	0.36
702		-0.0022 GY	0.43
702		-0.0026 GY	0.49
702		-0.0026 GY	0.56
702		-0.0022 GY	0.62
702		-0.0019 GY	0.69
702		-0.0016 GY	0.75
702		-0.0012 GY	0.82
702		-0.0009 GY	0.88
702		-0.0005 GY	0.95
702		-0.0002 GY	1.01
188		-0.0001 GY	0.03
188		-0.0003 GY	0.08
188		-0.0005 GY	0.13
188		-0.0008 GY	0.18
188		-0.0010 GY	0.24
188		-0.0012 GY	0.29
188		-0.0014 GY	0.34
188		-0.0016 GY	0.39
188	-0.0335 GY	0.42	0.68
188		-0.0016 GY	0.70
188		-0.0014 GY	0.75
188		-0.0012 GY	0.81
188		-0.0010 GY	0.86
188		-0.0008 GY	0.91
188		-0.0005 GY	0.96
188		-0.0003 GY	1.01
188		-0.0001 GY	1.06
666		-0.0001 GY	0.03
666		-0.0003 GY	0.08
666		-0.0005 GY	0.13
666		-0.0008 GY	0.18
666		-0.0010 GY	0.24
666		-0.0012 GY	0.29
666		-0.0014 GY	0.34
666		-0.0016 GY	0.39
666		-0.0016 GY	0.44
666		-0.0014 GY	0.50
666		-0.0012 GY	0.55
666		-0.0010 GY	0.60
666		-0.0008 GY	0.65
666		-0.0005 GY	0.70
666		-0.0003 GY	0.76
666		-0.0001 GY	0.80
711		-0.0001 GY	0.03
711		-0.0003 GY	0.08
711		-0.0005 GY	0.13

711 -0.0008 GY 0.18
711 -0.0010 GY 0.24
711 -0.0012 GY 0.29

711 -0.0014 GY 0.34
711 -0.0016 GY 0.39
711 -0.0335 GY 0.42 0.68
711 -0.0016 GY 0.70
711 -0.0014 GY 0.75
711 -0.0012 GY 0.81
711 -0.0010 GY 0.86
711 -0.0008 GY 0.91
711 -0.0005 GY 0.96
711 -0.0003 GY 1.01
711 -0.0001 GY 1.06
710 -0.0001 GY 0.03
710 -0.0003 GY 0.08
710 -0.0005 GY 0.13
710 -0.0008 GY 0.18
710 -0.0010 GY 0.24
710 -0.0012 GY 0.29
710 -0.0014 GY 0.34
710 -0.0016 GY 0.39
710 -0.0016 GY 0.44
710 -0.0014 GY 0.50
710 -0.0012 GY 0.55
710 -0.0010 GY 0.60
710 -0.0008 GY 0.65
710 -0.0005 GY 0.70
710 -0.0003 GY 0.76
710 -0.0001 GY 0.80
295 -0.0002 GY 0.04
295 -0.0005 GY 0.10
295 -0.0008 GY 0.16
295 -0.0011 GY 0.22
295 -0.0014 GY 0.28
295 -0.0017 GY 0.34
295 -0.0020 GY 0.40
295 -0.0023 GY 0.47
295 -0.0397 GY 0.50 0.60
295 -0.0023 GY 0.63
295 -0.0020 GY 0.69
295 -0.0017 GY 0.75
295 -0.0014 GY 0.82
295 -0.0011 GY 0.88
295 -0.0008 GY 0.94

295		-0.0005 GY	1.00
295		-0.0002 GY	1.05
676		-0.0002 GY	0.04
676		-0.0005 GY	0.10
676		-0.0008 GY	0.16
676		-0.0011 GY	0.22
676		-0.0014 GY	0.28
676		-0.0017 GY	0.34
676		-0.0020 GY	0.40
676		-0.0023 GY	0.47
676		-0.0023 GY	0.53
676		-0.0020 GY	0.59
676		-0.0017 GY	0.65
676		-0.0014 GY	0.71

676		-0.0011 GY	0.77
676		-0.0008 GY	0.84
676		-0.0005 GY	0.90
676		-0.0002 GY	0.95
677		-0.0002 GY	0.04
677		-0.0005 GY	0.10
677		-0.0008 GY	0.16
677		-0.0011 GY	0.22
677		-0.0014 GY	0.28
677		-0.0017 GY	0.34
677		-0.0020 GY	0.40
677		-0.0023 GY	0.47
677	-0.0397 GY	0.50	0.60
677		-0.0023 GY	0.63
677		-0.0020 GY	0.69
677		-0.0017 GY	0.75
677		-0.0014 GY	0.82
677		-0.0011 GY	0.88
677		-0.0008 GY	0.94
677		-0.0005 GY	1.00
677		-0.0002 GY	1.05
674		-0.0002 GY	0.04
674		-0.0005 GY	0.10
674		-0.0008 GY	0.16
674		-0.0011 GY	0.22
674		-0.0014 GY	0.28
674		-0.0017 GY	0.34
674		-0.0020 GY	0.40
674		-0.0023 GY	0.47
674		-0.0023 GY	0.53
674		-0.0020 GY	0.59

674		-0.0017 GY	0.65
674		-0.0014 GY	0.71
674		-0.0011 GY	0.77
674		-0.0008 GY	0.84
674		-0.0005 GY	0.90
674		-0.0002 GY	0.95
299		-0.0002 GY	0.04
299		-0.0005 GY	0.10
299		-0.0009 GY	0.17
299		-0.0012 GY	0.23
299		-0.0016 GY	0.30
299		-0.0019 GY	0.36
299		-0.0022 GY	0.43
299		-0.0026 GY	0.49
299	-0.0420 GY	0.52	0.57
299		-0.0026 GY	0.60
299		-0.0022 GY	0.67
299		-0.0019 GY	0.73
299		-0.0016 GY	0.80
299		-0.0012 GY	0.86
299		-0.0009 GY	0.93
299		-0.0005 GY	0.99
299		-0.0002 GY	1.05
704		-0.0002 GY	0.04
704		-0.0005 GY	0.10

704		-0.0009 GY	0.17
704		-0.0012 GY	0.23
704		-0.0016 GY	0.30
704		-0.0019 GY	0.36
704		-0.0022 GY	0.43
704		-0.0026 GY	0.49
704		-0.0026 GY	0.56
704		-0.0022 GY	0.62
704		-0.0019 GY	0.69
704		-0.0016 GY	0.75
704		-0.0012 GY	0.82
704		-0.0009 GY	0.88
704		-0.0005 GY	0.95
704		-0.0002 GY	1.01
705		-0.0002 GY	0.04
705		-0.0005 GY	0.10
705		-0.0009 GY	0.17
705		-0.0012 GY	0.23
705		-0.0016 GY	0.30
705		-0.0019 GY	0.36

705 -0.0022 GY 0.43
705 -0.0026 GY 0.49
705 -0.0420 GY 0.52 0.57
705 -0.0026 GY 0.60
705 -0.0022 GY 0.67
705 -0.0019 GY 0.73
705 -0.0016 GY 0.80
705 -0.0012 GY 0.86
705 -0.0009 GY 0.93
705 -0.0005 GY 0.99
705 -0.0002 GY 1.05
664 -0.0002 GY 0.04
664 -0.0005 GY 0.10
664 -0.0009 GY 0.17
664 -0.0012 GY 0.23
664 -0.0016 GY 0.30
664 -0.0019 GY 0.36
664 -0.0022 GY 0.43
664 -0.0026 GY 0.49
664 -0.0026 GY 0.56
664 -0.0022 GY 0.62
664 -0.0019 GY 0.69
664 -0.0016 GY 0.75
664 -0.0012 GY 0.82
664 -0.0009 GY 0.88
664 -0.0005 GY 0.95
664 -0.0002 GY 1.01
301 -0.0001 GY 0.03
301 -0.0003 GY 0.08
301 -0.0005 GY 0.13
301 -0.0008 GY 0.18
301 -0.0010 GY 0.24
301 -0.0012 GY 0.29
301 -0.0014 GY 0.34
301 -0.0016 GY 0.39
301 -0.0335 GY 0.42 0.68

301 -0.0016 GY 0.70
301 -0.0014 GY 0.75
301 -0.0012 GY 0.81
301 -0.0010 GY 0.86
301 -0.0008 GY 0.91
301 -0.0005 GY 0.96
301 -0.0003 GY 1.01
301 -0.0001 GY 1.06
712 -0.0001 GY 0.03

712		-0.0003 GY	0.08
712		-0.0005 GY	0.13
712		-0.0008 GY	0.18
712		-0.0010 GY	0.24
712		-0.0012 GY	0.29
712		-0.0014 GY	0.34
712		-0.0016 GY	0.39
712		-0.0016 GY	0.44
712		-0.0014 GY	0.50
712		-0.0012 GY	0.55
712		-0.0010 GY	0.60
712		-0.0008 GY	0.65
712		-0.0005 GY	0.70
712		-0.0003 GY	0.76
712		-0.0001 GY	0.80
713		-0.0001 GY	0.03
713		-0.0003 GY	0.08
713		-0.0005 GY	0.13
713		-0.0008 GY	0.18
713		-0.0010 GY	0.24
713		-0.0012 GY	0.29
713		-0.0014 GY	0.34
713		-0.0016 GY	0.39
713	-0.0335 GY	0.42	0.68
713		-0.0016 GY	0.70
713		-0.0014 GY	0.75
713		-0.0012 GY	0.81
713		-0.0010 GY	0.86
713		-0.0008 GY	0.91
713		-0.0005 GY	0.96
713		-0.0003 GY	1.01
713		-0.0001 GY	1.06
666		-0.0001 GY	0.03
666		-0.0003 GY	0.08
666		-0.0005 GY	0.13
666		-0.0008 GY	0.18
666		-0.0010 GY	0.24
666		-0.0012 GY	0.29
666		-0.0014 GY	0.34
666		-0.0016 GY	0.39
666		-0.0016 GY	0.44
666		-0.0014 GY	0.50
666		-0.0012 GY	0.55
666		-0.0010 GY	0.60
666		-0.0008 GY	0.65
666		-0.0005 GY	0.70
666		-0.0003 GY	0.76

666		-0.0001	GY	0.80
656	-0.0438 GY	0.55	0.64	
656		-0.0002	GY	0.05
656		-0.0006	GY	0.11
656		-0.0009	GY	0.17
656		-0.0013	GY	0.24
656		-0.0017	GY	0.31
656		-0.0021	GY	0.38
656		-0.0024	GY	0.45
656		-0.0028	GY	0.51
1662	-0.0438 GY	0.00	0.09	
1662		-0.0028	GY	0.12
1662		-0.0024	GY	0.19
1662		-0.0021	GY	0.26
1662		-0.0017	GY	0.33
1662		-0.0013	GY	0.40
1662		-0.0009	GY	0.46
1662		-0.0006	GY	0.53
1662		-0.0002	GY	0.59
672		-0.0002	GY	0.05
672		-0.0006	GY	0.11
672		-0.0009	GY	0.17
672		-0.0013	GY	0.24
672		-0.0017	GY	0.31
672		-0.0021	GY	0.38
672		-0.0024	GY	0.45
672		-0.0028	GY	0.51
672		-0.0028	GY	0.58
672		-0.0024	GY	0.65
672		-0.0021	GY	0.72
672		-0.0017	GY	0.79
672		-0.0013	GY	0.85
672		-0.0009	GY	0.92
672		-0.0006	GY	0.99
672		-0.0002	GY	1.05
1664		-0.0028	GY	0.12
1664		-0.0024	GY	0.19
1664		-0.0021	GY	0.26
1664		-0.0017	GY	0.33
1664		-0.0013	GY	0.40
1664		-0.0009	GY	0.46
1664		-0.0006	GY	0.53
1664		-0.0002	GY	0.59
1664	-0.0438 GY	0.00	0.09	
669		-0.0002	GY	0.05

669 -0.0006 GY 0.11
669 -0.0009 GY 0.17
669 -0.0013 GY 0.24
669 -0.0017 GY 0.31
669 -0.0021 GY 0.38
669 -0.0024 GY 0.45
669 -0.0028 GY 0.51
669 -0.0438 GY 0.55 0.64
668 -0.0002 GY 0.05
668 -0.0006 GY 0.11
668 -0.0009 GY 0.17

668 -0.0013 GY 0.24
668 -0.0017 GY 0.31
668 -0.0021 GY 0.38
668 -0.0024 GY 0.45
668 -0.0028 GY 0.51
668 -0.0028 GY 0.58
668 -0.0024 GY 0.65
668 -0.0021 GY 0.72
668 -0.0017 GY 0.79
668 -0.0013 GY 0.85
668 -0.0009 GY 0.92
668 -0.0006 GY 0.99
668 -0.0002 GY 1.05
662 -0.0002 GY 0.04
662 -0.0005 GY 0.10
662 -0.0009 GY 0.17
662 -0.0012 GY 0.23
662 -0.0016 GY 0.30
662 -0.0019 GY 0.36
662 -0.0022 GY 0.43
662 -0.0026 GY 0.49
662 -0.0026 GY 0.56
662 -0.0022 GY 0.62
662 -0.0019 GY 0.69
662 -0.0016 GY 0.75
662 -0.0012 GY 0.82
662 -0.0009 GY 0.88
662 -0.0005 GY 0.95
662 -0.0002 GY 1.01
699 -0.0002 GY 0.04
699 -0.0005 GY 0.10
699 -0.0009 GY 0.17
699 -0.0012 GY 0.23
699 -0.0016 GY 0.30

699		-0.0019 GY	0.36
699		-0.0022 GY	0.43
699		-0.0026 GY	0.49
699	-0.0420 GY	0.52	0.57
699		-0.0026 GY	0.60
699		-0.0022 GY	0.67
699		-0.0019 GY	0.73
699		-0.0016 GY	0.80
699		-0.0012 GY	0.86
699		-0.0009 GY	0.93
699		-0.0005 GY	0.99
699		-0.0002 GY	1.05
694		-0.0002 GY	0.04
694		-0.0005 GY	0.10
694		-0.0009 GY	0.17
694		-0.0012 GY	0.23
694		-0.0016 GY	0.30
694		-0.0019 GY	0.36
694		-0.0022 GY	0.43
694		-0.0026 GY	0.49
694		-0.0026 GY	0.56
694		-0.0022 GY	0.62

694		-0.0019 GY	0.69
694		-0.0016 GY	0.75
694		-0.0012 GY	0.82
694		-0.0009 GY	0.88
694		-0.0005 GY	0.95
694		-0.0002 GY	1.01
695		-0.0002 GY	0.04
695		-0.0005 GY	0.10
695		-0.0009 GY	0.17
695		-0.0012 GY	0.23
695		-0.0016 GY	0.30
695		-0.0019 GY	0.36
695		-0.0022 GY	0.43
695		-0.0026 GY	0.49
695	-0.0420 GY	0.52	0.57
695		-0.0026 GY	0.60
695		-0.0022 GY	0.67
695		-0.0019 GY	0.73
695		-0.0016 GY	0.80
695		-0.0012 GY	0.86
695		-0.0009 GY	0.93
695		-0.0005 GY	0.99
695		-0.0002 GY	1.05

662		-0.0002 GY	0.04
662		-0.0005 GY	0.10
662		-0.0009 GY	0.17
662		-0.0012 GY	0.23
662		-0.0016 GY	0.30
662		-0.0019 GY	0.36
662		-0.0022 GY	0.43
662		-0.0026 GY	0.49
662		-0.0026 GY	0.56
662		-0.0022 GY	0.62
662		-0.0019 GY	0.69
662		-0.0016 GY	0.75
662		-0.0012 GY	0.82
662		-0.0009 GY	0.88
662		-0.0005 GY	0.95
662		-0.0002 GY	1.01
701		-0.0002 GY	0.04
701		-0.0005 GY	0.10
701		-0.0009 GY	0.17
701		-0.0012 GY	0.23
701		-0.0016 GY	0.30
701		-0.0019 GY	0.36
701		-0.0022 GY	0.43
701		-0.0026 GY	0.49
701	-0.0420 GY	0.52	0.57
701		-0.0026 GY	0.60
701		-0.0022 GY	0.67
701		-0.0019 GY	0.73
701		-0.0016 GY	0.80
701		-0.0012 GY	0.86
701		-0.0009 GY	0.93
701		-0.0005 GY	0.99
701		-0.0002 GY	1.05

696		-0.0002 GY	0.04
696		-0.0005 GY	0.10
696		-0.0009 GY	0.17
696		-0.0012 GY	0.23
696		-0.0016 GY	0.30
696		-0.0019 GY	0.36
696		-0.0022 GY	0.43
696		-0.0026 GY	0.49
696		-0.0026 GY	0.56
696		-0.0022 GY	0.62
696		-0.0019 GY	0.69
696		-0.0016 GY	0.75

696		-0.0012 GY	0.82
696		-0.0009 GY	0.88
696		-0.0005 GY	0.95
696		-0.0002 GY	1.01
697		-0.0002 GY	0.04
697		-0.0005 GY	0.10
697		-0.0009 GY	0.17
697		-0.0012 GY	0.23
697		-0.0016 GY	0.30
697		-0.0019 GY	0.36
697		-0.0022 GY	0.43
697		-0.0026 GY	0.49
697	-0.0420 GY	0.52	0.57
697		-0.0026 GY	0.60
697		-0.0022 GY	0.67
697		-0.0019 GY	0.73
697		-0.0016 GY	0.80
697		-0.0012 GY	0.86
697		-0.0009 GY	0.93
697		-0.0005 GY	0.99
697		-0.0002 GY	1.05
663		-0.0002 GY	0.04
663		-0.0005 GY	0.10
663		-0.0009 GY	0.17
663		-0.0012 GY	0.23
663		-0.0016 GY	0.30
663		-0.0019 GY	0.36
663		-0.0022 GY	0.43
663		-0.0026 GY	0.49
663		-0.0026 GY	0.56
663		-0.0022 GY	0.62
663		-0.0019 GY	0.69
663		-0.0016 GY	0.75
663		-0.0012 GY	0.82
663		-0.0009 GY	0.88
663		-0.0005 GY	0.95
663		-0.0002 GY	1.01
703		-0.0002 GY	0.04
703		-0.0005 GY	0.10
703		-0.0009 GY	0.17
703		-0.0012 GY	0.23
703		-0.0016 GY	0.30
703		-0.0019 GY	0.36
703		-0.0022 GY	0.43

703		-0.0026 GY	0.49

703	-0.0420 GY	0.53	0.57	
703		-0.0026 GY		0.60
703		-0.0022 GY		0.67
703		-0.0019 GY		0.73
703		-0.0016 GY		0.80
703		-0.0012 GY		0.86
703		-0.0009 GY		0.93
703		-0.0005 GY		0.99
703		-0.0002 GY		1.05
698		-0.0002 GY		0.04
698		-0.0005 GY		0.10
698		-0.0009 GY		0.17
698		-0.0012 GY		0.23
698		-0.0016 GY		0.30
698		-0.0019 GY		0.36
698		-0.0022 GY		0.43
698		-0.0026 GY		0.49
698		-0.0026 GY		0.56
698		-0.0022 GY		0.62
698		-0.0019 GY		0.69
698		-0.0016 GY		0.75
698		-0.0012 GY		0.82
698		-0.0009 GY		0.88
698		-0.0005 GY		0.95
698		-0.0002 GY		1.01
699		-0.0002 GY		0.04
699		-0.0005 GY		0.10
699		-0.0009 GY		0.17
699		-0.0012 GY		0.23
699		-0.0016 GY		0.30
699		-0.0019 GY		0.36
699		-0.0022 GY		0.43
699		-0.0026 GY		0.49
699	-0.0420 GY	0.53	0.57	
699		-0.0026 GY		0.60
699		-0.0022 GY		0.67
699		-0.0019 GY		0.73
699		-0.0016 GY		0.80
699		-0.0012 GY		0.86
699		-0.0009 GY		0.93
699		-0.0005 GY		0.99
699		-0.0002 GY		1.05
663		-0.0002 GY		0.04
663		-0.0005 GY		0.10
663		-0.0009 GY		0.17
663		-0.0012 GY		0.23
663		-0.0016 GY		0.30

663		-0.0019 GY	0.36
663		-0.0022 GY	0.43
663		-0.0026 GY	0.49
663		-0.0026 GY	0.56
663		-0.0022 GY	0.62
663		-0.0019 GY	0.69
663		-0.0016 GY	0.75
663		-0.0012 GY	0.82

663		-0.0009 GY	0.88
663		-0.0005 GY	0.95
663		-0.0002 GY	1.01
705		-0.0002 GY	0.04
705		-0.0005 GY	0.10
705		-0.0009 GY	0.17
705		-0.0012 GY	0.23
705		-0.0016 GY	0.30
705		-0.0019 GY	0.36
705		-0.0022 GY	0.43
705		-0.0026 GY	0.49
705	-0.0420 GY	0.53	0.57
705		-0.0026 GY	0.60
705		-0.0022 GY	0.67
705		-0.0019 GY	0.73
705		-0.0016 GY	0.80
705		-0.0012 GY	0.86
705		-0.0009 GY	0.93
705		-0.0005 GY	0.99
705		-0.0002 GY	1.05
700		-0.0002 GY	0.04
700		-0.0005 GY	0.10
700		-0.0009 GY	0.17
700		-0.0012 GY	0.23
700		-0.0016 GY	0.30
700		-0.0019 GY	0.36
700		-0.0022 GY	0.43
700		-0.0026 GY	0.49
700		-0.0026 GY	0.56
700		-0.0022 GY	0.62
700		-0.0019 GY	0.69
700		-0.0016 GY	0.75
700		-0.0012 GY	0.82
700		-0.0009 GY	0.88
700		-0.0005 GY	0.95
700		-0.0002 GY	1.01
701		-0.0002 GY	0.04

```
 701                    -0.0005 GY   0.10
 701                    -0.0009 GY   0.17
 701                    -0.0012 GY   0.23
 701                    -0.0016 GY   0.30
 701                    -0.0019 GY   0.36
 701                    -0.0022 GY   0.43
 701                    -0.0026 GY   0.49
 701    -0.0420 GY   0.53    0.57
 701                    -0.0026 GY   0.60
 701                    -0.0022 GY   0.67
 701                    -0.0019 GY   0.73
 701                    -0.0016 GY   0.80
 701                    -0.0012 GY   0.86
 701                    -0.0009 GY   0.93
 701                    -0.0005 GY   0.99
 701                    -0.0002 GY   1.05
 667    -0.0438 GY   0.55    0.64
 667                    -0.0002 GY   0.05
 667                    -0.0006 GY   0.11
_  STAAD SPACE                              -- PAGE NO.  465

 667                    -0.0009 GY   0.17
 667                    -0.0013 GY   0.24
 667                    -0.0017 GY   0.31
 667                    -0.0021 GY   0.38
 667                    -0.0024 GY   0.45
 667                    -0.0028 GY   0.51
1666    -0.0438 GY   0.00    0.09
1666                    -0.0028 GY   0.12
1666                    -0.0024 GY   0.19
1666                    -0.0021 GY   0.26
1666                    -0.0017 GY   0.33
1666                    -0.0013 GY   0.40
1666                    -0.0009 GY   0.46
1666                    -0.0006 GY   0.53
1666                    -0.0002 GY   0.59
 673                    -0.0002 GY   0.05
 673                    -0.0006 GY   0.11
 673                    -0.0009 GY   0.17
 673                    -0.0013 GY   0.24
 673                    -0.0017 GY   0.31
 673                    -0.0021 GY   0.38
 673                    -0.0024 GY   0.45
 673                    -0.0028 GY   0.51
 673                    -0.0028 GY   0.58
 673                    -0.0024 GY   0.65
 673                    -0.0021 GY   0.72
```

673 -0.0017 GY 0.79
673 -0.0013 GY 0.85
673 -0.0009 GY 0.92
673 -0.0006 GY 0.99
673 -0.0002 GY 1.05
1664 -0.0028 GY 0.12
1664 -0.0024 GY 0.19
1664 -0.0021 GY 0.26
1664 -0.0017 GY 0.33
1664 -0.0013 GY 0.40
1664 -0.0009 GY 0.46
1664 -0.0006 GY 0.53
1664 -0.0002 GY 0.59
1664 -0.0438 GY 0.00 0.09
669 -0.0002 GY 0.05
669 -0.0006 GY 0.11
669 -0.0009 GY 0.17
669 -0.0013 GY 0.24
669 -0.0017 GY 0.31
669 -0.0021 GY 0.38
669 -0.0024 GY 0.45
669 -0.0028 GY 0.51
669 -0.0438 GY 0.55 0.64
670 -0.0002 GY 0.05
670 -0.0006 GY 0.11
670 -0.0009 GY 0.17
670 -0.0013 GY 0.24
670 -0.0017 GY 0.31
670 -0.0021 GY 0.38
670 -0.0024 GY 0.45

670 -0.0028 GY 0.51
670 -0.0028 GY 0.58
670 -0.0024 GY 0.65
670 -0.0021 GY 0.72
670 -0.0017 GY 0.79
670 -0.0013 GY 0.85
670 -0.0009 GY 0.92
670 -0.0006 GY 0.99
670 -0.0002 GY 1.05
678 -0.0001 GY 0.04
678 -0.0004 GY 0.09
678 -0.0007 GY 0.15
678 -0.0010 GY 0.21
678 -0.0012 GY 0.27
678 -0.0015 GY 0.32

678		-0.0018 GY	0.38
678		-0.0021 GY	0.44
678		-0.0021 GY	0.50
678		-0.0018 GY	0.56
678		-0.0015 GY	0.62
678		-0.0012 GY	0.67
678		-0.0010 GY	0.73
678		-0.0007 GY	0.79
678		-0.0004 GY	0.85
678		-0.0001 GY	0.90
683		-0.0001 GY	0.04
683		-0.0004 GY	0.09
683		-0.0007 GY	0.15
683		-0.0010 GY	0.21
683		-0.0012 GY	0.27
683		-0.0015 GY	0.32
683		-0.0018 GY	0.38
683		-0.0021 GY	0.44
683	-0.0376 GY	0.47	0.63
683		-0.0021 GY	0.65
683		-0.0018 GY	0.71
683		-0.0015 GY	0.77
683		-0.0012 GY	0.83
683		-0.0010 GY	0.89
683		-0.0007 GY	0.95
683		-0.0004 GY	1.00
683		-0.0001 GY	1.06
1695		-0.0001 GY	0.04
1695		-0.0004 GY	0.09
1695		-0.0007 GY	0.15
1695		-0.0010 GY	0.21
1695		-0.0012 GY	0.27
1695		-0.0015 GY	0.32
1695		-0.0018 GY	0.38
1695		-0.0021 GY	0.44
1695		-0.0021 GY	0.50
1695		-0.0018 GY	0.56
1695		-0.0015 GY	0.62
1695		-0.0012 GY	0.67
1695		-0.0010 GY	0.73
1695		-0.0007 GY	0.79

1695		-0.0004 GY	0.85
1695		-0.0001 GY	0.90
679		-0.0001 GY	0.04
679		-0.0004 GY	0.09

679		-0.0007 GY	0.15
679		-0.0010 GY	0.21
679		-0.0012 GY	0.27
679		-0.0015 GY	0.32
679		-0.0018 GY	0.38
679		-0.0021 GY	0.44
679	-0.0376 GY	0.47	0.63
679		-0.0021 GY	0.65
679		-0.0018 GY	0.71
679		-0.0015 GY	0.77
679		-0.0012 GY	0.83
679		-0.0010 GY	0.89
679		-0.0007 GY	0.95
679		-0.0004 GY	1.00
679		-0.0001 GY	1.06
678		-0.0001 GY	0.04
678		-0.0004 GY	0.09
678		-0.0007 GY	0.15
678		-0.0010 GY	0.21
678		-0.0012 GY	0.27
678		-0.0015 GY	0.32
678		-0.0018 GY	0.38
678		-0.0021 GY	0.44
678		-0.0021 GY	0.50
678		-0.0018 GY	0.56
678		-0.0015 GY	0.62
678		-0.0012 GY	0.67
678		-0.0010 GY	0.73
678		-0.0007 GY	0.79
678		-0.0004 GY	0.85
678		-0.0001 GY	0.90
685		-0.0001 GY	0.04
685		-0.0004 GY	0.09
685		-0.0007 GY	0.15
685		-0.0010 GY	0.21
685		-0.0012 GY	0.27
685		-0.0015 GY	0.32
685		-0.0018 GY	0.38
685		-0.0021 GY	0.44
685	-0.0376 GY	0.47	0.63
685		-0.0021 GY	0.65
685		-0.0018 GY	0.71
685		-0.0015 GY	0.77
685		-0.0012 GY	0.83
685		-0.0010 GY	0.89
685		-0.0007 GY	0.95
685		-0.0004 GY	1.00

685		-0.0001 GY	1.06
680		-0.0001 GY	0.04
680		-0.0004 GY	0.09
680		-0.0007 GY	0.15
680		-0.0010 GY	0.21

680		-0.0012 GY	0.27
680		-0.0015 GY	0.32
680		-0.0018 GY	0.38
680		-0.0021 GY	0.44
680		-0.0021 GY	0.50
680		-0.0018 GY	0.56
680		-0.0015 GY	0.62
680		-0.0012 GY	0.67
680		-0.0010 GY	0.73
680		-0.0007 GY	0.79
680		-0.0004 GY	0.85
680		-0.0001 GY	0.90
681		-0.0001 GY	0.04
681		-0.0004 GY	0.09
681		-0.0007 GY	0.15
681		-0.0010 GY	0.21
681		-0.0012 GY	0.27
681		-0.0015 GY	0.32
681		-0.0018 GY	0.38
681		-0.0021 GY	0.44
681	-0.0376 GY	0.47	0.63
681		-0.0021 GY	0.65
681		-0.0018 GY	0.71
681		-0.0015 GY	0.77
681		-0.0012 GY	0.83
681		-0.0010 GY	0.89
681		-0.0007 GY	0.95
681		-0.0004 GY	1.00
681		-0.0001 GY	1.06
682		-0.0001 GY	0.04
682		-0.0004 GY	0.09
682		-0.0007 GY	0.15
682		-0.0010 GY	0.21
682		-0.0012 GY	0.27
682		-0.0015 GY	0.32
682		-0.0018 GY	0.38
682		-0.0021 GY	0.44
682		-0.0021 GY	0.50
682		-0.0018 GY	0.56
682		-0.0015 GY	0.62

682		-0.0012 GY	0.67
682		-0.0010 GY	0.73
682		-0.0007 GY	0.79
682		-0.0004 GY	0.85
682		-0.0001 GY	0.90
687		-0.0001 GY	0.04
687		-0.0004 GY	0.09
687		-0.0007 GY	0.15
687		-0.0010 GY	0.21
687		-0.0012 GY	0.27
687		-0.0015 GY	0.32
687		-0.0018 GY	0.38
687		-0.0021 GY	0.44
687	-0.0376 GY	0.47	0.63
687		-0.0021 GY	0.65
687		-0.0018 GY	0.71

687		-0.0015 GY	0.77
687		-0.0012 GY	0.83
687		-0.0010 GY	0.89
687		-0.0007 GY	0.95
687		-0.0004 GY	1.00
687		-0.0001 GY	1.06
1696		-0.0001 GY	0.04
1696		-0.0004 GY	0.09
1696		-0.0007 GY	0.15
1696		-0.0010 GY	0.21
1696		-0.0012 GY	0.27
1696		-0.0015 GY	0.32
1696		-0.0018 GY	0.38
1696		-0.0021 GY	0.44
1696		-0.0021 GY	0.50
1696		-0.0018 GY	0.56
1696		-0.0015 GY	0.62
1696		-0.0012 GY	0.67
1696		-0.0010 GY	0.73
1696		-0.0007 GY	0.79
1696		-0.0004 GY	0.85
1696		-0.0001 GY	0.90
683		-0.0001 GY	0.04
683		-0.0004 GY	0.09
683		-0.0007 GY	0.15
683		-0.0010 GY	0.21
683		-0.0012 GY	0.27
683		-0.0015 GY	0.32
683		-0.0018 GY	0.38

683 -0.0021 GY 0.44
683 -0.0376 GY 0.47 0.63
683 -0.0021 GY 0.65
683 -0.0018 GY 0.71
683 -0.0015 GY 0.77
683 -0.0012 GY 0.83
683 -0.0010 GY 0.89
683 -0.0007 GY 0.95
683 -0.0004 GY 1.00
683 -0.0001 GY 1.06
682 -0.0001 GY 0.04
682 -0.0004 GY 0.09
682 -0.0007 GY 0.15
682 -0.0010 GY 0.21
682 -0.0012 GY 0.27
682 -0.0015 GY 0.32
682 -0.0018 GY 0.38
682 -0.0021 GY 0.44
682 -0.0021 GY 0.50
682 -0.0018 GY 0.56
682 -0.0015 GY 0.62
682 -0.0012 GY 0.67
682 -0.0010 GY 0.73
682 -0.0007 GY 0.79
682 -0.0004 GY 0.85
682 -0.0001 GY 0.90
689 -0.0001 GY 0.04

689 -0.0004 GY 0.09
689 -0.0007 GY 0.15
689 -0.0010 GY 0.21
689 -0.0012 GY 0.27
689 -0.0015 GY 0.32
689 -0.0018 GY 0.38
689 -0.0021 GY 0.44
689 -0.0376 GY 0.47 0.63
689 -0.0021 GY 0.65
689 -0.0018 GY 0.71
689 -0.0015 GY 0.77
689 -0.0012 GY 0.83
689 -0.0010 GY 0.89
689 -0.0007 GY 0.95
689 -0.0004 GY 1.00
689 -0.0001 GY 1.06
684 -0.0001 GY 0.04
684 -0.0004 GY 0.09

684		-0.0007 GY	0.15
684		-0.0010 GY	0.21
684		-0.0012 GY	0.27
684		-0.0015 GY	0.32
684		-0.0018 GY	0.38
684		-0.0021 GY	0.44
684		-0.0021 GY	0.50
684		-0.0018 GY	0.56
684		-0.0015 GY	0.62
684		-0.0012 GY	0.67
684		-0.0010 GY	0.73
684		-0.0007 GY	0.79
684		-0.0004 GY	0.85
684		-0.0001 GY	0.90
685		-0.0001 GY	0.04
685		-0.0004 GY	0.09
685		-0.0007 GY	0.15
685		-0.0010 GY	0.21
685		-0.0012 GY	0.27
685		-0.0015 GY	0.32
685		-0.0018 GY	0.38
685		-0.0021 GY	0.44
685	-0.0376 GY	0.47	0.63
685		-0.0021 GY	0.65
685		-0.0018 GY	0.71
685		-0.0015 GY	0.77
685		-0.0012 GY	0.83
685		-0.0010 GY	0.89
685		-0.0007 GY	0.95
685		-0.0004 GY	1.00
685		-0.0001 GY	1.06
686		-0.0001 GY	0.04
686		-0.0004 GY	0.09
686		-0.0007 GY	0.15
686		-0.0010 GY	0.21
686		-0.0012 GY	0.27
686		-0.0015 GY	0.32
686		-0.0018 GY	0.38

686		-0.0021 GY	0.44
686		-0.0021 GY	0.50
686		-0.0018 GY	0.56
686		-0.0015 GY	0.62
686		-0.0012 GY	0.67
686		-0.0010 GY	0.73
686		-0.0007 GY	0.79

686		-0.0004 GY	0.85
686		-0.0001 GY	0.90
691		-0.0001 GY	0.04
691		-0.0004 GY	0.09
691		-0.0007 GY	0.15
691		-0.0010 GY	0.21
691		-0.0012 GY	0.27
691		-0.0015 GY	0.32
691		-0.0018 GY	0.38
691		-0.0021 GY	0.44
691	-0.0376 GY	0.47	0.63
691		-0.0021 GY	0.65
691		-0.0018 GY	0.71
691		-0.0015 GY	0.77
691		-0.0012 GY	0.83
691		-0.0010 GY	0.89
691		-0.0007 GY	0.95
691		-0.0004 GY	1.00
691		-0.0001 GY	1.06
1697		-0.0001 GY	0.04
1697		-0.0004 GY	0.09
1697		-0.0007 GY	0.15
1697		-0.0010 GY	0.21
1697		-0.0012 GY	0.27
1697		-0.0015 GY	0.32
1697		-0.0018 GY	0.38
1697		-0.0021 GY	0.44
1697		-0.0021 GY	0.50
1697		-0.0018 GY	0.56
1697		-0.0015 GY	0.62
1697		-0.0012 GY	0.67
1697		-0.0010 GY	0.73
1697		-0.0007 GY	0.79
1697		-0.0004 GY	0.85
1697		-0.0001 GY	0.90
687		-0.0001 GY	0.04
687		-0.0004 GY	0.09
687		-0.0007 GY	0.15
687		-0.0010 GY	0.21
687		-0.0012 GY	0.27
687		-0.0015 GY	0.32
687		-0.0018 GY	0.38
687		-0.0021 GY	0.44
687	-0.0376 GY	0.47	0.63
687		-0.0021 GY	0.65
687		-0.0018 GY	0.71
687		-0.0015 GY	0.77

687		-0.0012 GY	0.83
687		-0.0010 GY	0.89

687		-0.0007 GY	0.95
687		-0.0004 GY	1.00
687		-0.0001 GY	1.06
686		-0.0001 GY	0.04
686		-0.0004 GY	0.09
686		-0.0007 GY	0.15
686		-0.0010 GY	0.21
686		-0.0012 GY	0.27
686		-0.0015 GY	0.32
686		-0.0018 GY	0.38
686		-0.0021 GY	0.44
686		-0.0021 GY	0.50
686		-0.0018 GY	0.56
686		-0.0015 GY	0.62
686		-0.0012 GY	0.67
686		-0.0010 GY	0.73
686		-0.0007 GY	0.79
686		-0.0004 GY	0.85
686		-0.0001 GY	0.90
693		-0.0001 GY	0.04
693		-0.0004 GY	0.09
693		-0.0007 GY	0.15
693		-0.0010 GY	0.21
693		-0.0012 GY	0.27
693		-0.0015 GY	0.32
693		-0.0018 GY	0.38
693		-0.0021 GY	0.44
693	-0.0376 GY	0.47	0.63
693		-0.0021 GY	0.65
693		-0.0018 GY	0.71
693		-0.0015 GY	0.77
693		-0.0012 GY	0.83
693		-0.0010 GY	0.89
693		-0.0007 GY	0.95
693		-0.0004 GY	1.00
693		-0.0001 GY	1.06
688		-0.0001 GY	0.04
688		-0.0004 GY	0.09
688		-0.0007 GY	0.15
688		-0.0010 GY	0.21
688		-0.0012 GY	0.27
688		-0.0015 GY	0.32
688		-0.0018 GY	0.38

688		-0.0021 GY	0.44
688		-0.0021 GY	0.50
688		-0.0018 GY	0.56
688		-0.0015 GY	0.62
688		-0.0012 GY	0.67
688		-0.0010 GY	0.73
688		-0.0007 GY	0.79
688		-0.0004 GY	0.85
688		-0.0001 GY	0.90
689		-0.0001 GY	0.04
689		-0.0004 GY	0.09
689		-0.0007 GY	0.15
689		-0.0010 GY	0.21

689		-0.0012 GY	0.27
689		-0.0015 GY	0.32
689		-0.0018 GY	0.38
689		-0.0021 GY	0.44
689	-0.0376 GY	0.47	0.63
689		-0.0021 GY	0.65
689		-0.0018 GY	0.71
689		-0.0015 GY	0.77
689		-0.0012 GY	0.83
689		-0.0010 GY	0.89
689		-0.0007 GY	0.95
689		-0.0004 GY	1.00
689		-0.0001 GY	1.06
711		-0.0001 GY	0.05
711		-0.0004 GY	0.11
711		-0.0007 GY	0.17
711		-0.0010 GY	0.24
711		-0.0013 GY	0.31
711		-0.0015 GY	0.38
711		-0.0018 GY	0.44
711		-0.0021 GY	0.51
711		-0.0021 GY	0.58
711		-0.0018 GY	0.65
711		-0.0016 GY	0.72
711		-0.0013 GY	0.78
711		-0.0010 GY	0.85
711		-0.0007 GY	0.92
711		-0.0004 GY	0.99
711		-0.0001 GY	1.05
1550		-0.0001 GY	0.03
1550		-0.0004 GY	0.08
1550		-0.0007 GY	0.13

1550	-0.0010 GY	0.18
1550	-0.0012 GY	0.23
1550	-0.0015 GY	0.28
1550	-0.0018 GY	0.33
1550	-0.0021 GY	0.38
1550	-0.0021 GY	0.43
1550	-0.0018 GY	0.48
1550	-0.0016 GY	0.53
1550	-0.0013 GY	0.58
1550	-0.0010 GY	0.63
1550	-0.0007 GY	0.68
1550	-0.0004 GY	0.73
1550	-0.0001 GY	0.78
1551	-0.0001 GY	0.05
1551	-0.0004 GY	0.11
1551	-0.0007 GY	0.18
1551	-0.0010 GY	0.24
1551	-0.0013 GY	0.31
1551	-0.0016 GY	0.38
1551	-0.0019 GY	0.45
1551	-0.0021 GY	0.52
1551	-0.0021 GY	0.59
1551	-0.0018 GY	0.65
1551	-0.0015 GY	0.72

1551	-0.0013 GY	0.79
1551	-0.0010 GY	0.86
1551	-0.0007 GY	0.92
1551	-0.0004 GY	0.99
1551	-0.0001 GY	1.05
1549	-0.0001 GY	0.04
1549	-0.0004 GY	0.08
1549	-0.0007 GY	0.13
1549	-0.0010 GY	0.19
1549	-0.0013 GY	0.24
1549	-0.0016 GY	0.29
1549	-0.0019 GY	0.35
1549	-0.0022 GY	0.40
1549	-0.0021 GY	0.45
1549	-0.0018 GY	0.50
1549	-0.0015 GY	0.55
1549	-0.0013 GY	0.60
1549	-0.0010 GY	0.65
1549	-0.0007 GY	0.71
1549	-0.0004 GY	0.76
1549	-0.0001 GY	0.80

713 -0.0001 GY 0.03
713 -0.0003 GY 0.08
713 -0.0005 GY 0.13
713 -0.0007 GY 0.18
713 -0.0009 GY 0.23
713 -0.0011 GY 0.28
713 -0.0013 GY 0.33
713 -0.0016 GY 0.38
713 -0.0325 GY 0.41 0.69
713 -0.0016 GY 0.71
713 -0.0013 GY 0.76
713 -0.0011 GY 0.82
713 -0.0009 GY 0.87
713 -0.0007 GY 0.92
713 -0.0005 GY 0.97
713 -0.0003 GY 1.02
713 -0.0001 GY 1.06
1552 -0.0001 GY 0.03
1552 -0.0003 GY 0.08
1552 -0.0005 GY 0.13
1552 -0.0007 GY 0.18
1552 -0.0009 GY 0.23
1552 -0.0011 GY 0.28
1552 -0.0013 GY 0.33
1552 -0.0016 GY 0.38
1552 -0.0016 GY 0.43
1552 -0.0013 GY 0.48
1552 -0.0011 GY 0.53
1552 -0.0009 GY 0.58
1552 -0.0007 GY 0.63
1552 -0.0005 GY 0.68
1552 -0.0003 GY 0.73
1552 -0.0001 GY 0.78
1553 -0.0001 GY 0.03
1553 -0.0003 GY 0.08

1553 -0.0005 GY 0.13
1553 -0.0007 GY 0.18
1553 -0.0009 GY 0.23
1553 -0.0011 GY 0.28
1553 -0.0013 GY 0.33
1553 -0.0016 GY 0.38
1553 -0.0325 GY 0.41 0.69
1553 -0.0016 GY 0.71
1553 -0.0013 GY 0.76
1553 -0.0011 GY 0.82

1553	-0.0009 GY	0.87
1553	-0.0007 GY	0.92
1553	-0.0005 GY	0.97
1553	-0.0003 GY	1.02
1553	-0.0001 GY	1.06
1550	-0.0001 GY	0.03
1550	-0.0003 GY	0.08
1550	-0.0005 GY	0.13
1550	-0.0007 GY	0.18
1550	-0.0009 GY	0.23
1550	-0.0011 GY	0.28
1550	-0.0013 GY	0.33
1550	-0.0016 GY	0.38
1550	-0.0016 GY	0.43
1550	-0.0013 GY	0.48
1550	-0.0011 GY	0.53
1550	-0.0009 GY	0.58
1550	-0.0007 GY	0.63
1550	-0.0005 GY	0.68
1550	-0.0003 GY	0.73
1550	-0.0001 GY	0.78

MEMBER LOAD - UNIT KN METE

MEMBER	UDL	L1	L2	CON	L	LIN1	LIN2
128		0.0309 GY	0.07				
128		0.0926 GY	0.15				
128		0.1543 GY	0.25				
128		0.2160 GY	0.35				
128		0.2777 GY	0.45				
128		0.3394 GY	0.55				
128		0.4011 GY	0.65				
128		0.4629 GY	0.75				
344		0.3633 GY	0.04				
344		0.3940 GY	0.11				
344		0.4247 GY	0.18				
344		0.4553 GY	0.25				
344		0.4860 GY	0.32				
344		0.5166 GY	0.39				
344		0.5473 GY	0.46				
344		0.5779 GY	0.53				
344		0.4572 GY	0.59				
344		0.4383 GY	0.64				
344		0.4193 GY	0.70				

344	0.4003 GY	0.75
344	0.3813 GY	0.81
344	0.3623 GY	0.86
344	0.3433 GY	0.92
344	0.3243 GY	0.97
345	0.6113 GY	0.06
345	0.5298 GY	0.17
345	0.4483 GY	0.28
345	0.3668 GY	0.40
345	0.2853 GY	0.51
345	0.2038 GY	0.62
345	0.1223 GY	0.73
345	0.0408 GY	0.84
1747	0.0216 GY	0.05
1747	0.0187 GY	0.16
1747	0.0158 GY	0.27
1747	0.0129 GY	0.37
1747	0.0101 GY	0.48
1747	0.0072 GY	0.59
1747	0.0043 GY	0.69
1747	0.0014 GY	0.79
1759	0.0603 GY	0.06
1759	0.0560 GY	0.20
1759	0.0517 GY	0.33
1759	0.0474 GY	0.46
1759	0.0431 GY	0.59
1759	0.0388 GY	0.72
1759	0.0346 GY	0.85
1759	0.0303 GY	0.98
1758	0.0946 GY	0.07
1758	0.0904 GY	0.20
1758	0.0861 GY	0.33
1758	0.0818 GY	0.46
1758	0.0775 GY	0.59
1758	0.0732 GY	0.72
1758	0.0689 GY	0.85
1758	0.0646 GY	0.98
1757	0.1290 GY	0.07
1757	0.1247 GY	0.20
1757	0.1204 GY	0.33
1757	0.1161 GY	0.46
1757	0.1118 GY	0.59
1757	0.1075 GY	0.72
1757	0.1032 GY	0.85
1757	0.0989 GY	0.98
1748	0.1432 GY	0.06

1748	0.1398 GY	0.18
1748	0.1363 GY	0.29
1748	0.1329 GY	0.41
1748	0.1294 GY	0.53
1748	0.1260 GY	0.65
1748	0.1226 GY	0.76
1748	0.1191 GY	0.88
1749	0.1707 GY	0.06
1749	0.1673 GY	0.18
1749	0.1638 GY	0.29

1749	0.1604 GY	0.41
1749	0.1569 GY	0.53
1749	0.1535 GY	0.65
1749	0.1501 GY	0.76
1749	0.1466 GY	0.88
1762	0.0095 GY	0.00
1762	0.0096 GY	0.01
1762	0.0096 GY	0.01
1762	0.0096 GY	0.02
1762	0.0096 GY	0.03
1762	0.0096 GY	0.03
1762	0.0096 GY	0.04
1762	0.0096 GY	0.04
1762	0.1875 GY	0.10
1762	0.1843 GY	0.21
1762	0.1812 GY	0.32
1762	0.1781 GY	0.44
1762	0.1750 GY	0.55
1762	0.1719 GY	0.66
1762	0.1688 GY	0.77
1762	0.1657 GY	0.88
1761	0.1715 GY	0.06
1761	0.1750 GY	0.18
1761	0.1784 GY	0.29
1761	0.1818 GY	0.41
1761	0.1853 GY	0.53
1761	0.1887 GY	0.65
1761	0.1921 GY	0.76
1761	0.1956 GY	0.88
1760	0.1440 GY	0.06
1760	0.1475 GY	0.18
1760	0.1509 GY	0.29
1760	0.1543 GY	0.41
1760	0.1578 GY	0.53
1760	0.1612 GY	0.65

1760	0.1647 GY	0.76
1760	0.1681 GY	0.88
1750	0.1165 GY	0.06
1750	0.1200 GY	0.18
1750	0.1234 GY	0.29
1750	0.1269 GY	0.41
1750	0.1303 GY	0.53
1750	0.1337 GY	0.65
1750	0.1372 GY	0.76
1750	0.1406 GY	0.88
1751	0.0891 GY	0.06
1751	0.0925 GY	0.18
1751	0.0959 GY	0.29
1751	0.0994 GY	0.41
1751	0.1028 GY	0.53
1751	0.1062 GY	0.65
1751	0.1097 GY	0.76
1751	0.1131 GY	0.88
1756	0.0654 GY	0.07
1756	0.0697 GY	0.20
1756	0.0740 GY	0.33

1756	0.0783 GY	0.46
1756	0.0826 GY	0.59
1756	0.0868 GY	0.72
1756	0.0911 GY	0.85
1756	0.0954 GY	0.98
1755	0.0309 GY	0.06
1755	0.0343 GY	0.18
1755	0.0377 GY	0.29
1755	0.0412 GY	0.41
1755	0.0446 GY	0.53
1755	0.0481 GY	0.65
1755	0.0515 GY	0.76
1755	0.0549 GY	0.88
2203	0.0034 GY	0.07
2203	0.0068 GY	0.18
2203	0.0103 GY	0.30
2203	0.0137 GY	0.41
2203	0.0171 GY	0.53
2203	0.0206 GY	0.65
2203	0.0240 GY	0.77
2203	0.0274 GY	0.88
1754	0.0000 GY	0.00
1754	0.0000 GY	0.01
1754	0.0000 GY	0.02

1754		0.0000 GY	0.03
1754		0.0001 GY	0.03
1754		0.0001 GY	0.04
1754		0.0001 GY	0.05
1754		0.0001 GY	0.05
1518		0.6120 GY	0.06
1518		0.5304 GY	0.17
1518		0.4488 GY	0.28
1518		0.3672 GY	0.40
1518		0.2856 GY	0.51
1518		0.2040 GY	0.62
1518		0.1224 GY	0.73
1518		0.0408 GY	0.84
1517		0.0371 GY	0.05
1517		0.1114 GY	0.11
1517		0.1856 GY	0.18
1517		0.2599 GY	0.25
1517		0.3341 GY	0.32
1517		0.4084 GY	0.39
1517		0.4826 GY	0.46
1517		0.5569 GY	0.53
1517		0.4578 GY	0.59
1517		0.4388 GY	0.64
1517		0.4198 GY	0.70
1517		0.4008 GY	0.75
1517		0.3817 GY	0.81
1517		0.3627 GY	0.86
1517		0.3437 GY	0.92
1517		0.3247 GY	0.97
1542	4.2594 GY	0.00	0.80
789		0.0017 GY	0.08
789		0.0052 GY	0.18

789		0.0087 GY	0.30
789		0.0121 GY	0.41
789		0.0156 GY	0.53
789		0.0191 GY	0.65
789		0.0225 GY	0.77
789		0.0260 GY	0.88
790		0.0295 GY	0.06
790		0.0330 GY	0.18
790		0.0364 GY	0.29
790		0.0399 GY	0.41
790		0.0434 GY	0.53
790		0.0468 GY	0.65
790		0.0503 GY	0.76

790	0.0538 GY	0.88
791	0.0642 GY	0.07
791	0.0685 GY	0.20
791	0.0728 GY	0.33
791	0.0771 GY	0.46
791	0.0815 GY	0.59
791	0.0858 GY	0.72
791	0.0901 GY	0.85
791	0.0944 GY	0.98
161	0.0882 GY	0.06
161	0.0917 GY	0.18
161	0.0952 GY	0.29
161	0.0986 GY	0.41
161	0.1021 GY	0.53
161	0.1056 GY	0.65
161	0.1090 GY	0.76
161	0.1125 GY	0.88
160	0.1160 GY	0.06
160	0.1194 GY	0.18
160	0.1229 GY	0.29
160	0.1264 GY	0.41
160	0.1298 GY	0.53
160	0.1333 GY	0.65
160	0.1368 GY	0.76
160	0.1402 GY	0.88
795	0.1437 GY	0.06
795	0.1472 GY	0.18
795	0.1507 GY	0.29
795	0.1541 GY	0.41
795	0.1576 GY	0.53
795	0.1611 GY	0.65
795	0.1645 GY	0.76
795	0.1680 GY	0.88
796	0.1715 GY	0.06
796	0.1749 GY	0.18
796	0.1784 GY	0.29
796	0.1819 GY	0.41
796	0.1853 GY	0.53
796	0.1888 GY	0.65
796	0.1923 GY	0.76
796	0.1957 GY	0.88
797	0.0096 GY	0.00
797	0.0096 GY	0.01

797	0.0096 GY	0.01
797	0.0096 GY	0.02

797	0.0096 GY	0.03
797	0.0096 GY	0.03
797	0.0096 GY	0.04
797	0.0096 GY	0.04
797	0.1876 GY	0.10
797	0.1845 GY	0.21
797	0.1814 GY	0.32
797	0.1783 GY	0.44
797	0.1752 GY	0.55
797	0.1721 GY	0.66
797	0.1689 GY	0.77
797	0.1658 GY	0.88
159	0.1709 GY	0.06
159	0.1674 GY	0.18
159	0.1640 GY	0.29
159	0.1605 GY	0.41
159	0.1571 GY	0.53
159	0.1537 GY	0.65
159	0.1502 GY	0.76
159	0.1468 GY	0.88
158	0.1433 GY	0.06
158	0.1399 GY	0.18
158	0.1364 GY	0.29
158	0.1330 GY	0.41
158	0.1296 GY	0.53
158	0.1261 GY	0.65
158	0.1227 GY	0.76
158	0.1192 GY	0.88
792	0.1291 GY	0.07
792	0.1248 GY	0.20
792	0.1205 GY	0.33
792	0.1162 GY	0.46
792	0.1119 GY	0.59
792	0.1076 GY	0.72
792	0.1033 GY	0.85
792	0.0990 GY	0.98
793	0.0947 GY	0.07
793	0.0904 GY	0.20
793	0.0861 GY	0.33
793	0.0818 GY	0.46
793	0.0776 GY	0.59
793	0.0733 GY	0.72
793	0.0690 GY	0.85
793	0.0647 GY	0.98
794	0.0604 GY	0.06
794	0.0561 GY	0.20
794	0.0518 GY	0.33

794	0.0475 GY	0.46
794	0.0432 GY	0.59
794	0.0389 GY	0.72
794	0.0346 GY	0.85
794	0.0303 GY	0.98
157	0.0216 GY	0.05
157	0.0187 GY	0.16

157	0.0158 GY	0.27
157	0.0130 GY	0.37
157	0.0101 GY	0.48
157	0.0072 GY	0.59
157	0.0043 GY	0.69
157	0.0014 GY	0.79
130	0.0678 GY	0.09
130	0.2034 GY	0.20
130	0.3390 GY	0.32
130	0.4747 GY	0.45
130	0.6103 GY	0.58
130	0.7459 GY	0.71
130	0.8815 GY	0.83
130	1.0171 GY	0.96
130	0.0201 GY	1.03
130	0.0200 GY	1.03
130	0.0200 GY	1.03
130	0.0199 GY	1.03
130	0.0199 GY	1.04
130	0.0198 GY	1.04
130	0.0198 GY	1.04
130	0.0197 GY	1.04
346	0.9798 GY	0.06
346	0.8492 GY	0.19
346	0.7185 GY	0.31
346	0.5879 GY	0.44
346	0.4573 GY	0.56
346	0.3266 GY	0.69
346	0.1960 GY	0.81
346	0.0653 GY	0.92
151	0.0164 GY	0.05
151	0.0142 GY	0.16
151	0.0120 GY	0.27
151	0.0098 GY	0.37
151	0.0076 GY	0.48
151	0.0055 GY	0.59
151	0.0033 GY	0.69
151	0.0011 GY	0.79

814	0.0458 GY	0.06
814	0.0425 GY	0.20
814	0.0393 GY	0.33
814	0.0360 GY	0.46
814	0.0327 GY	0.59
814	0.0295 GY	0.72
814	0.0262 GY	0.85
814	0.0230 GY	0.98
812	0.0718 GY	0.07
812	0.0686 GY	0.20
812	0.0653 GY	0.33
812	0.0621 GY	0.46
812	0.0588 GY	0.59
812	0.0556 GY	0.72
812	0.0523 GY	0.85
812	0.0490 GY	0.98
810	0.0979 GY	0.07
810	0.0946 GY	0.20

810	0.0914 GY	0.33
810	0.0881 GY	0.46
810	0.0849 GY	0.59
810	0.0816 GY	0.72
810	0.0784 GY	0.85
810	0.0751 GY	0.98
152	0.1087 GY	0.06
152	0.1061 GY	0.18
152	0.1035 GY	0.29
152	0.1009 GY	0.41
152	0.0982 GY	0.53
152	0.0956 GY	0.65
152	0.0930 GY	0.76
152	0.0904 GY	0.88
153	0.1296 GY	0.06
153	0.1270 GY	0.18
153	0.1244 GY	0.29
153	0.1217 GY	0.41
153	0.1191 GY	0.53
153	0.1165 GY	0.65
153	0.1139 GY	0.76
153	0.1113 GY	0.88
808	0.0088 GY	0.00
808	0.0088 GY	0.01
808	0.0088 GY	0.02
808	0.0089 GY	0.02
808	0.0089 GY	0.03

808	0.0089 GY	0.04
808	0.0089 GY	0.05
808	0.0089 GY	0.05
808	0.1405 GY	0.11
808	0.1382 GY	0.22
808	0.1359 GY	0.33
808	0.1336 GY	0.44
808	0.1312 GY	0.55
808	0.1289 GY	0.66
808	0.1266 GY	0.77
808	0.1243 GY	0.88
806	0.1296 GY	0.06
806	0.1323 GY	0.18
806	0.1349 GY	0.29
806	0.1375 GY	0.41
806	0.1401 GY	0.53
806	0.1428 GY	0.65
806	0.1454 GY	0.76
806	0.1480 GY	0.88
804	0.1087 GY	0.06
804	0.1113 GY	0.18
804	0.1139 GY	0.29
804	0.1165 GY	0.41
804	0.1191 GY	0.53
804	0.1218 GY	0.65
804	0.1244 GY	0.76
804	0.1270 GY	0.88
154	0.0877 GY	0.06
154	0.0903 GY	0.18

154	0.0929 GY	0.29
154	0.0955 GY	0.41
154	0.0982 GY	0.53
154	0.1008 GY	0.65
154	0.1034 GY	0.76
154	0.1060 GY	0.88
155	0.0667 GY	0.06
155	0.0693 GY	0.18
155	0.0719 GY	0.29
155	0.0746 GY	0.41
155	0.0772 GY	0.53
155	0.0798 GY	0.65
155	0.0824 GY	0.76
155	0.0851 GY	0.88
802	0.0485 GY	0.07
802	0.0518 GY	0.20

802	0.0550 GY	0.33
802	0.0583 GY	0.46
802	0.0616 GY	0.59
802	0.0649 GY	0.72
802	0.0681 GY	0.85
802	0.0714 GY	0.98
800	0.0223 GY	0.06
800	0.0249 GY	0.18
800	0.0275 GY	0.29
800	0.0302 GY	0.41
800	0.0328 GY	0.53
800	0.0354 GY	0.65
800	0.0380 GY	0.76
800	0.0406 GY	0.88
798	0.0013 GY	0.08
798	0.0039 GY	0.18
798	0.0066 GY	0.30
798	0.0092 GY	0.41
798	0.0118 GY	0.53
798	0.0144 GY	0.65
798	0.0170 GY	0.77
798	0.0197 GY	0.88
1520	0.0243 GY	0.03
1520	0.0728 GY	0.07
1520	0.1213 GY	0.12
1520	0.1699 GY	0.16
1520	0.2184 GY	0.21
1520	0.2670 GY	0.25
1520	0.3155 GY	0.30
1520	0.3640 GY	0.34
1520	0.6386 GY	0.41
1520	0.5534 GY	0.49
1520	0.4683 GY	0.57
1520	0.3831 GY	0.65
1520	0.2980 GY	0.72
1520	0.2129 GY	0.80
1520	0.1277 GY	0.88
1520	0.0426 GY	0.95
1510	0.0435 GY	0.05
1510	0.1305 GY	0.13

1510	0.2175 GY	0.21
1510	0.3044 GY	0.29
1510	0.3914 GY	0.37
1510	0.4784 GY	0.45
1510	0.5654 GY	0.53

1510	0.6524 GY	0.62
1510	0.3878 GY	0.68
1510	0.3361 GY	0.73
1510	0.2844 GY	0.78
1510	0.2327 GY	0.83
1510	0.1810 GY	0.87
1510	0.1293 GY	0.92
1510	0.0776 GY	0.97
1510	0.0259 GY	1.01
852	0.0013 GY	0.08
852	0.0039 GY	0.18
852	0.0066 GY	0.30
852	0.0092 GY	0.41
852	0.0118 GY	0.53
852	0.0144 GY	0.65
852	0.0170 GY	0.77
852	0.0197 GY	0.88
855	0.0223 GY	0.06
855	0.0249 GY	0.18
855	0.0275 GY	0.29
855	0.0302 GY	0.41
855	0.0328 GY	0.53
855	0.0354 GY	0.65
855	0.0380 GY	0.76
855	0.0406 GY	0.88
858	0.0485 GY	0.07
858	0.0518 GY	0.20
858	0.0550 GY	0.33
858	0.0583 GY	0.46
858	0.0616 GY	0.59
858	0.0649 GY	0.72
858	0.0681 GY	0.85
858	0.0714 GY	0.98
149	0.0667 GY	0.06
149	0.0693 GY	0.18
149	0.0719 GY	0.29
149	0.0746 GY	0.41
149	0.0772 GY	0.53
149	0.0798 GY	0.65
149	0.0824 GY	0.76
149	0.0851 GY	0.88
148	0.0877 GY	0.06
148	0.0903 GY	0.18
148	0.0929 GY	0.29
148	0.0956 GY	0.41
148	0.0982 GY	0.53
148	0.1008 GY	0.65

148	0.1034 GY	0.76
148	0.1060 GY	0.88
861	0.1087 GY	0.06
861	0.1113 GY	0.18

861	0.1139 GY	0.29
861	0.1165 GY	0.41
861	0.1192 GY	0.53
861	0.1218 GY	0.65
861	0.1244 GY	0.76
861	0.1270 GY	0.88
864	0.1296 GY	0.06
864	0.1323 GY	0.18
864	0.1349 GY	0.29
864	0.1375 GY	0.41
864	0.1401 GY	0.53
864	0.1428 GY	0.65
864	0.1454 GY	0.76
864	0.1480 GY	0.88
867	0.0088 GY	0.00
867	0.0088 GY	0.01
867	0.0088 GY	0.02
867	0.0089 GY	0.02
867	0.0089 GY	0.03
867	0.0089 GY	0.04
867	0.0089 GY	0.05
867	0.0089 GY	0.05
867	0.1405 GY	0.11
867	0.1382 GY	0.22
867	0.1359 GY	0.33
867	0.1336 GY	0.44
867	0.1313 GY	0.55
867	0.1289 GY	0.66
867	0.1266 GY	0.77
867	0.1243 GY	0.88
147	0.1296 GY	0.06
147	0.1270 GY	0.18
147	0.1244 GY	0.29
147	0.1218 GY	0.41
147	0.1191 GY	0.53
147	0.1165 GY	0.65
147	0.1139 GY	0.76
147	0.1113 GY	0.88
146	0.1087 GY	0.06
146	0.1061 GY	0.18
146	0.1035 GY	0.29

146	0.1009 GY	0.41
146	0.0983 GY	0.53
146	0.0956 GY	0.65
146	0.0930 GY	0.76
146	0.0904 GY	0.88
870	0.0979 GY	0.07
870	0.0947 GY	0.20
870	0.0914 GY	0.33
870	0.0881 GY	0.46
870	0.0849 GY	0.59
870	0.0816 GY	0.72
870	0.0784 GY	0.85
870	0.0751 GY	0.98
873	0.0718 GY	0.07
873	0.0686 GY	0.20

873	0.0653 GY	0.33
873	0.0621 GY	0.46
873	0.0588 GY	0.59
873	0.0556 GY	0.72
873	0.0523 GY	0.85
873	0.0490 GY	0.98
876	0.0458 GY	0.06
876	0.0425 GY	0.20
876	0.0393 GY	0.33
876	0.0360 GY	0.46
876	0.0327 GY	0.59
876	0.0295 GY	0.72
876	0.0262 GY	0.85
876	0.0230 GY	0.98
145	0.0164 GY	0.05
145	0.0142 GY	0.16
145	0.0120 GY	0.27
145	0.0098 GY	0.37
145	0.0076 GY	0.48
145	0.0055 GY	0.59
145	0.0033 GY	0.69
145	0.0011 GY	0.79
132	0.0680 GY	0.09
132	0.2041 GY	0.20
132	0.3402 GY	0.33
132	0.4762 GY	0.45
132	0.6123 GY	0.58
132	0.7484 GY	0.71
132	0.8844 GY	0.84
132	1.0205 GY	0.96

132	0.0240 GY	1.03
132	0.0240 GY	1.03
132	0.0239 GY	1.03
132	0.0238 GY	1.04
132	0.0238 GY	1.04
132	0.0237 GY	1.04
132	0.0236 GY	1.05
132	0.0236 GY	1.05
348	0.9773 GY	0.06
348	0.8470 GY	0.19
348	0.7167 GY	0.31
348	0.5864 GY	0.44
348	0.4561 GY	0.56
348	0.3258 GY	0.69
348	0.1955 GY	0.81
348	0.0652 GY	0.92
139	0.0164 GY	0.05
139	0.0142 GY	0.16
139	0.0120 GY	0.27
139	0.0099 GY	0.37
139	0.0077 GY	0.48
139	0.0055 GY	0.59
139	0.0033 GY	0.69
139	0.0011 GY	0.79
877	0.0459 GY	0.06
877	0.0426 GY	0.20

877	0.0394 GY	0.33
877	0.0361 GY	0.46
877	0.0328 GY	0.59
877	0.0296 GY	0.72
877	0.0263 GY	0.85
877	0.0230 GY	0.98
874	0.0720 GY	0.07
874	0.0688 GY	0.20
874	0.0655 GY	0.33
874	0.0622 GY	0.46
874	0.0590 GY	0.59
874	0.0557 GY	0.72
874	0.0524 GY	0.85
874	0.0492 GY	0.98
871	0.0982 GY	0.07
871	0.0949 GY	0.20
871	0.0916 GY	0.33
871	0.0884 GY	0.46
871	0.0851 GY	0.59

871	0.0818 GY	0.72
871	0.0786 GY	0.85
871	0.0753 GY	0.98
140	0.1090 GY	0.06
140	0.1064 GY	0.18
140	0.1037 GY	0.29
140	0.1011 GY	0.41
140	0.0985 GY	0.53
140	0.0959 GY	0.65
140	0.0933 GY	0.76
140	0.0906 GY	0.88
141	0.1299 GY	0.06
141	0.1273 GY	0.18
141	0.1247 GY	0.29
141	0.1221 GY	0.41
141	0.1194 GY	0.53
141	0.1168 GY	0.65
141	0.1142 GY	0.76
141	0.1116 GY	0.88
868	0.0077 GY	0.00
868	0.0077 GY	0.01
868	0.0077 GY	0.02
868	0.0077 GY	0.02
868	0.0077 GY	0.03
868	0.0078 GY	0.03
868	0.0078 GY	0.04
868	0.0078 GY	0.05
868	0.1421 GY	0.10
868	0.1398 GY	0.22
868	0.1374 GY	0.33
868	0.1351 GY	0.44
868	0.1327 GY	0.55
868	0.1304 GY	0.66
868	0.1280 GY	0.77
868	0.1257 GY	0.88
865	0.1303 GY	0.06
865	0.1329 GY	0.18

865	0.1355 GY	0.29
865	0.1382 GY	0.41
865	0.1408 GY	0.53
865	0.1434 GY	0.65
865	0.1461 GY	0.76
865	0.1487 GY	0.88
862	0.1092 GY	0.06
862	0.1118 GY	0.18

862	0.1144 GY	0.29
862	0.1171 GY	0.41
862	0.1197 GY	0.53
862	0.1223 GY	0.65
862	0.1250 GY	0.76
862	0.1276 GY	0.88
142	0.0881 GY	0.06
142	0.0907 GY	0.18
142	0.0934 GY	0.29
142	0.0960 GY	0.41
142	0.0986 GY	0.53
142	0.1013 GY	0.65
142	0.1039 GY	0.76
142	0.1065 GY	0.88
143	0.0670 GY	0.06
143	0.0697 GY	0.18
143	0.0723 GY	0.29
143	0.0749 GY	0.41
143	0.0776 GY	0.53
143	0.0802 GY	0.65
143	0.0828 GY	0.76
143	0.0855 GY	0.88
859	0.0487 GY	0.07
859	0.0520 GY	0.20
859	0.0553 GY	0.33
859	0.0586 GY	0.46
859	0.0619 GY	0.59
859	0.0652 GY	0.72
859	0.0685 GY	0.85
859	0.0717 GY	0.98
856	0.0224 GY	0.06
856	0.0250 GY	0.18
856	0.0277 GY	0.29
856	0.0303 GY	0.41
856	0.0329 GY	0.53
856	0.0356 GY	0.65
856	0.0382 GY	0.76
856	0.0408 GY	0.88
853	0.0013 GY	0.08
853	0.0040 GY	0.18
853	0.0066 GY	0.30
853	0.0092 GY	0.41
853	0.0119 GY	0.53
853	0.0145 GY	0.65
853	0.0171 GY	0.77
853	0.0198 GY	0.88
1521	0.0240 GY	0.03

1521	0.0719 GY	0.07

1521	0.1199 GY	0.11
1521	0.1678 GY	0.16
1521	0.2157 GY	0.20
1521	0.2637 GY	0.25
1521	0.3116 GY	0.29
1521	0.3596 GY	0.34
1521	0.6420 GY	0.40
1521	0.5564 GY	0.48
1521	0.4708 GY	0.56
1521	0.3852 GY	0.64
1521	0.2996 GY	0.72
1521	0.2140 GY	0.80
1521	0.1284 GY	0.88
1521	0.0428 GY	0.95
1514	0.0682 GY	0.09
1514	0.2045 GY	0.20
1514	0.3409 GY	0.33
1514	0.4772 GY	0.45
1514	0.6135 GY	0.58
1514	0.7499 GY	0.71
1514	0.8862 GY	0.84
1514	1.0226 GY	0.96
1514	0.0226 GY	1.03
1514	0.0196 GY	1.03
1514	0.0166 GY	1.03
1514	0.0136 GY	1.04
1514	0.0106 GY	1.04
1514	0.0075 GY	1.04
1514	0.0045 GY	1.05
1514	0.0015 GY	1.05
2286	0.0007 GY	0.06
2286	0.0021 GY	0.14
2286	0.0036 GY	0.22
2286	0.0050 GY	0.31
2286	0.0064 GY	0.39
2286	0.0079 GY	0.48
2286	0.0093 GY	0.57
2286	0.0107 GY	0.65
1604	0.0111 GY	0.04
1604	0.0123 GY	0.12
1604	0.0134 GY	0.20
1604	0.0146 GY	0.28
1604	0.0158 GY	0.36
1604	0.0170 GY	0.44

1604	0.0182 GY	0.52
1604	0.0194 GY	0.60
1660	0.0327 GY	0.06
1660	0.0356 GY	0.19
1660	0.0385 GY	0.31
1660	0.0414 GY	0.43
1660	0.0443 GY	0.56
1660	0.0472 GY	0.68
1660	0.0501 GY	0.81
1660	0.0530 GY	0.93
1605	0.0560 GY	0.06
1605	0.0589 GY	0.19

1605	0.0618 GY	0.31
1605	0.0647 GY	0.43
1605	0.0676 GY	0.56
1605	0.0705 GY	0.68
1605	0.0734 GY	0.81
1605	0.0763 GY	0.93
1600	0.0483 GY	0.04
1600	0.0494 GY	0.11
1600	0.0505 GY	0.19
1600	0.0516 GY	0.27
1600	0.0527 GY	0.34
1600	0.0538 GY	0.42
1600	0.0549 GY	0.50
1600	0.0560 GY	0.57
1599	0.0885 GY	0.06
1599	0.0911 GY	0.18
1599	0.0937 GY	0.29
1599	0.0963 GY	0.41
1599	0.0989 GY	0.53
1599	0.1015 GY	0.65
1599	0.1042 GY	0.76
1599	0.1068 GY	0.88
1606	0.1094 GY	0.06
1606	0.1120 GY	0.18
1606	0.1146 GY	0.29
1606	0.1172 GY	0.41
1606	0.1198 GY	0.53
1606	0.1224 GY	0.65
1606	0.1250 GY	0.76
1606	0.1276 GY	0.88
1607	0.1302 GY	0.06
1607	0.1329 GY	0.18
1607	0.1355 GY	0.29

1607	0.1381 GY	0.41
1607	0.1407 GY	0.53
1607	0.1433 GY	0.65
1607	0.1459 GY	0.76
1607	0.1485 GY	0.88
1608	0.0077 GY	0.00
1608	0.0077 GY	0.01
1608	0.0077 GY	0.02
1608	0.0077 GY	0.02
1608	0.0077 GY	0.03
1608	0.0077 GY	0.03
1608	0.0077 GY	0.04
1608	0.0078 GY	0.05
1608	0.1419 GY	0.10
1608	0.1396 GY	0.22
1608	0.1372 GY	0.33
1608	0.1349 GY	0.44
1608	0.1325 GY	0.55
1608	0.1302 GY	0.66
1608	0.1278 GY	0.77
1608	0.1255 GY	0.88
1598	0.1297 GY	0.06
1598	0.1271 GY	0.18

1598	0.1245 GY	0.29
1598	0.1219 GY	0.41
1598	0.1193 GY	0.53
1598	0.1167 GY	0.65
1598	0.1141 GY	0.76
1598	0.1114 GY	0.88
1597	0.0588 GY	0.03
1597	0.0580 GY	0.09
1597	0.0573 GY	0.16
1597	0.0565 GY	0.22
1597	0.0558 GY	0.28
1597	0.0550 GY	0.35
1597	0.0543 GY	0.41
1597	0.0535 GY	0.47
1686	0.0455 GY	0.03
1686	0.0449 GY	0.08
1686	0.0444 GY	0.14
1686	0.0438 GY	0.19
1686	0.0432 GY	0.24
1686	0.0427 GY	0.30
1686	0.0421 GY	0.35
1686	0.0416 GY	0.41

1609	0.0980 GY	0.07
1609	0.0948 GY	0.20
1609	0.0915 GY	0.33
1609	0.0882 GY	0.46
1609	0.0850 GY	0.59
1609	0.0817 GY	0.72
1609	0.0785 GY	0.85
1609	0.0752 GY	0.98
1610	0.0719 GY	0.07
1610	0.0687 GY	0.20
1610	0.0654 GY	0.33
1610	0.0621 GY	0.46
1610	0.0589 GY	0.59
1610	0.0556 GY	0.72
1610	0.0524 GY	0.85
1610	0.0491 GY	0.98
1611	0.0458 GY	0.06
1611	0.0426 GY	0.20
1611	0.0393 GY	0.33
1611	0.0361 GY	0.46
1611	0.0328 GY	0.59
1611	0.0295 GY	0.72
1611	0.0263 GY	0.85
1611	0.0230 GY	0.98
1596	0.0164 GY	0.05
1596	0.0142 GY	0.16
1596	0.0120 GY	0.27
1596	0.0098 GY	0.37
1596	0.0077 GY	0.48
1596	0.0055 GY	0.59
1596	0.0033 GY	0.69
1596	0.0011 GY	0.79

FOR LOADING - 1
_ STAAD SPACE -- PAGE NO. 492

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
1	-1.29557E-09	-7.02774E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.40066E-02
2	0.00000E+00	-6.94459E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	0.00000E+00	-4.50352E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
6	8.44687E-13	-8.48015E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.86698E-02
8	0.00000E+00	-8.00020E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.05187E-02
10	-4.01455E-10	-8.43667E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.78220E-02
14	0.00000E+00	-7.63565E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.73930E-02
16	0.00000E+00	-9.14714E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.56354E-02

20-1.29223E-09-6.12376E-01 1.83558E-09-1.73773E-02 0.00000E+00-4.05225E-02
22 8.44687E-13-7.37467E-01 0.00000E+00 0.00000E+00 0.00000E+00-7.45308E-03
32 0.00000E+00-8.85814E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.30246E-02
36 2.12611E-09-7.56624E-01 0.00000E+00 3.66788E-02 0.00000E+00 3.87278E-02
38-1.29557E-09-8.10101E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.06165E-02
40-1.29424E-09-6.61339E-01-2.03814E-09-1.15931E-02 0.00000E+00-5.06182E-02
42-1.29392E-09-7.00853E-01 1.48821E-09 1.15931E-02 0.00000E+00-5.06181E-02
44-1.29247E-09-7.21344E-01 1.07339E-09-1.28001E-02 0.00000E+00-5.06180E-02
46-1.29171E-09-6.87618E-01-2.16712E-09 1.04526E-02 0.00000E+00-5.06184E-02
48-1.29397E-09-8.74808E-01-2.27786E-09-2.13688E-02 0.00000E+00-5.06164E-02
50-3.08341E-10-3.41890E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.63054E-02
51 0.00000E+00-2.96679E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.45066E-03
52 0.00000E+00-2.14660E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
53 0.00000E+00-2.99403E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.27997E-02
54 0.00000E+00-1.56386E-01 0.00000E+00 1.20080E-02 0.00000E+00 0.00000E+00
55 0.00000E+00-3.40458E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.77915E-03
58 0.00000E+00-2.92394E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.06215E-02
62 0.00000E+00-2.96609E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.11684E-02
67 0.00000E+00-4.40778E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.23430E-02
69 0.00000E+00-1.36221E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
76 8.44687E-13-1.14300E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.66987E-02
77 8.44687E-13-1.02797E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.97811E-02
78 8.44687E-13-1.11222E+00 0.00000E+00 0.00000E+00 0.00000E+00-2.36079E-02
79 8.44687E-13-1.14969E+00 0.00000E+00 0.00000E+00 0.00000E+00-2.44584E-02
80 8.44687E-13-1.08985E+00 0.00000E+00 0.00000E+00 0.00000E+00-2.33005E-02
81 8.44687E-13-1.25241E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.89837E-02
83 0.00000E+00-7.52645E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.32951E-02
84 0.00000E+00-7.52645E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.32950E-02
85 0.00000E+00-7.70986E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.36263E-02
86 0.00000E+00-7.33919E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.29513E-02
89 1.53284E-10-7.84995E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.54430E-08
90 1.53284E-10-7.84996E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.05646E-07
91 1.53284E-10-8.02128E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.49348E-08
92 1.53284E-10-7.67479E-01 0.00000E+00 0.00000E+00 0.00000E+00-4.50364E-08
95 9.45001E-10-7.84987E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.47658E-06
96 9.45001E-10-7.84987E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.53383E-06
97 9.45001E-10-8.02119E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.55740E-06
98 9.45001E-10-7.67471E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.45975E-06
101 0.00000E+00-7.11828E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.31664E-06
102 0.00000E+00-7.11829E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.31664E-06
103 0.00000E+00-7.28961E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.34358E-06
104 0.00000E+00-6.94312E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.24930E-06
106 0.00000E+00-8.85673E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.30662E-02
107 0.00000E+00-7.22817E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.20271E-02
108 0.00000E+00-7.22817E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.20271E-02
_ STAAD SPACE -- PAGE NO. 493

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
109	0.00000E+00	-7.40361E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.25205E-02
110	0.00000E+00	-7.04975E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.14694E-02
118	2.12611E-09	-9.07301E-01	1.46084E-09	-8.24733E-02	0.00000E+00	5.79436E-02
119	2.12411E-09	-7.15780E-01	3.98116E-09	1.04526E-02	0.00000E+00	5.79079E-02
120	2.12633E-09	-7.50448E-01	5.00335E-10	-1.28001E-02	0.00000E+00	5.79492E-02
121	2.12520E-09	-7.72163E-01	1.93512E-09	3.69412E-02	0.00000E+00	5.79490E-02
122	2.12627E-09	-7.26979E-01	3.35245E-10	9.80590E-03	0.00000E+00	5.79081E-02
123	2.12611E-09	-8.40469E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.79436E-02
124	2.12611E-09	-6.34716E-01	9.72630E-11	-1.73773E-02	0.00000E+00	4.59508E-02
223	0.00000E+00	-3.30098E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.34128E-03
224	0.00000E+00	-3.88066E-01	0.00000E+00	3.36721E-09	0.00000E+00	-8.81641E-03
225	0.00000E+00	-3.15516E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.00489E-02
226	0.00000E+00	-3.09489E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.26654E-03
228	0.00000E+00	-3.06801E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.76123E-03
229	0.00000E+00	-3.50696E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.89933E-03
231	0.00000E+00	-3.61123E-01	0.00000E+00	-1.12229E-02	0.00000E+00	1.00601E-02
232	0.00000E+00	-5.04977E-01	0.00000E+00	6.58193E-03	0.00000E+00	0.00000E+00
233	0.00000E+00	-5.44684E-01	0.00000E+00	6.05411E-03	0.00000E+00	0.00000E+00
234	0.00000E+00	-6.44742E-01	0.00000E+00	-4.97402E-03	0.00000E+00	0.00000E+00
236	0.00000E+00	-6.46748E-01	0.00000E+00	-5.77764E-03	0.00000E+00	0.00000E+00
244	0.00000E+00	-9.06577E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.23060E-02
245	0.00000E+00	-9.52683E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.42780E-02
246	0.00000E+00	-1.01932E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.13282E-02
248	0.00000E+00	-1.01458E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.73510E-02
280	0.00000E+00	-6.64437E-01	0.00000E+00	-5.95538E-03	0.00000E+00	0.00000E+00
282	0.00000E+00	-6.62356E-01	0.00000E+00	-5.12686E-03	0.00000E+00	0.00000E+00
284	0.00000E+00	-4.80522E-01	0.00000E+00	1.60947E-02	0.00000E+00	0.00000E+00
285	0.00000E+00	-5.59964E-01	0.00000E+00	5.92947E-03	0.00000E+00	0.00000E+00
318	-8.65321E-10	-2.58595E-01	0.00000E+00	-6.32720E-03	0.00000E+00	3.78399E-03
319	-8.65321E-10	-2.58595E-01	0.00000E+00	6.32720E-03	0.00000E+00	3.78399E-03
320	-8.65321E-10	-2.58595E-01	0.00000E+00	-6.32720E-03	0.00000E+00	3.78399E-03
321	-8.65321E-10	-2.58595E-01	0.00000E+00	6.32720E-03	0.00000E+00	3.78399E-03
324	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
325	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
326	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
327	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
330	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
331	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
332	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
333	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
336	9.45001E-10	-2.47747E-01	0.00000E+00	-6.32720E-03	0.00000E+00	-6.56606E-07
337	9.45001E-10	-2.47747E-01	0.00000E+00	6.32720E-03	0.00000E+00	-6.56606E-07
338	9.45001E-10	-2.47747E-01	0.00000E+00	-6.32720E-03	0.00000E+00	-6.56606E-07
339	9.45001E-10	-2.47747E-01	0.00000E+00	6.32720E-03	0.00000E+00	-6.56606E-07
341	9.99526E-10	-2.42763E-01	0.00000E+00	2.62508E-03	0.00000E+00	6.29502E-03

342 9.99526E-10-2.50710E-01 0.00000E+00-6.32720E-03 0.00000E+00 6.29502E-03
343 9.99526E-10-2.50710E-01 0.00000E+00 6.32720E-03 0.00000E+00 6.29502E-03
344 9.99526E-10-2.50710E-01 0.00000E+00-6.32720E-03 0.00000E+00 6.29502E-03
345 9.99526E-10-2.50710E-01 0.00000E+00 6.32720E-03 0.00000E+00 6.29502E-03
411 7.43638E-10-1.80031E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.35077E-02
412 0.00000E+00-8.25512E-02 0.00000E+00 3.35549E-03 0.00000E+00 7.73373E-04
415-6.85415E-10-1.98798E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.06437E-02
416 0.00000E+00-1.45249E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.01183E-03

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
418	9.45001E-10	-1.94739E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.38719E-03
423	1.20311E-10	-8.58892E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.54994E-02
424	-1.47390E-10	-1.09203E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.87439E-02
425	0.00000E+00	-9.10862E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.02033E-08
426	6.41971E-10	-9.84025E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.10865E-06
427	0.00000E+00	-9.10865E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.01353E-06
428	9.45001E-10	-9.84012E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.26108E-06
429	0.00000E+00	-3.13250E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.46279E-02
430	0.00000E+00	-3.72634E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.69377E-08
431	0.00000E+00	-3.72634E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.03049E-08
433	0.00000E+00	-3.21093E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.47459E-04
434	0.00000E+00	-4.48057E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.68178E-03
435	0.00000E+00	-3.19993E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.32933E-03
436	0.00000E+00	-3.76948E-01	0.00000E+00	-5.05082E-09	0.00000E+00	-9.17989E-03
437	0.00000E+00	-3.59431E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.05082E-09
438	0.00000E+00	-3.79670E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.00621E-03
439	0.00000E+00	-3.47377E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.03891E-07
440	0.00000E+00	-3.36454E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.53557E-07
441	0.00000E+00	-3.47377E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.92105E-07
442	0.00000E+00	-3.36454E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.41772E-07
443	0.00000E+00	-3.47376E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.26270E-08
444	0.00000E+00	-3.36453E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.69377E-08
445	0.00000E+00	-3.47374E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.54081E-07
446	0.00000E+00	-3.36450E-01	0.00000E+00	0.00000E+00	0.00000E+00	8.14865E-07
447	2.10169E-11	-8.51781E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.44716E-02
448	0.00000E+00	-3.00362E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.78621E-02
449	0.00000E+00	-9.98755E-01	0.00000E+00	0.00000E+00	0.00000E+00	-9.42819E-08
450	0.00000E+00	-3.65826E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.53557E-08
451	-2.82696E-10	-1.07809E+00	0.00000E+00	0.00000E+00	0.00000E+00	1.03121E-07
452	0.00000E+00	-3.65826E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.53557E-08
453	-6.80103E-10	-8.95930E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.54274E-04
455	9.07516E-13	-8.27120E-01	0.00000E+00	0.00000E+00	0.00000E+00	6.20761E-03
456	0.00000E+00	-3.05745E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.07499E-04
458	9.07516E-13	-7.76926E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.29362E-03
459	9.07516E-13	-1.23593E+00	0.00000E+00	0.00000E+00	0.00000E+00	2.49322E-03

461 9.07516E-13-1.04773E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.18029E-03
462-3.38037E-10-9.00252E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.10115E-03
463 9.07516E-13-1.10532E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.21738E-03
464-3.38037E-10-9.38063E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.00888E-03
465 9.07516E-13-1.06923E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.21187E-03
466-3.38037E-10-9.15549E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.01718E-03
467 9.07516E-13-9.87845E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.18474E-03
468-3.38037E-10-8.75440E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.00305E-03
469 9.07516E-13-1.12719E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.21441E-03
470-3.38037E-10-1.04913E+00 0.00000E+00 0.00000E+00 0.00000E+00-6.00622E-03
471 0.00000E+00-9.95022E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.49451E-03
475 0.00000E+00-9.92734E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.49791E-03
479 0.00000E+00-8.94335E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.45604E-03
481 0.00000E+00-9.39736E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.49485E-03
485 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
486-2.82696E-10-2.63372E-01 0.00000E+00 3.35549E-03 0.00000E+00-2.82004E-08
487 0.00000E+00-1.24403E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.07340E-02
488 0.00000E+00-1.68520E-01 0.00000E+00 0.00000E+00 0.00000E+00 4.46155E-07

APPLIED JOINT EQUIVALENT LOADS

JOINT FORCE-X FORCE-Y FORCE-Z MOM-X MOM-Y MOM-Z
489 6.41971E-10-2.25419E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.27461E-07
490 0.00000E+00-1.68522E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.22236E-07
491 1.53284E-10-2.25418E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.30479E-08
492 0.00000E+00-1.75926E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.41803E-09
494 1.90936E-10-1.00970E+00 0.00000E+00 2.27026E-02 0.00000E+00 1.57229E-02
495 0.00000E+00-7.11840E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.04384E-06
496-9.41963E-10-8.28893E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.45062E-02
497 2.10169E-11-8.28892E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.45061E-02
498 0.00000E+00-7.93452E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.01016E-07
499-2.82696E-10-8.72789E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.96520E-08
500 0.00000E+00-7.11836E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.35705E-08
501 6.41971E-10-2.18500E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.29005E-01
502 0.00000E+00-2.11184E+00 0.00000E+00 0.00000E+00 0.00000E+00 3.29005E-01
503 1.90936E-10-1.01803E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.78566E-02
504 0.00000E+00-7.11840E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.09098E-06
505-9.41963E-10-8.28892E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.45062E-02
506 0.00000E+00-7.11837E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.21220E-07
507 6.41971E-10-2.18500E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.29005E-01
508 0.00000E+00-2.11184E+00 0.00000E+00 0.00000E+00 0.00000E+00 3.29005E-01
509 2.10169E-11-8.28892E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.45062E-02
510 0.00000E+00-7.93453E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.01016E-07
511-2.82696E-10-8.72790E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.16590E-07
512 1.90936E-10-1.04394E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.85308E-02
513 1.90936E-10-1.00050E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.78565E-02
514 0.00000E+00-7.28973E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.10108E-06

515 0.00000E+00-6.94323E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.11455E-06
516-9.41963E-10-8.47234E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.48374E-02
517-9.41963E-10-8.10167E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.41625E-02
518 0.00000E+00-7.28969E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.73442E-08
519 0.00000E+00-6.94320E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.70393E-08
520 6.41971E-10-2.20213E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.29005E-01
521 6.41971E-10-2.16748E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.29005E-01
522 0.00000E+00-2.12897E+00 0.00000E+00 0.00000E+00 0.00000E+00 3.29005E-01
523 0.00000E+00-2.09432E+00 0.00000E+00 0.00000E+00 0.00000E+00 3.29005E-01
524 2.10169E-11-8.47234E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.48374E-02
525 2.10169E-11-8.10166E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.41624E-02
526 0.00000E+00-8.13003E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.21220E-07
527 0.00000E+00-7.73518E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.42819E-08
528-2.82696E-10-8.92340E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.09855E-07
529-2.82696E-10-8.52855E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.96520E-08
552 2.10169E-11-9.95605E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.53558E-02
553 2.10169E-11-9.95606E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.53558E-02
554 0.00000E+00-9.65455E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.61626E-07
555 0.00000E+00-9.65455E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.68361E-07
556-2.82696E-10-1.04479E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.36793E-07
557-2.82696E-10-1.04479E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.36793E-07
597 5.67066E-10-2.47772E-01 0.00000E+00-6.32720E-03 0.00000E+00 7.17258E-06
598 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57280E-03
599 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57279E-03
600-2.82696E-10-2.69441E-01 0.00000E+00-6.32720E-03 0.00000E+00-2.82004E-08
601 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
602 1.53284E-10-2.47749E-01 0.00000E+00-6.32720E-03 0.00000E+00 1.30479E-08
603 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.22236E-07

_ STAAD SPACE -- PAGE NO. 496

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
604	6.41971E-10	-2.47750E-01	0.00000E+00	-6.32720E-03	0.00000E+00	3.27461E-07
606	5.67066E-10	-2.47772E-01	0.00000E+00	6.32720E-03	0.00000E+00	7.17258E-06
607	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57280E-03
608	1.53284E-10	-2.47749E-01	0.00000E+00	6.32720E-03	0.00000E+00	1.30479E-08
609	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.22236E-07
610	6.41971E-10	-2.47750E-01	0.00000E+00	6.32720E-03	0.00000E+00	3.27461E-07
611	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57279E-03
612	-2.82696E-10	-2.69441E-01	0.00000E+00	6.32720E-03	0.00000E+00	-2.82004E-08
613	0.00000E+00	-1.67773E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.93615E-08
616	5.67066E-10	-2.47772E-01	0.00000E+00	-6.32720E-03	0.00000E+00	7.17258E-06
617	5.64340E-10	-2.37912E-01	0.00000E+00	6.32720E-03	0.00000E+00	-1.53809E-03
618	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57280E-03
619	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57280E-03
620	1.53284E-10	-2.47749E-01	0.00000E+00	-6.32720E-03	0.00000E+00	1.30479E-08
621	1.53284E-10	-2.47749E-01	0.00000E+00	6.32720E-03	0.00000E+00	1.30479E-08

622 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.22236E-07
623 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.22236E-07
624 6.41971E-10-2.47750E-01 0.00000E+00-6.32720E-03 0.00000E+00 3.27461E-07
625 6.41971E-10-2.47750E-01 0.00000E+00 6.32720E-03 0.00000E+00 3.27461E-07
626 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57279E-03
627 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57279E-03
628-2.82696E-10-2.69441E-01 0.00000E+00-6.32720E-03 0.00000E+00-2.82004E-08
629-2.82696E-10-2.69441E-01 0.00000E+00 6.32720E-03 0.00000E+00-2.82004E-08
630 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
631 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
648 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57279E-03
650 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
651-2.51065E-12-7.33334E-01 0.00000E+00-1.34688E-08 0.00000E+00-3.36168E-02
652-2.51065E-12-7.33299E-01 0.00000E+00 1.19454E-02 0.00000E+00-3.36168E-02
653 5.44709E-12-6.89910E-01 0.00000E+00 1.22258E-02 0.00000E+00 6.80263E-06
654 5.44709E-12-6.47058E-01 0.00000E+00 1.09977E-02 0.00000E+00 6.80263E-06
657 0.00000E+00-9.02695E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.90183E-02
658 0.00000E+00-9.02696E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.88760E-02
667-1.16249E-10-2.42774E-01 0.00000E+00-2.62508E-03 0.00000E+00 6.29119E-03
677 0.00000E+00-1.60016E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.57279E-03
679 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
684 1.21208E-11-2.44026E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.51271E-03
696 0.00000E+00-6.99911E-02 0.00000E+00 0.00000E+00 0.00000E+00-1.15777E-02
697 0.00000E+00-1.32689E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.20427E-03
698 0.00000E+00-6.62887E-02 0.00000E+00 0.00000E+00 0.00000E+00 7.73373E-04
699 0.00000E+00-1.54374E-01 0.00000E+00 0.00000E+00 0.00000E+00 4.26526E-03
700 0.00000E+00-1.28987E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.01183E-03
702 0.00000E+00-1.21581E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.38740E-03
704 0.00000E+00-1.98922E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.59391E-02
705 0.00000E+00-1.20236E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.41672E-02
708 0.00000E+00-1.59663E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.41803E-09
709 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.96982E-07
710 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.88564E-07
711 0.00000E+00-1.52259E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.68361E-08
712 0.00000E+00-1.52257E-01 0.00000E+00 0.00000E+00 0.00000E+00 4.46155E-07
713 0.00000E+00-1.24403E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.07340E-02
714 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.93615E-08
715 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
_ STAAD SPACE -- PAGE NO. 497

APPLIED JOINT EQUIVALENT LOADS
JOINT FORCE-X FORCE-Y FORCE-Z MOM-X MOM-Y MOM-Z
717 0.00000E+00-1.36039E-01 0.00000E+00 0.00000E+00 0.00000E+00-4.53769E-04
729-1.38500E-09-8.54213E-01 0.00000E+00 0.00000E+00 0.00000E+00 5.10985E-03
731 0.00000E+00-5.52320E-01 0.00000E+00 5.98356E-03 0.00000E+00 1.89799E-05
732 0.00000E+00-6.53654E-01 0.00000E+00-5.08767E-03 0.00000E+00 4.48124E-05
733 0.00000E+00-6.55604E-01 0.00000E+00-5.88070E-03 0.00000E+00 2.18289E-05

736-1.38500E-09-1.13089E+00 0.00000E+00 0.00000E+00 0.00000E+00-6.23886E-03
739 0.00000E+00-5.12013E-01 0.00000E+00 6.79516E-03 0.00000E+00 1.53637E-05
745 0.00000E+00-6.78424E-01 0.00000E+00-4.24089E-03 0.00000E+00-6.19354E-03
749 0.00000E+00-6.81916E-01 0.00000E+00-8.24569E-03 0.00000E+00-3.03627E-03
754 0.00000E+00-5.02387E-01 0.00000E+00 1.46434E-02 0.00000E+00-1.66338E-03
755 0.00000E+00-5.74697E-01 0.00000E+00 5.77096E-03 0.00000E+00 0.00000E+00
769-2.53405E-10-8.02505E-01 0.00000E+00 0.00000E+00 0.00000E+00 5.19882E-02
773-9.97774E-10-1.10014E+00 0.00000E+00 0.00000E+00 0.00000E+00 3.40200E-02
776 0.00000E+00-3.23658E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.22678E-03
777 0.00000E+00-3.08856E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.63800E-03
780 0.00000E+00-1.15527E+00 0.00000E+00 5.05082E-08 0.00000E+00-1.10468E-02
781 0.00000E+00-1.37682E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.18432E-04
782 0.00000E+00-9.46915E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.73202E-02
783 0.00000E+00-7.40095E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.57559E-02
784 2.10169E-11-8.34237E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.43048E-02
785 9.45001E-10-1.00775E+00 0.00000E+00 0.00000E+00 0.00000E+00 2.62137E-06
786-4.01455E-10-8.51699E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.26414E-02
787 0.00000E+00-9.34606E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.69377E-08
788 0.00000E+00-8.10741E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.62869E-02
790 1.11604E-09-7.15580E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.57032E-03
791 3.95798E-10-1.05778E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.24626E-04
792 6.41971E-10-1.00777E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.29722E-06
793 0.00000E+00-9.34610E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.20209E-06
794 0.00000E+00-1.03297E+00 0.00000E+00 0.00000E+00 0.00000E+00-9.42819E-08
795-2.82696E-10-1.11231E+00 0.00000E+00 0.00000E+00 0.00000E+00 1.23324E-07
798 3.74825E-12-1.60007E-01 0.00000E+00-3.35549E-03 0.00000E+00 4.41647E-03
799 0.00000E+00-1.75926E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.33188E-05
800 1.53284E-10-2.25418E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.30479E-08
801 0.00000E+00-1.68522E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.22236E-07
802 6.41971E-10-2.25419E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.27461E-07
803 0.00000E+00-1.24403E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.07340E-02
804-2.82696E-10-2.63372E-01 0.00000E+00-3.35549E-03 0.00000E+00-2.82004E-08
805 0.00000E+00-1.67773E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.93615E-08
806-1.16249E-10-2.44652E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.29119E-03
807 9.45001E-10-1.94739E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.38719E-03
808 0.00000E+00-1.68520E-01 0.00000E+00 0.00000E+00 0.00000E+00 4.46155E-07
809 0.00000E+00-1.45249E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.01183E-03
810-1.29976E-09-1.98847E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.06609E-02
811 0.00000E+00-8.22178E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.44124E-02
812 1.11604E-09-7.24605E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.87668E-03
813 0.00000E+00-2.63471E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.05610E-05
814 0.00000E+00-2.46291E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.02763E-03
823 0.00000E+00-5.14304E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.19063E-03
824 1.90117E-09-2.01243E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.00480E-02
825-2.28555E-11-1.52269E-01 0.00000E+00 3.35549E-03 0.00000E+00 5.72171E-03
826 0.00000E+00-8.73252E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.40756E-06
827 9.45001E-10-9.46411E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.53046E-06

828 1.53284E-10-9.46421E-01 0.00000E+00 0.00000E+00 0.00000E+00-7.53413E-08
_ STAAD SPACE -- PAGE NO. 498

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
829	0.00000E+00	-8.73262E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-08
830	0.00000E+00	-9.19359E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.41448E-02
833	0.00000E+00	-8.75345E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.72003E-03
834	-9.41963E-10	-9.95607E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.53559E-02
835	6.41971E-10	-2.34643E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.29005E-01
836	0.00000E+00	-2.27327E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.29005E-01
840	-6.84000E-10	-2.41414E-01	0.00000E+00	2.62508E-03	0.00000E+00	6.18768E-04
841	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57280E-03
842	-2.82696E-10	-2.61494E-01	0.00000E+00	2.62508E-03	0.00000E+00	-2.82004E-08
843	1.53284E-10	-2.39802E-01	0.00000E+00	2.62508E-03	0.00000E+00	1.30479E-08
844	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.22236E-07
845	6.41971E-10	-2.39803E-01	0.00000E+00	2.62508E-03	0.00000E+00	3.27461E-07
846	9.45001E-10	-2.39800E-01	0.00000E+00	2.62508E-03	0.00000E+00	-6.56606E-07
847	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
848	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
849	-8.65321E-10	-2.50648E-01	0.00000E+00	2.62508E-03	0.00000E+00	3.78399E-03
850	0.00000E+00	-8.73252E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.41429E-06
851	9.45001E-10	-9.46411E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.55740E-06
852	1.53284E-10	-9.46420E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.83020E-08
853	0.00000E+00	-8.73261E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-08
854	0.00000E+00	-9.19358E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.41447E-02
856	1.90936E-10	-8.76219E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.17795E-02
857	0.00000E+00	-8.75604E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.82554E-03
858	-9.41963E-10	-9.95606E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.53559E-02
859	6.41971E-10	-2.34642E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.29005E-01
860	0.00000E+00	-2.27327E+00	0.00000E+00	0.00000E+00	0.00000E+00	3.29005E-01
863	5.67066E-10	-2.39824E-01	0.00000E+00	-2.62508E-03	0.00000E+00	7.17258E-06
864	0.00000E+00	-1.60016E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.57280E-03
865	-2.82696E-10	-2.61494E-01	0.00000E+00	-2.62508E-03	0.00000E+00	-2.82004E-08
866	1.53284E-10	-2.39802E-01	0.00000E+00	-2.62508E-03	0.00000E+00	1.30479E-08
867	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.22236E-07
868	6.41971E-10	-2.39803E-01	0.00000E+00	-2.62508E-03	0.00000E+00	3.27461E-07
869	9.45001E-10	-2.39800E-01	0.00000E+00	-2.62508E-03	0.00000E+00	-6.56606E-07
870	0.00000E+00	-1.52257E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.46155E-07
871	0.00000E+00	-1.52259E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.41803E-09
872	-8.65321E-10	-2.50648E-01	0.00000E+00	-2.62508E-03	0.00000E+00	3.78399E-03
901	-3.08341E-10	-6.04678E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.39807E-02
902	0.00000E+00	-2.84178E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
909	0.00000E+00	-1.15565E+00	0.00000E+00	1.77169E-02	0.00000E+00	-1.10467E-02
916	0.00000E+00	-9.91191E-01	0.00000E+00	1.17852E-07	0.00000E+00	5.11478E-02
920	0.00000E+00	-9.91290E-01	0.00000E+00	1.73474E-02	0.00000E+00	5.10573E-02
930	0.00000E+00	-9.93514E-01	0.00000E+00	0.00000E+00	0.00000E+00	-4.03183E-03

931 0.00000E+00-9.93429E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.98756E-03
932 0.00000E+00-1.02232E-01 0.00000E+00-3.35549E-03 0.00000E+00 7.73373E-04
933 0.00000E+00-2.35164E-01 0.00000E+00 5.84906E-03 0.00000E+00 1.12061E-03
934 0.00000E+00-1.24198E+00 0.00000E+00 1.76395E-02 0.00000E+00 3.16175E-02
935 0.00000E+00-1.22614E+00 0.00000E+00 1.77170E-02 0.00000E+00-3.32007E-06
936 0.00000E+00-1.28530E+00 0.00000E+00 1.77170E-02 0.00000E+00-1.91286E-02
937 0.00000E+00-1.22614E+00 0.00000E+00 1.77170E-02 0.00000E+00 3.29987E-06
938 0.00000E+00-1.22615E+00 0.00000E+00 1.77171E-02 0.00000E+00-6.73442E-09
939 0.00000E+00-1.22615E+00 0.00000E+00 1.77170E-02 0.00000E+00 5.38754E-08
940 0.00000E+00-1.28530E+00 0.00000E+00 1.77170E-02 0.00000E+00 1.91286E-02
941 0.00000E+00-1.22615E+00 0.00000E+00 1.77170E-02 0.00000E+00 1.64320E-06
_ STAAD SPACE -- PAGE NO. 499

APPLIED JOINT EQUIVALENT LOADS
JOINT FORCE-X FORCE-Y FORCE-Z MOM-X MOM-Y MOM-Z
942 0.00000E+00-1.28530E+00 0.00000E+00 1.77169E-02 0.00000E+00-1.91286E-02
943 0.00000E+00-2.62615E+00 0.00000E+00 1.77170E-02 0.00000E+00-3.29005E-01
944 0.00000E+00-2.62615E+00 0.00000E+00 1.77170E-02 0.00000E+00 3.29005E-01
945 0.00000E+00-1.34446E+00 0.00000E+00 1.77170E-02 0.00000E+00-1.48157E-07
946 0.00000E+00-1.34446E+00 0.00000E+00 1.77170E-02 0.00000E+00 1.34688E-07
947 0.00000E+00-1.24168E+00 0.00000E+00 1.34688E-07 0.00000E+00 3.16818E-02
948 0.00000E+00-1.22575E+00 0.00000E+00 1.27954E-07 0.00000E+00-3.31333E-06
949 0.00000E+00-1.28492E+00 0.00000E+00 1.27954E-07 0.00000E+00-1.91411E-02
950 0.00000E+00-1.22575E+00 0.00000E+00 1.41423E-07 0.00000E+00 3.27293E-06
951 0.00000E+00-1.22576E+00 0.00000E+00 2.18869E-07 0.00000E+00 5.38754E-08
952 0.00000E+00-1.22576E+00 0.00000E+00 4.37737E-08 0.00000E+00-4.71409E-08
953 0.00000E+00-1.28492E+00 0.00000E+00 5.05082E-08 0.00000E+00 1.91411E-02
954 0.00000E+00-1.22577E+00 0.00000E+00 1.31321E-07 0.00000E+00 1.69034E-06
955 0.00000E+00-1.28492E+00 0.00000E+00 1.01016E-07 0.00000E+00-1.91412E-02
956 0.00000E+00-2.62577E+00 0.00000E+00 2.12134E-07 0.00000E+00-3.29005E-01
957 0.00000E+00-2.62577E+00 0.00000E+00 1.14485E-07 0.00000E+00 3.29005E-01
958 0.00000E+00-1.34408E+00 0.00000E+00 1.27954E-07 0.00000E+00-1.48157E-07
959 0.00000E+00-1.34408E+00 0.00000E+00 1.27954E-07 0.00000E+00 1.41423E-07
960-1.68256E-12-5.47319E-01 1.83558E-09 1.73773E-02 0.00000E+00-1.62409E-05
961-3.41956E-12-5.55666E-01-2.27786E-09 2.13688E-02 0.00000E+00-1.69281E-05
963-5.77120E-13-6.15857E-01-1.09373E-09 2.34753E-03 0.00000E+00-2.18837E-05
965-4.56002E-12-6.15768E-01-5.49930E-10 1.59942E-08 0.00000E+00-2.18764E-05
968 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
969 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
971 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
973 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
976 7.09543E-13-5.47319E-01 9.72630E-11 1.73773E-02 0.00000E+00 2.33356E-05
977 4.69425E-12-6.15768E-01 2.27037E-09 1.68361E-08 0.00000E+00-1.77131E-05
978 3.66248E-12-6.15857E-01 4.48150E-09 2.34753E-03 0.00000E+00-1.77190E-05
980 7.09543E-13-5.55666E-01 1.46084E-09 2.13688E-02 0.00000E+00 2.33356E-05
984 7.09543E-13-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.33356E-05
985 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00

986 0.00000E+00-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00 0.00000E+00
989 7.09543E-13-3.50055E-01 0.00000E+00 0.00000E+00 0.00000E+00-2.33356E-05
1001-2.09664E-09-2.14719E-01 0.00000E+00-6.32720E-03 0.00000E+00-6.91853E-03
1002 4.51459E-12-1.52262E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.08487E-06
1003 1.78790E-12-1.42402E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.53718E-03
1004-2.09664E-09-2.14719E-01 0.00000E+00 6.32720E-03 0.00000E+00-6.91853E-03
1005 4.51459E-12-1.52262E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.08487E-06
1006-2.09664E-09-2.14719E-01 0.00000E+00 6.32720E-03 0.00000E+00-6.91853E-03
1007 4.51459E-12-1.52262E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.08487E-06
1008-2.09664E-09-2.14719E-01 0.00000E+00-6.32720E-03 0.00000E+00-6.91853E-03
1009 4.51459E-12-1.52262E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.08487E-06
1010-2.09664E-09-2.06772E-01 0.00000E+00 2.62508E-03 0.00000E+00-6.91853E-03
1011-8.06724E-10-3.71889E-01 0.00000E+00 0.00000E+00 0.00000E+00-4.49615E-02
1012 4.51459E-12-1.52262E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.08487E-06
1013-2.09664E-09-2.06772E-01 0.00000E+00-2.62508E-03 0.00000E+00-6.91853E-03
1017 2.58915E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.95702E-04
1018 1.16672E-09-2.05252E-01 0.00000E+00-6.32720E-03 0.00000E+00 2.14192E-03
1019 2.58915E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.95702E-04
1020 1.16672E-09-2.05252E-01 0.00000E+00 6.32720E-03 0.00000E+00 2.14192E-03
1021 2.58915E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.95702E-04
1022 1.16672E-09-2.05252E-01 0.00000E+00 6.32720E-03 0.00000E+00 2.14192E-03
_ STAAD SPACE -- PAGE NO. 500

APPLIED JOINT EQUIVALENT LOADS
JOINT FORCE-X FORCE-Y FORCE-Z MOM-X MOM-Y MOM-Z
1023 2.58915E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.95702E-04
1024 1.16672E-09-2.05252E-01 0.00000E+00-6.32720E-03 0.00000E+00 2.14192E-03
1025 2.58915E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.95702E-04
1026 1.16672E-09-1.97304E-01 0.00000E+00 2.62508E-03 0.00000E+00 2.14192E-03
1027-1.17806E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.94389E-04
1028 1.23930E-09-1.97294E-01 0.00000E+00-2.62508E-03 0.00000E+00 2.13828E-03
1029-1.17806E-12-1.37675E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.94389E-04
1030 1.23930E-09-1.99172E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.13828E-03
1031-1.97456E-11-1.37689E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.71254E-04
1032 1.83440E-09-1.99793E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.35408E-03
1035-2.29527E-09-2.03090E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.12623E-03
1037 0.00000E+00-6.61477E-02 0.00000E+00 0.00000E+00 0.00000E+00 8.17791E-04
1038-2.92721E-12-1.31000E-01 0.00000E+00 0.00000E+00 0.00000E+00 5.58940E-03
1039-1.15029E-09-2.08637E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.91342E-03
1040-1.52818E-12-1.30999E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.48489E-03

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1
LOADTYPE DEAD TITLE DL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.870508304E+01
Y = -0.122750444E+00
Z = 0.572201757E+01

TOTAL APPLIED LOAD 1

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -269.95
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1544.66 MY= -0.00 MZ= -2349.94

TOTAL REACTION LOAD 1

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 269.95
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1544.66 MY= 0.00 MZ= 2349.94

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1)
MAXIMUMS AT NODE
X = 2.45214E-01 1018
Y = -2.60269E+00 522
Z = 3.99993E-01 124
RX= 4.52097E-03 124
RY= 1.69721E-03 813
RZ= 4.83253E-03 930

_ STAAD SPACE -- PAGE NO. 501

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT EXT FX/ EXT FY/ EXT FZ/ EXT MX/ EXT MY/ EXT MZ/
INT FX INT FY INT FZ INT MX INT MY INT MZ

SUPPORT=1
2 0.00 -0.69 0.00 0.00 0.00 0.00
8.14 -1.08 10.10 2.06 -0.00 -0.44 111111

3	0.00	-0.45	0.00	0.00	0.00	0.00	
	-0.67	-3.86	4.37	0.87	-0.00	0.21	111111
52	0.00	-0.21	0.00	0.00	0.00	0.00	
	1.41	-1.06	0.77	0.20	-0.00	-0.19	111111
54	0.00	-0.16	0.00	0.01	0.00	0.00	
	-1.21	-0.71	-0.28	1.29	0.09	0.08	111111
69	0.00	-0.14	0.00	0.00	0.00	0.00	
	-1.56	0.13	1.74	0.58	-0.00	-0.00	111111
411	0.00	-0.18	0.00	0.00	0.00	-0.01	
	-8.95	-7.91	-1.06	1.10	2.47	-0.07	111111
412	0.00	-0.08	0.00	0.00	0.00	0.00	
	2.28	-7.66	-3.03	0.86	-1.02	-0.02	111111
696	0.00	-0.07	0.00	0.00	0.00	-0.01	
	-2.59	-1.69	-0.55	-0.12	0.51	-1.15	111111
698	0.00	-0.07	0.00	0.00	0.00	0.00	
	1.50	-4.86	0.31	0.10	-1.15	0.24	111111
705	0.00	-0.12	0.00	0.00	0.00	0.03	
	1.45	-0.17	1.70	0.34	1.91	0.23	111111
902	0.00	-0.28	0.00	0.00	0.00	0.00	
	0.39	-2.43	0.47	1.24	0.49	-0.39	111111
968	0.00	-0.35	0.00	0.00	0.00	0.00	
	-0.38	-13.47	-4.25	-3.48	0.18	0.41	111111
969	0.00	-0.35	0.00	0.00	0.00	0.00	
	-2.47	-26.55	-4.74	-4.03	0.16	2.41	111111
971	0.00	-0.35	0.00	0.00	0.00	0.00	
	-3.47	-37.77	0.78	2.11	0.01	3.58	111111
973	0.00	-0.35	0.00	0.00	0.00	0.00	
	-3.38	-37.39	-0.29	0.90	0.04	3.42	111111
984	0.00	-0.35	0.00	0.00	0.00	-0.00	
	2.90	-26.50	-4.56	-3.57	0.05	-3.25	111111
985	0.00	-0.35	0.00	0.00	0.00	0.00	
	3.04	-36.94	1.12	2.76	-0.02	-3.58	111111

986	0.00	-0.35	0.00	0.00	0.00	0.00
	3.02	-36.69	-0.08	1.40	0.04	-3.62 111111
989	0.00	-0.35	0.00	0.00	0.00	-0.00
	0.54	-18.08	-2.53	-1.32	0.18	-0.59 111111

FOR LOADING - 2
APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
1	0.00000E+00	-3.19626E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.71029E-02
2	0.00000E+00	-5.93494E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	0.00000E+00	-3.56052E-01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
6	0.00000E+00	-7.02723E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.01713E-02
8	0.00000E+00	-6.55117E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.60324E-02
10	0.00000E+00	-6.33617E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.09384E-02
14	0.00000E+00	-6.06162E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.30620E-02

_ STAAD SPACE -- PAGE NO. 502

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
16	0.00000E+00	-7.73052E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.02888E-02
20	0.00000E+00	-2.70328E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.60743E-02
22	0.00000E+00	-5.88170E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.53959E-02
32	0.00000E+00	-6.53548E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.69995E-02
36	0.00000E+00	-3.42030E-01	0.00000E+00	5.15744E-02	0.00000E+00	2.03189E-02
38	0.00000E+00	-4.57232E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21485E-02
40	0.00000E+00	-3.43020E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21485E-02
42	0.00000E+00	-3.79399E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21484E-02
44	0.00000E+00	-3.95576E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21485E-02
46	0.00000E+00	-3.69853E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21485E-02
48	0.00000E+00	-5.16376E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.21485E-02
50	0.00000E+00	-1.39944E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.02875E-03
51	0.00000E+00	-3.78935E-02	0.00000E+00	0.00000E+00	0.00000E+00	-7.01595E-04
52	0.00000E+00	-2.67113E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
53	0.00000E+00	-3.51108E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.56635E-03
54	0.00000E+00	-1.00187E-02	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
55	0.00000E+00	-4.18481E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.08828E-03
58	0.00000E+00	-3.39605E-02	0.00000E+00	0.00000E+00	0.00000E+00	-1.25945E-03
62	0.00000E+00	-3.67690E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.21957E-03
67	0.00000E+00	-1.49232E-02	0.00000E+00	0.00000E+00	0.00000E+00	1.22219E-03
76	0.00000E+00	-1.05301E+00	0.00000E+00	0.00000E+00	0.00000E+00	-1.81611E-02
77	0.00000E+00	-8.86017E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.74389E-02
78	0.00000E+00	-9.99901E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.35325E-02
79	0.00000E+00	-1.05058E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.48869E-02
80	0.00000E+00	-9.69626E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.30432E-02
81	0.00000E+00	-1.20037E+00	0.00000E+00	0.00000E+00	0.00000E+00	-2.17997E-02

83 0.00000E+00-4.58932E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.30926E-03
84 0.00000E+00-4.58932E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.30924E-03
85 0.00000E+00-4.84141E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.83669E-03
86 0.00000E+00-4.33110E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.76187E-03
89 0.00000E+00-4.29713E-01 0.00000E+00 0.00000E+00 0.00000E+00-4.88245E-08
90 0.00000E+00-4.29714E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.12802E-07
91 0.00000E+00-4.52997E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.36721E-09
92 0.00000E+00-4.05816E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.24967E-08
95 0.00000E+00-4.29707E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.56744E-06
96 0.00000E+00-4.29708E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.59774E-06
97 0.00000E+00-4.52991E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.69707E-06
98 0.00000E+00-4.05811E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.52366E-06
101 0.00000E+00-4.29707E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.61626E-06
102 0.00000E+00-4.29708E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.63310E-06
103 0.00000E+00-4.52991E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.69034E-06
104 0.00000E+00-4.05811E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.54723E-06
106 0.00000E+00-6.53453E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.70284E-02
107 0.00000E+00-4.37576E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.53738E-02
108 0.00000E+00-4.37576E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.53738E-02
109 0.00000E+00-4.61514E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.61595E-02
110 0.00000E+00-4.13160E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.44857E-02
118 0.00000E+00-5.48524E-01 0.00000E+00-5.41332E-02 0.00000E+00 3.81934E-02
119 0.00000E+00-3.95105E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.81282E-02
120 0.00000E+00-4.22328E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.81934E-02
121 0.00000E+00-4.39030E-01 0.00000E+00 2.00141E-02 0.00000E+00 3.81934E-02
122 0.00000E+00-3.96090E-01 0.00000E+00 1.63191E-02 0.00000E+00 3.81282E-02
123 0.00000E+00-4.85996E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.81934E-02

APPLIED JOINT EQUIVALENT LOADS

JOINT FORCE-X FORCE-Y FORCE-Z MOM-X MOM-Y MOM-Z
124 0.00000E+00-2.86308E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.90967E-02
223 0.00000E+00-7.57871E-02 0.00000E+00 0.00000E+00 0.00000E+00-1.40320E-03
224 0.00000E+00-4.12466E-02 0.00000E+00 2.52541E-09 0.00000E+00-2.05750E-03
225 0.00000E+00-7.02216E-02 0.00000E+00 0.00000E+00 0.00000E+00 3.13270E-03
226 0.00000E+00-6.79210E-02 0.00000E+00 0.00000E+00 0.00000E+00-2.51890E-03
228 0.00000E+00-7.08142E-02 0.00000E+00 0.00000E+00 0.00000E+00 2.77782E-03
229 0.00000E+00-8.35966E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.81462E-03
231 0.00000E+00-4.00730E-02 0.00000E+00-1.17567E-03 0.00000E+00 2.44438E-03
232 0.00000E+00-4.12129E-01 0.00000E+00 7.61277E-03 0.00000E+00 0.00000E+00
233 0.00000E+00-4.50228E-01 0.00000E+00 4.01936E-03 0.00000E+00 0.00000E+00
234 0.00000E+00-5.39334E-01 0.00000E+00-4.63329E-03 0.00000E+00 0.00000E+00
236 0.00000E+00-5.41254E-01 0.00000E+00-5.38260E-03 0.00000E+00 0.00000E+00
244 0.00000E+00-1.07277E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.58779E-02
245 0.00000E+00-1.13491E+00 0.00000E+00 0.00000E+00 0.00000E+00-1.90180E-02
246 0.00000E+00-1.22783E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.02444E-02
248 0.00000E+00-1.21969E+00 0.00000E+00 0.00000E+00 0.00000E+00-2.39114E-02

280 0.00000E+00-5.66089E-01 0.00000E+00-5.66563E-03 0.00000E+00 0.00000E+00
282 0.00000E+00-5.64050E-01 0.00000E+00-4.87668E-03 0.00000E+00 0.00000E+00
284 0.00000E+00-4.01717E-01 0.00000E+00 1.52198E-02 0.00000E+00 0.00000E+00
285 0.00000E+00-4.71229E-01 0.00000E+00 3.82087E-03 0.00000E+00 0.00000E+00
423 0.00000E+00-6.47370E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.90789E-02
424 0.00000E+00-8.60477E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.45286E-02
425 0.00000E+00-7.68516E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.68361E-08
426 0.00000E+00-7.68521E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.12514E-07
427 0.00000E+00-7.68520E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.19248E-07
428 0.00000E+00-7.68508E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.84523E-06
429 0.00000E+00-7.40513E-02 0.00000E+00 0.00000E+00 0.00000E+00-4.39197E-03
430 0.00000E+00-9.20220E-02 0.00000E+00 0.00000E+00 0.00000E+00-1.09434E-08
431 0.00000E+00-9.20220E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.05225E-08
433 0.00000E+00-7.24015E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.91070E-04
434 0.00000E+00-3.74775E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.03322E-03
435 0.00000E+00-7.49549E-02 0.00000E+00 0.00000E+00 0.00000E+00 2.06644E-03
436 0.00000E+00-9.20135E-02 0.00000E+00-3.36721E-09 0.00000E+00-2.70188E-03
437 0.00000E+00-8.69827E-02 0.00000E+00 0.00000E+00 0.00000E+00-5.05082E-09
438 0.00000E+00-4.64735E-02 0.00000E+00 0.00000E+00 0.00000E+00 9.19843E-04
439 0.00000E+00-8.23820E-02 0.00000E+00 0.00000E+00 0.00000E+00-1.07961E-07
440 0.00000E+00-4.11910E-02 0.00000E+00 0.00000E+00 0.00000E+00-4.90350E-08
441 0.00000E+00-8.23823E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.05857E-07
442 0.00000E+00-4.11910E-02 0.00000E+00 0.00000E+00 0.00000E+00 4.82984E-08
443 0.00000E+00-8.23817E-02 0.00000E+00 0.00000E+00 0.00000E+00-2.52541E-09
444 0.00000E+00-4.11908E-02 0.00000E+00 0.00000E+00 0.00000E+00 2.63063E-09
445 0.00000E+00-8.23807E-02 0.00000E+00 0.00000E+00 0.00000E+00 2.22657E-07
446 0.00000E+00-4.11904E-02 0.00000E+00 0.00000E+00 0.00000E+00 1.11539E-07
447 0.00000E+00-6.19776E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.66859E-02
448 0.00000E+00-3.80035E-02 0.00000E+00 0.00000E+00 0.00000E+00-2.10414E-03
449 0.00000E+00-8.58448E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.09147E-08
450 0.00000E+00-4.60110E-02 0.00000E+00 0.00000E+00 0.00000E+00-5.26127E-09
451 0.00000E+00-8.58448E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.76491E-08
452 0.00000E+00-4.60110E-02 0.00000E+00 0.00000E+00 0.00000E+00 5.47172E-09
453 0.00000E+00-6.84082E-01 0.00000E+00 0.00000E+00 0.00000E+00 5.03287E-04
455 0.00000E+00-6.82203E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.51009E-03
456 0.00000E+00-3.61515E-02 0.00000E+00 0.00000E+00 0.00000E+00-9.96959E-05
458 0.00000E+00-5.64645E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.56185E-03

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
459	0.00000E+00	-1.18149E+00	0.00000E+00	0.00000E+00	0.00000E+00	6.06050E-03
461	0.00000E+00	-9.28331E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.00899E-03
462	0.00000E+00	-5.64478E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.45623E-02
463	0.00000E+00	-1.00570E+00	0.00000E+00	0.00000E+00	0.00000E+00	-3.06805E-03
464	0.00000E+00	-6.11925E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.44154E-02
465	0.00000E+00	-9.57213E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.05926E-03

466 0.00000E+00-5.84842E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.44286E-02
467 0.00000E+00-8.47892E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.01609E-03
468 0.00000E+00-5.47517E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.44061E-02
469 0.00000E+00-1.03508E+00 0.00000E+00 0.00000E+00 0.00000E+00-3.06333E-03
470 0.00000E+00-7.65882E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.44111E-02
471 0.00000E+00-1.19131E+00 0.00000E+00 0.00000E+00 0.00000E+00-4.64202E-03
475 0.00000E+00-1.18824E+00 0.00000E+00 0.00000E+00 0.00000E+00-4.64744E-03
479 0.00000E+00-1.05603E+00 0.00000E+00 0.00000E+00 0.00000E+00-4.58077E-03
481 0.00000E+00-1.11705E+00 0.00000E+00 0.00000E+00 0.00000E+00-4.64257E-03
494 0.00000E+00-6.53042E-01 0.00000E+00 1.83492E-02 0.00000E+00 2.37582E-02
495 0.00000E+00-4.29716E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.85227E-07
496 0.00000E+00-4.58933E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.30919E-03
497 0.00000E+00-4.58931E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.30915E-03
498 0.00000E+00-4.88150E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.39770E-08
499 0.00000E+00-4.88150E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.03049E-08
500 0.00000E+00-4.29714E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.68361E-08
501 0.00000E+00-4.29717E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.77158E-07
502 0.00000E+00-4.29716E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.61339E-07
503 0.00000E+00-6.71768E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.84336E-02
504 0.00000E+00-4.29715E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.03747E-07
505 0.00000E+00-4.58932E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.30920E-03
506 0.00000E+00-4.29714E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.26270E-07
507 0.00000E+00-4.29716E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.55271E-07
508 0.00000E+00-4.29716E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.02412E-07
509 0.00000E+00-4.58932E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.30918E-03
510 0.00000E+00-4.88151E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.41803E-08
511 0.00000E+00-4.88151E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.74458E-08
512 0.00000E+00-7.04276E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.95072E-02
513 0.00000E+00-6.47861E-01 0.00000E+00 0.00000E+00 0.00000E+00 2.84336E-02
514 0.00000E+00-4.53000E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.62673E-07
515 0.00000E+00-4.05818E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.62673E-07
516 0.00000E+00-4.84141E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.83668E-03
517 0.00000E+00-4.33110E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.76186E-03
518 0.00000E+00-4.52997E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.36721E-08
519 0.00000E+00-4.05816E-01 0.00000E+00 0.00000E+00 0.00000E+00 3.36721E-09
520 0.00000E+00-4.53000E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.77158E-07
521 0.00000E+00-4.05818E-01 0.00000E+00 0.00000E+00 0.00000E+00-6.41454E-07
522 0.00000E+00-4.53000E-01 0.00000E+00 0.00000E+00 0.00000E+00 8.65373E-07
523 0.00000E+00-4.05818E-01 0.00000E+00 0.00000E+00 0.00000E+00 7.32368E-07
524 0.00000E+00-4.84140E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.83666E-03
525 0.00000E+00-4.33109E-01 0.00000E+00 0.00000E+00 0.00000E+00-8.76176E-03
526 0.00000E+00-5.15285E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.14485E-07
527 0.00000E+00-4.60403E-01 0.00000E+00 0.00000E+00 0.00000E+00-7.07114E-08
528 0.00000E+00-5.15285E-01 0.00000E+00 0.00000E+00 0.00000E+00 9.09147E-08
529 0.00000E+00-4.60403E-01 0.00000E+00 0.00000E+00 0.00000E+00 6.73442E-08
552 0.00000E+00-6.80952E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.06622E-02
553 0.00000E+00-6.80953E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.06622E-02

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
554	0.00000E+00	-7.18593E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.02033E-07
555	0.00000E+00	-7.18593E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.64993E-07
556	0.00000E+00	-7.18594E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.04384E-07
557	0.00000E+00	-7.18594E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.14485E-07
651	0.00000E+00	-4.86807E-01	0.00000E+00	-7.74458E-08	0.00000E+00	-3.21484E-02
652	0.00000E+00	-4.86762E-01	0.00000E+00	1.09931E-02	0.00000E+00	-3.21484E-02
653	0.00000E+00	-4.48241E-01	0.00000E+00	1.14396E-02	0.00000E+00	0.00000E+00
654	0.00000E+00	-4.14322E-01	0.00000E+00	8.68344E-03	0.00000E+00	0.00000E+00
657	0.00000E+00	-9.19061E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.13879E-02
658	0.00000E+00	-9.19062E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.11613E-02
729	0.00000E+00	-5.72586E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.20308E-03
731	0.00000E+00	-4.60728E-01	0.00000E+00	3.90703E-03	0.00000E+00	1.54056E-05
732	0.00000E+00	-5.51863E-01	0.00000E+00	-4.81408E-03	0.00000E+00	3.77818E-05
733	0.00000E+00	-5.53694E-01	0.00000E+00	-5.54666E-03	0.00000E+00	1.83019E-05
736	0.00000E+00	-8.65080E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.48681E-02
739	0.00000E+00	-4.21671E-01	0.00000E+00	7.95210E-03	0.00000E+00	1.17213E-05
745	0.00000E+00	-5.85659E-01	0.00000E+00	-3.46583E-03	0.00000E+00	-5.06966E-03
749	0.00000E+00	-5.90274E-01	0.00000E+00	-9.38343E-03	0.00000E+00	-2.48546E-03
754	0.00000E+00	-4.32883E-01	0.00000E+00	1.29547E-02	0.00000E+00	-1.37073E-03
755	0.00000E+00	-4.91384E-01	0.00000E+00	3.56845E-03	0.00000E+00	0.00000E+00
769	0.00000E+00	-6.89596E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.08114E-02
773	0.00000E+00	-8.50740E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.54911E-02
776	0.00000E+00	-7.33224E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.55933E-04
777	0.00000E+00	-3.66620E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.04674E-04
780	0.00000E+00	-1.13808E+00	0.00000E+00	6.06098E-08	0.00000E+00	-1.77452E-06
782	0.00000E+00	-7.37173E-01	0.00000E+00	0.00000E+00	0.00000E+00	7.91612E-03
783	0.00000E+00	-5.59027E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.28785E-02
784	0.00000E+00	-5.74509E-01	0.00000E+00	0.00000E+00	0.00000E+00	-3.50577E-02
785	0.00000E+00	-7.27317E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.70549E-06
786	0.00000E+00	-5.99657E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.96789E-02
787	0.00000E+00	-7.27325E-01	0.00000E+00	0.00000E+00	0.00000E+00	3.36721E-08
788	0.00000E+00	-6.20145E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.45145E-02
790	0.00000E+00	-5.11029E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.10500E-02
791	0.00000E+00	-7.68178E-01	0.00000E+00	0.00000E+00	0.00000E+00	-7.34321E-05
792	0.00000E+00	-7.27329E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.68740E-07
793	0.00000E+00	-7.27329E-01	0.00000E+00	0.00000E+00	0.00000E+00	8.85576E-07
794	0.00000E+00	-8.12437E-01	0.00000E+00	0.00000E+00	0.00000E+00	-9.09147E-08
795	0.00000E+00	-8.12437E-01	0.00000E+00	0.00000E+00	0.00000E+00	8.75475E-08
811	0.00000E+00	-6.30065E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.34270E-02
812	0.00000E+00	-5.38854E-01	0.00000E+00	0.00000E+00	0.00000E+00	5.04445E-03
813	0.00000E+00	-4.42900E-02	0.00000E+00	0.00000E+00	0.00000E+00	2.29238E-05
814	0.00000E+00	-2.36453E-02	0.00000E+00	0.00000E+00	0.00000E+00	-2.54490E-04
823	0.00000E+00	-3.63662E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.51520E-03

826 0.00000E+00-6.43306E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.76105E-06
827 0.00000E+00-6.43305E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.69034E-06
828 0.00000E+00-6.43314E-01 0.00000E+00 0.00000E+00 0.00000E+00-5.05082E-08
829 0.00000E+00-6.43314E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.51524E-08
830 0.00000E+00-6.80954E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.06623E-02
833 0.00000E+00-6.46629E-01 0.00000E+00 0.00000E+00 0.00000E+00 4.33026E-03
834 0.00000E+00-6.80954E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.06623E-02
835 0.00000E+00-6.43318E-01 0.00000E+00 0.00000E+00 0.00000E+00-9.61339E-07
836 0.00000E+00-6.43318E-01 0.00000E+00 0.00000E+00 0.00000E+00 1.12465E-06
850 0.00000E+00-6.43305E-01 0.00000E+00 0.00000E+00 0.00000E+00-1.78799E-06

_ STAAD SPACE -- PAGE NO. 506

APPLIED JOINT EQUIVALENT LOADS

JOINT	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
851	0.00000E+00	-6.43305E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.68529E-06
852	0.00000E+00	-6.43312E-01	0.00000E+00	0.00000E+00	0.00000E+00	-2.35705E-08
853	0.00000E+00	-6.43312E-01	0.00000E+00	0.00000E+00	0.00000E+00	2.02033E-08
854	0.00000E+00	-6.80953E-01	0.00000E+00	0.00000E+00	0.00000E+00	1.06623E-02
856	0.00000E+00	-6.43694E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.17001E-03
857	0.00000E+00	-6.47041E-01	0.00000E+00	0.00000E+00	0.00000E+00	4.49826E-03
858	0.00000E+00	-6.80953E-01	0.00000E+00	0.00000E+00	0.00000E+00	-1.06623E-02
859	0.00000E+00	-6.43316E-01	0.00000E+00	0.00000E+00	0.00000E+00	-8.92311E-07
860	0.00000E+00	-6.43316E-01	0.00000E+00	0.00000E+00	0.00000E+00	9.41135E-07
909	0.00000E+00	-1.13869E+00	0.00000E+00	2.36622E-02	0.00000E+00	-1.70381E-06
916	0.00000E+00	-9.67853E-01	0.00000E+00	1.68361E-07	0.00000E+00	4.14071E-02
920	0.00000E+00	-9.68013E-01	0.00000E+00	2.30738E-02	0.00000E+00	4.12630E-02
930	0.00000E+00	-1.00095E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.47731E-03
931	0.00000E+00	-1.00082E+00	0.00000E+00	0.00000E+00	0.00000E+00	-4.40683E-03
933	0.00000E+00	-2.47170E-02	0.00000E+00	0.00000E+00	0.00000E+00	3.69786E-04
934	0.00000E+00	-1.15428E+00	0.00000E+00	2.35390E-02	0.00000E+00	3.06452E-02
935	0.00000E+00	-1.13868E+00	0.00000E+00	2.36623E-02	0.00000E+00	-3.17865E-06
936	0.00000E+00	-1.19712E+00	0.00000E+00	2.36623E-02	0.00000E+00	-1.85984E-02
937	0.00000E+00	-1.13868E+00	0.00000E+00	2.36623E-02	0.00000E+00	3.20222E-06
938	0.00000E+00	-1.13869E+00	0.00000E+00	2.36624E-02	0.00000E+00	5.38754E-08
939	0.00000E+00	-1.13869E+00	0.00000E+00	2.36624E-02	0.00000E+00	3.70393E-08
940	0.00000E+00	-1.19712E+00	0.00000E+00	2.36623E-02	0.00000E+00	1.85984E-02
941	0.00000E+00	-1.13869E+00	0.00000E+00	2.36623E-02	0.00000E+00	1.61626E-06
942	0.00000E+00	-1.19712E+00	0.00000E+00	2.36622E-02	0.00000E+00	-1.85984E-02
943	0.00000E+00	-1.13869E+00	0.00000E+00	2.36623E-02	0.00000E+00	-1.61289E-06
944	0.00000E+00	-1.13869E+00	0.00000E+00	2.36623E-02	0.00000E+00	1.63310E-06
945	0.00000E+00	-1.25556E+00	0.00000E+00	2.36623E-02	0.00000E+00	-1.34688E-07
946	0.00000E+00	-1.25556E+00	0.00000E+00	2.36623E-02	0.00000E+00	1.61626E-07
947	0.00000E+00	-1.15380E+00	0.00000E+00	1.75095E-07	0.00000E+00	3.07476E-02
948	0.00000E+00	-1.13806E+00	0.00000E+00	1.75095E-07	0.00000E+00	-3.20222E-06
949	0.00000E+00	-1.19651E+00	0.00000E+00	1.75095E-07	0.00000E+00	-1.86183E-02
950	0.00000E+00	-1.13806E+00	0.00000E+00	1.88564E-07	0.00000E+00	3.17528E-06
951	0.00000E+00	-1.13807E+00	0.00000E+00	3.23252E-07	0.00000E+00	1.07751E-07

952 0.00000E+00-1.13807E+00 0.00000E+00 5.38754E-08 0.00000E+00-1.27954E-07
953 0.00000E+00-1.19651E+00 0.00000E+00 6.06098E-08 0.00000E+00 1.86183E-02
954 0.00000E+00-1.13808E+00 0.00000E+00 1.61626E-07 0.00000E+00 1.61963E-06
955 0.00000E+00-1.19651E+00 0.00000E+00 1.14485E-07 0.00000E+00-1.86183E-02
956 0.00000E+00-1.13808E+00 0.00000E+00 2.89580E-07 0.00000E+00-1.50851E-06
957 0.00000E+00-1.13808E+00 0.00000E+00 1.48157E-07 0.00000E+00 1.61626E-06
958 0.00000E+00-1.25495E+00 0.00000E+00 1.75095E-07 0.00000E+00-1.48157E-07
959 0.00000E+00-1.25495E+00 0.00000E+00 1.75095E-07 0.00000E+00 1.21220E-07
1011 0.00000E+00-1.78502E-01 0.00000E+00 0.00000E+00 0.00000E+00-3.30184E-02

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2
LOADTYPE DEAD TITLE LL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.873523243E+01
Y = -0.000000000E+00
Z = 0.595182556E+01

_ STAAD SPACE -- PAGE NO. 507

TOTAL APPLIED LOAD 2

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -152.51
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 907.69 MY= 0.00 MZ= -1332.17

TOTAL REACTION LOAD 2

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 152.51
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -907.69 MY= -0.00 MZ= 1332.17

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2)
MAXIMUMS AT NODE
X = 1.36582E-01 1018
Y = -1.40855E+00 522

Z = 2.51991E-01 124
RX= 2.49096E-03 124
RY= 1.04811E-03 813
RZ= 2.79172E-03 930

EXTERNAL AND INTERNAL JOINT LOAD SUMMARY (KN METE)-

JT	EXT FX/ INT FX	EXT FY/ INT FY	EXT FZ/ INT FZ	EXT MX/ INT MX	EXT MY/ INT MY	EXT MZ/ INT MZ	
				SUPPORT=1			
2	0.00	-0.59	0.00	0.00	0.00	0.00	
	5.13	-0.31	6.32	1.34	-0.00	-0.20	111111
3	0.00	-0.36	0.00	0.00	0.00	0.00	
	-0.38	-2.25	2.88	0.60	-0.00	0.10	111111
52	0.00	-0.03	0.00	0.00	0.00	0.00	
	-0.22	-0.22	0.48	0.12	-0.00	-0.04	111111
54	0.00	-0.01	0.00	0.00	0.00	0.00	
	-1.11	-0.40	-0.16	0.35	0.06	0.02	111111
69	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.45	0.31	1.11	0.37	-0.00	-0.00	111111
411	0.00	0.00	0.00	0.00	0.00	0.00	
	-5.68	-5.04	-0.82	0.70	1.46	-0.06	111111
412	0.00	0.00	0.00	0.00	0.00	0.00	
	1.43	-4.92	-2.07	0.56	-0.61	-0.01	111111
696	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.30	-0.17	-0.34	-0.07	0.31	-0.12	111111
698	0.00	0.00	0.00	0.00	0.00	0.00	
	1.30	-0.04	0.20	0.06	-0.72	0.22	111111
705	0.00	0.00	0.00	0.00	0.00	0.00	
	0.39	0.51	1.08	0.21	1.21	-0.48	111111
902	0.00	0.00	0.00	0.00	0.00	0.00	
	0.03	-0.18	0.29	0.76	0.30	-0.03	111111

968	0.00	0.00	0.00	0.00	0.00	0.00	
	-0.23	-8.49	-2.94	-2.50	0.11	0.25	111111
969	0.00	0.00	0.00	0.00	0.00	0.00	
	-1.24	-14.57	-2.35	-1.85	0.10	1.20	111111
971	0.00	0.00	0.00	0.00	0.00	0.00	
	-1.93	-22.83	0.35	1.16	0.01	1.98	111111
973	0.00	0.00	0.00	0.00	0.00	0.00	
	-1.89	-22.35	-0.24	0.49	0.02	1.91	111111
984	0.00	0.00	0.00	0.00	0.00	0.00	
	1.50	-14.64	-2.24	-1.54	0.02	-1.70	111111
985	0.00	0.00	0.00	0.00	0.00	0.00	
	1.68	-22.57	0.56	1.58	-0.01	-1.98	111111
986	0.00	0.00	0.00	0.00	0.00	0.00	
	1.67	-22.15	-0.10	0.83	0.02	-2.01	111111
989	0.00	0.00	0.00	0.00	0.00	0.00	
	0.32	-11.22	-2.02	-1.30	0.11	-0.35	111111

LOAD COMBINATION NO. 101
1.5(DL+LL)

LOADING-	1.	2.
FACTOR -	1.50	1.50

LOAD COMBINATION NO. 201
DL + LL

LOADING-	1.	2.
FACTOR -	1.00	1.00

********** END OF DATA FROM INTERNAL STORAGE **********

516. LOAD LIST 101
517. PARAMETER 1
518. CODE IS800 LSD
519. FYLD 250000 MEMB 1 TO 3 5 11 15 19 45 47 49 51 53 55 57 TO 59 61 63 65 67 -
520. 69 71 75 79 81 83 85 89 TO 92 94 95 97 100 TO 102 105 107 117 119 -

521. 127 TO 132 139 TO 162 181 TO 184 187 188 199 293 TO 296 298 299 301 TO 304 -
522. 306 314 TO 316 318 344 TO 346 348 350 352 354 TO 357 359 361 TO 363 365 629 -
523. 633 634 636 642 643 645 TO 648 653 TO 657 662 TO 664 666 TO 689 691 -
524. 693 TO 705 710 TO 713 720 722 724 726 734 738 740 754 TO 759 761 TO 763 765 -
525. 771 TO 775 777 TO 785 787 789 TO 815 852 TO 878 925 929 933 949 -
526. 1036 TO 1043 1045 TO 1052 1055 TO 1070 1103 TO 1106 1109 TO 1112 -
527. 1115 TO 1118 1121 TO 1124 1145 TO 1152 1154 TO 1161 1164 TO 1179 1202 1204
-
528. 1206 1208 1215 1217 1219 1221 1225 TO 1228 1231 1232 1243 TO 1258 1323 1366
-
529. 1368 1370 1372 1374 1389 1391 TO 1393 1395 1397 1398 1400 1402 1406 TO 1413
-
530. 1415 TO 1422 1424 1427 TO 1430 1432 TO 1434 1436 1449 1450 1453 1454 1459 -
531. 1460 TO 1462 1471 1473 1476 1478 1485 1487 TO 1490 1493 1495 1497 -
532. 1500 TO 1505 1510 1514 1517 1518 1520 1521 1542 1549 TO 1553 1558 TO 1566 -
533. 1569 1570 1573 1574 1595 TO 1602 1604 TO 1611 1614 TO 1621 1623 TO 1626 -
534. 1629 1631 TO 1642 1644 1648 TO 1654 1658 1660 TO 1668 1670 1672 TO 1674 -
535. 1676 2144 2253
536. FYLD 250000 MEMB 2254 2255 2261 TO 2267 2286 2299
537. CHECK CODE MEMB 1 TO 3 5 11 15 19 45 47 49 51 53 55 57 TO 59 61 63 65 67
69 -
538. 71 75 79 81 83 85 89 TO 92 94 95 97 100 TO 102 105 107 117 119 127 TO 132 -
539. 139 TO 162 181 TO 184 187 188 199 293 TO 296 298 299 301 TO 304 306 -
_ STAAD SPACE -- PAGE NO. 509

540. 314 TO 316 318 344 TO 346 348 350 352 354 TO 357 359 361 TO 363 365 629 633 -
541. 634 636 642 643 645 TO 648 653 TO 657 662 TO 664 666 TO 689 691 693 TO 705 -
542. 710 TO 713 720 722 724 726 734 738 740 754 TO 759 761 TO 763 765 771 TO 775 -
543. 777 TO 785 787 789 TO 815 852 TO 878 925 929 933 949 1036 TO 1043 -
544. 1045 TO 1052 1055 TO 1070 1103 TO 1106 1109 TO 1112 1115 TO 1118 -
545. 1121 TO 1124 1145 TO 1152 1154 TO 1161 1164 TO 1179 1202 1204 1206 1208 -
546. 1215 1217 1219 1221 1225 TO 1228 1231 1232 1243 TO 1258 1323 1366 1368 1370
-
547. 1372 1374 1389 1391 TO 1393 1395 1397 1398 1400 1402 1406 TO 1413 -
548. 1415 TO 1422 1424 1427 TO 1430 1432 TO 1434 1436 1449 1450 1453 1454 1459 -
549. 1460 TO 1462 1471 1473 1476 1478 1485 1487 TO 1490 1493 1495 1497 -
550. 1500 TO 1505 1510 1514 1517 1518 1520 1521 1542 1549 TO 1553 1558 TO 1566 -
551. 1569 1570 1573 1574 1595 TO 1602 1604 TO 1611 1614 TO 1621 1623 TO 1626 -
552. 1629 1631 TO 1642 1644 1648 TO 1654 1658 1660 TO 1668 1670 1672 TO 1674 -
553. 1676 1678 1680 1682
_STEEL DESIGN _

|---|
| _Member Number: 1 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.087 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

|---|
| _Member Number: 2 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.043 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 3 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.051 Critical Load Case: 101 Location: 0.43 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 510

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 5 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.102 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 11 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.040 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 15 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 19 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.064 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 511

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 45 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.057 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 47 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.090 Critical Load Case: 101 Location: 0.79 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 49 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.396 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 51 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 512

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 53 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.365 Critical Load Case: 101 Location: 0.79 |

Critical Condition: Sec. 8.2.1.2

_Member Number: 55 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 57 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.052 Critical Load Case: 101 Location: 0.79
Critical Condition: Sec. 8.2.1.2

_Member Number: 58 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.052 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Tension)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 59 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.026 Critical Load Case: 101 Location: 0.43
Critical Condition: Sec. 8.2.1.2

_Member Number: 61 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.062 Critical Load Case: 101 Location: 0.94
Critical Condition: Sec. 8.2.1.2

_Member Number: 63 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.070 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 65 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 67 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.049 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 69 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.026 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 71 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 75 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.264 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 79 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.125 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 81 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 83 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.113 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 85 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.170 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 89 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 90 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 91 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 92 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 517

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 94 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 95 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 97 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 100 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.094 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 518

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
| _Member Number: 101 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.072 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 102 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 105 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.161 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 107 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.164 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 519

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 117 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.171 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 119 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.171 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 127 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 128 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.092 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 129 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.216 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 130 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.059 Critical Load Case: 101 Location: 1.04 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 131 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.243 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 132 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.064 Critical Load Case: 101 Location: 1.05 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 521

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 139 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.177 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 140 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.401 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 141 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.418 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 142 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.401 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 522

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 143 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.352 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 144 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 145 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.186 Critical Load Case: 101 Location: 0.43 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 146 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.412 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 523

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 147 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.430 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 148 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.418 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 149 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.371 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 150 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.132 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 524

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 151 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.176 Critical Load Case: 101 Location: 0.57 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 152 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.403 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 153 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.422 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

|---|
| _Member Number: 154 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.407 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 525

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 155 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.358 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 156 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 157 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.183 Critical Load Case: 101 Location: 0.36 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 158 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.411 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 526

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)

****

_
|--|
| _Member Number: 159 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.429 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 160 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.415 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 161 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.366 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 162 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.157 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 527

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 181 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 182 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.055 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Tension)

_Member Number: 183 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.302 Critical Load Case: 101 Location: 0.79
Critical Condition: Sec. 8.2.1.2

_Member Number: 184 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.058 Critical Load Case: 101 Location: 1.04
Critical Condition: Sec. 8.2.1.2

_

_Member Number: 187 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.057 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Tension)

_Member Number: 188 _
Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.453 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_Member Number: 199 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.058 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 293 _
Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 529

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 294 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 295 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 296 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 298 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 530

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 299 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 301 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.177 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 302 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.098 Critical Load Case: 101 Location: 0.67 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 303 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.090 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 304 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.116 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 306 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.116 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 314 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.090 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 315 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 532

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 316 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.091 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 318 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 344 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.115 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 345 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.105 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 533

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 346 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.059 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 348 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.055 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 350 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.062 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 352 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.058 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 534

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 354 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.148 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|

| _Member Number: 355 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.118 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 356 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.158 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 357 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.140 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 535

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 359 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 361 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 362 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.158 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 363 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.122 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 536

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 365 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.172 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 629 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.35 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 633 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 634 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.55 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 537

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 636 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.130 Critical Load Case: 101 Location: 0.60 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 642 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.189 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 643 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 645 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.040 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 538

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 646 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 647 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.136 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 648 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.271 Critical Load Case: 101 Location: 0.51 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 653 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 654 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 655 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.51 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 656 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.118 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 657 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.094 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|

_ STAAD SPACE -- PAGE NO. 540

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 662 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 663 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 664 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 666 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.169 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 541

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 667 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.101 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|

|---|
| _Member Number: 668 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 669 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.128 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 670 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 542

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 671 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.199 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 672 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.271 Critical Load Case: 101 Location: 1.10 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 673 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 674 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.199 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 675 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 676 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.052 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 677 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 678 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 679 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 680 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 681 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 682 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 545

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 683 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 684 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 685 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 686 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 687 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 688 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 689 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 691 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 547

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 693 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 694 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 695 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 696 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 548

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 697 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 698 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 699 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 700 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 549

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 701 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 702 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|

| _Member Number: 703 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 704 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 550

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 705 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 710 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 711 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 712 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.271 Critical Load Case: 101 Location: 0.84 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 551

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 713 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 720 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.228 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 722 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.204 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 724 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.252 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 552

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 726 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 734 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 738 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 740 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 754 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 755 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 756 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.090 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 757 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.072 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 554

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 758 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.170 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 759 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.091 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 761 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.094 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 762 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.072 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 555

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 763 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 765 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.210 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 771 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 772 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.068 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 556

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 773 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 774 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.152 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|

|---|
| _Member Number: 775 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.199 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 777 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.054 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 557

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 778 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.136 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 779 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 780 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 781 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.55 |

Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 558

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 782 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 783 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 784 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 785 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 559

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 787 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.175 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 789 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.211 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 790 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.247 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 791 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.327 Critical Load Case: 101 Location: 0.17 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 792 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.363 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 793 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.319 Critical Load Case: 101 Location: 1.05 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 794 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.240 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 795 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.432 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 796 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.449 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 797 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.450 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 798 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.223 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 799 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 800 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 801 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.098 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 802 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.320 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 803 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.179 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 9.3.2.2 |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 804 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.424 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 805 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 806 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.441 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 807 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.213 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 808 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.442 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 809 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.208 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 810 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.356 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|

| _Member Number: 811 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 565

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 812 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.312 Critical Load Case: 101 Location: 1.05 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 813 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.174 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 814 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.233 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 815 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 566

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|

| _Member Number: 852 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.224 Critical Load Case: 101 Location: 0.55 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 853 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.212 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 854 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 855 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.256 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 856 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.235 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 857 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.087 Critical Load Case: 101 Location: 0.91 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 858 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.334 Critical Load Case: 101 Location: 0.17 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 859 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.315 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 568

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 860 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.182 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 861 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.435 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 862 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.419 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 863 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.91 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 569

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 864 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.451 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 865 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.437 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 866 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.215 Critical Load Case: 101 Location: 0.91 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 867 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.451 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 570

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 868 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.438 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 869 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.209 Critical Load Case: 101 Location: 0.91 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 870 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.365 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 871 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.354 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 571

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 872 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.91 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 873 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.321 Critical Load Case: 101 Location: 1.05 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 874 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.311 Critical Load Case: 101 Location: 1.05 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

|---|
| _Member Number: 875 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.182 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 572

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 876 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.242 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 877 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.233 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 878 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.91 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 925 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 573

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)

****

_
|--|
| _Member Number: 929 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 933 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 949 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1036 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.166 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 574

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1037 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.127 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 1038 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Compression)

_Member Number: 1039 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 1040 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.127 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1041 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1042 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1043 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1045 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 576

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1046 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.123 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1047 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1048 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1049 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 577

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1050 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1051 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.141 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1052 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.129 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1055 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.152 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1056 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.146 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1057 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.122 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1058 _ |

| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.125 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1059 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 579

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****
_

| _Member Number: 1060 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1061 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1062 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1063 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 580

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1064 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1065 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1066 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1067 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.137 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 581

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1068 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.141 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

| _Member Number: 1069 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.127 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1070 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.129 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1103 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.533 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1104 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.607 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 1105 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.538 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 1106 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.535 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1109 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.532 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 583

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1110 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.603 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1111 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.534 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1112 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.531 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1115 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.540 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 584

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1116 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.614 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1117 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.546 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1118 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.543 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1121 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.532 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 585

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1122 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.603 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1123 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.532 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1124 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.529 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1145 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.383 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1146 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.388 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1147 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.529 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1148 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.389 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1149 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.384 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|

_ STAAD SPACE -- PAGE NO. 587

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1150 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.609 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1151 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.611 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1152 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.604 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1154 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.398 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 588

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1155 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.403 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|

|---|
| _Member Number: 1156 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.622 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1157 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.623 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1158 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.615 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1159 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.537 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1160 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.394 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1161 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.389 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 6.2

|---|
| _Member Number: 1164 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.387 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1165 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.388 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1166 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.392 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1167 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.393 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1168 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.610 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1169 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.615 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1170 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.611 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1171 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.616 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1172 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.604 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1173 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.608 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1174 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.529 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1175 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.530 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1176 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.389 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1177 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.386 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1178 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.384 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1179 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.381 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1202 _ |

| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.820 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 594

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1204 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1206 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1208 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1215 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 595

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1217 _ |

| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 1219 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 1221 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 1225 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.169 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1226 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.165 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1227 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.296 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1228 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.307 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1231 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.170 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1232 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.182 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1243 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.138 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 1244 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.135 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 1245 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 598

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1246 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1247 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1248 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1249 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 599

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1250 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1251 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1252 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1253 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 600

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1254 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1255 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1256 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1257 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.130 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 601

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1258 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.137 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1323 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.068 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1366 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.252 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1368 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.260 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 602

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1370 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.164 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 1372 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.253 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1374 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.254 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1389 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.118 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 603

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1391 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.092 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 1392 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|

|---|
| _Member Number: 1393 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1395 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.156 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 604

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1397 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1398 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1400 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1402 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.366 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 605

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1406 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1407 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1408 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1409 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 606

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1410 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.192 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 8.2.1.2

_Member Number: 1411 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.135 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 1412 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.102 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_Member Number: 1413 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1415 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.60
Critical Condition: Sec. 9.3.2.2

_Member Number: 1416 _
Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.174 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 1417 _
Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.145 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1418 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.040 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1419 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1420 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.136 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1421 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.162 Critical Load Case: 101 Location: 0.51 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1422 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.056 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1424 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.318 Critical Load Case: 101 Location: 1.70 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 1427 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1428 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1429 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1430 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1432 _ |

| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.068 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1433 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.068 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1434 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.068 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 611

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1436 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.154 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1449 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 1.21 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1450 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|

| _Member Number: 1453 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.254 Critical Load Case: 101 Location: 1.21 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 612

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1454 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.226 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1459 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.252 Critical Load Case: 101 Location: 1.21 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1460 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.249 Critical Load Case: 101 Location: 1.21 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1461 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 613

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|

| _Member Number: 1462 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.226 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 1471 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.072 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 1473 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 1476 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.154 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1478 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.323 Critical Load Case: 101 Location: 0.85 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1485 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.090 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1487 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.130 Critical Load Case: 101 Location: 0.81 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 1488 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 615

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1489 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1490 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.113 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1493 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1495 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 616

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1497 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1500 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.216 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1501 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.206 Critical Load Case: 101 Location: 0.91 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1502 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 617

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1503 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.820 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1504 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 1505 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1510 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.059 Critical Load Case: 101 Location: 1.05 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 618

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|--|
| _Member Number: 1514 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.065 Critical Load Case: 101 Location: 1.05 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 1517 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.151 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 1518 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.126 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|

|---|
| _Member Number: 1520 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.060 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1521 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.054 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1542 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.80 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1549 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1550 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

****

_
|--|
| _Member Number: 1551 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 1552 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.094 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1553 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|--|
| _Member Number: 1558 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 621

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1559 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.135 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 1560 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.136 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 8.2.1.2

_Member Number: 1561 _
Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.280 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_Member Number: 1562 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.152 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1563 _
Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.115 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_Member Number: 1564 _
Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.177 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1565 _
Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.087 Critical Load Case: 101 Location: 0.81
Critical Condition: Sec. 8.2.1.2

_Member Number: 1566 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 623

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1569 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1570 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.150 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1573 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1574 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 624

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1595 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.133 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1596 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.172 Critical Load Case: 101 Location: 0.86 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1597 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.274 Critical Load Case: 101 Location: 0.51 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1598 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.266 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1599 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.264 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1600 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.251 Critical Load Case: 101 Location: 0.61 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1601 _ |

| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.137 Critical Load Case: 101 Location: 0.88 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1602 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.154 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 626

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1604 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.257 Critical Load Case: 101 Location: 0.64 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1605 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.237 Critical Load Case: 101 Location: 0.74 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1606 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.281 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1607 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.283 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 627

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1608 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.277 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1609 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.255 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1610 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.204 Critical Load Case: 101 Location: 1.05 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1611 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.171 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 628

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1614 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.191 Critical Load Case: 101 Location: 0.60 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

| _Member Number: 1615 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 1616 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1617 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 629

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1618 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1619 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1620 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1621 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 630

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1623 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.310 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1624 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.351 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1625 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.329 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1626 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.328 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 631

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1629 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.128 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1631 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.271 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1632 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.359 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1633 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.359 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1634 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.351 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1635 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.308 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1636 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.237 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1637 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.234 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 633

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1638 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1639 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1640 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1641 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|

_ STAAD SPACE -- PAGE NO. 634

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1642 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1644 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1648 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1649 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 635

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1650 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|

|---|
| _Member Number: 1651 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.102 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1652 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1653 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 636

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1654 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1658 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1660 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.236 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1661 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1662 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.027 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1663 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1664 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.266 Critical Load Case: 101 Location: 0.64 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1665 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1666 _ |
| Member Section: ST 125X125X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.033 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1667 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1668 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1670 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 639

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1672 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1673 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.089 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1674 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1676 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1678 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1680 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1682 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

554. CHECK CODE MEMB 1683 TO 1692 1695 TO 1697 1699 TO 1707 1709 TO 1719 1721 -

555. 1723 1732 TO 1734 1739 TO 1741 1746 TO 1762 1767 TO 1778 1781 TO 1792 1797
-
556. 1799 1800 1802 1805 TO 1807 1812 TO 1828 1833 TO 1844 1847 TO 1858 1863 -
557. 1865 1866 1868 1871 TO 1873 1878 TO 1887 1928 1932 1935 1946 1949 -
558. 1960 TO 2008 2015 2016 2024 2025 2030 2033 TO 2045 2050 TO 2056 -
559. 2060 TO 2135 2143 TO 2156 2163 2175 2177 TO 2212 2216 TO 2218 2220 TO 2255
-
560. 2261 TO 2281 2284 2286 2288 TO 2296 2298 TO 2302
_STEEL DESIGN _

|---|
| _Member Number: 1683 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.035 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2
_ STAAD SPACE -- PAGE NO. 641

|---|
| _Member Number: 1684 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1685 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.220 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1686 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.283 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1687 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1688 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 642

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1689 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1690 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1691 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1692 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.248 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 643

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1695 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.089 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1696 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.089 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1697 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.089 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1699 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.112 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 644

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1700 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.268 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1701 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.173 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 1702 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.116 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1703 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.231 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 645

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1704 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.108 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1705 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.171 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1706 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.052 Critical Load Case: 101 Location: 0.30 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 1707 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.105 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|

_ STAAD SPACE -- PAGE NO. 646

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1709 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.227 Critical Load Case: 101 Location: 0.87 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1710 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.231 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1711 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.104 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1712 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.171 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 647

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1713 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|

|---|
| _Member Number: 1714 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.161 Critical Load Case: 101 Location: 0.79 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1715 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.164 Critical Load Case: 101 Location: 0.79 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1716 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.161 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 8.2.1.2

_

_

|---|
| _Member Number: 1717 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.195 Critical Load Case: 101 Location: 0.85 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1718 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1719 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1721 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1723 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1732 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1733 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.150 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1734 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1739 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1740 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1741 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1746 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.232 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 651

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1747 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.151 Critical Load Case: 101 Location: 0.86 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1748 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.300 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1749 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.316 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1750 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.311 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1751 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.279 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1752 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.105 Critical Load Case: 101 Location: 0.88 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1753 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.249 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1754 _ |

| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.157 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 653

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1755 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.198 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1756 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.253 Critical Load Case: 101 Location: 0.35 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1757 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.267 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1758 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.236 Critical Load Case: 101 Location: 0.88 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 654

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1759 _ |

| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.179 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 1760 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.321 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 1761 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.339 Critical Load Case: 101 Location: 0.47 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 1762 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.331 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

| _Member Number: 1767 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1768 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1769 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1770 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

| _Member Number: 1771 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1772 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1773 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1774 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 657

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1775 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.368 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1776 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.420 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1777 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.376 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1778 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.374 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 658

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1781 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.278 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1782 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.281 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1783 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.366 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1784 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.267 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 659

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1785 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.263 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1786 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.428 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1787 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.429 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1788 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.421 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 660

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1789 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1790 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1791 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1792 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 661

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1797 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.181 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1799 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1800 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.153 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1802 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 662

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1805 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|--|
| _Member Number: 1806 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|

|---|
| _Member Number: 1807 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1812 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.124 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 663

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1813 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.43 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1814 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.301 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1815 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.316 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1816 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.309 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 664

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1817 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.276 Critical Load Case: 101 Location: 0.94
Critical Condition: Sec. 9.3.2.2

_Member Number: 1818 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.091 Critical Load Case: 101 Location: 0.94
Critical Condition: Sec. 9.3.2.2

_Member Number: 1819 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.122 Critical Load Case: 101 Location: 0.84
Critical Condition: Sec. 9.3.2.2

_Member Number: 1820 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.167 Critical Load Case: 101 Location: 0.71
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 665

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1821 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.193 Critical Load Case: 101 Location: 0.94

Critical Condition: Sec. 9.3.2.2

_Member Number: 1822 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.249 Critical Load Case: 101 Location: 0.44
Critical Condition: Sec. 9.3.2.2

_Member Number: 1823 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.267 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 1824 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.237 Critical Load Case: 101 Location: 0.88
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1825 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.180 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 1826 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.320 Critical Load Case: 101 Location: 0.94
Critical Condition: Sec. 9.3.2.2

_Member Number: 1827 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.338 Critical Load Case: 101 Location: 0.47 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1828 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.331 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1833 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1834 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1835 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1836 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1837 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1838 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1839 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1840 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1841 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.371 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1842 _ |

| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.422 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1843 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.375 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1844 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.373 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1847 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.274 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1848 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.277 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1849 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|

| _Member Number: 1850 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.270 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 671

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1851 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.267 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1852 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.428 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1853 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.429 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1854 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.422 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 672

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|

| _Member Number: 1855 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1856 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1857 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1858 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1863 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.176 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 1865 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1866 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.154 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1868 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 674

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1871 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.241 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1872 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1873 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1878 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 675

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1879 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1880 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1881 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1882 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 676

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1883 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1884 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1885 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1886 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 677

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1887 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.099 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1928 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.209 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1932 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.124 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|

|---|
| _Member Number: 1935 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.285 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 678

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1946 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.214 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1949 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.204 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 1960 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.264 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1961 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.257 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 679

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)

****

_
|--|
| _Member Number: 1962 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.266 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1963 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.258 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1964 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.185 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 1965 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.184 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 680

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 1966 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.242 Critical Load Case: 101 Location: 1.12 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 1967 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.229 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 6.2

_Member Number: 1968 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1969 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.154 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 1970 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Compression)

_Member Number: 1971 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Tension)

_Member Number: 1972 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00
Critical Condition: Slenderness (Tension)

_Member Number: 1973 _
Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.84 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 682

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1974 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.221 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1975 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1976 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1977 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 683

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1978 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1979 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1980 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.240 Critical Load Case: 101 Location: 1.12 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1981 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.227 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 1982 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1983 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.153 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1984 _ |

| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 1985 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 685

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 1986 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 1987 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.93 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 1988 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.224 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 1989 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 686

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1990 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.151 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 1991 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 1992 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 1993 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 1994 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|

| _Member Number: 1995 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.148 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 1996 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1997 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

_ STAAD SPACE -- PAGE NO. 688

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 1998 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

| _Member Number: 1999 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

| _Member Number: 2000 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2001 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 689

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2002 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.151 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2003 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2004 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.101 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2005 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 690

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2006 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2007 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2008 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.313 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2015 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.152 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2016 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.408 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2024 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2025 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2030 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.388 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 692

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2033 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.077 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2034 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2035 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2036 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.084 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

_ STAAD SPACE -- PAGE NO. 693

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2037 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.309 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2038 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.200 Critical Load Case: 101 Location: 0.60 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2039 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.188 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2040 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.239 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 694

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2041 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.227 Critical Load Case: 101 Location: 1.10 |
| Critical Condition: Sec. 8.2.1.2 |

|----------|

|----------|
| _Member Number: 2042 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|----------|
| _Member Number: 2043 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|----------|
| _Member Number: 2044 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|----------|
| _Member Number: 2045 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|----------|
| _Member Number: 2050 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|----------|
| _Member Number: 2051 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2052 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 696

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2053 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2054 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2055 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2056 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 697

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2060 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2061 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.820 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2062 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2063 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 698

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2064 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2065 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2066 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.165 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2067 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2068 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2069 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.240 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2070 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2071 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.182 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 700

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2072 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.221 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2073 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2074 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.182 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2075 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 701

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2076 _ |

| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.205 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2077 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.190 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2078 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.39 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2079 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.206 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 702

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2080 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.140 Critical Load Case: 101 Location: 0.31 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2081 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2082 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2083 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.193 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2084 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.141 Critical Load Case: 101 Location: 0.71 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2085 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.44 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2086 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.197 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2087 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.163 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 704

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2088 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.209 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2089 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.186 Critical Load Case: 101 Location: 0.47 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2090 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.167 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2091 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.201 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 705

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2092 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.134 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2093 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.252 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2094 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2095 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.100 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_ STAAD SPACE -- PAGE NO. 706

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2096 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.176 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 2097 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.082 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2098 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.170 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2099 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.192 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 707

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2100 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.23 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2101 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.172 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 2102 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.152 Critical Load Case: 101 Location: 0.08 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2103 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.205 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 708

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 2104 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.189 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 2105 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.145 Critical Load Case: 101 Location: 0.47 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 2106 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.209 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 2107 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.39 |
Critical Condition: Sec. 9.3.2.2

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 2108 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.211 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 2109 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

|---|
| _Member Number: 2110 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.201 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2111 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.86 |
Critical Condition: Sec. 9.3.2.2

_ STAAD SPACE -- PAGE NO. 710

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2112 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.52 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2113 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.196 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2114 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.164 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2115 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.207 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 711

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2116 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.192 Critical Load Case: 101 Location: 0.47 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2117 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.169 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2118 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.215 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2119 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.17 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 712

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2120 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.219 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Sec. 9.3.2.2

_Member Number: 2121 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.124 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 2122 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.102 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 2123 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.476 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

_Member Number: 2124 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.496 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 8.2.1.2

_Member Number: 2125 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)
Status: PASS Ratio: 0.493 Critical Load Case: 101 Location: 0.00
Critical Condition: Sec. 9.3.2.2

_Member Number: 2126 _
Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS)

| Status: PASS Ratio: 0.445 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2127 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.402 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2128 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.392 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2129 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.577 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2130 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.311 Critical Load Case: 101 Location: 1.35 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2131 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.267 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 2132 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.266 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2133 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.331 Critical Load Case: 101 Location: 1.16 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2134 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.292 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2135 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.402 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 716

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 2143 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.389 Critical Load Case: 101 Location: 1.47 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2144 _ |

| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.302 Critical Load Case: 101 Location: 1.35 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2145 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.487 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2146 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.215 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 717

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2147 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.424 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2148 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.227 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2149 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.308 Critical Load Case: 101 Location: 0.79 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2150 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.356 Critical Load Case: 101 Location: 2.71 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 718

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2151 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.288 Critical Load Case: 101 Location: 1.20 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2152 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.278 Critical Load Case: 101 Location: 1.12 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2153 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.409 Critical Load Case: 101 Location: 2.71 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2154 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.416 Critical Load Case: 101 Location: 1.16 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 719

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2155 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.332 Critical Load Case: 101 Location: 1.16 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2156 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.596 Critical Load Case: 101 Location: 2.71 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2163 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.291 Critical Load Case: 101 Location: 1.47 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2175 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.205 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 720

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2177 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.129 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2178 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.199 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2179 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.148 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 2180 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.288 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2181 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.99 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2182 _ |
| Member Section: ST 75X75X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2183 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.148 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2184 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.197 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 722

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2185 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.60 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2186 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.290 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2187 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.122 Critical Load Case: 101 Location: 0.99 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2188 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.213 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 723

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2189 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.136 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2190 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.207 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2191 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.168 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2192 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.290 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

_ STAAD SPACE -- PAGE NO. 724

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2193 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.130 Critical Load Case: 101 Location: 0.99 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2194 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.199 Critical Load Case: 101 Location: 0.94 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2195 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.141 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 9.3.2.2 |

|---|

|---|
| _Member Number: 2196 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.194 Critical Load Case: 101 Location: 0.86 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 725

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2197 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.169 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2198 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.284 Critical Load Case: 101 Location: 0.19 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2199 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.114 Critical Load Case: 101 Location: 0.99 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2200 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.148 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 726

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)

****

_
|--|
| _Member Number: 2201 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.132 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|--|
| _Member Number: 2202 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.143 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 6.2

|--|
| _Member Number: 2203 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.172 Critical Load Case: 101 Location: 0.47 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 2204 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 727

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|--|
| _Member Number: 2205 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.240 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|--|
| _Member Number: 2206 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.117 Critical Load Case: 101 Location: 0.99 |

Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2207 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.144 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2208 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2209 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.140 Critical Load Case: 101 Location: 0.94 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2210 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2211 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.222 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2212 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.085 Critical Load Case: 101 Location: 0.99 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 729

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2216 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.201 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2217 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.195 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2218 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.139 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2220 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

_ STAAD SPACE -- PAGE NO. 730

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2221 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.284 Critical Load Case: 101 Location: 1.01 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2222 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 1.03 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2223 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.196 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2224 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.191 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2225 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.129 Critical Load Case: 101 Location: 0.60 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2226 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.149 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2227 _ |

| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.283 Critical Load Case: 101 Location: 0.67 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2228 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.113 Critical Load Case: 101 Location: 1.03 |
Critical Condition: Sec. 6.2

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2229 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.203 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2230 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.197 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2231 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.142 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2232 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.147 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 2233 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.293 Critical Load Case: 101 Location: 1.01 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2234 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 1.03 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2235 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2236 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.197 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 734

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

|---|
| _Member Number: 2237 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.133 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

|---|

| _Member Number: 2238 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.147 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

| _Member Number: 2239 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.286 Critical Load Case: 101 Location: 0.93 |
| Critical Condition: Sec. 9.3.2.2 |

| _Member Number: 2240 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.118 Critical Load Case: 101 Location: 1.03 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 735

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

| _Member Number: 2241 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.131 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 2242 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.127 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

| _Member Number: 2243 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2244 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.125 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 8.2.1.2 |

_ STAAD SPACE -- PAGE NO. 736

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2245 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.231 Critical Load Case: 101 Location: 1.01 |
| Critical Condition: Sec. 9.3.2.2 |

|---|
| _Member Number: 2246 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.140 Critical Load Case: 101 Location: 1.03 |
| Critical Condition: Sec. 8.2.1.2 |

|---|
| _Member Number: 2247 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.137 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|
| _Member Number: 2248 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.133 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

_ STAAD SPACE -- PAGE NO. 737

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2249 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2250 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2251 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2252 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.086 Critical Load Case: 101 Location: 1.03 |
| Critical Condition: Sec. 6.2 |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2253 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.820 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2254 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2255 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2261 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2262 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Compression) |

|---|
| _Member Number: 2263 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2264 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|
| _Member Number: 2265 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.238 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Slenderness (Tension) |

|---|

_ STAAD SPACE -- PAGE NO. 740

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2266 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2267 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.528 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2268 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.820 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2269 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.369 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_ STAAD SPACE -- PAGE NO. 741

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2270 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.131 Critical Load Case: 101 Location: 0.00 |
| Critical Condition: Sec. 6.2 |

|---|

|---|
| _Member Number: 2271 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.127 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2272 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2273 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

_ STAAD SPACE -- PAGE NO. 742

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2274 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.202 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2275 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.080 Critical Load Case: 101 Location: 1.03 |
Critical Condition: Sec. 6.2

|---|
| _Member Number: 2276 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.056 Critical Load Case: 101 Location: 0.00 |

Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2277 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.053 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2278 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2279 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.120 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2280 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.205 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2281 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.067 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2284 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2286 _ |
| Member Section: ST 150X150X6.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.204 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2288 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.246 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2289 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.084 Critical Load Case: 101 Location: 0.99 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 745

_
STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_
|---|
| _Member Number: 2290 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.33 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2291 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |

| Status: PASS Ratio: 0.052 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2292 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.119 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2293 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.061 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2294 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.114 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2295 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.121 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2296 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.122 Critical Load Case: 101 Location: 0.99 |
Critical Condition: Sec. 8.2.1.2

|---|
| _Member Number: 2298 _ |

| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.134 Critical Load Case: 101 Location: 0.88 |
Critical Condition: Sec. 6.2

_ STAAD SPACE -- PAGE NO. 747

_

STAAD.PRO CODE CHECKING - IS-800-2007-LSD (V2.2)
****

_

|---|
| _Member Number: 2299 _ |
| Member Section: ST 72X72X3.2SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.123 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 9.3.2.2

|---|
| _Member Number: 2300 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.269 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Tension)

|---|
| _Member Number: 2301 _ |
| Member Section: ST 32X32X3.2SHS (TATA STRUCTURA SECTIONS) |
| Status: PASS Ratio: 0.597 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Slenderness (Compression)

|---|
| _Member Number: 2302 _ |
| Member Section: ST 100X100X5.0SHS (APL APOLLOTUBE SECTIONS) |
| Status: PASS Ratio: 0.042 Critical Load Case: 101 Location: 0.00 |
Critical Condition: Sec. 8.2.1.2

561. PARAMETER 2
562. CODE IS800 LSD
563. STEEL TAKE OFF LIST 1 TO 3 5 11 15 19 45 47 49 51 53 55 57 TO 59 61 63 65 -
564. 67 69 71 75 79 81 83 85 89 TO 92 94 95 97 100 TO 102 105 107 117 119 127 -
565. 128 TO 132 139 TO 162 181 TO 184 187 188 199 293 TO 296 298 299 301 TO 304 -
566. 306 314 TO 316 318 344 TO 346 348 350 352 354 TO 357 359 361 TO 363 365 629 -
567. 633 634 636 642 643 645 TO 648 653 TO 657 662 TO 664 666 TO 689 691 -
568. 693 TO 705 710 TO 713 720 722 724 726 734 738 740 754 TO 759 761 TO 763 765 -

_ STAAD SPACE -- PAGE NO. 748

569. 771 TO 775 777 TO 785 787 789 TO 815 852 TO 878 925 929 933 949 -
570. 1036 TO 1043 1045 TO 1052 1055 TO 1070 1103 TO 1106 1109 TO 1112 -
571. 1115 TO 1118 1121 TO 1124 1145 TO 1152 1154 TO 1161 1164 TO 1179 1202 1204
-
572. 1206 1208 1215 1217 1219 1221 1225 TO 1228 1231 1232 1243 TO 1258 1323 1366
-
573. 1368 1370 1372 1374 1389 1391 TO 1393 1395 1397 1398 1400 1402 1406 TO 1413
-
574. 1415 TO 1422 1424 1427 TO 1430 1432 TO 1434 1436 1449 1450 1453 1454 1459 -
575. 1460 TO 1462 1471 1473 1476 1478 1485 1487 TO 1490 1493 1495 1497 -
576. 1500 TO 1505 1510 1514 1517 1518 1520 1521 1542 1549 TO 1553 1558 TO 1566 -
577. 1569 1570 1573 1574 1595 TO 1602 1604 TO 1611 1614 TO 1621 1623 TO 1626 -
578. 1629 1631 TO 1642 1644 1648 TO 1654 1658 1660 TO 1668 1670 1672 TO 1674 -
579. 1676 1678 1680 1682

_ STAAD SPACE -- PAGE NO. 749

_STEEL TAKE OFF _

_
STEEL TAKE-OFF

PROFILE	LENGTH(METE)	WEIGHT(KN)
ST 150X150X6.0SHS	97.88	25.288
ST 125X125X6.0SHS	61.71	13.098
ST 75X75X6.0SHS	131.55	15.795
ST 72X72X3.2SHS	86.99	5.707
ST 100X100X5.0SHS	83.82	11.822
ST 32X32X3.2SHS	18.09	0.475

TOTAL =	72.185	

********** END OF DATA FROM INTERNAL STORAGE **********

580. STEEL TAKE OFF LIST 1683 TO 1692 1695 TO 1697 1699 TO 1707 1709 TO 1719
1721 -
581. 1723 1732 TO 1734 1739 TO 1741 1746 TO 1762 1767 TO 1778 1781 TO 1792 1797
-
582. 1799 1800 1802 1805 TO 1807 1812 TO 1828 1833 TO 1844 1847 TO 1858 1863 -
583. 1865 1866 1868 1871 TO 1873 1878 TO 1887 1928 1932 1935 1946 1949 -
584. 1960 TO 2008 2015 2016 2024 2025 2030 2033 TO 2045 2050 TO 2123 2127 2128 -
585. 2130 TO 2135 2143 TO 2146 2148 2149 2151 2152 2154 2155 2163 2203 -
586. 2253 TO 2255 2261 TO 2269 2286 2290 2299 TO 2301

_ STAAD SPACE -- PAGE NO. 750

_STEEL TAKE OFF _

_
STEEL TAKE-OFF

PROFILE	LENGTH(METE)	WEIGHT(KN)
ST 150X150X6.0SHS	80.94	20.909
ST 75X75X6.0SHS	53.84	6.464
ST 100X100X5.0SHS	42.59	6.007
ST 72X72X3.2SHS	115.00	7.544
ST 32X32X3.2SHS	34.74	0.913
	TOTAL =	41.837

********** END OF DATA FROM INTERNAL STORAGE **********

587. FINISH

********** END OF THE STAAD.Pro RUN **********

**** DATE= AUG 12,2026 TIME= 2:44:11 ****

_ STAAD SPACE -- PAGE NO. 751

```
************************************************************
*  For technical assistance on STAAD.Pro, please visit    *
*  http://www.bentley.com/en/support/                     *
*                                                         *
*  Details about additional assistance from               *
*  Bentley and Partners can be found at program menu      *
*  Help->Technical Support                                *
*                                                         *
*         Copyright (c) Bentley Systems, Inc.             *
*             http://www.bentley.com                      *
************************************************************
```