


LIFT OFF CANOPY HINGE L/R


ALL DIMENSIONS IN MM.







18.7 L
LEFT SIDE PIN




18.8 R
RIGHT SIDE PIN


APPLICATION DRAWING FOR MODEL NO. KP
18.7 L & 18.8 R (FLIP TOP HINGE,ZINC CASTED)

III - 15.


DC HINGE FOR SINGLE CABINET 30MM (BP) 2MM

ALL DIMENSIONS IN MM.





KP 04.4 / 1.6 X 90 KP 04.5 / 2.0 X 90



P = PLAIN PIN

T = THREADED PIN


BP = BEND PLAIN PIN


BT = BEND THREADED PIN


APPLICATION DRAWING FOR MODEL NO. KP 04.4 / 1.6 X 90 & KP 04.5 / 2.0 X 90 P/T/BP/BT (ZINC HINGE)

III - 03.

ALL DIMENSIONS IN MM.








SDHI 40HH
KP 18.3 CSK / CSK


SDHI 60HH
KP 18.6 CSK / CSK


APPLICATION DRAWING FOR MODEL NO.KP 18.3 CSK/CSK & 18.6 CSK/CSK (CASTED HINGE)


III - 14.

ALL DIMENSIONS IN MM.










SDHI 40BB
KP 18.1 B/B





SDHI 60BB
KP 18.4 B/B


APPLICATION DRAWING FOR MODEL NO.
KP 18.1 B/B & 18.4 B/B (CASTED HINGE)


III - 12.


ALL DIMENSIONS IN MM.














KP 18.2 B / CSK

DC SCREW ON HINGE 40MM SH


KP 18.5 B / CSK

DC SCREW ON HINGE 60MM SH


APPLICATION DRAWING FOR MODEL NO.KP 18.2 B /CSK & 18.5 B /CSK (CASTED HINGE)

III - 13.


ALL DIMENSIONS IN MM.




KP 18.10 B/B



KP 18.11 E/CSK





KP 18.12 CSK/CSK







SDHI 50BB





SDHI 50HH






DC SCREW ON HINGE 50MM SH

APPLICATION DRAWING FOR MODEL NO. KP 18.10 B/B, KP 18.11 B/CSK, KP 18.12 CSK/CSK (CASTED HINGE)


III - 23.

ALL DIMENSIONS IN MM.



SMHI 44HH

KP 18.14 CSK/CSK



SMHI 44SH


KP 18.15 B/CSK


APPLICATION DRAWING FOR MODEL NO. KP 18.14 CSK/CSK & 18.15 B/CSK (CASTED HINGE)


III - 27.

ALL DIMENSIONS IN MM.

DC SCREW ON HINGE 76MM









APPLICATION DRAWING FOR MODEL NO.
KP 18.13 CSK/CSK (CASTED HINGE)

III - 26.

ALL DIMENSIONS IN MM.

SMHI CL201 BIG ZINC HINGE







APPLICATION DRAWING FOR MODEL
NO. KP 18.9 (CASTED HINGE)


III - 19.

ALL DIMENSIONS IN MM.

SPRING PIN HINGE SCREW TYPE









APPLICATION DRAWING FOR MODEL NO. KP 11.5 S (M.S HINGE)


III - 08.

ALL DIMENSIONS IN MM.

SPRING PIN HINGE WELD TYPE









APPLICATION DRAWING FOR MODEL
NO. KP 11.6 W (M.S HINGE)

III - 09.

SMHI 24










◆ MATERIAL - MS ZINC PASSIVATED

PHI 24 120° CONCEALED HINGE (60 mm)

SMHI 25












◆ MATERIAL - MS ZINC PASSIVATED

PHI 25 120° CONCEALED HINGE (90 mm)











CONCEALED HINGE 66X20


◆ MATERIAL - MS ZINC PASSIVATED

PHI 28 120° CONCEALED HINGE (66 x 20 mm)

CONCEALED HINGE 60X15












◆ MATERIAL - MS ZINC PASSIVATED

PHI 29 / PHI 29 N CONCEALED HINGE (60 x 15 mm)











CONCEALED HINGE ADJUSTABLE




◆ MATERIAL - MS ZINC PASSIVATED


PHI 82 CONCEALED HINGE (ADJUSTABLE)


POLYAMIDE HINGE FOR SINGLE CABINET 30MM













◆ MATERIAL - POLYAMIDE

PHI 32 180° HINGE - 30 mm



POLYAMIDE SCREW ON HINGE 25/30/40/50 MM



TYPE	A	B	C	D	T	d	M	Wt. in gms
PHI 37	25	25	15	15	3.5	3	M3	4
PHI 37 30	30	30	18	16	4	3	M4	6
PHI 37 40	40	40	27	25	5	4	M5	15
PHI 36	50	50	30	30	6.5	6	M6	28




◆ MATERIAL - POLYAMIDE

PHI 37/PHI 37 30/PHI 37 40/PHI 36



PL004-1



Description

Material: A3
Finish: bright chrome plated



Basic size L Dimensions L	87
Model Product Number	PL004-1

· **HL070**



Description

Material: Mirror stainless steel hinges;
Note: approximately 180 ° rotation

