
Spare part list
RP300 Wide
(DiviRoll)

ASSA ABLOY



2016-01 Index 00

Side frame right	
Seitenteil rechts	




8220RG337	Rev.: a	Sheet: 7 of 7

ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
I	**Side frame right**								
1	Side frame right incl. photocell without limit switch			D8220RG337	G	B	m	1	
	Side frame right incl. photocell prepared for limit switch			D8220RG337	G	B	m	1	
	Side frame right incl. photocell and Telemechanik limit switch			D8220RG337	G	B	m	1	
	Side frame right incl. photocell and Telemechanik limit switch CAT3/SIL3			D8220RG337	G	B	m	1	
	Side frame right incl. photocell and Schmersal limit switch			D8220RG337	G	B	m	1	
2	Frame profile ri pre-drilled	Base price		D4721RG297	G	B	Stck./pc.	1	
		upcharge		D4721RG297			m	1	
3	Cover profile ri	Base price		D4721RG299	G	B	Stck./pc.	1	
		upcharge		D4721RG299			m		
4	Photocell cpl transm./rec. with 2 cables			D8470R0021		A	Stck./pc.	1	
5	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
6	Cable photocell 13,5m 3x0.25			D4907R0035		A	Stck./pc.	1	
7	Bracket photocell			D4521R1682		A	Stck./pc.	1	
8	Cable chain f. safety edge cpl, L=900mm	DH≤1500		D8520R0001		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=1400mm	1500<DH≤2500		D8520R0002		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=1900mm	2500<DH≤3500		D8520R0003		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=3000mm	DH>3500		D8520R0018		A	Stck./pc.	1	
	Cable chain f. pre-run. photocell cpl, L=900mm	DH≤1500		D8520R0004		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1400mm	1500<DH≤2500		D8520R0005		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1900mm	2500<DH≤3500		D8520R0006		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=3000mm	DH>3500		D8520R0019		A	Stck./pc.	2	
9	Bracket cable chain			D4521R1683		A	Stck./pc.	2	
10	Bracket Schmersal switch	Schmersal		D4621R0484		A	Stck./pc.	1	
11	Bracket Telemecanique switch	Telemecanique		D4521R1685		A	Stck./pc.	1	
12	Magnet sensor Schmersal	Schmersal		D4905R0222		A	Stck./pc.	1	X
13	Cable Schmersal switch 15m	Schmersal		D4907V0019		A	Stck./pc.	1	
	Cable Schmersal switch 30m	Schmersal		D4907R0159		A	Stck./pc.	1	
14	Switch Telemecanique 15m	Telemecanique		D8810R0067		A	Stck./pc.	1	X
	Switch Telemecanique 30m	Telemecanique		D8810R0069		A	Stck./pc.	1	X
15	Bracket damper			D4521R1710		A	Stck./pc.	1	
16	Rubber damper	pre-running photocell		D4402R0082		A	Stck./pc.	1	X
17	Cover for side frame			D4121V0014		A	Stck./pc.	1	X
18	Bottom plate RH			D4521R0116		A	Stck./pc.	1	
19	Cable fixation set			D8170R0338		A	Stck./pc.	1	
20	Bell mouth			D4121R0428		A	Stck./pc.	2	X
21	Stiffening			D4521R1686		A	Stck./pc.	6	
22	Cable 3x0,25 10m with 1 M8 plug			D4907R0131		A	Stck./pc.	1	
23	Clip			D4121R0320		A	Stck./pc.	1	

Side frame right	
Seitenteil rechts	




8220RG337	Rev.: a	Sheet: 7 of 7

ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
II	**Side frame left**								
1	Side frame left incl. photocell without limit switch			D8220RG338	G	B	m	1	
	Side frame left incl. photocell prepared for limit switch			D8220RG338	G	B	m	1	
	Side frame left incl. photocell and Telemechanik limit switch			D8220RG338	G	B	m	1	
	Side frame right incl. photocell and Telemechanik limit switch CAT3/SIL3			D8220RG338	G	B	m	1	
	Side left right incl. photocell and Schmersal limit switch CAT3/SIL3			D8220RG338	G	B	m	1	
2	Frame profile le pre-drilled	Base price		D4721RG298	G	B	Stck./pc.	1	
		upcharge		D4721RG298			m	1	
3	Cover profile le	Base price		D4721RG300	G	B	Stck./pc.	1	
		upcharge		D4721RG300			m	1	
4	Photocell cpl transm./rec. with 2 cables			D8470R0021		A	Stck./pc.	1	
5	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
6	Cable photocell 13,5m 3x0.25			D4907R0035		A	Stck./pc.	1	
7	Bracket photocell			D4521R1682		A	Stck./pc.	1	
8	Cable chain f. safety edge cpl, L=900mm	DH≤1500		D8520R0001		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=1400mm	1500<DH≤2500		D8520R0002		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=1900mm	2500<DH≤3500		D8520R0003		A	Stck./pc.	1	
	Cable chain f. safety edge cpl, L=3000mm	DH>3500		D8520R0018		A	Stck./pc.	1	
	Cable chain f. pre-run. photocell cpl, L=900mm	DH≤1500		D8520R0004		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1400mm	1500<DH≤2500		D8520R0005		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=1900mm	2500<DH≤3500		D8520R0006		A	Stck./pc.	2	
	Cable chain f. pre-run. photocell cpl, L=3000mm	DH>3500		D8520R0019		A	Stck./pc.	2	
9	Bracket cable chain			D4521R1683		A	Stck./pc.	2	
10	Bracket Schmersal switch	Schmersal		D4621R0484		A	Stck./pc.	1	
11	Bracket Telemecanique switch	Telemecanique		D4521R1685		A	Stck./pc.	1	
12	Magnet sensor Schmersal	Schmersal		D4905R0222		A	Stck./pc.	1	X
13	Cable Schmersal switch 15m	Schmersal		D4907V0019		A	Stck./pc.	1	
	Cable Schmersal switch 30m	Schmersal		D4907R0159		A	Stck./pc.	1	
14	Switch Telemecanique 15m	Telemecanique		D8810R0067		A	Stck./pc.	1	X
	Switch Telemecanique 30m	Telemecanique		D8810R0069		A	Stck./pc.	1	X
15	Bracket damper			D4521R1710		A	Stck./pc.	1	
16	Rubber damper	pre-running photocell		D4402R0082		A	Stck./pc.	1	X
17	Cover for side frame			D4121V0014		A	Stck./pc.	1	X
18	Bottom plate LH			D4521R0117		A	Stck./pc.	1	
19	Cable fixation set			D8170R0338		A	Stck./pc.	1	
20	Bell mouth			D4121R0428		A	Stck./pc.	2	X
21	Stiffening			D4521R1686		A	Stck./pc.	6	
22	Cable 3x0,25 10m with 1 M8 plug			D4907R0131		A	Stck./pc.	1	
23	Clip			D4121R0320		A	Stck./pc.	1	

Top roll with door blade DiviRoll	DiviRoll
Wickelwelle mit Behang DiviRoll	DiviRoll




ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
III	**Top roll / curtain**								
	Door blade PVC 1,8 with stripes			D8230RG455	G			1	
		Base price					Stck./pc.		
	Stripes blue or red	Upcharge				C	m²		
	Stripes in special colour	Upcharge				C	m²		
	Door blade Rolltex Plus / Original / NomaTex			D8230RG457	G			1	
1		Base price					Stck./pc.		
	Rolltex Plus / RollTex Original	Upcharge				C	m²		
	Rolltex Original painted	Upcharge				D	m²		
	Nomatex	Upcharge				D	m²		
	Window horizontal / vertikal					C	Stck./pc.		
	Vision panel					C	m/dw		
2	Top roll alu D=140 with bearing	Alu-tube Steel shaft galvanized		D8240RG183	G	C	m	1	
3	Top roll alu D=140 with bearing and door blade			D8240RG184	G	D	m	1	
4	Flange bearing D=30			D8140R0005		A	Stck./pc.	2	X
5	Windbreaktap (12 pcs)			D8130R0009		A	Stck./pc.	12	X

Bottom profile	DiviRoll
Abschlussprofil	DiviRoll




ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
IV	**Bottom profile**								
1	Bottom beam H=160 complete			D8550RG078	G			1	
		Base price					Stck./pc.		
	Rubber profile	Upcharge				B	m		
	Rubber profile, elongated sealing-lip	Upcharge				B	m		
2	Bottom beam H=160 pre-drilled			D4721RG301	G	B	m	1	
3	Rubber profile with integrated safety edge	for MP doors		D4421RG036	G	B	m	1	
	Rubber profile with integrated safety edge, elongated sealing-lip	for MP doors		D4421RG037	G	B	m	1	
	Rubber profile with integrated safety edge	not MP doors		D8550RG073	G	B	m	1	
	Rubber profile with integrated safety edge, elongated sealing-lip	not MP doors		D8550RG074	G	B	m	1	
	Rubber profile pre-running photocell	for MP doors		D4421RG013	G	B	m	1	
	Rubber profile pre-running photocell, elongated sealing-lip	for MP doors		D4421RG014	G	B	m	1	
	Rubber profile pre-running photocell	not MP doors		D8550RG075	G	B	m	1	
	Rubber profile pre-running photocell, elongated sealing-lip	not MP doors		D8550RG076	G	B	m	1	
4	Sliding guide ri/le, pre.-run. photocell / safety edge			D8150R0125		A	Stck./pc.	2	X
5	Pre-run. photocell ri/le, without sliding guide			D8450R0007		A	Stck./pc.	2	
6	Safety photocell transmitter - red	LH		D4904R0544		A	Stck./pc.	1	
7	Safety photocell receiver - yellow	RH		D4904R0545		A	Stck./pc.	1	
8	Bracket, pre-running safety beam			D4621R0483		A	Stck./pc.	2	
9	Distance plate, pre-running safety beam			D4621R0486		A	Stck./pc.	2	
10	Buffer, pre-running safety beam			D4050R0057		A	Stck./pc.	2	
11	Bracket with magnet cpl	Schmersal		D8450R0008		A	Stck./pc.	max 2	
12	Bracket magnet	Schmersal		D4621R0485		A	Stck./pc.	max 2	
13	Magnet	Schmersal		D4905R0223		A	Stck./pc.	max 2	
14	Albany sign 140x70			D6403V0002		A	Stck./pc.	2	
15	Sign yellow/black			D6403V0009		A	Stck./pc.	4	
16	Finger protection	for MP doors		D4121R0583		A	Stck./pc.	2	X

Drive unit complete	
Antrieb komplett	




ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
VI	**Drive unit**								
1	Drive unit cpl GfA	ACS50, without control		D8910R0102		A	Stck./pc.	1	
	Gear motor with MCC encoder	MCC		D8910R0103		A	Stck./pc.	1	
2	Brake GfA			D6622R0026		A	Stck./pc.	1	X
3	Torque arm			D8110R0102		A	Stck./pc.	2	
4	Emergency crank handle switch	ACS50, MCC		D4905R0228		A	Stck./pc.		
5	E-Connection ACS 50	ACS 50, without control		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	E-Connection MCC	MCC		D8903RG145	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
6	Crank 0,7m GfA	H<=2000		D4521R1081		A	Stck./pc.	1	
	Crank 1,0m GfA	2000<H<=3000		D4521R0968		A	Stck./pc.	1	
	Crank 1,7m GfA	3000<H<=3500		D4521R1425		A	Stck./pc.	1	
	Crank 2,4m GfA	3500<H<=4200		D4521R2082		A	Stck./pc.	1	
	Crank 3,3m GfA	H>4200		D4521R2099		A	Stck./pc.	1	
	Crank GfA with cardan joint			D4521R1281		A	Stck./pc.	1	
7	Limit switch section, 6 switches			D4905018		A	Stck./pc.	1	
8	Encoder MCC with bracket			D8410R0080		B	Stck./pc.	1	

DiviRoll	
DiviRoll	



8300RG209	Rev.: a	Sheet: 2 of 2

ASSA ABLOY

RP300 Wide, Version 01

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalj
VIII	**Options**								
1	Top roll cover without bracket			D4721RG302	G	C	m	1	
2	Bracket for top roll cover			D4521R0906		A	Stck./pc.	2	
3	Motor cover steel cpl RH			D8160R0149		B	Stck./pc.	1	
	Motor cover steel cpl LH			D8160R0150		B	Stck./pc.	1	
4	Bracket motor cover RH			D4521R1491		A	Stck./pc.	1	
	Bracket motor cover LH			D4521R1488		A	Stck./pc.	1	
5	Cover black			D4121R0222		A	Stck./pc.	1	
6	Distance rod Alu			D4721RG056	G	B	Stck./pc.	1	
7	Albany Assa Abloy sign 210x100			D6403V0001		A	Stck./pc.	1	
8	Safety relay SRB301 24 VDC			D4914R0031		A	Stck./pc.	1	
	Safety relay SRB200 24 VDC			D4914R0024		A	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

